

Thursby, Kim

From: Ditter, Phillip <phillip.ditter@veolia.com>
Sent: Wednesday, November 02, 2016 4:02 PM
To: Kothur, Bheem; Epost HWRS (Shared Mailbox)
Cc: Melott, Matthew; Thursby, Kim
Subject: Re: FW: Veolia ES Technical Solutions, L.L.C.FLO 000 207 449; Final Permit

On October 28, 2016 Matthew Melott sent an e-mail to the epost address to acknowledge receipt of the permit. In the event that e-mail was not properly received this e-mail will serve as Veolia's acknowledgement of receipt of the final permit.

I would also like to thank you, Bheem for your timely review of our application and the processing of the permit.

On 2 November 2016 at 13:49, Kothur, Bheem <Bheem.Kothur@dep.state.fl.us> wrote:

Hello Phill,

As you know we have eposted your facility permit on October 21, 2016.

Also, I have reminded to Mathew Melott, Veolia, Tallahassee, Manager, last week to responded.

Until today we have not received any acknowledgement that you have received the final permit.

Please response to our Epost and cc to me.

Thanks,

Bheem

From: Thursby, Kim **On Behalf Of** Epost HWRS (Shared Mailbox)
Sent: Friday, October 21, 2016 2:41 PM
To: 'Phillip.ditter@veoliaes.com' <Phillip.ditter@veoliaes.com>
Cc: Baker, Bryan <Bryan.Baker@dep.state.fl.us>; Walker, Kim (Waste) <Kim.Walker@dep.state.fl.us>; 'bastek.brian@epa.gov' <bastek.brian@epa.gov>; 'Merizalde.carlos@epa.gov' <Merizalde.carlos@epa.gov>; Mitchell, Aaron <Aaron.Mitchell@dep.state.fl.us>; 'annie_dziergowski@fws.gov' <annie_dziergowski@fws.gov>; 'FWCConservationPlanningServices@myfwc.com' <FWCConservationPlanningServices@myfwc.com>; Kothur, Bheem <Bheem.Kothur@dep.state.fl.us>
Subject: Veolia ES Technical Solutions, L.L.C.FLO 000 207 449; Final Permit

In an effort to provide a more efficient service, the Florida Department of Environmental Protection's Hazardous Waste Program and Permitting section is forwarding the attached document to you by electronic correspondence "e-correspondence" in lieu of a hard copy through the normal postal service.

We ask that you verify receipt of this document by sending a "reply" message to epost_hwrs@dep.state.fl.us. (An automatic "reply message" is not sufficient to verify receipt). If your email address has changed or you anticipate that it will change in the future, please advise accordingly in your reply. You may also update this information by contacting Kim Thursby at (850) 245-8792.

The attached document is in "pdf" format and will require Adobe Reader 6 or higher to open properly. You may download a free copy of this software at www.adobe.com/products/acrobat/readstep2.html.

Your cooperation in helping us affect this process by replying as requested is greatly appreciated. If you should have any questions about the attached document(s), please direct your questions to the contact person listed in the correspondence.

Bryan Baker, P.G.

Environmental Administrator

Hazardous Waste Program & Permitting



--

Phillip Ditter, CHMM
Environmental, Health and Safety Manager

Industrial Business
VEOLIA NORTH AMERICA

tel

+1 262 243 8908
/ cell

+1 920 960 6091
1275 Mineral Springs Drive / Port Washington, WI 53074
phillip.ditter@veolia.com
www.veolianorthamerica.com

For prepaid recycling of fluorescent lamps, ballast, batteries and more,
visit www.prepaidrecycling.com

For packaging instructions and guidance, click to [Download Packaging Guidance](#)

Receive Veolia's Environmental Buzz E-Newsletter, click to [Subscribe](#)

Resourcing the world  **VEOLIA**
  



Florida Department of Environmental Protection

Bob Martinez Center
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Rick Scott
Governor

Carlos Lopez-Cantera
Lt. Governor

Jonathan P. Steverson

October 21, 2016

Mr. Phillip Ditter, EHS Manager
Veolia ES Technical Solutions, L.L.C.
342 Marpan Lane
Tallahassee, Florida 32305
phillip.ditter@veolia.com

SUBJECT: Veolia ES Technical Solutions, L.L.C.
EPA ID Number: FL0 000 207 449
Operating Permit 0071455-HO-016
Leon County

Dear Mr. Ditter:

Enclosed is Permit Renewal Number 0072959-HO-016 for the operation of a mercury containing lamps and devices storage facility and mercury recovery facility. This permit is issued pursuant to Section 403.722, Florida Statutes (F.S.), and Chapters 62-4, 62-160, 62-730, 62-737, and 62-780, Florida Administrative Code (F.A.C.).

This permit renewal is final and effective ("issued") on the date filed with the Clerk of the Department. When the permit is final, any party to the permit has the right to seek judicial review of the permit pursuant to Section 120.68, F.S., by the filing of a Notice to Appeal pursuant to Rule 9.110, Florida Rules of Appellate Procedure, with the Clerk of the Department in the Office of General Counsel, Department of Environmental Protection, 3900 Commonwealth Boulevard, MS#35, Tallahassee, Florida 32399-3000; and by filling copy of the Notice of Appeal accompanied by the applicable filing fees with the appropriate District Court of Appeal.

The Notice of Appeal must be filed within thirty (30) days from the date the final permit is issued. If you should have any questions, please contact Bheem Kothur, P.E., DEE, Project Manager at (850)245-8781 or via e-mail at Bheem.kothur@dep.state.fl.us

Sincerely,

A handwritten signature in cursive script that reads "Bryan Baker".

Bryan Baker, P.G., Environmental Administrator
Hazardous Waste Program & Permitting

Mr. Phillip Ditter, EHS Manager
October 21, 2016
Page 2 of 2

BB/bk

Enclosures

cc (with enclosures):

Brian Bastek, EPA Region 4, bastek.brian@epa.gov
Carlos Merizalde, EPA Region 4, Merizalde.carlos@epa.gov
Aaron Mitchell, DEP Northwest District, aaron.mitchell@dep.state.fl.us
Annie Dziergowski, U.S. Fish & Wildlife Service, annie_dziergowski@fws.gov
Florida Fish and Wildlife Conservation Planning Services,
FWCConservationPlanningServices@myfwc.com



Florida Department of Environmental Protection

Rick Scott
Governor

Carlos Lopez-Cantera
Lt. Governor

Bob Martinez Center
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Jonathan P. Steverson
Secretary

PERMITTEE:
Veolia ES Technical Solutions, L.L.C.
342 Marpan Lane
Tallahassee, Florida 32305

I.D. Number: FL0 000 207449
Permit Number: 71455-HO-013
Date of Issue: October 21, 2016
Expiration Date: September 26, 2021

ATTENTION:
Mr. Phillip Ditter, EHS Manager

County: Leon
Latitude / Longitude: 30°
21'46" N/84° 16'34" W
Project: Operation of Mercury Containing
Lamps and Devices Storage Facility, Mercury
Recovery and Mercury Reclamation Facility.

Pursuant to authorization obtained by the Florida Department of Environmental Protection (FDEP) under the Resource Conservation and Recovery Act [42 United States Code (U.S.C.) 6901, *et seq.*, commonly known as RCRA] and the Hazardous and Solid Waste Amendments of 1984 (HSWA), this permit is issued under the provisions of Section 403.722, Florida Statutes (F.S.) and Chapters 62-4, 62-160, 62-730, 62-737, 62-777 and 62-780, Florida Administrative Code (F.A.C.). This permit replaces expired permit 71455-HO-011. The above-named Permittee is hereby authorized to perform the work or operate the facility shown on the application dated March 28, 2016 and revised additional information on June 27, 2016 which are incorporated herein and collectively referred to as the Permit Application. The permit application also includes any approved drawing(s), plans, and other documents attached hereto or on file with the Department and made a part hereof and specifically described as follows:

To operate a mercury containing lamp and device storage, recovery and reclamation facility. The storage of mercury containing lamps and devices is limited to the following: 13,504 cubic feet of mixed lamps, 844- 55-gallon drums of mercury containing devices/unprocessed powder or combination thereof within 106 pallet spaces may be stored. For further details, see Attachment D-3 of renewal permit application revisions dated March 28, 2016, revised on and additional information on June 27, 2016.

The Recovery Process involves operations or processes and equipment used to receive spent mercury containing lamps and devices for the purpose of crushing or dismantling and separating the lamps or devices in a manner as to produce separated individual recyclable components such as glass, scrap metal and mercury containing powder.

The Reclamation process uses processes described in the application to receive and recapture mercury from spent mercury containing lamps, mercury containing devices, mercury containing materials or residuals, or pourable commodity grade mercury materials to produce a commercial grade of mercury for recycling.

The facility also operates a 10 Day Hazardous Waste Transfer Storage Facility and Universal Waste Handler activities at the facility.

Operation of the facility will be in accordance with the permit renewal application dated March 28, 2016 and additional information dated June 27, 2016.

HSWA Corrective Action: Five solid waste management units (SWMUs), seven sub-units, and three areas of concern (AOC) have been identified at the facility in the RCRA Facility Assessment dated November 12, 1997 and revised in September 2006. No remedial corrective action is required at the facility at this time.

The Permittee is required to investigate any releases of contaminants to the environment at the facility regardless of the time at which waste was placed in a unit and to take appropriate corrective action for any such releases. Solid waste management units (SWMUs) and areas of concern (AOCs) identified to date are listed in Appendix A. Pursuant to 40 Code of Federal Regulations (CFR) 260.10 [as adopted by reference in Rule 62-730.020(1), F.A.C.], the corrective action requirements of this RCRA permit extend to all contiguous property under the control of the Permittee (see Attachment A, a map which demarks the property boundaries of land under the Permittee's control) and to all contamination that originated from discharges at the contiguous property under control of the Permittee.

This permit is based on the premise that information and reports submitted by the Permittee prior to issuance of this permit are accurate. Any inaccuracies found in this information or information submitted as required by this permit may be grounds for termination or modification of this permit, in accordance with Section 403.727(3)(a) F.S. and Rule 62-730.290, F.A.C., and potential enforcement action.

The facility is located at 342 Marpan Lane, Tallahassee, Leon County, Florida.

During operating hours, visitors, vendors, contractors, and other persons must receive prior authorization from Veolia ES Technical Solutions, L.L.C. before gaining access to the facility. The facility shall be locked and secured during non-operating hours.

The following documents were used in the preparation of this permit:

1. Permit Application dated June 8, 1995.

2. Additional Information received on October 16, November 2, November 16, and December 22, 1995.
3. Minor modifications approved since permit issuance dated November 7, 1996, February 25, 1997, June 15, 2000, and December 28, 2000.
4. RCRA Facility Assessment Report dated November 12, 1997.
5. Permit Renewal Application dated February 9, 2001.
6. Retort Efficiency letter dated November 30, 2004 and submitted letter dated April 7, 2005.
7. Facility Name Change and Financial Assurance Materials dated December 19, 2004.
8. Permit Transfer Application dated March 28, 2005.
9. Permit Modification Application dated June 22, 2005.
10. Revised Sampling Plan, Contingency Plan, and Inspection Form dated June 22, 2005.
11. Permit Renewal Application dated May 25, 2006.
12. Facility Name Change notification dated June 23, 2006.
13. Permit Renewal Application NOD Response dated September 8, 2006.
14. Additional Information received on November 14, 2006 and January 17, 2007.
15. Mercury Criteria for Buildings by Dr. Stephen M. Roberts, PhD, University of Florida dated May 25, 2006 and February 5, 2007.
16. Permit Modification Application dated May 15, 2008 and additional information dated July 21, 2008, and August 5, 2008.
17. Permit Renewal Application April 15, 2011.
18. Permit Renewal Application NOD Response dated July 13, 2011 and August 22, 2011.
19. Permit Renewal Application dated March 28, 2016 and additional information dated June 27, 2016.

Veolia ES Technical Solutions, L.L.C
342 Marpan Lane
Tallahassee, Florida 32305

EPA I.D. Number: FL0 000 207 449
PERMIT/CERTIFICATION NUMBER: 71455- HO-13
EXPIRATION DATE: SEPTEMBER 26, 2021

TABLE OF CONTENTS

Part I – General and Standard Conditions	5
Part II - Operating Conditions	15
Part II Sub-Part A – Closure Conditions	18
Part III – Post-Closure Conditions	19
Part IV – Environmental Monitoring Conditions.....	19
Part V - General Corrective (Remedial) Action Conditions	20
Part VI – Remedy Selection and Implementation Conditions	21
Appendix A - Summary of Solid Waste Management Units and Areas of Concern	22
Attachment A – Facility Plan	26

PART I – GENERAL AND STANDARD CONDITIONS

1. The terms, conditions, requirements, limitations and restrictions set forth in this permit, are "permit conditions" and are binding and enforceable pursuant to Sections 403.141, 403.727, or 403.859 through 403.861, Florida Statutes (F.S.). The Permittee is placed on notice that the Department will review this permit periodically and may initiate enforcement action for any violation of these conditions.
2. This permit is valid only for the specific processes and operations applied for and indicated in the approved drawings or exhibits. Any unauthorized deviation from the approved drawings, exhibits, specifications, or conditions of this permit may constitute grounds for revocation and enforcement action by the Department.
3. As provided in subsections 403.087(6) and 403.722(5), F.S., the issuance of this permit does not convey any vested rights or any exclusive privileges. Neither does it authorize any injury to public or private property or any invasion of personal rights, nor any infringement of federal, state, or local laws or regulations. This permit is not a waiver of or approval of any other Department permit that may be required for other aspects of the total project which are not addressed in this permit.
4. This permit conveys no title to land or water, does not constitute State recognition or acknowledgment of title, and does not constitute authority for the use of submerged lands unless herein provided and the necessary title or leasehold interests have been obtained from the State. Only the Trustees of the Internal Improvement Trust Fund may express State opinion as to title.
5. This permit does not relieve the Permittee from liability for harm or injury to human health or welfare, animal, or plant life, or property caused by the construction or operation of this permitted source, or from penalties therefore; nor does it allow the Permittee to cause pollution in contravention of Florida Statutes and Department rules, unless specifically authorized by an order from the Department.
6. The Permittee shall at all times properly operate and maintain the facility and systems of treatment and control (and related appurtenances) that are installed and used by the Permittee to achieve compliance with the conditions of this permit, as required by Department rules. This provision includes the operation of backup or auxiliary facilities or similar systems when necessary to achieve compliance with the conditions of the permit and when required by Department rules.
7. The Permittee, by accepting this permit, specifically agrees to allow authorized Department personnel, upon presentation of credentials or other documents as may be

required by law and at reasonable times, access to the premises where the permitted activity is located or conducted for the purpose of:

- a. Have access to and copy any records that must be kept under conditions of the permit;
- b. Inspect the facility, equipment, practices, or operations regulated or required under this permit; and
- c. Sample or monitor any substances or parameters at any time or location reasonably necessary to assure compliance with this permit or Department rules. Reasonable time may depend on the nature of the concern being investigated.

8. The Permittee shall comply with the following notification and reporting requirements:

- a. If, for any reason, the Permittee does not comply with or will be unable to comply with any condition or limitation specified in this permit, the Permittee shall immediately provide the Department with the following information:
 - (1) A description of and cause of noncompliance; and
 - (2) The period of non-compliance, including dates and times; or, if not corrected, the anticipated time the noncompliance is expected to continue, and steps being taken to reduce, eliminate, and prevent recurrence of the non-compliance. The Permittee shall be responsible for any and all damages which may result and may be subject to enforcement action by the Department for penalties or for revocation of this permit.
- b. Notification of any noncompliance which may endanger human health or the environment, including the release of any hazardous waste that may endanger public drinking water supplies or the occurrence of a fire or explosion at the facility which could threaten the environment or human health outside the facility, shall be reported verbally to the Department within 24 hours, and a written report shall be provided within five days. The verbal report shall include the name, address, I.D. number, and telephone number of the facility, its owner or operator, the name and quantity of materials involved, the extent of any injuries, an assessment of actual or potential hazards, and the estimated quantity and disposition of recovered material. The written submission shall contain:
 - (1) A description and cause of the noncompliance.
 - (2) If not corrected, the expected time of correction, and the steps being taken to reduce, eliminate, and prevent recurrence of the noncompliance.
- c. Permittee shall comply with the "Notices" provisions of Rule 62-780.220, F.A.C.

- d. The Permittee shall give written notice to the Department within 15 days of any planned physical alterations or additions, including Permittee-initiated emergency response or interim source removal, that could affect activities covered by this permit. The notice shall include at a minimum, a summary of the planned change, the reason for the planned change, a discussion of the impact(s) the planned change will have on the ability to investigate contamination at or from the SWMU or AOC, and a discussion of the impact(s) the planned change will have on the known or suspected contamination.
 - e. The Permittee shall revise "Part I - General" of the Application for a Hazardous Waste Facility Permit [DEP Form 62-730.900(2)(a)] and submit the revised form to the Department within 30 days of any changes in the Part I information.
 - f. Biennial report. A biennial report covering facility activities during the previous calendar year shall be submitted by March 1 of each even numbered year pursuant to Chapter 62-730, F.A.C.
 - g. Unmanifested waste report. The Permittee shall submit an unmanifested waste report to the Department within 15 days of receipt of unmanifested waste.
 - h. Manifest discrepancy report. If a significant discrepancy in a manifest is discovered, the Permittee shall attempt to rectify the discrepancy. If not resolved within 15 days after the waste is received, the Permittee shall immediately submit a letter report, including a copy of the manifest, to the Department.
9. In accepting this permit, the Permittee understands and agrees that all records, notes, monitoring data and other information relating to the construction or operation of this permitted source which are submitted to the Department may be used by the Department as evidence in any enforcement case involving the permitted source arising under the Florida Statutes or Department rules, except where such use is prescribed by Section 403.111 and 403.73, F.S. Such evidence shall only be used to the extent it is consistent with the Florida Rules of Civil Procedure and appropriate evidentiary rules.
 10. The Permittee agrees to comply with changes in Department rules and Florida Statutes after a reasonable time for compliance; provided, however, the Permittee does not waive any other rights granted by Florida Statutes or Department rules.
 11. This permit is transferable only upon written Department approval in accordance with Rule 62-4.120 and 62-730.290(6), F.A.C., as applicable. The Permittee shall be liable for any non-compliance of the permitted activity until the transfer is approved by the Department. Before transferring ownership or operation of this facility during the term of this permit, the Permittee must notify the new owner or operator in writing of the requirements of 40 C.F.R. Part 264 and Chapter 62-730, F.A.C. [40 C.F.R. 264.12(c)].
 12. This permit is required be kept at the work site of the permitted activity during the entire period of construction, operation, or closure. In the event that there is no building or

reasonable repository for such a copy at the work site, then the permit or a copy thereof shall be kept at an alternate location agreed to by the Department.

13. Reserved:

14. The Permittee shall comply with the following recordkeeping requirements:

- a. Upon request, the Permittee shall furnish all records and plans required under Department rules. During enforcement actions, the retention period for all records will be extended automatically unless otherwise stipulated by the Department.
- b. The Permittee shall hold at the facility or other location designated by this permit records of all monitoring information (including all calibration and maintenance records and all original strip chart recordings for continuous monitoring instrumentation) required by the permit, copies of all reports required by this permit, and records of all data used to complete the application for this permit. These materials shall be retained at least three (3) years from the date of the sample, measurement, report, or application unless otherwise specified by Department rule.
- c. Records of monitoring information shall include, at a minimum:
 - (1) The date, exact place, and time of sampling or measurements;
 - (2) The person responsible for performing the sampling or measurements;
 - (3) The dates analyses were performed;
 - (4) The person responsible for performing the analyses;
 - (5) The analytical techniques or methods used; and
 - (6) The results of such analyses.
- d. As a generator of hazardous waste, the Permittee shall retain a copy of all notices, certifications, demonstrations, waste analysis data, and other documentation produced pursuant to 40 C.F.R. Part 268 for at least three years from the date that the waste which is the subject of such documentation was last sent to on-property or off-property treatment, storage, or disposal, or until remedial activity is completed, whichever date is later. These periods may be extended by request of the Department at any time and are automatically extended during the course of any unresolved enforcement action regarding this facility.
- e. The Permittee shall keep a written operating record at the facility, which includes:
 - (1) The results of any waste analysis;
 - (2) Copies of manifests for three years (40 C.F.R. 264.71, 264.72 and 264.76);
 - (3) The results of inspections;
 - (4) The closure plan;
 - (5) Inspections of emergency and safety equipment (Condition 26 of this Part);
 - (6) Biennial reports (Specific Condition 8(g) of this Part);

- (7) Personnel training records (Specific Condition 2 of Part II);
 - (8) The Waste Minimization Program Plan (40 C.F.R. 262.27 as adopted by reference in subsection 62-730.160(1), F.A.C.);
 - (9) Biennial certification of waste minimization (40 C.F.R. Part 262.41 as adopted by reference in subsection 62-730.160(1), F.A.C.);
 - (10) The description and quantity of each hazardous waste received and generated;
 - (11) The location of each hazardous waste within the facility and the quantity at each location;
 - (12) Notices to generators as specified in 40 C.F.R. 264.12(b);
 - (13) A log of dates of operations and unusual events; and
 - (14) A summary report and details of incidents that require implementation of the contingency plan (Attachment 6 – Contingency Plan of permit renewal application dated March 28, 2016, and subsequent revisions dated June 27, 2016).
15. When requested by the Department, the Permittee shall within a reasonable time furnish any information required by law which is needed to determine compliance with the permit. If the Permittee becomes aware the relevant facts were not submitted or were incorrect in the permit application or in any report to the Department, such facts or information shall be corrected promptly.
16. Except as otherwise specifically provided in this permit, all submittals in response to permit conditions shall be as follows:
- a. One (1) hard copy and one (1) electronic copy in optical media format (CD/DVD) shall be sent to:

Environmental Administrator
Hazardous Waste Program & Permitting
Florida Department of Environmental Protection
2600 Blair Stone Road, MS 4560
Tallahassee, Florida 32399-2400
 - b. Electronic copies may be submitted in one of the following ways:
 - (1) Small files (about 10 MB or less) can be sent as an attachment to an e-mail.
 - (2) Via optical media format such as CD or DVD.
 - (3) By posting the document at the Department's .ftp site and notifying the project manager and district contact by e-mail or verbally that the document has been posted on the .ftp site. Note that posted documents are automatically purged 10 days after posting.

- c. In addition to copies sent to the Hazardous Waste Regulation Section in Tallahassee, one hard and one electronic copy of all submittals in response to permit conditions shall be sent to:

Hazardous Waste Supervisor
Department of Environmental Protection
160 West Government Street, Suite 104
Pensacola, Florida 32502-5740

17. All documents submitted pursuant to the conditions of this permit shall be accompanied by a cover letter stating the name and date of the document submitted, the number(s) of the Part(s) and Specific Condition(s) affected, and the permit number and project name of the permit involved.
18. All documents proposing modifications to the approved permit and involving the practice of engineering must be submitted to the Department for review and be signed, sealed, and certified by a Professional Engineer registered in the State of Florida, in accordance with Chapter 471, F.S. and subsection 62-730.220(9), F.A.C. All submittals incorporating interpretation of geological data shall be signed and sealed by a Professional Geologist registered in the State of Florida in accordance with Chapter 492, F.S. and subsection 62-730.220(10), F.A.C.
19. All reports or information required by the Department or provided by a hazardous waste Permittee shall be signed by a person authorized to sign a permit application.
20. The Department of Environmental Protection's 24-hour emergency telephone number is (850) 413-9911 or (800) 320-0519. During normal business hours, the DEP District Office may be contacted at (850) 595-8300.
21. The following conditions apply to permit modification and revocation of this permit:
 - a. The Department may modify, revoke, reissue or terminate for cause this permit in accordance with Chapters 62-4 and 62-730, F.A.C. The filing of a request for a permit modification, revocation, reissuance, or termination or the notification of planned changes or anticipated noncompliance on the part of the Permittee does not stay the applicability or enforceability of any permit condition. The Permittee may submit any subsequent modifications to the Department for approval. These revisions shall meet the requirements of Rule 62-730.290, F.A.C., and the fee requirements of Chapter 62-730 and Rule 62-4.050, F.A.C. The Permittee shall submit the revisions and any required fees to the addresses in Condition 16.a. of this Part.
 - b. The modification fee may also be submitted electronically. However, if Permittee intends to submit the modification fee electronically, the Permittee shall obtain

- instructions from the Department on how to submit the renewal fee electronically prior to attempting such submittal and shall follow such instructions in making the electronic fee submittal.
- c. If at any time the Department or the Permittee determines that modification to required time frames are necessary, the permit may be modified to reflect the change(s) with Department approval. If the Department determines that steps or dates in the permit may be changed, combined or streamlined without modification of the permit, it may do so with the concurrence of the Permittee following the guidance of the most recent RCRA reforms.
 - d. All requests for permit modifications shall include an evaluation of the applicability of, and Permittee's compliance with, the siting criteria of Section 403.7211, F.S. and the substantial modification criteria of Rule 62-730.186, F.A.C.
22. Prior to 180 calendar days before the expiration of this permit, the Permittee shall submit a complete application for the renewal of the permit on forms and in a manner prescribed by the Department unless postclosure care and all corrective action have been completed and accepted by the Department. If the Permittee allows this permit to expire prior to Department acceptance of the certification of postclosure and termination of all corrective action, the Permittee must reapply for a postclosure permit in accordance with DEP Form 62-730.900(2), F.A.C. The Permittee shall submit the renewal and appropriate fee to the addresses in Specific Condition 16.a. of this Part. The renewal fee may also be submitted electronically. However, if Permittee intends to submit the renewal fee electronically, Permittee shall obtain instructions from the Department on how to submit the renewal fee electronically prior to attempting such submittal and shall follow such instructions in making the electronic fee submittal.
23. The Permittee shall comply with those sections of 40 C.F.R. Part 124 specified in subsection 62-730.200(3), F.A.C., 40 C.F.R. Parts 260 through 268, and 40 C.F.R. Part 270 as adopted in Chapter 62-730, F.A.C., until released from postclosure care requirements and all facility-wide corrective action requirements.
24. The Permittee shall comply with the security provisions of 40 C.F.R. 264.14 and the facility security provisions of the permit application.
25. This facility is permitted for the storage of mercury containing hazardous wastes which may present a risk of exposure to anyone entering the facility. The Permittee must comply with the warning sign requirements of 40 C.F.R. Part 264.14(c). The Permittee is responsible for supplying, installing and maintaining the warning signs.
26. The Permittee shall visually inspect the facility emergency and safety equipment in accordance with 40 C.F.R. 264.15 and Attachment 12 of the permit application dated March 28, 2016 and June 27, 2016. The Permittee shall remedy any deterioration or

malfunction discovered by an inspection, in accordance with the requirements of 40 C.F.R. 264.15(c). A schedule for the inspection of the facility emergency and safety equipment must be maintained as the operating record of the facility. Changes, additions, or deletions to the schedule must be approved in writing by the Department.

27. The Permittee shall comply with the following conditions concerning preparedness and prevention:

- a. At a minimum, the Permittee shall have the equipment available at the facility which are described in the Contingency Plan, Attachment 6 of the permit application dated March 28, 2016 and revised on June 27, 2016 as required by 40 C.F.R. 264.32.
- b. The Permittee shall test and maintain the equipment specified in Specific Conditions 26 and 27a. of this Part as necessary to assure its proper operation in time of emergency, as required by 40 C.F.R. 264.33.
- c. The Permittee shall maintain access to the communications or alarm system, as required by 40 C.F.R. 264.34.
- d. The Permittee shall maintain arrangements with State and local authorities as required by 40 C.F.R. 264.37. If State or local officials refuse to enter into preparedness and prevention arrangements with the Permittee, the Permittee must document this refusal in the operating record.
- e. At a minimum, the Permittee shall maintain aisle space as required by 40 C.F.R. 264.35.

28. The conditions in this permit shall take precedence over the permit application documents where there are differences between these documents and the permit conditions.

29. The Permittee may claim confidential any information required to be submitted by this permit in accordance with subsection 62-730.100(3), F.A.C.

30. All work plans, reports and schedules and other documents ("submittals") required by this permit are subject to approval by the Department prior to implementation. The Department will review the submittals and respond in writing. Upon written approval by the Department, the Permittee shall implement all work plans, reports and schedules as provided in the approved submittal. If the Department disapproves a submittal, the Department may:

- a. Notify the Permittee in writing of the reason(s) why the submittal does not contain information adequate to support the conclusion, alternative, plan, proposal or recommendation, or why the conclusion, alternative, plan, proposal or recommendation is not supported by the applicable criteria. In this case the Permittee shall submit a revised submittal within 60 days of receipt of the Department's disapproval; or

- b. Revise the submittal, or approve the submittal with conditions, and notify the Permittee of the revisions or conditions. In the case of work plans, the Department may notify the Permittee of the start date of the schedule within the revised or conditionally approved work plan.
- 31. Any dispute resolution will be conducted in accordance with Chapter 120, F.S. (Administrative Procedures Act), Chapter 28-106, F.A.C. and the Department's existing rules and procedures.
- 32. The following conditions apply to land disposal (placement) of hazardous wastes:
 - a. 40 C.F.R. Part 268 identifies hazardous wastes that are restricted from land disposal and defines those limited circumstances under which an otherwise prohibited waste may continue to be placed on or in a land treatment, storage, or disposal unit. The Permittee shall maintain compliance with the requirements of 40 C.F.R. Part 268. Where the Permittee has applied for an extension, waiver, or variance under 40 C.F.R. Part 268, the Permittee shall comply with all restrictions on land disposal under this Part once the effective date for the waste has been reached pending final approval of such application.
 - b. A restricted waste identified in 40 C.F.R. Part 268 Subpart C may not be placed in a land disposal unit without further treatment unless the requirements of 40 C.F.R. Part 268 Subparts C and/or D are met.
 - c. The storage of hazardous wastes restricted from land disposal under 40 C.F.R. Part 268 is prohibited unless the requirements of 40 C.F.R. Part 268 Subpart E are met.
- 33. The Permittee shall implement remedial activities beyond the facility boundary where necessary to protect human health and the environment, unless the Permittee demonstrates to the satisfaction of the Department that, despite the Permittee's best efforts, as determined by the Department, the Permittee was unable to obtain the necessary permission to undertake such actions. The Permittee shall use all reasonable efforts, including but not limited to correspondence, telephone calls, personal contacts, drafting and redrafting agreements, and payment of a fee, to obtain any access to real property necessary for work to be performed in the implementation of this permit. If necessary access cannot be obtained by the Permittee, or if obtained, is revoked by owners or entities controlling access to the properties to which access is necessary, the Permittee shall notify the Department within five business days of such refusal or revocation. The Department may at any time thereafter seek to obtain such access as is necessary to implement the terms of this permit. The Permittee shall reimburse the Department for any damages, costs, or expenses, including expert and attorneys' fees, that the Department is ordered to pay, or that the Department incurs in connection with its efforts to obtain necessary access to said property. The Permittee shall pay these sums to the Department, or arrange a payment schedule with the Department, within 30 days of

demand by the Department. The Permittee is not relieved of all responsibility to clean up a release that has migrated beyond the facility boundary where off-property access is denied. On-site measures to address such releases will be determined on a case-by-case basis.

34. The Permittee shall maintain compliance with 40 C.F.R. Part 264, Subpart H - Financial Requirements and subsection 62-730.180(6), F.A.C. All submittals in response to this Specific Condition shall be submitted to:

Financial Assurance Coordinator, M.S. 4560
Hazardous Waste Regulation Section
Department of Environmental Protection
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Financial assurance shall be based on estimates of the costs to close the facility and to implement postclosure care and/or corrective action (including the assessment phase and interim measures) (collectively referred to hereinafter as “remedial activities”) for a period of 30 years starting upon the issuance of this permit, unless this period is shortened or increased by the Department in a permit renewal or modification. The Permittee shall include cost estimates with every work plan required by this permit. Cost estimates are subject to review and approval by the Department. In the event the total cost estimate for all remedial activities increases beyond the amount provided by Permittee, the financial assurance instrument(s) must be updated accordingly. Pursuant to 40 C.F.R. Part 264 Subpart H and associated financial instruments, facilities using a trust fund, letter of credit, financial guarantee bond, performance bond, or closure insurance must increase the amount of financial assurance within 60 days of the estimate increase. Those facilities using a financial test must cover the estimate increase in the next scheduled submittal. If the estimate increase causes the inability of the facility to provide financial assurance through its currently selected mechanism, alternate financial assurance must be provided within 60 days. If contamination from the facility goes beyond the property boundary, the Permittee shall provide assurances of financial responsibility for completion of corrective action beyond the property boundary.

PART II - OPERATING CONDITIONS

1. The Permittee shall notify the Department in writing four weeks prior to receipt of hazardous waste from a foreign source. Notice of subsequent shipments of the same waste from the same foreign source is not required [40 C.F.R. 264.12(a)].
2. Facility personnel must successfully complete the approved training program indicated in the Training Plan in Attachment 7 of the permit application dated March 28, 2016 and revised on June 27, 2016 within six (6) months of employment or assignment to a facility or to a new position at the facility. Verification of this training must be kept with the personnel training records and maintained at the facility. Personnel shall not work unsupervised until training has been completed. The training must be reviewed by facility personnel at least annually. The Permittee shall maintain an updated list of personnel handling hazardous waste and their respective job titles at the facility [40 C.F.R. 264.16].
3. The Permittee shall maintain and operate the facility to minimize the possibility of fire, explosion or any unplanned sudden or non-sudden release of hazardous waste or hazardous waste constituents to air, soil, or surface water which could threaten human health or the environment.
4. The Contingency Plan must be reviewed periodically and immediately amended and distributed to the appropriate agencies if any criteria in 40 C.F.R. 264.54 are met. Amendments to the plan must be approved in writing by the Department.
5. The Permittee shall comply with the following conditions concerning the Contingency Plan:
 - a. The Permittee shall immediately carry out the Plan provisions in Attachment 6 of the Contingency Plan of the permit application dated March 28, 2016 and revised June 27, 2016 and follow the emergency procedures described in 40 C.F.R. 264.56, whenever there is a fire, explosion, or release of hazardous waste or hazardous waste constituents which threatens or could threaten human health or the environment. The Permittee shall give proper notification if an emergency situation arises and, within fifteen calendar days, must submit to the Department a written report which includes all information required in 40 C.F.R. 264.56(j).
 - b. The Permittee shall comply with the requirements of 40 C.F.R. 264.53.
 - c. Within seven calendar days of meeting any criterion listed in 40 C.F.R. 264.54(a), (b) and (c), the Permittee shall amend the plan and submit the amended plan for Department approval. Any other changes to the plan must be submitted to the Department within seven days of the change. All amended plans must be distributed to the appropriate agencies.

- d. The Permittee shall comply with the requirements of 40 C.F.R. 264.55, concerning the emergency coordinator.
6. Sampling and analysis of permitted and new hazardous wastes shall be conducted in accordance with Attachment 8 of the permit application dated March 28, 2016 and revised June 27, 2016, and (40 C.F.R. 264.13).
7. The Permittee shall comply with 40 C.F.R. 264.73(b)(9) and Section 3005(h) of RCRA, 42 U.S.C. 6925(h). The Permittee must certify, no less often than annually, that:
 - a. The Permittee has a program in place to reduce the volume and toxicity of hazardous waste generated to the degree determined by the Permittee to be economically practicable;
 - b. The proposed method of treatment, storage or disposal is the most practicable method available to the Permittee, which minimizes the present and future threat to human health and the environment; and
 - c. The Permittee shall maintain copies of certification in the facility operating record as required by 40 C.F.R. 264.73(b)(9).
8. The Permittee shall comply with the storage requirements of subsection 62-737.800(9), F.A.C.
9. The Permittee shall only introduce into the processing equipment or process, material that is specified in the permit application in Attachment D-2 through D-4, Attachment 5 and Appendix 5 of the application dated March 28, 2016, and revised on June 27, 2016, in accordance with subsection 62-737.800(7)(b), F.A.C.
10. The maximum quantity of processed and unprocessed material allowed at the facility at the time of daily inventory shall not exceed the limits identified in Attachment D-3 of the application dated March 28, 2016, and revised on June 27, 2016.
11. The Permittee shall comply with the air pollution control equipment requirements specified in subsection 62-737.800(8), F.A.C.
12. The Permittee shall comply with the shipping paper requirements specified in subsection 62-737.800(11), F.A.C and 40 C.F.R. Part 262.
13. The facility shall only ship processed material off site in conformance with subsection 62-737.840(4), F.A.C., and shall manage hazardous wastes not identified in Chapter 62-737, F.A.C., in conformance with Chapter 62-730, F.A.C.

14. The Permittee shall comply with the air requirements specified in Rules 62-210.300 and 62-296.417, F.A.C.
15. The Permittee shall sample recovered materials (i.e., glass, metal) daily and analyze a composite sample weekly to determine the total mercury content. These analyses must show less than 1ppm mercury “average” during the 12 week time period and less than 3ppm for any “weekly” composite or request proposed alternate procedures to be approved by the Department in accord with 62-737.840(3)(d), F.A.C.
16. The results of the sampling shall be recorded and maintained on the Sample Logs for Lamp Glass, End Caps, HID Bases and Shatter shields. Sample Log forms are in Attachment 8 of the application dated March 28, 2016 and revised application dated June 27, 2016.
17. The Permittee shall maintain a rolling 12 week average of the mercury contained in the recovered glass and metal end caps. The results shall be maintained on the form located in Attachment 8 of the application dated March 28, 2016 and revised application dated June 27, 2016.
18. If the levels of mercury in Condition 15 of this Part are exceeded, the Permittee shall perform one or more of the following in order to comply with the levels specified in Condition 15 above:
 - a. Resample the subject material;
 - b. Reprocess the material in the crusher separator unit;
 - c. Process the material in a mercury reclamation unit; or
 - d. Deliver the material to another mercury recovery facility for processing.
19. The Permittee shall keep a written operating record at the facility, which is in accordance with the application dated March 28, 2016, and revised on June 27, 2016 and includes:
 - a. The Waste Profile Sheet, in Attachment 8 of the application dated March 28, 2016, and revised on June 27, 2016;
 - b. Incoming Authorization Log, in Attachment 8 of the application dated March 28, 2016, and revised on June 27, 2016;
 - c. Mercury Reclamation Log, in Attachment 8 of the application dated March 28, 2016, and revised on June 27, 2016;
 - d. A summary report and details of incidents that require implementation of the Contingency Plan;
 - e. Manifests; and
 - f. The results of inspections in the approved Inspection Plan dated March 28, 2016 and June 27, 2016 and attached inspection log sheets.

20. The Permittee shall maintain quality control and testing records demonstrating an effective reclamation rate of 99% of the mercury introduced into the process. This demonstration shall utilize an EPA approved methodology (SW 846, latest edition) for analyzing total mercury content.
21. The Permittee shall determine the reclamation process effectiveness by collecting representative samples of material before and after processing by the distillation unit. The samples shall be analyzed for total mercury. The mercury reclamation log shall be maintained, as part of the operating record at the site. The frequency of sampling is as follows:
 - a. Mercury containing powder from fluorescent tubes will be sampled and analyzed as outlined in Table 1, Testing Frequency for Mercury Recovery Operations, in the permit application dated March 28, 2016 and revised June 27, 2016.
 - b. Electrical devices, mercury column devices, scientific/medical-testing devices will be sampled and analyzed monthly if they are processed in that month.

PART II SUB-PART A – CLOSURE CONDITIONS

1. The Permittee shall have a written closure plan as required by paragraph 62-737.800(4)(g), F.A.C. The closure plan and all revisions to the plan must be kept at the facility until closure is completed, certified and accepted by the Department.
2. The Permittee shall annually update the closure cost estimates. The update shall not be based solely upon adjustments for inflation but shall include all changes to closure cost estimates. These estimates shall be based on costs incurred by independent third parties.
3. The Permittee shall close the facility as described in the Closure Plan in Attachment 9 of the permit application dated March 28, 2016, and revised on June 13, 2016. All changes to the Closure Plan must be Department approved and included in the permit as modifications as described in Part I, General and Standard Condition 21 of this permit.
4. The Permittee shall manage solid and liquid decontamination residues and contaminated soils based upon a waste classification in accordance with 40 C.F.R. 262.11.
5. The Permittee shall verify clean closure by demonstrating that cleanup parameters meet or exceed the following standards:
 - a. Liquid decontamination residues, e.g., facility and equipment wash-down rinsate: Total mercury content not to exceed 2 µg/l (2 parts per billion).

- b. During final closure, the Permittee must collect an adequate number of mercury air samples to demonstrate the following closure performance standards:

<u>Sample</u>	<u>Residential</u>	<u>Industrial</u>
Air sample	1.0 $\mu\text{g}/\text{m}^3$	3.0 $\mu\text{g}/\text{m}^3$

$\mu\text{g}/\text{m}^3$: microgram per meter cube

The facility may not be closed using the Industrial closure performance standards unless the property owner executes a restrictive covenant restricting use of the property to industrial uses and prohibiting residential uses.

- c. Soil: Total mercury content in soil should not exceed the leachability cleanup target level of 2.1 mg/kg.
- d. Groundwater: Mercury concentration in groundwater shall not exceed 2 $\mu\text{g}/\text{L}$.
6. The Permittee shall analyze all samples for total or leachable mercury content using a Department-approved appropriate method from EPA Test Methods for Evaluating Solid Waste (EPA SW-846), latest revision.
7. If clean closure cannot be demonstrated, the Permittee shall submit a permit application addressing the postclosure requirements of 40 C.F.R. Part 264 Subpart G.

PART III – POST-CLOSURE CONDITIONS

Not applicable to this permit at this time.

PART IV – ENVIRONMENTAL MONITORING CONDITIONS

Not applicable to this permit at this time.

PART V - GENERAL CORRECTIVE (REMEDIAL) ACTION CONDITIONS

1. The Conditions of this Part apply to:
 - a. The SWMUs and AOCs identified in Appendix A;
 - b. Any additional SWMUs or AOCs discovered during the course of groundwater monitoring, field investigations, environmental audits, or other means; as used in this Part of the permit, the terms “discover”, “discovery”, or “discovered” refer to the date on which the Permittee either:
 - (1) visually observes evidence of a new SWMU or AOC;
 - (2) visually observes evidence of a previously unidentified release of hazardous constituents to the environment; or
 - (3) receives information which suggests the presence of a new release of hazardous waste or hazardous constituents to the environment; and
 - c. Contamination that has migrated beyond the facility boundary, if applicable.
2. Within 15 calendar days of discovery, the Permittee shall notify the Department in writing of any newly discovered release(s) of hazardous waste or hazardous constituents; any suspected new AOC(s); and any additional SWMU(s) discovered during the course of groundwater monitoring, field investigations, environmental audits, or other means. The notification shall include, at a minimum, the location of the release, AOC or SWMU (hereinafter referred to collectively as “site”), and all available information (*e.g.*, location of site(s) on a topographic map of appropriate scale; general dimensions of site; media affected; hazardous constituents released; and magnitude of release). The Department may conduct, or require that the Permittee conduct, confirmatory sampling in order to determine whether contamination is present. The Department will notify the Permittee in writing of the final determination as to the status of the newly discovered or suspected site.
3. Upon notification by the Department, the Permittee shall prepare and submit a Confirmatory Sampling (CS) Work Plan for known, suspected, or newly discovered sites. Unless the notification letter specifically establishes a different time frame for work plan submittal, the Work Plan shall be submitted within 60 calendar days of notification by the Department that a CS Work Plan is required. The CS Work Plan shall include schedules for implementation and completion of specific actions necessary to determine whether or not contamination has occurred in any potentially affected media. In order to partly or wholly satisfy the CS requirement, previously existing data may be submitted with the work plan for the Department’s consideration. In accordance with the schedule in the approved CS Work Plan, or no later than 60 calendar days after Department approval of a CS Work Plan if no schedule is included in the Work Plan, the Permittee shall submit a

Confirmatory Sampling (CS) Report identifying those sites that are contaminated and those sites that are not contaminated. The CS Report shall include an analysis of the analytical data to support all determinations. Based on the results of the CS Report, the Department will determine the need for further investigation at sites covered in the CS Report and notify the Permittee in writing.

4. Upon notification by the Department, the Permittee shall commence site rehabilitation in accordance with Rule 62-730.225 and Chapter 62-780, F.A.C., for all SWMUs and/or AOCs identified in the notification. Unless the notification letter specifically establishes a different time frame to commence or complete site assessment, the Permittee shall commence and complete site assessment in the manner and within the time limits set forth in Rule 62-780.600, F.A.C.
5. If the Department or the Permittee at any time determines that any approved work plan no longer satisfies the requirements of 40 C.F.R. 264.101 or this permit for prior or continuing releases of hazardous waste or hazardous constituents from SWMUs and/or AOCs, the Permittee shall submit an amended work plan to the Department within 90 calendar days of such determination.

PART VI – REMEDY SELECTION AND IMPLEMENTATION CONDITIONS

1. A remedy shall be selected from the remedial alternatives evaluated in accordance with Chapter 62-780, F.A.C.
2. Within 30 days of Department approval of the remedial alternative selected, the Permittee shall publish notice of a proposed permit modification in accordance with paragraph 62-730.292(3)(c), F.A.C. This modification will serve to incorporate a final remedy, including a Corrective Action Management Unit (CAMU) if necessary, into this permit. Final approval of remedial action which is achieved through interim measures shall be in accordance with this condition.
3. When site rehabilitation is complete, the Permittee shall submit to the Department a Site Rehabilitation Completion Report in accordance with Chapter 62-780, F.A.C.
4. For site rehabilitation involving the cleanup of groundwater contaminated by a release from a regulated unit, the Permittee must demonstrate that the concentration of constituents of concern remain below cleanup goals for three consecutive years after active remediation has ceased.

Appendix A - Summary of Solid Waste Management Units and Areas of Concern

A.1. List of SWMUs/AOCs requiring Confirmatory Sampling:				
SWMU/AOC Number/Letter	SWMU/AOC Name	SWMU/AOC Comment and Basis for Determination	Dates of Operation	Potentially Affected Media
There are no units identified as requiring Confirmatory Sampling at this time pursuant to this permit.				
A.2. List of SWMUs/AOCs requiring a Site Assessment (a/k/a RCRA Facility Investigation [RFI]) or a Risk Assessment:				
SWMU/AOC Number/Letter	SWMU/AOC Name	SWMU/AOC Comment	Dates of Operation	Potentially Affected Media
There are no units identified at this time as requiring a Site or Risk Assessment.				
A.3. List of SWMUs/AOCs requiring a Remedial Action Plan or Natural Attenuation with Monitoring Plan (a/k/a Corrective Measures Study [CMS]):				
SWMU/AOC Number/Letter	SWMU/AOC Name	SWMU/AOC Comment	Dates of Operation	Affected Media
There are no units identified at this time requiring a Remedial Action Plan or a Natural Attenuation with Monitoring Plan.				
A.4. List of SWMUs/AOCs implementing a Remedial Action Plan or Natural Attenuation with Monitoring Plan (a/k/a Corrective Measures Implementation Report [CMI]):				
SWMU/AOC Number/Letter	SWMU/AOC Name	SWMU/AOC Comment	Dates of Operation	Affected Media
There are no units identified at this time undergoing a Remedial Action Plan or a Natural Attenuation with Monitoring Plan.				
A.5. List of SWMUs/AOCs at which Site Rehabilitation Completion Determinations without controls have been made:				
SWMU/AOC Number/Letter	SWMU/AOC Name	Unit Comment and Basis for NFA	Dates of Operation	
There are no units identified at this time at which Site Rehabilitation Completion Determinations without controls have been made.				

A.6. List of SWMUs/AOCs at which Site Rehabilitation Completion Determinations with controls have been made:			
SWMU/AOC Number/Letter	SWMU/AOC Name	Unit Comment and Basis for NFA	Dates of Operation
There are no units identified at this time at which Site Rehabilitation Completion Determinations with controls have been made.			
A.7. List of SWMUs/AOCs Where No Further Action Determinations have been made based on no suspected or confirmed contamination:			
SWMU/AOC Number/Letter	SWMU/AOC Name	Unit Comment and Basis for NFA	Dates of Operation
SWMU 1	Storage Building	RFA 1997, revised 2006	1995 to present
SWMU 2a	Mercury Recovery and Reclamation Building	RFA 1997, revised 2006	1994 to present
SWMU 2b	Mercury Recovery and Reclamation Deck	RFA 1997, revised 2006	1994 to present
SWMU 2c	Receiving Staging and Storage Area	RFA 1997, revised 2006	1994 to present
SWMU 2d	Crusher-Separator Room	RFA 1997, revised 2006	1994 to present
SWMU 2e	Distillation Room	RFA 1997, revised 2006	1994 to present
SWMU 2f	Recovered Material Storage Area	RFA 1997, revised 2006	1994 to present
SWMU 2g	Cardboard baler	RFA 1997, revised 2006	1994 to present
SWMU 3	Glass Storage Area	RFA 1997, revised 2006	1994 to present
SWMU 4	Septic Tank System	RFA 1997, revised 2006	1974 to present
SWMU 5	Domestic Trash Dumpster	RFA 1997, revised 2006	1994 to present
AOC 1	Stormwater Retention Basin	RFA 1997, revised 2006	1996 to present
AOC 2	Trailer Storage Yard	RFA 1997, revised 2006	2005 to present

Veolia ES Technical Solutions, L.L.C
342 Marpan Lane
Tallahassee, Florida 32305

EPA I.D. Number: FL0 000 207 449
PERMIT/CERTIFICATION NUMBER: 71455- HO-13
EXPIRATION DATE: SEPTEMBER 26, 2021

AOC 3	Container Storage Building	RFA 1997, revised 2006	2003 to present
-------	----------------------------	---------------------------	-----------------

Veolia ES Technical Solutions, L.L.C
342 Marpan Lane
Tallahassee, Florida 32305

EPA I.D. Number: FL0 000 207 449
PERMIT/CERTIFICATION NUMBER: 71455- HO-13
EXPIRATION DATE: SEPTEMBER 26, 2021

Issued **October 21, 2016**

STATE OF FLORIDA DEPARTMENT OF
ENVIRONMENTAL PROTECTION



**Kimberly A. Walker, PROGRAM ADMINISTRATOR
PERMITTING AND COMPLIANCE ASSISTANCE PROGRAM**

Filing and Acknowledgment

Filed on this date, pursuant to Section 120.52 Florida Statutes, with the designated Clerk, receipt of which is acknowledged.




CLERK

October 21, 2016
DATE

Veolia ES Technical Solutions, L.L.C
342 Marpan Lane
Tallahassee, Florida 32305

EPA I.D. Number: FL0 000 207 449
PERMIT/CERTIFICATION NUMBER: 71455- HO-13
EXPIRATION DATE: SEPTEMBER 26, 2021

Attachment A – Facility Plan



Site Plan
Figure 1
rev. 1

Veolia ES Technical Solutions, L.L.C.
342 Marpan Lane
Tallahassee, FL 32305

Revision Date: 5/14/2016