

From: Luis
To: [Holmes, Michael P](#); [Chuck Nevin](#)
Cc: [Fellabaum, Pamela](#)
Subject: RE: Hazardous Waste Inspection
Date: Wednesday, February 28, 2018 4:11:56 PM
Attachments: [SDS Masterdraw.pdf](#)

All,

Just realized I had not attached the SDS for the product Masterdraw on the first e-mail.

Thank you,
Luis Pereira

From: Luis
Sent: Wednesday, February 28, 2018 1:06 PM
To: 'Holmes, Michael P' <Michael.P.Holmes@dep.state.fl.us>; Chuck Nevin <chuck.nevin@iceresponse24.com>
Cc: Fellabaum, Pamela <Pamela.Fellabaum@dep.state.fl.us>
Subject: RE: Hazardous Waste Inspection

Good afternoon,

Attached is the information requested to answer the deficiencies noticed during the inspection.

1. Aerosol Can Program - We had discussed the option for your facility to set up a station to collect the cans and have an employee properly puncture, drain and dispose of them to improve efficiency of draining the aerosol cans. Please provide a photo of the changes/updates.
PICTURE 1
2. Rag Program – Please label rag containers as “Excluded Solvent Contaminated Wipes” and provide photos of the labeled containers.
PICTURE 2-3-4
3. Please provide documented use of Halogen meter.
4. Manifests – Have Generator write ID# and dates on manifests moving forward
WILL ANSWER UNDER SEPARATE E-MAIL.
5. Please replace the cover on the rolloff box and provide photo of the new cover.
PICTURE 5 AND 6
6. SDS – Please provide the Safety Data Sheets for the following:
 - AutoZone Non-Chlorinated Brake Cleaner
 - Gunk Engine Degreaser
 - Masterdraw 700HVAC (55 gallon drum by rolloff)

SDS ATTACHMENTS

Regards,
Luis

From: Holmes, Michael P [<mailto:Michael.P.Holmes@dep.state.fl.us>]
Sent: Thursday, February 1, 2018 9:01 AM
To: Chuck Nevin <chuck.nevin@icerresponse24.com>; Luis <luis@icerresponse24.com>
Cc: Fellabaum, Pamela <Pamela.Fellabaum@dep.state.fl.us>
Subject: Hazardous Waste Inspection

Good Morning,

Please see the deficiencies noticed from the inspection below:

1. Aerosol Can Program - We had discussed the option for your facility to set up a station to collect the cans and have an employee properly puncture, drain and dispose of them to improve efficiency of draining the aerosol cans. Please provide a photo of the changes/updates.
2. Rag Program – Please label rag containers as “Excluded Solvent Contaminated Wipes” and provide photos of the labeled containers.
3. Please provide documented use of Halogen meter.
4. Manifests – Have Generator write ID# and dates on manifests moving forward
5. Please replace the cover on the rolloff box and provide photo of the new cover.
6. SDS – Please provide the Safety Data Sheets for the following:
 - AutoZone Non-Chlorinated Brake Cleaner
 - Gunk Engine Degreaser
 - Masterdraw 700HVAC (55 gallon drum by rolloff)

Please complete and provide photos within the next 30 days. If you have any questions please feel free to contact me at the number below.

Thanks!

Michael Holmes
Emergency Response Specialist

Florida Department of Environmental Protection
8800 Baymeadows Way W., Suite 100
Jacksonville, FL 32256
e-mail: Michael.P.Holmes@dep.state.fl.us
office: 904-256-1683
fax: 904-256-1589

