From: Ken Dean
To: Hernandez, Ileana
Subject: RE: US Ecology Tampa Inspection - EPA ID #FLD981932494
Date: Tuesday, February 12, 2019 6:15:57 AM
Attachments: image001.png

Good morning Ileana,

Yes the two drums referenced in your photos where repacked into proper containers the day of the inspection. Please let me know if you need anything additional. Again it was nice meeting during the inspection.

Respectfully,

Ken Dean
EHS Compliance Specialist

ken.dean@usecology.com
p: 813.319.3433 | c: 813.748.4403 | f: 813.626.7451

7202 East Eighth Ave. Tampa, FL 33619

USE Update on e-Manifest
Emergency Response: 800.839.3975
Customer Service: 800.592.5489

US ecology
Unequaled service. Solutions you can trust.
USecology.com

From: Hernandez, Ileana [mailto:Ileana.Hernandez@FloridaDEP.gov]
Sent: Monday, February 11, 2019 3:18 PM
To: Ken Dean <Ken.Dean@usecology.com>
Subject: RE: US Ecology Tampa Inspection - EPA ID #FLD981932494

Good afternoon Ken,

Thank you for promptly responding back with all the information I needed to complete the inspection report for the above-referenced facility. There's only one more thing I need confirmation from you on. Attached are two poly drums that were improperly closed at the time of the inspection. Has this issue been corrected?

Sincerely,

Ileana Hernandez
Florida Department of Environmental Protection
Southwest District
Compliance Assurance Program
Environmental Specialist II
Ileana.Hernandez@FloridaDEP.gov
Office: (813) 470-5945

PLEASE NOTE: Florida has a very broad public records law. Most written communications to or from state owned e-mail accounts are considered to be public records and will be made available to the public or the media upon request. Therefore, your e-mail messages may be subject to public disclosure.

Please consider the environment before printing this e-mail.

From: Ken Dean <Ken.Dean@usecology.com>
Sent: Wednesday, January 16, 2019 1:24 PM
To: Hernandez, Ileana <Ileana.Hernandez@FloridaDEP.gov>
Subject: US Ecology Tampa Inspection

Good afternoon Ileana,

It was good to meet you during Monday's inspection. Per our meeting at the end of the inspection please find attached inspection reports for 12/1/18 for the Container Storage Building and the Waste Processing Building, as well as the Map of the facility grounds. Please let me know if you need anything additional.

Respectfully,

Ken Dean
EHS Compliance Specialist

ken.dean@usecology.com
p: 813.319.3433 | c: 813.748.4403 | f: 813.626.7451

7202 East Eighth Ave. Tampa, FL 33619

USE Update on e-Manifest
Emergency Response: 800.839.3975
Customer Service: 800.592.5489

US ecology
Unequaled service. Solutions you can trust.
USecology.com