



ECO-MAXX

844-OL-MAXX • ECO-MAXX.NET

USDOT 3190903

BT-01

P32 866

ESF-01

NON
HAZARDOUS





NOTICE
ALL SERVICES
PERFORMED BY
MAY 2018





FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
STORAGE TANK REGISTRATION PLACARD
2020-2021

STCM ACCOUNT: 80077

FACILITY ID: 9817857

FACILITY: BFS MIAMI LLC
7400 NW 77TH TERR
MEDLEY FL 33166 MIAMI-DADE COUNTY

FACILITY TYPE: Bulk Storage Facility

PLACARD NO: 593622

PLACARD ISSUED: 09/10/2020

PLACARD EXPIRES: 06/30/2021

TANK SYSTEMS REGISTERED: 15

ACCOUNT OWNER: BRAVO FLUID SOLUTIONS
32 WARD ROAD ATTN: STORAGE TANK REGIS
NORTH TONAWANDA NY 14120

HASH: DNY0GYBGBN8QFF

The Storage Tank Registration placard must be posted at the facility.
It must be placed out of the weather and in plain view of inspectors entering the facility.

Under Section 376.3077, Florida Statutes, it is unlawful to deposit motor fuel into a stationary storage tank system that requires registration unless proof of valid registration is displayed at the facility.

Acceptance of this placard constitutes agreement to operate the registered tanks in compliance with applicable Statutes and Department Rules.


DEPARTMENT OF ENVIRONMENTAL PROTECTION IS ON THE INTERNET


The Web address for DEP is <https://floridadep.gov>

You can access the Storage Tank Website by using <https://floridadep.gov/waste/permitting-compliance-assistance/content/storage-tank-compliance>.
Look under the "Storage Tank Compliance Quick Links" section to find the links to storage tank rules, forms, database reports and program information.

CONTACT TANK REGISTRATION BY:

EMAIL - TankRegistration@dep.state.fl.us
PHONE - (850) 245-8839





FLORIDA DEPARTMENT OF
Environmental Protection

Bob Martinez Center
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Ron DeSantis
Governor

Jeanette Nufiez
Lt. Governor

Noah Valenstein
Secretary

Matthew Gudorf
Emaxx Miami LLC
7400 NW 77 Terrace Ave
Medley, FL 33166

February 28, 2020

BE IT KNOWN THAT

Emaxx Miami LLC
7496 NW 69th Ave
Medley, FL 33166


IS HEREBY REGISTERED AS A USED OIL

Transporter for Hire, Transfer Facility

pursuant to Chapter 62-710, Florida Administrative Code (F.A.C.)
The Department of Environmental Protection hereby issues
Registration Number FLR000227546 on February 28, 2020
Transporter Type: Large For-Hire Transporter

This registration will expire on 06/30/2021

This certificate documents receipt of your annual registration
and annual report. It shall be displayed in a prominent place
at your facility. This certificate and your on-line payment receipt
are your receipts.



LEGEND	
SYMBOLS	MEANING
D	DOOR
W	WINDOW
EX	EXIT SIGN
10	DOOR NUMBER
10	CONSTRUCTION ENTRANCE
10	EXIT OR EXIT ACCESS DOOR ONLY
10	10 IS FIRE EXTINGUISHER #/ WALL HOOD
10	FIREWORK HANDMADE HEAT DETECTORS
HYD	EXISTING FIRE HYDRANT
RDC	EXISTING FIRE DEPARTMENT CONNECTION
CO	CARBON MONOXIDE DETECTOR
SD	SMOKE DETECTOR
EL	EMERGENCY LIGHTING WITH BATTERY BACKUP

Fire And Life Safety Plan
SCALE: 1/8" = 1'-0"

JOHN SCHENNE P.E.
687 Luther Road
East Aurora, NY 14082
(716) 662-6021 John@schenne.com

BFS Miami LLC
7400 N.W. Terrace
Medley, FL, 33166

BFS Miami LLC
7400 N.W. Terrace
Medley, FL, 33166

Fire And Life Safety Plan
DATE: 01/15/2014
DRAWN BY: JSC
CHECKED BY: JSC



FLORIDA DEPARTMENT OF
Environmental Protection

Bob Martinez Center
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Noah Valenstein
Secretary

February 24, 2020

Matthew Gudorf
Emaxx Miami LLC
7400 NW 77 Terrace Ave

Medley, FL 33166

BE IT KNOWN THAT

Emaxx Miami LLC
7400 NW 77th Ter
Medley, FL 33166 7503

IS HEREBY REGISTERED AS A USED OIL

Transporter for Hire, Transfer Facility, Filter Transporter

pursuant to Chapter 62-710, Florida Administrative Code (F.A.C.)
The Department of Environmental Protection hereby issues
Registration Number **FLR000223313** on **February 24, 2020**
Transporter Type: **Large For-Hire Transporter**

This registration will expire on 06/30/2021

This certificate documents receipt of your annual registration
and annual report. It shall be displayed in a prominent place
at your facility. This certificate and your on-line payment receipt
are your receipts.



Get the most for your used oil
ECO-MAXX
844-OIL-MAXX ECO-MAXX.NET

9A-885

Get the most for your used oil
ECO-MAXX
844-OIL-MAXX ECO-MAXX.NET

T-37
T-37

USDOT 3190903

Peterbilt

-885



Get the most for your used oil

ECO-MAXX™

844 - OIL - MAXX ECO-MAXX.NET

T-37

T-37



USDOT 3190903

Permit No: LW-000976-2020/2021 (WO)-WO
Permit Issued To: EMAXX MIAMI, LLC
Facility Location: 7400 NW 77 TER
MEDLEY, FL 33166-

Contact Name/Address:
Attn: Matthew Gudorf
EMAXX MIAMI, LLC D/B/A ECO-MAXX
7400 NW 77 TER
MEDLEY, FL 33166-

LIQUID WASTE TRANSPORTERS ANNUAL OPERATING PERMIT

DESCRIPTION OF FACILITY/EQUIPMENT

This document, issued under the provisions of Chapter 24, Miami-Dade County Code (Dade County Environmental Protection Ordinance), shall be valid from April 01, 2020 through March 31, 2021. The above named permittee, is hereby authorized to operate as a Liquid Waste Transportation business from the above location, and with the equipment bearing the 5 identifying sticker(s) included with this permit.

This facility is subject to conditions listed below and in the following pages (if any) of this permit.


SPECIFIC CONDITIONS

1. Correctly completed monthly reporting forms and corresponding fees are required to be submitted to the Department on/or before the 20th of the following month.
2. No hazardous waste shall be transported under this permit.
3. All waste transportation equipment shall be maintained in good working order at all times. Valves, hoses, tanks, etc., shall be properly maintained and shall not leak.
4. All waste oil and waste water must be sold or disposed of in accordance with all local, state and federal regulations.
5. Only waste oil, oily waste water and non-hazardous industrial waste shall be transported under this permit. Radiator fluid shall not be transported under this permit.

GENERAL CONDITIONS

6. The Permittee, by acceptance of this document, agrees to operate and maintain the subject operation so as to comply with the requirements of Chapter 24 of the Code of Miami-Dade County.
7. If for any reason, the Permittee does not comply with or will be unable to comply with any condition or limitation specified on this document the Permittee shall immediately notify and provide the Department with the following information: (a) a description of and cause of non-compliance; and (b) the period of non-compliance including exact dates and times; or, if not corrected, the anticipated time the non-compliance is expected to continue, and steps taken to reduce, eliminate, and prevent recurrence of the non-compliance. The Permittee shall be responsible for any and all damages which may result and may be subject to enforcement action by the Department for penalties or revocation of this document.
8. As provided in Section 24-15 of the Code of Miami-Dade County, the prior written approval of the Department shall be obtained for any alteration to this facility.

Lee N. Hefty, Assistant Director
Department of Regulatory and Economic Resources,
Environmental Resources Management



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)
4/19/2019

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER
M & T Insurance Agency, Inc.
285 Delaware Avenue, Ste 4000
Buffalo NY 14202

CONTACT NAME: Commercial Lines Department
PHONE (A/C, No, Ext): 716-853-7960
E-MAIL ADDRESS: CLServicing@mtb.com

FAX (A/C, No): (855)595-4605

INSURED
Emaxx Miami, LLC
32 Ward Rd
North Tonawanda, NY 14120

SUPER-2

INSURER(S) AFFORDING COVERAGE

INSURER A: Old Republic Ins Co

NAIC #

INSURER B: Great American Ins Co

24147

INSURER C: Certain Underwriters at Lloyds

16691

INSURER D:

INSURER E:

INSURER F:

COVERAGES

CERTIFICATE NUMBER: 993848518

REVISION NUMBER:

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	☒ COMMERCIAL GENERAL LIABILITY ☐ CLAIMS-MADE ☒ OCCUR ☒ Contractual Liab GEN'L AGGREGATE LIMIT APPLIES PER: ☐ POLICY ☐ PRO-JECT ☒ LOC OTHER:			MWZY312371	3/1/2019	3/1/2020	EACH OCCURRENCE \$ 1,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$ 500,000 MED EXP (Any one person) \$ 10,000 PERSONAL & ADV INJURY \$ 1,000,000 GENERAL AGGREGATE \$ 2,000,000 PRODUCTS - COMP/OP AGG \$ 2,000,000 \$
A	☒ AUTOMOBILE LIABILITY ☒ ANY AUTO ☐ OWNED AUTOS ONLY ☐ HIRED AUTOS ONLY ☐ SCHEDULED AUTOS ☐ NON-OWNED AUTOS ONLY			MWTB312370	3/1/2019	3/1/2020	COMBINED SINGLE LIMIT (Ea accident) \$ 1,000,000 BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$ \$
B	☒ UMBRELLA LIAB ☒ OCCUR ☐ EXCESS LIAB ☐ CLAIMS-MADE DED ☒ RETENTION \$ 10,000			TUU024586808	3/1/2019	3/1/2020	EACH OCCURRENCE \$ 10,000,000 AGGREGATE \$ 10,000,000 \$ PER STATUTE OTH-ER E.L. EACH ACCIDENT \$ E.L. DISEASE - EA EMPLOYEE \$ E.L. DISEASE - POLICY LIMIT \$
	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below	Y/N	N/A				
C	Pollution Liability Site & Transported Cargo Off Site Operations			SPL-0000038-01	10/4/2017	10/4/2020	Incident/ Agg Retention 5,000,000 25,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

Umbrella is not over Pollution Policy
The following forms apply per indicators (Y) marked above if required by written contract:
#CG 20 37 04 13: General Liability - Additional Insured - Owners, Lessees & Contractors
#CG 24 04 05 09: General Liability - Waiver of Transfer of Rights of Recovery (Waiver of subrogation)
#CG 20 01 04 13: General Liability - Additional Insureds - Primary and Noncontributory
#CA 20 48 10 13: Auto - Additional Insured - All persons or organizations
#CA 04 44 10 13: Auto - Waiver of Transfer of Rights of Recovery Against Others to Us
#GAI 6113: Umbrella General Liability - Following Form
#GAI 6106: Umbrella Auto Liability - Following Form

CERTIFICATE HOLDER

Florida Highway Patrol
Bureau of Commercial Vehicle Enforcement
Compliance Investigations / Troop I
1109 South Marion Ave. MS 2105
Lake City FL 32025

CANCELLATION

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE

Kyle Samuel

© 1988-2015 ACORD CORPORATION. All rights reserved.

The ACORD name and logo are registered marks of ACORD

VEHICLE HISTORY RECORD

REPORT NUMBER

FLEET UNIT NUMBER

51821693 733

DATE 3/6/19

MOTOR CARRIER OPERATOR

Emaxx Moving LLC

ADDRESS

7400 NW 77th Ter

CITY, STATE, ZIP CODE

Plant City FL 33166

VEHICLE TYPE

TRACTOR TRAILER TRUCK BUS

OTHER

INSPECTOR'S NAME (PRINT OR TYPE)

Michael Gwzober

THIS INSPECTOR MEETS THE QUALIFICATION REQUIREMENTS IN SECTION 396.19

YES

VEHICLE IDENTIFICATION (VIN AND COMPLETE)

2NPNL297X1H569033

INSPECTION AGENCY/LOCATION (OPTIONAL)

WIN OTHER

VEHICLE COMPONENTS INSPECTED

OK	NEEDS REPAIR	REPAIRED DATE	ITEM	OK	NEEDS REPAIR	REPAIRED DATE	ITEM
1. BRAKE SYSTEM							
			a. Service Brakes				
			b. Parking Brake System				
			c. Brake Drums or Rotors				
			d. Brake Hose				
			e. Brake Tubing				
			f. Low Pressure Warning Device				
			g. Tractor Protection Valve				
			h. Air Compressor				
			i. Electric Brakes				
			j. Hydraulic Brakes				
			k. Vacuum Systems				
			l. Antilock Brake System				
			m. Automatic Brake Adjusters				
2. COUPLING DEVICES							
			a. Fifth Wheels				
			b. Pintle Hooks				
			c. Drawbar/Towbar Eye				
			d. Drawbar/Towbar Tongue				
			e. Safety Devices				
			f. Saddle-Mounts				
3. EXHAUST SYSTEM							
			a. Exhaust system leaking forward of or directly below the driver/sleeper compartment.				
			b. Bus exhaust system leaking or discharging in violation of standard.				
			c. Exhaust system likely to burn, char, or damage the electrical wiring, fuel supply, or any combustible part of the motor vehicle.				
4. FUEL SYSTEM							
			a. Visible leak.				
			b. Fuel tank filler cap missing.				
			c. Fuel tank securely attached.				
5. LIGHTING DEVICES							
			All lighting devices and reflectors required by Part 393 shall be operable.				
6. SAFE LOADING							
			a. Part(s) of vehicle or condition of loading such that the spare tire or any part of the load or dunnage can fall onto the roadway.				
			b. Protection against shifting cargo.				
			c. Container securement devices on intermodal equipment.				
7. STEERING MECHANISM							
			a. Steering Wheel Free Play				
			b. Steering Column				
			c. Front Axle Beam and All Steering Components Other Than Steering Column				
			d. Steering Gear Box				
			e. Pitman Arm				
			f. Power Steering				
			g. Ball and Socket Joints				
			h. Tie Rods and Drag Links				
			i. Nuts				
			j. Steering System				
8. SUSPENSION							
			a. Any U-bolt(s), spring hanger(s), or other axle positioning part(s) cracked, broken, loose or missing resulting in shifting of an axle from its normal position.				
			b. Spring Assembly				
			c. Torque, Radius or Tracking Components				
9. FRAME							
			a. Frame Members				
			b. Tire and Wheel Clearance				
			c. Adjustable Axle Assemblies (Sliding Subframes)				
10. TIRES							
			a. Tires on any steering axle of a power unit.				
			b. All other tires.				
			c. Installation of speed-restricted tires unless specifically designated by motor carrier.				
11. WHEELS AND RIMS							
			a. Lock or Side Ring				
			b. Wheels and Rims				
			c. Fasteners				
			d. Welds				
12. WINDSHIELD GLAZING							
			Requirements and exceptions as stated pertaining to any crack, discoloration or vision reducing matter (reference 393.60 for exceptions).				
13. WINDSHIELD WIPERS							
			Any power unit that has an inoperative wiper, or missing or damaged parts that render it ineffective.				
14. MOTORCOACH SEATS							
			Any passenger seat that is not securely fastened to the vehicle structure.				
15. OTHER							
			List any other condition(s) which may prevent safe operation of this vehicle.				

INSTRUCTIONS: MARK COLUMN ENTRIES TO VERIFY INSPECTION: OK, X NEEDS REPAIR, NA IF ITEMS DO NOT APPLY, REPAIRED DATE

CERTIFICATION: THIS VEHICLE HAS PASSED ALL THE INSPECTION ITEMS FOR THE ANNUAL VEHICLE INSPECTION IN ACCORDANCE WITH 49 CFR PART 396.

Copyright 2016 J. J. Keller & Associates, Inc.
Neenah, WI • JJKeller.com • (800) 327-6868
Printed in the USA

DUPLICATE



P32918 T-37
Environmental Protection and Growth Management Department
ENVIRONMENTAL ENGINEERING AND PERMITTING DIVISION
1 North University Drive, Mailbox 201, Plantation, Florida 33324
954-519-1483 * FAX 954-519-1412

WASTE TRANSPORTER LICENSE

EMaxx Miami, LLC
Attention: Michael G Anczok, Manager
4531 Grassy Point
Port Charlotte, FL 33952

License Number: WT-19-0048


This license is issued under the provisions of Chapter 27 of the Broward County Code of Ordinances hereinafter called the Code. The above-named applicant, hereinafter called Licensee, is hereby authorized to perform the work or operate the facility shown on the approved drawings, plans, documents, and specifications submitted by Licensee and made a part hereof and described specifically below. If no objection to this license is received within 14 days, you will be deemed to have accepted it and all the attached terms and conditions.

ALL GENERAL CONDITIONS and SPECIFIC CONDITIONS, as attached, are considered to constitute the requirements of this license. The Licensee is required to fully comply with all these conditions. Any failure to comply with conditions or requirements as set forth may result in revocation or suspension of this license and may subject the Licensee to enforcement action in accordance with the provisions of Article 1, Division 4 of the Code.

Nature of Business:

- Discarded Hazardous Material Hauling
- Used Oil
- Nonhazardous Industrial Waste (Solid)
- Nonhazardous Industrial Waste (Liquid)

Prepared By: Didier Dupuy
Application Received: 05/07/2019
Date of Issue: 05/07/2019
Renewal App. Due: 04/01/2021
Expiration Date: 05/31/2021


Environmental Engineering and Permitting Division



FLORIDA DEPARTMENT OF Environmental Protection

Bob Martinez Center
2600 Blair Stone Road
Tallahassee, FL 32399-2400

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Noah Valenstein
Secretary

04/22/2019

Rudy Santana, Facility Contact
Emaxx Miami LLC
7400 NW 77 Terrace Ave
Medley, FL 33166

The Florida Department of Environmental Protection has reviewed your form 8700-12FL notification for a new hazardous waste DEP/EPA Identification Number or status/information change. Based on the information received you must use the following identification number for all manifests or reports for **Emaxx Miami LLC** located at **7400 NW 77th Ter, Medley, FL 33166-7503**

FLR000223313

Your facility notified FDEP requesting the following hazardous waste status/activities which **do not require a separate submission: Conditionally Exempt SQG.**

Your facility is **currently registered** for the following activities: **Used Oil Transporter, Used Oil Transfer Facility (reg exp on 06/30/2020).**

Your facility is **currently permitted/active** as: **No Active Hazardous Waste Treatment, Storage, or Disposal Permit.**

If you have pending program registrations/certifications or permits, these will be mailed separately. You are required to notify us on form 8700-12FL if there is any change in your operations which would affect your status, activity or contact information. The form is found here:

<http://www.dep.state.fl.us/waste/categories/hwRegulation/pages/NotificationRegulatedWaste.htm>.

To review the details of your status, visit:

https://fldeploc.dep.state.fl.us/www_RCRA/Reports/handler_results.asp?epaid=FLR000223313.

For further assistance, please contact me at (850) 245-8749 or email at Glen.Perrigan@dep.state.fl.us.

Sincerely,

Glen K. Perrigan
for

Glen Perrigan
Environmental Manager
Hazardous Waste Regulation Section

ME ID: 125253 , Email Address: rsantana@eco-maxx.com



OFFICIAL DOCUMENT

Regulatory and Economic Resources
Environmental Resources Management
701 NW 1st Court • 7th Floor
Miami, Florida 33136-2012
T 305-372-4600 F 305-372-4601
miamidade.gov

Permit No: LM-000976-2020/2021 (MO)-MO
Permit Issued To: SHARK MIAMI, LLC
Facility Location: 7400 NW 77 TH
KENDLE, FL 33166

Contact Name/Address:
Attn: Matthew Gudorf
SHARK MIAMI, LLC D/B/A ECO-MAXX
7400 NW 77 TH
KENDLE, FL 33166

LIQUID WASTE TRANSPORTERS
ANNUAL OPERATING PERMIT

DESCRIPTION OF FACILITY/EQUIPMENT

This document, issued under the provisions of Chapter 24, Miami-Dade County Code (Dade County Environmental Protection Ordinance), shall be valid from April 01, 2020 through March 31, 2021. The above named permittee, is hereby authorized to operate as a Liquid Waste Transportation business from the above location, and with the equipment bearing the 5 identifying sticker(s) included with this permit.

This facility is subject to conditions listed below and in the following pages (if any) of this permit.

SPECIFIC CONDITIONS

1. Correctly completed monthly reporting forms and corresponding fees are required to be submitted to the Department on/or before the 26th of the following month.
2. No hazardous waste shall be transported under this permit.
3. All waste transportation equipment shall be maintained in good working order at all times. Valves, hoses, tanks, etc., shall be properly maintained and shall not leak.
4. All waste oil and waste water must be sold or disposed of in accordance with all local, state and federal regulations.
5. Only waste oil, oily waste water and non-hazardous industrial waste shall be transported under this permit. Radiator fluid shall not be transported under this permit.

GENERAL CONDITIONS

6. The Permittee, by acceptance of this document, agrees to operate and maintain the subject operation so as to comply with the requirements of Chapter 24 of the Code of Miami-Dade County.
7. If for any reason, the Permittee does not comply with or will be unable to comply with any condition or limitation specified on this document the Permittee shall immediately notify and provide the Department with the following information: (a) a description of and cause of non-compliance; and (b) the period of non-compliance including exact dates and times; or, if not corrected, the anticipated time the non-compliance is expected to continue, and steps taken to reduce, eliminate, and prevent recurrence of the non-compliance. The Permittee shall be responsible for any and all damages which may result and may be subject to enforcement action by the Department for penalties or revocation of this document.
8. As provided in Section 24-15 of the Code of Miami-Dade County, the prior written approval of the Department shall be obtained for any alteration to this facility.

Lee N. Hefty, Assistant Director
Department of Regulatory and Economic Resources,
Environmental Resources Management



TANK CAPACITY
10,000
GALLONS





TANK CAPACITY
10,000
GALLONS



004B

1920

1910

1906

1800

00402

717D

718D

DURATRAN
1931

1190

HYDREX AW 100

1911

1911





EXIT

EXIT

P19 50A
FLORIDA
SUNSHINE STATE

P19 50A
FLORIDA
SUNSHINE STATE

0.00

FIRE

1993

GLOBAL





ECO-MAXX
ABOVE GROUND STORAGE TANK INFORMATION
Class: E, L, H, HX, HX1
Tank Number: 1
Product: Gas Oil
Design Capacity (Gallons): 7500
Working Capacity (Gallons): 7500

ECO-MAXX
844-485-6000
ECO-MAXX.COM
ECO-MAXX

ECO-MAXX
ABOVE GROUND STORAGE TANK INFORMATION
Class: E, L, H, HX, HX1
Tank Number: 1
Product: Gas Oil
Design Capacity (Gallons): 7500
Working Capacity (Gallons): 7500

48
3
750
Premium
Absorbent
Premium
Absorbent



ECO-MAXX

GET THE MAXX FOR YOUR USED OIL

To schedule a pick-up call
Eco-Maxx: (844) 645-6299

ABOVE GROUND STORAGE TANK INFORMATION

Client: Eco-Maxx Miami

Tank Number: 8

Product: Used Oil

Design Capacity (Gallons): 500

Working Capacity (Gallons): 150

(10% less than design capacity)





ECO-MAXX™
GET THE MAXX FOR YOUR USED OIL

To schedule a pick-up call
Eco-Maxx: (844) 645-6299

ABOVE GROUND STORAGE TANK INFORMATION

Client: Eco-Maxx Miami

Tank Number: 1

Product: Used Oil

Design Capacity (Gallons): 500

Working Capacity (Gallons): 450

(10% less than design capacity)





ECO-MAXX
GET THE MAXX FOR YOUR USED OIL

For more information call
1-800-455-0299

ABOVE GROUND STORAGE INFORMATION

Client: Eco-maxx

Tank Number: 2

Product: Used Oil

Design Capacity (Gallons): 1000

Working Capacity (Gallons): 900

(10% less than design capacity)



WAS
NON-HAZARDOUS WASTE

NON- HAZARDOUS WASTE

GENERATOR INFORMATION: (optional)

SHIPPER JMG + SON

ADDRESS 7705 NW 72 Ave

CITY, STATE, ZIP Medley FL 33178

CONTENTS: Used oil

Filters

NON-HAZARDOUS WASTE



1993

NON-HAZARDOUS WASTE

R06 9 100855

THIS SIDE UP
CE CÔTÉ VERS LE HAUT
ESTE LADO HACIA ARRIBA

THIS SIDE UP
CE CÔTÉ VERS LE HAUT
ESTE LADO HACIA ARRIBA

ECO-PAK
R06 9 100855







USE
OIL
ONLY

17 0000697



17 0000697

ECO-M



ECO-MAXX™
GET THE MAXX FOR YOUR USED OIL

844-OIL-MAXX • ECO-MAXX.NET

USDOT 3190903



ESF-01

NON
HAZARDOUS
OIL

HEIL



SUPERIOR
Lubricants

861071

est. 1979

SUPERIOR
Lubricants

GL


TT73





7400

NOTICE
ALL ACTIVITIES
MONITORED
BY VIDEO
CAMERA






1993
3

Fire and Life Safety Plan	Fire and Life Safety Plan	Fire and Life Safety Plan
Fire and Life Safety Plan	Fire and Life Safety Plan	Fire and Life Safety Plan
Fire and Life Safety Plan	Fire and Life Safety Plan	Fire and Life Safety Plan







**SPILL
KIT**

SPKU-30418
Universal Spill Kit
Absorbent Pad
100% Polypropylene
100% Polypropylene
100% Polypropylene

LIBMAN
Ergonomic Broom

Truck #	ET-45		Driver:	Johnny DeRito		Eco-Maxx LLC			Date:	1/2	
			Starting Level	Compart. 1		Compart. 2		Oil	Compart. 3		Compart. 4
Daily Summary	Stop #	Order #	Customer	City	State	Time	Level (")	Gallons	Compartment	Total Gallons	
	1	159583	TID Transport	Medley	FL	8:54	12"	550	2/oil	550	
	2	181860	1 Auto Service	Miami	FL	10:08	15"	250	2/oil	250	
	3	190454	AVEX Road Service	Miami	FL	10:08	-	175	2/oil	175	
	4	166900	Devonville Service	Miami	FL	10:38	19"	275	2/oil	275	
	5	181856	Peterson Harley	Miami	FL	12:23	31"	500	2/oil	500	
	6	178135	Auto Vics	Miami	FL	2:18	46"	250/120	2/oil	370	
	7	158886	Toy Auto Service	Miami	FL	3:09	49"	160	2/oil	160	
	8	179488	Flagler Auto Repair	Miami	FL	3:30	49"	450	2/oil	450	
	9	185415	Emilio Jiles	Miami	FL	4:25	53"	225	2/oil	225	
	10	190620	Kwame Motor	Miami	FL	5:03	57"	225	2/oil	225	
	11										
	12										
	13										
	14										
	15										
	16										
	17										
	18										
	19										
		Finishing Level	Compart. 1		Compart. 2		Compart. 3		Compart. 4		
Driver Stats	Gallons	3,186		Diesel Gallons		HOURS		1174.7			
	Stops	10				MILEAGE					
	Rail Gallons					Start		11437			
						End		11535			

11,591
Gallons

Truck #	ET-45		Driver:	Johnny DeNzio		Eco-Maxx LLC			Date:	1/5/20	
Daily Summary	Starting Level	Compart. 1				Compart. 2	Oil		Compart. 3	Compart. 4	
	Stop #	Order #	Customer	City	State	Time	Level (")	Gallons	Compart. 4	Total Gallons	
	1	179293	Mainike car care	M. gardens	FL	8:28	8"	275	2/oil	275	
	2	179981	UL Tire	Hialeah	FL	9:42	10"	110	2/oil	110	
	3	169461	Hallmark Tire	Hialeah	FL	9:47	12"	110	2/oil	110	
	4	174092	SC Diesel Mechanic	Miami	FL	3:08	15"	150	2/oil	150	
	5	175720	Tire Factory	Miami	FL	3:51	18"	200	2/oil	150	
	6										
	7										
	8										
	9										
	10										
	11										
	12										
	13										
	14										
	15										
	16										
	17										
	18										
19											
	Finishing Level	Compart. 1				Compart. 2	Compart. 3		Compart. 4		
Driver Stats	Gallons	845		Diesel Gallons		—		HOURS	1080.4		
	Stops	5						MILEAGE			
	Rail Gallons							Start	104/19		
								End			

Truck #	ET-45	Driver:	Solunny Dario		Eco-Maxx LLC			Date:	1/6/20	
		Starting Level	Compart. 1		Compart. 2		Compart. 3		Compart. 4	
Daily Summary	Stop #	Order #	Customer	City	State	Time	Level (")	Gallons	Compartment	Total Gallons
	1	181042	Alex Road Service	Medley	FL	8:53	21"	150	2/oil	150
	2	178017	LOS viñales	Medley	FL	9:23	30"	550	2/oil	550
	3	181137	Florida Steve doing	Miami	FL	10:43	33"	225	2/oil	225
	4	181141	ELIATO - Steve doing	Miami	FL	10:44	36"	225 275	2/oil	225 275
	5	180036	EXPRESS TILES	Miami	FL	1:28	45"	550	2/oil	550
	6	181166	LNT Performance	OPalocka	FL	3:20	42"	150/75	2/oil	225
	7									
	8									
	9									
	10									
	11									
	12									
	13									
	14									
	15									
	16									
	17									
	18									
	19									
		Finishing Level	Compart. 1		Compart. 2		Compart. 3		Compart. 4	
Driver Stats	Gallons	1,975		Diesel Gallons		HOURS				
	Stops	6				MILEAGE				
						Start				
	Rail Gallons					End				

T-37

- Darwin's Filters
- TITAN TRUCK CENTERS

Truck #	153046	Driver:	Johnny Deino		Eco-Maxx LLC			Date:	1/7/20	
Starting Level		Compart. 1		Compart. 2		0.1	Compart. 3		Compart. 4	
Daily Summary	Stop #	Order #	Customer	City	State	Time	Level (")	Gallons	Compartment	Total Gallons
	1	153046	Speed Truck Repair	Medley	FL	9:44	9"	900	2/0.1	900
	2		Lucing tires	Miami	FL	11:32	11"	110	2/0.1	110
	3	178006	Darwin's Truck	Miami	FL	11:33	17"	330	2/0.1	330
	4	180027	OPALOCKA MUFFERS	OPALOCKA	FL	12:00	21"	275	2/0.1	275 300
	5	181740	CRUDS TRANSMISSION	MIRAMAR	FL	12:46	25"	275	2/0.1	275
	6	163292	Adventure time	Miami	FL	2:37	27"	200	2/0.1	200 200
	7									
	8									
	9									
	10									
	11									
	12									
	13									
	14									
	15									
	16									
	17									
	18									
	19									
Finishing Level		Compart. 1		Compart. 2		Compart. 3		Compart. 4		
Driver Stats	Gallons	1915		Diesel Gallons		HOURS		09876		
	Stops	5				MILEAGE				
	Rail Gallons					Start		931580		
						End				

• Sims cone
 2/Filters
 2/Rags
 • High quality
 2/Filters
 • DDTP
 1/Filter

Truck #	T-37	Driver:	Johnny DeRito		Eco-Maxx LLC			Date:	1/8/20	
Starting Level		Compart. 1		Compart. 2		oil	Compart. 3		Compart. 4	
Daily Summary	Stop #	Order #	Customer	City	State	Time	Level (")	Gallons	Compartment	Total Gallons
	1	163292	Adventure Tires	Miami	FL	8:00	—	200	2/oil	200
	2		TITAN TRUCK CENTERS	Miami	FL	8:32		1	2/oil	290
	3	174627	Los Vinaderos	Medley	FL	8:42	10"	250 500	2/oil	1/Filter
	4	181048	Sims cone	Medley	FL	9:15	14"	250	2/oil	250 1 Filter 500
	5	174975	Lawrence General	Medley	FL	9:30	17"	225	2/oil	250
	6	161910	DDTP	Medley	FL	9:47	21"	275	2/oil	225
	7	174100	TBD Transport	Medley	FL	10:30	30"	475	2/oil	275
	8	174976	MCI Express	Medley	FL	10:45	35"	250 275	2/oil	475 / 3 Filters
	9	174974	SC TRUCK CENTER	Medley	FL	11:31	—	250	2/oil	250 275
	10	178015	MONSTER TRUCK	Medley	FL	12:10	45"	450	2/oil	250
	11	182382	TRUCK CUBE	Medley	FL	12:04	—	60	2/oil	450
	12	182403	LUXURY AUTO	Hialeah	FL	1:08	—	110	2/oil	60 / 1 Filter
	13	182459	TRUCK MAINTENANCE	Medley	FL	4:05	—	275	2/oil	110
	14									275
	15									
	16									
	17									
	18									
19										
Finishing Level		Compart. 1		Compart. 2		Compart. 3		Compart. 4		
Driver Stats	Gallons	3,070 3,345		Diesel Gallons		HOURS		04877		
	Stops	12				MILEAGE				
	Rail Gallons					Start		437647		
						End				

Truck #	T-37	Driver:	Johnny Del Rio		Eco-Maxx LLC			Date:	1/11/21	
Starting Level		Compart. 1		Compart. 2		oil	Compart. 3		Compart. 4	
Daily Summary	Stop #	Order #	Customer	City	State	Time	Level (")	Gallons	Compartment	Total Gallons
	1	174094	JMB and sons	Mudley	FL	8:35	9"	275	2/oil	275
	2	183248	Palm Ave Auto.	Hialeah	FL	9:16	14"	550	2/oil	550
	3	156051	Santos Auto Tech	Miami	FL	11:24	18"	250	2/oil	250
	4	169463	Valdes Auto Repair	Miami	FL	11:55	20"	110	2/oil	110
	5	172890	Benz Auto Service	Miami	FL	1:42	29"	235	2/oil	235
	6	179255	Flagler Auto	Miami	FL	2:24	33"	250	2/oil	250
	7		Dwyer Supercenter	Miami	FL	3:20	35"	100	2/oil	100
	8	178136	Empire Tires	Miami	FL	3:41	38"	165	2/oil	165
	9	183393	Aground	Miami	FL	3:44	-	110	2/oil	110
	10									110 / 1 Filter
	11									
	12									
	13									
	14									
	15									
	16									
	17									
	18									
	19									
Finishing Level		Compart. 1		Compart. 2		Compart. 3		Compart. 4		
Driver Stats	Gallons	2,045		Diesel Gallons		HOURS		04875		
	Stops	9				MILEAGE				
	Rail Gallons					Start		437681		
						End		437762		

Truck # K-37		Driver: Sohmy Del Rio		Eco-Maxx LLC				Date: 1/12/20	
Starting Level		Compart. 1		Compart. 2		Compart. 3		Compart. 4	
Daily Summary	Stop #	Order #	Customer	City	State	Time	Level (")	Gallons	Compart. 4
									Total Gallons
	1	174095	BP LUBE SERVICES	Mudley	FL	8:19	6"	200	2/oil
	2	183903	FESTIVAL TILES	Hialeah	FL	8:45	10"	110	2/oil
	3	181301	J. MARGUA	Hialeah	FL	9:14	14"	275	2/oil
	4	183261	La Gamba Central	Miami	FL	2:06	—	300	2/oil
	5	178147	Florida Beauty	Miami	FL	2:44	18"	450	2/oil
	6	178147 184194	TRUCK LUBE	Miami	FL	3:44	—	70	2/oil
	7								
	8								
	9								
	10								
	11								
	12								
	13								
	14								
	15								
	16								
	17								
	18								
19									
Finishing Level		Compart. 1		Compart. 2		Compart. 3		Compart. 4	
Driver Stats	Gallons	1,405		Diesel Gallons		—		HOURS	4880
	Stops	6						MILEAGE	
	Rail Gallons							Start	437763
								End	

• Dmotors Enterprises.
 • 305 Auto Repair
 • Complete City Service

Truck #	ET-45	Driver:	Johnny DeNzio		Eco-Maxx LLC			Date:	1/13/20	
Starting Level		Compart. 1		Compart. 2		0.1	Compart. 3		Compart. 4	
Daily Summary	Stop #	Order #	Customer	City	State	Time	Level (")	Gallons	Compartment	Total Gallons
	1	179487	Los Vinalillos	Medley	FL	8:56	16"	700	2/oil	700 / 3 Filters
	2	183247	American Smart	Doral	FL	9:36	20"	225	2/oil	225 / 1 Filter
	3	181179	LA COIBA TIRE	Miami	FL	10:18	22"	300	2/oil	300
	4	158541	Pap's Tire	Miami	FL	10:49	26"	275	2/oil	275
	5	170956	Auto Tire	Miami	FL	10:58	24"	250	2/oil	250
	6	184133	El Rey del Parche	Miami	FL	12:33	38"	200	2/oil	200
	7	New	Complete City Service	Miami	FL	2:03	42"	110	2/oil	110
	8	183197	MUZ Distributors	Miami	FL	2:34	47"	330	2/oil	330
	9	178005	BMP Automotive	Miami	FL	3:00	51"	250	2/oil	250
	10									
	11									
	12									
	13									
	14									
	15									
	16									
	17									
	18									
	19									
Finishing Level		Compart. 1		Compart. 2		Compart. 3		Compart. 4		
Driver Stats	Gallons	2,640		Diesel Gallons		HOURS		1103.7		
	Stops	9				MILEAGE				
	Rail Gallons					Start		10602		
						End				

Truck #	ET-45	Driver:	Johnny DeNio		Eco-Maxx LLC			Date:	1/14/20	
Starting Level		Compart. 1		Compart. 2		0.1	Compart. 3	Compart. 4		
Daily Summary	Stop #	Order #	Customer	City	State	Time	Level (")	Gallons	Compartiment	Total Gallons
	1	184760	Martin OAC STOP	Miami	FL	8:57	6"	100	2/oil	100
	2	New	EFFICIENT AUTOMOTIVE	Miami	FL	9:26	8"	110	2/oil	110
	3	185338	VALDEZ BROTHERS	Miami	FL	11:51	12"	375	2/oil	375
	4	178016	OTUS AUTOMOTIVE	Miami	FL	12:54	15"	165	2/oil	165
	5	178649	Brakes and AUTO	Miami	FL	2:24	24"	250	2/oil	250
	6	158835	AIR ROW ASPHWT	Miami	FL	3:20	26"	275	2/oil	275
	7									
	8									
	9									
	10									
	11									
	12									
	13									
	14									
	15									
	16									
	17									
	18									
	19									
Finishing Level		Compart. 1		Compart. 2		Compart. 3		Compart. 4		
Driver Stats	Gallons	1,275		Diesel Gallons		HOURS		1113.1		
	Stops	6				MILEAGE				
	Rail Gallons					Start		1068.1		
						End		10788		

1 Filter

• Limb Road Band Services
• Inverness Services to state
• Miller 73 car care

Truck #	ET-45	Driver:	Johnny Del Rio		Eco-Maxx LLC			Date:	1/15/21	
Starting Level		Compartment 1		Compartment 2		0.1	Compartment 3		Compartment 4	
Daily Summary	Stop #	Order #	Customer	City	State	Time	Level (")	Gallons	Compartment	Total Gallons
	1	183196	REX AUTO SERVICE	Miami	FL	9:07	10"	350	2/oil	350
	2	183382	LIMN BROWARD	Miami	FL	10:24	12"	250	2/oil	250
	3	171917	GABRIEL TRANSPORT	Miami	FL	11:04	12"	375	2/oil	375
	4	185807	PALMETTO FARM	N. Miami	FL	11:41	12"	275	2/oil	275
	5	185833	TRUCK LUKE	Miami	FL	12:41	-	70	2/oil	70
	6	185784	LOS VINTAJEROS	Miami	FL	2:15	36"	600	2/oil	600
	7	178139	LAURENCE GENERAL	Medley	FL	2:40	40"	375	2/oil	375
	8	185884	ANALYTIC MILLER 73	Miami	FL	4:14	48"	275	2/oil	275
	9									
	10									
	11									
	12									
	13									
	14									
	15									
	16									
	17									
	18									
	19									
Finishing Level		Compartment 1		Compartment 2		Compartment 3		Compartment 4		
Driver Stats	Gallons	2,570		Diesel Gallons		HOURS		1128		
	Stops					MILEAGE				
	Rail Gallons					Start		10828		
						End				

70 / 1 FILTER
 600 / 2 FILTERS
 375 / 1 FILTER



Permit No: LW-000976-2020/2021 (WO) -WO
Permit Issued To: EMAXX MIAMI, LLC
Facility Location: 7400 NW 77 TER
MEDLEY, FL 33166-

Contact Name/Address:
Attn: Matthew Gudorf
EMAXX MIAMI, LLC D/B/A ECO-MAXX
7400 NW 77 TER
MEDLEY, FL 33166-

LIQUID WASTE TRANSPORTERS ANNUAL OPERATING PERMIT

DESCRIPTION OF FACILITY/EQUIPMENT

This document, issued under the provisions of Chapter 24, Miami-Dade County Code (Dade County Environmental Protection Ordinance), shall be valid from April 01, 2020 through March 31, 2021. The above named permittee, is hereby authorized to operate as a Liquid Waste Transportation business from the above location, and with the equipment bearing the 5 identifying sticker(s) included with this permit.

This facility is subject to conditions listed below and in the following pages (if any) of this permit.

SPECIFIC CONDITIONS

1. Correctly completed monthly reporting forms and corresponding fees are required to be submitted to the Department on/or before the 20th of the following month.
2. No hazardous waste shall be transported under this permit.
3. All waste transportation equipment shall be maintained in good working order at all times. Valves, hoses, tanks, etc., shall be properly maintained and shall not leak.
4. All waste oil and waste water must be sold or disposed of in accordance with all local, state and federal regulations.
5. Only waste oil, oily waste water and non-hazardous industrial waste shall be transported under this permit. Radiator fluid shall not be transported under this permit.

GENERAL CONDITIONS

6. The Permittee, by acceptance of this document, agrees to operate and maintain the subject operation so as to comply with the requirements of Chapter 24 of the Code of Miami-Dade County.
7. If for any reason, the Permittee does not comply with or will be unable to comply with any condition or limitation specified on this document the Permittee shall immediately notify and provide the Department with the following information: (a) a description of and cause of non-compliance; and (b) the period of non-compliance including exact dates and time, or, if not corrected, the anticipated time the non-compliance is expected to continue, and shall be responsible for any and all damages which may result and may be subject to enforcement action by the Department for penalties or revocation of this document.
8. As provided in Section 24-15 of the Code of Miami-Dade County, the prior written approval of the Department shall be obtained for any alteration to this facility.

Lee N. Hefty, Assistant Director
Department of Regulatory and Economic Resources,
Environmental Resources Management

Non-Hazardous Waste Manifest

Manifest No.:
Order Date:
Ref No:

P001977
12/9/2020

GENERATOR: EMAXX MIAMI, LLC 7400 NW 77th Ter Medley, FL, 33166-7503 Phone: +1 (305) 934-4727	CARRIER: EMAXX MIAMI, LLC 7400 NW 77th Ter Medley, FL, 33166-7503 Phone: +1 (305) 934-4727	DESTINATION: CLIFF BERRY INC 3033 NW NORTH RIVER DR MIAMI FL 33142-6304
GENERATOR EPA ID FLR000223313	CARRIER EPA ID FLR000223313	DESTINATION EPA ID FLD058560699
ITEM OWREC: OILY WATER RECLAMATION PER GALLON		QTY. 5,000.0000
		UOM 3478 GL

For all questions or concerns, or for information on how you can help to improve the quality of your used oil, please contact Customer Service at 800-638-1887

GALLONS FOR AT LEAST ONE ITEM MUST BE ENTERED

C.E.S.Q.G.

Generator certifies that they are a conditionally exempt generator and meet all of the following conditions:

1. Generate less than 100 kilograms per month of listed and/or characteristic hazardous waste.
2. Generate less than 1 kilogram per month of acutely hazardous waste.
3. Store less than 100 kilograms of listed and/or characteristic hazardous waste.
4. Store less than 1 kilogram of acutely hazardous waste.

GENERATOR SIGNATURE (if applicable)

GENERATOR

Generator certifies that the materials provided to Eco-Maxx hereunder:

1. Has not been contaminated to form a hazardous waste as defined under applicable laws, including but not limited to 40 CFR Part 261.
2. Contains less than 2 parts per million (PPM) PCB's, and has not been mixed with any other material which contained greater than 2 PPM PCB's.

Generator agrees to hold harmless for any damages, and indemnify Eco-Maxx for any costs, attorney's fees, etc. arising from Breach of Contract.

GENERATOR NAME

Eco-Maxx Miami

GENERATOR SIGNATURE

[Signature] (BQ)

DATE

12/9/20

DESTINATION

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

DRIVER

[Signature]

FACILITY ACKNOWLEDGER

[Signature]

RECEIPT DATE

12/9/20

Non-Hazardous Waste Manifest

Manifest No.:

Order Date:

Ref No:

P001878
12/9/2020

GENERATOR: EMAXX MIAMI, LLC 7400 NW 77th Ter Medley, FL, 33166-7503 Phone: +1 (305) 934-4727		CARRIER: EMAXX MIAMI, LLC 7400 NW 77th Ter Medley, FL, 33166-7503 Phone: +1 (305) 934-4727		DESTINATION: CLIFF BERRY INC 3033 NW NORTH RIVER DR MIAMI FL 33142-6304	
GENERATOR EPA ID FLR 000223313		CARRIER EPA ID FLR 000223313		DESTINATION EPA ID FLD058560699	
ITEM OWREC: OILY WATER RECLAMATION PER GALLON				QTY. 5,000.0000	UOM 2,756 GL

pH 5.84

For all questions or concerns, or for information on how you can help to improve the quality of your used oil, please contact Customer Service at 800-638-1887

GALLONS FOR AT LEAST ONE ITEM MUST BE ENTERED

C.E.S.Q.G.

Generator certifies that they are a conditionally exempt generator and meet all of the following conditions:

1. Generate less than 100 kilograms per month of listed and/or characteristic hazardous waste.
2. Generate less than 1 kilogram per month of acutely hazardous waste.
3. Store less than 100 kilograms of listed and/or characteristic hazardous waste.
4. Store less than 1 kilogram of acutely hazardous waste.

GENERATOR SIGNATURE (if applicable)

GENERATOR

Generator certifies that the materials provided to Eco-Maxx hereunder:

1. Has not been contaminated to form a hazardous waste as defined under applicable laws, including but not limited to 40 CFR Part 261.
2. Contains less than 2 parts per million (PPM) PCB's, and has not been mixed with any other material which contained greater than 2 PPM PCB's.

Generator agrees to hold harmless for any damages, and indemnity Eco-Maxx for any costs, attorney's fees, etc. arising from Breach of Contract.

GENERATOR NAME

Eco Maxx Miami

GENERATOR SIGNATURE

DATE 12/9/20

DESTINATION

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

DRIVER

FACILITY ACKNOWLEDGER

RECEIPT DATE

[Signature]

[Signature]

12/9/20

TANKER LOADING REQUEST

LOADING DATE: 12/9/20

TANKER NUMBER: ~~EST 01~~ T-37

DELIVERY DATE: 12/9/20

LAST PRODUCT DELIVERED:

COMP #	CURRENT PRODUCT	GALLONS LEFT	FILL, DRAIN, LEAVE	NEW PRODUCT	QUANTITY	BATCH NUMBER	PRIMARY BULK SPECIALIST	SECONDARY BULK SPECIALIST	COMPLETE
1	WATER			Oily Water 22 inches	1000 2,724				
2	WATER			Oily Water 28 inches	1000 754				
3				Oily Water 35 inches	*1000				
4				Oily Water 40 inches	2000				

NO TANKERS ARE TO BE BACKED ONTO PAD WITHOUT A SPOTTER GUIDING TO PREVENT ACCIDENTS.
DO NOT LOAD MORE THAN 5,000 GALLONS ON THIS TANKER



ECO-MAXX™
GET THE MAXX FOR YOUR USED OIL

Non-Hazardous Waste Manifest

Manifest No.:

P001675

Order Date:

5/14/2020

Ref No:

GENERATOR: EMAXX MIAMI, LLC. 7400 NW 77th Ter Medley, FL, 33166-7503 Phone: +1 (305) 934-4727	CARRIER: EMAXX MIAMI, LLC. 7400 NW 77th Ter Medley, FL, 33166-7503 Phone: +1 (305) 934-4727	DESTINATION: CLIFF BERRY INC 3033 NW NORTH RIVER DR MIAMI FL 33142-6304
GENERATOR EPA ID FLR000223313	CARRIER EPA ID FLR000223313	DESTINATION EPA ID FLR00058560699
ITEM OWREC: OILY WATER RECLAMATION PER GALLON	QTY. 5,000.0000 4,600	UOM GL

Permit # LW-000976-2019/2020 (WO)-WO

For all questions or concerns, or for information on how you can help to improve the quality of your used oil, please contact Customer Service at 800-638-1887

GALLONS FOR AT LEAST ONE ITEM MUST BE ENTERED

C.E.S.Q.G.

Generator certifies that they are a conditionally exempt generator and meet all of the following conditions:

1. Generate less than 100 kilograms per month of listed and/or characteristic hazardous waste.
2. Generate less than 1 kilogram per month of acutely hazardous waste.
3. Store less than 100 kilograms of listed and/or characteristic hazardous waste.
4. Store less than 1 kilogram of acutely hazardous waste.

GENERATOR SIGNATURE (if applicable)

GENERATOR

Generator certifies that the materials provided to Eco-Maxx hereunder:

1. Has not been contaminated to form a hazardous waste as defined under applicable laws, including but not limited to 40 CFR Part 261.
2. Contains less than 2 parts per million (PPM) PCB's, and has not been mixed with any other material which contained greater than 2 PPM PCB's.

Generator agrees to hold harmless for any damages, and indemnity Eco-Maxx for any costs, attorney's fees, etc. arising from Breach of Contract.

GENERATOR NAME *Carla Gramajo*

GENERATOR SIGNATURE

DATE

5-14-20

Transporter:

Carla Gramajo

DESTINATION

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

DRIVER

FACILITY ACKNOWLEDGED

JARED TITEN

RECEIPT DATE

5/14/20

CLIFF BERRY INCORPORATED ENVIRONMENTAL SERVICES

Customer Form

Generator Information

Generator Name Emaxx Miami LLC - DBA Eco-Maxx
Address 7400 NW7 Terrace

City Medley County Miami Dade
State FL Zip Code 33166

EPA ID# FLR000223313

Effective Date 4-18-19 Expiration 6-30-20

Technical Contact Matthew Gudorf

Telephone 716-545-7950

Fax

Ext

Billing Name Emaxx Miami LLC

Billing Address 32 Ward Road

City North Tonawanda

State NY

Zip 14120

Attention Marcy Monaco

Telephone 716-260-1746

Ext

B. DOT

Shipping Name Non-Regulated Water - (Oily Water)

Hazard Class

UN/NA No. Packing Group RQ

C. RCRA

RCRA Non Hazardous Exempt? Yes ☐ No ☒

Process Generating: Oil Water Separator - From Dealership and Auto

State Waste Codes:

EPA Waste Codes:

D. Annual Report Codes

SIC Code:

Source Code:

Form Code:

Origin Code:

System Type:

E. Other Components

	No	Yes	Total PPM
PCB's	☒	☐	
Cyanides	☒	☐	
Sulfides	☒	☐	
Pesticides	☒	☐	
Phenolics	☒	☐	
Dioxins	☒	☐	
Halogens	☒	☐	%

F. Physical Characteristics at 70°

- Infectious or Biological Waste? Yes ☐ No ☒
- NRC Regulated Radioactive? Yes ☐ No ☒
- Reactivity ☒ None ☐ Water Reactive
☐ Pyrophoric ☐ Shock Sensitive
☐ Cyanides ☐ DOT Explosive
☐ Sulfides ☐ Other

☐ Gas Cylinder ☐ Solid %
☐ Aerosol ☒ Sludges 3 %
☐ Lab Pack ☒ Free Liquids 97 %

Layers
☐ Single Layered ☒ Bi-Layered ☐ Multi-Layered

Viscosity
☒ Low ☐ Medium ☐ High

Odor
☒ None ☐ Mild ☐ High Describe:

Color/Appearance:
clear to cloudy water

G. Metals

☐ None ☐ TCLP (MG/L) ☒ Total (PPM)

	Reg Limit	Below	Above	Range
Arsenic	5 mg/L.	☒	☐	
Barium	100 mg/L.	☒	☐	
Cadmium	1 mg/L.	☒	☐	
Chromium	5 mg/L.	☒	☐	
Copper		☒	☐	
Lead	5 mg/L.	☒	☐	
Mercury	0.2 mg/L.	☒	☐	
Nickel	134 mg/L.	☒	☐	
Selenium	1 mg/L.	☒	☐	
Silver	5 mg/L.	☒	☐	
Zinc		☒	☐	

Others:

Weight
Density 8.3 lbs./gal.(US liq) lbs./cu. Ft.
Dry Weight ☐ <1.0% ☐ 5-20%
☐ 1-5% ☐ 20-100%

pH ☒ N/A
☐ 0-2 ☐ 4.1-10 ☐ >=125
☐ 2.1-4 ☐ 10.1-12.4 Exact

Flash Point (Liquid Only) Boiling Point
☐ <73°F (23°C) ☐ <95°F (35°C)
☐ 70°-140° (23°-60°C) ☐ >95°F (35°C)
☐ > 200°F (93°C) ☐ N/A
☐ N/A

BTU/lb.

H. Physical/Chemical Constituents

Water	95-9
Oil - Used Oil (Petroleum Hydroc	1-3%
Sediment - solids	1-3%
Antifreeze	1-2%

(Attach All MSDS, Sample Analysis & Additional Info.)

Dermal Toxicity LD (Mg/Kg)
☐ <=40 ☐ >200, <=1000
☐ >40, <=200 ☐ >1000

4. Material Poisonous by inhalation? Yes ☐ No ☒

Oral Toxicity LD (Mg/Kg)
☐ <=5 ☐ >5, <=50
Solids: ☐ >50, <=200 ☒ >200
Liquids: ☐ >50, <=500 ☒ >500

5. Material in vented drums? Yes ☐ No ☒

6. Is waste pumpable? Yes ☒ No ☐

7. Is waste polymerizable? Yes ☐ No ☒

8. Is waste stream subject to the National Emission Standards for Benzene Waste Operations (40 CFR 61 Subpart 82)? Yes ☐ No ☒

9. Is waste regulated as an ozone depleting substance (40 CFR 61 Part FF)? Yes ☐ No ☒

10. Does this waste contain scrap metal pieces greater than 2 inches in size? Yes ☐ No ☒

I. Anticipated Volume

Qty	Container	Qty	Container

☐ Approved ☐ Unapproved
☐ MSDS
Eff. Date: ☐ Lab Rpt
Exp. Date: ☐ Gen Knowledge

Sales Rep:
Dir:

INTERNAL USE ONLY

Generator's Certification:

I hereby certify that the above and attached description is complete and accurate to the best of my knowledge and ability to determine that no deliberate or willful omissions of composition properties exist and that all known or suspected hazards have been disclosed. I certify that the materials tested are representative of all materials described in this profile.

Generator's Authorized Signature:

Date: 7-9-19

TANKER LOADING REQUEST

TANKER NUMBER: **ESF-01**

LOADING DATE:

DELIVERY DATE:

5/12/20

LAST PRODUCT DELIVERED:

COMP #	CURRENT PRODUCT	GALLONS LEFT	FILL, DRAIN, LEAVE	NEW PRODUCT	QUANTITY	BATCH NUMBER	PRIMARY BULK SPECIALIST	SECONDARY BULK SPECIALIST	COMPLETE
1	23 in			Oily Water 22 inches 1,064 gallons	1000				
2	49 in			Oily Water 28 inches 1,957 gallons	1000				
3	—			Oily Water 35 inches —	1000				
4	44 in			Oily Water 40 inches 2,272 gallons	2000				

NO TANKERS ARE TO BE BACKED ONTO PAD WITHOUT A SPOTTER GUIDING TO PREVENT ACCIDENTS.
DO NOT LOAD MORE THAN 5,000 GALLONS ON THIS TANKER

Total: 5,293 gallons

BIES Miami


&

Emaxxx Miami

SPCC PLAN

MIAMI-DADE FIRE RESCUE DEPARTMENT - Inspection Report

Page 1 of 1



FIRE PREVENTION DIVISION

9300 NW 41 STREET, DORAL, FLORIDA 33178
PHONE 786.331.4800 FAX 786.331.4801



PERMIT # 18128-01610

Business Address: (District 18)
BFS MIAMI LLC/ EMAXX MIAMI LLC
7400- NW 77 TER
MEDLEY, FL 33166

Billing Address:
BFS MIAMI LLC/ EMAXX MIAMI LLC
7400 NW 77 TER
MEDLEY, FL 33166

RESULT: Inspected / Approved

Resulted Date: 12/19/19

Permit Type: Storage / Storage Occupancies, Inspection

Month: January

Inspector:

Donna Barker
786-336-6842
donna.barker@miamidade.gov

Please Note: A Life Safety Permit required by Section 14-39, Code of Miami-Dade County, to operate the above named occupancy will be issued upon correction of all outstanding violations and payment of fees assessed. Failure to obtain the required Life Safety Permit will result in enforcement actions including fines, citations, liens and/or orders to cease and desist operation.

No violations noted at this time

CUSTOMER SIGNATURE

Title: Director
Name: BRIAN CARNEY

Brian Carney

Please Note: A life safety permit will be issued upon compliance of outstanding violations and payment of fees assessed. One (1) re-inspection will be performed at no additional cost. All subsequent re-inspections will be billed at one-half the original permit fee amount.



We would like feedback on your experience with your Life Safety Inspection.
Please take a minute to complete our survey at:
http://bit.ly/mdfr_21c3XHm

Inspection Report #1838354
Generated on: 12/19/2019

SPILL PREVENTION, CONTROL, AND COUNTERMEASURES (SPCC) PLAN

BFS Miami, LLC

Site Address:

7400 N.W. 77 Terrace
Medley, Florida, 33166

Mailing Address:

7400 N.W. 77 Terrace
Medley, Florida, 33166

Prepared By:

Scheme

October 31st, 2018

Table of Contents

1.0 Facility Information	
1.1 General Information and Emergency Contact	1
1.2 Definition of Oil	3
2.0 General Requirements	4
2.1 Professional Engineer Certification [40 CFR 112.3 (d)]	4
2.2 Management Commitment [40 CFR 112.3 (e)]	4
2.3 Certification of Applicability of the Substantial Harm Criteria [40 CFR 112.20]	5
2.4 SPCC Spill Reporting Requirements	6
2.4.1 Reporting a Significant Release or Spill to the Regional Administrator [40 CFR 112.4 (a)]	6
2.4.2 Notification of State Agency [40 CFR 112.4 (c)]	6
2.4.3 Amendment May be Required by Regional Administrator [40 CFR 112.4 (d)]	7
2.4.4 Notification of the Need for Amendment by the Regional Administrator [40 CFR 112.4 (e)]	7
2.4.5 Appeal of Regional Administrator Decision [40 CFR 112.4 (f)]	7
2.5 Amendment of SPCC Plan by Owner or Operator [40 CFR 112.5]	8
2.5.1 Plan Amendment [40 CFR 112.5 (a)]	8
2.5.2 Plan Review [40 CFR 112.5 (b)]	8
2.5.3 Re-Certification [40 CFR 112.5 (c)]	9
3.0 General Requirements for Spill Prevention, Control and Countermeasure Plan [40 CFR 112.7]	9
3.1 General Facility Description [40 CFR 112.7 (a)(3)]	10
3.2 Release Reporting [40 CFR 112.7 (a)(4)]	12
3.3 Emergency Response Procedures [40 CFR 112.7 (a)(5)]	13
3.4 Prediction of Direction, Rate of Flow and Quantity of Discharge [40 CFR 112.7 (b)]	15
3.5 Description of Containment and Diversionary Structures [40 CFR 112.7(c)]	15
3.6 Inspections, Tests and Records [40 CFR 112.7(e)]	15
3.7 Personnel, Training and Discharge Prevention Procedures [40 CFR 112.7(f)]	16
3.8 Security [40 CFR 112.7(g)]	16
3.9 Additional Prevention Standards [40 CFR 112.7(j)]	17
4.0 Subpart B: SPCC Plan Requirements on Onshore Facilities [40 CFR 112.8 and 112.12]	17
4.1 Conformance with Other Applicable Guidelines [40 CFR 112.8(a) and 112.12(a)]	17
4.2 Facility Drainage [40 CFR 112.8(b) and 112.12(b)]	18
4.3 Bulk Storage Tanks [40 CFR 112.8(c)]	19
4.4 Facility Transfer Operations, Pumping and Facility Process [40 CFR 112.8(d) and 112.12(d)]	19
4.5 Other Sections of SPCC Regulations	19

1.0 Facility Information**1.1 General Information and Emergency Contacts**

General Information	
Facility Name	BFS Miami, LLC
Type of Facility	Petroleum Bulk Storage and Terminals
Primary SIC Code / NAICS Code	5171/424710
Location	7400 N.W. 77 Terrace Medley, Florida, 33166
Owner / Operator	BFS Miami, LLC 7400 N.W. 77 Terrace Medley, Florida, 33166
Person Responsible for SPCC Plan	Rudy Santana Vice President of Sales
Potential Receiving Water	Miami Canal No. C-6 Miami River Atlantic Ocean
Spill History	Last Documented Release: None (Appendix F)
Lead Emergency Coordinator	Rudy Santana Cell: (305)934-4727
Alternate Coordinator	Javier Marquina Vice President of Operations Cell: (786)683-6447

Emergency Telephone Numbers	
Injury	Palmetto General Hospital 2001 W 68th St, Hialeah, FL 33016 (305) 823-5000
State Environmental Protection Agency	FL DEP Southeast Regional Office 3301 Gun Club Road, MSC7210-1 West Palm Beach, FL 33406 (561)681-6755
Fire or Explosion (Primary)	Medley Fire Department Medley, FL 33178 (786)331-5000 or 911 (Emergency)
Fire or Explosion (Secondary)	City of Hialeah Fire Station #6 W 8th Ave, Hialeah, FL 33010 911 (Emergency)
Ambulance	A Medical Transportation 7601 NW 68th St, Miami, FL 33166 (305)805-0782
Police	Medley Police Department (305)883-2047 or 911 (Emergency)
Spill Contractors	Oil Spill Response (Americas) Limited 2381 Stirling Rd, Fort Lauderdale, FL 33312 (959)983-9880 (Office)
State Emergency Response Commission	Florida Division of Emergency Management (850)413-9969
National Response Center	(800) 424-8802

1.2 Definition of Oil

Under the SPCC regulations, oils are defined as "oil of any kind or any form, including, but not limited to the following: fats, oils or greases of animals, fish or marine mammal origin; vegetable oils, including oils from seeds, nuts, fruits, or kernels; and, other oils and greases, including petroleum, fuel oil, sludge, synthetic oils, mineral oils, oil refuse, or oil mixed with wastes other than dredged soil" [40 CFR § 112.2]. The definition of oil used through the BFS Miami, LLC. SPCC program is the following:

A substance is considered oil, for the purposes of this BFS Miami, LLC. SPCC program, if the substance has (Federal Register References in parentheses):

- A) limited water solubility [43 FR10477, 43 FR10488], and
- B) a relative cohesive mass upon discharge [43 FR10488], and
- C) the potential for leaving a residue and being detectable in a water body [39 FR 30466, 43 FR10488], and
- D) the ability to be removed from the navigable waters and adjoining shorelines using currently available removal technology and equipment [Note: Substances with a relative cohesive mass upon discharge and water solubility less than 1000 mg/L are considered removable] [43 FR10488], and
- E) the potential for any of the following adverse environmental effects:
 - i. harm to wildlife through contact with surface sheens or films [40 FR59983]
 - ii. toxic effects to aquatic animals and plants by surface sheens or films, sludges, emulsions or soluble fractions [40 FR59983]
 - iii. adverse aesthetic effects, including fouling of shorelines and beaches [40 FR59983, 52 FR10716, 52 FR10718]
 - iv. asphyxiation of fish and benthic life due to coating [52 FR10715, 52 FR10718]
 - v. drowning of waterfowl [52 FR10718]
 - vi. fish kills due to increase biological oxygen demand (BOD) [52 FR10718].

This definition includes all substances that would be considered oil by the SPCC definition in 40 CFR § 112.2. Additional Federal Rules that pertain to the definition of oil include:

- a) **Clean Water Act (CWA)**
Individually, the Clean Water Act defines different hazardous substances [40 CFR Part 116]; however, when these substances are independently these substances is not considered to be oils. However, when combined (in any combination), these compounds are regarded as oil, thus requiring inclusion in the SPCC plan (examples: Benzene, Toluene, Ethyl Benzene and Xylene).
- b) **Resource Conservation and Recovery Act (RCRA)**

Any hazardous waste that contains any percentage of oil-based components, while they are oils for regulation under the SPCC rules, due to the hazardous nature of these wastes, it has been determined that these wastes are to be managed under the Hazardous Waste Regulations for the facility. Therefore, these wastes are not included in this plan but rather will be addressed in any and all facility plans that reference management of onsite hazardous waste.

2.0 General Requirements

2.1 Professional Engineer

As a Registered Professional Engineer, I hereby certify that I have visited and examined the facility, and being familiar with the provision of 40 CFR 112, attest that this Spill Prevention, Control and Countermeasures (SPCC) plan has been prepared in consideration of industry standards, is in accordance with good engineering practice that conforms to 40 CFR 112, and is adequate for the facility. Procedures for required inspections and testing have been established in this SPCC plan.

Name of Registered Professional Engineer: John A Schenne, P.E.

Signature of Registered Professional Engineer:

Date: October 30th 2018

Registration Number: 85859

State: Florida

2.2 Management Commitment [40CFR 112.3(e)]


In the capacity of being the Environmental Health and Safety professional at the BFS Miami, LLC. facility, I am authorized to commit the necessary resources to fulfill the Spill Prevention Control and Countermeasures (SPCC) Plan. These necessary resources may include the time and efforts of the in-house personnel, the time and effort of professional contractors, the allocation of existing equipment, the use of rental equipment, and/or the allocation of monies required to modify existing facility as require by this SPCC plan. The Medley, FL facility is fully committed to the operations of its facilities in a manner that promotes the preservation and protection of the environment and which protects the health, safety and well-being of its employees, neighbors and the general public.

Name of Management Personnel: Rudy Santana

Title of Management Personnel: Vice President of Sales

Date: 11-15-18

Signature:




2.3 Certification of Applicability of the Substantial Harm Criteria [40 CFR 112.20]

Facility Name: BFS Miami, LLC.
7400 N.W. 77 Terrace
Medley, Florida 33166
(305)456-1121

If the answer to one or more of the following questions is yes, the facility is required to implement a Facility Response Plan (FRP) under the requirements of 40 CFR 112.20. If all the answers are no, an FRP is not required and this form should be signed and inserted into the SPCC plan. Every five (5) years, the Certification of Substantial Harm should be recertified as part of the SPCC Plan review to indicate no change in the status of the site regarded 40 CFR 112.20.

1. Does the facility transfer oil over water to or from vessels (ships) and does the facility have a total oil storage capacity greater than or equal to 42,000 gallons?
2. Does the facility have a total oil storage capacity greater than or equal to one million gallons and does the facility lack secondary containment sufficiently large enough to contain the capacity of the largest above ground oil storage tank plus sufficient freeboard to allow for precipitation within any above ground oil storage tank area?
3. Does the facility have a total oil storage capacity greater than or equal to one million gallons and is the facility located at a distance such that a discharge from the facility could cause injury to fish and wildlife and sensitive environments?
4. Does the facility have a total oil storage capacity greater than or equal to one million gallons and is the facility located at a distance such that a discharge from the facility would shut down a public drinking water intake?
5. Does the facility have a total oil storage capacity greater than or equal to one million gallons and has the facility experienced a reportable oil spill is an amount greater than or equal to 10,000 gallons within the last five (5) years?

I certify that under penalty of law that I have personally examined and am familiar with the information submitted in this document, and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate and complete.


Signature

VF of Sales
Facility Name

Rudy Santana
Printed Name

11-15-18
Date

2.4 SPCC Spill Reporting Requirements

2.4.1 Reporting a Significant Release or Spill to the EPA Regional Administrator [40 CFR 112.4 (a)] (Please refer to Section 3.2 for Additional Release Reporting Guidelines)

By regulations, when a facility has a discharge of oil in excess of 1,000 gallons in a single event, or two (2) discharges occurring of more than 42 gallons within any 12-month period, the following information must be submitted to the Regional Administrator of the EPA within 60 days from the time of the incident:

1. Name of the Facility
2. Facility Personnel Reporting Name
3. Locations and Phone Number of the Facility
4. Maximum Storage or Handling Capacity of the Facility with Normal Daily Throughput
5. Corrective Action and Countermeasures Taken, Including Description of Equipment Repairs and Replacements
6. Description of the Facility, Including Maps, Flow Diagrams, and Topographic Maps as Necessary
7. Cause of the Discharge, Including Failure Analysis of the System or Subsystem in which the Failure Occurred
8. Additional Preventative Measures Taken or Contemplated to Minimize the Possibility of Recurrence; and
9. Such Other Information as the Regional Administrator may Reasonably Require Pertinent to the SPCC Plan or the Discharge

The information should be submitted to the following address:

Regional Administrator
US EPA Region 4
Sam Nunn Federal Center
61 Forsyth Street, NW
Atlanta, GA 30303
(404)562-9213

2.4.2 Notification of State Agency [40 CFR 112.4(c)]

The site is required to send notification to the state agencies who oversees the oil pollution control activities that includes a completed copy of all information provided to the Regional Administrator from the section shown above. The state agencies may conduct a review of and make recommendations to the Regional Administrator from further procedures, methods, equipment and other requirements necessary to prevent and contain discharges from the facility. Notifications should be provided to the following address:
Florida Division of Emergency Management

2555 Shumard Oak Boulevard
Tallahassee, Florida 32399-2100
(850)815-4000

2.4.3 Amendment May Be Required by Regional Administrator [40 CFR 112.4 (d)]

The Regional Administrator may require amendments of the Plan if he or she finds that it does not meet the requirement of this part or that amendment is necessary to prevent and contain discharges from the facility.

2.4.4 Notification of the Need for Amendment by the EPA Regional Administrator [40 CFR 112.4(e)]

The EPA Regional Administrator may propose by certified mail or personal delivery that the Plan must be amended. The Regional Administrator is required to notify the responsible official of BFS Miami, LLC listed within this plan for the state of Florida. Terms of such a proposed amendment will be noted by the EPA Regional Administrator. The facility must submit written information, views and arguments on the proposed amendment within 30 days of receipt. The EPA Regional Administrator must then respond with notification of require amendment or rescind the notice. The facility must amend the plan within 30 days of such notice, unless the EPA Regional Administrator has specified another effective date. The amended plan must be implemented as soon as possible but no later than six (6) months after the amendment, unless the Regional Administrator specified another date.

2.4.5 Appeal of Regional Administrator Decision [40 CFR 112.4(f)]

An appeal of the Regional Administrator's decision must be submitted to the EPA Administrator in writing within 30 days of receipt of the notice. The appeal must contain a clear and concise statement of the issues and points of fact in the case. The EPA Administrator must render a decision within 60 days of receiving the appeal and must notify the facility of his decision.

2.5 Amendment of SPCC Plan by Owner or Operator [40 CFR 112.5(a)]

2.5.1 Plan Amendment [40 CFR 112.5(a)]

This SPCC plan shall be amended whenever there is a change in the facility design, construction, operation or maintenance protocol, which materially will affect the facility's potential for the discharge of oil upon the navigable waters of the United States or adjoining

shore lines. Such amendments shall be fully implemented as soon as possible, but not later than six (6) months after such changes occur.

Examples of changes that may require amendments of the Plan include, but are not limited to the commissioning or decommissioning of storage containers, replacement, reconstruction and/or movement of said storage containers, reconstructions, replacement and/or installation of piping systems, construction and/or demolition that may affect secondary containment structures, changes of products and services, or revision of operations and maintenance procedures at the facility.

Any such changes shall be noted on the Review and Amendment Log included as Table A-1 in Appendix A of the SPCC plan. Any pages that require revision will be noted with the date of the change and will replace the existing page in this plan. An entry will be made in the Review and Amendment Log noting the date of the change, a general description of the changes that made the amendment necessary (an additional description of changes can be inserted as an attachment to the log, if necessary), pages affected, signature of the person making the changes, and noting whether the changes were significant enough to warrant re-certification by a Professional Engineer.

2.5.2 Plan Review [40 CFR 112.5(b)]

The SPCC plan shall be review and evaluated at least once every five (5) years. An entry shall be made in the Review and Amendment Log and signed after each review. If the plan is determined to be satisfactory through this review, then the entry shall note that no changes were made and will include the signature of the reviewer. Any changes to the plan made as a result of the scheduled review shall be made as soon as possible, but no more than six (6) months from the time of the review. Amendment procedures shall follow those described in the preceding subsection 2.5.1 regarding revision entry changes on the Table A-1 in Appendix A.

2.5.3 Re-Certification [40 CFR 112.5 (c)]

Significant amendments to the plan will require re-certification by a professional engineer in accordance with 112.3(d). If re-certification is necessary, a new certification page shall be sealed, signed and inserted into the plan. Administrative changes, such as name changes in response team personnel or the Facility Manager do not require re-certification, but still must be noted in the Review and Amendment Log, included as Table A-1. The plan, at a minimum,

will receive recertification by a professional engineer once every five (5) years.

3.0 General Requirements for Spill Prevention, Control and Countermeasures Plan [40 CFR 112.7]

This Spill Prevention, Control and Countermeasures (SPCC) Plan describes the procedures employed by BFS Miami, LLC, to prevent significant release of oil or petroleum products to receiving water from its facility located at 7400 N.W. 77 Terrace Medley Florida. The SPCC Plan has been prepared in accordance with guidelines of the US Environmental Protection Agency (US EPA) published in 40 CFR 112.7. The Oil Pollution Prevention regulation (40 CFR Part 112) promulgated under Section 311 (J) (1) c of the Clean Water Act (CWA), as amended by the Oil Pollution Act of 1990, requires that owners of facilities, which have discharged or could reasonably be expected to discharge oils in harmful quantities into or upon navigable waters of the United States, prepare a written plan for the prevention and mitigation of such discharges.

The Plan Describes:

- Site Description and History
- Spill History and Reporting Requirements
- Description of Storage Units
- Description of Containment Structures
- Site Drainage
- Bulk Storage
- Transfer Operations
- Loading/Unloading Rack Procedures
- Inspections
- Facility Security Measures
- Personnel Training

Information presented in this plan was derived from on-site review, site inspection, and interview with facility personnel. A copy of the plan will be maintained at the facility at all times. The plan has been reviewed, certified, and signed by a Registered Professional Engineer (see certification page in Section 2.1)

As provided by 40 CFR 112.1, a SPCC plan is required for all non-transportation related facilities:

- That have the capacity to store petroleum materials in bulk quantities of 1320 gallons aboveground; however, only containers (i.e. tanks, drums, totes or in process systems) with a storage capacity of 55 gallons or greater are counted in the calculation of aboveground storage tanks
- The facility has no underground storage therefore the capacity cap of petroleum materials is less than 42,000 gallons, excluding from calculations the capacity covered by 40 CFR 280 or 281 (UST regulations). This requirement does not apply to the BFS Miami, LLC. of Medley Florida facility.

The SPCC rule applies to facilities that drill, produce, gather, store, process, refine, transfer, distribute, use or consume oil and oil products, and might reasonably be expected to discharge oil in harmful quantities. All oil in bulk storage or used in processes is included in the threshold determination, provided the oil is contained in 55 gallon or larger containers.

If a facility meets any one of the above criteria, it is subject to the SPCC regulations if, due to its location, the facility could reasonably be expected to discharge oil, either directly or indirectly, into or upon the navigable waters of the United States.

Navigable waters are described in the 40 CFR 112 as the "Waters of the United States". These regulations list the different types of surface water bodies which could be used for interstate or international commerce and all tributaries of these waters. Tributaries have been determined to include intermittent streams, drainage ditches, and storm sewer systems which eventually feed a river, lake or wetland, for which could be adversely affected by a release of chemicals and petroleum products.

Since BFS Miami, LLC. has aboveground oil storage capacity exceeding 1320 gallons and potentially a discharge of oil could either directly or indirectly reach the navigable water of the United States, a SPCC plan is required for the Medley, Florida facility.

3.1 General Facility Description [40 CFR 112.7(a)(3)]

BFS Miami, LLC. of Medley Florida is a waste transfer oil storage and transfer facility located in Miami-Dade County, Florida that is committed to maintaining the highest standards for the prevention of oil discharges to navigable waters and the surrounding environment through the implementation and compliance with this Spill Prevention Control and Countermeasures (SPCC) Plan. The processing facility is located at 7400 N.W. 77 Terrace in Medley, FL (Miami-Dade County). It is the Medley, FL facility for which this plan has been created. This plan has been completed under the direction of BFS Miami, LLC. management and this plan is fully approved by BFS Miami, LLC management. BFS Miami, LLC recognizes the significance and importance of this plan and commits the full necessary resources to the facility to implement the measures outlined in the plan.

The site, equipment and tanks are owned by BFS Miami, LLC. There is one (1) contained tank farm on site that contains fifteen (15) aboveground storage tanks (ASTs). A total capacity of 150,000 gallons of product. This developed land has been zoned as an industrial manufacturing property.

The sub ground level storage (epoxy sealed) creates the secondary containment necessary for the large onsite storage tanks. The secondary containments are 40 inches high. The total capacity for onsite processing is 150,000 gallons, split amongst fourteen (15) steel single walled aboveground storage tanks. The tank farms are inspected daily.

A list of the materials which are stored onsite which meet the definition of oil used in the BFS Miami LLC. SPCC program is included in Appendix D.

Physical, chemical, toxicological, health and safety information on the materials stored at this location is contained in the Material Safety Data Sheet (MSDS) files that are located in the facility (Refer to Appendix E for the Material Safety Data Sheet inventory).

The stormwater runoff is accumulated within the onsite tank farms. The farms are equipped with drainage plugs. Post precipitation event, the accumulated waters are inspected for any petroleum sheen and if found clear of sheen, the plugs are removed and rainwaters allowed to dissipate on the ground. Any precipitation waters that fall upon the leased building space would just be diverted into the facility's rain gutters away from the property. Therefore, should a precipitation event occur, approximately 100% of the waters (not including any accumulated in the storm basin around the processing building, will flow off the property to the Miami Canal, potentially to the Miami River, and Atlantic Ocean.

- Please refer to Appendix C for the description for locations, construction material, contents and other pertinent information for petroleum/oil storage containers and tanks.
- Oil products owned and managed by BFS Miami LLC are used and stored within the BFS Miami LLC. processing building. Please refer to Appendix B for the map detailing the location of the oil and petroleum storage area.
- The loading area for BFS Miami LLC. drum storage is found underroof for the collection of any lost or compromised shipping vessel.
- Discharge or drainage controls such as secondary containment around containers and other structures, equipment and procedures for the control of a discharge are discussed in Sections 4.3 and 4.4.
- Method of disposal of recovered materials is presented in the previously indicated sections of the ERP.
- Contact lists and phone numbers for the facility response coordinator, National Response Center, cleanup contractors, and all appropriate Federal, State and local reporting agencies are presented in Section 1. Facility Information.

3.2 Release Reporting [40 CFR 112.7(a)(4)]

Spill History – A Spill History Log is included in Appendix F to track spills or releases. Release Reporting – Section 2.4.1 presents the threshold for reporting a spill or release

What are facility emergency response teams to do when they observe a spill?

1. Notify Area Supervisor Immediately

2. Identify the Source of the Spill
3. Contain and Control the Spill
4. Collect Spill in Approved Containers

Release Response Facts

- If the facility emergency response team is not absolutely certain of the non-hazardous nature of the spilled material, it must be treated as though it is hazardous in nature.
- Prior to responding to the spill/leak/release, all emergency responders must be properly attired with the proper protective equipment before attempting response.
- All responders must be aware of the locations for spill socks and absorbent media and should use these items freely in order to contain the spilled materials.
- If the spill continues, without abating and without any control of the situation being acquired, contact an outside emergency contractor for assistance in containing the release. Until such a contractor arrives, the emergency team responders should separate to both contain the spill and shut off the flow of material.
- If the spilled material release covers too large an area to be contained with spill absorbent media and is not located within any diked area, contact an outside emergency contractor to assist in containing the release. While making contact with the contractor, document the direction the material flows in and use the onsite spill media to protect all sewer gratings, manholes and/or any entrance into the wastewater and storm sewer system. Should any hot work be underway (i.e. riveting, welding, flame cutting or other fire or spark-producing operation), immediately warn all hot work employees to discontinue activities and disconnect all equipment until the spill/leak/release has been contained with no present threat.
- Emergency response team must be aware of the compatibility of the spill/release/leak material. The proper PPE, cleanup storage container and cleaning material must be selected to prevent further emergencies and/or future releases.
- Supervisors of the department, who had the spill/release/leak, must fill out a spill report if the quantity progresses past five (5) gallons (Refer to Appendix F for a Spill Report Log).

Reporting of Onsite Spills

- Immediate Reporting – Any spill that enters or may be suspected of entering a waterway (i.e. sanitary sewer, storm sewer, surface runoff) must be reported to the Lead Emergency Contact immediately (Initially, this is permitted to be verbally but later must be documented).
- Written Reporting – Any spill that is larger than five (5) gallons must be reported in writing within 24 hours on the BFS Miami, LLC.

incident form (Refer to Appendix G for SPCC Incident Form). This form is to be completed and forwarded to the Operations Manager's office. It is the Operations Manager who assumes any and all responsibility for any necessary agency contacts, completes the form, files it and sends copies to all necessary parties. This completed form must be maintained on file, with records of inspections and equipment testing for a period of three (3) years. The release incident report should include the following information:

- Name of Facility
- Owner and Operators Name
- Facility Location
- Date of Initial Facility Operation
- Bulk Storage Inventory Volume
- Facility Description Including Maps & Flow Diagrams
- Complete Copy of the SPCC Plan
- Events Precipitating the Spill
- Corrective Actions & Countermeasures Employed
- Additional Information, as Requested by Agencies

3.3 Emergency Response Procedures



A. Written Commitment of BFS Miami, LLC's Resources

In addition to the spill prevention, control and countermeasures described in the contingency plan sections of this SPCC plan, the Medley, FL facility also agrees to commit necessary manpower, equipment and materials to control and remove any potentially harmful quantity of petroleum products discharged into areas that lack secondary containment and/or the municipal sewer system or storm water system.

B. Spill Response and Corrective Measures

Spill response activities will vary according to the nature, type and severity of the release.

- i. Response to minor spills (one (1) to two (2) drum equivalents) are typically performed by personnel who are knowledgeable (received documented training) of proper handling methods, hazards and spill response techniques associated with oil products. The Medley, FL facility will utilize Miami-Dade County Department of Emergency Services and a qualified emergency/spill response contractor, who will provide the necessary manpower and spill response on demand.
- ii. In the event of a major spill event (i.e. tanker incident, tank breach), the local fire department team (Table 1-A) will provide initial response and support, as needed, until the spill response contractor arrives. Plant personnel will have a very limited role in actual response and cleanup actions taken as a result of the major spill at the facility. Emergency procedures will be observed during



IT IS A VIOLATION OF SECTION THREE, SUBSECTION A, OF THE ARMY AND AIR FORCE CRIMINAL CODE FOR ANY PERSON, OTHER THAN A SERGEANT OR AIA, APPOINTED TO THE POSITION, TO SIGN IN HIS NAME AND SIGNATURE THE TRAIL DOCUMENTS, IF ANY, WHEN IN VIOLATION OF THE CRIMINAL CODE, AFTER THE END OF THE ARMY, AND THE AIR FORCE "FOLLOWING UP" INSPECTION OF AN INDIVIDUAL FROM THE ARMY OR AIR FORCE IN VIOLATION OF A SPECIAL REGULATION OF THE ARMY OR AIR FORCE.


JOHN SCHENNE P.E.
997 Luther Road
East Aurora, NY 14052
(716) 656-4991 John@schenne.com

Emaxx Miami LLC
7400 N.W. 77 Terrace
Medley, FL 33166

Emaxx Miami LLC
7400 N.W. 77 Terrace
Medley, FL 33168

SITE PLAN

SCALE: As noted	DATE: 10/16/2016	DRG. C-1
-----------------	------------------	----------



10,000 Gal. TANK DETAILS

SCALE: NTS

2
C-1

TANK NO.	SERIAL NO.	VOL. (GAL)	SEA. (INCH)	LENGTH/ HEIGHT (INCH)	MATERIAL CONSTRUCTION
1	SP901	10,000	180	180	STEEL
2	SP902	10,000	180	180	STEEL
3	SP903	10,000	180	180	STEEL
4	SP904	10,000	180	180	STEEL
5	SP906	10,000	180	180	STEEL
6	SP906	10,000	120	180	STEEL
7	SP907	10,000	180	180	STEEL
8	SP908	10,000	180	180	STEEL
9	SP908	10,000	180	180	STEEL
10	SP910	10,000	180	180	STEEL
11	SP911	10,000	180	180	STEEL
12	SP912	10,000	180	180	STEEL
13	SP913	10,000	180	180	STEEL
14	SP914	10,000	180	180	STEEL
15	SP915	10,000	180	180	STEEL

7400 N.W. 77 Terrace Medley, FL TANK NOS, VOLUMES, MATERIAL OF CONSTRUCTION					
TANK NO.	SERIAL NO.	VOL. (GAL)	DIA. (INCH)	LENGTH/ HEIGHT(INCH)	MATERIAL OF CONSTRUCION
1	BFS01	10,000	126	192	STEEL
2	BFS02	10,000	126	192	STEEL
3	BFS03	10,000	126	192	STEEL
4	BFS04	10,000	126	192	STEEL
5	BFS05	10,000	126	192	STEEL
6	BFS06	10,000	126	192	STEEL
7	BFS07	10,000	126	192	STEEL
8	BFS08	10,000	126	192	STEEL
9	BFS9	10,000	126	192	STEEL
10	BFS10	10,000	126	192	STEEL
11	BFS11	10,000	126	192	STEEL
12	BFS12	10,000	126	192	STEEL
13	BFS13	10,000	126	192	STEEL
14	BFS14	10,000	126	192	STEEL
15	BFS15	10,000	126	192	STEEL

Appendix I
BFS Miami, LLC
Evacuation Map

MONTHLY ABOVEGROUND STORAGE TANK INSPECTION CHECKLIST

Location:	Date:	Completed by:	Tank #
Is there any deterioration on the tank, tank coating, piping, foundation, drainage, supports, ladder, platform, or safety equipment? For molded plastic tanks, check for evidence of cracked and worn areas and delamination. If yes, specify below.			Yes No
Is there any water at the lowest possible point within the primary tank (fuel tanks only)? Remove any water found. For tanks containing other products, is there any evidence of chemical degradation?			Yes No
Is there any evidence of liquid (product or water) in the interstitial space (double-walled tanks) or containment area?			Yes No
Are all drain valves secured in the closed position when not in use and all tank openings properly sealed? Are the piping connections tight and aligned?			Yes No
Is the spill basket clean and functional?			Yes No
Is the liquid level gauge readable and in good condition?			Yes No
Are there any obstructions or restrictions to the normal and emergency vents that prevent normal function? Ensure that the emergency vent moves freely.			Yes No
Are there any operational malfunctions of ancillary equipment (pumps, gauges, etc.)?			Yes No
Is there any evidence of a release from the tank – this includes visible signs of leakage around the tank, concrete pad, containment area, ringwall, or ground?			Yes No
Is there a clear path to the tank and containment area, and are gates/doors to the containment area operable and in good condition?			Yes No
Is a complete spill kit available?			Yes No
Are there any conditions that may be a fire or safety hazard, or pose an environmental hazard? If yes, specify below.			Yes No

Any deficiencies noted during the inspection must be corrected as soon as possible. Comments/Clarifications and Corrections:

Oil Spill Contingency Plan

Appendix A

Emergency Contacts

Facility Operations

Name	Title	Telephone	Address
Laz Mendez	Operations Mgr	786-518-0142	7400 NW 77 th Terrace Medley, FL 33166
Brian Carney	Director of Ops	716-609-2795	

Local Emergency Operations

- Fire/Police Departments
Phone #: 911
- Medley Police Department

Phone #: 305-883-2047
- Miami Dade Fire Department

Phone #: 786-331-4920
- DEP Spill Hotline

Phone #: 800-320-0519

Clean up Contractors

- Clean Harbors

Phone #: 800-645-8265

Address: 1400 NW 13th Ave Pompano Beach, FL 33062



Neighboring Property Owners

- Plastic Holdings

Phone #: 305-887-8920

STAPLES®

Manufactured for
Staples the Office Superstore, LLC
500 Staples Drive
Framingham, MA 01702 USA
©2016 Staples, Inc. 0011
Made in China



10,000 Gal. TANK DETAILS

SCALE: NTS

TANK N.E. TY Service						Riding, Ft. TANE Rm. VOLUNTEER		MATERIAL OF CONSTRUCTION	
TANK NO.	SERIAL NO.	VOL. (GAL)	DIA. (INCH)	LENGTH/HEIGHT (INCH)	MATERIAL	CONSTRUCTION			
1	BF301	10,000	120	102	STEEL				
2	BF302	10,000	120	102	STEEL				
3	BF303	10,000	120	102	STEEL				
4	BF304	10,000	120	102	STEEL				
5	BF305	10,000	120	102	STEEL				
6	BF306	10,000	120	102	STEEL				
7	BF307	10,000	120	102	STEEL				
8	BF308	10,000	120	102	STEEL				
9	BF309	10,000	120	102	STEEL				
10	BF310	10,000	120	102	STEEL				
11	BF311	10,000	120	102	STEEL				
	BF312	10,000	120	102	STEEL				
	BF313	10,000	120	102	STEEL				
	BF314	10,000	120	102	STEEL				
12	BF315	10,000	120	102	STEEL				

NO.	DATE	DESCRIPTION	NO.	DATE	DESCRIPTION

It is a violation of Section 703(a), 703(b)(1), and 703(b)(2) of the Equal Employment Opportunity Act of 1972, as amended, to discriminate on the basis of race, color, sex, religion, or national origin in any aspect of employment, including recruitment, hiring, promotion, demotion, transfer, discharge, and any other terms and conditions of employment.

GRINER/AGENCY

JOHN SCHENNE P.E.
967 Luther Road
East Aurora, NY 14052
(716) 655-4991 John@Schenne.com

1994

Emaxx Miami LLC
7400 N.W. 77 Terrace
Medley, Fl. 33166

[illegible]

Emilio Miami LLC
100 N.W. 77 Terrace
Miami, FL 33138

2018-21041

DATE: _____

U A T I O N

SCALE: As noted DATE: 10/14/2011

aboveground piping is regularly monitored and included in a section of the SPCC inspection form. Any abnormalities are immediately reported and noted on the form.

Records are also maintained on all corrective actions taken as results of deficiencies or items of concern as result of these inspections. All storage and manufacturing locations are continuously observed by production, maintenance and supervisory personnel as they perform their regular daily duties. Any abnormalities are immediately reported.

3.7 Personnel, Training and Discharge Prevention Procedures [40CFR 112.7(f)]

All employees have been instructed as to the onsite procedures to follow in an emergency and their role during the crisis. A copy of the evacuation procedures is included as Appendix J. Employees who handle raw materials, finished goods

and wastes undergo HAZCOM HMIS training on an annual basis. A listing of all Federal, State and Local agencies complete with telephone numbers for notification during the event of an emergency have been included in Section 1.1 of this SPCC plan.

All employees who handle hazardous waste have received training for spill cleanup, control and fire protection. All wastes onsite are mixtures of compatible raw materials and finished products. Employees have been trained on the handling of these materials.

Additional training has been given to plant and maintenance employees on Lockout/Tagout, emergency plan and fire response. Specific individuals have been provided with function specific training when their job duties involve managing hazardous materials. Each employee who is involved with the unloading or transfers of chemicals stored in the tanks is trained in the use of liquid transfer systems. Each employee has been familiarized with the location of all pumps, shut off valves, backup valves and pipe systems along with the locations of energy (electrical, pneumatic) shut off switches.

A) Housekeeping Program – All storage tank areas are equipped with an adequate supply of absorbent material and storage containers to clean up and properly dispose of spilled materials. Areas are assigned to individuals and any necessary corrective actions are noted. All cleanup materials are stored in assigned areas. Spills are cleaned up immediately and materials are placed in approved waste containers.

Certificate of Completion

This is to certify that


Lazaro Mendez

Has completed

HAZWOPER 8 hr Annual Refresher

Completion Date: 10/01/2019

Course Duration: 8.0



360training.com[®]

6801 N Capital of Texas Hwy, Bldg I, Suite 250 ♦ Austin, TX 78731 ♦ 877.881.2235 ♦ www.360training.com

CERTIFICATE OF TRAINING

THIS IS TO CERTIFY THAT

LAZARO MENDER

NAME OF STUDENT

HAS SUCCESSFULLY COMPLETED THE TRAINING PROGRAM

FORKLIFT OPERATOR SAFETY TRAINING

TRAINING WAS COMPLETED ON

8-28-19

(DATE)

TRAINING WAS CONDUCTED BY

JOHN LANTZ

(NAME OF INSTRUCTOR)

CERTIFIED BY

John Lantz
(SIGNATURE OF INSTRUCTOR)

NATIONAL
safety
COMPLIANCE

www.osha-safety-training.net




OSHA
Forklift Training & Certification
Job Placement Assistance

John Lantz
OWNER/INSTRUCTOR

A&A Forklift Services
5835 SW 21st St.
West Park, FL 33023

Office: (954) 446-3880
Fax: (954) 613-5923
admin@hiremenowaa.com



8351 N.W. 93rd Street • Miami, Florida 33166

WEIGHT TICKET

EMAXX

VENDOR

Same

CARRIER

01576

BILL OF LADING #

Oil filters

PRODUCT

TRUCK NUMBER

SIGNATURE

Jose M. Lita f

TIME : 12:33:25
DATE : 02/Mar/2021
NO. 105

TICKET # 95456

U.S. FOUNDRY & MFG. CORP.
8351 N.W. 93rd. STREET
MIAMI, FLORIDA 33166

GROSS : 25100 lb
TARE : 17860 lb
NET : 7240 lb

3,236+

CHECK NUMBER

AUTHORIZED SIGNATURE

G. Additional Descriptions for Materials Listed Above

H. Handling Codes for Wastes Listed Above

NON-HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. F L R 0 0 0 2 2 3 3 1 3		Manifest Document No. 0 1 5 7 6		2. Page 1 OF 1	
3. Generator's Name and Mailing Address EMAXX MIAMI 7400 NW 77th Terrace Medley, FL 33166							
4. Generator's Phone 305-456-1121							
5. Transporter 1 Company Name EMAXX MIAMI		6. US EPA ID Number F L R 0 0 0 2 2 3 3 1 3		A. State Transporter's ID FLR000223313			
7. Transporter 2 Company Name		8. US EPA ID Number		B. Transporter 1 Phone 305-456-1121			
9. Designated Facility Name and Site Address U.S. Foundry 8351 NW 93rd ST Medley, FL 33166		10. US EPA ID Number F L D 0 0 4 1 2 8 3 3 6		C. State Transporter's ID			
				D. Transporter 2 Phone			
				E. State Facility's ID FLD004128336			
				F. Facility's Phone 305-885-0301			
11. WASTE DESCRIPTION		12. Containers No.		13. Total Quantity		14. Unit Wt./Vol.	
a. USED OIL FILTERS, NOT USEPA OR USDOT HAZARDOUS MATERIAL				B 30		b	
b.							
c.							
d.							
G. Additional Descriptions for Materials Listed Above				H. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information							
16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.							
Printed/Typed Name		Signature		Date Month Day Year 0 3 0 2 2 1			
17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name Salma De Nova		Signature		Date Month Day Year 0 3 0 2 2 1			
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name		Signature		Date Month Day Year			
19. Discrepancy Indication Space							
20. Facility Owner or Operator: Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.							
Printed/Typed Name Jose M. Pita Jr		Signature Jose M. Pita Jr		Date Month Day Year 03 02 21			

GENERATOR

TRANSPORTER

FACILITY

NON-HAZARDOUS WASTE



US FOUNDRY

AN EAGLE MANUFACTURING COMPANY

8351 N.W. 93rd Street • Miami, Florida 33166

WEIGHT TICKET

TRUCK NUMBER

SIGNATURE

EMAXX Miami

VENDOR

Same

CARRIER

01575

BILL OF LADING #

Del filters

PRODUCT

TIME : 12:16:15
DATE : 23/Feb/2021
NO. 103

TICKET # 95405

U.S. FOUNDRY & MFG. CORP.
8351 N.W. 93rd. STREET
MIAMI, FLORIDA 33166

GROSS : 24680 lb
TARE : 17840 lb
NET : 6840 lb

3.056T

CHECK NUMBER

AUTHORIZED SIGNATURE

OUS W



US FOUNDRY

AN EAGLE MANUFACTURING COMPANY

8351 N.W. 93rd Street • Miami, Florida 33166

WEIGHT TICKET

TRUCK NUMBER

SIGNATURE

EMAXX MIAMI

VENDOR

same

CARRIER

01577

BILL OF LADING #

Oil filters

PRODUCT

TIME : 12:24:32
DATE : 09/Mar/2021
O. 104

TICKET # 95485

U.S. FOUNDRY & MFG. CORP.
8351 N.W. 93rd. STREET
MIAMI, FLORIDA 33166

GROSS : 25200 lb
TARE : 17800 lb
NET : 7400 lb

3.3 Gt

CHECK NUMBER

AUTHORIZED SIGNATURE

US

NON-HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. F L R 0 0		0 2 2 3 3 1 3		Manifest Document No. 0 1 5 7 7		2. Page 1 OF 1	
3. Generator's Name and Mailing Address EMAXX MIAMI 7400 NW 77th Terrace Medley, FL 33166		4. Generator's Phone 305-456-1121		5. Transporter 1 Company Name EMAXX MIAMI		6. US EPA ID Number F L R 0 0 2 2 3 3 1 3		A. State Transporter's ID FLD000223313	
7. Transporter 2 Company Name		8. US EPA ID Number		9. Designated Facility Name and Site Address U.S. Foundry 8351 NW 93rd ST Medley, FL 33166		10. US EPA ID Number F L D 0 0 4 1 2 8 3 3 6		B. Transporter 1 Phone 305-456-1121	
11. WASTE DESCRIPTION		12. Containers No.		13. Total Quantity		14. Unit Wt./Vol.		C. State Transporter's ID	
a. USED OIL FILTERS, NOT USEPA OR USDOT HAZARDOUS MATERIAL				B 30		L		D. Transporter 2 Phone	
b.								E. State Facility's ID FLD004128336	
c.								F. Facility's Phone 305-885-0301	
d.									
G. Additional Descriptions for Materials Listed Above		H. Handling Codes for Wastes Listed Above							
15. Special Handling Instructions and Additional Information									
16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.									
Printed/Typed Name		Signature		Date		Month		Day Year	
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature		Date		Month		Day Year	
Printed/Typed Name		Signature		Date		Month		Day Year	
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature		Date		Month		Day Year	
Printed/Typed Name		Signature		Date		Month		Day Year	
19. Discrepancy Indication Space									
20. Facility Owner or Operator: Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.									
Printed/Typed Name		Signature		Date		Month		Day Year	
Jose M. Pina Jr		Jose M. Pina Jr		03/09/21					

GENERATOR

TRANSPORTER

FACILITY

NON-HAZARDOUS WASTE



US FOUNDRY

AN EAGLE MANUFACTURING COMPANY

8351 N.W. 93rd Street • Miami, Florida 33166

WEIGHT TICKET

TRUCK NUMBER

SIGNATURE

EMAXX Miami

VENDOR

Same

CARRIER

01575

BILL OF LADING #

Oil filters

PRODUCT

TIME : 12:16:15
DATE : 23/Feb/2021
NO. 103

TICKET # 95405

U.S. FOUNDRY & MFG. CORP.
8351 N.W. 93rd. STREET
MIAMI, FLORIDA 33166

GROSS : 24680 lb
TARE : 17840 lb
NET : 6840 lb

3.056T

CHECK NUMBER

AUTHORIZED SIGNATURE

H. Handling Codes for Wastes Listed Above

NON-HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. F L R 0 0 0 2 2 3 1 3		Manifest Document No. 0 1 5 7 5		2. Page 1 OF 1	
3. Generator's Name and Mailing Address EMAXX MIAMI 7400 NW 77th Terrace Medley, FL 33166							
4. Generator's Phone 305-456-1121							
5. Transporter 1 Company Name EMAXX MIAMI		6. US EPA ID Number F L R 0 0 2 2 3 1 3		A. State Transporter's ID FLR000223313			
7. Transporter 2 Company Name		8. US EPA ID Number		B. Transporter 1 Phone 305-456-1121			
				C. State Transporter's ID			
				D. Transporter 2 Phone			
9. Designated Facility Name and Site Address U.S. Foundry 8351 NW 93rd ST Medley, FL 33166		10. US EPA ID Number F L D 0 0 4 1 2 8 3 3 6		E. State Facility's ID FLD004128336			
				F. Facility's Phone 305-885-0301			
11. WASTE DESCRIPTION		12. Containers No.		13. Total Quantity		14. Unit Wt./Vol.	
a. USED OIL FILTERS, NOT USEPA OR USDOT HAZARDOUS MATERIAL				B 30		6	
b.							
c.							
d.							
G. Additional Descriptions for Materials Listed Above		H. Handling Codes for Wastes Listed Above					

15. Special Handling Instructions and Additional Information

16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.

Printed/Typed Name		Signature		Date Month Day Year 0 2 1 6 2 1	
17. Transporter 1 Acknowledgement of Receipt of Materials					
Printed/Typed Name Schuyler Deino		Signature		Date Month Day Year 0 2 1 6 2 1	
18. Transporter 2 Acknowledgement of Receipt of Materials					
Printed/Typed Name		Signature		Date Month Day Year	
19. Discrepancy Indication Space					
20. Facility Owner or Operator: Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.					
Printed/Typed Name Jose M. Pita Jr		Signature Jose M. Pita Jr		Date Month Day Year 0 2 2 3 2 1	

NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



US FOUNDRY

AN EAGLE MANUFACTURING COMPANY

8351 N.W. 93rd Street • Miami, Florida 33166

WEIGHT TICKET

TRUCK NUMBER

SIGNATURE

EMAXX-Miami

VENDOR

Same

CARRIER

01574

BILL OF LADING #

Oil filters

PRODUCT

TIME : 11:53:35
DATE : 10/Feb/2021
NO. 104

TICKET # 95305

U.S. FOUNDRY & MFG. CORP.
8351 N.W. 93rd. STREET
MIAMI, FLORIDA 33166

GROSS : 24500 lb
TARE : 18140 lb
NET : 6360 lb

2.846T

AUTHORIZED SIGNATURE

CHECK NUMBER

H. Handling Codes for Wastes Listed Above

NON-HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. F L R 0 0 0 2 2 3 3 1 3		Manifest Document No. 0 1 5 7 4		2. Page 1 OF 1	
3. Generator's Name and Mailing Address EMAXX MIAMI 7400 NW 77th Terrace Medley, FL 33166							
4. Generator's Phone 305-456-1121							
5. Transporter 1 Company Name EMAXX MIAMI		6. US EPA ID Number F L R 0 0 0 2 2 3 3 1 3		A. State Transporter's ID FLR000223313			
7. Transporter 2 Company Name		8. US EPA ID Number		B. Transporter 1 Phone 305-456-1121			
				C. State Transporter's ID			
				D. Transporter 2 Phone			
9. Designated Facility Name and Site Address U.S. Foundry 8351 NW 93rd ST Medley, FL 33166		10. US EPA ID Number F L D 0 0 4 1 2 8 3 3 6		E. State Facility's ID FLD004128336			
				F. Facility's Phone 305-885-0301			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit	
a. USED OIL FILTERS, NOT USEPA OR USDOT HAZARDOUS MATERIAL						B 30 B	
b.							
c.							
d.							
G. Additional Descriptions for Materials Listed Above				H. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information							
16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.							
Printed/Typed Name				Signature		Date Month Day Year 0 2 0 9 2 1	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature		Date Month Day Year 0 2 0 9 2 1	
Printed/Typed Name Johnny DeMio							
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date Month Day Year	
Printed/Typed Name							
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.							
Printed/Typed Name Jose M. Bina Jr				Signature		Date Month Day Year 02 10 21	

GENERATOR

TRANSPORTER

FACILITY

NON-HAZARDOUS WASTE



US FOUNDRY

AN EAGLE MANUFACTURING COMPANY

8351 N.W. 93rd Street • Miami, Florida 33166

WEIGHT TICKET

TRUCK NUMBER

SIGNATURE

VENDOR

CARRIER

BILL OF LADING #

PRODUCT

EMAXX Miami

Same

01573

Del fullers

[Signature]

TIME : 11:55:50
DATE : 02/Feb/2021
NO. 102

TICKET # 95255

U.S. FOUNDRY & MFG. CORP.
8351 N.W. 93rd. STREET
MIAMI, FLORIDA 33166

GROSS : 25680 lb
TARE : 17920 lb
NET : 7760 lb

3.46 GT

CHECK NUMBER

AUTHORIZED SIGNATURE

OUS WA

G. Additional Descriptions for Materials Listed Above

H. Handling Codes for Wastes Listed Above

NON-HAZARDOUS WASTE MANIFEST

(Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.
F L R 0 0 0 2 2 3 3 1 3

Manifest Document No. 0 1 5 7 3 2. Page 1 OF 1

3. Generator's Name and Mailing Address

EMAXX MIAMI
7400 NW 77th Terrace Medley, FL 33166

4. Generator's Phone 305-456-1121

5. Transporter 1 Company Name

EMAXX MIAMI

6. US EPA ID Number

F L R 0 0 0 2 2 3 3 1 3

7. Transporter 2 Company Name

US EPA ID Number

9. Designated Facility Name and Site Address

U.S. Foundry
8351 NW 93rd ST Medley, FL 33166

10. US EPA ID Number

F L D 0 0 4 1 2 8 3 3 6

11. WASTE DESCRIPTION

a. USED OIL FILTERS, NOT USEPA OR USDOT
HAZARDOUS MATERIAL

GENERATOR

12. Containers
No. Type

B

13. Total
Quantity

30

14. Unit
Wt/Vol.

6

G. Additional Descriptions for Materials Listed Above

H. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information

16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.

Printed/Typed Name

Signature

Date

Month Day Year
0 2 0 2 2 1

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

Month Day Year
0 2 0 2 2 1

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.

Printed/Typed Name

Signature

Date

Month Day Year
0 2 0 2 2 1

FACILITY

TRANSPORTER

NON-HAZARDOUS WASTE

SENSING TIP



HALF EYES



TIF RX-1A and XL-1A Refrigerant Leak Detectors

Owner's Manual
Manual del Propietario
Guide de l'utilisateur
Bedienungsanleitung