







OPERATION

Always operate outdoors or in a well ventilated area

INSTALLING THE AEROSOLV-SYSTEM:

WEAR SAFETY GOGGLES WHILE OPERATING AEROSOLV.



FILTER
Thread directly to 3/4" bung of drum.



ANTI-STATIC WIRE
Attach ring terminal of Anti-Static Wire to brass screw on Ground Support Plate of Puncturing Unit.

Attach other end of Anti-Static Wire to any nearby grounded ground source ex. metal pipe.
*OSHA requires that liquid storage vessels be grounded to prevent static.

MAINTENANCE TIPS:

PUNCTURING UNIT:

• Periodic cleaning and lubrication of the puncture pin will assure years of trouble-free use. With constant, heavy usage, the puncture pin should be cleaned and lubricated once a month.


To clean or replace puncture pin, remove bridge pin at uppermost point of handle. Enter handle mechanism and puncture pin can be removed.

To replace gasket, remove plastic sleeve, pull out old gasket, fold and insert new gasket, press into place.

FILTER

• Replace Activated Carbon Cartridge after every 750 cans punctured. Remove spent Activated Carbon Cartridge by turning counter-clockwise while holding lower Collecting Cartridge in place.

• Replace active filter every 9 months or after puncturing 2250 spent aerosol cans.



HAZARDOUS WASTE

FEDERAL LAWS PROHIBIT IMPROPER DISPOSAL
IF FOUND, CONTACT THE NEAREST POLICE OR PUBLIC SAFETY
AUTHORITY OR THE U.S. ENVIRONMENTAL PROTECTION AGENCY

GENERATOR'S INFORMATION:

NAME CEMENT MIAMI CEMENT PLANT
ADDRESS 1000 NW 1st Ave PHONE 33122
CITY MIAMI STATE FL ZIP 33122
EPA ID NO. FLD 981785185 EPA WASTE NO. FD02
ACCUMULATION START DATE JUNE 16, 2021 MANIFEST TRACKING NO.

UN/NA NO. WITH PREFIX

D.O.T. PROPER SHIPPING NAME

HANDLE WITH CARE!

BRADY #121155 BRADYID.COM



USED
+ OIL
SAND

USED
+ OIL
SAND



STATEMENT OF WORK
Use personal protective
equipment as required.
Wash hands thoroughly after
handling. Wash hands with
plenty of soap and water.
Store away from incompatible
materials.
Dispose of contents in
accordance with local, regional,
national, international
regulations.
PETRON CORPORATION is an ISO 9001
certified company.
For Product Information call 1-800-368-3688
www.petroncorp.com

Wash hands thoroughly after
handling. Wash hands with
plenty of soap and water.
Store away from incompatible
materials.
Dispose of contents in
accordance with local, regional,
national, international
regulations.
PETRON CORPORATION is an ISO 9001
certified company.
For Product Information call 1-800-368-3688
www.petroncorp.com

10222629A
PACKAGED BY
© 2021 Shell World
Made in the USA
Recommended
API CF





Mobil
MOBIL DELVAC 1600
MOTOR OIL SAE 40

Mobil
MOBIL DELVAC 1600
SYNTHETIC MOTOR OIL



50/50

POLARITE





LABORATORY SCHEDULE
WEEK OF: 7/3/2022 7/9/2022

	SUN	MON	TUE	WED	THU	FRI	SAT
RODNEY	P	P	P	P	P	P	P
HENRY	P	P	P	P	P	P	P
ROLANDO	P	P	P	P	P	P	P
MARC	P	P	P	P	P	P	P
DONALD	P	P	P	P	P	P	P
JOHANNES	P	P	P	P	P	P	P

We are an organization of **people** with unmatched passion and integrity.

SAFETY

• Always wear your seat belt while driving.

• Always wear your seat belt while operating equipment.

• Always wear your seat belt while working on equipment.

• Always wear your seat belt while working on equipment.

OWNERSHIP

• Always take ownership of your work.

• Always take ownership of your work.

• Always take ownership of your work.

• Always take ownership of your work.

TEAMWORK

• Always work as a team.

• Always work as a team.

• Always work as a team.

• Always work as a team.

CUSTOMER CENTRIC

• Always put the customer first.

• Always put the customer first.

• Always put the customer first.

• Always put the customer first.

INNOVATION

• Always think outside the box.

• Always think outside the box.

• Always think outside the box.

• Always think outside the box.

TRANSPARENCY

• Always be open and honest.

• Always be open and honest.

• Always be open and honest.

• Always be open and honest.

CEMEX
MEMORANDUM

To: All Florida Aggregates, Block, Ready Mix and Maintenance Employees

From: Michelle Pearson

Subject: Reimbursement for the Cost of Safety Shoes

Date: June 1, 2017


For 2017, CEMEX has implemented the following policy regarding reimbursement for the cost of safety shoes. Employees who are required to wear safety shoes as part of their job duties will be reimbursed for the cost of their safety shoes. This policy applies to all employees who are required to wear safety shoes as part of their job duties. Employees who are not required to wear safety shoes as part of their job duties will not be reimbursed for the cost of their safety shoes. This policy is effective as of June 1, 2017.

Do not touch
Special Test

Type IL (11)
with Isomill 3170
MIAMI - 06/10/22
FM2 @ 2pm

Type IL (11)
w/ Isomill 3170
Miami - FM2
06/10/22 @ 2pm

TYPE IL (11)
w/ Isomill 3170
MIA - FM2 - 06/10/22
@ 2pm



Glycerol 50%
Glycerol
Lab

Size: 4L

UN1170 Ethanol solution, 3, PG II

For chemical emergencies, call (800) 424-9300 or +1-703-741-6970



Waste
Glycerol

SHINE

Chemical Name
Current Name
Manufacturer

Ammonium Acetate
Cat # 4324
LabChem
UN 1907

2015

1-24-20

CEMEX, Miami Cement Plant

LIQUID WASTE DISPOSAL LOG

LIQUID WASTE DISPOSAL LOG						
Disposal Done By:		Transfer	Waste	Volume	Chemical	12" Headspace
Name (Print)	Signature	Date	Type	(nearest gallon)	Process	Remaining in Drum
C. Iroffe	C. Iroffe	1-24-20	glycerol	7gals	waste	YES
C. Iroffe	C. Iroffe	3-4-20	glycerol	18gals	waste	YES
C. Iroffe	C. Iroffe	4-15-20	glycerol	10gals	waste	YES
C. Iroffe	C. Iroffe	6-5-20	glycerol	5gals	waste	YES
Adaro C. Iroffe	Adaro C. Iroffe	6-18-20	glycerol	50gals	waste	new drum
Adaro C. Iroffe	Adaro C. Iroffe	7-18-20	glycerol	8gals	waste	unusable
C. Iroffe	C. Iroffe	8-21-20	glycerol	11gals	waste	YES
Jonathan Blanco	Jonathan Blanco	8-31-20	glycerol	3gals	waste	YES
Jonathan Blanco	Jonathan Blanco	10-21-20	glycerol	9gals	waste	YES
Jonathan Blanco	Jonathan Blanco	12-14-20	glycerol	11gals	waste	YES
Jonathan Blanco	Jonathan Blanco	2-5-21	glycerol	9gals	waste	NO
Jonathan Blanco	Jonathan Blanco	2-26-21	glycerol	4gals	waste	NO
Adaro C. Iroffe	Adaro C. Iroffe	2-26-21	glycerol	12gals	waste	new drum
Jonathan Blanco	Jonathan Blanco	4-14-21	glycerol	11gals	waste	YES
C. Iroffe	C. Iroffe	5-9-21	glycerol	9gals	waste	YES
C. Iroffe	C. Iroffe	7-31-21	glycerol	7gals	waste	YES
C. Iroffe	C. Iroffe	9-24-21	glycerol	11gals	waste	YES
C. Iroffe	C. Iroffe	9-28-20	glycerol	15gals	waste	new drum
C. Iroffe	C. Iroffe	9-28-20	glycerol	15gals	waste	YES
C. Iroffe	C. Iroffe	9-28-20	glycerol	15gals	waste	YES

Full

NO

*

1H2/Y250/S/21
USA/M5123

2.2mm



**AEROSOLS
ONLY**