

From: [William F Powell](#)
To: [Mitchell, Cheryl L](#); [Petry, Joni](#)
Cc: [Lynn Baker](#); [Vincent Skreba](#)
Subject: RE: FINAL HW INSPECTION REPORT (CUMMINS,INC - 755 Pickettville Road Jacksonville, FL 32220
Date: Friday, September 2, 2022 3:26:49 PM
Attachments: [090122 TCLP Follow-up Response Letter Cummins - Duval County FDEP Compliance Response.pdf](#)
[TCLP Results for FLDEP.pdf](#)

EXTERNAL MESSAGE

This email originated outside of DEP. Please use caution when opening attachments, clicking links, or responding to this email.

Good Afternoon Joni and Cheryl –

I hope you are both doing well. Attached please find additional TCLP Results for our recent compliance response. Please let us know if you require any additional information.

Be Safe and Have a Great Labor Day Weekend!
Bill

Bill Powell
General Manager II
904-517-5428
william.powell@cummins.com

755 Pickettville Road
Jacksonville, FL 32220

From: Mitchell, Cheryl L <Cheryl.L.Mitchell@FloridaDEP.gov>
Sent: Friday, August 12, 2022 11:49 AM
To: William F Powell <william.powell@cummins.com>
Cc: Lynn Baker <lynnnda.baker@cummins.com>; Vincent Skreba <vincent.skreba@cummins.com>;
Petry, Joni <Joni.Petry@FloridaDEP.gov>
Subject: RE: FINAL HW INSPECTION REPORT (CUMMINS,INC - 755 Pickettville Road Jacksonville, FL 32220

EXTERNAL SENDER: This email originated outside of Cummins. Do not click links or open attachments unless you verify the sender and know the content is safe.

Received, thank you Bill. I'll review this and be in touch w/any follow-up questions.

r/
Cheryl

From: William F Powell <william.powell@cummins.com>
Sent: Thursday, August 11, 2022 6:59 PM
To: Mitchell, Cheryl L <Cheryl.L.Mitchell@FloridaDEP.gov>

Cc: Lynn Baker <lynnda.baker@cummins.com>; Vincent Skreba <vincent.skreba@cummins.com>; Petry, Joni <Joni.Petry@FloridaDEP.gov>

Subject: RE: FINAL HW INSPECTION REPORT (CUMMINS,INC - 755 Pickettville Road Jacksonville, FL 32220

EXTERNAL MESSAGE

This email originated outside of DEP. Please use caution when opening attachments, clicking links, or responding to this email.

Good Evening Cheryl –

I hope this email finds you well. Attached please find our response letter to your offer of compliance assistance dated July 12, 2022. Please let me know if you require any additional information. Thank you.

Very Best Regards,
Bill

Bill Powell
General Manager II
904-517-5428
william.powell@cummins.com

755 Pickettville Road
Jacksonville, FL 32220

From: DEP_NED <DEP_NED@dep.state.fl.us>

Sent: Tuesday, July 12, 2022 8:36 AM

To: William F Powell <william.powell@cummins.com>

Cc: Ammon, Pamela <Pamela.Ammon@FloridaDEP.gov>; DEP_NED <DEP_NED@dep.state.fl.us>; Lynn Baker <lynnda.baker@cummins.com>; William Tyler Hudson <william.hudson@cummins.com>; Mitchell Kemp <mitchell.kemp@cummins.com>; Vincent Skreba <vincent.skreba@cummins.com>; Richards, Jean <JeanR@coj.net>; Petry, Joni <Joni.Petry@FloridaDEP.gov>; Bradshaw, Bonnie M. <Bonnie.Bradshaw@floridadep.gov>; Mitchell, Cheryl L <Cheryl.L.Mitchell@FloridaDEP.gov>

Subject: FINAL HW INSPECTION REPORT (CUMMINS,INC)

EXTERNAL SENDER: This email originated outside of Cummins. Do not click links or open attachments unless you verify the sender and know the content is safe.

Greetings,

The Department of Environmental Protection is using electronic correspondence rather than paper mail to deliver documents faster while reducing costs and waste. Please click on the link below to access the above referenced document in OCULUS, the Department of Environmental Protection's electronic document management system.

[https://depedms.dep.state.fl.us:443/Oculus/servlet/shell?command=getEntity&\[guid=2.481220.1\]&\[profile=Discovery_Compliance\]](https://depedms.dep.state.fl.us:443/Oculus/servlet/shell?command=getEntity&[guid=2.481220.1]&[profile=Discovery_Compliance])

-
-

To access the documents in OCULUS:

1. Click on the link to open OCULUS at the Login screen.
2. Click on PUBLIC OCULUS login to view the search results screen.
3. Click the arrow button next to *view* in the Operations drop-down menu to open and view the document in its native format. Most OCULUS documents are in .pdf format. Acrobat Reader is required to read the document. The free reader can be downloaded from <http://www.adobe.com/products/reader.html>.
4. Please save the document instead of opening directly; please note large files may take longer to load if you open directly.

If you are interested in reviewing documents from the Department's Information Portal, you can access the portal at <http://prodenv.dep.state.fl.us/DepNexus/public/searchPortal>.

Thank you for your attention to this matter.

Sincerely,

Florida Department of Environmental Protection
Northeast District Office



PLEASE NOTE: Florida has a very broad public records law. Electronic communications regarding state business are public records available upon request. Your e-mail communications may therefore be subject to public disclosure.

Dep Customer Survey	
	
	