

Thursby, Kim

From: Maurice R Hogg <mauricer.hogg@cemex.com>
Sent: Thursday, January 19, 2023 3:37 PM
To: Epost HWRS
Subject: RE: CEMEX Construction Materials, LLC. Miami; FLD 981 758 485; First Request for Additional Information (RAI)

EXTERNAL MESSAGE

This email originated outside of DEP. Please use caution when opening attachments, clicking links, or responding to this email.

Received



M. Roger Hogg, P.E.
Environmental Manager - Miami Cement Plant - Florida - United States of America
Office : +1(305)-229-2949 Mobile: +1(786)-853-1828
Address: 1200 NW 137 Avenue, Miami, FL 33182
e-Mail: mauricer.hogg@cemex.com
www.cemexusa.com

From: Thursby, Kim <Kim.Thursby@FloridaDEP.gov>
Sent: Thursday, January 19, 2023 13:50
To: Maurice R Hogg <mauricer.hogg@cemex.com>
Cc: Smith, Michell M. <Michell.M.Smith@FloridaDEP.gov>; Walker, Kim (Waste) <Kim.Walker@FloridaDEP.gov>; Bastek, Brian <bastek.brian@epa.gov>; 'Merizalde.carlos@epa.gov' <merizalde.carlos@epa.gov>; Eldredge, Susan F <Susan.Eldredge@dep.state.fl.us>; Irwin, Alannah <Alannah.Irwin@FloridaDEP.gov>; Ashwood, Janet <Janet.Ashwood@FloridaDEP.gov>; vogel.jennifer@epa.gov; Petersen, Dane <Dane.Petersen@FloridaDEP.gov>; Tammy Garcia <tgarcia@kooglerassociates.com>; mlee@kooglerassociates.com; 'jackelin.simmons@cemex.com' <jackelin.simmons@cemex.com>; Kothur, Bheem <Bheem.Kothur@FloridaDEP.gov>
Subject: CEMEX Construction Materials, LLC. Miami; FLD 981 758 485; First Request for Additional Information (RAI)

CAUTION: External Email | PRECAUCIÓN: Correo electrónico externo | VORSICHT: Externe E-Mail | ATTENTION: Courriel externe [Learn more](#)

In an effort to provide a more efficient service, the Florida Department of Environmental Protection's Hazardous Waste Program and Permitting section is forwarding the attached document to you by electronic correspondence "e-correspondence" in lieu of a hard copy through the normal postal service.

We ask that you verify receipt of this document by sending a "reply" message to epost_hwrs@dep.state.fl.us (An automatic "reply message" is not sufficient to verify receipt). If your email address has changed or you anticipate that it will change in the future, please advise accordingly in your reply. You may also update this information by contacting Kim Thursby at (850) 245-8792.

The attached document is in "pdf" format and will require Adobe Reader 6 or higher to open properly. You may download a free copy of this software at www.adobe.com/products/acrobat/readstep2.html.

Your cooperation in helping us affect this process by replying as requested is greatly appreciated. If you should have any questions about the attached document(s), please direct your questions to the contact person listed in the correspondence.

Michell Mason Smith
Environmental Administrator
Hazardous Waste Program & Permitting



CONFIDENTIALITY: The information contained in this transmission may contain privileged and confidential information. It is intended only for the use of the person(s) named above. If you are not the intended recipient, you are hereby notified that any review, dissemination, distribution or duplication of this communication, and the information contained in it, is strictly prohibited. If you are not the intended recipient, please contact the sender and immediately destroy all copies of the original message.



FLORIDA DEPARTMENT OF Environmental Protection

Bob Martinez Center
2600 Blair Stone Road
Tallahassee, FL 32399-2400

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

REQUEST FOR ADDITIONAL INFORMATION

January 19, 2023

Maurice Hogg, Environmental Manager
CEMEX Construction Materials, LLC. Miami Facility
1200 NW 137 Ave
Miami Florida 33182
Mauriceer.hogg@cemex.com

Re: **First Request for Additional Information (RAI)**
CEMEX Construction Materials, LLC. Miami Facility
EPA ID Number: FLD 981 758 485
Current Operating Permits: 56307-006-HO
DEP Application Numbers: 56307-007-HO
Miami-Dade County – Hazardous Waste

Dear Ms. Hogg:

Thank you for your application for a Used Oil Processing Permit Renewal for the above referenced Facility. A Department staff review of the application submitted on December 20, 2022, indicates the application is incomplete. Pursuant to the provisions of Rule 62-710.800, Florida Administrative Code (F.A.C.) and Chapter 403.722, Florida Statutes (F.S.), all processing of the application is suspended when a permit application is deemed incomplete. Please provide the information listed below and refer to this correspondence in your response.

1. *Used Oil Processing Facility Permit Application, Part I.C. Operating Information, Item number 1. Hazardous Waste Generator Status (VSQG, SQG, LQG, etc.), Page 3 of 8:* Permit application lists "SQG", however, Form 8700-12FL, Florida Notification of Regulated Waste Activity, Item Number 9, RCRA Hazardous Waste Activities at this Facility, Marked as "c. Very Small Quantity Generator (VSQG)". Please review the 8700-12FL form and the Permit Application and make modifications as appropriate to ensure that the two (2) forms are consistent.
2. *Used Oil Processing Facility Permit Application, Part I. C. Operating Information, Item number 2. List Applicable EPA Hazardous Waste Codes, Page 3 of 8:* Permit application lists "D001", however, Form 8700-12FL, Florida Notification of Regulated Waste Activity, Item Number 10, Waste Codes for Federally Regulated Hazardous Wastes, lists D001, D002, D008, D009, F001, and F002. Please review the

8700-12FL form and the Permit Application and make modifications as appropriate to ensure that the two (2) forms are consistent.

3. *Spill Prevention Control and Countermeasures Plan (SPCC) And Contingency Plan and Emergency Procedures, Section 1, Evaluation and Testing, Page 2:* In accordance with Chapter 62-762, periodic internal and external inspections of the tanks are required to assess the condition of the above ground tanks and determine their suitability for continued service. Please provide copies of the most recent inspections for all tanks listed in the application and clarify the frequency of all inspections.
4. *Used Oil Processing Permit Applications, Attachment I, Figure 1-USGS Topographic Map, Figure 2, Site Plan, and Figure 3, FEMA Flood Zone Map.:* The noted figures are not readable. Please review the documents and revise as appropriate.
5. Please provide electronic copies of the Facility Site Plan (8.5"X11") and the Tank Table (8.5"X11") in order for us to insert them into the renewal permit.

In order for the Department to continue processing your Permit Application and deem it complete, please submit the information requested as soon as possible, and refer to this correspondence in your response. The response must be signed, sealed, and dated by a registered Florida Professional Engineer. The Department must receive a response within 90 days of the date of this letter, or April 20, 2023, unless a written request for additional time to provide the requested information is submitted and approved. Pursuant to subsection 62-4.055(1), F.A.C., failure of an applicant to provide the timely requested information by the applicable deadline may result in denial of the application.

Please submit the response in electronic format to HWPP@dep.state.fl.us, with a copy to Bheem.kothur@floridadep.gov; If the file is very large, you may post it to a folder on this office's ftp site at: <ftp://ftp.dep.state.fl.us/pub/incoming/DWM/FOLDER>. After posting the document, send an e-mail to HWPP@dep.state.fl.us, with a copy to Bheem.kothur@floridadep.gov; alerting us that it has been posted.

If you have any questions, please contact Bheem Kothur by telephone at (850) 245-8781 or by e-mail at bheem.kothur@floridadep.gov

Sincerely,

Kimberly A. Walker

Digitally signed by Kimberly A.
Walker
Date: 2023.01.19 13:29:41 -05'00'

FOR

Michell Mason Smith, Environmental Administrator
Hazardous Waste Program & Permitting

MS/bk

Cc:

Brian Bastek, EPA Region 4, bastek.brian@epa.gov

Carlos Merizalde, EPA Region 4, merizalde.carlos@epa.gov

Susan Eldredge, DEP Headquarters, susan.eldredge@floridadep.gov

Alannah Irwin, DEP Southeast District, Alannah.irwin@floridadep.gov

Janet Ashwood, DEP Headquarters, janet.ashwood@floridadep.gov

Jennifer Vogel, EPA Region 4, vogel.jennifer@epa.gov

Dane Petersen, OGC Tallahassee, dane.petersen@floridadep.gov

Tammy Garcia, Koogler and Associates, Inc. tgarcia@kooglerassociates.com

Maxwell R. Lee, Ph.D., P.E., mlee@kooglerassociates.com

Jackelin Simmons, Plant Manager, jackelin.simmons@cemex.com