

Thursby, Kim

From: Kelly Brandenburg <compliance@cliffberryinc.com>
Sent: Wednesday, March 15, 2023 12:11 PM
To: Thursby, Kim
Cc: Smith, Michell M.; Walker, Kim (Waste); Bastek, Brian; 'Merizalde.carlos@epa.gov'; Eldredge, Susan F; Bradshaw, Bonnie M.; Ashwood, Janet; vogel.jennifer@epa.gov; Petersen, Dane; 'deris@bdhcg.com'; Kothur, Bheem
Subject: RE: Cliff Berry, Inc. Jacksonville; FLR 000 119 784; First Request for Additional Information (RAI)

EXTERNAL MESSAGE

This email originated outside of DEP. Please use caution when opening attachments, clicking links, or responding to this email.

received

Kelly Brandenburg | Corporate Compliance | Cliff Berry, Inc. | compliance@cliffberryinc.com | (954) 763-3390 Office | (760) 274-3024 Mobile |

From: Thursby, Kim <Kim.Thursby@FloridaDEP.gov>
Sent: Wednesday, March 15, 2023 10:57 AM
To: Kelly Brandenburg <compliance@cliffberryinc.com>
Cc: Smith, Michell M. <Michell.M.Smith@FloridaDEP.gov>; Walker, Kim (Waste) <Kim.Walker@FloridaDEP.gov>; Bastek, Brian <bastek.brian@epa.gov>; 'Merizalde.carlos@epa.gov' <merizalde.carlos@epa.gov>; Eldredge, Susan F <Susan.Eldredge@dep.state.fl.us>; Bradshaw, Bonnie M. <Bonnie.Bradshaw@floridadep.gov>; Ashwood, Janet <Janet.Ashwood@FloridaDEP.gov>; vogel.jennifer@epa.gov; Petersen, Dane <Dane.Petersen@FloridaDEP.gov>; 'deris@bdhcg.com' <deris@bdhcg.com>; Kothur, Bheem <Bheem.Kothur@FloridaDEP.gov>
Subject: Cliff Berry, Inc. Jacksonville; FLR 000 119 784; First Request for Additional Information (RAI)

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

In an effort to provide a more efficient service, the Florida Department of Environmental Protection's Hazardous Waste Program and Permitting section is forwarding the attached document to you by electronic correspondence "e-correspondence" in lieu of a hard copy through the normal postal service.

We ask that you verify receipt of this document by sending a "reply" message to epost_hwrs@dep.state.fl.us (An automatic "reply message" is not sufficient to verify receipt). If your email address has changed or you anticipate that it will change in the future, please advise accordingly in your reply. You may also update this information by contacting Kim Thursby at (850) 245-8792.

The attached document is in "pdf" format and will require Adobe Reader 6 or higher to open properly. You may download a free copy of this software at www.adobe.com/products/acrobat/readstep2.html.

Your cooperation in helping us affect this process by replying as requested is greatly appreciated. If you should have any questions about the attached document(s), please direct your questions to the contact person listed in the correspondence.

Michell Mason Smith
Environmental Administrator
Hazardous Waste Program & Permitting





FLORIDA DEPARTMENT OF Environmental Protection

Bob Martinez Center
2600 Blair Stone Road
Tallahassee, FL 32399-2400

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

REQUEST FOR ADDITIONAL INFORMATION

March 15, 2023

Kelly Brandenburg, Manager – Regulatory Affairs and Special Projects
P.O. Box 13079 Port Everglades Station
Fort Lauderdale, FL, 33316
compliance@cliffberryinc.com

Re: **First Request for Additional Information (RAI)**
Cliff Berry, Inc. Jacksonville, Facility
EPA ID Number: FLR 000 119 784
Current Operating Permits: 249482-004-HO
DEP Application Numbers: 249482-005-HO
Duval County – Hazardous Waste

Dear Kelly Brandenburg:

Thank you for your application for a Used Oil and Material Processing Permit Renewal for the above referenced Facility. A Department staff review of the application submitted on February 28, 2023, indicates the application is incomplete. Pursuant to the provisions of Rule 62-710.800, Florida Administrative Code (F.A.C.) and Chapter 403.722, Florida Statutes (F.S.), all processing of the application is suspended when a permit application is deemed incomplete. Please provide the information listed below and refer to this correspondence in your response.

1. *Used Oil Processing Facility Permit Application, Part II - Certification, P.E., Signature Date and Seal is Incomplete, Page 9 of 9:* Please review this page and revise as appropriate and resubmit.
2. *Spill Prevention Control and Countermeasures Plan (SPCC) And Contingency Plan and Emergency Procedures, Section 1, Evaluation and Testing, Page 2:* Tanks shall be evaluated, and the re-testing frequency shall be established and implemented in accordance with API Std 653, November 2014, incorporated by reference in subsection 62-762.411(3), F.A.C. Storage tanks shall be evaluated at the time of installation. Evaluations shall be certified by a professional engineer licensed in the State of Florida or approved by an API Std 653 certified inspector. Non-destructive testing shall be performed by qualified personnel as specified in API Std 650, March 2013, incorporated by reference in subsection 62-672.201(67), F.A.C. and API Std, November 2014. All field erected tanks shall be repaired in accordance with API Std

653, November 2014. Field erected tanks with storage capacities of less than 250,000 gallons may be evaluated in accordance with STI SP001, January 2018, incorporated by reference in subsection 62-782.411(3), F.A.C., in lieu of API Std 653, November 2014. Internal and External inspections of the tanks may be required, to assess the condition of the above ground tanks and determine its suitability for continued service. Therefore, provide copies of the most recent internal and external tank inspections for all tanks listed in the application.

3. *Used Oil and Material Processing Permit Applications, C. Operating Information, Items, three (3) through eight (8), Attachments are not labeled and not paginated:* Please review all attachments and revise as appropriate and resubmit.
4. Please provide Facility Site Plan (8.5"X11") and Tank Table (8.5"X11") in word documents in order for us to insert them into the renewal permit.
5. Please provide a brief history and description of any environmental enforcement actions taken by the Department, delegated local program, or federal agency against the applicant and provide a history of any reported releases or spills by the applicant within the past five (5) years.
6. General Comment: Please review the entire permit application and update as appropriate.

In order for the Department to continue processing your Permit Application and deem it complete, please submit the information requested as soon as possible, and refer to this correspondence in your response. The response must be signed, sealed, and dated by a registered Florida Professional Engineer. The Department must receive a response within 30 days of the date of this letter, or April 14, 2023, unless a written request for additional time to provide the requested information is submitted and approved. Pursuant to subsection 62-4.055(1), F.A.C., failure of an applicant to provide the timely requested information by the applicable deadline may result in denial of the application.

Please submit the response in electronic format to HWPP@dep.state.fl.us, with a copy to Bheem.kothur@floridadep.gov; If the file is very large, you may post it to a folder on this office's ftp site at: <ftp://ftp.dep.state.fl.us/pub/incoming/DWM/FOLDER>. After posting the document, send an e-mail to HWPP@dep.state.fl.us, with a copy to Bheem.kothur@floridadep.gov; alerting us that it has been posted.

If you have any questions, please contact Bheem Kothur by telephone at (850) 245-8781 or by e-mail at bheem.kothur@floridadep.gov

Sincerely,



Michell Mason Smith, Environmental Administrator
Hazardous Waste Program & Permitting

MS/bk

Cc:

Brian Bastek, EPA Region 4, bastek.brian@epa.gov

Carlos Merizalde, EPA Region 4, merizalde.carlos@epa.gov

Susan Eldredge, DEP Headquarters, susan.eldredge@floridadep.gov

Bonnie Bradshaw, DEP Northeast District, bonnie.bradshaw@floridadep.gov

Janet Ashwood, DEP Headquarters, janet.ashwood@floridadep.gov

Jennifer Vogel, EPA Region 4, vogel.jennifer@epa.gov

Dane Petersen, OGC Tallahassee, dane.petersen@floridadep.gov

Deris H. Bardales, P.E., P.S.M. BDH Consulting Group, deris@bdhcg.com