

## Thursby, Kim

---

**From:** Bulsiewicz, Wayne <wayne.bulsiewicz@veolia.com>  
**Sent:** Friday, April 28, 2023 8:51 AM  
**To:** Kothur, Bheem  
**Cc:** Fulton, Scott; Thursby, Kim  
**Subject:** Re: FW: Still Need Response

### EXTERNAL MESSAGE

This email originated outside of DEP. Please use caution when opening attachments, clicking links, or responding to this email.

Bheem, Veolia has received the epost notification and will respond within the prescribed timeframe.

Thanks,

On Fri, 28 Apr 2023 at 05:48, Kothur, Bheem <[Bheem.Kothur@floridadep.gov](mailto:Bheem.Kothur@floridadep.gov)> wrote:

Hello Wayne or Scott,

Please respond Epost by saying that you have received, and cc me.

This just our operating procedure.

Thanks,

Bheem

---

**From:** Thursby, Kim <Kim.Thursby@FloridaDEP.gov>  
**Sent:** Friday, April 28, 2023 7:46 AM  
**To:** Kothur, Bheem <Bheem.Kothur@FloridaDEP.gov>  
**Subject:** Still Need Response  
**Importance:** High

Good morning Bheem,

I have not received response from your facility Veolia-Tallahassee document that was sent out through e post email on April 25, 2023. I have attached pdf that was sent out through e post email. Can you please check to see if the e post email was received? Let me know if you have any questions or comments.

Thanks,

Kim

Kim Thursby

Department of Environmental Protection

2600 Blair Stone Road

Tallahassee, Florida 32399-2400

Mail Station 4560

Direct with voice mail (850) 245-8792



--

**Wayne Bulsiewicz**  
*Environmental Health and Safety Manager*  
*Industrial Business*  
**VEOLIA NORTH AMERICA**

tel

+1 602 233 2955  
/ cell


+1 602 725 7726 /  
fax

+1 602 415 3030  
5736 W Jefferson Street / Phoenix, AZ 85043  
[wayne.bulsiewicz@veolia.com](mailto:wayne.bulsiewicz@veolia.com)  
[www.veolianorthamerica.com](http://www.veolianorthamerica.com)

For prepaid recycling of fluorescent lamps, ballast, batteries and more, visit [www.prepaidrecycling.com](http://www.prepaidrecycling.com)

For packaging instructions and guidance, click to [Download Packaging Guidance](#)

Receive Veolia's Environmental Buzz E-Newsletter, click to [Subscribe](#)



## Thursby, Kim

---

**From:** Thursby, Kim  
**Sent:** Tuesday, April 25, 2023 12:18 PM  
**To:** Bulsiewicz, Wayne  
**Cc:** Smith, Michell M.; Walker, Kim (Waste); Bastek, Brian; 'Merizalde.carlos@epa.gov'; Horlick, Susan; Richardson, Cliff J; vogel.jennifer@epa.gov; Petersen, Dane; Echevarria, Edgar; Clanton, Corinna; Coleman, Lauren J.; Kothur, Bheem  
**Subject:** Veolia of ES Technical Solutions, LLC- Tallahassee, Florida;FL0 000 207 449;First Request for Additional Information (RAI)  
**Attachments:** 4-25-23 Veolia ES Solutions Tallahassee First RAI Modification.Receipt.pdf

In an effort to provide a more efficient service, the Florida Department of Environmental Protection's Hazardous Waste Program and Permitting section is forwarding the attached document to you by electronic correspondence "e-correspondence" in lieu of a hard copy through the normal postal service.

We ask that you verify receipt of this document by sending a "reply" message to [epost\\_hwrs@dep.state.fl.us](mailto:epost_hwrs@dep.state.fl.us) (An automatic "reply message" is not sufficient to verify receipt). If your email address has changed or you anticipate that it will change in the future, please advise accordingly in your reply. You may also update this information by contacting Kim Thursby at (850) 245-8792.

The attached document is in "pdf" format and will require Adobe Reader 6 or higher to open properly. You may download a free copy of this software at [www.adobe.com/products/acrobat/readstep2.html](http://www.adobe.com/products/acrobat/readstep2.html).

Your cooperation in helping us affect this process by replying as requested is greatly appreciated. If you should have any questions about the attached document(s), please direct your questions to the contact person listed in the correspondence.

Michell Mason Smith  
Environmental Administrator  
Hazardous Waste Program & Permitting



# FLORIDA DEPARTMENT OF Environmental Protection

Bob Martinez Center  
2600 Blair Stone Road  
Tallahassee, FL 32399-2400

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Shawn Hamilton**  
Secretary

## REQUEST FOR ADDITIONAL INFORMATION

April 25, 2023

Mr. Wayne Bulsiewicz, Environmental Health and Safety Manager  
Veolia of ES Technical Solutions, LLC.  
342 Marpan Lane  
Tallahassee, Florida, 32305  
[Wayne..bulsiewicz@veolia.com](mailto:Wayne..bulsiewicz@veolia.com)

Re: **First Request for Additional Information (RAI)**  
**Veolia of ES Technical Solutions, LLC- Tallahassee, Florida**  
EPA ID Number: FL0 000 207 449  
Current Operating Permit: 0071455-014-HO  
DEP Application Number: 0071455-015-HO  
Leon County – Hazardous Waste

Dear Mr. Bulsiewicz:

Thank you for your application for operation a mercury containing lamps and devise storage, recovery and reclamation facility permit modifications for the above referenced facility. A Department staff review of the application submitted on March 29, 2023, indicates the application is incomplete, to the provisions of Rule 62-730.220, F.A.C., Rule 62-730.220(6), and Rule 62-737.900(2), Florida Administrative Code (F.A.C.) and Chapter 403.722, Florida Statutes (F.S.), all processing of the application is suspended when a permit application is deemed incomplete. Please provide the information listed below and refer to this correspondence in your response.

1. *Application for a Mercury-Containing Lamps or Device Mercury Recovery or Mercury Reclamation Facility Permit, Part I, D. Operating Information, Item 2. and Page 15:* Please expand the description of operations to include the elementary mercury is recovered from the retort operation and shipped to a mercury refiner/seller. Please identify the destination company names, address, phone number, and the landfill facilities. Please review, revise as appropriate.
2. *Application for a Mercury-Containing Lamps or Device Mercury Recovery or Mercury Reclamation Facility Permit, Part II-Certification, Item 4. Professional Engineer Registered in Florida, Page 22:* Please correct the name of the Engineer as “Cory A. Houchin” not “Cry A. Houchin”. Also, include his phone number and email

address.

3. *Attachment D-5. Section 5.19, Maintenance Program, Second Sentence, Second Line Page 39 of 40:* Please correct the word spelling "Policies" not "Polices"
4. Please include documentation of all changes or modifications that have been made at the facility in the last five years including Contingency Plan, Emergency Response Plan, SPCC Plan, Training, Closure Plan, Closure Cost Estimates, Facility Site Plan in the revised permit application.
5. Please provide Facility updated Site Plan (8.5"X11") in word document in order for us to insert them into the modification permit.
6. *Permit application is not included the information related to onsite spill release notification systems:* Please review the application and revise as appropriate.
7. *General Comment:* Please submit the incident report at Veolia Battery Storage Area, which was happen on March 7, 2023, including photographs.
8. Any additional comments from Northwest District Office?

In order for the Department to continue processing your application, please submit the information requested as soon as possible, and refer to this correspondence in your response. The response must be signed, sealed, and dated by a registered Florida Professional Engineer. The Department must receive a response within 60 days of the date of this letter, or June 25, 2023, unless a written request for additional time to provide the requested information is submitted and approved. Pursuant to subsection 62-730.220(6), F.A.C. and Section 120.60, F.S., failure of an applicant to provide the timely requested information by the applicable deadline may result in denial of the application. You are encouraged to contact this office to discuss the items requested to assist you in developing a complete and adequate response.

Please submit the response in electronic format to [HWPP@dep.state.fl.us](mailto:HWPP@dep.state.fl.us), with a copy to [Bheem.kothur@floridadep.gov](mailto:Bheem.kothur@floridadep.gov); If the file is very large, you may post it to a folder on this office's ftp site at: <ftp://ftp.dep.state.fl.us/pub/incoming/DWM/FOLDER>. After posting the document, send an e-mail to [HWPP@dep.state.fl.us](mailto:HWPP@dep.state.fl.us), with a copy to [Bheem.kothur@floridadep.gov](mailto:Bheem.kothur@floridadep.gov); alerting us that it has been posted.

If you have any questions, please contact Bheem Kothur by telephone at (850) 245-8781 or by e-mail at [bheem.kothur@floridadep.gov](mailto:bheem.kothur@floridadep.gov); or Lauren Coleman by telephone at 850-245-2961 or by email at [lauren.coleman@floridadep.gov](mailto:lauren.coleman@floridadep.gov)

Sincerely,



Michell Mason Smith, Environmental Administrator  
Hazardous Waste Program & Permitting

MS/bk

Wayne Bulsiewicz, EHS Manager

April 25, 2023

Page 3 of 3

Cc:

Brian Bastek, EPA Region 4, [bastek.brian@epa.gov](mailto:bastek.brian@epa.gov)

Carlos Merizalde, EPA Region 4, [merizalde.carlos@epa.gov](mailto:merizalde.carlos@epa.gov)

Susan Horlick, DEP Headquarters, [susan.horlick@floridadep.gov](mailto:susan.horlick@floridadep.gov)

Cliff Richardson, DEP Northwest District, [cliff.rechardson@floridadep.gov](mailto:cliff.rechardson@floridadep.gov)

Jennifer Vogel, EPA Region 4, [vogel.jennifer@epa.gov](mailto:vogel.jennifer@epa.gov)

Dane Petersen, OGC Tallahassee, [dane.petersen@floridadep.gov](mailto:dane.petersen@floridadep.gov)

Edgar Echevarria, DEP Head Quarters, [edgar.echevarria@floridadep.gov](mailto:edgar.echevarria@floridadep.gov)

Corinna Clanton, DEP Northwest District, [corinna.clanton@floridadep.gov](mailto:corinna.clanton@floridadep.gov)