

500 World Commerce Pkwy St. Augustine, FL 32092 (904) 494-1237

January 21, 2025

Emergency Response Contractor A-C-T Jason.Huffman@ a-c-t.com Equipment Supplier Safety-Kleen Ed.Fries@ safety-kleen.com Equipment Supplier Guardian Fueling <u>TRichardson@</u> GuardianFuelTech.com

Equipment Supplier Crystal Clean Toby.Collard@ Crystal-Clean.com

## Re: Notification of Hazardous Waste Activity

In accordance with 40 CFR 262.16(b)(8)(vi), Small Quantity Generators (SQGs) of hazardous waste are required to contact the local hospital, emergency response teams, police and fire departments for emergency planning purposes. We are notifying you that our business (construction equipment servicing) generates hazardous waste. In the unfortunate event of an emergency that we may require your assistance. The property location is:

Ring Power Corporation 7500 26<sup>th</sup> Ct East Sarasota, FL 34243

The resultant hazardous wastes generated, and the quantities typically observed at our site include:

## Aerosol Liquid Waste\*

- Not more than (NMT) 30 gallons total onsite
- Used Diesel\* contaminated with water (NMT 10% water)
  NMT 120 gallons (usually contained in 55-gallon containers and/or 320-gallon totes)
  NOTE: Waste Diesel is typically removed from site within 7-10 days
  \*Typical Waste Profile attached

Attached is a site diagram showing the facility layout including locations where hazardous wastes are managed. Personnel are typically located throughout the facility, to include all shop buildings, offices and exterior laydown areas. Potential injuries could range from mild to 3<sup>rd</sup> degree burns, dismemberment, exposure to toxic chemicals (as a result of a security threat/terrorism, spill/discharge, fire, explosion),

Our effort is to mitigate or eliminate possible unfortunate events by properly managing our hazardous wastes. However, in the unfortunate event of an emergency we may require your assistance. Please let us know if you need additional information; you may contact me at (813) 638-9332 or <u>David.Harriman@RingPower.com</u> if you wish to schedule a site visit for planning purposes. Thank you for your time and attention concerning this matter.

Respectfully,

) al R. Havumen II

David R. Harriman II, CES Corporate Environmental Manager

ec: Brandon.Hawkings@RingPower.com; David.Petti@FloridaDEP.gov

From:	David Harriman
To:	Info@smfr.com; Info@SarasotaPD.org; Info@SMH.com; Info@scgov.net
Cc:	Petti, David; Branden Hawkins
Subject:	Notification of Hazardous Waste Activity
Date:	Tuesday, January 21, 2025 7:51:06 AM
Attachments:	image001.png
	Location Map - Emergency Equipment-Flammables.pdf

## **EXTERNAL MESSAGE**

This email originated outside of DEP. Please use caution when opening attachments, clicking links, or responding to this email.

In accordance with 40 CFR 262.16(b)(8)(vi), Small Quantity Generators (SQGs) of hazardous waste are required to contact the local municipal services and our contractors; letter is attached (snapshot below).



500 World Commerce Pkwy St. Augustine, FL 32092 (904) 494-1237

January 21, 2025

Fire Dept. 7611 Prospect Rd. Sarasota, FL 34243 Info@smfr.com Police Dept. 2099 Adams Ln. Sarasota, FL 34237 Info@SarasotaPD.org Sarasota Memorial Hospital 1700 S. Tamiami Trail Sarasota, FL 34239 Info@SMH.com Sarasota County Emergency Management 6040 Porter Way Sarasota, FL 34232 Info@scgov.net

To Whom It May Concern:

Re: Notification of Hazardous Waste Activity

In accordance with 40 CFR 262.16(b)(8)(vi), Small Quantity Generators (SQGs) of hazardous waste are required to contact the local hospital, emergency response teams, police and fire departments for emergency planning purposes. We are notifying you that our business (construction equipment servicing) generates hazardous waste. In the unfortunate event of an emergency that we may require your assistance. The property location is:

Ring Power Corporation 7500 26<sup>th</sup> Ct East Sarasota, FL 34243

The resultant hazardous wastes generated, and the quantities typically observed at our site include:

- Aerosol Liquid Waste\*
  - Not more than (NMT) 30 gallons total onsite
- Used Diesel\* contaminated with water (NMT 10% water) NMT 120 gallons (usually contained in 55-gallon containers and/or 320-gallon totes) NOTE: Waste Diesel is typically removed from site within 7-10 days \*Typical Waste Profile attached

Attached is a site diagram showing the facility layout including locations where hazardous wastes are managed. Personnel are typically located throughout the facility, to include all shop buildings, offices and exterior laydown areas. Potential injuries could range from mild to 3<sup>rd</sup> degree burns, dismemberment, exposure to toxic chemicals (as a result of a security threat/terrorism, spill/discharge, fire, explosion),

Our effort is to mitigate or eliminate possible unfortunate events by properly managing our hazardous wastes. However, in the unfortunate event of an emergency we may require your assistance. Please let us know if you need additional information; you may contact me at (813) 638-9332 or <u>David Harriman@RingPower.com</u> if you wish to schedule a site visit for planning purposes. Thank you for your time and attention concerning this matter.

Respectfully,

al R. Harrison I

David R. Harriman II, CES Corporate Environmental Manager

ec: Brandon Hawkings@RingPower.com; David Petti@FloridaDEP.gov

Respectfully,

## David R. Harriman II, CES

Environmental Manager

Ring Power Corporation 500 World Commerce Pkwy St. Augustine, FL 32092 (904) 494-7445 (Corporate office) (813) 671-3700 (Tampa office)

David.Harriman@RingPower.com Environmental@RingPower.com