



Please print or type
(Form designed for use on a 12-pin typewriter)

**NON-HAZARDOUS
WASTE MANIFEST**

1. Generator ID Number
FLR000223313

2. Page 1 of 1

3. Emergency Response Phone
(800) 966-9282

4. Waste Tracking Number
NHWM233403-0722

Generator's Site Address (if different than mailing address)

5. Generator's Name and Mailing Address

Associated Waste Services
7400 NW 77th Ter.
Medley FL 33166

U.S. EPA ID Number
FLR000223313

6. Transporter 1 Company Name

Associated Waste Services

U.S. EPA ID Number

7. Transporter 2 Company Name

U.S. EPA ID Number

8. Designated Facility Name and Site Address

Citiberry Inc.
3033 NW North River Dr.
Miami FL 33142

FLD058500099

Facility's Phone: 954 763-3390

9. Waste Shipping Name and Description

1. NON DOT/INON RCRA REGULATED WASTE (LIQUID)

(WASTE WATER)

2. NON DOT/INON RCRA REGULATED WASTE (LIQUID)

(USED OIL)

Net 0.1

POH: 148546

Price: \$0.45/gal

13. Special Handling Instructions and Additional Information

18.6% H₂O
21000 ppm Halogens

14. GENERATOR'S CERTIFICATION: I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.

Month Day Year
10 9 23

14. GENERATOR'S CERTIFICATION: I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.

Generator's/Officer's Printed/Typed Name

Mw Kall Lopez

Signature

Port of entry/exit:
Date leaving U.S.:

☐ Export from U.S.

15. International Shipments

☐ Import to U.S.

Month Day Year
10 9 23

Transporter Signature (for exports only):

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name

Mw Kall Lopez

Signature

Signature

Month Day Year
10 9 23

Transporter 2 Printed/Typed Name

Month Day Year
10 9 23

☐ Full Rejection

☐ Residue

☐ Partial Rejection

☐ Type

17. Discrepancy

17a. Discrepancy Indication Space

Manifest Reference Number.

U.S. EPA ID Number

17b. Alternate Facility (or Generator)

Month Day Year
10 9 23

Facility's Phone:

17c. Signature of Alternate Facility (or Generator)

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Signature

Signature

Month Day Year
10 9 23

Printed/Typed Name

Paige Hibbert

Signature

Month Day Year
10 9 23

Printed in USA by GC Labels

1-800-997-6966

DESIGNATED FACILITY'S COPY

Recorder Part# MANIFEST-C6NHV
913-897-6966

Please Print or Type
(Form designed for use on a 12-pitch typewriter.)

**NON-HAZARDOUS
WASTE MANIFEST**

1. Generator ID Number

FLR000223313

3. Emergency Response Phone

(800) 968-9282

4. Waste Tracking Number

NHWM 233403

0680

Generator's Site Address (if different than mailing address)

5. Generator's Name and Mailing Address

Associated Waste Services

7400 NW 77th Terr.

Medley, FL 33166

Generator's Phone: 708 528 8842

6. Transporter 1 Company Name

Associated Waste Services

7. Transporter 2 Company Name

8. Designated Facility Name and Site Address

Cliff Berry Inc.

3033 NW North River Dr.

Miami, FL 33142

Facility's Phone: 954 763-3390

9. Waste Shipping Name and Description

1. NON DOT/NON RCRA REGULATED WASTE (LIQUID)

(WASTE WATER)

2. NON DOT/NON RCRA REGULATED WASTE (LIQUID)

(USED OIL)

10. Containers

No.

Type

11. Total Quantity

12. Unit Wt./Vol.

1

TT

350

G

1

TT

2800

G

2552

G

Net Oil

13. Special Handling Instructions and Additional Information

8.84% b20

21000 ppm

+ pH 6

Price: \$0.45/gal

P01148185

14. GENERATOR'S CERTIFICATION: I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.

Generator's/Officer's Printed/Typed Name

Diego Outhail

Signature

[Signature]

Month

Day

Year

04/27/23

15. International Shipments

☐ Import to U.S.

☐ Export from U.S.

Port of entry/exit:
Date leaving U.S.:

Transporter Signature (for exports only):

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name

Diego Outhail

Signature

[Signature]

Month

Day

Year

04/27/23

Transporter 2 Printed/Typed Name

Signature

[Signature]

Month

Day

Year

17. Discrepancy

17a. Discrepancy Indication Space

☐ Quantity

☐ Type

☐ Residue

☐ Partial Rejection

☐ Full Rejection

Manifest Reference Number:

U.S. EPA ID Number

17b. Alternate Facility (or Generator)

Facility's Phone:

17c. Signature of Alternate Facility (or Generator)

Month

Day

Year

04/27/23

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name

Paige Hibbert

Signature

[Signature]

Month

Day

Year

09/27/23

Printed in USA by GC Labels

1-800-997-6966

DESIGNATED FACILITY'S COPY

Reorder Part# MANIFEST-C6NHW

913-897-6966

ASSOCIATED



WASTE SERVICES

Associated Waste Services
7400 NW 77th Terr
Medley, FL 33166

Non-Hazardous Manifest

Manifest No.	092823-425
Previous Svc.	September 1, 2023
Next Schedule Date	
Customer ID	

Generator Site Address:

AAA Brothers & Conditioning
3500 Burris Rd.
Davie, FL 33314

Generator Mail To Address (if different than site):

Generator EPA ID:	VSQG	Transporter:	Associated Waste Services	Transporter Phone:	(786) 536-6643	Transporter EPA ID:	FLR000223313
Destination Facility:		Facility Address:	7400 NW 77th Ter Medley, FL 33166	Facility Phone:	(786) 536-6643	Facility EPA ID:	FLR000223313
Associated Waste Services							

Spill Response/Emergency Contact:

(800) 966-9282

Waste Shipping Name and Description	No.	Type	Quantity	Unit
Non DOT/Non RCRA Regulated Waste (Used Oil)	1	TT	270	G
Non DOT/Non RCRA Regulated Waste (Waste Water)				G
Non DOT/Non RCRA Regulated Waste (Used Antifreeze)				G
Non DOT/Non RCRA Regulated Waste (Used Oil Filters)				P
Non DOT/Non RCRA Regulated Waste (Used Oil Filters)				P
Non DOT/Non RCRA Regulated Waste (RCRA Empty Drums)				P

Generator Certification:

By signing off on this manifest, the generator certifies that:

1. The waste has **NOT** been contaminated in such a way that it would be considered hazardous under law (40 CFR Part 261)
2. The waste contains less than 2 PPM+ of PCB's and has not been mixed with anything containing more than 2 PPM+ PCB's

+ PPM - Parts Per Million

Generator Signature:

Date:

Generator Print Name:

4/29/23

Transporter Print Name:

Transporter Signature:

Date:

09/28/23

Halogen Shifter Test: Pass Fail

Halogen Test: (Dexil) Pass Fail

ASSOCIATED



WASTE SERVICES

Associated Waste Services
7400 NW 77th Terr
Medley, FL 33166

Non-Hazardous Manifest

Manifest No.	092823-417
Previous Svc.	July 26, 2023
Next Schedule Date	
Customer ID	

Generator Site Address:		Generator Mail To Address (if different than site):	
Arda Lube Tires 5390 N State Rd. 7 Fort Lauderdale, FL 33319			
Generator EPA ID:	VSQG	Transporter:	Transporter EPA ID:
		Associated Waste Services	FLR000223313
		(786) 536-6643	
Destination Facility:		Facility Phone:	Facility EPA ID:
		(786) 536-6643	FLR000223313
Associated Waste Services			

(800) 966-9282

Spill Response/Emergency Contact:

Waste Shipping Name and Description	No.	Type	Quantity	Unit
Non DOT/Non RCRA Regulated Waste (Used Oil)	1	TT	500	G
Non DOT/Non RCRA Regulated Waste (Waste Water)				G
Non DOT/Non RCRA Regulated Waste (Used Antifreeze)				G
Non DOT/Non RCRA Regulated Waste (Used Antifreeze)				P
Non DOT/Non RCRA Regulated Waste (Oily Rags/Absorbents)				P
Non DOT/Non RCRA Regulated Waste (Used Oil Filters)				P
Non DOT/Non RCRA Regulated Waste (Used Oil Filters)				P
Non DOT/Non RCRA Regulated Waste (RCRA Empty Drums)				P

Generator Certification:

By signing off on this manifest, the generator certifies that:

1. The waste has **NOT** been contaminated in such a way that it would be considered hazardous under law (40 CFR Part 261)
2. The waste contains less than 2 PPM[†] of PCB's and has not been mixed with anything containing more than 2 PPM[†] PCB's

† PPM - Parts Per Million

Generator Print Name:	Generator Signature:	Date:
Amner Gonzalez		9/28/2023
Transporter Print Name:	Transporter Signature:	Date:
Diego Ortiz		09/28/23

Halogen Sniffer Test: Pass Fail
Halogen Test: (Dexil) Pass Fail

ASSOCIATED



WASTE SERVICES

Associated Waste Services
7400 NW 77th Terr
Medley, FL 33166

Non-Hazardous Manifest

Manifest No.	092823-424
Previous Svc.	September 21, 2023
Next Schedule Date	
Customer ID	

Generator Site Address:		Generator Mail To Address (if different than site):	
Havoline Xpress Lube 115 S State Rd. 7 Margate, FL 33068			
Generator EPA ID:	Transporter:	Transporter Phone:	Transporter EPA ID:
VSQG	Associated Waste Services	(786) 536-6643	FLR000223313
Destination Facility:	Facility Address:	Facility Phone:	Facility EPA ID:
Associated Waste Services	7400 NW 77th Ter Medley, FL 33166	(786) 536-6643	FLR000223313

Spill Response/Emergency Contact: (800) 966-9282

Waste Shipping Name and Description	No.	Type	Quantity	Unit
Non DOT/Non RCRA Regulated Waste (Used Oil)	1	OT	450	G
Non DOT/Non RCRA Regulated Waste (Waste Water)				G
Non DOT/Non RCRA Regulated Waste (Used Antifreeze)				G
Non DOT/Non RCRA Regulated Waste (Oily Rags/Absorbents)				P
Non DOT/Non RCRA Regulated Waste (Used Oil Filters)				P
Non DOT/Non RCRA Regulated Waste (RCRA Empty Drums)				P

Generator Certification:

By signing off on this manifest, the generator certifies that:

1. The waste has **NOT** been contaminated in such a way that it would be considered hazardous under law (40 CFR Part 261)
2. The waste contains less the 2 PPM† of PCB's and has not been mixed with anything containing more than 2 PPM† PCB's

† PPM - Parts Per Million

Generator Print Name:	Generator Signature:	Date:
Renee Ashman		9/28/23
Transporter Print Name:	Transporter Signature:	Date:
Diego Rothel		09/28/23

Halogen Sniffer Test: Pass Fail
Halogen Test: (Dexil) Pass Fail

6.9 Tran leave
acknowledging acco
263.20(b)
Yes



Associated Waste Services
7400 NW 77th Terr
Medley, FL 33166

Non-Hazardous Manifest

Manifest No.	092823-427
Previous Svc.	August 24, 2023
Next Schedule Date	
Customer ID	

Generator Site Address:		Generator Mail To Address (if different than site):	
Giant Tire 1917 N State Rd. 7 Margate, FL 33063			
Generator EPA ID:	Transporter:	Transporter Phone:	Transporter EPA ID:
VSQG	Associated Waste Services	(786) 536-6643	FLR000223313
Destination Facility:	Facility Address:	Facility Phone:	Facility EPA ID:
Associated Waste Services	7400 NW 77th Ter Medley, FL 33166	(786) 536-6643	FLR000223313

Spill Response/Emergency Contact:

(800) 966-9282

Waste Shipping Name and Description	No.	Type	Quantity	Unit
Non DOT/Non RCRA Regulated Waste (Used Oil)	1	TT	300	G
Non DOT/Non RCRA Regulated Waste (Waste Water)				G
Non DOT/Non RCRA Regulated Waste (Used Antifreeze)				G
Non DOT/Non RCRA Regulated Waste (Oily Rags/Absorbents)				P
Non DOT/Non RCRA Regulated Waste (Used Oil Filters)				P
Non DOT/Non RCRA Regulated Waste (RCRA Empty Drums)				P

Generator Certification:

By signing off on this manifest, the generator certifies that:

1. The waste has **NOT** been contaminated in such a way that it would be considered hazardous under law (40 CFR Part 261)
2. The waste contains less the 2 PPM† of PCB's and has not been mixed with anything containing more than 2 PPM† PCB's

† PPM - Parts Per Million

Generator Print Name:	Generator Signature:	Date:
John Hall	<i>[Signature]</i>	09/28/23
Transporter Print Name:	Transporter Signature:	Date:
Diego Ortiz	<i>[Signature]</i>	09/29/23

Halogen Sniffer Test: Pass Fail

Halogen Test: (Dexil) Pass Fail

6.9 Tran leave signi
acknowledging accepta
263.20(b)
Yes

ASSOCIATED



WASTE SERVICES

Associated Waste Services
7400 NW 77th Terr
Medley, FL 33166

Non-Hazardous Manifest

Manifest No.	092823-431
Previous Svc.	July 17, 2023
Next Schedule Date	
Customer ID	

Generator Site Address:		Generator Mail To Address (if different than site):	
Eurotech Motorsport 2081 SW 70th Ave. Bay H20 Davie, FL 33317			
Generator EPA ID:	Transporter:	Transporter Phone:	Transporter EPA ID:
VSQG	Associated Waste Services	(786) 536-6643	FLR000223313
Destination Facility:	Facility Address:	Facility Phone:	Facility EPA ID:
Associated Waste Services	7400 NW 77th Ter Medley, FL 33166	(786) 536-6643	FLR000223313

Spill Response/Emergency Contact:

(800) 966-9282

Waste Shipping Name and Description	No.	Type	Quantity	Unit
Non DOT/Non RCRA Regulated Waste (Used Oil)	1	TT	130	G
Non DOT/Non RCRA Regulated Waste (Waste Water)				G
Non DOT/Non RCRA Regulated Waste (Used Antifreeze)	1	TT	30	G
Non DOT/Non RCRA Regulated Waste (Used Oil Filters)				P
Non DOT/Non RCRA Regulated Waste (Used Oil Filters)				P
Non DOT/Non RCRA Regulated Waste (RCRA Empty Drums)				P

Generator Certification:

By signing off on this manifest, the generator certifies that:


1. The waste has **NOT** been contaminated in such a way that it would be considered hazardous under law (40 CFR Part 261)
2. The waste contains less the 2 PPM+ of PCB's and has not been mixed with anything containing more than 2 PPM+ PCB's

+ PPM - Parts Per Million

Generator Print Name:	Generator Signature:	Date:
Michael Malken		9/28/23
Transporter Print Name:	Transporter Signature:	Date:
Diego Ortiz		09/28/23

Halogen Sniffer Test: Pass Fail
Halogen Test: (Dexil) Pass Fail

Yes
No
6.9 Tran leave signed copy acknowledging acceptance of 263.20(b)
Yes



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)
10/11/2023

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.


IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).


PRODUCER	CONTACT NAME: Gregorio Gonzalez	
Gorin Insurance Inc	PHONE (A/C, No. Ext): (305) 559-9348	FAX (A/C, No): (305) 225-5190
2711 SW 137th Ave Suite 95	E-MAIL ADDRESS: ggonzalez@gorininsurance.com	
Miami	INSURER(S) AFFORDING COVERAGE	
INSURED	INSURER A: CRUM & FORSTER.	NAIC # 44520
Associated Waste Services Corp	INSURER B: PROGRESSIVE EXPRESS INS CO	10193
7400 NW 77 TERRACE	INSURER C: BERKSHIRE HATHWAY CO	10391
MEDLEY	INSURER D:	
FL 33166	INSURER E:	
	INSURER F:	

COVERAGES	CERTIFICATE NUMBER:	REVISION NUMBER:
THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.		

INSR LTR	TYPE OF INSURANCE	ADDL SUBR INSD LWD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	☒ COMMERCIAL GENERAL LIABILITY					EACH OCCURRENCE \$ 1,000,000
	☐ CLAIMS-MADE ☒ OCCUR					DAMAGE TO RENTED PREMISES (Ea occurrence) \$ 50,000
	☒ Contractor's Pollution (CPL)					MED EXP (Any one person) \$ 5,000
	☒ \$1,000,000		EPK - 139653	05/08/2023	05/08/2024	PERSONAL & ADV INJURY \$ 1,000,000
B	GEN'L AGGREGATE LIMIT APPLIES PER:					GENERAL AGGREGATE \$ 2,000,000
	☒ POLICY ☐ PROJECT ☐ LOC					PRODUCTS - COMP/OP AGG \$ 2,000,000
	☒ OTHER:					EA TPL \$ 1,000,000
	AUTOMOBILE LIABILITY					COMBINED SINGLE LIMIT (Ea accident) \$ 1,000,000
C	ANY AUTO					BODILY INJURY (Per person) \$
	☒ OWNED AUTOS ONLY					BODILY INJURY (Per accident) \$
	☐ HIREN AUTOS ONLY					PROPERTY DAMAGE (Per accident) \$
	☒ PIP (Full)		02596318	02/16/2023	02/16/2024	Camp/Collision Include \$
A	UMBRELLA LIAB					EACH OCCURRENCE \$
	EXCESS LIAB					AGGREGATE \$
	DED					PER STATUTE ☒ OTHER
	RETENTION \$					EL EACH ACCIDENT \$ 1,000,000
C	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY					EL DISEASE - EA EMPLOYEE \$ 1,000,000
	ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? ☐ Y/N	N/A	N9WC042662	10/01/2023	10/01/2024	EL DISEASE - POLICY LIMIT \$ 1,000,000
	(Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below					\$1,000,000 Aggregate Limit
	PROFESSIONAL (E&O)		EPK - 139653	05/08/2023	05/08/2024	\$1,000,000 Each Prof Limit

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

CERTIFICATE HOLDER	CANCELLATION
ASSOCIATED WASTE SERVICES CORP. 7400 NW 77 TERRACE MEDLEY, FL 33166	SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.
AUTHORIZED REPRESENTATIVE 	



Summit Environmental Technologies, Inc.
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

Workorder Sample Summary


WO#: 23100054
03-Oct-23

CLIENT: Cliff Berry Inc.

Project: Rebuttable Presumption

Lab SampleID 23100054-001
Client Sample ID 233403-0707RP

Tag No
Date Collected 9/28/2023 10:30:00 AM
Date Received 10/2/2023 9:20:00 AM
Matrix Oil



Summit Environmental Technologies, Inc.
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

Analytical Report

(base report)

WO#: 23100054

Date Reported: 10/3/2023

CLIENT: Cliff Berry Inc.
Matrix: OIL
Lab ID: 23100054-001A
Project: Rebuttable Presumption
Client Sample ID 233403-0707RP

Tag Number:
Collection Date: 9/28/2023 10:30:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
HALOGENS ANALYSIS BY X-RAY (9075)						Analyst: TAH
Chlorine, Total	286	200		ppm	1	10/2/2023 5:13:22 PM
PCB ANALYSIS FOR OILS (8082)						Analyst: PJB
Total PCBs	< 1.00	1.00		ppm	1	10/3/2023 2:40:00 PM
Surr: Tetrachloro-m-xylene	84.6	67.8 - 130		%Rec	1	10/3/2023 2:40:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	M	Manual Integration used to determine area response
	MC	Value is below Minimum Compound Limit.	N	Tentatively identified compounds
	ND	Not Detected	OG1	
	P	Second column confirmation exceeds	PL	Permit Limit
	R	RPD outside accepted recovery limits	PL	Reporting Detection Limit

Original

**ASSOCIATED WASTE
SERVICES**

EPA # FLR000233313

**SPILL PREVENTION
CONTROL &
COUNTERMEASURE,
(SPCC) PLAN**

1.2 Resources at Risk

Associated Waste Services Facility is located at 8282 NW. 56 St. Doral, FL. 33166. The waterway closest to the facility is the Osprey Lake, which is approximately 0.7 miles to the southwest of the facility. Ground cover at the facility consists of cement and asphalt. The natural topography of the land is flat.

There are no residences within the immediate vicinity of the facility. AWS will coordinate with the Miami Dade fire and/or police departments to provide the appropriate warnings in the event of a discharge that could affect public health and safety.

1.3 Risk Assessment

The facility is comprised of one warehouse and office in one bay of a concrete block building at the above address. The facility is occupied daily and its operation is limited to storage of drained oil filters and empty drum for sales, or exchange for client's spent filters loaded drums. Each 55-gal drum of drained oil filters hold typically under one gallon of used oil drip from the filters. There are no floor drains at the storage area.

The drained oil filter drums are delivered to a 10 day facility and/or oil transfer facility weekly. The full drums are stored on top of spill containment pallets with capacity of 66 gallons each. All services are performed at the generators place of business. Hazardous waste and bulk used oil are not stored in the facility.

1.4 Response Strategy

AWS personnel and contractors are equipped and trained to respond to certain "minor discharges" confined within the facility. Minor discharges can generally be described as those where the quantity of product discharged is small, the discharged material can be easily stopped and controlled, the discharge is localized, and the product is not likely to seep into groundwater or reach surface water or adjoining shorelines. Procedures for responding to these minor discharges are covered in the Plan.

This SPCC Plan addresses all discharge incidents, including those that affect navigable waters or during which the oil cannot be safely controlled by facility personnel and confined within the boundaries of the facility. Response to such incidents may necessitate the assistance of outside contractors or other responders to prevent imminent impact to navigable waters.

PART II

Spill Discovery and Response

2.1 Distribution of Responsibilities

AWS has the primary responsibility for providing the initial response to oil discharge incidents originating from its facility. To accomplish this, AWS has designated the President, Larry Rodriguez, as the qualified oil discharge Response Coordinator (RC) in the event of an oil discharge. The RC plays a central coordinating role in any emergency situation.

The RC has the authority to commit the necessary services and equipment to respond to the discharge and to request assistance from Miami Dade fire and/or police departments, contractors, or other responders, as appropriate.

The RC will direct notifications and initial response actions in accordance with training and capabilities. In the event of a fire or emergency situation that threatens the health and safety of those present at the site, the RC will direct evacuations and contact the fire and police departments.

In the event of an emergency involving outside response agencies, the RC's primary responsibility is to provide information regarding the characteristics of the materials and equipment involved and to provide access to AWS resources as requested. The RC shall also take necessary measures to control the flow of people, emergency equipment, and supplies and obtain the support of the Medley Police Department as needed to maintain control of the site. These controls may be necessary to minimize injuries and confusion.

Finally, the RC serves as the coordinator for radio or cell phone communications by acquiring all essential information and ensuring clear communication of information to emergency response personnel. The RC has access to reference material at the field office either as printed material or on computer files that can further assist the response activities.

Whenever circumstances permit, the RC transmits assessments and recommendations to AWS Management for direction. Senior Management is contacted in the following order: (1) Larry Rodriguez, President, 786-631-2210; (2) Sebastian Mendez, Operations Manager, 786-257-7683

In the event that the Operations Manager is not available, the responsibility and authority for initiating a response to a discharge rests with the most senior employee, Anthony Rodriguez, on site at the time the discharge is discovered.

2.2 Response Activities

In the event of a discharge, the first priority is to stop the product flow and to shut off all ignition sources, followed by the containment, control, and mitigation of the discharge. This SPCC Plan breaks actions to be performed to respond to an oil discharge in different phases, described in greater detail in the checklists below.

2.2.1 Discharge Discovery and Source Control

Minor Discharge. A minor discharge from drained oil filter drum will be discovered by AWS or by personnel during scheduled daily inspection of the facility. Facility is visually inspected formally once a day.

Major Discharge. A more severe and sudden discharge, highly improbable giving the amount store, will trigger the automatic shutdown of all operations. The impact will be detected during the daily inspection of the facility.

Notifications to the Miami Dade Fire Department and Emergency Coordinator must occur immediately upon discovery of reportable discharges.

Completed	Actions
	Immediately report the discharge to the RC, providing the following information: Exact location; Material involved; Quantity involved; Topographic and environmental conditions; Circumstances that may hinder response; and Injuries, if any.
	Turn off all sources of ignition.
	Turn off any pump that charge or provide flow.
	Locate the Leak.
	If safe to do so, isolate the affected area and close any flow emanating from it.

Spill Prevention, Control, and Countermeasure (SPCC) Plan

2.2.2 Assessment and Notifications

Completed	Actions
	Investigate the discharge to assess the actual or potential threat to human health or the environment: Location of the discharge relative to receiving waterbodies; Quantity of spilled material; Ambient conditions (temperature, rain); Other contributing factors such as fire or explosion hazards; and Sensitive receptors downstream.
	Request outside assistance from local emergency responders, as needed.
	Evaluate the need to evacuate facility and evacuate employees, as needed.
	Notify the fire/police departments
	Notify immediately: 911 Response contractor(s) State and County Agencies
	Communicate with neighboring property owners regarding the discharge and actions taken to mitigate the damage.
	Additionally, notify downstream water users of the spill and of actions that will be taken to protect these downstream receptors.

2.2.3 Control and Recovery

The RC directs the initial control of the oil flow by AWS and other contractor personnel. The actions taken will depend on whether the oil has reached water or is still on land. All effort will be made to prevent oil from reaching land and water.

Spill Prevention, Control, and Countermeasure (SPCC) Plan

If the oil is spilled:

Completed	Actions
	Deploy sand bags and absorbent socks down gradient from the oil, or erect temporary barriers such as loose absorbents to prevent the oil from flowing.
	Sweep and remove absorbent materials in to drums for disposal.

2.2.4 Disposal of Recovered Product and Contaminated Response Material

The RC ensures that all contaminated materials classified as hazardous waste are disposed of in accordance with all applicable hazardous waste regulations.

Completed	Actions
	Place any recovered product that can be recycled into drums to be separated and recycled.
	Dispose of recovered product not suitable for on-site recycling with the rest of the waste collected during the response efforts.
	Collect all debris in properly labeled waste containers (impervious bags, drums, or buckets).
	Dispose of contaminated material in accordance with all applicable hazardous waste regulations using a licensed waste hauler and disposal facility, after appropriately characterizing the material for collection and disposal.
	Dispose of all contaminated response material within 2 weeks of the discharge.

2.2.5 Termination

The RC ensures that cleanup has been completed and that the contaminated area has been treated or mitigated according to the applicable regulations and state/federal cleanup action levels. The RC collaborates with the local, state and federal authorities regarding the assessment of damages.

Spill Prevention, Control, and Countermeasure (SPCC) Plan

Completed	Actions
	Ensure that all repairs to the defective equipment, tank or pump section have been completed.
	Review circumstances that led to the discharge and take all necessary precautions to prevent a recurrence.
	Evaluate the effectiveness of the response activities and make adjustments as necessary to response procedures and personnel training.
	Carry out personnel and contractor debriefings as necessary to emphasize prevention measures or to communicate changes in operations or response procedures.
	Submit any required follow-up reports to the authorities.
	Within 30 days of the discharge, the RC will convene an incident critique including all appropriate persons that responded to the spill. The goal of the incident critique is to discuss lessons learned, the efficacy of the SPCC Plan and its implementation, and coordination of the plan/RC and other state and local plans. Within 60 days of the critique, the SPCC Plan will be updated (as needed) to incorporate the results, findings, and suggestions developed during the critique.

2.3 Discharge Notification

Instructions and phone numbers for reporting a discharge to the National Response Center and other federal, state, and local authorities are provided in Appendix B to this Plan. The Response Coordinator must ensure that details of the discharge are recorded on the Discharge Notification Form provided in Appendix B.

PART III

Response Resources and Preparedness Activities

3.1 Equipment, Supplies, Services, and Manpower

Spill kits are provided in the warehouse that is accessible by both AWS personnel. Response equipment and material present at the site include:

- (10) Empty 55-gallons drums to hold contaminated material
- (1) 100-ft absorbent socks
- (2) 10-ft sections of hard skitted deployment boom
- (4,000 pounds) "Oil-dry" Loose absorbent material
- (4 boxes) 2 ft x 3 ft absorbent pads
- (3 boxes) Nitrile gloves
- (3 boxes) Neoprene gloves
- (6 pairs) Vinyl/PVC pull-on over-boots
- (3) Non-sparking shovels
- (3) Brooms

This material is sufficient to respond to most minor discharges occurring at the facility and to initially contain a major discharge while waiting for additional material or support from outside contractors. The inventory will be replenish after an incident and is verified on a monthly basis during the scheduled facility inspection by the RC.

AWS has four (4) employees trained and available to respond to an oil discharge. All employees are familiar with the facility layout, location of spill response equipment, staging areas, response strategies, and with the SPCC Plan for this facility.

To respond to larger discharges and ensure the removal and disposal of cleanup debris, AWS has established agreements with a specialized cleanup contractor Triumvirate. Triumvirate will be contacted first and acting as the primary response/cleanup contractor. Contact information is provided in Appendix A. This contractor has immediate access to an assortment of equipment and materials, including mechanical recovery equipment for use on water and on land, small boats, floating booms, and large waste containers. Triumvirate has the capacity to remediate discharges in excess of 4,000 gallons and will be contacted if the need arises. Stericycle is able to respond *within 2 hours* of receiving a verbal request from the RC. AWS will discuss response capacity needs on an annual basis with each contractor to ensure that sufficient equipment and material are available to respond to a potential 4,000-gallon discharge. The inventories of Triumvirate equipment are maintained with the response agreements and updated annually.

3.2 Communications and Control

A central coordination center will be set up at the field office in the event of a discharge. The field office is equipped with a variety of fixed and mobile communication equipment (telephone, cell phones, and computers) to ensure continuous communication with AWS management, responders, authorities, and other interested parties.

Communications equipment includes:

Cell phones. Each field vehicle and the RC are provided with a cell phone. The RC and/or his alternate (Site Supervisor when the Field Operations Manager is not "on call") can be reached by cell phone 7 days a week, 24 hours a day.

The RC is responsible for communicating the status of the response operations and for sharing relevant information with involved parties, including local, state, and federal authorities.

3.3 Training Exercises and Updating Procedures

AWS has established and maintains an ongoing training program to ensure that AWS personnel responding to oil discharges are properly trained and that all necessary equipment is available to them. The program includes on-the-job training on the proper deployment of response equipment and periodic practice drills during which AWS personnel are asked to deploy equipment and material in response to a simulated discharge. The RC is responsible for implementing and evaluating employee preparedness training.

Following a response to an oil discharge, the RC will evaluate the actions taken and identify procedural areas where improvements are needed. The RC will conduct a briefing with field personnel, contractors, and local emergency responders to discuss lessons learned and will integrate the outcome of the discussion in subsequent SPCC


Spill Prevention, Control, and Countermeasure (SPCC) Plan

briefings and employee training seminars. As necessary, the RC will amend this SPCC Plan or the SPCC Plan to reflect changes made to the facility equipment and procedures. A Professional Engineer will certify any technical amendment to the SPCC Plan.


3.4 CERTIFICATION

3.4.1 MANAGEMENT APPROVAL

I have reviewed this SPCC Plan and certify tha the management and employees of this facility shall be committed to the implementation of the elements and intent of this Plan



Larry Rodriguez, President



Date

3.4.2 PROFESSIONAL ENGINEER ATTESTIFICATION

I Enrique Saez, P. E., Lic. No. 47039 attest that I am familiar with the requirements of 40 CFR 112.3(d); that I have visited and examined the facility; that the plan has been prepared in accordance with good engineering practice, including consideration of applicable industry standards, and with the requirement of this part; that procedures for required inspection and testing have been established; and that the plan is adequate for the facility.

Signature, Seal and Date

APPENDIX A

EMERGENCY CONTACTS

Facility Operations

Name	Title	Telephone	Address
Larry Rodriguez	President AWS Corp.	786-631-2210	8282 nw. 56 st. Doral, FL. 33166
Sebastian Mendez	Operations MGR AWS Corp.	786-257-7683	8282 nw. 56 st. Doral, FL. 33166

Local Emergency Responders

Name	Telephone	Address
Fire/Police Departments	911	
Doral Police Department	(305) 593-6699	6100 NW 99th Ave, Doral, FL 33178
Miami Dade Fire Dept. County.	(786) 331-4920	9300 NW 41st St, Doral, FL. 33178
DEP Spill Hotline	1-800-320-0519	

Cleanup Contractors

Name	Telephone	Address
Triumvirate Environmental Services	800-966-9282	3701 SW 47th Ave Davie FL 33314

Neighboring Property Owners

Name	Telephone	Address	Location
Arketing	786-395-8286	8280 NW. 56 St. Doral, FL 33166	Doral

APPENDIX B

DISCHARGE NOTIFICATION PROCEDURES

Circumstances, instructions, and phone numbers for reporting a discharge to the National Response Center and other federal, state, and local agencies, and to other affected parties, are provided below. They are also posted at the facility in the storage shed containing the discharge response equipment. Note that any discharge to water must be reported immediately to the National Response Center.

Larry Rodriguez

786-631-2210

Local Emergency (fire, explosion, or other hazards)

911

Agency / Organization	Agency Contact	Circumstances	When to Notify
<i>Federal Agencies</i>			
EPA National Response Center	1-800-424-8802	Discharge reaching navigable waters.	Immediately (verbal)
<i>State Agencies</i>			
Florida DEP	1-800-320-0519	1) Fire, explosion, or other impact that could affect public safety.	Immediately (verbal)

The person reporting the discharge must provide the following information:

- Name, location, organization, and telephone number
- Name and address of the owner/operator

Spill Prevention, Control, and Countermeasure (SPCC) Plan

- Date and time of the incident
- Location of the incident
- Source and cause of discharge
- Types of material(s) discharged
- Total quantity of materials discharged
- Quantity discharged in harmful quantity (to navigable waters or adjoining shorelines)
- Danger or threat posed by the release or discharge
- Description of all affected media (e.g., water, soil)
- Number and types of injuries (if any) and damaged caused
- Weather conditions
- Actions used to stop, remove, and mitigate effects of the discharge
- Whether an evacuation is needed
- Name of individuals and/or organizations contacted
- Any other information that may help emergency personnel respond to the incident

Whenever the facility reports a spill, the Manager of Operations must provide the following information:

- Name of the facility
- Name of the owner or operator
- Location of the facility
- Maximum storage or handling capacity and normal daily throughput
- Corrective actions and countermeasures taken, including a description of equipment repairs and replacements
- Description of facility, including maps, flow diagrams, and topographical maps
- Cause of the discharge(s) to navigable waters, including a failure analysis of the system and subsystems in which the failure occurred.
- Additional preventive measures taken or contemplated to minimize possibility of recurrence
- Other pertinent information requested by the government agency.

Discharge Notification Form

*** This form should be used when the facility discharges. Notification must not be delayed if information or individuals are not available. Additional pages may be attached to supplement information contained in the form.

Facility: AVS
8282 NW 56 St. Doral FI 33166

Description of Discharge

Date/time

Release date:
Release time:
Duration:

Discovery date:
Discovery time:

Reporting Individual

Name:

Tel. #:

Location of discharge

Latitude:
Longitude:

Description:

Equipment source

☐ piping
☐ flowline
☐ well

Description:
Equipment ID:

☐ unknown
☐ stock, flare

Product

☐ crude oil
☐ saltwater
☐ other*

* Describe other:

Appearance and description

Environmental conditions

Wind direction:
Wind speed:

Rainfall:
Current:

Impacts

Quantity

Released:

Recovered:

Receiving medium

☐ water**
☐ land
☐ other (describe):

☐ Release confined to company property.
☐ Release outside company property.
** If water, indicate extent and body of water:

Describe circumstances of the release

Assessment of impacts and remedial actions

Disposal method for recovered material

Action taken to prevent incident from reoccurring


Safety issues

☐ Injuries
☐ Fatalities
☐ Evacuation

Notifications

Spill Prevention, Control, and Countermeasure (SPCC) Plan

Agency	Name	Date/time reported & Comments
Company Spill Response Coordinator		
National Response Center		
1-800-424-8802		
Miami Dade Police		
Miami Dade Fire & Rescue		
FDEP		
Stericycle, cleanup contractor		





FLORIDA DEPARTMENT OF Environmental Protection

Bob Martinez Center
2600 Blair Stone Road
Tallahassee, FL 32399-2400

July 26, 2023

Larry Rodriguez
Associated Waste Services Corp
7400 NW 77th Ter
Medley, FL 33166- 7503

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

BE IT KNOWN THAT

Associated Waste Services Corp
7400 NW 77th Ter
Medley, FL 33166- 7503

IS HEREBY REGISTERED AS A USED OIL

Transporter, Transfer Facility, Filter Transporter, Filter Transfer Facility

pursuant to Chapter 62-710, Florida Administrative Code (F.A.C.)

For regulatory guidance, go to:

http://www.dep.state.fl.us/waste/categories/used_oil/default.htm

The Department of Environmental Protection hereby issues
Registration Number **FLR000223313** on July 26, 2023


Transporter Type: **FH**

This registration will expire on 6/30/2024

This certificate documents receipt of your annual registration
and annual report. It shall be displayed in a prominent place
at your facility. This certificate and your cancelled check
are your receipts.

A handwritten signature in cursive script, reading "Janet K. Ashwood".

Janet Ashwood
Environmental Consultant
Waste Compliance Assistance Program



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Bob Martinez Center
2600 Blair Stone Road
Tallahassee, FL 32399-2400

07/26/2023

Larry Rodriguez
Associated Waste Services Corp
7400 NW 77th Ter
Medley, FL 33166-7503

The Florida Department of Environmental Protection has reviewed your application for registration as a transporter or handler for universal waste lamps and devices destined for recycling. Based on the information received, the facility located at **7400 NW 77th Ter, Medley, FL 33166-7503** has been registered through **March 1, 2024** with the following status:

Facility ID # **FLR000223313**

Transporter of Universal Waste Lamps and Devices

Requirements for packaging, training and recordkeeping for transporters and handlers of universal waste lamps or devices destined for recycling are contained in Chapter 62-737, Florida Administrative Code (F.A.C.). These requirements are simple, flexible, and make good business and environmental sense. The requirements and fact sheets summarizing them can be found on the following website: <http://www.dep.state.fl.us/waste/categories/mercury/pages/registration.htm>

This registration does not allow you to transport or handle universal waste lamps or devices which are destined for landfill or any other disposal. The transportation or handling of universal waste lamps or devices destined for disposal is subject to our hazardous waste management regulations under Chapter 62-730, Florida Administrative Code (F.A.C.).

The renewal notice for this registration will be sent to the contact person on your application. If any of your facility's information changes, please notify the Department using the Florida Notification of Regulated Waste Activity, DEP Form 62-730.900(1)(b), F.A.C.

If you have any questions, you may contact me at (850)245-8705 or Jeff.Gregg@dep.state.fl.us.

Sincerely,

Jeff Gregg
Environmental Manager
Hazardous Waste Regulation Section

Enclosure: Florida Notification of Regulated Waste Activity

Certificate of Completion

This certifies that

Anthony Rodriguez

has successfully completed

DOT Hazmat Function Specific Training for Shipping Papers
Includes Packaging/Shipping for DOT/IATA/IMDG. Does NOT include: DOT General Awareness, Security Awareness, or Modal Specific

In Accordance with 49 CFR 172.704(a)(2)(i) (Part 172 Subpart H of Title 49)

This Training Included Testing per 49 CFR 172.704(d)(5). This Certificate is Valid for Initial or Recurrent Training.

This course is approved for 1 Contact Hours (0.1 CEUs) of continuing education per the California Department of Public Health for Registered Environmental Health Specialist (REHS) (Accreditation # 044)

Safety Unlimited, Inc., Provider #5660170-2, is accredited by the International Association for Continuing Education and Training (IACET) and is accredited to issue the IACET CEU. As an IACET Accredited Provider, Safety Unlimited, Inc. offers CEUs for its programs that qualify under the ANSI/IACET Standard. Safety Unlimited, Inc. is authorized by IACET to offer 0.1 CEUs for this program.

Julius P. Griggs
Julius P. Griggs
Instructor #892

22082254294589
Certificate Number


8/22/2022
Issue Date





Scan this code or visit [safetyunlimited.com/v](https://www.safetyunlimited.com/v) to verify certificate.
Refresher Training Required at Least Every 3 Years



2139 Tapo St., Suite 228 Simi Valley, CA 93063
(855) 784-2677 or 805 306-8027
<https://www.safetyunlimited.com>







USE HAND
SANITIZER UPON
ENTRY AND EXIT OF
BUILDING



COVID-19 SAFETY

WASH HANDS FOR
20 SECONDS



COVID-19 SAFETY

VEHICLE SAFETY:

WEAR A MASK
WHEN 2 PEOPLE
ARE RIDING IN A
TRUCK/CAR

COVID-19 SAFETY

KEEP 6 FEET APART





COVID-19 SAFETY

WEAR A MASK
IF UNABLE TO
MAINTAIN
6 FEET
DISTANCE


COVID-19 SAFETY

First **U1st**





TANK CAPACITY
10,000
GALLONS





WASTE SERVICES
Waste Disposal
Used Oil Services



MW1
4.13.23.0W1

ASSOCIATED



WASTE SERVICES

Hazardous Waste Disposal

ASSOCIATED
AWS
WASTE SERVICES
786.631.2210

USDOT 3056263



**ASSOCIATED
WASTE SERVICES**

Used Oil Services • Hazardous Waste Disposal



NOAT 50% COOLANT
UNIV
ENRITTEED
55 U.S. GAL. 208.137L NET
DO NOT ADD WATER
READY TO USE
PRODUCTION CODE:
END LITTED
C-15-11-22-0000

PETROCANADA
SUPREME
SYNTHETIC
BLEND 5W-30
API SERVICE OIL

UNIT 2056

ASSOCIATED



08347

WASTE SERVICES

786.631.2210

Used Oil Services
Hazardous Waste Disposal

MAXON

7400



ASS


A

WAS
Used Oil Service









Premium HDK 15W-40 CK-4 Motor Oil

Maximum Performance Premium HDK 15W-40 Motor Oil is specifically engineered to meet the stringent performance latest requirements of API CK-4 service category for EGR / EGP diesel engines. Formulated with the highest quality state-of-the-art additive technology and Group II base oils, Maximum Performance Premium HDK 15W-40 Motor Oil meets and exceeds API CK-4/SN, backwards compatible with CJ-4, CI-4+ and CH-4, is designed to maximize fuel economy with excellent wear protection needed for today engines.

WARNING
"Empty" containers retain residue (liquid and/or vapor) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose this container to heat, flame, sparks, static electricity or other sources of ignition. It may explode and cause injury or death. Do not reuse container. "Empty" drums should be completely drained, properly bunged and promptly returned to a drum reconditioner. Dispose of other "empty" containers in accordance with government regulations. Refer to the Safety Data Sheet for additional information.


OSHA/HCS STATUS:
This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
GENERAL PRECAUTIONARY STATEMENT(S):
If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use.
Wash face, hands, and any exposed skin thoroughly after handling. Use personal protective equipment as required. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing if eye irritation persists.
PREVENTION
Not applicable.
RESPONSE
Not applicable.
STORAGE
Store in a dry place. Store in a closed container.
DISPOSAL
Contents/containers should be cleaned of residual product before disposal, and should be disposed of in accordance with all applicable laws and regulations.




Refer to Product Data Sheet for more information
Note: Consult Manual for Application Requirements

DISTRIBUTED BY:
Bravo Fluids
7400 NW 77th Terrace
Medley, FL 33166

DATE	08/29/2023
BATCH NUMBER	19697-1
PRODUCT CODE	02233001980
NET WEIGHT/VOLUME	55 Gallons 208 Litres



Refer to (SDS) for Safety and Health
Handling Information
For Emergencies Call:
(716) 332-0988
(800) 424-9300 (CHEMTREC)









56081



March 23'

APRIL 22'

May 22'



Black Knight
TANK GAUGE
05
BJE

AWS ASSOCIATED WASTE SERVICES
Used 1: Oil Filter Services 500g
2: Oil Services
Call: 833-GOMYAWS 833-466-9297

USED
OIL

INSTALLATION
OF
ABOVEGROUND STEEL STORAGE TANKS
A comprehensive listing of the requirements for the installation of aboveground steel storage tanks is provided in this manual. The requirements are based on the latest edition of the American Petroleum Institute (API) Standard 653, "Recommended Practice for the Inspection, Repair, Alteration, and Reconstruction of Aboveground Storage Tanks." The requirements are intended to provide a minimum standard for the safe and sound operation of aboveground storage tanks. The requirements are not intended to be a substitute for the professional judgment of the tank owner or the tank inspector. The requirements are intended to be a guide to the safe and sound operation of aboveground storage tanks.

AM
Used
Call: 8



INSTALLATION
OF
ABOVEGROUND STEEL STORAGE TANKS

Aboveground Storage Tanks for Flammable and Combustible Liquids are manufactured and tested in accordance with the requirements of the Underwriters Laboratories (UL) and the American Petroleum Institute (API).

Proper installation is of utmost importance to ensure the expected service life of the tank. The following installation suggestions are furnished for your consideration:

1. Handle tank carefully. Use cables or chains of adequate length (and more than 90 degrees between the chains) attached to lift lugs provided. Overstressing hoist will tear the lift lugs and weaken the tank.
2. Tank must be installed in accordance with applicable codes and regulations. Tank and piping should be checked at joints before being enclosed, or placed in use, using 2 ft. x 4 ft. or greater as close as possible to finished pipe work seams. Inspect tank condition before filling and replace tank caps with pipe plugs or capped piping before use.
3. When testing a double wall tank the inner tank should be pressurized to a maximum of 2 p.s.i. to approximate the outer tank by forcing the pressure up very slowly (2 p.s.i.). Maximum capacity of the outer tank is very small in relation to the primary tank capacity. Components must be tested one over pressure to the rated tank capacity in seconds causing serious damage to the tank.
4. Install appropriate primary and emergency shut connections as indicated on tank and drawings.
5. Do not cut or weld on any tank that contains flammable or combustible liquids or vapors. Hot or dry flames may result.
6. Contact your local fire Marshall to report compliance with local regulations and codes.
7. Be sure all drain plugs are secured by applying before tape or pipe dope around each plug.



USED
OIL.

THIS TANK REQUIRED EMERGENCY RELIEF VENTING.
CAPACITY NOT EXCEED HAN CUBIC FEET
PER HOUR
THIS TANK IS NOT FOR STATIONARY USE ONLY
TANK CAPACITY


AWS ASSOCIATED WASTE SERVICES
Used 1: Oil Filter Services 500g
2: Oil Services
Call: 833-GOMYAWS 833-466-9297



NON-
HAZARDOUS
WASTE







DEXSIL®

CLOR-D-TECT®

**1000 Chlorine Halogen
Test Kit**

Conforms to EPA SW-846 Method 9077, "Test Methods for Total Chlorine in New and Used Petroleum Products."
Conforms to ASTM Method D 5384-95 "Standard Test Methods for Chlorine in Used Petroleum Products."

Disposable test kit for determining chlorine contamination in used oil

WARNING: This kit contains metallic sodium and flammable solvents. Metallic sodium is a flammable solid and water reactive. Read enclosed instructions and Material Safety Data Sheet before performing this test. Wear safety glasses and gloves while performing test. Keep out of reach of children.

DEXSIL®

CLOR-D-TECT®

1000

DEXSIL®

CLOR-D-TECT®

1000

DEXSIL®

CLOR-D-TECT®


1000



ASSOCIATED WASTE SERVICES

Absorbents / Rags

833-GOMYAWS 833-466-9297



Used

- 1 : Oil Filter
- 2: Oil Service

Call: 833-GOMYAWS

Petro-Canada 55GL





OSHA4LESS.com
Keeping you compliant

SAFETY DATA SHEETS STATION

ESTACIÓN DE HOJAS DE
DATOS DE SEGURIDAD

SAFETY DATA SHEETS

ESTACIÓN DE HOJAS DE DATOS DE SEGURIDAD

SDS

GHS PICTOGRAMS



CORROSION /
CORROSIÓN



EXCLAMATION MARK /
SIGNO DE EXCLAMACIÓN



EXPLODING BOMB /
BOMBA EXPLOTANDO



SKULLS & CROSSBONES /
CALAVERA Y TIBIAS CRUZADAS



FLAME / LLAMA



HEALTH HAZARD /
RIESGO PARA LA SALUD



FLAME OVER CIRCLE /
LLAMA SOBRE CÍRCULO



GAS CYLINDER /
BOTELLA DE GAS

WHILE WE'RE
WAITING FOR

MAXIMUM
PERFORMANCE

Bravo

EPA Form 8700-22 (Rev. 12-17) Previous editions are obsolete.

DESIGNATED FACILITY TO EPA's e-MANIFEST SYSTEM

Please print or type.

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator ID Number FLR000234088	2. Page 1 of 1	3. Emergency Response Phone (800) 968-8282	4. Manifest Tracking Number 018522868 FLE	
5. Generator's Name and Mailing Address Sintavia 2500 SW 39th St. Hollywood FL 33312 Generator's Phone: 054 502 9895						
6. Transporter 1 Company Name Associated Waste Services U.S. EPA ID Number FLR000233403						
7. Transporter 2 Company Name Triumvirate Environmental Services, Inc. U.S. EPA ID Number FLD981018773						
8. Designated Facility Name and Site Address Triumvirate Environmental Services, Inc. 10100 Rocket Blvd. Orlando FL 32824 Facility's Phone: 407 959-4441 U.S. EPA ID Number FLD980559728						
GENERATOR	9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers No. Type		11. Total Quantity	12. Unit Wt/Vol.
	X	UN3082, WASTE ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (CHROMIUM, WATER) 9, III	2		1398 1654	D D
13. Waste Codes D007						
14. Special Handling Instructions and Additional Information (1) TO-130111 - RUWAC VAC WATER (GAL) ERG#171 55						
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.						
Generator's/Officer's Printed/Typed Name Melvin Scott Signature Month Day Year 19 12 23						
INT'L	16. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit: Date leaving U.S.:					
TRANSPORTER	17. Transporter Acknowledgment of Receipt of Materials					
	Transporter 1 Printed/Typed Name Eduardo Mont Signature Month Day Year 19 12 23					
DESIGNATED FACILITY	Transporter 2 Printed/Typed Name Victor Pérez Signature Month Day Year 10 9 12 23					
	18. Discrepancy					
18a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection						
Manifest Reference Number:						
18b. Alternate Facility (or Generator) U.S. EPA ID Number						
Facility's Phone:						
18c. Signature of Alternate Facility (or Generator) Month Day Year						
19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)						
1. 2. 3. 4.						
20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a						
Printed/Typed Name Signature Month Day Year						

Please print or type.

Form Approved. OMB No. 2050-0039

No. 2050

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator ID Number	2. Page 1 of	3. Emergency Response Phone	4. Manifest Tracking Number	
		FLR000258208	1	(800) 966-9282	018522864 FLE	
5. Generator's Name and Mailing Address		Generator's Site Address (if different than mailing address)				
South Florida Hydro Testing 7774 W 2nd Ct. Hialeah, FL 33014						
Generator's Phone:					U.S. EPA ID Number	
6. Transporter 1 Company Name					FLR000233403	
Associated Waste Services					U.S. EPA ID Number	
7. Transporter 2 Company Name					FLD981018773	
Triumvirate Environmental Services, Inc.					U.S. EPA ID Number	
8. Designated Facility Name and Site Address						
Triumvirate Environmental Services, Inc. 10100 Rocket Blvd. Orlando, FL 32824		FLD980559729				
Facility's Phone: 407 859-4441						
9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers	11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes	
		No.	Type			
X	1. UN3077, WASTE ENVIRONMENTALLY HAZARDOUS SUBSTANCES, SOLID, N.O.S. 6, III (BARIUM, CHROMIUM) RO. (D005, D007)	2	DM	906	P	D005 D007
X	2. UN1263, WASTE PAINT RELATED MATERIAL 3, PGII RO. (D001, F005) (ACETONE)	3	DM	165	G	D001 F005 F003
	3.					
	4.					
14. Special Handling Instructions and Additional Information						
(1.) TO-1181777 - SANDBLAST MEDIA (GAL) ERG#171 (2.) TO-1182850 - PAINT WASTE (GAL) ERG#128						
55 55						
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.						
Generator's/Offor's Printed/Typed Name		Signature		Date		
Eddy Lentes		[Signature]		19 11 23		
16. International Shipments ☐ Import to U.S. ☐ Export from U.S. Part of entry/exit Date leaving U.S.:						
17. Transporter Acknowledgment of Receipt of Materials						
Transporter 1 Printed/Typed Name		Signature		Month Day Year		
Eduardo Mont		[Signature]		19 11 23		
Transporter 2 Printed/Typed Name		Signature		Month Day Year		
Victor Perez		[Signature]		10 9 11 23		
18. Discrepancy						
18a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection						
Manifest Reference Number:						
18b. Alternate Facility (or Generator) U.S. EPA ID Number						
Facility's Phone:						
18c. Signature of Alternate Facility (or Generator) Month Day Year						
19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)						
1.		2.		3.		4.
20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a						
Printed/Typed Name		Signature		Month Day Year		

Please print or type.

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator ID Number CESOG	2. Page 1 of 1	3. Emergency Response Phone (800) 968-9282	4. Manifest Tracking Number 018522858 FLE	
5. Generator's Name and Mailing Address M Valle's Corp 5347 NW 35th Ct Miami FL 33142 Generator's Phone: _____						
6. Transporter 1 Company Name Associated Waste Services U.S. EPA ID Number FLR000223313						
7. Transporter 2 Company Name Triumvirate Environmental Services, Inc. U.S. EPA ID Number FLD981018773						
8. Designated Facility Name and Site Address Triumvirate Environmental Services, Inc. 10100 Rocket Blvd. Orlando FL 32824 Facility's Phone: 407 859-4441 U.S. EPA ID Number FLD980559728						
9a. HM		9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))		10. Containers No. Type	11. Total Quantity	12. Unit Wt./Vol.
X		1. UN1263, WASTE PAINT RELATED MATERIAL, N.O.S. 3, II RQ (D001, F005)		2 DM	110	G
		2.				
		3.				
		4.				
13. Waste Codes D001 F003 F005						
14. Special Handling Instructions and Additional Information (1) TO-131458 - PAINT WASTE (GAL) ERG#128 55						
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.						
Generator's/Offor's Printed/Typed Name X Mario Valle				Signature IX	Month Day Year 19 11 23	
16. International Shipments ☐ Export from U.S. ☐ Import to U.S. Port of entry/exit: _____ Date leaving U.S.: _____						
17. Transporter Acknowledgment of Receipt of Materials Transporter signature (for exports only): Transporter 1 Printed/Typed Name Eduardo Mont Signature Empt Month Day Year 19 11 23 Transporter 2 Printed/Typed Name Victor Perez Signature Victor Perez Month Day Year 10 9 11 23						
18. Discrepancy 18a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection Manifest Reference Number: _____ U.S. EPA ID Number _____						
18b. Alternate Facility (or Generator) Facility's Phone: _____ Month Day Year 18c. Signature of Alternate Facility (or Generator)						
19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems) 1. 2. 3. 4.						
20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a Printed/Typed Name _____ Signature _____ Month Day Year						

4761904

Form Approved OMB No. 2050-0039

4. Manifest Tracking Number **015262989 FLE**

3. Emergency Response Phone (800) 966-9282

2. Page 1 of 1

1. Generator ID Number

5. Generator's Name and Mailing Address

6. Generator's Phone

7. Transporter 1 Company Name

8. Designated Facility Name and Site Address

9a. HM

9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))

10. Containers

11. Total Quantity

12. Unit

13. Waste Codes

14. Special Handling Instructions and Additional Information

15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.

16. International Shipments

17. Transporter Acknowledgment of Receipt of Materials

18. Discrepancy

18a. Discrepancy Indication Space

18b. Alternate Facility (or Generator)

18c. Signature of Alternate Facility (or Generator)

19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)

20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number

U.S. EPA ID Number