







STEMCO

155 Industrial Blvd. • Longview, TX 75602-4720 • 800-527-1270

PURE GUARD

SAE 30

Diehard



12-40

Ranger







BAT
155-293
CHAIN - ROLLER
1 PC
TW





RED T
GREASE
NLGI #2
LUCAS
OIL PRODUCTS
INC.
35 Lbs
15.8 Kg
KEEP THAT ENGINE ALIVE
CAUTION: Keep Out of Reach of Children

NEW
ABSORBENT
PADS



USED OIL

USED OIL



OUT OF
SERVICE
FIRE EXIT

USED DOOR



**50/50 PREDILUTED
HEAVY-DUTY NITRATED EXTENDED LIFE
ANTIFREEZE/COOLANT**

55 GALLONS

AFCT1100-55/11

**USED
FILTERS**

USED DRAGS

AirSynd

CONT. NET. 55 gal / 208.2 L

Brooks

PX-1-199021



CLEAN
ALL

JUSTRITE
FLAMMABLE
KEEP FIRE AWAY
INFLAMMABLE
MANTENGA ALEJADO DEL FUEGO
INFLAMMABLE
TENIR LOIN DES FLAMMES

3

JUSTRITE
Sure-Grip® EX
FLAMMABLE LIQUID
STORAGE CABINET

JUSTRITE


JUSTRITE
FLAMMABLE
KEEP FIRE AWAY
INFLAMMABLE
MANTENGA ALEJADO DEL FUEGO
INFLAMMABLE
TENIR LOIN DES FLAMMES

JUSTRITE
Sure-Grip® EX
FLAMMABLE LIQUID
STORAGE CABINET

JUSTRITE

HYDRAULIC
Super S
AW68
5 GAL/18.9L
HYDRAULIC
AW68
5 GAL/18.9L
HYDRAULIC
AW68
5 GAL/18.9L

STIHL
EAS & OIL
MIXTURE



Scrap
Aluminum









CB54 330B

CAT

10027







100% BIODEGRADABLE
A TRULY SAFE AND EFFECTIVE
CLEANING SOLVENT

BIO
PRO HF

TAR AND ASPHALT
REMOVER

NATURAL CITRUS PEEL EXTRACT
NATURAL PLEASANT CITRUS SCENT



PLEASE RECYCLE

BIO PRO HF is a natural citrus peel extract that is completely harmless to the environment. BIO PRO HF is a tar and asphalt remover that thoroughly and effectively emulsifies heavy deposits. Until now heavy duty degreasing jobs have often meant the use of hazardous products... but not anymore!

CONSIDER THE ADVANTAGES

100% BIODEGRADABLE • NON-TOXIC • NON-AEROSOL
ALL NATURAL • FREE OF PETROLEUM SOLVENTS • ENVIRONMENTALLY FRIENDLY

DIRECTIONS FOR USE

Use full strength for tar and asphalt removal. Dilute per user preference.



Warning: May cause skin irritation or allergic reaction, may be fatal if swallowed, combustible liquid or vapor. Keep away from heat/open flames & store closed and in a cool, well ventilated area. Wear protective apparel (i.e. goggles, mask, gloves, etc.) If in direct contact with skin or clothing, wash with soap & water. In case of eye contact, flush thoroughly with water. Seek medical attention if: swallowed or skin irritation/rash occurs. Do not induce vomiting. In case of fire: Use dry sand or extinguishing foam/powder. Dispose in a safe manner in accordance with local/national regulations to a special waste collection point.

For Industrial Use Only

BIOSYSTEMS, Inc.

www.biosystemsinc.com
667 Technology Circle
Windsor, CO 80550

Phone: (970) 686-6595
Fax: (970) 686-6594
Toll Free: (800) 224-4605

MFV-78







851 140

0 0

RCI-6

85-85-140 OIL





MICHELIN

FOR RDT TEST AND NORMAL HIGHWAY USE IN NORTH AMERICA
MAX. LOAD SINGLE 2800 kg (6173 lbs)
MAX. LOAD DUAL 2650 kg (5840 lbs)
PL 720/130
PL 720/130

TREADER STEEL PLY
SIDEWALL STEEL PLY

M+S

RADIAL X

MICHELIN

5







STIHL

JUST RIT

AW 68

Super

With Rust Oxidation & Corrosion Inhibitors

5 GAL/18.9L

Smitty's
Roseland, LA 70456
www.smittysinc.net

HYDRAULIC

AW

5 GAL/18.9L



WARNING
AVISO
AVERTISSEMENT

AB
MATE
The addition of any other material
CONTACT CRYSTAL CLEAR
877-988-7948





5
MPH

RANGER EMPLOYEES ONLY.
KEEP DOOR LOCKED
SHUT OFF POWER THEN
WATER WHEN DONE
*Thank You
Management*









- a. Authorization for Treatment – Will be sent to clinic by Julie Hernandez or Shirley Leasure during normal work hours. After work hours, foreman/supervisor will give employee the authorization form to take to clinic.
- b. First-fill Prescription Service – If necessary, will be sent to designated pharmacy during normal work hours. After work hours, foreman/supervisor will give employee the form to take to the pharmacy.
- c. List of Clinics with contact information.

If you have any questions, please contact Julie Hernandez at (561) 793-9400 x541 or (561) 662-4500.

Procedimientos para reportar un accidente o Lesión o enfermedad relacionada con el trabajo

Todos los accidentes de trabajo, las lesiones son a ser reportados por el supervisor o capataz por teléfono al:

Julie Hernandez – Safety Administrator	(561) 793-9400 x541 or (561) 662-4500
<u>Safety Directors:</u> Dave Asselin Mike Scarborough Rick Boardman	(561) 951-5593 (561) 719-4624 (561) 718-0953

I. Procedimientos

a. Cuidado para empleado

1. Evaluar lesiones, llame al 911 si es necesario
 2. Neutralizar más daño
 3. Enviar a empleados a la clínica u hospital
 4. Un examen de drogas debe ser completado para cada accidente/lesion
- ** Recuerde si ir al hospital para una visita inicial, el empleado todavía debe ir a una clínica aprobada para una pantalla de drogas ****

- b. Julie Hernandez completará un formulario abreviado accidente lesión para procesar más rápidamente a la compañía de seguros, si es necesario
- c. Dentro de 24 horas del accidente, lesión es responsabilidad del Supervisor de producción enviar concluyó el informe de accidente a Julie Hernandez por correo electrónico
julissa.hernandez@rangerconstruction.com

Realizar investigación de accidentes con un Director de seguridad.

SAFETY COMMUNICATION CENTER

MATERIAL SAFETY DATA SHEETS
MSDS

EMPLOYEE TRAINING
BOOKLETS

SAFETY
DATA
SHEETS

Esta organización participa en E-Verify

WINTER GARDEN/OCCOEE CLINICS

Centra Care
Winter Garden Centra Care
3035 Daniels Road
Winter Garden, FL 34787
Weekdays 8am - 5pm
Weekends 8am - 5pm
(407) 654-4965

Centra Care
4453 West 1st Street
(State Route 46)
Sanford, FL 32771
Weekdays 8am - 5pm
Weekends 8am - 5pm
407-330-3412

Exempla Care
2700 SW Winter Garden Road
Ocoee, FL 34761
(407) 233-7850
Hours: Mon - Fri 8am to 5pm
Sat - Sun 8am to 5pm

FORT PIERCE CLINICS

Absolute Testing
2339 S US 1
Fort Pierce, FL 34902
(772) 469-8930
Hours: Mon - Fri 8am to 4pm

Fort Pierce Walk-In Medical Clinic
900 Virginia Avenue - Suite 10
Fort Pierce, FL 34902
(772) 464-6551
Hours: Mon - Fri 8:30am to 5pm

FLORIDA DEPARTMENT OF Environmental Protection
Southeast District Office
3301 Gun Club Road, MSC 7216-1
West Palm Beach, FL 33406
561-681-6900

June 27, 2022

Tom Rehyansky, Environmental Manager
Ranger Construction Industries, Inc.
4510 Glades Cut Off Rd
Fort Pierce, FL 34981
Tom.Rehyansky@RangerConstruction.com

Re: Ranger Construction Industries, Inc.
Facility EPAID #: FLD984183970
St. Lucie County

Dear Mr. Rehyansky:

Department personnel conducted a compliance evaluation inspection of the above-referenced facility on April 13, 2022. Based on the information provided during and following the inspection, the facility was determined to be in compliance with the Department's rules and regulations. A copy of the inspection report is attached for your records, and any non-compliance items which may have been identified at the time of the inspection have been corrected.

The Department appreciates your efforts to maintain this facility in compliance with state and federal rules. Should you have any questions or comments, please contact Tami Tischler at 561-681-6680 or via e-mail at Tami.Tischler@fldep.gov.

Sincerely,

Alannah Irwin

Alannah Irwin, Environmental Manager
Southeast District
Florida Department of Environmental Protection

Enclosure: Inspection Report CEI 04/13/2022

cc: Tami Tischler, Patrick Scott, Michele De Freitas, Alannah Irwin - FDEP

FDOT
Florida Department of Transportation
605 Swann Ave
Tallahassee, FL 32399-0450

March 27, 2020

To Whom It May Concern:

Please know that the bearer of this letter is acting as an agent of the Florida Department of Transportation (FDOT) and is fully authorized to travel all roadways in order to provide essential functions connected with Road and Bridge Maintenance and Construction activities on FDOT facilities. This statement applies to the Contract, Facility, and activities noted below and includes the companies listed below and their subcontractors and consultants:

FDOT Contract Number: E47199
FDOT Facility: Treasure Coast Operations
Project Description: SR-76 Kanner Hwy from just south of CR-711 Pratt Whitney Rd to SW Jack James Dr.
Prime Contractor: Ranger Construction Industries, Inc.

This letter expires on April 15, 2020.

If you have any questions or concerns, please contact me at 772-201-8518.

Sincerely,

Aaron Watt

Aaron E. Watt, P.E.
FDOT Project Manager
Florida Department of Transportation
District 4

Improve Safety. Enhance Mobility. Inspire Innovation
www.fdot.gov

STATE OF FLORIDA CERTIFICATION OF FINANCIAL RESPONSIBILITY
Reference: 40 CFR 280.111(b)

Owner or Operator: Ranger Construction Industries, Inc.
The person whose signature appears below hereby certifies that the following facility(ies) is (are) in compliance with the requirements of subpart H of 40 CFR part 280 as adopted by Chapter 62-761 and/or 62-762, F.A.C. (Indicate "See Attachment" if more than one facility is covered.)
Facility Name: Ranger Construction Industries, Inc. FDEP FacID: 8518611

The following financial assurance mechanism(s) is (are) used to demonstrate financial responsibility:
Primary Mechanism: Part D - Insurance Certificate
(Enter type of funding mechanism, guarantee or financial test without guarantee)
Name of Issuer: Tokio Marine Specialty Insurance Company
(Firm, Guarantor, Issuer, Issuing Institution, Surety(ies), Trustee or Owner or Operator (when using Part J))
Instrument No.: PPK2261582 Period of Coverage: 4/14/2021 to 4/14/2022
(If applicable) (Dates of coverage)

Complete the following only as applicable (Required when Bond, Letter of Credit and Guarantees are used):
Standby Trust Fund (SBTF) Trustee: (Required when Bond, Letter of Credit and some Guarantees are used)
SBTF entered into date: Account number:
Financial Test used (required for all Guarantees): Form Part (Insert A, I, J or O) completed

The mechanism(s) demonstrate(s) financial responsibility for (Insert "taking corrective action" and/or "compensating third parties for bodily injury and property damage")
caused by (Insert "accidental releases" for UST and/or AST in the amount of:
(Insert "sudden accidental releases" or "non-sudden accidental releases" or "accidental releases")
Per Occurrence: \$ 1,000,000.00 Annual Aggregate: \$ 2,000,000.00

[Signature]
Signature of Authorized Representative of owner or operator
Type Name and Title

[Signature]
Signature of Witness or Notary
Type Name of Witness or include Notary Seal

DIANNE LYNN BEASLEY
Notary Public - State of Florida
Commission # GG 935196
My Comm. Expires May 26, 2023
Bonded through National Notary Assn.

This certification must be updated whenever the financial assurance mechanism(s) used to demonstrate financial responsibility change(s).

DEP Form 62-761.90003

Part P page 1 of 1
Entire form page 42 of 42

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION STORAGE TANK REGISTRATION PLACARD 2021-2022

STCM ACCOUNT: 17873
FACILITY ID: 8518611
FACILITY: RANGER CONSTRUCTION INDUSTRIES
4510 GLADES CUT OFF RD
FORT PIERCE FL 34981 4715 ST. LUCIE COUNTY
FACILITY TYPE: Industrial Plant

PLACARD NO: 618968
PLACARD ISSUED: 08/12/2021
PLACARD EXPIRES: 06/30/2022

TANK SYSTEMS REGISTERED: 2

ACCOUNT OWNER: RANGER CONSTRUCTION INDUSTRIES INC
PO BOX 15065 ATTN: STORAGE TANK REGIS
West Palm Beach FL 33416 5063

HASH: 9YKIAKKAKI_AJ

The Storage Tank Registration placard must be posted at the facility.
Under Section 376.3077, Florida Statute, it is unlawful to deposit motor fuel in a storage tank system that requires registration unless proof of valid registration is displayed at the facility.
Acceptance of this placard constitutes agreement to operate the registered tanks in compliance with the Statutes and Department Rules.
The Web address for DEP is <https://dep.state.fl.us>.
You can access the Storage Tank Website by using the links to storage tank rules, forms, database reports and program information.
Look under the "Storage Tank Compliance Quick Links" section to find the links to storage tank rules, forms, database reports and program information.

DEPARTMENT OF ENVIRONMENTAL PROTECTION IS ON THE INTERNET
CONTACT TANK REGISTRATION BY:
E-MAIL: TankRegistration@dep.state.fl.us
PHONE: (850) 245-8339



SAFETY, HEALTH, AND ENVIRONMENTAL MANUAL
HEAT ILLNESS PREVENTION
Standard Operating Procedure

Occurs when employees stand for long periods or suddenly get up from a sitting or lying position while working in the heat. These sudden movements can cause dizziness and fainting. Dehydration and lack of acclimatization to work in warm or hot environments can increase the susceptibility to fainting.

General Symptoms
• Sudden dizziness
• Light-headedness
• Unconsciousness

Medical Treatment/Response
• Sit or lie down in a cool place.
• Slowly drink water, juice, or a sports drink.

Exhaustion - Extreme Caution
Occurs when there is an excessive loss of water and salt, usually through excessive sweating. Can lead to Heat stroke quickly if not treated properly. When in doubt CALL 911.

General Symptoms
• Heavy sweating
• Painful muscle cramps
• Extreme weakness and/or fatigue
• Nausea and/or vomiting
• Dizziness and/or headache
• Body temperature normal or slightly high
• Fainting
• Pulse fast and weak
• Breathing fast and shallow
• Skin hot, dry, and/or moist skin

Medical Treatment/Response
• Take the victim to a clinic or emergency room for medical evaluation and treatment.
• Call 911 if medical care is unavailable.
• Stay with the victim until help arrives.
• Remove the victim from the hot area and give them liquids to drink.
• Remove unnecessary clothing, including shoes and socks.
• Cool the victim with cold compresses or have the worker wash their head, face, and neck with cold water.
• Encourage frequent sips of cool water.

Mail original completed form to: Department of Environmental Protection For assistance call: 850-245-8707
2600 Blair Stone Road, Mail Station 4560
Tallahassee, Florida 32399-2400

STATE OF FLORIDA
CERTIFICATE OF LIABILITY INSURANCE
HAZARDOUS WASTE TRANSPORTER AND USED OIL HANDLER

1. The Travelers Indemnity Company
(Name of Insurer)

(the "Insurer"), of One Tower Square, Hartford, CT 06183
(Address of Insurer)

hereby certifies that it has issued liability insurance covering bodily injury and property damage including environmental restoration for sudden accidental occurrences to

Ranger Construction Industries, Inc.
(Name of Insured)

(the "Insured"), of 101 Sansbury's Way, West Palm Beach, FL 33411
(Physical Address of Insured)

in connection with the insured's obligation to demonstrate financial responsibility under Florida Administrative Code Rule 62-710.600(2) and 62-730.170. The coverage applies at:

EPA/DEP I.D. No.	Name	Physical Address
FLD980838773	Ranger Construction Industries, Inc.	1200 Elbow Way Winter Garden, FL 34787
FLD984183970	Ranger Construction Industries, Inc.	4510 Glades Cutoff Road Ft. Pierce, FL 34961
FLD972070	Ranger Construction Industries, Inc.	2501 Wiles Rd Pompano Beach, FL 33073

(If coverage is for multiple facilities, identify each facility insured.)
This insurance is primary and the company shall not be liable for amounts in excess of \$ 1,000,000 for each accident, exclusive of legal defense costs. The coverage is provided under policy number Cap 24000000-22, issued on 4/1/2022


The effective date of said policy is 4/1/2022 and the expiration date of said policy is 4/1/2023
(date) (date)
This insurance is primary and the company shall not be liable for amounts in excess of \$ 1,000,000 for each accident, exclusive of legal defense costs. The coverage is provided under policy number Cap 24000000-22, issued on 4/1/2022
(date) (date)
said policy is 4/1/2022 and the expiration date of said policy is 4/1/2023
(date) (date)

Page 1 of 2
FORM 62-730.170(2)(b), incorporated in Rule 62-710.600(2)(b), F.A.C., Effective Date: 1/1/2022

Contact: Janet Ludwig, President

(561) 371-6026

(877) 256-4021



FLORIDA DEPARTMENT OF Environmental Protection

Bob Martinez Center
2600 Blair Stone Road
Tallahassee, FL 32399-2400

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

June 15, 2022

Tom Rehyansky
Ranger Construction Industries Inc
PO Box 15065
West Palm Beach, FL 33416- 5065

BE IT KNOWN THAT

Ranger Construction Industries Inc
4510 Glades Cut Off Rd
Fort Pierce, FL 34981- 4797

IS HEREBY REGISTERED AS A USED OIL

Transporter, Filter Transporter

pursuant to Chapter 62-710, Florida Administrative Code (F.A.C)
For regulatory guidance, go to:

http://www.dep.state.fl.us/waste/categories/used_oil/default.htm

The Department of Environmental Protection hereby issues
Registration Number **FLD984183970** on June 15, 2022
Transporter Type: **ST**

This registration will expire on 6/30/2023

This certificate documents receipt of your annual registration
and annual report. It shall be displayed in a prominent place
at your facility. This certificate and your cancelled check
are your receipts.

A handwritten signature in cursive script that reads "Janet K. Ashwood".

Janet Ashwood
Environmental Consultant
Waste Compliance Assistance Program

Florida
HEALTH

56-QF-00329

STATE OF FLORIDA
DEPARTMENT OF HEALTH
Operating Permit

OSTDS Operating - Industrial or Manufacturing
Florida Department

Florida
HEALTH



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION STORAGE TANK REGISTRATION PLACARD 2021-2022

STCM ACCOUNT: 17873

FACILITY ID: 8518611

FACILITY: RANGER CONSTRUCTION INDUSTRIES
4510 GLADES CUT OFF RD
FORT PIERCE FL 34981 4715 ST. LUCIE COUNTY

FACILITY TYPE: Industrial Plant

PLACARD NO: 618968

PLACARD ISSUED: 08/12/2021

PLACARD EXPIRES: 06/30/2022

TANK SYSTEMS REGISTERED: 2

ACCOUNT OWNER: RANGER CONSTRUCTION INDUSTRIES INC
PO BOX 15065 ATTN: STORAGE TANK REGIS
West Palm Beach FL 33416 5065

HASH: 9IYKIAKKAKI_AI

The Storage Tank Registration placard must be posted at the facility.
It must be placed out of the weather and in plain view of inspectors entering the facility.

Under Section 376.3077, Florida Statutes, it is unlawful to deposit motor fuel into a stationary storage tank system that requires registration unless proof of valid registration is displayed at the facility.

Acceptance of this placard constitutes agreement to operate the registered tanks in compliance with applicable Statutes and Department Rules.

DEPARTMENT OF ENVIRONMENTAL PROTECTION IS ON THE INTERNET

The Web address for DEP is <https://floridadep.gov>

You can access the Storage Tank Website by using <https://floridadep.gov/waste-permitting-compliance-assistance/content/storage-tank-compliance>.
Look under the "Storage Tank Compliance Quick Links" section to find the links to storage tank rules, forms, database reports and program information.

CONTACT TANK REGISTRATION BY:

EMAIL - TankRegistration@dep.state.fl.us
PHONE - (850) 245-8839

DATE OF LAST REVISION 07-19-22
PAGE 7 OF 8



SAFETY, HEALTH, AND ENVIRONMENTAL MANUAL

HEAT ILLNESS PREVENTION Standard Operating Procedure

Heat Syncope (Dizziness and/or Fainting)	
Occurs when employees stand for long periods or suddenly get up from a sitting or lying position while working in the heat. These sudden movements can cause dizziness and fainting. Dehydration and lack of acclimatization to work in warm or hot environments can increase the susceptibility to fainting.	
General Symptoms	Medical Treatment/Response
• Sudden dizziness • Light-headedness • Unconsciousness	• Sit or lie down in a cool place. • Slowly drink water, juice, or a sports drink.

Exhaustion – Extreme Caution	
Occurs when there is an excessive loss of water and salt, usually through excessive sweating. Can lead to Heat Stroke quickly if not treated properly. When in doubt CALL 911.	
General Symptoms	Medical Treatment/Response
• Heavy sweating • Painful muscle cramps	• Take the victim to a clinic or emergency room for medical evaluation and treatment. • Call 911 if medical care is unavailable. • Keep the victim until help arrives.