

D N TACKY
GREASE
NLGI #2
15 Lbs
16.8 KG

SUPPLIED BY
PORT

USED-OIL

SAE
SYN
GEAR

14-Aug-24

* CUSTOMER PURCHASES/RETURNS *

Requested by: 52

Branch: 2

For Customer: 1/64366 RANGER CONSTRUCTION
INDUSTRIES, INC.
4510 GLADES CUT OFF RD.
FT. PIERCE FL 34948

For dates 01/2021 thru 01/2022
VC/Part Number: CTL

Br/Inv No	Day	VC/Part	Qty	Price
***FROM HIST:DTL012022.DAT				
2	220170018	17 CTLCLASS03-C1	2-	32.14
2	220170018	17 CTLCLASS03-C1	2	32.14
2	220170018	17 CTL65CP	2	110.93
2	220200048	20 CTLCLASS04-C1	3	49.06
2	220200048	20 CTLCLASS04-C1	3-	49.06
2	220200048	20 CTLHD31CPLUS	3	106.45
***FROM HIST:DTL122021.DAT				
2	213350022	01 CTLCLASS04-C1	2-	49.06
2	213350022	01 CTLCLASS04-C1	2	49.06
2	213350022	01 CTLHD31CPLUS	2	106.45
2	213440021	10 CTLCLASS04-C1	2	49.06
2	213440021	10 CTLCLASS04-C1	2-	49.06
2	213440021	10 CTLHD31C	2	94.17
2	213470006	13 CTLCLASS05-C1	2	96.42
2	213470006	13 CTLCLASS05-C1	2-	96.42
2	213470006	13 CTL4D	2	172.65
***FROM HIST:DTL112021.DAT				
2	213060027	02 CTLCLASS04-C1	2	49.06
2	213060027	02 CTLCLASS04-C1	2-	49.06
2	213060027	02 CTLHD31C	2	94.17
2	213120032	08 CTLCLASS03-C1	1-	32.14
2	213120032	08 CTLCLASS03-C1	1	32.14
2	213120032	08 CTL65CS	1	109.83
2	213130045	09 CTLCLASS05-C1	2	96.42
2	213130045	09 CTLCLASS05-C1	2-	96.42
2	213130045	09 CTL8D-7	2	281.41
2	213140038	10 CTLCLASS04-C1	2-	49.06
2	213140038	10 CTLCLASS04-C1	2	49.06
2	213140001	10 CTLCLASS05-C1	2	96.42
2	213140038	10 CTLHD31APLUS	2	106.45
2	213140001	10 CTL4D	2	172.65
2	213160003	12 CTLCLASS05-C1	2	96.42
2	213160003	12 CTLCLASS05-C1	2-	96.42
2	213160003	12 CTL8D-7	2-	281.41
2	213280011	24 CTLCLASS04-C1	1	49.06
2	213280011	24 CTLCLASS04-C1	1-	49.06
2	213280011	24 CTLHD31A	1	94.17
***FROM HIST:DTL102021.DAT				
2	212790009	06 CTLCLASS04-C1	3	49.06
2	212790009	06 CTLCLASS04-C1	3-	49.06

14-Aug-24

* CUSTOMER PURCHASES/RETURNS *

Requested by: 52

Branch: 2

Br/Inv No	Day	VC/Part	Qty	Price
2	212790009	06 CTLHD31CPLUS	3	106.45
2	212850043	12 CTLCLASS04-C1	1-	49.06
2	212850043	12 CTLCLASS04-C1	1	49.06
2	212850043	12 CTLHD31CPLUS	1	106.45
2	212870041	14 CTLCLASS04-C1	1	49.06
2	212870041	14 CTLHD31APLUS	1	106.45
2	212910010	18 CTLCLASS05-C1	2	96.42
2	212910010	18 CTLCLASS05-C1	2-	96.42
2	212910010	18 CTL4D	2	172.65
2	212980050	25 CTLCLASS03-C1	2	32.14
2	212980050	25 CTL94R-CP	2	146.93
2	212990012	26 CTLCLASS03-C1	2-	32.14
2	212990053	26 CTLCLASS03-C1	2	32.14
2	212990053	26 CTLCLASS03-C1	2-	32.14
2	212990053	26 CTL94R-CS	2	117.14
***FROM HIST:DTL082021.DAT				
2	212420044	30 CTLCLASS04-C1	1	49.06
2	212420044	30 CTLCLASS04-C1	1-	49.06
2	212420044	30 CTLHD31APLUS	1	106.45
2	212430015	31 CTLCLASS04-C1	1-	49.06
2	212430015	31 CTLCLASS04-C1	1	49.06
2	212430015	31 CTLHD31C	1	94.17
***FROM HIST:DTL072021.DAT				
2	211930012	12 CTLCLASS04-C1	1-	49.06
2	211930012	12 CTLCLASS04-C1	1	49.06
2	211930012	12 CTLHD31APLUS	1	106.45
2	212110002	30 CTLCLASS04-C1	2-	49.06
2	212110002	30 CTLCLASS04-C1	2	49.06
2	212110002	30 CTLHD31CPLUS	2	106.45
* EXT TOTALS *			38	2, (
(64 hits)				4,405.85

12-Aug-24

* CUSTOMER PURCHASES/RETURNS *

Requested by: 52

Branch: 2

Br/Inv No Day VC/Part

Qty Price

***FROM HIST:DTL042024.IDX

2 241130012 22 CTLCLASS04-C1 *7 cores*

2 241130012 22 CTLCLASS04-C1

2 241130012 22 CTLXHD31A

2 241200019 29 CTLCLASS04-C1 *7 cores*

2 241200019 29 CTLCLASS04-C1

2 241200019 29 CTLXHD31A

1 49.06

1- 49.06

1 151.25

1 49.06

1- 49.06

1 151.25

***FROM HIST:DTL032024.IDX

2 240710018 11 CTLCLASS04-C1

2 240710018 11 CTLCLASS04-C1

2 240710018 11 CTLXHD31A

1- 49.06

1 49.06

1 151.25

***FROM HIST:DTL022024.DAT

2 240380009 07 CTLCLASS04-C1

2 240380009 07 CTLCLASS04-C1

2 240380009 07 CTLXHD31A

2 240580037 27 CTLCLASS03-C1

2 240580037 27 CTLCLASS03-C1

2 240580037 27 CTL65CS

1 49.06

1- 49.06

1 151.25

2- 32.14

2 32.14

2 126.33

***FROM HIST:DTL012024.DAT

2 240110017 11 CTLCLASS03-C1

2 240110017 11 CTLCLASS03-C1

2 240110017 11 CTLCLASS03-C1

2 240110017 11 CTLCLASS03-C1

2 240110017 11 CTL65CS

2 240110017 11 CTL65CS

2 240150038 15 CTLCLASS04-C1

2 240150038 15 CTLCLASS04-C1

2 240150038 15 CTLXHD31C

2 240220009 22 CTLCLASS05-C1

2 240220009 22 CTLCLASS05-C1

2 240220009 22 CTLCLASS05-C1

2 240220009 22 CTLCLASS05-C1

2 240220009 22 CTL4D

2 240220009 22 CTL4D

2- 32.14

2 32.14

2 32.14

2- 32.14

2- 107.38

2 107.38

1- 49.06

1 49.06

1 151.25

1 96.42

1 96.42

1- 96.42

1- 96.42

1 256.19

1 256.19

***FROM HIST:DTL122023.DAT

2 233380029 04 CTLCLASS03-C1

2 233380029 04 CTLCLASS03-C1

2 233380029 04 CTLCLASS03-C1

2 233380029 04 CTLCLASS03-C1

2 233380029 04 CTL65CS

2 233380029 04 CTL65CS

2 32.14

2- 32.14

2- 32.14

2 32.14

2- 113.70

2 113.70

***FROM HIST:DTL112023.DAT

2 233110001 07 CTLCLASS04-C1

2 233110001 07 CTLCLASS04-C1

2 233110001 07 CTLXHD31C

1- 49.06

1 49.06

1 151.25

***FROM HIST:DTL102023.DAT

2 232750004 02 CTLCLASS03-C1

2- 32.14

12-Aug-24

* CUSTOMER PURCHASES/RETURNS *

Requested by: 52

Branch: 2

For Customer: 1/64366 RANGER CONSTRUCTION
INDUSTRIES, INC.
4510 GLADES CUT OFF RD.
FT. PIERCE FL 34948

For dates 01/2023 thru 08/2024

VC/Part Number: CTL

Br/Inv No	Day VC/Part	Qty	Price
***FROM HIST:DTL072024.IDX			
2	241850002 03 CTLCLASS04-C1	2	49.06
2	241850002 03 CTLCLASS04-C1	2-	49.06
2	241850002 03 CTLXHD31C	2	151.25
2	241910013 09 CTLCLASS04-C1	1-	49.06
2	241910013 09 CTLCLASS04-C1	1	49.06
2	241910013 09 CTLXHD31A	1	151.25
2	241930004 11 CTLCLASS04-C1	3-	49.06
2	241930004 11 CTLCLASS04-C1	3	49.06
2	241930004 11 CTLXHD31C	3	151.25
2	241980009 16 CTLCLASS04-C1	3	49.06
2	241980009 16 CTLCLASS04-C1	3-	49.06
2	241980009 16 CTLXHD31C	3	151.25
2	242130044 31 CTLCLASS04-C1	3	49.06
2	242130044 31 CTLCLASS04-C1	3-	49.06
2	242130044 31 CTLXHD31C	3	151.25
***FROM HIST:DTL062024.IDX			
2	241580005 06 CTLCLASS04-C1	2	49.06
2	241580005 06 CTLCLASS04-C1	2-	49.06
2	241580005 06 CTLXHD31A	2	151.25
2	241580007 06 CTLCLASS04-C1	2	49.06
2	241580007 06 CTLCLASS04-C1	2-	49.06
2	241580007 06 CTLXHD31A	2-	151.25
2	241590038 07 CTLCLASS04-C1	2-	49.06
2	241590038 07 CTLCLASS04-C1	2	49.06
2	241590038 07 CTLXHD31C	2	151.25
2	241620001 10 CTLCLASS04-C1	3-	49.06
2	241620001 10 CTLCLASS04-C1	3	49.06
2	241620001 10 CTLXHD31C	3	151.25
2	241620023 10 CTL4D	2	256.19
2	241620023 10 CTLCLASS05-C1	2	96.42
2	241620023 10 CTLCLASS05-C1	2-	96.42
2	241660015 14 CTL94R-CS	1	172.49
2	241660015 14 CTLCLASS03-C1	1-	32.14
2	241660015 14 CTLCLASS03-C1	1	32.14
2	241760004 24 CTLCLASS04-C1	3	49.06
2	241760004 24 CTLCLASS04-C1	3-	49.06
2	241760004 24 CTLXHD31C	3	151.25
***FROM HIST:DTL052024.IDX			
2	241340008 13 CTLCLASS04-C1	1	49.06
2	241340008 13 CTLCLASS04-C1	1-	49.06
2	241340008 13 CTLXHD31A	1	151.25

12-Aug-24
Requested by: 52
Branch: 2

* CUSTOMER PURCHASES/RETURNS *

Br/Inv No Day VC/Part

		Qty	Pri
2	232750004 02 CTLCLASS03-C1	2	32.
2	232750004 02 CTL65CS	2	126.
2	232840007 11 CTLCLASS03-C1	1	32.
2	232840007 11 CTLCLASS03-C1	1-	32.
2	232840007 11 CTL94R-CS	1	172.
2	232920054 19 CTLCLASS04-C1	1-	49.
2	232920054 19 CTLCLASS04-C1	1	49.
2	232920054 19 CTLXHD31A	1	151.
2	232960035 23 CTLCLASS04-C1	1	49.
2	232960035 23 CTLCLASS04-C1	1	49.
2	232960035 23 CTLXHD31C	1-	49.
2	232970016 24 CTLCLASS03-C1	1	151.2
2	232970016 24 CTLCLASS03-C1	1-	32.1
2	232970016 24 CTL65CS	1	32.1
2	232990017 26 CTLCLASS03-C1	1	126.3
2	232990017 26 CTLCLASS03-C1	2	32.1
2	232990017 26 CTL65CS	2-	32.1
2	233040046 31 CTLCLASS04-C1	2	126.3
2	233040046 31 CTLCLASS04-C1	1	49.06
2	233040046 31 CTLXHD31A	1-	49.06
		1	151.25

***FROM HIST:DTL092023.DAT

2	232510023 08 CTLCLASS03-C1	1	32.14
2	232510023 08 CTLCLASS03-C1	1-	32.14
2	232510006 08 CTLCLASS04-C1	1-	49.06
2	232510006 08 CTLCLASS04-C1	1	49.06
2	232510023 08 CTL65P	1	116.78
2	232510006 08 CTLXHD31A	1	151.25
2	232560053 13 CTLCLASS03-C1	1-	32.14
2	232560053 13 CTLCLASS03-C1	1	32.14
2	232560053 13 CTL65CS	1	126.33
2	232680016 25 CTLCLASS03-C1	1-	32.14
2	232680016 25 CTLCLASS03-C1	1	32.14
2	232680016 25 CTL96R-CS	1	134.31

***FROM HIST:DTL082023.DAT

2	232190003 07 CTLCLASS04-C1	2-	49.06
2	232190003 07 CTLCLASS04-C1	2	49.06
2	232190003 07 CTLCLASS05-C1	2	96.42
2	232190003 07 CTLCLASS05-C1	2-	96.42
2	232190003 07 CTLXHD31C	2	159.47
2	232190003 07 CTL4D	2	256.19
2	232340002 22 CTLCLASS03-C1	1	32.14
2	232340002 22 CTLCLASS03-C1	1-	32.14
2	232340002 22 CTL65CP	1	143.05

***FROM HIST:DTL072023.DAT

2	231870043 06 CTLCLASS04-C1	1-	49.06
2	231870043 06 CTLCLASS04-C1	1	49.06
2	231870043 06 CTLXHD31C	1	159.47

***FROM HIST:DTL062023.DAT

2	231570018 06 CTLCLASS04-C1	1	49.06
---	----------------------------	---	-------

12 Aug 24
Requested by: 52
Branch: 2

* CUSTOMER PURCHASES/RETURNS *

Br/Inv No	Day	VC/Part	Qty	Pi
2	231570018	06 CTLCLASS04-C1	1-	49
2	231570055	06 CTLCLASS04-C1	2-	49
2	231570055	06 CTLCLASS04-C1	2	49
2	231570018	06 CTLXHD31A	1	159
2	231570055	06 CTLXHD31C	2	159
2	231630037	12 CTLCLASS03-C1	2	32
2	231630037	12 CTLCLASS03-C1	2-	32
2	231630037	12 CTL65CP	2	143

***FROM HIST:DTL032023.DAT

2	230670031	08 CTLCLASS04-C1	1-	49.
2	230670031	08 CTLCLASS04-C1	1	49.
2	230670031	08 CTLXHD31A	1	143.
2	230800006	21 CTLCLASS05-C1	2-	96.
2	230800006	21 CTLCLASS05-C1	2	96.
2	230800006	21 CTL4D	2	256.
2	230870017	28 CTLCLASS03-C1	1	32.
2	230870017	28 CTLCLASS03-C1	1-	32.
2	230870017	28 CTL94R-CS	1	172.

***FROM HIST:DTL012023.DAT

2	230090003	09 CTLCLASS04-C1	2	49.0
2	230090003	09 CTLCLASS04-C1	2-	49.0
2	230090003	09 CTLXHD31C	2	159.4
2	230100047	10 CTLCLASS03-C1	1	32.1
2	230100047	10 CTLCLASS03-C1	1-	32.1
2	230100047	10 CTL65CP	1	143.0
2	230110047	11 CTLCLASS04-C1	2-	49.0
2	230110047	11 CTLCLASS04-C1	2	49.0
2	230110047	11 CTLXHD31C	2	159.4

* EXT TOTALS *
(150 hits)

67
10,827.89







KEEP THIS AREA
CLEAR

Ranger
Construction

DO NOT
START

CAUTION


ON
WET
FLOOR
PISO
MOJADO

USED OIL OIL OIL FILTERS

**UNCRUSHED DRAINED
USED OIL FILTERS ONLY**

The addition of any other materials will lead to additional charges.

**CONTACT CRYSTAL CLEAN
877-938-7948**



Atland Recycling, Inc.
2248 US Highway 98 North
Okeechobee, FL 34972

Tickets Closed or Paid

Tickets Created Between 1/1/2022 and 9/4/2024

Run Date: 9/4/2024
Run Time: 12:40 PM
Page: 1

Hide Optional Field Selection				
Show Job #	Show Bill of Lading #	Show Customer Reference #	Show Customer Ship Date	Show Description

Show Ticket Detail

Atland Recycling, Inc. USD

Ticket #	Date Closed	Customer #	Customer	Status	Operator	Tax	Ticket Amount	Paid Amount	Amount Due
206736	4/7/2022	100157	RANGER CONSTRUCTION INC	Paid	Lrodriguez	0.00	107.20	107.20	0.00
206804	4/7/2022	100157	RANGER CONSTRUCTION INC	Paid	Lrodriguez	0.00	215.20	215.20	0.00
206884	4/7/2022	100157	RANGER CONSTRUCTION INC	Paid	Lrodriguez	0.00	233.20	233.20	0.00
211354	5/11/2022	100157	RANGER CONSTRUCTION INC	Paid	Lrodriguez	0.00	224.00	224.00	0.00
224647	9/13/2022	100157	RANGER CONSTRUCTION INC	Paid	Lrodriguez	0.00	232.80	232.80	0.00
230356	11/5/2022	100157	RANGER CONSTRUCTION INC	Paid	Lrodriguez	0.00	231.20	231.20	0.00
239130	2/9/2023	100157	RANGER CONSTRUCTION INC	Paid	Lrodriguez	0.00	197.20	197.20	0.00
240435	2/21/2023	100157	RANGER CONSTRUCTION INC	Paid	Lrodriguez	0.00	174.80	174.80	0.00
240521	2/21/2023	100157	RANGER CONSTRUCTION INC	Paid	Lrodriguez	0.00	220.80	220.80	0.00
242418	3/29/2023	100157	RANGER CONSTRUCTION INC	Paid	Lrodriguez	0.00	188.40	188.40	0.00
243347	3/29/2023	100157	RANGER CONSTRUCTION INC	Paid	Lrodriguez	0.00	354.00	354.00	0.00
248262	5/11/2023	100157	RANGER CONSTRUCTION INC	Paid	Lrodriguez	0.00	207.40	207.40	0.00
Deduction: Trash				Weight: -350					
249498	5/22/2023	100157	RANGER CONSTRUCTION INC	Paid	Lrodriguez	0.00	190.40	190.40	0.00
Deduction: Dirt				Weight: -600					
249645	5/22/2023	100157	RANGER CONSTRUCTION INC	Paid	Lrodriguez	0.00	183.20	183.20	0.00
249764	5/22/2023	100157	RANGER CONSTRUCTION INC	Paid	Lrodriguez	0.00	192.40	192.40	0.00
250452	6/1/2023	100157	RANGER CONSTRUCTION INC	Paid	Lrodriguez	0.00	160.80	160.80	0.00
261911	10/2/2023	100157	RANGER CONSTRUCTION INC	Paid	Lrodriguez	0.00	133.20	133.20	0.00
265273	11/15/2023	100157	RANGER CONSTRUCTION INC	Paid	Lrodriguez	0.00	254.40	254.40	0.00
Deduction: Dirt				Weight: -500					
268464	12/12/2023	100157	RANGER CONSTRUCTION INC	Paid	Lrodriguez	0.00	113.20	113.20	0.00
274534	2/15/2024	100157	RANGER CONSTRUCTION INC	Paid	Lrodriguez	0.00	464.00	464.00	0.00

* Freight items have no weights

Atland Recycling, Inc.
2248 US Highway 98 North
Okeechobee, FL 34972

Tickets Closed or Paid

Tickets Created Between 1/1/2022 and 9/4/2024

Run Date: 9/4/2024
Run Time: 12:40 PM
Page: 2

Hide Optional Field Selection									
Show Job #		Show Bill of Lading #		Show Customer Reference #		Show Customer Ship Date		Show Description	
Atland Recycling, Inc. USD									
Ticket #	Date Closed	Customer #	Customer	Status	Operator	Tax	Ticket Amount	Paid Amount	Amount Due
416367	8/15/2024	100157	RANGER CONSTRUCTION INC	Paid	Lrodriguez	0.00	169.29	169.29	0.00
Atland Recycling, Inc. USD Totals:							\$4,447.09	\$4,447.09	\$0.00

* Freight items have no weights

November 13, 2024

Cliff Berry, Inc.
Cliff Berry, Inc. Ft Pierce
400 Angle Rd
Fort Pierce, FL 34946

RE: LOG# 2492939
Project ID: Ranger

Dear Cliff Berry, Inc.:

Enclosed are the analytical results for sample(s) received by the laboratory on Friday, November 01, 2024. Results reported herein conform to the most current NELAC standards, where applicable, unless indicated by * in the body of the report. The enclosed Chain of Custody is a component of this package and should be retained with the package and incorporated therein.

Results for all solid matrices are reported in dry weight unless otherwise noted. Results for all liquid matrices are reported as received in the laboratory unless otherwise noted. Results relate only to the samples received. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

Samples are disposed of after 30 days of their receipt by the laboratory unless extended storage is requested in writing. The laboratory maintains the right to charge storage fees for archived samples. This report will be archived for 5 years after which time it will be destroyed without further notice, unless prior arrangements have been made.

Certain analyses are subcontracted to outside NELAC certified laboratories, please see the Project Summary section of this report for NELAC certification numbers of laboratories used. A Statement of Qualifiers is available upon request.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Nicole Laing for
Kacia Baldwin
kaciab@jupiterlabs.com

Report ID: 2492939
11/13/2024

Page 1 of 4

NELAP Accredited

FDOH# E86546

Report Of Laboratory Analysis

This report shall not be reproduced, except in full,
without the written consent of Jupiter Environmental Laboratories, Inc..



SAMPLE SUMMARY

Workorder: 2492939

Project ID: Ranger

Lab ID	Sample ID	Matrix	Date Collected	Date Received
2492939001	S1	Aqueous Liquid	10/31/2024 16:30	11/1/2024 15:00



ANALYTICAL RESULTS QUALIFIERS

Workorder: 2492939

Project ID: Ranger

PARAMETER QUALIFIERS





Report To:
Nicole Laing
Jupiter Environmental Labs
150 South Old Dixie Highway
Jupiter FL, 33458

Page 1 of 3

Report Printed: 11/13/2024
Work Order # 24K0109
Project:
2492939

Lab ID: 24K0109-01
Client Sample ID: S1
Matrix: Water

Collection Date: 10/31/24 16:30
Received Date: 11/04/24 16:56
Collected By: Client

Laboratory Analysis Report

Parameter	Result	QC	Units	Dil	MDL	PQL	Method	Date Ext.	Date Analy.	Analyst
-----------	--------	----	-------	-----	-----	-----	--------	-----------	-------------	---------

Classical Chemistry Parameters

Ignitability by Flashpoint	>200	F-02	°F	1	20.0	20.0	EPA 1010B	11/08 16:13	11/11 17:14	MWO
----------------------------	------	------	----	---	------	------	-----------	-------------	-------------	-----

Florida-Spectrum Environmental Services, Inc.
1460 W. McNab Road, Fort Lauderdale, FL 33309

Pembroke Laboratory
528 Gooch Rd.
Fort Mead, FL 33841

Big Lake Laboratory
610 Parrot Ave. N.
Okeechobee, FL 34972

Lakeland Laboratory
111 Easton Dr.
Lakeland, FL 33803

Savannah Laboratory
108 Airport Park Dr.
Garden City, GA 31408



Report To:
Nicole Laing
Jupiter Environmental Labs
150 South Old Dixie Highway
Jupiter FL, 33458

Page 2 of 3

Report Printed: 11/13/2024
Work Order # 24K0109
Project: 2492939

Classical Chemistry Parameters - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 24K0440 - Default Prep GenChem										
Blank (24K0440-BLK1)										
					Prepared: 11/08/2024 Analyzed: 11/11/2024					
Ignitability by Flashpoint	ND	20.0	°F							U
LCS (24K0440-BS1)										
					Prepared: 11/08/2024 Analyzed: 11/11/2024					
Ignitability by Flashpoint	88.0	20.0	°F	87.8		100	97.7-102			
Duplicate (24K0440-DUP1)										
					Source: 24K0109-01 Prepared: 11/08/2024 Analyzed: 11/11/2024					
Ignitability by Flashpoint	>200	20.0	°F		>200			0.00	20	F-02

Florida-Spectrum Environmental Services, Inc.
1460 W. McNab Road, Fort Lauderdale, FL 33309

Pembroke Laboratory
528 Gooch Rd.
Fort Mead, FL 33841

Big Lake Laboratory
610 Parrot Ave. N.
Okeechobee, FL 34972

Lakeland Laboratory
111 Easton Dr.
Lakeland, FL 33803

Savannah Laboratory
108 Airport Park Dr.
Garden City, GA 31408



Report To:
Nicole Laing
Jupiter Environmental Labs
150 South Old Dixie Highway
Jupiter FL, 33458

Page 3 of 3

Report Printed: 11/13/2024
Work Order # 24K0109
Project: 2492939

Notes and Definitions

U	Indicated that the compound was analyzed for but not detected. This shall be used to indicate that the specific component was not detected. The value associated with the qualifier shall be the laboratory method detection limit.
F-02	No flash detected up to 200 °F.
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the detection limit
NR	Not Reported
dry	Sample results reported on a dry weight basis
RPD	Relative Percent Difference
N.O.O.	No Odor Observed
REP	Field parameter measured by client
V	Indicated that the analyte was detected in both the sample and the associated method blank.
I	The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
Z	Too many colonies were present for accurate counting.
SUB	Work performed by outside (subcontracted) labs denoted by SUB in analyst field.

QC=Qualifier Codes as defined by DEP 62-160

Unless indicated, soil results are reported on actual (wet) weight basis.

The Color SM2120B method is reported as (Color / pH)


Legionella analyzed under CDC accreditation program

Dilution factors ≥ 1000 are abbreviated using k=1000 and M=1000000

Field parameters are not NELAP accredited.

Results relate only to this sample.

Suresh (Bobby) Supan - Customer Service Manager

x 

Authorized Signature

Florida-Spectrum Environmental Services, Inc.

Certification# E86006 Phone#: (954) 978-6400

All NELAP certified analysis are performed in accordance with Chapter 64E-1 Florida Administrative code, which has been determined to be equivalent to NELAC standards. Analysis certified by programs other than NELAP are designated with a "~".

Florida-Spectrum Environmental Services, Inc.
1460 W. McNab Road, Fort Lauderdale, FL 33309

Pembroke Laboratory
528 Gooch Rd.
Fort Mead, FL 33841

Big Lake Laboratory
610 Parrot Ave. N.
Okeechobee, FL 34972

Lakeland Laboratory
111 Easton Dr.
Lakeland, FL 33803

Savannah Laboratory
108 Airport Park Dr.
Garden City, GA 31408

24K0109

[illegible]

ID: 6278 Rev. 3
Please see Terms & Conditions regarding sample submittal at

https://www.jupiterlabs.com/wp-content/uploads/2022/01/JEL_TaC-1.pdf

Company Name <u>Cliff Berry Inc</u>						LAB ANALYSIS												Requested Turnaround Time												
Address <u>3802 Ave C</u>						Pres Codes													Note: Rush requests subject to acceptance by the laboratory											
City <u>Pt Pierce</u> State <u>FL</u> Zip <u>34947</u>																			Standard <input checked="" type="checkbox"/>		Expedited <input type="checkbox"/>									
Sampling Site Address <u>Rangeline Rd Wash Pt</u>																			Due <u> </u> / <u> </u> / <u> </u>											
Attn: <u>Jon Kutzner</u> Email <u>JKATZOR@CliffBerry.com</u>																														
Project Name <u>Ranger</u> Project # <u> </u>																														
Sampler Name/Signature <u>[Signature]</u>						Parameters <u>Flash</u>	Field Filtered (Y/N)												Comments											
#	Sample Label (Client ID)	Collected Date	Collected Time	Matrix Code*	# of Cont																									
1	SI	10/31	1630	SW	1																									
2																														
3																														
4																														
5																														
6																														
7																														
8																														
9																														
0																														

Matrix Codes*				Pres Codes		Relinquished by	Date	Time	Received by	Date	Time
S	Soil/Solid Sediment	SW	Surface Water	A- none	I- Ice	<u>[Signature]</u>	11/1/24	15:00	<u>[Signature]</u>	11/1/24	15:00
GW	Ground Water	SL	Sludge	B- HNO ₃	O- Other						
WW	Waste Water	O	Other (Please Specify)	C- H ₂ SO ₄	M- MeOH						
DW	Drinking Water			D- NaOH	N- Na ₂ S ₂ O ₃						
				E- HCl	Z- ZnAc						

QA/QC level with report None <u> </u> 1 <u> </u> 2 <u> </u> 3 <u> </u> See price guide for applicable fees					
FDEP Dry Cleaning <input type="checkbox"/>	FDEP UST Pre-Approval <input type="checkbox"/>	Temp Control:			
SFWMD <input type="checkbox"/>	ADaPT <input type="checkbox"/>	DOT <input type="checkbox"/>	27 °C		

Sample Receiving

From: Nancy Read <n.read@flenviro.com>
Sent: Friday, November 1, 2024 3:45 PM
To: Sample Receiving
Cc: Client Services
Subject: RE: Flashpoint

That's fine. If you need to send less you can. 250ml is good

Nancy Read
Sample Custody Supervisor



Florida Spectrum Environmental Services
1460 West McNab Road
Fort Lauderdale, FL 33309
Main: 954-978-6400
Fax: 954-978-2233
n.read@flenviro.com

We at Florida Spectrum strive to provide excellent service. If we haven't met your expectations or if you would like to comment on our performance please help us by leaving a review at feedback@flenviro.com Thank you for your support!

From: Sample Receiving <SampleReceiving@jupiterlabs.com>
Sent: Friday, November 1, 2024 3:42 PM
To: Nancy Read <n.read@flenviro.com>
Cc: Client Services <clientservices@jupiterlabs.com>
Subject: RE: Flashpoint

Thank you for your response, what container should the sample be in? It is in a 1 liter clear glass container.

Best Regards,

Sample Custodian | Sample Receiving | www.jupiterlabs.com | 561-575-0030 (ext. 3015)

NELAP . DoD ELAP . ISO 17025 . WMBE

We Care about your opinion, please take our survey to provide important feedback at
<https://www.surveymonkey.com/r/TDSL3XP>



This email and any files transmitted with it are confidential and intended solely for the use of the individual or entity to which they are addressed. If you have received this email in error please notify the system manager. Please note that any views or opinions presented in this email are solely those of the author and do not necessarily represent those of the Company. Finally, the recipient should check this email and any attachments for the presence of viruses. The Company accepts no liability for any damage caused by any virus transmitted by this email.

From: Nancy Read <n.read@flenviro.com>
Sent: Friday, November 1, 2024 3:39 PM
To: Sample Receiving <SampleReceiving@jupiterlabs.com>
Cc: Client Services <clientservices@jupiterlabs.com>
Subject: RE: Flashpoint

If the sample matrix is “stirrable” then yes we can.

Nancy Read
Sample Custody Supervisor



Florida Spectrum Environmental Services
1460 West McNab Road
Fort Lauderdale, FL 33309
Main: 954-978-6400
Fax: 954-978-2233
n.read@flenviro.com

We at Florida Spectrum strive to provide excellent service. If we haven't met your expectations or if you would like to comment on our performance please help us by leaving a review at feedback@flenviro.com Thank you for your support!

From: Sample Receiving <SampleReceiving@jupiterlabs.com>
Sent: Friday, November 1, 2024 3:10 PM
To: Nancy Read <n.read@flenviro.com>
Cc: Client Services <clientservices@jupiterlabs.com>
Subject: Flashpoint

Good afternoon,


Do you test for flashpoint? The sample in question appears to be a clear liquid.

Best Regards,

Sample Custodian | Sample Receiving | www.jupiterlabs.com | 561-575-0030 (ext. 3015)

NELAP . DoD ELAP . ISO 17025 . WMBE

We Care about your opinion, please take our survey to provide important feedback at <https://www.surveymonkey.com/r/TDSL3XP>



This email and any files transmitted with it are confidential and intended solely for the use of the individual or entity to which they are addressed. If you have received this email in error please notify the system manager. Please note that any views or opinions presented in this email are solely those of the author and do not necessarily represent those of the Company. Finally, the recipient should check this email and any attachments for the presence of viruses. The Company accepts no liability for any damage caused by any virus transmitted by this email.

SAMPLE RECEIPT CONFIRMATION SHEET

Client Information

SDG: 2492939 Profile: 532
Client: CBI, INC Project: John Katzor
Level: 1 Date Rec'd: 11/1/2024 3:00:00 PM
Rec'd via: Client

Cooler Check

ID	Temp (C)	# of samples	Arrived on Ice	Security Tape Present	Intact	Comments	Temp Gun ID
	2.7	1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Temp Gun 2

Checked By: AW

Sample Verification

Loose Caps?	No	All Samples on COC accounted For?	Yes
Broken Containers?	No	All Samples on COC?	Yes
pH Verified?	No	Written on Internal COC?	No
pH Strip Lot #		Sample Vol. Suff. For Analysis?	Yes
Acid Preserved Samples Lot #		Samples Rec'd W/I Hold Time?	Yes
Base Preserved Samples Lot #		Are All Samples to be Analyzed?	Yes
Samples Received From	Client	Correct Sample Containers?	Yes
Soil Origin (Domestic/Foreign		COC Comments written on COC?	No
Site Location/Project on COC?	Yes	Samplers Initials on COC?	Yes
Client Project # on COC?	Yes	Sample Date/Time Indicated?	Yes
Project Mgr. Indicated on COC	Yes	TAT Requested:	STD
COC relinquished/Dated by Client?	Yes	Client Requests Verbal Results?	No
COC Received/Dated by JEL	Yes	Client Notified of discrepancies?	No
JEL to Conduct ALL Analyses?	No	Do VOC vials have headspace or a bubble >6mm (1/4")?	N/A
Number of Encores	0	Number of Lab Filtered Metals	0

Samples Labeled by AW o 11/1/2024 Labels Confirmed by o

Subcontract Analysis

Parameter	Via	Lab Name	Comments
Flashpoint	Other	Spectrum Analytical, Inc.	