

**From:** [Evans, Coral A](#)  
**To:** [sporcosolutions@gmail.com](mailto:sporcosolutions@gmail.com)  
**Subject:** Inspection Follow-up (Sporco Solutions LLC - FLR000262832)  
**Date:** Thursday, January 23, 2025 8:45:00 AM  
**Attachments:** [HW Used Oil Transporter - Inspection Checklist.doc](#)  
[inspectionphoto-20250122-151323.jpg.jpg](#)  
[inspectionphoto-20250122-150004.jpg.jpg](#)

---

Hello Devon,

It was a pleasure meeting you yesterday, Wednesday, January 22, 2025, during our compliance inspection. As per our conversation onsite, I am sending you this correspondence to document the items discussed.

Please see the attached Used Oil Transporter Checklist for your records [40 CFR 279 Subpart E; 62-710 Florida Administrative Code (F.A.C.)] and FDEP Used Oil Web Page for further guidance on the rules and regulations applicable to your business:

<https://floridadep.gov/waste/permitting-compliance-assistance/content/used-oil-recycling>.

Some deficiencies that will require correction actions:

- One full 250-gallon tote and one partially full 250-gallon tote of used oil were observed not provided with secondary containment (see attached photos)
- The 250-gallon totes have been on-site since November of 2024
- The valid registration form and identification number was not observed displayed in a prominent place [62-710.500(4), FAC]
- Annual employee training records were not available for review that include: [62-710.600(2)(c), F.A.C.]
  - State and federal rules governing used oil
  - Proper used oil management practices, including spill response
  - **SOP for halogen screening including instrument specs and capabilities, calibration methods and frequency, procedures for loads in excess of 1,000 ppm**
  - Record keeping procedures
- Annual Certification along with the annual registration was not available for review. These would include: [62-710.600(2)(d), F.A.C.]
  - Statement that the Transporter is familiar with laws and rules
  - Has an annual and a new employee training program that is annually reviewed to stay current with the rules
  - Provide any modifications to the training plan

Additionally, on-site we discussed the importance of tests that may be conducted to ensure that the **used oil is not a hazardous waste** under the rebuttable presumption of 40 CFR 279.10(b)(1)(ii), the Used Oil Transporter must determine whether the total halogen content of a used oil being transported is above or below 1,000 ppm [40 CFR 279.44(a)]. *Please let the Department know how the facility plans to determine quality of used oil being transported.*

Please provide photo documentation that the aforementioned items have been adequately addressed by **COB, Monday, February 3, 2025.**

Should you have any questions, concerns, or need any additional information please feel free to contact me.

Kind regards,



**Coral Evans**

Florida Department of Environmental Protection  
Southwest District

Environmental Specialist II

[Coral.A.Evans@FloridaDEP.gov](mailto:Coral.A.Evans@FloridaDEP.gov)

Office: 813-470-5912

**From:** [Sporco Solutions](#)  
**To:** [Evans, Coral A](#)  
**Subject:** Re: Inspection Follow-up (Sporco Solutions LLC - FLR000262832)  
**Date:** Thursday, January 30, 2025 8:35:13 PM  
**Attachments:** [Receipt 00-00SYEYY.pdf](#)  
[8700-12FL - FLORIDA NOTIFICATION OF REGULATED WASTE ACTIVITY.pdf](#)

---

**EXTERNAL MESSAGE**


This email originated outside of DEP. Please use caution when opening attachments, clicking links, or responding to this email.

Good Evening Coral,


Please see the attached photos of everything that you requested. As far as the oil being removed, we have a service scheduled for this coming week. I have attached the receipt from Crystal Clean. They informed me that they have to take a sample before scheduling service. The sample was taken this week; the scheduled service appointment is set for next week. I also went ahead and updated my notification of regulated waste activity form to become a transfer facility. Please let me know if you have any questions or concerns.

Thank you for your understanding,









On Thu, Jan 23, 2025 at 8:46 AM Evans, Coral A <[Coral.A.Evans@floridadep.gov](mailto:Coral.A.Evans@floridadep.gov)> wrote:

Hello Devon,

It was a pleasure meeting you yesterday, Wednesday, January 22, 2025, during our compliance inspection. As per our conversation onsite, I am sending you this correspondence to document the items discussed.

Please see the attached Used Oil Transporter Checklist for your records [40 CFR 279 Subpart E; 62-710 Florida Administrative Code (F.A.C.)] and FDEP Used Oil Web Page for further guidance on the rules and regulations applicable to your business:

<https://floridadep.gov/waste/permitting-compliance-assistance/content/used-oil-recycling>.

Some deficiencies that will require correction actions:

- One full 250-gallon tote and one partially full 250-gallon tote of used oil were observed not provided with secondary containment (see attached photos)
- The 250-gallon totes have been on-site since November of 2024
- The valid registration form and identification number was not observed displayed in a prominent place [62-710.500(4), FAC]
- Annual employee training records were not available for review that include: [62-710.600(2)(c), F.A.C.]
  - State and federal rules governing used oil
  - Proper used oil management practices, including spill response
  - **SOP for halogen screening including instrument specs and capabilities, calibration methods and frequency, procedures for loads in excess of 1,000 ppm**
  - Record keeping procedures
- Annual Certification along with the annual registration was not available for review. These would include: [62-710.600(2)(d), F.A.C.]
  - Statement that the Transporter is familiar with laws and rules
  - Has an annual and a new employee training program that is annually reviewed to stay current with the rules
  - Provide any modifications to the training plan

Additionally, on-site we discussed the importance of tests that may be conducted to ensure that the **used oil is not a hazardous waste** under the rebuttable presumption of 40 CFR 279.10(b)(1)(ii), the Used Oil Transporter must determine whether the total halogen content of a used oil being transported is above or below 1,000 ppm [40 CFR 279.44(a)]. *Please let the Department know how the facility plans to determine quality of used oil being transported.*

Please provide photo documentation that the aforementioned items have been adequately addressed by **COB, Monday, February 3, 2025.**

Should you have any questions, concerns, or need any additional information please feel free to contact me.

Kind regards,



**Coral Evans**

Florida Department of Environmental Protection

Southwest District

Environmental Specialist II

[Coral.A.Evans@FloridaDEP.gov](mailto:Coral.A.Evans@FloridaDEP.gov)

Office: 813-470-5912



**From:** [Evans, Coral A](#)  
**To:** [Sporco Solutions](#)  
**Subject:** RE: Inspection Follow-up (Sporco Solutions LLC - FLR000262832)  
**Date:** Monday, February 3, 2025 3:43:00 PM

---

Hello Devon,

Thank you for taking my phone call this afternoon. Additionally, thank you for allowing me to review your updated 8700-12FL Notification Form to ensure all required fields are properly filled in.

- In section #9 for generator of hazardous waste the box is checked no, but c. VSQG is also checked.
- In section #10 a waste code must be inserted as there is an asterisk, for used oil you can use waste code: D001

Once these areas have been addressed, please send the hard copy to the address listed at the top of the page to Tallahassee as a wet signature is required.

The Department appreciates your continued attention and cooperation.  
Please contact me with any questions or concerns.

Kind regards,



**Coral Evans**  
Florida Department of Environmental Protection  
Southwest District  
Environmental Specialist II  
[Coral.A.Evans@FloridaDEP.gov](mailto:Coral.A.Evans@FloridaDEP.gov)  
Office: 813-470-5912

---

**From:** Sporco Solutions <sporcosolutions@gmail.com>  
**Sent:** Thursday, January 30, 2025 8:33 PM  
**To:** Evans, Coral A <Coral.A.Evans@FloridaDEP.gov>  
**Subject:** Re: Inspection Follow-up (Sporco Solutions LLC - FLR000262832)

**EXTERNAL MESSAGE**

This email originated outside of DEP. Please use caution when opening attachments, clicking links, or responding to this email.

Good Evening Coral,

Please see the attached photos of everything that you requested. As far as the oil being removed, we have a service scheduled for this coming week. I have attached the receipt from Crystal Clean. They informed me that they have to take a sample before scheduling service. The sample was taken this week; the scheduled


service appointment is set for next week. I also went ahead and updated my notification of regulated waste activity form to become a transfer facility. Please let me know if you have any questions or concerns.

Thank you for your understanding,









On Thu, Jan 23, 2025 at 8:46 AM Evans, Coral A <[Coral.A.Evans@floridadep.gov](mailto:Coral.A.Evans@floridadep.gov)> wrote:

Hello Devon,

It was a pleasure meeting you yesterday, Wednesday, January 22, 2025, during our compliance inspection. As per our conversation onsite, I am sending you this correspondence to document the items discussed.

Please see the attached Used Oil Transporter Checklist for your records [40 CFR 279 Subpart E; 62-710 Florida Administrative Code (F.A.C.)] and FDEP Used Oil Web Page for further guidance on the rules and regulations applicable to your business: <https://floridadep.gov/waste/permitting-compliance-assistance/content/used-oil-recycling>.

Some deficiencies that will require correction actions:

- One full 250-gallon tote and one partially full 250-gallon tote of used oil were observed not provided with secondary containment (see attached photos)
- The 250-gallon totes have been on-site since November of 2024
- The valid registration form and identification number was not observed displayed in a prominent place [62-710.500(4), FAC]

- Annual employee training records were not available for review that include: [62-710.600(2)(c), F.A.C.]
  - State and federal rules governing used oil
  - Proper used oil management practices, including spill response
  - **SOP for halogen screening including instrument specs and capabilities, calibration methods and frequency, procedures for loads in excess of 1,000 ppm**
  - Record keeping procedures
- Annual Certification along with the annual registration was not available for review. These would include: [62-710.600(2)(d), F.A.C.]
  - Statement that the Transporter is familiar with laws and rules
  - Has an annual and a new employee training program that is annually reviewed to stay current with the rules
  - Provide any modifications to the training plan

Additionally, on-site we discussed the importance of tests that may be conducted to ensure that the **used oil is not a hazardous waste** under the rebuttable presumption of 40 CFR 279.10(b)(1)(ii), the Used Oil Transporter must determine whether the total halogen content of a used oil being transported is above or below 1,000 ppm [40 CFR 279.44(a)]. *Please let the Department know how the facility plans to determine quality of used oil being transported.*

Please provide photo documentation that the aforementioned items have been adequately addressed by **COB, Monday, February 3, 2025.**

Should you have any questions, concerns, or need any additional information please feel free to contact me.

Kind regards,



**Coral Evans**

Florida Department of Environmental Protection  
Southwest District  
Environmental Specialist II  
[Coral.A.Evans@FloridaDEP.gov](mailto:Coral.A.Evans@FloridaDEP.gov)  
Office: 813-470-5912



**From:** [Sporco Solutions](#)  
**To:** [Evans, Coral A](#)  
**Subject:** Re: Inspection Follow-up (Sporco Solutions LLC - FLR000262832)  
**Date:** Tuesday, February 11, 2025 10:25:04 PM  
**Attachments:** [Service Agreement - CCOS3686039.pdf](#)

---

**EXTERNAL MESSAGE**

This email originated outside of DEP. Please use caution when opening attachments, clicking links, or responding to this email.

Coral,

Thanks for the call today. Please see the attached receipt, confirming Crystal Clean picking up the used Oil. Please let me know if you have any questions or need any additional information.

On Mon, Feb 3, 2025 at 3:44 PM Evans, Coral A <[Coral.A.Evans@floridadep.gov](mailto:Coral.A.Evans@floridadep.gov)> wrote:

Hello Devon,

Thank you for taking my phone call this afternoon. Additionally, thank you for allowing me to review your updated 8700-12FL Notification Form to ensure all required fields are properly filled in.

- In section #9 for generator of hazardous waste the box is checked no, but c. VSQG is also checked.
- In section #10 a waste code must be inserted as there is an asterisk, for used oil you can use waste code: D001

Once these areas have been addressed, please send the hard copy to the address listed at the top of the page to Tallahassee as a wet signature is required.

The Department appreciates your continued attention and cooperation.

Please contact me with any questions or concerns.

Kind regards,

**Coral Evans**

Florida Department of Environmental Protection

Southwest District



Environmental Specialist II

[Coral.A.Evans@FloridaDEP.gov](mailto:Coral.A.Evans@FloridaDEP.gov)

Office: 813-470-5912

---

**From:** Sporco Solutions <[sporcosolutions@gmail.com](mailto:sporcosolutions@gmail.com)>

**Sent:** Thursday, January 30, 2025 8:33 PM

**To:** Evans, Coral A <[Coral.A.Evans@FloridaDEP.gov](mailto:Coral.A.Evans@FloridaDEP.gov)>

**Subject:** Re: Inspection Follow-up (Sporco Solutions LLC - FLR000262832)

**EXTERNAL MESSAGE**

This email originated outside of DEP. Please use caution when opening attachments, clicking links, or responding to this email.


Good Evening Coral,

Please see the attached photos of everything that you requested. As far as the oil being removed, we have a service scheduled for this coming week. I have attached the receipt from Crystal Clean. They informed me that they have to take a sample before scheduling service. The sample was taken this week; the scheduled service appointment is set for next week. I also went ahead and updated my notification of regulated waste activity form to become a transfer facility. Please let me know if you have any questions or concerns.

Thank you for your understanding,







**STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION**  
**FLORIDA HIGHWAY SAFETY COUNCIL**  
3000 North 15th Avenue, Tallahassee, FL 32304-3000  
(904) 488-6000

**SPILL RESPONSE CERTIFICATE**

**SPILLER INFORMATION**

Name: SPORCO LLC  
Address: 1400 S. 1st St.  
City: MIAMI State: FL Zip: 33134  
Phone: (305) 444-1111  
Fax: (305) 444-1111  
Email: info@sporco.com

**SPILL INFORMATION**

Date: 10/10/2018  
Time: 10:00 AM  
Location: 1400 S. 1st St.  
Type of Spill: Oil Spill  
Amount Spilled: 100 Gallons  
Cause of Spill: Vehicle Accident  
Weather: Clear  
Road Conditions: Good  
Traffic: Light  
Spill Response Time: 15 Minutes  
Spill Cleanup Time: 30 Minutes  
Spill Cleanup Cost: \$1,000.00  
Spill Cleanup Method: Manual  
Spill Cleanup Equipment: Spill Kit  
Spill Cleanup Personnel: 2  
Spill Cleanup Results: Complete  
Spill Cleanup Remarks: Spill was cleaned up and no further action was required.

**SPILL RESPONSE CERTIFICATE**


**SPILLER INFORMATION**

Name: SPORCO LLC  
Address: 1400 S. 1st St.  
City: MIAMI State: FL Zip: 33134  
Phone: (305) 444-1111  
Fax: (305) 444-1111  
Email: info@sporco.com

**SPILL INFORMATION**

Date: 10/10/2018  
Time: 10:00 AM  
Location: 1400 S. 1st St.  
Type of Spill: Oil Spill  
Amount Spilled: 100 Gallons  
Cause of Spill: Vehicle Accident  
Weather: Clear  
Road Conditions: Good  
Traffic: Light  
Spill Response Time: 15 Minutes  
Spill Cleanup Time: 30 Minutes  
Spill Cleanup Cost: \$1,000.00  
Spill Cleanup Method: Manual  
Spill Cleanup Equipment: Spill Kit  
Spill Cleanup Personnel: 2  
Spill Cleanup Results: Complete  
Spill Cleanup Remarks: Spill was cleaned up and no further action was required.





On Thu, Jan 23, 2025 at 8:46 AM Evans, Coral A <[Coral.A.Evans@floridadep.gov](mailto:Coral.A.Evans@floridadep.gov)> wrote:

Hello Devon,

It was a pleasure meeting you yesterday, Wednesday, January 22, 2025, during our compliance inspection. As per our conversation onsite, I am sending you this correspondence to document the items discussed.

Please see the attached Used Oil Transporter Checklist for your records [40 CFR 279 Subpart E; 62-710 Florida Administrative Code (F.A.C.)] and FDEP Used Oil Web Page for further guidance on the rules and regulations applicable to your business:  
<https://floridadep.gov/waste/permitting-compliance-assistance/content/used-oil-recycling>.

Some deficiencies that will require correction actions:

- One full 250-gallon tote and one partially full 250-gallon tote of used oil were observed not provided with secondary containment (see attached photos)
- The 250-gallon totes have been on-site since November of 2024
- The valid registration form and identification number was not observed displayed in a prominent place



[62-710.500(4), FAC]

- Annual employee training records were not available for review that include: [62-710.600(2)(c), F.A.C.]
  - State and federal rules governing used oil
  - Proper used oil management practices, including spill response
  - **SOP for halogen screening including instrument specs and capabilities, calibration methods and frequency, procedures for loads in excess of 1,000 ppm**
  - Record keeping procedures
- Annual Certification along with the annual registration was not available for review. These would include: [62-710.600(2)(d), F.A.C.]
  - Statement that the Transporter is familiar with laws and rules
  - Has an annual and a new employee training program that is annually reviewed to stay current with the rules
  - Provide any modifications to the training plan

Additionally, on-site we discussed the importance of tests that may be conducted to ensure that the **used oil is not a hazardous waste** under the rebuttable presumption of 40 CFR 279.10(b)(1)(ii), the Used Oil Transporter must determine whether the total halogen content of a used oil being transported is above or below 1,000 ppm [40 CFR 279.44(a)]. *Please let the Department know how the facility plans to determine quality of used oil being transported.*

Please provide photo documentation that the aforementioned items have been adequately addressed by **COB, Monday, February 3, 2025.**

Should you have any questions, concerns, or need any additional information please feel free to contact me.

Kind regards,



**Coral Evans**

Florida Department of Environmental Protection

Southwest District

Environmental Specialist II

[Coral.A.Evans@FloridaDEP.gov](mailto:Coral.A.Evans@FloridaDEP.gov)

Office: 813-470-5912

QUESTION