

Analytical Report

For: Mr. Kirk Wills
Geosyntec
14055 Riveredge Drive, Ste.300
Tampa, FL 33637

CC:

Order Number: B423719
SDG Number:
Client Project ID: FQ0638
Project: Oak Hammock Disposal Landfill
Report Date: 08/04/2004
Sampled By: Client
Sample Received Date: 07/27/2004
Requisition Number:
Purchase Order:



Michael F. Valder, Project Manager
mvalder@stl-inc.com

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Sample Summary

Order: B423719
Date Received: 07/27/2004

Client: Geosyntec
Project: Oak Hammock Disposal Landfill

Client Sample ID	Lab Sample ID	Matrix	Date Sampled
MW-14A	B423719*1	Liquid	07/26/2004 11:10
MW-15A	B423719*2	Liquid	07/26/2004 12:05
MW-1A	B423719*3	Liquid	07/26/2004 12:45
MW-2A	B423719*4	Liquid	07/26/2004 13:55
MW-3A	B423719*5	Liquid	07/26/2004 14:40
Trip Blank	B423719*6	Liquid	07/26/2004

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23719-1	MW-14A	Liquid	07/27/04	07/26/04 11:10	
23719-2	MW-15A	Liquid	07/27/04	07/26/04 12:05	
23719-3	MW-1A	Liquid	07/27/04	07/26/04 12:45	
23719-4	MW-2A	Liquid	07/27/04	07/26/04 13:55	
23719-5	MW-3A	Liquid	07/27/04	07/26/04 14:40	

Parameter	Units	Lab Sample IDs				
		23719-1	23719-2	23719-3	23719-4	23719-5

Appendix I - Organics (8260)

Acetone	ug/l	9.9U	9.9U	13	9.9U	9.9U
Acrylonitrile	ug/l	1.2U	1.2U	1.2U	1.2U	1.2U
Benzene	ug/l	0.27U	0.27U	0.27U	0.27U	0.27U
Bromochloromethane	ug/l	0.58U	0.58U	0.58U	0.58U	0.58U
Bromodichloromethane	ug/l	0.35U	0.35U	0.35U	0.35U	0.35U
Bromoform	ug/l	0.58U	0.58U	0.58U	0.58U	0.58U
Carbon disulfide	ug/l	0.85U	0.85U	0.85U	0.85U	0.85U
Carbon Tetrachloride	ug/l	0.42U	0.42U	0.42U	0.42U	0.42U
Chlorobenzene	ug/l	0.63U	0.63U	0.63U	0.63U	0.63U
Chloroethane	ug/l	0.80U	0.80U	0.80U	0.80U	0.80U
Chloroform	ug/l	0.90U	0.90U	0.90U	0.90U	0.90U
Dibromochloromethane	ug/l	0.34U	0.34U	0.34U	0.34U	0.34U
1,2-Dichlorobenzene	ug/l	0.44U	0.44U	0.44U	0.44U	0.44U
1,4-Dichlorobenzene	ug/l	0.52U	0.52U	0.52U	0.52U	0.52U
Trans-1,4-Dichloro-2-butene	ug/l	2.5U	2.5U	2.5U	2.5U	2.5U
1,1-Dichloroethane	ug/l	0.52U	0.52U	0.52U	0.52U	0.52U
1,2-Dichloroethane	ug/l	0.57U	0.57U	0.57U	0.57U	0.57U
1,1-Dichloroethylene	ug/l	0.45U	0.45U	0.45U	0.45U	0.45U
cis-1,2-Dichloroethylene	ug/l	0.65U	0.65U	0.65U	0.65U	0.65U
trans-1,2-Dichloroethylene	ug/l	0.44U	0.44U	0.44U	0.44U	0.44U
1,2-Dichloropropane	ug/l	0.52U	0.52U	0.52U	0.52U	0.52U
cis-1,3-Dichloropropene	ug/l	0.14U	0.14U	0.14U	0.14U	0.14U
trans-1,3-Dichloropropene	ug/l	0.14U	0.14U	0.14U	0.14U	0.14U
Ethylbenzene	ug/l	0.83U	0.83U	0.83U	0.83U	0.83U
2-Hexanone	ug/l	4.4U	4.4U	4.4U	4.4U	4.4U
Bromomethane	ug/l	0.66U	0.66U	0.66U	0.66U	0.66U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23719-1	MW-14A	Liquid	07/27/04	07/26/04 11:10	
23719-2	MW-15A	Liquid	07/27/04	07/26/04 12:05	
23719-3	MW-1A	Liquid	07/27/04	07/26/04 12:45	
23719-4	MW-2A	Liquid	07/27/04	07/26/04 13:55	
23719-5	MW-3A	Liquid	07/27/04	07/26/04 14:40	

Parameter	Units	Lab Sample IDs				
		23719-1	23719-2	23719-3	23719-4	23719-5

Appendix I - Organics (8260)

Chloromethane	ug/l	0.64U	0.64U	0.64U	0.64U	0.64U
Dibromomethane	ug/l	0.41U	0.41U	0.41U	0.41U	0.41U
Methylene Chloride	ug/l	1.0U	1.0U	1.0U	1.0U	1.0U
2-Butanone (MEK)	ug/l	8.4U	8.4U	8.4U	8.4U	8.4U
Iodomethane	ug/l	0.67U	0.67U	0.67U	0.67U	0.67U
4-Methyl-2-pentanone (MIBK)	ug/l	3.8U	3.8U	3.8U	3.8U	3.8U
Styrene	ug/l	0.98U	0.98U	0.98U	0.98U	0.98U
1,1,1,2-Tetrachloroethane	ug/l	0.63U	0.63U	0.63U	0.63U	0.63U
1,1,2,2-Tetrachloroethane	ug/l	0.14U	0.14U	0.14U	0.14U	0.14U
Tetrachloroethene	ug/l	0.34U	0.34U	0.34U	0.34U	0.34U
Toluene	ug/l	7.1	0.51U	1.9	1.8	7.6
1,1,1-Trichloroethane	ug/l	0.46U	0.46U	0.46U	0.46U	0.46U
1,1,2-Trichloroethane	ug/l	0.47U	0.47U	0.47U	0.47U	0.47U
Trichloroethene	ug/l	0.28U	0.28U	0.28U	0.28U	0.28U
Trichlorofluoromethane	ug/l	0.98U	0.98U	0.98U	0.98U	0.98U
1,2,3-Trichloropropane	ug/l	0.15U	0.15U	0.15U	0.15U	0.15U
Vinyl acetate	ug/l	1.5U	1.5U	1.5U	1.5U	1.5U
Vinyl chloride	ug/l	0.50U	0.50U	0.50U	0.50U	0.50U
Xylenes	ug/l	0.98U	0.98U	0.98U	0.98U	0.98U
Dilution Factor		1	1	1	1	1
Analysis Date		08/02/04	08/02/04	08/02/04	08/02/04	08/03/04
Analysis Time		16:03	16:22	16:41	17:01	12:36
Batch ID		0802H	0802H	0802H	0802H	0802H

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23719-1	MW-14A	Liquid	07/27/04	07/26/04 11:10	
23719-2	MW-15A	Liquid	07/27/04	07/26/04 12:05	
23719-3	MW-1A	Liquid	07/27/04	07/26/04 12:45	
23719-4	MW-2A	Liquid	07/27/04	07/26/04 13:55	
23719-5	MW-3A	Liquid	07/27/04	07/26/04 14:40	

Lab Sample IDs

Parameter	Units	23719-1	23719-2	23719-3	23719-4	23719-5
-----------	-------	---------	---------	---------	---------	---------

Microextractables (504)

1,2-Dibromoethane (EDB)	ug/l	0.0087U	0.0087U	0.0087U	0.0087U	0.0087U
1,2-Dibromo-3-chloropropane	ug/l	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U
Dilution Factor		1	1	1	1	1
Prep Date		08/02/04	08/02/04	08/02/04	08/02/04	08/02/04
Prep Time		13:00	13:00	13:00	13:00	13:00
Analysis Date		08/02/04	08/02/04	08/02/04	08/02/04	08/02/04
Analysis Time		21:24	21:45	22:48	23:10	23:31
Batch ID		0802E	0802E	0802E	0802E	0802E

Appendix I Metals by ICP (6010)

Arsenic	mg/l	0.0038U	0.0038U	0.0038U	0.0038U	0.0038U
Barium	mg/l	0.015	0.011	0.018	0.015	0.018
Beryllium	mg/l	0.00074U	0.00074U	0.00074U	0.00074U	0.00074U
Cadmium	mg/l	0.00071U	0.00071U	0.00071U	0.00071U	0.00071U
Chromium	mg/l	0.0017U	0.0022I	0.0017U	0.0017U	0.0022I
Cobalt	mg/l	0.0014U	0.0014U	0.0014U	0.0014U	0.0014U
Copper	mg/l	0.0013U	0.0013U	0.0013U	0.0013U	0.0013U
Lead	mg/l	0.0015U	0.0015U	0.0015U	0.0015U	0.0015U
Nickel	mg/l	0.0047U	0.0047U	0.0047U	0.0047U	0.0047U
Selenium	mg/l	0.0048U	0.0048U	0.0048U	0.0048U	0.0048U
Silver	mg/l	0.0019U	0.0019U	0.0019U	0.0019U	0.0019U
Vanadium	mg/l	0.0025U	0.0025U	0.0025U	0.0025U	0.0028I
Zinc	mg/l	0.026	0.0059U	0.0059U	0.0059U	0.0059U
Antimony	mg/l	0.0029U	0.0031I	0.0029U	0.0029U	0.0029U
Dilution Factor		1	1	1	1	1
Prep Date		07/27/04	07/27/04	07/27/04	07/27/04	07/27/04
Prep Time		21:50	21:50	21:50	21:50	21:50
Analysis Date		08/03/04	08/03/04	08/03/04	08/03/04	08/03/04
Analysis Time		10:44	10:51	10:57	10:25	11:17
Batch ID		40727J	40727J	40727J	40727J	40727J

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23719-1	MW-14A	Liquid	07/27/04	07/26/04 11:10	
23719-2	MW-15A	Liquid	07/27/04	07/26/04 12:05	
23719-3	MW-1A	Liquid	07/27/04	07/26/04 12:45	
23719-4	MW-2A	Liquid	07/27/04	07/26/04 13:55	
23719-5	MW-3A	Liquid	07/27/04	07/26/04 14:40	

Parameter	Units	Lab Sample IDs				
		23719-1	23719-2	23719-3	23719-4	23719-5

Mercury (7470)

Mercury	mg/l	0.000072U	0.000072U	0.000072U	0.000072U	0.000072U
Dilution Factor		1	1	1	1	1
Prep Date		07/28/04	07/28/04	07/28/04	07/28/04	07/28/04
Prep Time		15:55	15:55	15:55	15:55	15:55
Analysis Date		07/28/04	07/28/04	07/28/04	07/28/04	07/28/04
Analysis Time		20:35	20:40	20:42	20:44	20:45
Batch ID		40728U	40728U	40728U	40728U	40728U

Iron (6010)

Iron	mg/l	5.0	2.5	4.0	1.9	5.8
Dilution Factor		1	1	1	1	1
Prep Date		07/27/04	07/27/04	07/27/04	07/27/04	07/27/04
Prep Time		21:50	21:50	21:50	21:50	21:50
Analysis Date		08/03/04	08/03/04	08/03/04	08/03/04	08/03/04
Analysis Time		10:44	10:51	10:57	10:25	11:17
Batch ID		40727J	40727J	40727J	40727J	40727J

Thallium (7841)

Thallium	mg/l	0.00070U	0.00070U	0.00070U	0.00070U	0.00070U
Dilution Factor		1	1	1	1	1
Prep Date		07/30/04	07/30/04	07/30/04	07/30/04	07/30/04
Prep Time		10:45	10:45	10:45	10:45	10:45
Analysis Date		08/03/04	08/03/04	08/03/04	08/03/04	08/03/04
Analysis Time		17:19	17:23	17:48	17:52	17:56
Batch ID		0730G	0730G	0730G	0730G	0730G

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23719-1	MW-14A	Liquid	07/27/04	07/26/04 11:10	
23719-2	MW-15A	Liquid	07/27/04	07/26/04 12:05	
23719-3	MW-1A	Liquid	07/27/04	07/26/04 12:45	
23719-4	MW-2A	Liquid	07/27/04	07/26/04 13:55	
23719-5	MW-3A	Liquid	07/27/04	07/26/04 14:40	

Parameter	Units	Lab Sample IDs				
		23719-1	23719-2	23719-3	23719-4	23719-5
Sodium (6010)						
Sodium	mg/l	17	9.4	9.5	10	18
Dilution Factor		1	1	1	1	1
Prep Date		07/27/04	07/27/04	07/27/04	07/27/04	07/27/04
Prep Time		21:50	21:50	21:50	21:50	21:50
Analysis Date		08/03/04	08/03/04	08/03/04	08/03/04	08/03/04
Analysis Time		10:44	10:51	10:57	10:25	11:17
Batch ID		40727J	40727J	40727J	40727J	40727J
Chloride (325.3)						
Chloride	mg/l	27	15	23	25	41
Dilution Factor		1	1	1	1	1
Analysis Date		08/02/04	08/02/04	08/02/04	08/02/04	08/02/04
Analysis Time		08:30	08:30	08:30	08:30	08:30
Batch ID		0802M	0802M	0802M	0802M	0802M
Ammonia-N (350.3)						
Ammonia-N	mg/l	0.36	0.10	1.2	0.62	2.9
Dilution Factor		1	1	1	1	1
Analysis Date		07/29/04	07/29/04	07/29/04	07/29/04	07/29/04
Analysis Time		20:00	20:00	20:00	20:00	20:00
Batch ID		0729Y	0729Y	0729Y	0729Y	0729Y

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23719-1	MW-14A	Liquid	07/27/04	07/26/04 11:10	
23719-2	MW-15A	Liquid	07/27/04	07/26/04 12:05	
23719-3	MW-1A	Liquid	07/27/04	07/26/04 12:45	
23719-4	MW-2A	Liquid	07/27/04	07/26/04 13:55	
23719-5	MW-3A	Liquid	07/27/04	07/26/04 14:40	

Parameter	Units	Lab Sample IDs				
		23719-1	23719-2	23719-3	23719-4	23719-5
Nitrate-N (353.2)						
Nitrate-N	mg/l	0.010U	0.010U	0.010U	0.010U	0.010U
Dilution Factor		1	1	1	1	1
Analysis Date		07/28/04	07/28/04	07/28/04	07/28/04	07/28/04
Analysis Time		07:58	07:58	07:58	07:58	07:58
Batch ID		0728G	0728G	0728G	0728G	0728G

Solids, Total Dissolved (160.1)						
Solids, Total Dissolved	mg/l	110	56	94	50	160
Dilution Factor		1	1	1	1	1
Analysis Date		08/02/04	08/02/04	08/02/04	08/02/04	08/02/04
Analysis Time		14:00	14:00	14:00	14:00	14:00
Batch ID		0802J	0802J	0802J	0802J	0802J

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23719-6	Trip Blank	Liquid	07/27/04	07/26/04	

Parameter	Units	Lab Sample IDs	
		23719-6	

Appendix I - Organics (8260)

Acetone	ug/l	9.9U
Acrylonitrile	ug/l	1.2U
Benzene	ug/l	0.27U
Bromochloromethane	ug/l	0.58U
Bromodichloromethane	ug/l	0.35U
Bromoform	ug/l	0.58U
Carbon disulfide	ug/l	0.85U
Carbon Tetrachloride	ug/l	0.42U
Chlorobenzene	ug/l	0.63U
Chloroethane	ug/l	0.80U
Chloroform	ug/l	0.90U
Dibromochloromethane	ug/l	0.34U
1,2-Dichlorobenzene	ug/l	0.44U
1,4-Dichlorobenzene	ug/l	0.52U
Trans-1,4-Dichloro-2-butene	ug/l	2.5U
1,1-Dichloroethane	ug/l	0.52U
1,2-Dichloroethane	ug/l	0.57U
1,1-Dichloroethylene	ug/l	0.45U
cis-1,2-Dichloroethylene	ug/l	0.65U
trans-1,2-Dichloroethylene	ug/l	0.44U
1,2-Dichloropropane	ug/l	0.52U
cis-1,3-Dichloropropene	ug/l	0.14U
trans-1,3-Dichloropropene	ug/l	0.14U
Ethylbenzene	ug/l	0.83U
2-Hexanone	ug/l	4.4U
Bromomethane	ug/l	0.66U
Chloromethane	ug/l	0.64U
Dibromomethane	ug/l	0.41U
Methylene Chloride	ug/l	1.0U
2-Butanone (MEK)	ug/l	8.4U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23719-6	Trip Blank	Liquid	07/27/04	07/26/04	

Parameter	Units	Lab Sample IDs
		23719-6

Appendix I - Organics (8260)

Iodomethane	ug/l	0.67U
4-Methyl-2-pentanone (MIBK)	ug/l	3.8U
Styrene	ug/l	0.98U
1,1,1,2-Tetrachloroethane	ug/l	0.63U
1,1,1,2-Tetrachloroethane	ug/l	0.14U
Tetrachloroethene	ug/l	0.34U
Toluene	ug/l	0.51U
1,1,1-Trichloroethane	ug/l	0.46U
1,1,2-Trichloroethane	ug/l	0.47U
Trichloroethene	ug/l	0.28U
Trichlorofluoromethane	ug/l	0.98U
1,2,3-Trichloropropane	ug/l	0.15U
Vinyl acetate	ug/l	1.5U
Vinyl chloride	ug/l	0.50U
Xylenes	ug/l	0.98U
Dilution Factor		1
Analysis Date		08/02/04
Analysis Time		15:22
Batch ID		0802H

Microextractables (504)

1,2-Dibromoethane (EDB)	ug/l	0.0087U
1,2-Dibromo-3-chloropropane	ug/l	0.0030U
Dilution Factor		1
Prep Date		08/02/04
Prep Time		13:00
Analysis Date		08/03/04
Analysis Time		00:13
Batch ID		0802E

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23719-7	Method Blank	Liquid	07/27/04		

Parameter	Units	Lab Sample IDs	
		23719-7	

Appendix I - Organics (8260)

Acetone	ug/l	9.9U
Acrylonitrile	ug/l	1.2U
Benzene	ug/l	0.27U
Bromochloromethane	ug/l	0.58U
Bromodichloromethane	ug/l	0.35U
Bromoform	ug/l	0.58U
Carbon disulfide	ug/l	0.85U
Carbon Tetrachloride	ug/l	0.42U
Chlorobenzene	ug/l	0.63U
Chloroethane	ug/l	0.80U
Chloroform	ug/l	0.90U
Dibromochloromethane	ug/l	0.34U
1,2-Dichlorobenzene	ug/l	0.44U
1,4-Dichlorobenzene	ug/l	0.52U
Trans-1,4-Dichloro-2-butene	ug/l	2.5U
1,1-Dichloroethane	ug/l	0.52U
1,2-Dichloroethane	ug/l	0.57U
1,1-Dichloroethylene	ug/l	0.45U
cis-1,2-Dichloroethylene	ug/l	0.65U
trans-1,2-Dichloroethylene	ug/l	0.44U
1,2-Dichloropropane	ug/l	0.52U
cis-1,3-Dichloropropene	ug/l	0.14U
trans-1,3-Dichloropropene	ug/l	0.14U
Ethylbenzene	ug/l	0.83U
2-Hexanone	ug/l	4.4U
Bromomethane	ug/l	0.66U
Chloromethane	ug/l	0.64U
Dibromomethane	ug/l	0.41U
Methylene Chloride	ug/l	1.0U
2-Butanone (MEK)	ug/l	8.4U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23719-7	Method Blank	Liquid	07/27/04		

Parameter	Units	Lab Sample IDs
		23719-7

Appendix I - Organics (8260)

Iodomethane	ug/l	0.67U
4-Methyl-2-pentanone (MIBK)	ug/l	3.8U
Styrene	ug/l	0.98U
1,1,1,2-Tetrachloroethane	ug/l	0.63U
1,1,2,2-Tetrachloroethane	ug/l	0.14U
Tetrachloroethene	ug/l	0.34U
Toluene	ug/l	0.51U
1,1,1-Trichloroethane	ug/l	0.46U
1,1,2-Trichloroethane	ug/l	0.47U
Trichloroethene	ug/l	0.28U
Trichlorofluoromethane	ug/l	0.98U
1,2,3-Trichloropropane	ug/l	0.15U
Vinyl acetate	ug/l	1.5U
Vinyl chloride	ug/l	0.50U
Xylenes	ug/l	0.98U
Dilution Factor		1
Analysis Date		08/02/04
Analysis Time		10:37
Batch ID		0802H

Microextractables (504)

1,2-Dibromoethane (EDB)	ug/l	0.0087U
1,2-Dibromo-3-chloropropane	ug/l	0.0030U
Dilution Factor		1
Prep Date		08/02/04
Prep Time		13:00
Analysis Date		08/02/04
Analysis Time		20:21
Batch ID		0802E

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23719-7	Method Blank	Liquid	07/27/04		

Parameter	Units	Lab Sample IDs
		23719-7

Appendix I Metals by ICP (6010)

Arsenic	mg/l	0.0038U
Barium	mg/l	0.0012U
Beryllium	mg/l	0.00074U
Cadmium	mg/l	0.00071U
Chromium	mg/l	0.0017U
Cobalt	mg/l	0.0014U
Copper	mg/l	0.0013U
Lead	mg/l	0.0015U
Nickel	mg/l	0.0047U
Selenium	mg/l	0.0048U
Silver	mg/l	0.0019U
Vanadium	mg/l	0.0025U
Zinc	mg/l	0.0059U
Antimony	mg/l	0.0029U
Dilution Factor		1
Prep Date		07/27/04
Prep Time		21:50
Analysis Date		08/03/04
Analysis Time		09:59
Batch ID		40727J

Mercury (7470)

Mercury	mg/l	0.000072U
Dilution Factor		1
Prep Date		07/28/04
Prep Time		15:55
Analysis Date		07/28/04
Analysis Time		20:24
Batch ID		40728U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23719-7	Method Blank	Liquid	07/27/04		

Parameter	Units	Lab Sample IDs 23719-7
-----------	-------	---------------------------

Iron (6010)

Iron	mg/l	0.037U
Dilution Factor		1
Prep Date		07/27/04
Prep Time		21:50
Analysis Date		08/03/04
Analysis Time		09:59
Batch ID		40727J

Thallium (7841)

Thallium	mg/l	0.00070U
Dilution Factor		1
Prep Date		07/30/04
Prep Time		10:45
Analysis Date		08/03/04
Analysis Time		17:07
Batch ID		0730G

Sodium (6010)

Sodium	mg/l	0.15U
Dilution Factor		1
Prep Date		07/27/04
Prep Time		21:50
Analysis Date		08/03/04
Analysis Time		09:59
Batch ID		40727J

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23719-7	Method Blank	Liquid	07/27/04		

Parameter	Units	Lab Sample IDs
		23719-7

Chloride (325.3)

Chloride	mg/l	1.0U
Dilution Factor		1
Analysis Date		08/02/04
Analysis Time		08:30
Batch ID		0802M

Ammonia-N (350.3)

Ammonia-N	mg/l	0.040U
Dilution Factor		1
Analysis Date		07/29/04
Analysis Time		20:00
Batch ID		0729Y

Nitrate-N (353.2)

Nitrate-N	mg/l	0.010U
Dilution Factor		1
Analysis Date		07/28/04
Analysis Time		07:58
Batch ID		0728G

Solids, Total Dissolved (160.1)

Solids, Total Dissolved	mg/l	5.0U
Dilution Factor		1
Analysis Date		08/02/04
Analysis Time		14:00
Batch ID		0802J

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23719-8	Lab Control Standard % Recovery	Liquid	07/27/04		
23719-9	Lab Control Standard Duplicate % Recovery	Liquid	07/27/04		
23719-10	Precision (%RPD) of LCS/LCSD	Liquid	07/27/04		
23719-11	LCS Accuracy Control Limit (%R)	Liquid	07/27/04		
23719-12	LCS Precision Control Limit (Advisory) %RPD	Liquid	07/27/04		

Parameter	Units	Lab Sample IDs				
		23719-8	23719-9	23719-10	23719-11	23719-12

Appendix I - Organics (8260)

Benzene	%	96 %	94 %	2.1 %	62-135 %	<16 %
Chlorobenzene	%	92 %	98 %	6.3 %	72-127 %	<22 %
1,1-Dichloroethylene	%	96 %	96 %	0 %	46-147 %	<30 %
Toluene	%	104 %	108 %	3.8 %	68-131 %	<33 %
Trichloroethene	%	96 %	92 %	4.2 %	56-143 %	<35 %
Dilution Factor		1	1			
Analysis Date		08/02/04	08/02/04			
Analysis Time		09:39	09:58			
Batch ID		0802H	0802H	0802H		

Microextractables (504)

1,2-Dibromoethane (EDB)	%	109 %	110 %	0.91 %	70-130 %	<30 %
1,2-Dibromo-3-chloropropane	%	115 %	116 %	0.86 %	70-130 %	<30 %
Dilution Factor		1	1			
Prep Date		08/02/04	08/02/04			
Prep Time		13:00	13:00			
Analysis Date		08/02/04	08/02/04			
Analysis Time		20:42	21:03			
Batch ID		0802E	0802E	0802E		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23719-8	Lab Control Standard % Recovery	Liquid	07/27/04		
23719-9	Lab Control Standard Duplicate % Recovery	Liquid	07/27/04		
23719-10	Precision (%RPD) of LCS/LCSD	Liquid	07/27/04		
23719-11	LCS Accuracy Control Limit (%R)	Liquid	07/27/04		
23719-12	LCS Precision Control Limit (Advisory) %RPD	Liquid	07/27/04		

Parameter	Units	Lab Sample IDs				
		23719-8	23719-9	23719-10	23719-11	23719-12

Appendix I Metals by ICP (6010)

Arsenic	%	101 %	101 %	0.59 %	75-125 %	<20 %
Barium	%	100 %	100 %	0 %	75-125 %	<20 %
Beryllium	%	101 %	102 %	1.1 %	75-125 %	<20 %
Cadmium	%	102 %	104 %	1.3 %	75-125 %	<20 %
Chromium	%	101 %	103 %	1.6 %	75-125 %	<20 %
Cobalt	%	105 %	107 %	1.7 %	75-125 %	<20 %
Copper	%	106 %	106 %	0.19 %	75-125 %	<20 %
Lead	%	102 %	103 %	1.1 %	75-125 %	<20 %
Nickel	%	104 %	106 %	1.2 %	75-125 %	<20 %
Selenium	%	101 %	101 %	0.40 %	75-125 %	<20 %
Silver	%	100 %	100 %	0 %	75-125 %	<20 %
Vanadium	%	102 %	103 %	0.88 %	75-125 %	<20 %
Zinc	%	104 %	106 %	1.6 %	75-125 %	<20 %
Antimony	%	95 %	96 %	0.95 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		07/27/04	07/27/04			
Prep Time		21:50	21:50			
Analysis Date		08/03/04	08/03/04			
Analysis Time		10:05	10:12			
Batch ID		40727J	40727J	40727J		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23719-8	Lab Control Standard % Recovery	Liquid	07/27/04		
23719-9	Lab Control Standard Duplicate % Recovery	Liquid	07/27/04		
23719-10	Precision (%RPD) of LCS/LCSD	Liquid	07/27/04		
23719-11	LCS Accuracy Control Limit (%R)	Liquid	07/27/04		
23719-12	LCS Precision Control Limit (Advisory) %RPD	Liquid	07/27/04		

Parameter	Units	Lab Sample IDs				
		23719-8	23719-9	23719-10	23719-11	23719-12

Mercury (7470)

Mercury	%	94 %	92 %	2.2 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		07/28/04	07/28/04			
Prep Time		15:55	15:55			
Analysis Date		07/28/04	07/28/04			
Analysis Time		20:25	20:27			
Batch ID		40728U	40728U	40728U		

Iron (6010)

Iron	%	100 %	104 %	3.1 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		07/27/04	07/27/04			
Prep Time		21:50	21:50			
Analysis Date		08/03/04	08/03/04			
Analysis Time		10:05	10:12			
Batch ID		40727J	40727J	40727J		

Thallium (7841)

Thallium	%	114 %	111 %	2.5 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		07/30/04	07/30/04			
Prep Time		10:45	10:45			
Analysis Date		08/03/04	08/03/04			
Analysis Time		17:11	17:15			
Batch ID		0730G	0730G	0730G		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23719-8	Lab Control Standard % Recovery	Liquid	07/27/04		
23719-9	Lab Control Standard Duplicate % Recovery	Liquid	07/27/04		
23719-10	Precision (%RPD) of LCS/LCSD	Liquid	07/27/04		
23719-11	LCS Accuracy Control Limit (%R)	Liquid	07/27/04		
23719-12	LCS Precision Control Limit (Advisory) %RPD	Liquid	07/27/04		

Parameter	Units	Lab Sample IDs				
		23719-8	23719-9	23719-10	23719-11	23719-12

Sodium (6010)

Sodium	%	92 %	95 %	3.5 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		07/27/04	07/27/04			
Prep Time		21:50	21:50			
Analysis Date		08/03/04	08/03/04			
Analysis Time		10:05	10:12			
Batch ID		40727J	40727J	40727J		

Chloride (325.3)

Chloride	%	101 %	100 %	0.90 %	75-125 %	<30 %
Dilution Factor		1	1			
Analysis Date		08/02/04	08/02/04			
Analysis Time		08:30	08:30			
Batch ID		0802M	0802M	0802M		

Ammonia-N (350.3)

Ammonia-N	%	100 %	100 %	0 %	85-115 %	<30 %
Dilution Factor		1	1			
Analysis Date		07/29/04	07/29/04			
Analysis Time		20:00	20:00			
Batch ID		0729Y	0729Y	0729Y		

STL Tampa

6712 Benjamin Road, Suite 100 - Tampa FL 33634 Telephone:(813) 885-7427 Fax:(813) 885-7049

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23719-8	Lab Control Standard % Recovery	Liquid	07/27/04		
23719-9	Lab Control Standard Duplicate % Recovery	Liquid	07/27/04		
23719-10	Precision (%RPD) of LCS/LCSD	Liquid	07/27/04		
23719-11	LCS Accuracy Control Limit (%R)	Liquid	07/27/04		
23719-12	LCS Precision Control Limit (Advisory) %RPD	Liquid	07/27/04		

Parameter	Units	Lab Sample IDs				
		23719-8	23719-9	23719-10	23719-11	23719-12
Nitrate-N (353.2)						
Nitrate-N	%	97 %	97 %	0.51 %	80-120 %	<30 %
Dilution Factor		1	1			
Analysis Date		07/28/04	07/28/04			
Analysis Time		07:58	07:58			
Batch ID		0728G	0728G	0728G		
Solids, Total Dissolved (160.1)						
Solids, Total Dissolved	%	99 %	100 %	0.50 %	80-120 %	<25 %
Dilution Factor		1	1			
Analysis Date		08/02/04	08/02/04			
Analysis Time		14:00	14:00			
Batch ID		0802J	0802J	0802J		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23719-13	Matrix Spike % Recovery	Liquid	07/27/04		
23719-14	Matrix Spike Duplicate % Recovery	Liquid	07/27/04		
23719-15	Precision (%RPD) MS/MSD	Liquid	07/27/04		
23719-16	MS Accuracy Advisory Limit (%R)	Liquid	07/27/04		
23719-17	MS Precision Advisory Limit (%RPD)	Liquid	07/27/04		

Parameter	Units	Lab Sample IDs				
		23719-13	23719-14	23719-15	23719-16	23719-17

Appendix I - Organics (8260)

Benzene	%	94 %	94 %	0 %	62-135 %	<16 %
Chlorobenzene	%	96 %	90 %	6.4 %	72-127 %	<22 %
1,1-Dichloroethylene	%	90 %	94 %	4.3 %	46-147 %	<30 %
Toluene	%	96 %	100 %	3.6 %	68-131 %	<33 %
Trichloroethene	%	88 %	88 %	0 %	56-143 %	<35 %
Dilution Factor		1	1			
Analysis Date		08/03/04	08/03/04			
Analysis Time		12:55	13:14			
Batch ID		0802H	0802H	0802H		

Microextractables (504)

1,2-Dibromoethane (EDB)	%	108 %	109 %	0.92 %	70-130 %	<30 %
1,2-Dibromo-3-chloropropane	%	124 %	126 %	1.6 %	70-130 %	<30 %
Dilution Factor		1	1			
Prep Date		08/02/04	08/02/04			
Prep Time		13:00	13:00			
Analysis Date		08/02/04	08/02/04			
Analysis Time		22:06	22:27			
Batch ID		0802E	0802E	0802E		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23719-13	Matrix Spike % Recovery	Liquid	07/27/04		
23719-14	Matrix Spike Duplicate % Recovery	Liquid	07/27/04		
23719-15	Precision (%RPD) MS/MSD	Liquid	07/27/04		
23719-16	MS Accuracy Advisory Limit (%R)	Liquid	07/27/04		
23719-17	MS Precision Advisory Limit (%RPD)	Liquid	07/27/04		

Parameter	Units	Lab Sample IDs				
		23719-13	23719-14	23719-15	23719-16	23719-17

Appendix I Metals by ICP (6010)

Arsenic	%	103 %	101 %	1.3 %	75-125 %	<20 %
Barium	%	100 %	100 %	0.62 %	75-125 %	<20 %
Beryllium	%	103 %	103 %	0.06 %	75-125 %	<20 %
Cadmium	%	104 %	104 %	0.08 %	75-125 %	<20 %
Chromium	%	104 %	104 %	0.05 %	75-125 %	<20 %
Cobalt	%	108 %	108 %	0.17 %	75-125 %	<20 %
Copper	%	107 %	107 %	0.51 %	75-125 %	<20 %
Lead	%	103 %	104 %	0.70 %	75-125 %	<20 %
Nickel	%	106 %	107 %	0.28 %	75-125 %	<20 %
Selenium	%	101 %	103 %	1.3 %	75-125 %	<20 %
Silver	%	100 %	100 %	0.59 %	75-125 %	<20 %
Vanadium	%	104 %	103 %	0.46 %	75-125 %	<20 %
Zinc	%	108 %	109 %	0.62 %	75-125 %	<20 %
Antimony	%	96 %	96 %	0.46 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		07/27/04	07/27/04			
Prep Time		21:50	21:50			
Analysis Date		08/03/04	08/03/04			
Analysis Time		10:31	10:38			
Batch ID		40727J	40727J	40727J		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23719-13	Matrix Spike % Recovery	Liquid	07/27/04		
23719-14	Matrix Spike Duplicate % Recovery	Liquid	07/27/04		
23719-15	Precision (%RPD) MS/MSD	Liquid	07/27/04		
23719-16	MS Accuracy Advisory Limit (%R)	Liquid	07/27/04		
23719-17	MS Precision Advisory Limit (%RPD)	Liquid	07/27/04		

Parameter	Units	Lab Sample IDs				
		23719-13	23719-14	23719-15	23719-16	23719-17
Mercury (7470)						
Mercury	%	96 %	94 %	2.1 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		07/28/04	07/28/04			
Prep Time		15:55	15:55			
Analysis Date		07/28/04	07/28/04			
Analysis Time		20:37	20:38			
Batch ID		40728U	40728U	40728U		
Iron (6010)						
Iron	%	106 %	105 %	0.14 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		07/27/04	07/27/04			
Prep Time		21:50	21:50			
Analysis Date		08/03/04	08/03/04			
Analysis Time		10:31	10:38			
Batch ID		40727J	40727J	40727J		
Thallium (7841)						
Thallium	%	112 %	109 %	2.5 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		07/30/04	07/30/04			
Prep Time		10:45	10:45			
Analysis Date		08/03/04	08/03/04			
Analysis Time		17:31	17:35			
Batch ID		0730G	0730G	0730G		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23719-13	Matrix Spike % Recovery	Liquid	07/27/04		
23719-14	Matrix Spike Duplicate % Recovery	Liquid	07/27/04		
23719-15	Precision (%RPD) MS/MSD	Liquid	07/27/04		
23719-16	MS Accuracy Advisory Limit (%R)	Liquid	07/27/04		
23719-17	MS Precision Advisory Limit (%RPD)	Liquid	07/27/04		

Parameter	Units	Lab Sample IDs				
		23719-13	23719-14	23719-15	23719-16	23719-17
Sodium (6010)						
Sodium	%	103 %	102 %	0.12 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		07/27/04	07/27/04			
Prep Time		21:50	21:50			
Analysis Date		08/03/04	08/03/04			
Analysis Time		10:31	10:38			
Batch ID		40727J	40727J	40727J		
Chloride (325.3)						
Chloride	%	101 %	101 %	0 %	75-125 %	<30 %
Dilution Factor		1	1			
Analysis Date		08/02/04	08/02/04			
Analysis Time		08:30	08:30			
Batch ID		0802M	0802M	0802M		
Ammonia-N (350.3)						
Ammonia-N	%	100 %	100 %	0 %	85-115 %	<30 %
Dilution Factor		1	1			
Analysis Date		07/29/04	07/29/04			
Analysis Time		20:00	20:00			
Batch ID		0729Y	0729Y	0729Y		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23719-13	Matrix Spike % Recovery	Liquid	07/27/04		
23719-14	Matrix Spike Duplicate % Recovery	Liquid	07/27/04		
23719-15	Precision (%RPD) MS/MSD	Liquid	07/27/04		
23719-16	MS Accuracy Advisory Limit (%R)	Liquid	07/27/04		
23719-17	MS Precision Advisory Limit (%RPD)	Liquid	07/27/04		

Parameter	Units	Lab Sample IDs				
		23719-13	23719-14	23719-15	23719-16	23719-17

Nitrate-N (353.2)

Nitrate-N	%	102 %	103 %	0.68 %	80-120 %	<30 %
Dilution Factor		1	1			
Analysis Date		07/28/04	07/28/04			
Analysis Time		07:58	07:58			
Batch ID		0728G	0728G	0728G		

Solids, Total Dissolved (160.1)

Solids, Total Dissolved	%	101 %	106 %	5.2 %	80-120 %	<25 %
Dilution Factor		1	1			
Analysis Date		08/02/04	08/02/04			
Analysis Time		14:00	14:00			
Batch ID		0802J	0802J	0802J		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23719-18	Practical Quantitation Limit (PQL)	Liquid	07/27/04		
23719-19	Method Detection Limit (MDL)	Liquid	07/27/04		

Parameter	Units	Lab Sample IDs	
		23719-18	23719-19

Appendix I - Organics (8260)

Parameter	Units	23719-18	23719-19
Acetone	ug/l	10	9.9
Acrylonitrile	ug/l	100	1.2
Benzene	ug/l	1.0	0.27
Bromochloromethane	ug/l	1.0	0.58
Bromodichloromethane	ug/l	1.0	0.35
Bromoform	ug/l	1.0	0.58
Carbon disulfide	ug/l	1.0	0.85
Carbon Tetrachloride	ug/l	1.0	0.42
Chlorobenzene	ug/l	1.0	0.63
Chloroethane	ug/l	1.0	0.80
Chloroform	ug/l	1.0	0.90
Dibromochloromethane	ug/l	1.0	0.34
1,2-Dichlorobenzene	ug/l	1.0	0.44
1,4-Dichlorobenzene	ug/l	1.0	0.52
Trans-1,4-Dichloro-2-butene	ug/l	10	2.5
1,1-Dichloroethane	ug/l	1.0	0.52
1,2-Dichloroethane	ug/l	1.0	0.57
1,1-Dichloroethylene	ug/l	1.0	0.45
cis-1,2-Dichloroethylene	ug/l	1.0	0.65
trans-1,2-Dichloroethylene	ug/l	1.0	0.44
1,2-Dichloropropane	ug/l	1.0	0.52
cis-1,3-Dichloropropene	ug/l	1.0	0.14
trans-1,3-Dichloropropene	ug/l	1.0	0.14
Ethylbenzene	ug/l	1.0	0.83
2-Hexanone	ug/l	10	4.4
Bromomethane	ug/l	1.0	0.66
Chloromethane	ug/l	1.0	0.64
Dibromomethane	ug/l	1.0	0.41
Methylene Chloride	ug/l	5.0	1.0

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23719-18	Practical Quantitation Limit (PQL)	Liquid	07/27/04		
23719-19	Method Detection Limit (MDL)	Liquid	07/27/04		

Parameter	Units	Lab Sample IDs	
		23719-18	23719-19

Appendix I - Organics (8260)

2-Butanone (MEK)	ug/l	10	8.4
Iodomethane	ug/l	1.0	0.67
4-Methyl-2-pentanone (MIBK)	ug/l	10	3.8
Styrene	ug/l	1.0	0.98
1,1,1,2-Tetrachloroethane	ug/l	1.0	0.63
1,1,2,2-Tetrachloroethane	ug/l	1.0	0.14
Tetrachloroethene	ug/l	1.0	0.34
Toluene	ug/l	1.0	0.51
1,1,1-Trichloroethane	ug/l	1.0	0.46
1,1,2-Trichloroethane	ug/l	1.0	0.47
Trichloroethene	ug/l	1.0	0.28
Trichlorofluoromethane	ug/l	1.0	0.98
1,2,3-Trichloropropane	ug/l	1.0	0.15
Vinyl acetate	ug/l	10	1.5
Vinyl chloride	ug/l	1.0	0.50
Xylenes	ug/l	1.0	0.98

Microextractables (504)

1,2-Dibromoethane (EDB)	ug/l	0.020	0.0087
1,2-Dibromo-3-chloropropane	ug/l	0.020	0.0030

Appendix I Metals by ICP (6010)

Arsenic	mg/l	0.010	0.0038
Barium	mg/l	0.010	0.0012
Beryllium	mg/l	0.0040	0.00074
Cadmium	mg/l	0.0050	0.00071
Chromium	mg/l	0.010	0.0017

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23719-18	Practical Quantitation Limit (PQL)	Liquid	07/27/04		
23719-19	Method Detection Limit (MDL)	Liquid	07/27/04		

Lab Sample IDs

Parameter	Units	23719-18	23719-19
-----------	-------	----------	----------

Appendix I Metals by ICP (6010)

Cobalt	mg/l	0.010	0.0014
Copper	mg/l	0.020	0.0013
Lead	mg/l	0.0050	0.0015
Nickel	mg/l	0.040	0.0047
Selenium	mg/l	0.010	0.0048
Silver	mg/l	0.010	0.0019
Vanadium	mg/l	0.010	0.0025
Zinc	mg/l	0.020	0.0059
Antimony	mg/l	0.0060	0.0025

Mercury (7470)

Mercury	mg/l	0.00020	0.000072
---------	------	---------	----------

Iron (6010)

Iron	mg/l	0.050	0.037
------	------	-------	-------

Thallium (7841)

Thallium	mg/l	0.0020	0.00070
----------	------	--------	---------

Sodium (6010)

Sodium	mg/l	0.50	0.15
--------	------	------	------

STL Tampa

6712 Benjamin Road, Suite 100 - Tampa FL 33634 Telephone:(813) 885-7427 Fax:(813) 885-7049

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23719-18	Practical Quantitation Limit (PQL)	Liquid	07/27/04		
23719-19	Method Detection Limit (MDL)	Liquid	07/27/04		

Parameter	Units	Lab Sample IDs	
		23719-18	23719-19
Chloride (325.3)			
Chloride	mg/l	1.0	1.0
Ammonia-N (350.3)			
Ammonia-N	mg/l	0.050	0.040
Nitrate-N (353.2)			
Nitrate-N	mg/l	0.050	0.010
Solids, Total Dissolved (160.1)			
Solids, Total Dissolved	mg/l	5.0	5.0

Order Number: B423719

These test results meet all the requirements of NELAP. All questions regarding this test report should be directed to the STL Project Manager who signed this test report.

The estimated uncertainty associated with these reported results is available upon request.

STL Savannah, 5102 LaRoche Ave., Savannah, GA 31404
Phone #912/354-7858. DOH Certification #E87052

I = The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.

U = Indicates that the compound was analyzed for but not detected.

Remit To: SEVERN TRENT LABORATORIES, INC. P.O. Box 7777 W4305 Philadelphia, PA 19175-4305
STL Tampa 6712 Benjamin Road, Suite 100 - Tampa FL 33634 Tel:813-885-7427 Fax:813-885-7049

INVOICE

Federal ID# 23-2919996

Mr. Kirk Wills
Geosyntec
14055 Riveredge Drive, Ste.300
Tampa, FL 33637

Invoice CC:

DATE 08/04/04	TERMS Net 30 Days	CLIENT PO #	CLIENT PROJECT # FQ0638	PROJECT Oak Hammock Disposal La
------------------	----------------------	-------------	----------------------------	------------------------------------

INVOICE # 66018185	CONTRACT #	CODE MV*387007	
-----------------------	------------	-------------------	--

LOG # B423719	CREDIT / DEBIT	ORIGINATING LOG #	SDG #	REQUISITION #
------------------	----------------	-------------------	-------	---------------

QUANTITY	MATRIX	METHOD	DESCRIPTION	UNIT PRICE	EXTENDED AMOUNT
5	Liquid	8260	Appendix I - Organics	62.40	312.00
5	Liquid	504	Microextractables	33.15	165.75
5	Liquid	6010	Appendix I Metals by ICP	65.52	327.60
5	Liquid	7470	Mercury	15.60	78.00
5	Liquid	6010	Iron	4.68	23.40
5	Liquid	7841	Thallium	12.00	60.00
5	Liquid	6010	Sodium	4.68	23.40
5	Liquid	325.3	Chloride	9.75	48.75
5	Liquid	350.3	Ammonia-N	7.80	39.00
5	Liquid	353.2	Nitrate-N	9.75	48.75
5	Liquid	160.1	Solids, Total Dissolved	5.85	29.25
Total for this page					\$1,155.90
INVOICE TOTAL					\$1,155.90

REPORTED TO Mr. Kirk Wills	OFFICE Geosyntec	OFFICE PHONE (813) 558-0990
--------------------------------------	----------------------------	---------------------------------------

For proper credit, please show INVOICE NUMBER on your remittance.
After 30 days, service charges of 1.5% per 30 days will be applied to unpaid balance.

ANALYSIS REQUEST AND CHAIN OF CUSTODY RECORD

SEVERN
TRENT

STL 42 37 19

STL Tampa
6712 Benjamin Road, Suite 100
Tampa, FL 33634

Website: www.stl-inc.com
Phone: (813) 885-7427
Fax: (813) 885-7049

Alternate Laboratory Name/Location

Phone:
Fax:

PROJECT REFERENCE: **DHDF** PROJECT NO.: **FR0138** PROJECT LOCATION (STATE): **FL** CONTRACT NO.: _____

SAMPLER'S SIGNATURE: *[Signature]* P.O. NUMBER: _____

CLIENT (SITE) PM: *[Signature]* CLIENT PHONE: **(813) 558-0990** CLIENT FAX: **(813) 558-9726**

CLIENT NAME: **KIRK WILLS** CLIENT E-MAIL: **KWILLS@GEOSYNTEC.COM**

CLIENT ADDRESS: **GEOSYNTEC** CLIENT ADDRESS: **14055 RIVERDALE DR. SUITE 300 TAMPA, FL 33637**

COMPANY CONTRACTING THIS WORK (if applicable): _____

RECEIVED FOR LABORATORY BY: *[Signature]* DATE: **7-27-09** TIME: **1035** CUSTODY INTACT: YES NO SEAL NO. **N/S** STL TAMPA LOG NO. **B423719**

LABORATORY USE ONLY: DATE: **7-26-04** TIME: **17:22** RELINQUISHED BY: *[Signature]* DATE: **7/26/04** TIME: **1850**

LABORATORY REMARKS: **PEC 40C**

DATE	TIME	SAMPLE IDENTIFICATION	COMPOSITE (C) OR GRAB (G) INDICATE	AQUEOUS (WATER)	SOLID OR SEMISOLID	AIR	NONAQUEOUS LIQUID (OIL, SOLVENT,...)	REQUIRED ANALYSIS			STANDARD REPORT DELIVERY	DATE DUE	EXPEDITED REPORT DELIVERY (SURCHARGE)	DATE DUE
								NO. OF CONTAINERS SUBMITTED	NO. OF CONTAINERS SUBMITTED	NO. OF CONTAINERS SUBMITTED				
7-26-04	1110	MW-14A	GX				APP I VOAS	1	1	1	<input checked="" type="checkbox"/>			
7-26-04	1205	MW-15A	GX				EDB, DBCP	1	1	1	<input type="checkbox"/>			
7-26-04	1245	MW-1A	GX				APP I METALS	1	1	1	<input type="checkbox"/>			
7-26-04	1355	MW-2A	GX				NH3	1	1	1	<input type="checkbox"/>			
7-26-04	1440	MW-3A	GX				TL	1	1	1	<input type="checkbox"/>			
7-26-04	1605	MW-4A	GX				CL, NO3, TDS	1	1	1	<input type="checkbox"/>			
7-26-04		TRIP BLANK	GX				DISS (FE, HG, NA, APP I MET)	3	3	3	<input type="checkbox"/>			
							DISS-TL	3	3	3	<input type="checkbox"/>			

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/26/2004

WACS Well: 19939

Monitoring_Site_Num: MW-14A

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	PP	NO	Y	350.3	0.36	0.04	mg/l		7/29/2004
000940	Chloride	PP	NO	Y	325.3	27	1	mg/l		8/2/2004
000620	Nitrate-N	PP	NO	Y	353.2	0.01	0.01	mg/l	U	7/28/2004
070300	Solids, Total Dissolved	PP	NO	Y	160.1	110	5	mg/l		8/2/2004
001097	Antimony	PP	NO	Y	6010	0.0029	0.0025	mg/l	U	8/3/2004
001002	Arsenic	PP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/3/2004
001007	Barium	PP	NO	Y	6010	0.015	0.0012	mg/l		8/3/2004
001012	Beryllium	PP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/3/2004
001027	Cadmium	PP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/3/2004
001034	Chromium	PP	NO	Y	6010	0.0017	0.0017	mg/l	U	8/3/2004
001037	Cobalt	PP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/3/2004
001042	Copper	PP	NO	Y	6010	0.0013	0.0013	mg/l	U	8/3/2004
001045	Iron	PP	NO	Y	6010	5	0.037	mg/l		8/3/2004
001051	Lead	PP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/3/2004
071900	Mercury	PP	NO	Y	7470	0.000072	0.000072	mg/l	U	7/28/2004
001067	Nickel	PP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/3/2004
001147	Selenium	PP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/3/2004
000929	Sodium	PP	NO	Y	6010	17	0.15	mg/l		8/3/2004
001059	Thallium	PP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/3/2004
001087	Vanadium	PP	NO	Y	6010	0.0025	0.0025	mg/l	U	8/3/2004
001092	Zinc	PP	NO	Y	6010	0.026	0.0059	mg/l		8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/26/2004

WACS Well: 19939

Monitoring_Site_Num: MW-14A

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone	PP	NO	Y	8260	9.9	9.9	ug/l	U	8/2/2004
034215	Acrylonitrile	PP	NO	Y	8260	1.2	1.2	ug/l	U	8/2/2004
034030	Benzene	PP	NO	Y	8260	0.27	0.27	ug/l	U	8/2/2004
073085	Bromochloromethane	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/2/2004
032101	Bromodichloromethane	PP	NO	Y	8260	0.35	0.35	ug/l	U	8/2/2004
032104	Bromoform	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/2/2004
077041	Carbon disulfide	PP	NO	Y	8260	0.85	0.85	ug/l	U	8/2/2004
032102	Carbon Tetrachloride	PP	NO	Y	8260	0.42	0.42	ug/l	U	8/2/2004
034301	Chlorobenzene	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/2/2004
034311	Chloroethane	PP	NO	Y	8260	0.8	0.8	ug/l	U	8/2/2004
032105	Dibromochloromethane	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/2/2004
077651	1,2-Dibromoethane (EDB)	PP	NO	Y	504	0.0087	0.0087	ug/l	U	8/2/2004
034536	1,2-Dichlorobenzene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/2/2004
034571	1,4-Dichlorobenzene	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/2/2004
049263	Trans-1,4-Dichloro-2-butene	PP	NO	Y	8260	2.5	2.5	ug/l	U	8/2/2004
034496	1,1-Dichloroethane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/2/2004
034531	1,2-Dichloroethane	PP	NO	Y	8260	0.57	0.57	ug/l	U	8/2/2004
034501	1,1-Dichloroethylene	PP	NO	Y	8260	0.45	0.45	ug/l	U	8/2/2004
077093	cis-1,2-Dichloroethylene	PP	NO	Y	8260	0.65	0.65	ug/l	U	8/2/2004
034546	trans-1,2-Dichloroethylene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/2/2004
034541	1,2-Dichloropropane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/2/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/26/2004

WACS Well: 19939

Monitoring_Site_Num: MW-14A

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/2/2004
034699	trans-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/2/2004
034371	Ethylbenzene	PP	NO	Y	8260	0.83	0.83	ug/l	U	8/2/2004
034413	Bromomethane	PP	NO	Y	8260	0.66	0.66	ug/l	U	8/2/2004
077103	2-Hexanone	PP	NO	Y	8260	4.4	4.4	ug/l	U	8/2/2004
034418	Chloromethane	PP	NO	Y	8260	0.64	0.64	ug/l	U	8/2/2004
081595	2-Butanone (MEK)	PP	NO	Y	8260	8.4	8.4	ug/l	U	8/2/2004
077424	Iodomethane	PP	NO	Y	8260	0.67	0.67	ug/l	U	8/2/2004
034423	Methylene Chloride	PP	NO	Y	8260	1	1	ug/l	U	8/2/2004
081596	4-Methyl-2-pentanone (MIBK)	PP	NO	Y	8260	3.8	3.8	ug/l	U	8/2/2004
077128	Styrene	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/2/2004
077562	1,1,1,2-Tetrachloroethane	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/2/2004
034516	1,1,2,2-Tetrachloroethane	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/2/2004
034475	Tetrachloroethene	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/2/2004
034010	Toluene	PP	NO	Y	8260	7.1	0.51	ug/l		8/2/2004
034506	1,1,1-Trichloroethane	PP	NO	Y	8260	0.46	0.46	ug/l	U	8/2/2004
034511	1,1,2-Trichloroethane	PP	NO	Y	8260	0.47	0.47	ug/l	U	8/2/2004
039180	Trichloroethene	PP	NO	Y	8260	0.28	0.28	ug/l	U	8/2/2004
034488	Trichlorofluoromethane	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/2/2004
077443	1,2,3-Trichloropropane	PP	NO	Y	8260	0.15	0.15	ug/l	U	8/2/2004
077057	Vinyl acetate	PP	NO	Y	8260	1.5	1.5	ug/l	U	8/2/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/26/2004

WACS Well: 19939

Monitoring_Site_Num: MW-14A

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
039175	Vinyl chloride	PP	NO	Y	8260	0.5	0.5	ug/l	U	8/2/2004
034020	Xylenes	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/2/2004
049146	1,2-Dibromo-3-chloropropane	PP	NO	Y	504	0.003	0.003	ug/l	U	8/2/2004
032106	Chloroform	PP	NO	Y	8260	0.9	0.9	ug/l	U	8/2/2004
046361	Dibromomethane	PP	NO	Y	8260	0.41	0.41	ug/l	U	8/2/2004
001077	Silver	PP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/26/2004

WACS Well: 19942

Monitoring_Site_Num: MW-15A

Permitted Well Type: **CO**

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) **YES**

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	PP	NO	Y	350.3	0.1	0.04	mg/l		7/29/2004
000940	Chloride	PP	NO	Y	325.3	15	1	mg/l		8/2/2004
000620	Nitrate-N	PP	NO	Y	353.2	0.01	0.01	mg/l	U	7/28/2004
070300	Solids, Total Dissolved	PP	NO	Y	160.1	56	5	mg/l		8/2/2004
001097	Antimony	PP	NO	Y	6010	0.0031	0.0025	mg/l	I	8/3/2004
001002	Arsenic	PP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/3/2004
001007	Barium	PP	NO	Y	6010	0.011	0.0012	mg/l		8/3/2004
001012	Beryllium	PP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/3/2004
001027	Cadmium	PP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/3/2004
001034	Chromium	PP	NO	Y	6010	0.0022	0.0017	mg/l	I	8/3/2004
001037	Cobalt	PP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/3/2004
001042	Copper	PP	NO	Y	6010	0.0013	0.0013	mg/l	U	8/3/2004
001045	Iron	PP	NO	Y	6010	2.5	0.037	mg/l		8/3/2004
001051	Lead	PP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/3/2004
071900	Mercury	PP	NO	Y	7470	0.000072	0.000072	mg/l	U	7/28/2004
001067	Nickel	PP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/3/2004
001147	Selenium	PP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/3/2004
000929	Sodium	PP	NO	Y	6010	9.4	0.15	mg/l		8/3/2004
001059	Thallium	PP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/3/2004
001087	Vanadium	PP	NO	Y	6010	0.0025	0.0025	mg/l	U	8/3/2004
001092	Zinc	PP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/26/2004

WACS Well: 19942

Monitoring_Site_Num: MW-15A

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) YES

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone	PP	NO	Y	8260	9.9	9.9	ug/l	U	8/2/2004
034215	Acrylonitrile	PP	NO	Y	8260	1.2	1.2	ug/l	U	8/2/2004
034030	Benzene	PP	NO	Y	8260	0.27	0.27	ug/l	U	8/2/2004
073085	Bromochloromethane	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/2/2004
032101	Bromodichloromethane	PP	NO	Y	8260	0.35	0.35	ug/l	U	8/2/2004
032104	Bromoform	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/2/2004
077041	Carbon disulfide	PP	NO	Y	8260	0.85	0.85	ug/l	U	8/2/2004
032102	Carbon Tetrachloride	PP	NO	Y	8260	0.42	0.42	ug/l	U	8/2/2004
034301	Chlorobenzene	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/2/2004
034311	Chloroethane	PP	NO	Y	8260	0.8	0.8	ug/l	U	8/2/2004
032105	Dibromochloromethane	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/2/2004
077651	1,2-Dibromoethane (EDB)	PP	NO	Y	504	0.0087	0.0087	ug/l	U	8/2/2004
034536	1,2-Dichlorobenzene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/2/2004
034571	1,4-Dichlorobenzene	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/2/2004
049263	Trans-1,4-Dichloro-2-butene	PP	NO	Y	8260	2.5	2.5	ug/l	U	8/2/2004
034496	1,1-Dichloroethane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/2/2004
034531	1,2-Dichloroethane	PP	NO	Y	8260	0.57	0.57	ug/l	U	8/2/2004
034501	1,1-Dichloroethylene	PP	NO	Y	8260	0.45	0.45	ug/l	U	8/2/2004
077093	cis-1,2-Dichloroethylene	PP	NO	Y	8260	0.65	0.65	ug/l	U	8/2/2004
034546	trans-1,2-Dichloroethylene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/2/2004
034541	1,2-Dichloropropane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/2/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/26/2004

WACS Well: 19942

Monitoring_Site_Num: MW-15A

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) YES

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/2/2004
034699	trans-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/2/2004
034371	Ethylbenzene	PP	NO	Y	8260	0.83	0.83	ug/l	U	8/2/2004
034413	Bromomethane	PP	NO	Y	8260	0.66	0.66	ug/l	U	8/2/2004
077103	2-Hexanone	PP	NO	Y	8260	4.4	4.4	ug/l	U	8/2/2004
034418	Chloromethane	PP	NO	Y	8260	0.64	0.64	ug/l	U	8/2/2004
081595	2-Butanone (MEK)	PP	NO	Y	8260	8.4	8.4	ug/l	U	8/2/2004
077424	Iodomethane	PP	NO	Y	8260	0.67	0.67	ug/l	U	8/2/2004
034423	Methylene Chloride	PP	NO	Y	8260	1	1	ug/l	U	8/2/2004
081596	4-Methyl-2-pentanone (MIBK)	PP	NO	Y	8260	3.8	3.8	ug/l	U	8/2/2004
077128	Styrene	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/2/2004
077562	1,1,1,2-Tetrachloroethane	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/2/2004
034516	1,1,2,2-Tetrachloroethane	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/2/2004
034475	Tetrachloroethene	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/2/2004
034010	Toluene	PP	NO	Y	8260	0.51	0.51	ug/l	U	8/2/2004
034506	1,1,1-Trichloroethane	PP	NO	Y	8260	0.46	0.46	ug/l	U	8/2/2004
034511	1,1,2-Trichloroethane	PP	NO	Y	8260	0.47	0.47	ug/l	U	8/2/2004
039180	Trichloroethene	PP	NO	Y	8260	0.28	0.28	ug/l	U	8/2/2004
034488	Trichlorofluoromethane	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/2/2004
077443	1,2,3-Trichloropropane	PP	NO	Y	8260	0.15	0.15	ug/l	U	8/2/2004
077057	Vinyl acetate	PP	NO	Y	8260	1.5	1.5	ug/l	U	8/2/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/26/2004

WACS Well: 19942

Monitoring_Site_Num: MW-15A

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N) YES**

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
039175	Vinyl chloride	PP	NO	Y	8260	0.5	0.5	ug/l	U	8/2/2004
034020	Xylenes	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/2/2004
032106	Chloroform	PP	NO	Y	8260	0.9	0.9	ug/l	U	8/2/2004
046361	Dibromomethane	PP	NO	Y	8260	0.41	0.41	ug/l	U	8/2/2004
049146	1,2-Dibromo-3-chloropropane	PP	NO	Y	504	0.003	0.003	ug/l	U	8/2/2004
001077	Silver	PP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/26/2004

WACS Well: 19900

Monitoring_Site_Num: MW-1A

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) YES

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	PP	NO	Y	350.3	1.2	0.04	mg/l		7/29/2004
000940	Chloride	PP	NO	Y	325.3	23	1	mg/l		8/2/2004
000620	Nitrate-N	PP	NO	Y	353.2	0.01	0.01	mg/l	U	7/28/2004
070300	Solids, Total Dissolved	PP	NO	Y	160.1	94	5	mg/l		8/2/2004
001097	Antimony	PP	NO	Y	6010	0.0029	0.0025	mg/l	U	8/3/2004
001002	Arsenic	PP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/3/2004
001007	Barium	PP	NO	Y	6010	0.018	0.0012	mg/l		8/3/2004
001012	Beryllium	PP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/3/2004
001027	Cadmium	PP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/3/2004
001034	Chromium	PP	NO	Y	6010	0.0017	0.0017	mg/l	U	8/3/2004
001037	Cobalt	PP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/3/2004
001042	Copper	PP	NO	Y	6010	0.0013	0.0013	mg/l	U	8/3/2004
001045	Iron	PP	NO	Y	6010	4	0.037	mg/l		8/3/2004
001051	Lead	PP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/3/2004
071900	Mercury	PP	NO	Y	7470	0.000072	0.000072	mg/l	U	7/28/2004
001067	Nickel	PP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/3/2004
001147	Selenium	PP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/3/2004
000929	Sodium	PP	NO	Y	6010	9.5	0.15	mg/l		8/3/2004
001059	Thallium	PP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/3/2004
001087	Vanadium	PP	NO	Y	6010	0.0025	0.0025	mg/l	U	8/3/2004
001092	Zinc	PP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/26/2004

WACS Well: 19900

Monitoring_Site_Num: MW-1A

Permitted Well Type: **BG**

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) YES

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone	PP	NO	Y	8260	13	9.9	ug/l		8/2/2004
034215	Acrylonitrile	PP	NO	Y	8260	1.2	1.2	ug/l	U	8/2/2004
034030	Benzene	PP	NO	Y	8260	0.27	0.27	ug/l	U	8/2/2004
073085	Bromochloromethane	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/2/2004
032101	Bromodichloromethane	PP	NO	Y	8260	0.35	0.35	ug/l	U	8/2/2004
032104	Bromoform	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/2/2004
077041	Carbon disulfide	PP	NO	Y	8260	0.85	0.85	ug/l	U	8/2/2004
032102	Carbon Tetrachloride	PP	NO	Y	8260	0.42	0.42	ug/l	U	8/2/2004
034301	Chlorobenzene	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/2/2004
034311	Chloroethane	PP	NO	Y	8260	0.8	0.8	ug/l	U	8/2/2004
032105	Dibromochloromethane	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/2/2004
077651	1,2-Dibromoethane (EDB)	PP	NO	Y	504	0.0087	0.0087	ug/l	U	8/2/2004
034536	1,2-Dichlorobenzene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/2/2004
034571	1,4-Dichlorobenzene	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/2/2004
049263	Trans-1,4-Dichloro-2-butene	PP	NO	Y	8260	2.5	2.5	ug/l	U	8/2/2004
034496	1,1-Dichloroethane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/2/2004
034531	1,2-Dichloroethane	PP	NO	Y	8260	0.57	0.57	ug/l	U	8/2/2004
034501	1,1-Dichloroethylene	PP	NO	Y	8260	0.45	0.45	ug/l	U	8/2/2004
077093	cis-1,2-Dichloroethylene	PP	NO	Y	8260	0.65	0.65	ug/l	U	8/2/2004
034546	trans-1,2-Dichloroethylene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/2/2004
034541	1,2-Dichloropropane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/2/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/26/2004

WACS Well: 19900

Monitoring_Site_Num: MW-1A

Permitted Well Type: **BG**

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) **YES**

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/2/2004
034699	trans-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/2/2004
034371	Ethylbenzene	PP	NO	Y	8260	0.83	0.83	ug/l	U	8/2/2004
034413	Bromomethane	PP	NO	Y	8260	0.66	0.66	ug/l	U	8/2/2004
077103	2-Hexanone	PP	NO	Y	8260	4.4	4.4	ug/l	U	8/2/2004
034418	Chloromethane	PP	NO	Y	8260	0.64	0.64	ug/l	U	8/2/2004
081595	2-Butanone (MEK)	PP	NO	Y	8260	8.4	8.4	ug/l	U	8/2/2004
077424	Iodomethane	PP	NO	Y	8260	0.67	0.67	ug/l	U	8/2/2004
034423	Methylene Chloride	PP	NO	Y	8260	1	1	ug/l	U	8/2/2004
081596	4-Methyl-2-pentanone (MIBK)	PP	NO	Y	8260	3.8	3.8	ug/l	U	8/2/2004
077128	Styrene	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/2/2004
077562	1,1,1,2-Tetrachloroethane	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/2/2004
034516	1,1,2,2-Tetrachloroethane	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/2/2004
034475	Tetrachloroethene	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/2/2004
034010	Toluene	PP	NO	Y	8260	1.9	0.51	ug/l		8/2/2004
034506	1,1,1-Trichloroethane	PP	NO	Y	8260	0.46	0.46	ug/l	U	8/2/2004
034511	1,1,2-Trichloroethane	PP	NO	Y	8260	0.47	0.47	ug/l	U	8/2/2004
039180	Trichloroethene	PP	NO	Y	8260	0.28	0.28	ug/l	U	8/2/2004
034488	Trichlorofluoromethane	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/2/2004
077443	1,2,3-Trichloropropane	PP	NO	Y	8260	0.15	0.15	ug/l	U	8/2/2004
077057	Vinyl acetate	PP	NO	Y	8260	1.5	1.5	ug/l	U	8/2/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/26/2004

WACS Well: 19900

Monitoring_Site_Num: MW-1A

Permitted Well Type: **BG**

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** YES

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
039175	Vinyl chloride	PP	NO	Y	8260	0.5	0.5	ug/l	U	8/2/2004
034020	Xylenes	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/2/2004
001077	Silver	PP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/3/2004
046361	Dibromomethane	PP	NO	Y	8260	0.41	0.41	ug/l	U	8/2/2004
032106	Chloroform	PP	NO	Y	8260	0.9	0.9	ug/l	U	8/2/2004
049146	1,2-Dibromo-3-chloropropane	PP	NO	Y	504	0.003	0.003	ug/l	U	8/2/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/26/2004

WACS Well: 19903

Monitoring_Site_Num: MW-2A

Permitted Well Type: **BG**

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) **YES**

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	PP	NO	Y	350.3	0.62	0.04	mg/l		7/29/2004
000940	Chloride	PP	NO	Y	325.3	25	1	mg/l		8/2/2004
000620	Nitrate-N	PP	NO	Y	353.2	0.01	0.01	mg/l	U	7/28/2004
070300	Solids, Total Dissolved	PP	NO	Y	160.1	50	5	mg/l		8/2/2004
001097	Antimony	PP	NO	Y	6010	0.0029	0.0025	mg/l	U	8/3/2004
001002	Arsenic	PP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/3/2004
001007	Barium	PP	NO	Y	6010	0.015	0.0012	mg/l		8/3/2004
001012	Beryllium	PP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/3/2004
001027	Cadmium	PP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/3/2004
001034	Chromium	PP	NO	Y	6010	0.0017	0.0017	mg/l	U	8/3/2004
001037	Cobalt	PP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/3/2004
001042	Copper	PP	NO	Y	6010	0.0013	0.0013	mg/l	U	8/3/2004
001045	Iron	PP	NO	Y	6010	1.9	0.037	mg/l		8/3/2004
001051	Lead	PP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/3/2004
071900	Mercury	PP	NO	Y	7470	0.000072	0.000072	mg/l	U	7/28/2004
001067	Nickel	PP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/3/2004
001147	Selenium	PP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/3/2004
000929	Sodium	PP	NO	Y	6010	10	0.15	mg/l		8/3/2004
001059	Thallium	PP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/3/2004
001087	Vanadium	PP	NO	Y	6010	0.0025	0.0025	mg/l	U	8/3/2004
001092	Zinc	PP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/26/2004

WACS Well: 19903

Monitoring_Site_Num: MW-2A

Permitted Well Type: **BG**

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) **YES**

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone	PP	NO	Y	8260	9.9	9.9	ug/l	U	8/2/2004
034215	Acrylonitrile	PP	NO	Y	8260	1.2	1.2	ug/l	U	8/2/2004
034030	Benzene	PP	NO	Y	8260	0.27	0.27	ug/l	U	8/2/2004
073085	Bromochloromethane	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/2/2004
032101	Bromodichloromethane	PP	NO	Y	8260	0.35	0.35	ug/l	U	8/2/2004
032104	Bromoform	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/2/2004
077041	Carbon disulfide	PP	NO	Y	8260	0.85	0.85	ug/l	U	8/2/2004
032102	Carbon Tetrachloride	PP	NO	Y	8260	0.42	0.42	ug/l	U	8/2/2004
034301	Chlorobenzene	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/2/2004
034311	Chloroethane	PP	NO	Y	8260	0.8	0.8	ug/l	U	8/2/2004
032105	Dibromochloromethane	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/2/2004
077651	1,2-Dibromoethane (EDB)	PP	NO	Y	504	0.0087	0.0087	ug/l	U	8/2/2004
034536	1,2-Dichlorobenzene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/2/2004
034571	1,4-Dichlorobenzene	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/2/2004
049263	Trans-1,4-Dichloro-2-butene	PP	NO	Y	8260	2.5	2.5	ug/l	U	8/2/2004
034496	1,1-Dichloroethane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/2/2004
034531	1,2-Dichloroethane	PP	NO	Y	8260	0.57	0.57	ug/l	U	8/2/2004
034501	1,1-Dichloroethylene	PP	NO	Y	8260	0.45	0.45	ug/l	U	8/2/2004
077093	cis-1,2-Dichloroethylene	PP	NO	Y	8260	0.65	0.65	ug/l	U	8/2/2004
034546	trans-1,2-Dichloroethylene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/2/2004
034541	1,2-Dichloropropane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/2/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/26/2004

WACS Well: 19903

Monitoring_Site_Num: MW-2A

Permitted Well Type: **BG**

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) YES

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/2/2004
034699	trans-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/2/2004
034371	Ethylbenzene	PP	NO	Y	8260	0.83	0.83	ug/l	U	8/2/2004
034413	Bromomethane	PP	NO	Y	8260	0.66	0.66	ug/l	U	8/2/2004
077103	2-Hexanone	PP	NO	Y	8260	4.4	4.4	ug/l	U	8/2/2004
034418	Chloromethane	PP	NO	Y	8260	0.64	0.64	ug/l	U	8/2/2004
081595	2-Butanone (MEK)	PP	NO	Y	8260	8.4	8.4	ug/l	U	8/2/2004
077424	Iodomethane	PP	NO	Y	8260	0.67	0.67	ug/l	U	8/2/2004
034423	Methylene Chloride	PP	NO	Y	8260	1	1	ug/l	U	8/2/2004
081596	4-Methyl-2-pentanone (MIBK)	PP	NO	Y	8260	3.8	3.8	ug/l	U	8/2/2004
077128	Styrene	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/2/2004
077562	1,1,1,2-Tetrachloroethane	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/2/2004
034516	1,1,2,2-Tetrachloroethane	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/2/2004
034475	Tetrachloroethene	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/2/2004
034010	Toluene	PP	NO	Y	8260	1.8	0.51	ug/l		8/2/2004
034506	1,1,1-Trichloroethane	PP	NO	Y	8260	0.46	0.46	ug/l	U	8/2/2004
034511	1,1,2-Trichloroethane	PP	NO	Y	8260	0.47	0.47	ug/l	U	8/2/2004
039180	Trichloroethene	PP	NO	Y	8260	0.28	0.28	ug/l	U	8/2/2004
034488	Trichlorofluoromethane	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/2/2004
077443	1,2,3-Trichloropropane	PP	NO	Y	8260	0.15	0.15	ug/l	U	8/2/2004
077057	Vinyl acetate	PP	NO	Y	8260	1.5	1.5	ug/l	U	8/2/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/26/2004

WACS Well: 19903

Monitoring_Site_Num: MW-2A

Permitted Well Type: BG

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

**Well Purged prior to
 Sample Collection? (Y/N)** YES

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
039175	Vinyl chloride	PP	NO	Y	8260	0.5	0.5	ug/l	U	8/2/2004
034020	Xylenes	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/2/2004
046361	Dibromomethane	PP	NO	Y	8260	0.41	0.41	ug/l	U	8/2/2004
001077	Silver	PP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/3/2004
049146	1,2-Dibromo-3-chloropropane	PP	NO	Y	504	0.003	0.003	ug/l	U	8/2/2004
032106	Chloroform	PP	NO	Y	8260	0.9	0.9	ug/l	U	8/2/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/26/2004

WACS Well: 19906

Monitoring_Site_Num: MW-3A

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) YES

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	PP	NO	Y	350.3	2.9	0.04	mg/l		7/29/2004
000940	Chloride	PP	NO	Y	325.3	41	1	mg/l		8/2/2004
000620	Nitrate-N	PP	NO	Y	353.2	0.01	0.01	mg/l	U	7/28/2004
070300	Solids, Total Dissolved	PP	NO	Y	160.1	160	5	mg/l		8/2/2004
001097	Antimony	PP	NO	Y	6010	0.0029	0.0025	mg/l	U	8/3/2004
001002	Arsenic	PP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/3/2004
001007	Barium	PP	NO	Y	6010	0.018	0.0012	mg/l		8/3/2004
001012	Beryllium	PP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/3/2004
001027	Cadmium	PP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/3/2004
001034	Chromium	PP	NO	Y	6010	0.0022	0.0017	mg/l	I	8/3/2004
001037	Cobalt	PP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/3/2004
001042	Copper	PP	NO	Y	6010	0.0013	0.0013	mg/l	U	8/3/2004
001045	Iron	PP	NO	Y	6010	5.8	0.037	mg/l		8/3/2004
001051	Lead	PP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/3/2004
071900	Mercury	PP	NO	Y	7470	0.000072	0.000072	mg/l	U	7/28/2004
001067	Nickel	PP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/3/2004
001147	Selenium	PP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/3/2004
000929	Sodium	PP	NO	Y	6010	18	0.15	mg/l		8/3/2004
001059	Thallium	PP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/3/2004
001087	Vanadium	PP	NO	Y	6010	0.0028	0.0025	mg/l	I	8/3/2004
001092	Zinc	PP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/26/2004

WACS Well: 19906

Monitoring_Site_Num: MW-3A

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) YES

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone	PP	NO	Y	8260	9.9	9.9	ug/l	U	8/3/2004
034215	Acrylonitrile	PP	NO	Y	8260	1.2	1.2	ug/l	U	8/3/2004
034030	Benzene	PP	NO	Y	8260	0.27	0.27	ug/l	U	8/3/2004
073085	Bromochloromethane	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/3/2004
032101	Bromodichloromethane	PP	NO	Y	8260	0.35	0.35	ug/l	U	8/3/2004
032104	Bromoform	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/3/2004
077041	Carbon disulfide	PP	NO	Y	8260	0.85	0.85	ug/l	U	8/3/2004
032102	Carbon Tetrachloride	PP	NO	Y	8260	0.42	0.42	ug/l	U	8/3/2004
034301	Chlorobenzene	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/3/2004
034311	Chloroethane	PP	NO	Y	8260	0.8	0.8	ug/l	U	8/3/2004
032105	Dibromochloromethane	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/3/2004
077651	1,2-Dibromoethane (EDB)	PP	NO	Y	504	0.0087	0.0087	ug/l	U	8/2/2004
034536	1,2-Dichlorobenzene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/3/2004
034571	1,4-Dichlorobenzene	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/3/2004
049263	Trans-1,4-Dichloro-2-butene	PP	NO	Y	8260	2.5	2.5	ug/l	U	8/3/2004
034496	1,1-Dichloroethane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/3/2004
034531	1,2-Dichloroethane	PP	NO	Y	8260	0.57	0.57	ug/l	U	8/3/2004
034501	1,1-Dichloroethylene	PP	NO	Y	8260	0.45	0.45	ug/l	U	8/3/2004
077093	cis-1,2-Dichloroethylene	PP	NO	Y	8260	0.65	0.65	ug/l	U	8/3/2004
034546	trans-1,2-Dichloroethylene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/3/2004
034541	1,2-Dichloropropane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/26/2004

WACS Well: 19906

Monitoring_Site_Num: MW-3A

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) YES

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/3/2004
034699	trans-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/3/2004
034371	Ethylbenzene	PP	NO	Y	8260	0.83	0.83	ug/l	U	8/3/2004
034413	Bromomethane	PP	NO	Y	8260	0.66	0.66	ug/l	U	8/3/2004
077103	2-Hexanone	PP	NO	Y	8260	4.4	4.4	ug/l	U	8/3/2004
034418	Chloromethane	PP	NO	Y	8260	0.64	0.64	ug/l	U	8/3/2004
081595	2-Butanone (MEK)	PP	NO	Y	8260	8.4	8.4	ug/l	U	8/3/2004
077424	Iodomethane	PP	NO	Y	8260	0.67	0.67	ug/l	U	8/3/2004
034423	Methylene Chloride	PP	NO	Y	8260	1	1	ug/l	U	8/3/2004
081596	4-Methyl-2-pentanone (MIBK)	PP	NO	Y	8260	3.8	3.8	ug/l	U	8/3/2004
077128	Styrene	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/3/2004
077562	1,1,1,2-Tetrachloroethane	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/3/2004
034516	1,1,2,2-Tetrachloroethane	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/3/2004
034475	Tetrachloroethene	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/3/2004
034010	Toluene	PP	NO	Y	8260	7.6	0.51	ug/l		8/3/2004
034506	1,1,1-Trichloroethane	PP	NO	Y	8260	0.46	0.46	ug/l	U	8/3/2004
034511	1,1,2-Trichloroethane	PP	NO	Y	8260	0.47	0.47	ug/l	U	8/3/2004
039180	Trichloroethene	PP	NO	Y	8260	0.28	0.28	ug/l	U	8/3/2004
034488	Trichlorofluoromethane	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/3/2004
077443	1,2,3-Trichloropropane	PP	NO	Y	8260	0.15	0.15	ug/l	U	8/3/2004
077057	Vinyl acetate	PP	NO	Y	8260	1.5	1.5	ug/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/26/2004

WACS Well: 19906

Monitoring_Site_Num: MW-3A

Permitted Well Type: **BG**

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) YES

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
039175	Vinyl chloride	PP	NO	Y	8260	0.5	0.5	ug/l	U	8/3/2004
034020	Xylenes	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/3/2004
032106	Chloroform	PP	NO	Y	8260	0.9	0.9	ug/l	U	8/3/2004
046361	Dibromomethane	PP	NO	Y	8260	0.41	0.41	ug/l	U	8/3/2004
001077	Silver	PP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/3/2004
049146	1,2-Dibromo-3-chloropropane	PP	NO	Y	504	0.003	0.003	ug/l	U	8/2/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/26/2004

WACS Well:

Monitoring_Site_Num: Trip Blank

Permitted Well Type:

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

**Well Purged prior to
 Sample Collection? (Y/N)**

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone	PP	NO	Y	8260	9.9	9.9	ug/l	U	8/2/2004
034215	Acrylonitrile	PP	NO	Y	8260	1.2	1.2	ug/l	U	8/2/2004
034030	Benzene	PP	NO	Y	8260	0.27	0.27	ug/l	U	8/2/2004
073085	Bromochloromethane	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/2/2004
032101	Bromodichloromethane	PP	NO	Y	8260	0.35	0.35	ug/l	U	8/2/2004
032104	Bromoform	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/2/2004
077041	Carbon disulfide	PP	NO	Y	8260	0.85	0.85	ug/l	U	8/2/2004
032102	Carbon Tetrachloride	PP	NO	Y	8260	0.42	0.42	ug/l	U	8/2/2004
034301	Chlorobenzene	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/2/2004
034311	Chloroethane	PP	NO	Y	8260	0.8	0.8	ug/l	U	8/2/2004
032105	Dibromochloromethane	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/2/2004
077651	1,2-Dibromoethane (EDB)	PP	NO	Y	504	0.0087	0.0087	ug/l	U	8/3/2004
034536	1,2-Dichlorobenzene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/2/2004
034571	1,4-Dichlorobenzene	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/2/2004
049263	Trans-1,4-Dichloro-2-butene	PP	NO	Y	8260	2.5	2.5	ug/l	U	8/2/2004
034496	1,1-Dichloroethane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/2/2004
034531	1,2-Dichloroethane	PP	NO	Y	8260	0.57	0.57	ug/l	U	8/2/2004
034501	1,1-Dichloroethylene	PP	NO	Y	8260	0.45	0.45	ug/l	U	8/2/2004
077093	cis-1,2-Dichloroethylene	PP	NO	Y	8260	0.65	0.65	ug/l	U	8/2/2004
034546	trans-1,2-Dichloroethylene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/2/2004
034541	1,2-Dichloropropane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/2/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/26/2004

WACS Well:

Monitoring_Site_Num: Trip Blank

Permitted Well Type:

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

**Well Purged prior to
 Sample Collection? (Y/N)**

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/2/2004
034699	trans-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/2/2004
034371	Ethylbenzene	PP	NO	Y	8260	0.83	0.83	ug/l	U	8/2/2004
034413	Bromomethane	PP	NO	Y	8260	0.66	0.66	ug/l	U	8/2/2004
077103	2-Hexanone	PP	NO	Y	8260	4.4	4.4	ug/l	U	8/2/2004
034418	Chloromethane	PP	NO	Y	8260	0.64	0.64	ug/l	U	8/2/2004
081595	2-Butanone (MEK)	PP	NO	Y	8260	8.4	8.4	ug/l	U	8/2/2004
077424	Iodomethane	PP	NO	Y	8260	0.67	0.67	ug/l	U	8/2/2004
034423	Methylene Chloride	PP	NO	Y	8260	1	1	ug/l	U	8/2/2004
081596	4-Methyl-2-pentanone (MIBK)	PP	NO	Y	8260	3.8	3.8	ug/l	U	8/2/2004
077128	Styrene	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/2/2004
077562	1,1,1,2-Tetrachloroethane	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/2/2004
034516	1,1,2,2-Tetrachloroethane	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/2/2004
034475	Tetrachloroethene	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/2/2004
034010	Toluene	PP	NO	Y	8260	0.51	0.51	ug/l	U	8/2/2004
034506	1,1,1-Trichloroethane	PP	NO	Y	8260	0.46	0.46	ug/l	U	8/2/2004
034511	1,1,2-Trichloroethane	PP	NO	Y	8260	0.47	0.47	ug/l	U	8/2/2004
039180	Trichloroethene	PP	NO	Y	8260	0.28	0.28	ug/l	U	8/2/2004
034488	Trichlorofluoromethane	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/2/2004
077443	1,2,3-Trichloropropane	PP	NO	Y	8260	0.15	0.15	ug/l	U	8/2/2004
077057	Vinyl acetate	PP	NO	Y	8260	1.5	1.5	ug/l	U	8/2/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/26/2004

WACS Well:

Monitoring_Site_Num: Trip Blank

Permitted Well Type:

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

**Well Purged prior to
 Sample Collection? (Y/N)**

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
039175	Vinyl chloride	PP	NO	Y	8260	0.5	0.5	ug/l	U	8/2/2004
034020	Xylenes	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/2/2004
032106	Chloroform	PP	NO	Y	8260	0.9	0.9	ug/l	U	8/2/2004
046361	Dibromomethane	PP	NO	Y	8260	0.41	0.41	ug/l	U	8/2/2004
049146	1,2-Dibromo-3-chloropropane	PP	NO	Y	504	0.003	0.003	ug/l	U	8/3/2004

Analytical Report

For: Mr. Kirk Wills
Geosyntec
14055 Riveredge Drive, Ste.300
Tampa, FL 33637

CC:

Order Number: B423765
SDG Number:
Client Project ID: FQ0638
Project: Oak Hammock Disposal Landfill
Report Date: 08/05/2004
Sampled By: Client
Sample Received Date: 07/28/2004
Requisition Number:
Purchase Order:



Michael F. Valder, Project Manager
mvalder@stl-inc.com

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Sample Summary

Order: B423765
Date Received: 07/28/2004

Client: Geosyntec
Project: Oak Hammock Disposal Landfill

Client Sample ID	Lab Sample ID	Matrix	Date Sampled
MW-6A	B423765*1	Liquid	07/27/2004 10:45
MW-8A	B423765*2	Liquid	07/27/2004 12:45
MW-9A	B423765*3	Liquid	07/27/2004 14:40
MW-10A	B423765*4	Liquid	07/27/2004 14:25
EB-01	B423765*5	Liquid	07/27/2004 15:20
MW-11A	B423765*6	Liquid	07/27/2004 16:30
MW-12A	B423765*7	Liquid	07/27/2004 16:30
MW-5A	B423765*8	Liquid	07/27/2004 10:05
MW-7A	B423765*9	Liquid	07/27/2004 12:35
Trip Blank	B423765*10	Liquid	07/27/2004

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23765-1	MW-6A	Liquid	07/28/04	07/27/04 10:45	
23765-2	MW-8A	Liquid	07/28/04	07/27/04 12:45	
23765-3	MW-9A	Liquid	07/28/04	07/27/04 14:40	
23765-4	MW-10A	Liquid	07/28/04	07/27/04 14:25	
23765-5	EB-01	Liquid	07/28/04	07/27/04 15:20	

Parameter	Units	Lab Sample IDs				
		23765-1	23765-2	23765-3	23765-4	23765-5

Appendix I - Organics (8260)

	Units	23765-1	23765-2	23765-3	23765-4	23765-5
Acetone	ug/l	9.9U	9.9U	9.9U	9.9U	9.9U
Acrylonitrile	ug/l	1.2U	1.2U	1.2U	1.2U	1.2U
Benzene	ug/l	0.27U	0.27U	0.27U	0.27U	0.27U
Bromochloromethane	ug/l	0.58U	0.58U	0.58U	0.58U	0.58U
Bromodichloromethane	ug/l	0.35U	0.35U	0.35U	0.35U	0.35U
Bromoform	ug/l	0.58U	0.58U	0.58U	0.58U	0.58U
Carbon disulfide	ug/l	0.85U	0.85U	0.85U	0.85U	0.85U
Carbon Tetrachloride	ug/l	0.42U	0.42U	0.42U	0.42U	0.42U
Chlorobenzene	ug/l	0.63U	0.63U	0.63U	0.63U	0.63U
Chloroethane	ug/l	0.80U	0.80U	0.80U	0.80U	0.80U
Chloroform	ug/l	0.90U	0.90U	0.90U	0.90U	0.90U
Dibromochloromethane	ug/l	0.34U	0.34U	0.34U	0.34U	0.34U
1,2-Dichlorobenzene	ug/l	0.44U	0.44U	0.44U	0.44U	0.44U
1,4-Dichlorobenzene	ug/l	0.52U	0.52U	0.52U	0.52U	0.52U
Trans-1,4-Dichloro-2-butene	ug/l	2.5U	2.5U	2.5U	2.5U	2.5U
1,1-Dichloroethane	ug/l	0.52U	0.52U	0.52U	0.52U	0.52U
1,2-Dichloroethane	ug/l	0.57U	0.57U	0.57U	0.57U	0.57U
1,1-Dichloroethylene	ug/l	0.45U	0.45U	0.45U	0.45U	0.45U
cis-1,2-Dichloroethylene	ug/l	0.65U	0.65U	0.65U	0.65U	0.65U
trans-1,2-Dichloroethylene	ug/l	0.44U	0.44U	0.44U	0.44U	0.44U
1,2-Dichloropropane	ug/l	0.52U	0.52U	0.52U	0.52U	0.52U
cis-1,3-Dichloropropene	ug/l	0.14U	0.14U	0.14U	0.14U	0.14U
trans-1,3-Dichloropropene	ug/l	0.14U	0.14U	0.14U	0.14U	0.14U
Ethylbenzene	ug/l	0.83U	0.83U	0.83U	0.83U	0.83U
2-Hexanone	ug/l	4.4U	4.4U	4.4U	4.4U	4.4U
Bromomethane	ug/l	0.66U	0.66U	0.66U	0.66U	0.66U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23765-1	MW-6A	Liquid	07/28/04	07/27/04 10:45	
23765-2	MW-8A	Liquid	07/28/04	07/27/04 12:45	
23765-3	MW-9A	Liquid	07/28/04	07/27/04 14:40	
23765-4	MW-10A	Liquid	07/28/04	07/27/04 14:25	
23765-5	EB-01	Liquid	07/28/04	07/27/04 15:20	

Parameter	Units	Lab Sample IDs				
		23765-1	23765-2	23765-3	23765-4	23765-5

Appendix I - Organics (8260)

Chloromethane	ug/l	0.64U	0.64U	0.64U	0.64U	0.64U
Dibromomethane	ug/l	0.41U	0.41U	0.41U	0.41U	0.41U
Methylene Chloride	ug/l	1.0U	1.0U	1.0U	1.0U	1.0U
2-Butanone (MEK)	ug/l	8.4U	8.4U	8.4U	8.4U	8.4U
Iodomethane	ug/l	0.67U	0.67U	0.67U	0.67U	0.67U
4-Methyl-2-pentanone (MIBK)	ug/l	3.8U	3.8U	3.8U	3.8U	3.8U
Styrene	ug/l	0.98U	0.98U	0.98U	0.98U	0.98U
1,1,1,2-Tetrachloroethane	ug/l	0.63U	0.63U	0.63U	0.63U	0.63U
1,1,2,2-Tetrachloroethane	ug/l	0.14U	0.14U	0.14U	0.14U	0.14U
Tetrachloroethene	ug/l	0.34U	0.34U	0.34U	0.34U	0.34U
Toluene	ug/l	1.8	0.51U	0.51U	24	0.51U
1,1,1-Trichloroethane	ug/l	0.46U	0.46U	0.46U	0.46U	0.46U
1,1,2-Trichloroethane	ug/l	0.47U	0.47U	0.47U	0.47U	0.47U
Trichloroethene	ug/l	0.28U	0.28U	0.28U	0.28U	0.28U
Trichlorofluoromethane	ug/l	0.98U	0.98U	0.98U	0.98U	0.98U
1,2,3-Trichloropropane	ug/l	0.15U	0.15U	0.15U	0.15U	0.15U
Vinyl acetate	ug/l	1.5U	1.5U	1.5U	1.5U	1.5U
Vinyl chloride	ug/l	0.50U	0.50U	0.50U	0.50U	0.50U
Xylenes	ug/l	0.98U	0.98U	0.98U	0.98U	0.98U
Dilution Factor		1	1	1	1	1
Prep Date		08/03/04	08/03/04	08/03/04	08/03/04	08/03/04
Prep Time		21:17	21:36	21:55	22:16	20:57
Analysis Date		08/03/04	08/03/04	08/03/04	08/03/04	08/03/04
Analysis Time		21:17	21:36	21:55	22:16	20:57
Batch ID		0803H(B)	0803H(B)	0803H(B)	0803H(B)	0803H(B)

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23765-1	MW-6A	Liquid	07/28/04	07/27/04 10:45	
23765-2	MW-8A	Liquid	07/28/04	07/27/04 12:45	
23765-3	MW-9A	Liquid	07/28/04	07/27/04 14:40	
23765-4	MW-10A	Liquid	07/28/04	07/27/04 14:25	
23765-5	EB-01	Liquid	07/28/04	07/27/04 15:20	

Parameter	Units	Lab Sample IDs				
		23765-1	23765-2	23765-3	23765-4	23765-5

Microextractables (504)

1,2-Dibromoethane (EDB)	ug/l	0.0087U	0.0087U	0.0087U	0.0087U	0.0087U
1,2-Dibromo-3-chloropropane	ug/l	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U
Dilution Factor		1	1	1	1	1
Prep Date		08/02/04	08/02/04	08/02/04	08/02/04	08/02/04
Prep Time		13:00	13:00	13:00	13:00	13:00
Analysis Date		08/03/04	08/03/04	08/03/04	08/03/04	08/03/04
Analysis Time		00:34	00:55	01:16	01:37	03:01
Batch ID		0802E	0802E	0802E	0802E	0802E

Appendix I Metals by ICP (6010)

Arsenic	mg/l	0.0038U	0.0038U	0.0038U	0.0038U	0.0038U
Barium	mg/l	0.0032I	0.016	0.0096I	0.011	0.0012U
Beryllium	mg/l	0.00074U	0.00074U	0.00074U	0.00074U	0.00074U
Cadmium	mg/l	0.00071U	0.00071U	0.00071U	0.00071U	0.00071U
Chromium	mg/l	0.0018I	0.0026I	0.0034I	0.0028I	0.0017U
Cobalt	mg/l	0.0014U	0.0019I	0.0020I	0.0017I	0.0014U
Copper	mg/l	0.0013U	0.0013U	0.0013U	0.0013U	0.0013U
Lead	mg/l	0.0015U	0.0015U	0.0015U	0.0015U	0.0015U
Nickel	mg/l	0.0047U	0.0047U	0.0047U	0.0047U	0.0047U
Selenium	mg/l	0.0048U	0.0048U	0.0048U	0.0048U	0.0048U
Silver	mg/l	0.0019U	0.0019U	0.0019U	0.0019U	0.0019U
Vanadium	mg/l	0.0025U	0.0031I	0.0046I	0.0044I	0.0025U
Zinc	mg/l	0.0059U	0.0059U	0.0059U	0.0059U	0.0059U
Antimony	mg/l	0.0029U	0.0037I	0.0029U	0.0029U	0.0029U
Dilution Factor		1	1	1	1	1
Prep Date		07/28/04	07/28/04	07/28/04	07/28/04	07/28/04
Prep Time		21:55	21:55	21:55	21:55	21:55
Analysis Date		08/04/04	08/04/04	08/04/04	08/04/04	08/04/04
Analysis Time		11:15	11:34	11:53	11:59	12:05
Batch ID		40728I	40728I	40728I	40728I	40728I

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23765-1	MW-6A	Liquid	07/28/04	07/27/04 10:45	
23765-2	MW-8A	Liquid	07/28/04	07/27/04 12:45	
23765-3	MW-9A	Liquid	07/28/04	07/27/04 14:40	
23765-4	MW-10A	Liquid	07/28/04	07/27/04 14:25	
23765-5	EB-01	Liquid	07/28/04	07/27/04 15:20	

Parameter	Units	Lab Sample IDs				
		23765-1	23765-2	23765-3	23765-4	23765-5

Mercury (7470)

Mercury	mg/l	0.000072U	0.000072U	0.000072U	0.000072U	0.000072U
Dilution Factor		1	1	1	1	1
Prep Date		07/29/04	07/29/04	07/29/04	07/29/04	07/29/04
Prep Time		14:30	14:30	14:30	14:30	14:30
Analysis Date		07/29/04	07/29/04	07/29/04	07/29/04	07/29/04
Analysis Time		18:23	18:28	18:30	18:36	18:39
Batch ID		40729T	40729T	40729T	40729T	40729T

Iron (6010)

Iron	mg/l	1.6	2.4	1.9	2.0	0.037U
Dilution Factor		1	1	1	1	1
Prep Date		07/28/04	07/28/04	07/28/04	07/28/04	07/28/04
Prep Time		21:55	21:55	21:55	21:55	21:55
Analysis Date		08/04/04	08/04/04	08/04/04	08/04/04	08/04/04
Analysis Time		11:15	11:34	11:53	11:59	12:05
Batch ID		40728I	40728I	40728I	40728I	40728I

Thallium (7841)

Thallium	mg/l	0.00070U	0.00070U	0.00070U	0.00070U	0.00070U
Dilution Factor		1	1	1	1	1
Prep Date		07/30/04	07/30/04	07/30/04	07/30/04	07/30/04
Prep Time		10:45	10:45	10:45	10:45	10:45
Analysis Date		08/03/04	08/03/04	08/03/04	08/03/04	08/03/04
Analysis Time		18:00	18:04	18:08	18:12	18:16
Batch ID		0730G	0730G	0730G	0730G	0730G

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23765-1	MW-6A	Liquid	07/28/04	07/27/04 10:45	
23765-2	MW-8A	Liquid	07/28/04	07/27/04 12:45	
23765-3	MW-9A	Liquid	07/28/04	07/27/04 14:40	
23765-4	MW-10A	Liquid	07/28/04	07/27/04 14:25	
23765-5	EB-01	Liquid	07/28/04	07/27/04 15:20	

Parameter	Units	Lab Sample IDs				
		23765-1	23765-2	23765-3	23765-4	23765-5

Sodium (6010)

Sodium	mg/l	9.1	12	4.3	6.5	0.15U
Dilution Factor		1	1	1	1	1
Prep Date		07/28/04	07/28/04	07/28/04	07/28/04	07/28/04
Prep Time		21:55	21:55	21:55	21:55	21:55
Analysis Date		08/04/04	08/04/04	08/04/04	08/04/04	08/04/04
Analysis Time		11:15	11:34	11:53	11:59	12:05
Batch ID		40728I	40728I	40728I	40728I	40728I

Chloride (325.3)

Chloride	mg/l	12	29	15	15	1.0U
Dilution Factor		1	1	1	1	1
Prep Date		08/02/04	08/02/04	08/02/04	08/02/04	08/02/04
Prep Time		10:55	10:55	10:55	10:55	10:55
Analysis Date		08/02/04	08/02/04	08/02/04	08/02/04	08/02/04
Analysis Time		10:55	10:55	10:55	10:55	10:55
Batch ID		0802M-6	0802M-6	0802M-6	0802M-6	0802M-6

Ammonia-N (350.3)

Ammonia-N	mg/l	0.18	0.14	2.3	2.7	0.040U
Dilution Factor		1	1	1	1	1
Prep Date		08/04/04	08/04/04	08/04/04	08/04/04	08/04/04
Prep Time		20:00	20:00	20:00	20:00	20:00
Analysis Date		08/04/04	08/04/04	08/04/04	08/04/04	08/04/04
Analysis Time		20:00	20:00	20:00	20:00	20:00
Batch ID		0804Y	0804Y	0804Y	0804Y	0804Y

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23765-1	MW-6A	Liquid	07/28/04	07/27/04 10:45	
23765-2	MW-8A	Liquid	07/28/04	07/27/04 12:45	
23765-3	MW-9A	Liquid	07/28/04	07/27/04 14:40	
23765-4	MW-10A	Liquid	07/28/04	07/27/04 14:25	
23765-5	EB-01	Liquid	07/28/04	07/27/04 15:20	

Parameter	Units	Lab Sample IDs				
		23765-1	23765-2	23765-3	23765-4	23765-5

Nitrate-N (353.2)

Nitrate-N	mg/l	0.010U	0.010U	0.010U	0.010U	0.010U
Dilution Factor		1	1	1	1	1
Analysis Date		07/29/04	07/29/04	07/29/04	07/29/04	07/29/04
Analysis Time		08:19	08:19	08:19	08:19	08:19
Batch ID		0729G	0729G	0729G	0729G	0729G

Solids, Total Dissolved (160.1)

Solids, Total Dissolved	mg/l	60	76	82	110	5.0U
Dilution Factor		1	1	1	1	1
Analysis Date		08/03/04	08/03/04	08/03/04	08/03/04	08/03/04
Analysis Time		16:00	16:00	16:00	16:00	16:00
Batch ID		0803J	0803J	0803J	0803J	0803J

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23765-6	MW-11A	Liquid	07/28/04	07/27/04 16:30	
23765-7	MW-12A	Liquid	07/28/04	07/27/04 16:30	

Parameter	Units	Lab Sample IDs	
		23765-6	23765-7

Appendix I - Organics (8260)

Parameter	Units	23765-6	23765-7
Acetone	ug/l	9.9U	9.9U
Acrylonitrile	ug/l	1.2U	1.2U
Benzene	ug/l	0.27U	0.27U
Bromochloromethane	ug/l	0.58U	0.58U
Bromodichloromethane	ug/l	0.35U	0.35U
Bromoform	ug/l	0.58U	0.58U
Carbon disulfide	ug/l	0.85U	0.85U
Carbon Tetrachloride	ug/l	0.42U	0.42U
Chlorobenzene	ug/l	0.63U	0.63U
Chloroethane	ug/l	0.80U	0.80U
Chloroform	ug/l	0.90U	0.90U
Dibromochloromethane	ug/l	0.34U	0.34U
1,2-Dichlorobenzene	ug/l	0.44U	0.44U
1,4-Dichlorobenzene	ug/l	0.52U	0.52U
Trans-1,4-Dichloro-2-butene	ug/l	2.5U	2.5U
1,1-Dichloroethane	ug/l	0.52U	0.52U
1,2-Dichloroethane	ug/l	0.57U	0.57U
1,1-Dichloroethylene	ug/l	0.45U	0.45U
cis-1,2-Dichloroethylene	ug/l	0.65U	0.65U
trans-1,2-Dichloroethylene	ug/l	0.44U	0.44U
1,2-Dichloropropane	ug/l	0.52U	0.52U
cis-1,3-Dichloropropene	ug/l	0.14U	0.14U
trans-1,3-Dichloropropene	ug/l	0.14U	0.14U
Ethylbenzene	ug/l	0.83U	0.83U
2-Hexanone	ug/l	4.4U	4.4U
Bromomethane	ug/l	0.66U	0.66U
Chloromethane	ug/l	0.64U	0.64U
Dibromomethane	ug/l	0.41U	0.41U
Methylene Chloride	ug/l	1.0U	1.0U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23765-6	MW-11A	Liquid	07/28/04	07/27/04 16:30	
23765-7	MW-12A	Liquid	07/28/04	07/27/04 16:30	

Parameter	Units	Lab Sample IDs	
		23765-6	23765-7

Appendix I - Organics (8260)

	Units	23765-6	23765-7
2-Butanone (MEK)	ug/l	8.4U	8.4U
Iodomethane	ug/l	0.67U	0.67U
4-Methyl-2-pentanone (MIBK)	ug/l	3.8U	3.8U
Styrene	ug/l	0.98U	0.98U
1,1,1,2-Tetrachloroethane	ug/l	0.63U	0.63U
1,1,2,2-Tetrachloroethane	ug/l	0.14U	0.14U
Tetrachloroethene	ug/l	0.34U	0.34U
Toluene	ug/l	0.51U	0.51U
1,1,1-Trichloroethane	ug/l	0.46U	0.46U
1,1,2-Trichloroethane	ug/l	0.47U	0.47U
Trichloroethene	ug/l	0.28U	0.28U
Trichlorofluoromethane	ug/l	0.98U	0.98U
1,2,3-Trichloropropane	ug/l	0.15U	0.15U
Vinyl acetate	ug/l	1.5U	1.5U
Vinyl chloride	ug/l	0.50U	0.50U
Xylenes	ug/l	0.98U	0.98U
Dilution Factor		1	1
Prep Date		08/03/04	08/04/04
Prep Time		22:36	13:46
Analysis Date		08/03/04	08/04/04
Analysis Time		22:36	13:46
Batch ID		0803H(B)	0803H(B)

Microextractables (504)

	Units	23765-6	23765-7
1,2-Dibromoethane (EDB)	ug/l	0.0087U	0.0087U
1,2-Dibromo-3-chloropropane	ug/l	0.0030U	0.0030U
Dilution Factor		1	1
Prep Date		08/02/04	08/02/04
Prep Time		13:00	13:00
Analysis Date		08/03/04	08/03/04
Analysis Time		03:22	03:44
Batch ID		0802E	0802E

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23765-6	MW-11A	Liquid	07/28/04	07/27/04 16:30	
23765-7	MW-12A	Liquid	07/28/04	07/27/04 16:30	

Parameter	Units	Lab Sample IDs	
		23765-6	23765-7

Appendix I Metals by ICP (6010)

Arsenic	mg/l	0.027	0.0038U
Barium	mg/l	0.0092I	0.014
Beryllium	mg/l	0.00074U	0.00074U
Cadmium	mg/l	0.00071U	0.00071U
Chromium	mg/l	0.0058I	0.0019I
Cobalt	mg/l	0.0025I	0.0017I
Copper	mg/l	0.0013U	0.0013U
Lead	mg/l	0.0015U	0.0015U
Nickel	mg/l	0.0047U	0.0047U
Selenium	mg/l	0.0048U	0.0048U
Silver	mg/l	0.0019U	0.0019U
Vanadium	mg/l	0.0025U	0.0028I
Zinc	mg/l	0.0059U	0.0059U
Antimony	mg/l	0.0029U	0.0029U
Dilution Factor		1	1
Prep Date		07/28/04	07/28/04
Prep Time		21:55	21:55
Analysis Date		08/04/04	08/04/04
Analysis Time		12:11	12:17
Batch ID		40728I	40728I

Mercury (7470)

Mercury	mg/l	0.000072U	0.000072U
Dilution Factor		1	1
Prep Date		07/29/04	07/29/04
Prep Time		14:30	14:30
Analysis Date		07/29/04	07/29/04
Analysis Time		18:40	18:42
Batch ID		40729T	40729T

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23765-6	MW-11A	Liquid	07/28/04	07/27/04 16:30	
23765-7	MW-12A	Liquid	07/28/04	07/27/04 16:30	

Parameter	Units	Lab Sample IDs	
		23765-6	23765-7

Iron (6010)

Iron	mg/l	33	1.2
Dilution Factor		1	1
Prep Date		07/28/04	07/28/04
Prep Time		21:55	21:55
Analysis Date		08/04/04	08/04/04
Analysis Time		12:11	12:17
Batch ID		40728I	40728I

Thallium (7841)

Thallium	mg/l	0.00070U	0.00070U
Dilution Factor		1	1
Prep Date		07/30/04	07/30/04
Prep Time		10:45	10:45
Analysis Date		08/03/04	08/03/04
Analysis Time		18:20	18:24
Batch ID		0730G	0730G

Sodium (6010)

Sodium	mg/l	14	8.0
Dilution Factor		1	1
Prep Date		07/28/04	07/28/04
Prep Time		21:55	21:55
Analysis Date		08/04/04	08/04/04
Analysis Time		12:11	12:17
Batch ID		40728I	40728I

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23765-6	MW-11A	Liquid	07/28/04	07/27/04 16:30	
23765-7	MW-12A	Liquid	07/28/04	07/27/04 16:30	

Parameter	Units	Lab Sample IDs	
		23765-6	23765-7

Chloride (325.3)

Chloride	mg/l	29	13
Dilution Factor		1	1
Prep Date		08/02/04	08/02/04
Prep Time		10:55	10:55
Analysis Date		08/02/04	08/02/04
Analysis Time		10:55	10:55
Batch ID		0802M-6	0802M-6

Ammonia-N (350.3)

Ammonia-N	mg/l	2.1	0.19
Dilution Factor		1	1
Prep Date		08/04/04	08/04/04
Prep Time		20:00	20:00
Analysis Date		08/04/04	08/04/04
Analysis Time		20:00	20:00
Batch ID		0804Y	0804Y

Nitrate-N (353.2)

Nitrate-N	mg/l	0.010U	0.010U
Dilution Factor		1	1
Analysis Date		07/29/04	07/29/04
Analysis Time		08:19	08:19
Batch ID		0729G	0729G

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23765-6	MW-11A	Liquid	07/28/04	07/27/04 16:30	
23765-7	MW-12A	Liquid	07/28/04	07/27/04 16:30	

Parameter	Units	Lab Sample IDs	
		23765-6	23765-7

Solids, Total Dissolved (160.1)

Solids, Total Dissolved	mg/l	180	48
Dilution Factor		1	1
Analysis Date		08/03/04	08/03/04
Analysis Time		16:00	16:00
Batch ID		0803J	0803J

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23765-8	MW-5A	Liquid	07/28/04	07/27/04 10:05	
23765-9	MW-7A	Liquid	07/28/04	07/27/04 12:35	

Parameter	Units	Lab Sample IDs	
		23765-8	23765-9

Appendix I - Organics (8260)

Parameter	Units	23765-8	23765-9
Acetone	ug/l	9.9U	9.9U
Acrylonitrile	ug/l	1.2U	1.2U
Benzene	ug/l	0.27U	0.27U
Bromochloromethane	ug/l	0.58U	0.58U
Bromodichloromethane	ug/l	0.35U	0.35U
Bromoform	ug/l	0.58U	0.58U
Carbon disulfide	ug/l	0.85U	0.85U
Carbon Tetrachloride	ug/l	0.42U	0.42U
Chlorobenzene	ug/l	0.63U	0.63U
Chloroethane	ug/l	0.80U	0.80U
Chloroform	ug/l	0.90U	0.90U
Dibromochloromethane	ug/l	0.34U	0.34U
1,2-Dichlorobenzene	ug/l	0.44U	0.44U
1,4-Dichlorobenzene	ug/l	0.52U	0.52U
Trans-1,4-Dichloro-2-butene	ug/l	2.5U	2.5U
1,1-Dichloroethane	ug/l	0.52U	0.52U
1,2-Dichloroethane	ug/l	0.57U	0.57U
1,1-Dichloroethylene	ug/l	0.45U	0.45U
cis-1,2-Dichloroethylene	ug/l	0.65U	0.65U
trans-1,2-Dichloroethylene	ug/l	0.44U	0.44U
1,2-Dichloropropane	ug/l	0.52U	0.52U
cis-1,3-Dichloropropene	ug/l	0.14U	0.14U
trans-1,3-Dichloropropene	ug/l	0.14U	0.14U
Ethylbenzene	ug/l	0.83U	0.83U
2-Hexanone	ug/l	4.4U	4.4U
Bromomethane	ug/l	0.66U	0.66U
Chloromethane	ug/l	0.64U	0.64U
Dibromomethane	ug/l	0.41U	0.41U
Methylene Chloride	ug/l	1.0U	1.0U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23765-8	MW-5A	Liquid	07/28/04	07/27/04 10:05	
23765-9	MW-7A	Liquid	07/28/04	07/27/04 12:35	

Parameter	Units	Lab Sample IDs	
		23765-8	23765-9

Appendix I - Organics (8260)

	ug/l	23765-8	23765-9
2-Butanone (MEK)	ug/l	8.4U	8.4U
Iodomethane	ug/l	0.67U	0.67U
4-Methyl-2-pentanone (MIBK)	ug/l	3.8U	3.8U
Styrene	ug/l	0.98U	0.98U
1,1,1,2-Tetrachloroethane	ug/l	0.63U	0.63U
1,1,2,2-Tetrachloroethane	ug/l	0.14U	0.14U
Tetrachloroethene	ug/l	0.34U	0.34U
Toluene	ug/l	170	0.51U
1,1,1-Trichloroethane	ug/l	0.46U	0.46U
1,1,2-Trichloroethane	ug/l	0.47U	0.47U
Trichloroethene	ug/l	0.28U	0.28U
Trichlorofluoromethane	ug/l	0.98U	0.98U
1,2,3-Trichloropropane	ug/l	0.15U	0.15U
Vinyl acetate	ug/l	1.5U	1.5U
Vinyl chloride	ug/l	0.50U	0.50U
Xylenes	ug/l	0.98U	0.98U
Dilution Factor		1	1
Prep Date		08/04/04	08/04/04
Prep Time		14:05	14:24
Analysis Date		08/04/04	08/04/04
Analysis Time		14:05	14:24
Batch ID		0803H(B)	0803H(B)

Microextractables (504)

	ug/l	23765-8	23765-9
1,2-Dibromoethane (EDB)	ug/l	0.0087U	0.0087U
1,2-Dibromo-3-chloropropane	ug/l	0.0030U	0.0030U
Dilution Factor		1	1
Prep Date		08/02/04	08/02/04
Prep Time		13:00	13:00
Analysis Date		08/03/04	08/03/04
Analysis Time		04:26	04:47
Batch ID		0802E	0802E

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23765-8	MW-5A	Liquid	07/28/04	07/27/04 10:05	
23765-9	MW-7A	Liquid	07/28/04	07/27/04 12:35	

Parameter	Units	Lab Sample IDs	
		23765-8	23765-9

Appendix I Metals by ICP (6010)

Arsenic	mg/l	0.0038U	0.016
Barium	mg/l	0.0070I	1.5
Beryllium	mg/l	0.00074U	0.0051
Cadmium	mg/l	0.00071U	0.00073I
Chromium	mg/l	0.0061I	0.17
Cobalt	mg/l	0.0014U	0.0077I
Copper	mg/l	0.0016I	0.018I
Lead	mg/l	0.0020I	0.13
Nickel	mg/l	0.0047U	0.036I
Selenium	mg/l	0.0048U	0.023
Silver	mg/l	0.0019U	0.0019U
Vanadium	mg/l	0.0039I	0.27
Zinc	mg/l	0.0059U	0.022
Antimony	mg/l	0.0029U	0.0029U
Dilution Factor		1	1
Prep Date		07/28/04	07/28/04
Prep Time		21:55	21:55
Analysis Date		08/04/04	08/04/04
Analysis Time		12:24	12:30
Batch ID		40728I	40728I

Mercury (7470)

Mercury	mg/l	0.000099I	0.00062
Dilution Factor		1	1
Prep Date		07/29/04	07/29/04
Prep Time		14:30	14:30
Analysis Date		07/29/04	07/29/04
Analysis Time		18:44	18:48
Batch ID		40729T	40729T

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23765-8	MW-5A	Liquid	07/28/04	07/27/04 10:05	
23765-9	MW-7A	Liquid	07/28/04	07/27/04 12:35	

Parameter	Units	Lab Sample IDs	
		23765-8	23765-9

Iron (6010)

Iron	mg/l	2.0	19
Dilution Factor		1	1
Prep Date		07/28/04	07/28/04
Prep Time		21:55	21:55
Analysis Date		08/04/04	08/04/04
Analysis Time		12:24	12:30
Batch ID		40728I	40728I

Thallium (7841)

Thallium	mg/l	0.00070U	0.00070U
Dilution Factor		1	1
Prep Date		07/30/04	07/30/04
Prep Time		10:45	10:45
Analysis Date		08/03/04	08/03/04
Analysis Time		18:37	18:41
Batch ID		0730G	0730G

Thallium (Dissolved) (7841)

Thallium (Dissolved)	mg/l	0.00070U	0.00070U
Dilution Factor		1	1
Prep Date		07/30/04	07/30/04
Prep Time		10:45	10:45
Analysis Date		08/03/04	08/03/04
Analysis Time		18:45	18:49
Batch ID		0730G	0730G

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23765-8	MW-5A	Liquid	07/28/04	07/27/04 10:05	
23765-9	MW-7A	Liquid	07/28/04	07/27/04 12:35	

Parameter	Units	Lab Sample IDs	
		23765-8	23765-9
Sodium (6010)			
Sodium	mg/l	5.2	10
Dilution Factor		1	1
Prep Date		07/28/04	07/28/04
Prep Time		21:55	21:55
Analysis Date		08/04/04	08/04/04
Analysis Time		12:24	12:30
Batch ID		40728I	40728I

Appendix I Metals Dissolved (6010)

Antimony (Dissolved)	mg/l	0.0029U	0.0029U
Arsenic (Dissolved)	mg/l	0.0038U	0.0038U
Barium (Dissolved)	mg/l	0.0029I	0.013
Beryllium (Dissolved)	mg/l	0.00074U	0.00074U
Cadmium (Dissolved)	mg/l	0.00071U	0.00071U
Chromium (Dissolved)	mg/l	0.0053I	0.0017U
Cobalt (Dissolved)	mg/l	0.0014U	0.0014U
Copper (Dissolved)	mg/l	0.0013U	0.0013U
Lead (Dissolved)	mg/l	0.0015U	0.0015U
Nickel (Dissolved)	mg/l	0.0047U	0.0047U
Selenium (Dissolved)	mg/l	0.0048U	0.0048U
Silver (Dissolved)	mg/l	0.0019U	0.0019U
Vanadium (Dissolved)	mg/l	0.0034I	0.0039I
Zinc (Dissolved)	mg/l	0.0059U	0.0059U
Dilution Factor		1	1
Prep Date		07/28/04	07/28/04
Prep Time		21:55	21:55
Analysis Date		08/04/04	08/04/04
Analysis Time		12:36	12:42
Batch ID		40728I	40728I

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23765-8	MW-5A	Liquid	07/28/04	07/27/04 10:05	
23765-9	MW-7A	Liquid	07/28/04	07/27/04 12:35	

Parameter	Units	Lab Sample IDs	
		23765-8	23765-9
Iron (Dissolved) (6010)			
Iron (Dissolved)	mg/l	1.9	0.35
Dilution Factor		1	1
Prep Date		07/28/04	07/28/04
Prep Time		21:55	21:55
Analysis Date		08/04/04	08/04/04
Analysis Time		12:36	12:42
Batch ID		40728I	40728I

Sodium (Dissolved) (6010)			
Sodium (Dissolved)	mg/l	5.1	11
Dilution Factor		1	1
Prep Date		07/28/04	07/28/04
Prep Time		21:55	21:55
Analysis Date		08/04/04	08/04/04
Analysis Time		12:36	12:42
Batch ID		40728I	40728I

Mercury (Dissolved) (7470)			
Mercury (Dissolved)	mg/l	0.000072U	0.000072U
Dilution Factor		1	1
Prep Date		07/29/04	07/29/04
Prep Time		14:30	14:30
Analysis Date		07/29/04	07/29/04
Analysis Time		18:46	18:49
Batch ID		40729T	40729T

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23765-8	MW-5A	Liquid	07/28/04	07/27/04 10:05	
23765-9	MW-7A	Liquid	07/28/04	07/27/04 12:35	

Parameter	Units	Lab Sample IDs	
		23765-8	23765-9

Chloride (325.3)

Chloride	mg/l	18	12
Dilution Factor		1	1
Prep Date		08/02/04	08/02/04
Prep Time		10:55	10:55
Analysis Date		08/02/04	08/02/04
Analysis Time		10:55	10:55
Batch ID		0802M-6	0802M-6

Ammonia-N (350.3)

Ammonia-N	mg/l	3.6	0.19
Dilution Factor		1	1
Prep Date		08/04/04	08/04/04
Prep Time		20:00	20:00
Analysis Date		08/04/04	08/04/04
Analysis Time		20:00	20:00
Batch ID		0804Y	0804Y

Nitrate-N (353.2)

Nitrate-N	mg/l	0.050U	0.10U
Dilution Factor		5	10
Analysis Date		07/29/04	07/29/04
Analysis Time		08:19	08:19
Batch ID		0729G	0729G

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23765-8	MW-5A	Liquid	07/28/04	07/27/04 10:05	
23765-9	MW-7A	Liquid	07/28/04	07/27/04 12:35	

Parameter	Units	Lab Sample IDs	
		23765-8	23765-9

Solids, Total Dissolved (160.1)

Solids, Total Dissolved	mg/l	120	1800
Dilution Factor		1	1
Analysis Date		08/03/04	08/03/04
Analysis Time		16:00	16:00
Batch ID		0803J	0803J

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23765-10	Trip Blank	Liquid	07/28/04	07/27/04	

Parameter	Units	Lab Sample IDs
		23765-10

Appendix I - Organics (8260)

Acetone	ug/l	9.9U
Acrylonitrile	ug/l	1.2U
Benzene	ug/l	0.27U
Bromochloromethane	ug/l	0.58U
Bromodichloromethane	ug/l	0.35U
Bromoform	ug/l	0.58U
Carbon disulfide	ug/l	0.85U
Carbon Tetrachloride	ug/l	0.42U
Chlorobenzene	ug/l	0.63U
Chloroethane	ug/l	0.80U
Chloroform	ug/l	0.90U
Dibromochloromethane	ug/l	0.34U
1,2-Dichlorobenzene	ug/l	0.44U
1,4-Dichlorobenzene	ug/l	0.52U
Trans-1,4-Dichloro-2-butene	ug/l	2.5U
1,1-Dichloroethane	ug/l	0.52U
1,2-Dichloroethane	ug/l	0.57U
1,1-Dichloroethylene	ug/l	0.45U
cis-1,2-Dichloroethylene	ug/l	0.65U
trans-1,2-Dichloroethylene	ug/l	0.44U
1,2-Dichloropropane	ug/l	0.52U
cis-1,3-Dichloropropene	ug/l	0.14U
trans-1,3-Dichloropropene	ug/l	0.14U
Ethylbenzene	ug/l	0.83U
2-Hexanone	ug/l	4.4U
Bromomethane	ug/l	0.66U
Chloromethane	ug/l	0.64U
Dibromomethane	ug/l	0.41U
Methylene Chloride	ug/l	1.0U
2-Butanone (MEK)	ug/l	8.4U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23765-10	Trip Blank	Liquid	07/28/04	07/27/04	

Parameter	Units	Lab Sample IDs
		23765-10

Appendix I - Organics (8260)

Iodomethane	ug/l	0.67U
4-Methyl-2-pentanone (MIBK)	ug/l	3.8U
Styrene	ug/l	0.98U
1,1,1,2-Tetrachloroethane	ug/l	0.63U
1,1,2,2-Tetrachloroethane	ug/l	0.14U
Tetrachloroethene	ug/l	0.34U
Toluene	ug/l	0.51U
1,1,1-Trichloroethane	ug/l	0.46U
1,1,2-Trichloroethane	ug/l	0.47U
Trichloroethene	ug/l	0.28U
Trichlorofluoromethane	ug/l	0.98U
1,2,3-Trichloropropane	ug/l	0.15U
Vinyl acetate	ug/l	1.5U
Vinyl chloride	ug/l	0.50U
Xylenes	ug/l	0.98U
Dilution Factor		1
Prep Date		08/03/04
Prep Time		20:38
Analysis Date		08/03/04
Analysis Time		20:38
Batch ID		0803H(B)

Microextractables (504)

1,2-Dibromoethane (EDB)	ug/l	0.0087U
1,2-Dibromo-3-chloropropane	ug/l	0.0030U
Dilution Factor		1
Prep Date		08/02/04
Prep Time		13:00
Analysis Date		08/03/04
Analysis Time		05:08
Batch ID		0802E

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23765-11	Method Blank	Liquid	07/28/04		

Parameter	Units	Lab Sample IDs	
		23765-11	

Appendix I - Organics (8260)

Acetone	ug/l	9.9U
Acrylonitrile	ug/l	1.2U
Benzene	ug/l	0.27U
Bromochloromethane	ug/l	0.58U
Bromodichloromethane	ug/l	0.35U
Bromoform	ug/l	0.58U
Carbon disulfide	ug/l	0.85U
Carbon Tetrachloride	ug/l	0.42U
Chlorobenzene	ug/l	0.63U
Chloroethane	ug/l	0.80U
Chloroform	ug/l	0.90U
Dibromochloromethane	ug/l	0.34U
1,2-Dichlorobenzene	ug/l	0.44U
1,4-Dichlorobenzene	ug/l	0.52U
Trans-1,4-Dichloro-2-butene	ug/l	2.5U
1,1-Dichloroethane	ug/l	0.52U
1,2-Dichloroethane	ug/l	0.57U
1,1-Dichloroethylene	ug/l	0.45U
cis-1,2-Dichloroethylene	ug/l	0.65U
trans-1,2-Dichloroethylene	ug/l	0.44U
1,2-Dichloropropane	ug/l	0.52U
cis-1,3-Dichloropropene	ug/l	0.14U
trans-1,3-Dichloropropene	ug/l	0.14U
Ethylbenzene	ug/l	0.83U
2-Hexanone	ug/l	4.4U
Bromomethane	ug/l	0.66U
Chloromethane	ug/l	0.64U
Dibromomethane	ug/l	0.41U
Methylene Chloride	ug/l	1.0U
2-Butanone (MEK)	ug/l	8.4U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23765-11	Method Blank	Liquid	07/28/04		

Parameter	Units	Lab Sample IDs
		23765-11

Appendix I - Organics (8260)

Iodomethane	ug/l	0.67U
4-Methyl-2-pentanone (MIBK)	ug/l	3.8U
Styrene	ug/l	0.98U
1,1,1,2-Tetrachloroethane	ug/l	0.63U
1,1,1,2-Tetrachloroethane	ug/l	0.14U
Tetrachloroethene	ug/l	0.34U
Toluene	ug/l	0.51U
1,1,1-Trichloroethane	ug/l	0.46U
1,1,2-Trichloroethane	ug/l	0.47U
Trichloroethene	ug/l	0.28U
Trichlorofluoromethane	ug/l	0.98U
1,2,3-Trichloropropane	ug/l	0.15U
Vinyl acetate	ug/l	1.5U
Vinyl chloride	ug/l	0.50U
Xylenes	ug/l	0.98U
Dilution Factor		1
Prep Date		08/03/04
Prep Time		15:49
Analysis Date		08/03/04
Analysis Time		15:49
Batch ID		0803H(B)

Microextractables (504)

1,2-Dibromoethane (EDB)	ug/l	0.0087U
1,2-Dibromo-3-chloropropane	ug/l	0.0030U
Dilution Factor		1
Prep Date		08/02/04
Prep Time		13:00
Analysis Date		08/02/04
Analysis Time		20:21
Batch ID		0802E

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23765-11	Method Blank	Liquid	07/28/04		

Parameter	Units	Lab Sample IDs
		23765-11

Appendix I Metals by ICP (6010)

Arsenic	mg/l	0.0038U
Barium	mg/l	0.0012U
Beryllium	mg/l	0.00074U
Cadmium	mg/l	0.00071U
Chromium	mg/l	0.0017U
Cobalt	mg/l	0.0014U
Copper	mg/l	0.0013U
Lead	mg/l	0.0015U
Nickel	mg/l	0.0047U
Selenium	mg/l	0.0048U
Silver	mg/l	0.0019U
Vanadium	mg/l	0.0025U
Zinc	mg/l	0.0059U
Antimony	mg/l	0.0029U
Dilution Factor		1
Prep Date		07/28/04
Prep Time		21:55
Analysis Date		08/04/04
Analysis Time		10:50
Batch ID		40728I

Mercury (7470)

Mercury	mg/l	0.000072U
Dilution Factor		1
Prep Date		07/29/04
Prep Time		14:30
Analysis Date		07/29/04
Analysis Time		18:16
Batch ID		40729T

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23765-11	Method Blank	Liquid	07/28/04		

Parameter	Units	Lab Sample IDs
		23765-11

Iron (6010)

Iron	mg/l	0.037U
Dilution Factor		1
Prep Date		07/28/04
Prep Time		21:55
Analysis Date		08/04/04
Analysis Time		10:50
Batch ID		40728I

Thallium (7841)

Thallium	mg/l	0.00070U
Dilution Factor		1
Prep Date		07/30/04
Prep Time		10:45
Analysis Date		08/03/04
Analysis Time		17:07
Batch ID		0730G

Thallium (Dissolved) (7841)

Thallium (Dissolved)	mg/l	0.00070U
Dilution Factor		1
Prep Date		07/30/04
Prep Time		10:45
Analysis Date		08/03/04
Analysis Time		17:07
Batch ID		0730G

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23765-11	Method Blank	Liquid	07/28/04		

Parameter	Units	Lab Sample IDs
		23765-11

Sodium (6010)

Sodium	mg/l	0.15U
Dilution Factor		1
Prep Date		07/28/04
Prep Time		21:55
Analysis Date		08/04/04
Analysis Time		10:50
Batch ID		40728I

Appendix I Metals Dissolved (6010)

Antimony (Dissolved)	mg/l	0.0029U
Arsenic (Dissolved)	mg/l	0.0038U
Barium (Dissolved)	mg/l	0.0012U
Beryllium (Dissolved)	mg/l	0.00074U
Cadmium (Dissolved)	mg/l	0.00071U
Chromium (Dissolved)	mg/l	0.0017U
Cobalt (Dissolved)	mg/l	0.0014U
Copper (Dissolved)	mg/l	0.0013U
Lead (Dissolved)	mg/l	0.0015U
Nickel (Dissolved)	mg/l	0.0047U
Selenium (Dissolved)	mg/l	0.0048U
Silver (Dissolved)	mg/l	0.0019U
Vanadium (Dissolved)	mg/l	0.0025U
Zinc (Dissolved)	mg/l	0.0059U
Dilution Factor		1
Prep Date		07/28/04
Prep Time		21:55
Analysis Date		08/04/04
Analysis Time		10:50
Batch ID		40728I

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23765-11	Method Blank	Liquid	07/28/04		

Parameter	Units	Lab Sample IDs
		23765-11
Iron (Dissolved) (6010)		
Iron (Dissolved)	mg/l	0.037U
Dilution Factor		1
Prep Date		07/28/04
Prep Time		21:55
Analysis Date		08/04/04
Analysis Time		10:50
Batch ID		40728I
Sodium (Dissolved) (6010)		
Sodium (Dissolved)	mg/l	0.15U
Dilution Factor		1
Prep Date		07/28/04
Prep Time		21:55
Analysis Date		08/04/04
Analysis Time		10:50
Batch ID		40728I
Mercury (Dissolved) (7470)		
Mercury (Dissolved)	mg/l	0.000072U
Dilution Factor		1
Prep Date		07/29/04
Prep Time		14:30
Analysis Date		07/29/04
Analysis Time		18:16
Batch ID		40729T

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23765-11	Method Blank	Liquid	07/28/04		

Parameter	Units	Lab Sample IDs
		23765-11

Chloride (325.3)

Chloride	mg/l	1.0U
Dilution Factor		1
Prep Date		08/02/04
Prep Time		10:55
Analysis Date		08/02/04
Analysis Time		10:55
Batch ID		0802M-6

Ammonia-N (350.3)

Ammonia-N	mg/l	0.040U
Dilution Factor		1
Prep Date		08/04/04
Prep Time		20:00
Analysis Date		08/04/04
Analysis Time		20:00
Batch ID		0804Y

Nitrate-N (353.2)

Nitrate-N	mg/l	0.010U
Dilution Factor		1
Analysis Date		07/29/04
Analysis Time		08:19
Batch ID		0729G

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23765-11	Method Blank	Liquid	07/28/04		

Parameter	Units	Lab Sample IDs
		23765-11
Solids, Total Dissolved (160.1)		
Solids, Total Dissolved	mg/l	5.00
Dilution Factor		1
Analysis Date		08/03/04
Analysis Time		16:00
Batch ID		0803J

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23765-12	Lab Control Standard % Recovery	Liquid	07/28/04		
23765-13	Lab Control Standard Duplicate % Recovery	Liquid	07/28/04		
23765-14	Precision (%RPD) of LCS/LCSD	Liquid	07/28/04		
23765-15	LCS Accuracy Control Limit (%R)	Liquid	07/28/04		
23765-16	LCS Precision Control Limit (Advisory) %RPD	Liquid	07/28/04		

Parameter	Units	Lab Sample IDs				
		23765-12	23765-13	23765-14	23765-15	23765-16

Appendix I - Organics (8260)

Benzene	%	88 %	90 %	2.2 %	62-135 %	<16 %
Chlorobenzene	%	90 %	98 %	8.5 %	72-127 %	<22 %
1,1-Dichloroethylene	%	84 %	90 %	6.9 %	46-147 %	<30 %
Toluene	%	100 %	100 %	0 %	68-131 %	<33 %
Trichloroethene	%	86 %	90 %	4.5 %	56-143 %	<35 %
Dilution Factor		1	1			
Prep Date		08/03/04	08/03/04			
Prep Time		19:59	20:19			
Analysis Date		08/03/04	08/03/04			
Analysis Time		19:59	20:19			
Batch ID		0803H(B)	0803H(B)	0803H(B)		

Microextractables (504)

1,2-Dibromoethane (EDB)	%	109 %	110 %	0.91 %	70-130 %	<30 %
1,2-Dibromo-3-chloropropane	%	115 %	116 %	0.86 %	70-130 %	<30 %
Dilution Factor		1	1			
Prep Date		08/02/04	08/02/04			
Prep Time		13:00	13:00			
Analysis Date		08/02/04	08/02/04			
Analysis Time		20:42	21:03			
Batch ID		0802E	0802E	0802E		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23765-12	Lab Control Standard % Recovery	Liquid	07/28/04		
23765-13	Lab Control Standard Duplicate % Recovery	Liquid	07/28/04		
23765-14	Precision (%RPD) of LCS/LCSD	Liquid	07/28/04		
23765-15	LCS Accuracy Control Limit (%R)	Liquid	07/28/04		
23765-16	LCS Precision Control Limit (Advisory) %RPD	Liquid	07/28/04		

Parameter	Units	Lab Sample IDs				
		23765-12	23765-13	23765-14	23765-15	23765-16

Appendix I Metals by ICP (6010)

Arsenic	%	101 %	100 %	0.40 %	75-125 %	<20 %
Barium	%	101 %	101 %	0.40 %	75-125 %	<20 %
Beryllium	%	102 %	101 %	0.59 %	75-125 %	<20 %
Cadmium	%	103 %	102 %	0.87 %	75-125 %	<20 %
Chromium	%	103 %	102 %	0.29 %	75-125 %	<20 %
Cobalt	%	107 %	106 %	0.28 %	75-125 %	<20 %
Copper	%	106 %	107 %	0.66 %	75-125 %	<20 %
Lead	%	103 %	103 %	0.39 %	75-125 %	<20 %
Nickel	%	106 %	105 %	0.95 %	75-125 %	<20 %
Selenium	%	101 %	100 %	0.50 %	75-125 %	<20 %
Silver	%	99 %	99 %	0.10 %	75-125 %	<20 %
Vanadium	%	103 %	102 %	0.20 %	75-125 %	<20 %
Zinc	%	106 %	105 %	1.2 %	75-125 %	<20 %
Antimony	%	96 %	96 %	0.21 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		07/28/04	07/28/04			
Prep Time		21:55	21:55			
Analysis Date		08/04/04	08/04/04			
Analysis Time		10:56	11:03			
Batch ID		40728I	40728I	40728I		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23765-12	Lab Control Standard % Recovery	Liquid	07/28/04		
23765-13	Lab Control Standard Duplicate % Recovery	Liquid	07/28/04		
23765-14	Precision (%RPD) of LCS/LCSD	Liquid	07/28/04		
23765-15	LCS Accuracy Control Limit (%R)	Liquid	07/28/04		
23765-16	LCS Precision Control Limit (Advisory) %RPD	Liquid	07/28/04		

Parameter	Units	Lab Sample IDs				
		23765-12	23765-13	23765-14	23765-15	23765-16

Mercury (7470)

Mercury	%	102 %	100 %	2.3 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		07/29/04	07/29/04			
Prep Time		14:30	14:30			
Analysis Date		07/29/04	07/29/04			
Analysis Time		18:18	18:19			
Batch ID		40729T	40729T	40729T		

Iron (6010)

Iron	%	106 %	105 %	0.38 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		07/28/04	07/28/04			
Prep Time		21:55	21:55			
Analysis Date		08/04/04	08/04/04			
Analysis Time		10:56	11:03			
Batch ID		40728I	40728I	40728I		

Thallium (7841)

Thallium	%	114 %	111 %	2.5 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		07/30/04	07/30/04			
Prep Time		10:45	10:45			
Analysis Date		08/03/04	08/03/04			
Analysis Time		17:11	17:15			
Batch ID		0730G	0730G	0730G		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23765-12	Lab Control Standard % Recovery	Liquid	07/28/04		
23765-13	Lab Control Standard Duplicate % Recovery	Liquid	07/28/04		
23765-14	Precision (%RPD) of LCS/LCSD	Liquid	07/28/04		
23765-15	LCS Accuracy Control Limit (%R)	Liquid	07/28/04		
23765-16	LCS Precision Control Limit (Advisory) %RPD	Liquid	07/28/04		

Parameter	Units	Lab Sample IDs				
		23765-12	23765-13	23765-14	23765-15	23765-16

Thallium (Dissolved) (7841)

Thallium (Dissolved)	%	114 %	111 %	2.5 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		07/30/04	07/30/04			
Prep Time		10:45	10:45			
Analysis Date		08/03/04	08/03/04			
Analysis Time		17:11	17:15			
Batch ID		0730G	0730G	0730G		

Sodium (6010)

Sodium	%	96 %	95 %	1.6 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		07/28/04	07/28/04			
Prep Time		21:55	21:55			
Analysis Date		08/04/04	08/04/04			
Analysis Time		10:56	11:03			
Batch ID		40728I	40728I	40728I		

Appendix I Metals Dissolved (6010)

Antimony (Dissolved)	%	96 %	96 %	0.21 %	75-125 %	<20 %
Arsenic (Dissolved)	%	101 %	100 %	0.40 %	75-125 %	<20 %
Barium (Dissolved)	%	101 %	101 %	0.40 %	75-125 %	<20 %
Beryllium (Dissolved)	%	102 %	101 %	0.59 %	75-125 %	<20 %
Cadmium (Dissolved)	%	103 %	102 %	0.87 %	75-125 %	<20 %
Chromium (Dissolved)	%	103 %	102 %	0.29 %	75-125 %	<20 %

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23765-12	Lab Control Standard % Recovery	Liquid	07/28/04		
23765-13	Lab Control Standard Duplicate % Recovery	Liquid	07/28/04		
23765-14	Precision (%RPD) of LCS/LCSD	Liquid	07/28/04		
23765-15	LCS Accuracy Control Limit (%R)	Liquid	07/28/04		
23765-16	LCS Precision Control Limit (Advisory) %RPD	Liquid	07/28/04		

Parameter	Units	Lab Sample IDs				
		23765-12	23765-13	23765-14	23765-15	23765-16

Appendix I Metals Dissolved (6010)

Cobalt (Dissolved)	%	107 %	106 %	0.28 %	75-125 %	<20 %
Copper (Dissolved)	%	106 %	107 %	0.66 %	75-125 %	<20 %
Lead (Dissolved)	%	103 %	103 %	0.39 %	75-125 %	<20 %
Nickel (Dissolved)	%	106 %	105 %	0.95 %	75-125 %	<20 %
Selenium (Dissolved)	%	101 %	100 %	0.50 %	75-125 %	<20 %
Silver (Dissolved)	%	99 %	99 %	0.10 %	75-125 %	<20 %
Vanadium (Dissolved)	%	103 %	102 %	0.20 %	75-125 %	<20 %
Zinc (Dissolved)	%	106 %	105 %	1.2 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		07/28/04	07/28/04			
Prep Time		21:55	21:55			
Analysis Date		08/04/04	08/04/04			
Analysis Time		10:56	11:03			
Batch ID		40728I	40728I	40728I		

Iron (Dissolved) (6010)

Iron (Dissolved)	%	106 %	105 %	0.38 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		07/28/04	07/28/04			
Prep Time		21:55	21:55			
Analysis Date		08/04/04	08/04/04			
Analysis Time		10:56	11:03			
Batch ID		40728I	40728I	40728I		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23765-12	Lab Control Standard % Recovery	Liquid	07/28/04		
23765-13	Lab Control Standard Duplicate % Recovery	Liquid	07/28/04		
23765-14	Precision (%RPD) of LCS/LCSD	Liquid	07/28/04		
23765-15	LCS Accuracy Control Limit (%R)	Liquid	07/28/04		
23765-16	LCS Precision Control Limit (Advisory) %RPD	Liquid	07/28/04		

Parameter	Units	Lab Sample IDs				
		23765-12	23765-13	23765-14	23765-15	23765-16

Sodium (Dissolved) (6010)

Sodium (Dissolved)	%	96 %	95 %	1.6 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		07/28/04	07/28/04			
Prep Time		21:55	21:55			
Analysis Date		08/04/04	08/04/04			
Analysis Time		10:56	11:03			
Batch ID		40728I	40728I	40728I		

Mercury (Dissolved) (7470)

Mercury (Dissolved)	%	102 %	100 %	2.3 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		07/29/04	07/29/04			
Prep Time		14:30	14:30			
Analysis Date		07/29/04	07/29/04			
Analysis Time		18:18	18:19			
Batch ID		40729T	40729T	40729T		

Chloride (325.3)

Chloride	%	100 %	100 %	0 %	75-125 %	<30 %
Dilution Factor		1	1			
Prep Date		08/02/04	08/02/04			
Prep Time		10:55	10:55			
Analysis Date		08/02/04	08/02/04			
Analysis Time		10:55	10:55			
Batch ID		0802M-6	0802M-6	0802M-6		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23765-12	Lab Control Standard % Recovery	Liquid	07/28/04		
23765-13	Lab Control Standard Duplicate % Recovery	Liquid	07/28/04		
23765-14	Precision (%RPD) of LCS/LCSD	Liquid	07/28/04		
23765-15	LCS Accuracy Control Limit (%R)	Liquid	07/28/04		
23765-16	LCS Precision Control Limit (Advisory) %RPD	Liquid	07/28/04		

Parameter	Units	Lab Sample IDs				
		23765-12	23765-13	23765-14	23765-15	23765-16

Ammonia-N (350.3)

Ammonia-N	%	99 %	100 %	1.0 %	85-115 %	<30 %
Dilution Factor		1	1			
Prep Date		08/04/04	08/04/04			
Prep Time		20:00	20:00			
Analysis Date		08/04/04	08/04/04			
Analysis Time		20:00	20:00			
Batch ID		0804Y	0804Y	0804Y		

Nitrate-N (353.2)

Nitrate-N	%	95 %	96 %	2.0 %	80-120 %	<30 %
Dilution Factor		1	1			
Analysis Date		07/29/04	07/29/04			
Analysis Time		08:19	08:19			
Batch ID		0729G	0729G	0729G		

Solids, Total Dissolved (160.1)

Solids, Total Dissolved	%	100 %	101 %	1.0 %	80-120 %	<25 %
Dilution Factor		1	1			
Analysis Date		08/03/04	08/03/04			
Analysis Time		16:00	16:00			
Batch ID		0803J	0803J	0803J		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23765-17	Matrix Spike % Recovery	Liquid	07/28/04		
23765-18	Matrix Spike Duplicate % Recovery	Liquid	07/28/04		
23765-19	Precision (%RPD) MS/MSD	Liquid	07/28/04		
23765-20	MS Accuracy Advisory Limit (%R)	Liquid	07/28/04		
23765-21	MS Precision Advisory Limit (%RPD)	Liquid	07/28/04		

Parameter	Units	Lab Sample IDs				
		23765-17	23765-18	23765-19	23765-20	23765-21

Appendix I - Organics (8260)

Benzene	%	92 %	94 %	2.2 %	62-135 %	<16 %
Chlorobenzene	%	92 %	94 %	2.2 %	72-127 %	<22 %
1,1-Dichloroethylene	%	86 %	86 %	0 %	46-147 %	<30 %
Toluene	%	96 %	96 %	0 %	68-131 %	<33 %
Trichloroethene	%	86 %	88 %	2.3 %	56-143 %	<35 %
Dilution Factor		1	1			
Prep Date		08/04/04	08/04/04			
Prep Time		12:29	12:48			
Analysis Date		08/04/04	08/04/04			
Analysis Time		12:29	12:48			
Batch ID		0803H(B)	0803H(B)	0803H(B)		

Microextractables (504)

1,2-Dibromoethane (EDB)	%	108 %	109 %	0.92 %	70-130 %	<30 %
1,2-Dibromo-3-chloropropane	%	124 %	126 %	1.6 %	70-130 %	<30 %
Dilution Factor		1	1			
Prep Date		08/02/04	08/02/04			
Prep Time		13:00	13:00			
Analysis Date		08/02/04	08/02/04			
Analysis Time		22:06	22:27			
Batch ID		0802E	0802E	0802E		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23765-17	Matrix Spike % Recovery	Liquid	07/28/04		
23765-18	Matrix Spike Duplicate % Recovery	Liquid	07/28/04		
23765-19	Precision (%RPD) MS/MSD	Liquid	07/28/04		
23765-20	MS Accuracy Advisory Limit (%R)	Liquid	07/28/04		
23765-21	MS Precision Advisory Limit (%RPD)	Liquid	07/28/04		

Lab Sample IDs

Parameter	Units	23765-17	23765-18	23765-19	23765-20	23765-21
-----------	-------	----------	----------	----------	----------	----------

Appendix I Metals by ICP (6010)

Arsenic	%	99 %	101 %	1.9 %	75-125 %	<20 %
Barium	%	99 %	101 %	1.8 %	75-125 %	<20 %
Beryllium	%	99 %	101 %	2.0 %	75-125 %	<20 %
Cadmium	%	100 %	103 %	2.2 %	75-125 %	<20 %
Chromium	%	100 %	102 %	2.0 %	75-125 %	<20 %
Cobalt	%	104 %	106 %	1.8 %	75-125 %	<20 %
Copper	%	105 %	107 %	1.5 %	75-125 %	<20 %
Lead	%	101 %	103 %	1.9 %	75-125 %	<20 %
Nickel	%	103 %	106 %	2.3 %	75-125 %	<20 %
Selenium	%	97 %	99 %	2.0 %	75-125 %	<20 %
Silver	%	98 %	99 %	1.6 %	75-125 %	<20 %
Vanadium	%	101 %	102 %	1.8 %	75-125 %	<20 %
Zinc	%	103 %	105 %	2.4 %	75-125 %	<20 %
Antimony	%	94 %	96 %	1.5 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		07/28/04	07/28/04			
Prep Time		21:55	21:55			
Analysis Date		08/04/04	08/04/04			
Analysis Time		11:21	11:28			
Batch ID		40728I	40728I	40728I		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23765-17	Matrix Spike % Recovery	Liquid	07/28/04		
23765-18	Matrix Spike Duplicate % Recovery	Liquid	07/28/04		
23765-19	Precision (%RPD) MS/MSD	Liquid	07/28/04		
23765-20	MS Accuracy Advisory Limit (%R)	Liquid	07/28/04		
23765-21	MS Precision Advisory Limit (%RPD)	Liquid	07/28/04		

Parameter	Units	Lab Sample IDs				
		23765-17	23765-18	23765-19	23765-20	23765-21

Mercury (7470)

Mercury	%	100 %	101 %	1.5 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		07/29/04	07/29/04			
Prep Time		14:30	14:30			
Analysis Date		07/29/04	07/29/04			
Analysis Time		18:25	18:26			
Batch ID		40729T	40729T	40729T		

Iron (6010)

Iron	%	98 %	104 %	2.3 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		07/28/04	07/28/04			
Prep Time		21:55	21:55			
Analysis Date		08/04/04	08/04/04			
Analysis Time		11:21	11:28			
Batch ID		40728I	40728I	40728I		

Thallium (7841)

Thallium	%	112 %	109 %	2.5 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		07/30/04	07/30/04			
Prep Time		10:45	10:45			
Analysis Date		08/03/04	08/03/04			
Analysis Time		17:31	17:35			
Batch ID		0730G	0730G	0730G		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23765-17	Matrix Spike % Recovery	Liquid	07/28/04		
23765-18	Matrix Spike Duplicate % Recovery	Liquid	07/28/04		
23765-19	Precision (%RPD) MS/MSD	Liquid	07/28/04		
23765-20	MS Accuracy Advisory Limit (%R)	Liquid	07/28/04		
23765-21	MS Precision Advisory Limit (%RPD)	Liquid	07/28/04		

Parameter	Units	Lab Sample IDs				
		23765-17	23765-18	23765-19	23765-20	23765-21

Thallium (Dissolved) (7841)

Thallium (Dissolved)	%	112 %	109 %	2.5 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		07/30/04	07/30/04			
Prep Time		10:45	10:45			
Analysis Date		08/03/04	08/03/04			
Analysis Time		17:31	17:35			
Batch ID		0730G	0730G	0730G		

Sodium (6010)

Sodium	%	95 %	98 %	1.6 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		07/28/04	07/28/04			
Prep Time		21:55	21:55			
Analysis Date		08/04/04	08/04/04			
Analysis Time		11:21	11:28			
Batch ID		40728I	40728I	40728I		

Appendix I Metals Dissolved (6010)

Antimony (Dissolved)	%	94 %	96 %	1.5 %	75-125 %	<20 %
Arsenic (Dissolved)	%	99 %	101 %	1.9 %	75-125 %	<20 %
Barium (Dissolved)	%	99 %	101 %	1.8 %	75-125 %	<20 %
Beryllium (Dissolved)	%	99 %	101 %	2.0 %	75-125 %	<20 %
Cadmium (Dissolved)	%	100 %	103 %	2.2 %	75-125 %	<20 %
Chromium (Dissolved)	%	100 %	102 %	2.0 %	75-125 %	<20 %

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23765-17	Matrix Spike % Recovery	Liquid	07/28/04		
23765-18	Matrix Spike Duplicate % Recovery	Liquid	07/28/04		
23765-19	Precision (%RPD) MS/MSD	Liquid	07/28/04		
23765-20	MS Accuracy Advisory Limit (%R)	Liquid	07/28/04		
23765-21	MS Precision Advisory Limit (%RPD)	Liquid	07/28/04		

Parameter	Units	Lab Sample IDs				
		23765-17	23765-18	23765-19	23765-20	23765-21

Appendix I Metals Dissolved (6010)

Cobalt (Dissolved)	%	104 %	106 %	1.8 %	75-125 %	<20 %
Copper (Dissolved)	%	105 %	107 %	1.5 %	75-125 %	<20 %
Lead (Dissolved)	%	101 %	103 %	1.9 %	75-125 %	<20 %
Nickel (Dissolved)	%	103 %	106 %	2.3 %	75-125 %	<20 %
Selenium (Dissolved)	%	97 %	99 %	2.0 %	75-125 %	<20 %
Silver (Dissolved)	%	98 %	99 %	1.6 %	75-125 %	<20 %
Vanadium (Dissolved)	%	101 %	102 %	1.8 %	75-125 %	<20 %
Zinc (Dissolved)	%	103 %	105 %	2.4 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		07/28/04	07/28/04			
Prep Time		21:55	21:55			
Analysis Date		08/04/04	08/04/04			
Analysis Time		11:21	11:28			
Batch ID		40728I	40728I	40728I		

Iron (Dissolved) (6010)

Iron (Dissolved)	%	98 %	104 %	2.3 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		07/28/04	07/28/04			
Prep Time		21:55	21:55			
Analysis Date		08/04/04	08/04/04			
Analysis Time		11:21	11:28			
Batch ID		40728I	40728I	40728I		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23765-17	Matrix Spike % Recovery	Liquid	07/28/04		
23765-18	Matrix Spike Duplicate % Recovery	Liquid	07/28/04		
23765-19	Precision (%RPD) MS/MSD	Liquid	07/28/04		
23765-20	MS Accuracy Advisory Limit (%R)	Liquid	07/28/04		
23765-21	MS Precision Advisory Limit (%RPD)	Liquid	07/28/04		

Parameter	Units	Lab Sample IDs				
		23765-17	23765-18	23765-19	23765-20	23765-21

Sodium (Dissolved) (6010)

Sodium (Dissolved)	%	95 %	98 %	1.6 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		07/28/04	07/28/04			
Prep Time		21:55	21:55			
Analysis Date		08/04/04	08/04/04			
Analysis Time		11:21	11:28			
Batch ID		40728I	40728I	40728I		

Mercury (Dissolved) (7470)

Mercury (Dissolved)	%	100 %	101 %	1.5 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		07/29/04	07/29/04			
Prep Time		14:30	14:30			
Analysis Date		07/29/04	07/29/04			
Analysis Time		18:25	18:26			
Batch ID		40729T	40729T	40729T		

Chloride (325.3)

Chloride	%	98 %	99 %	0.92 %	75-125 %	<30 %
Dilution Factor		1	1			
Prep Date		08/02/04	08/02/04			
Prep Time		10:55	10:55			
Analysis Date		08/02/04	08/02/04			
Analysis Time		10:55	10:55			
Batch ID		0802M-6	0802M-6	0802M-6		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23765-17	Matrix Spike % Recovery	Liquid	07/28/04		
23765-18	Matrix Spike Duplicate % Recovery	Liquid	07/28/04		
23765-19	Precision (%RPD) MS/MSD	Liquid	07/28/04		
23765-20	MS Accuracy Advisory Limit (%R)	Liquid	07/28/04		
23765-21	MS Precision Advisory Limit (%RPD)	Liquid	07/28/04		

Parameter	Units	Lab Sample IDs				
		23765-17	23765-18	23765-19	23765-20	23765-21

Ammonia-N (350.3)

Ammonia-N	%	101 %	101 %	0 %	85-115 %	<30 %
Dilution Factor		1	1			
Prep Date		08/04/04	08/04/04			
Prep Time		20:00	20:00			
Analysis Date		08/04/04	08/04/04			
Analysis Time		20:00	20:00			
Batch ID		0804Y	0804Y	0804Y		

Nitrate-N (353.2)

Nitrate-N	%	108 %	109 %	1.2 %	80-120 %	<30 %
Dilution Factor		1	1			
Analysis Date		07/29/04	07/29/04			
Analysis Time		08:19	08:19			
Batch ID		0729G	0729G	0729G		

Solids, Total Dissolved (160.1)

Solids, Total Dissolved	%	102 %	102 %	0.098 %	80-120 %	<25 %
Dilution Factor		1	1			
Analysis Date		08/03/04	08/03/04			
Analysis Time		16:00	16:00			
Batch ID		0803J	0803J	0803J		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23765-22	Practical Quantitation Limit (PQL)	Liquid	07/28/04		
23765-23	Method Detection Limit (MDL)	Liquid	07/28/04		

Parameter	Units	Lab Sample IDs	
		23765-22	23765-23

Appendix I - Organics (8260)

Parameter	Units	23765-22	23765-23
Acetone	ug/l	10	9.9
Acrylonitrile	ug/l	100	1.2
Benzene	ug/l	1.0	0.27
Bromochloromethane	ug/l	1.0	0.58
Bromodichloromethane	ug/l	1.0	0.35
Bromoform	ug/l	1.0	0.58
Carbon disulfide	ug/l	1.0	0.85
Carbon Tetrachloride	ug/l	1.0	0.42
Chlorobenzene	ug/l	1.0	0.63
Chloroethane	ug/l	1.0	0.80
Chloroform	ug/l	1.0	0.90
Dibromochloromethane	ug/l	1.0	0.34
1,2-Dichlorobenzene	ug/l	1.0	0.44
1,4-Dichlorobenzene	ug/l	1.0	0.52
Trans-1,4-Dichloro-2-butene	ug/l	10	2.5
1,1-Dichloroethane	ug/l	1.0	0.52
1,2-Dichloroethane	ug/l	1.0	0.57
1,1-Dichloroethylene	ug/l	1.0	0.45
cis-1,2-Dichloroethylene	ug/l	1.0	0.65
trans-1,2-Dichloroethylene	ug/l	1.0	0.44
1,2-Dichloropropane	ug/l	1.0	0.52
cis-1,3-Dichloropropene	ug/l	1.0	0.14
trans-1,3-Dichloropropene	ug/l	1.0	0.14
Ethylbenzene	ug/l	1.0	0.83
2-Hexanone	ug/l	10	4.4
Bromomethane	ug/l	1.0	0.66
Chloromethane	ug/l	1.0	0.64
Dibromomethane	ug/l	1.0	0.41
Methylene Chloride	ug/l	5.0	1.0

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23765-22	Practical Quantitation Limit (PQL)	Liquid	07/28/04		
23765-23	Method Detection Limit (MDL)	Liquid	07/28/04		

Parameter	Units	Lab Sample IDs	
		23765-22	23765-23

Appendix I - Organics (8260)

Parameter	Units	23765-22	23765-23
2-Butanone (MEK)	ug/l	10	8.4
Iodomethane	ug/l	1.0	0.67
4-Methyl-2-pentanone (MIBK)	ug/l	10	3.8
Styrene	ug/l	1.0	0.98
1,1,1,2-Tetrachloroethane	ug/l	1.0	0.63
1,1,2,2-Tetrachloroethane	ug/l	1.0	0.14
Tetrachloroethene	ug/l	1.0	0.34
Toluene	ug/l	1.0	0.51
1,1,1-Trichloroethane	ug/l	1.0	0.46
1,1,2-Trichloroethane	ug/l	1.0	0.47
Trichloroethene	ug/l	1.0	0.28
Trichlorofluoromethane	ug/l	1.0	0.98
1,2,3-Trichloropropane	ug/l	1.0	0.15
Vinyl acetate	ug/l	10	1.5
Vinyl chloride	ug/l	1.0	0.50
Xylenes	ug/l	1.0	0.98

Microextractables (504)

Parameter	Units	23765-22	23765-23
1,2-Dibromoethane (EDB)	ug/l	0.020	0.0087
1,2-Dibromo-3-chloropropane	ug/l	0.020	0.0030

Appendix I Metals by ICP (6010)

Parameter	Units	23765-22	23765-23
Arsenic	mg/l	0.010	0.0038
Barium	mg/l	0.010	0.0012
Beryllium	mg/l	0.0040	0.00074
Cadmium	mg/l	0.0050	0.00071
Chromium	mg/l	0.010	0.0017

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23765-22	Practical Quantitation Limit (PQL)	Liquid	07/28/04		
23765-23	Method Detection Limit (MDL)	Liquid	07/28/04		
		Lab Sample IDs			
Parameter	Units	23765-22	23765-23		

Appendix I Metals by ICP (6010)

Cobalt	mg/l	0.010	0.0014
Copper	mg/l	0.020	0.0013
Lead	mg/l	0.0050	0.0015
Nickel	mg/l	0.040	0.0047
Selenium	mg/l	0.010	0.0048
Silver	mg/l	0.010	0.0019
Vanadium	mg/l	0.010	0.0025
Zinc	mg/l	0.020	0.0059
Antimony	mg/l	0.0060	0.0029
Mercury (7470)			
Mercury	mg/l	0.00020	0.000072
Iron (6010)			
Iron	mg/l	0.050	0.037
Thallium (7841)			
Thallium	mg/l	0.0020	0.00070
Thallium (Dissolved) (7841)			
Thallium (Dissolved)	mg/l	0.0020	0.00070

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23765-22	Practical Quantitation Limit (PQL)	Liquid	07/28/04		
23765-23	Method Detection Limit (MDL)	Liquid	07/28/04		

Parameter	Units	Lab Sample IDs	
		23765-22	23765-23

Sodium (6010)

Sodium	mg/l	0.50	0.15
--------	------	------	------

Appendix I Metals Dissolved (6010)

Antimony (Dissolved)	mg/l	0.0060	0.0029
Arsenic (Dissolved)	mg/l	0.010	0.0038
Barium (Dissolved)	mg/l	0.010	0.0012
Beryllium (Dissolved)	mg/l	0.0040	0.00074
Cadmium (Dissolved)	mg/l	0.0050	0.00071
Chromium (Dissolved)	mg/l	0.010	0.0017
Cobalt (Dissolved)	mg/l	0.010	0.0014
Copper (Dissolved)	mg/l	0.020	0.0013
Lead (Dissolved)	mg/l	0.0050	0.0015
Nickel (Dissolved)	mg/l	0.040	0.0047
Selenium (Dissolved)	mg/l	0.010	0.0048
Silver (Dissolved)	mg/l	0.010	0.0019
Vanadium (Dissolved)	mg/l	0.010	0.0025
Zinc (Dissolved)	mg/l	0.020	0.0059

Iron (Dissolved) (6010)

Iron (Dissolved)	mg/l	0.050	0.037
------------------	------	-------	-------

Sodium (Dissolved) (6010)

Sodium (Dissolved)	mg/l	0.50	0.15
--------------------	------	------	------

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23765-22	Practical Quantitation Limit (PQL)	Liquid	07/28/04		
23765-23	Method Detection Limit (MDL)	Liquid	07/28/04		
		Lab Sample IDs			
Parameter	Units	23765-22	23765-23		
Mercury (Dissolved) (7470)					
Mercury (Dissolved)	mg/l	0.00020	0.000072		
Chloride (325.3)					
Chloride	mg/l	1.0	1.0		
Ammonia-N (350.3)					
Ammonia-N	mg/l	0.050	0.040		
Nitrate-N (353.2)					
Nitrate-N	mg/l	0.050	0.010		
Solids, Total Dissolved (160.1)					
Solids, Total Dissolved	mg/l	5.0	5.0		

Order Number: B423765

These test results meet all the requirements of NELAP. All questions regarding this test report should be directed to the STL Project Manager who signed this test report.

The estimated uncertainty associated with these reported results is available upon request.

STL Savannah, 5102 LaRoche Ave., Savannah, GA 31404
Phone #912/354-7858. DOH Certification #E87052

I = The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.

U = Indicates that the compound was analyzed for but not detected.

Remit To: SEVERN TRENT LABORATORIES, INC. P.O. Box 7777 W4305 Philadelphia, PA 19175-4305
 STL Tampa 6712 Benjamin Road, Suite 100 - Tampa FL 33634 Tel:813-885-7427 Fax:813-885-7049

INVOICE

Federal ID# 23-2919996

Mr. Kirk Wills
 Geosyntec
 14055 Riveredge Drive, Ste.300
 Tampa, FL 33637

Invoice CC:

DATE 08/05/04	TERMS Net 30 Days	CLIENT PO #	CLIENT PROJECT # FQ0638	PROJECT Oak Hammock Disposal La
------------------	----------------------	-------------	----------------------------	------------------------------------

INVOICE # 66018217	CONTRACT #	CODE MV*387007	
-----------------------	------------	-------------------	--

LOG # B423765	CREDIT / DEBIT	ORIGINATING LOG #	SDG #	REQUISITION #
------------------	----------------	-------------------	-------	---------------

QUANTITY	MATRIX	METHOD	DESCRIPTION	UNIT PRICE	EXTENDED AMOUNT
9	Liquid	8260	Appendix I - Organics	62.40	561.60
9	Liquid	504	Microextractables	33.15	298.35
9	Liquid	6010	Appendix I Metals by ICP	65.52	589.68
9	Liquid	7470	Mercury	15.60	140.40
9	Liquid	6010	Iron	4.68	42.12
9	Liquid	7841	Thallium	12.00	108.00
9	Liquid	6010	Sodium	4.68	42.12
9	Liquid	325.3	Chloride	9.75	87.75
9	Liquid	350.3	Ammonia-N	7.80	70.20
9	Liquid	353.2	Nitrate-N	9.75	87.75
9	Liquid	160.1	Solids, Total Dissolved	5.85	52.65
2	Liquid	7841	Thallium (Dissolved)	12.00	24.00
2	Liquid	6010	Appendix I Metals Dissolved	65.52	131.04
2	Liquid	6010	Iron (Dissolved)	4.68	9.36
2	Liquid	6010	Sodium (Dissolved)	4.68	9.36
2	Liquid	7470	Mercury (Dissolved)	15.60	31.20
Total for this page					\$2,285.58
INVOICE TOTAL					\$2,285.58

REPORTED TO Mr. Kirk Wills	OFFICE Geosyntec	OFFICE PHONE (813) 558-0990
--------------------------------------	----------------------------	---------------------------------------

For proper credit, please show INVOICE NUMBER on your remittance.
 After 30 days, service charges of 1.5% per 30 days will be applied to unpaid balance.

Serial Number 14772

ANALYSIS REQUEST AND CHAIN OF CUSTODY RECORD

SEVERN
TRENT

STL

42 3765

STL Tampa
6712 Benjamin Road, Suite 100
Tampa, FL 33634

Website: www.stlinc.com
Phone: (813) 885-7427
Fax: (813) 885-7049

Alternate Laboratory Name/Location

Phone:
Fax:

PROJECT REFERENCE: **DHDF**
PROJECT NO.: **FQ0638**
PROJECT LOCATION (STATE): **FL**
CONTRACT NO.:

SAMPLER'S SIGNATURE: *Clayton Spivey*
P.O. NUMBER:
CLIENT (SITE) PM: **MIRK WILKS**
CLIENT PHONE: **(813) 558-0990**
CLIENT FAX: **(813) 558-9726**
CLIENT NAME: **GEOSYNTEC**
CLIENT E-MAIL: **KWILKS@GEOSYNTEC.COM**
CLIENT ADDRESS: **14055 RIVEREDGE DR, SUITE 300 TAMPA, FL. 33637**
COMPANY CONTRACTING THIS WORK (if applicable):

MATRIX TYPE:
COMPOSITE (C) OR GRAB (G) INDICATE
AQUEOUS (WATER)
SOLID OR SEMISOLID
AIR
NONAQUEOUS LIQUID (OIL, SOLVENT,...)

PAGE 1 OF 1
STANDARD REPORT DELIVERY:
DATE DUE: _____
EXPEDITED REPORT DELIVERY (SURCHARGE):
DATE DUE: _____

SAMPLE DATE	TIME	SAMPLE IDENTIFICATION	MATRIX TYPE	REQUIRED ANALYSIS						NUMBER OF COOLERS SUBMITTED PER SHIPMENT:	REMARKS	
				APPEALS	EDB, DBCP	APPEL METALS	NH3	TL	CL, NO3, TDS, DIS (FE, HG, NA)			APPEL MET
7-27-04	10:05	MW-5A	GX	3	3	1	1	1	1	1		
7-27-04	10:45	MW-6A	GX	3	3	1	1	1	1	1		
7-27-04	12:35	MW-7A	GX	3	3	1	1	1	1	1		
7-27-04	12:45	MW-8A	GX	3	3	1	1	1	1	1		
7-27-04	14:40	MW-9A	GX	3	3	1	1	1	1	1		
7-27-04	14:25	MW-10A	GX	3	3	1	1	1	1	1		
7-27-04	15:20	EB-01	GX	3	3	1	1	1	1	1		
7-27-04	16:30	MW-11A	GX	3	3	1	1	1	1	1		
7-27-04	16:30	MW-12A	GX	3	3	1	1	1	1	1		

RELINQUISHED BY: (SIGNATURE)	DATE	TIME	RELINQUISHED BY: (SIGNATURE)	DATE	TIME	RELINQUISHED BY: (SIGNATURE)	DATE	TIME
<i>Clayton Spivey</i>	7-27-04	15:10	<i>Clayton Spivey</i>	7-27-04	17:19	<i>Tim Beale</i>	7-28-04	8:20
<i>Clayton Spivey</i>	7-27-04	09:00	<i>Tim Beale</i>	7-27-04	17:19	<i>Tim Beale</i>	7-28-04	8:20

RECEIVED FOR LABORATORY BY: *Dan L. Williams* DATE: 7-28-04 TIME: 14:24
CUSTODY CONTACT: YES NO
CUSTODY SEAL NO.: *MS*
STL TAMPA LOG NO.: *BL23765*
LABORATORY REMARKS: *LABORATORY USE ONLY 20C, 20C*

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well:

Monitoring_Site_Num: EB-01

Permitted Well Type:

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Well Purged prior to Sample Collection? (Y/N) Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	PP	NO	Y	350.3	0.04	0.04	mg/l	U	8/4/2004
000940	Chloride	PP	NO	Y	325.3	1	1	mg/l	U	8/2/2004
000620	Nitrate-N	PP	NO	Y	353.2	0.01	0.01	mg/l	U	7/29/2004
070300	Solids, Total Dissolved	PP	NO	Y	160.1	5	5	mg/l	U	8/3/2004
001097	Antimony	PP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/4/2004
001002	Arsenic	PP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/4/2004
001007	Barium	PP	NO	Y	6010	0.0012	0.0012	mg/l	U	8/4/2004
001012	Beryllium	PP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/4/2004
001027	Cadmium	PP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/4/2004
001034	Chromium	PP	NO	Y	6010	0.0017	0.0017	mg/l	U	8/4/2004
001037	Cobalt	PP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/4/2004
001042	Copper	PP	NO	Y	6010	0.0013	0.0013	mg/l	U	8/4/2004
001045	Iron	PP	NO	Y	6010	0.037	0.037	mg/l	U	8/4/2004
001051	Lead	PP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/4/2004
071900	Mercury	PP	NO	Y	7470	0.000072	0.000072	mg/l	U	7/29/2004
001067	Nickel	PP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/4/2004
001147	Selenium	PP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/4/2004
000929	Sodium	PP	NO	Y	6010	0.15	0.15	mg/l	U	8/4/2004
001059	Thallium	PP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/3/2004
001087	Vanadium	PP	NO	Y	6010	0.0025	0.0025	mg/l	U	8/4/2004
001092	Zinc	PP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well:

Monitoring_Site_Num: EB-01

Permitted Well Type:

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Well Purged prior to Sample Collection? (Y/N) Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone	PP	NO	Y	8260	9.9	9.9	ug/l	U	8/3/2004
034215	Acrylonitrile	PP	NO	Y	8260	1.2	1.2	ug/l	U	8/3/2004
034030	Benzene	PP	NO	Y	8260	0.27	0.27	ug/l	U	8/3/2004
073085	Bromochloromethane	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/3/2004
032101	Bromodichloromethane	PP	NO	Y	8260	0.35	0.35	ug/l	U	8/3/2004
032104	Bromoform	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/3/2004
077041	Carbon disulfide	PP	NO	Y	8260	0.85	0.85	ug/l	U	8/3/2004
032102	Carbon Tetrachloride	PP	NO	Y	8260	0.42	0.42	ug/l	U	8/3/2004
034301	Chlorobenzene	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/3/2004
034311	Chloroethane	PP	NO	Y	8260	0.8	0.8	ug/l	U	8/3/2004
032105	Dibromochloromethane	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/3/2004
077651	1,2-Dibromoethane (EDB)	PP	NO	Y	504	0.0087	0.0087	ug/l	U	8/3/2004
034536	1,2-Dichlorobenzene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/3/2004
034571	1,4-Dichlorobenzene	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/3/2004
049263	Trans-1,4-Dichloro-2-butene	PP	NO	Y	8260	2.5	2.5	ug/l	U	8/3/2004
034496	1,1-Dichloroethane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/3/2004
034531	1,2-Dichloroethane	PP	NO	Y	8260	0.57	0.57	ug/l	U	8/3/2004
034501	1,1-Dichloroethylene	PP	NO	Y	8260	0.45	0.45	ug/l	U	8/3/2004
077093	cis-1,2-Dichloroethylene	PP	NO	Y	8260	0.65	0.65	ug/l	U	8/3/2004
034546	trans-1,2-Dichloroethylene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/3/2004
034541	1,2-Dichloropropane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well:

Monitoring_Site_Num: EB-01

Permitted Well Type:

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Well Purged prior to Sample Collection? (Y/N) Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/3/2004
034699	trans-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/3/2004
034371	Ethylbenzene	PP	NO	Y	8260	0.83	0.83	ug/l	U	8/3/2004
034413	Bromomethane	PP	NO	Y	8260	0.66	0.66	ug/l	U	8/3/2004
077103	2-Hexanone	PP	NO	Y	8260	4.4	4.4	ug/l	U	8/3/2004
034418	Chloromethane	PP	NO	Y	8260	0.64	0.64	ug/l	U	8/3/2004
081595	2-Butanone (MEK)	PP	NO	Y	8260	8.4	8.4	ug/l	U	8/3/2004
077424	Iodomethane	PP	NO	Y	8260	0.67	0.67	ug/l	U	8/3/2004
034423	Methylene Chloride	PP	NO	Y	8260	1	1	ug/l	U	8/3/2004
081596	4-Methyl-2-pentanone (MIBK)	PP	NO	Y	8260	3.8	3.8	ug/l	U	8/3/2004
077128	Styrene	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/3/2004
077562	1,1,1,2-Tetrachloroethane	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/3/2004
034516	1,1,2,2-Tetrachloroethane	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/3/2004
034475	Tetrachloroethene	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/3/2004
034010	Toluene	PP	NO	Y	8260	0.51	0.51	ug/l	U	8/3/2004
034506	1,1,1-Trichloroethane	PP	NO	Y	8260	0.46	0.46	ug/l	U	8/3/2004
034511	1,1,2-Trichloroethane	PP	NO	Y	8260	0.47	0.47	ug/l	U	8/3/2004
039180	Trichloroethene	PP	NO	Y	8260	0.28	0.28	ug/l	U	8/3/2004
034488	Trichlorofluoromethane	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/3/2004
077443	1,2,3-Trichloropropane	PP	NO	Y	8260	0.15	0.15	ug/l	U	8/3/2004
077057	Vinyl acetate	PP	NO	Y	8260	1.5	1.5	ug/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well:

Monitoring_Site_Num: EB-01

Permitted Well Type:

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Well Purged prior to Sample Collection? (Y/N) Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
039175	Vinyl chloride	PP	NO	Y	8260	0.5	0.5	ug/l	U	8/3/2004
034020	Xylenes	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/3/2004
001077	Silver	PP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/4/2004
049146	1,2-Dibromo-3-chloropropane	PP	NO	Y	504	0.003	0.003	ug/l	U	8/3/2004
032106	Chloroform	PP	NO	Y	8260	0.9	0.9	ug/l	U	8/3/2004
046361	Dibromomethane	PP	NO	Y	8260	0.41	0.41	ug/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19927

Monitoring_Site_Num: MW-10A

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	PP	NO	Y	350.3	2.7	0.04	mg/l		8/4/2004
000940	Chloride	PP	NO	Y	325.3	15	1	mg/l		8/2/2004
000620	Nitrate-N	PP	NO	Y	353.2	0.01	0.01	mg/l	U	7/29/2004
070300	Solids, Total Dissolved	PP	NO	Y	160.1	110	5	mg/l		8/3/2004
001097	Antimony	PP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/4/2004
001002	Arsenic	PP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/4/2004
001007	Barium	PP	NO	Y	6010	0.011	0.0012	mg/l		8/4/2004
001012	Beryllium	PP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/4/2004
001027	Cadmium	PP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/4/2004
001034	Chromium	PP	NO	Y	6010	0.0028	0.0017	mg/l	I	8/4/2004
001037	Cobalt	PP	NO	Y	6010	0.0017	0.0014	mg/l	I	8/4/2004
001042	Copper	PP	NO	Y	6010	0.0013	0.0013	mg/l	U	8/4/2004
001045	Iron	PP	NO	Y	6010	2	0.037	mg/l		8/4/2004
001051	Lead	PP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/4/2004
071900	Mercury	PP	NO	Y	7470	0.000072	0.000072	mg/l	U	7/29/2004
001067	Nickel	PP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/4/2004
001147	Selenium	PP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/4/2004
000929	Sodium	PP	NO	Y	6010	6.5	0.15	mg/l		8/4/2004
001059	Thallium	PP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/3/2004
001087	Vanadium	PP	NO	Y	6010	0.0044	0.0025	mg/l	I	8/4/2004
001092	Zinc	PP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19927

Monitoring_Site_Num: MW-10A

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone	PP	NO	Y	8260	9.9	9.9	ug/l	U	8/3/2004
034215	Acrylonitrile	PP	NO	Y	8260	1.2	1.2	ug/l	U	8/3/2004
034030	Benzene	PP	NO	Y	8260	0.27	0.27	ug/l	U	8/3/2004
073085	Bromochloromethane	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/3/2004
032101	Bromodichloromethane	PP	NO	Y	8260	0.35	0.35	ug/l	U	8/3/2004
032104	Bromoform	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/3/2004
077041	Carbon disulfide	PP	NO	Y	8260	0.85	0.85	ug/l	U	8/3/2004
032102	Carbon Tetrachloride	PP	NO	Y	8260	0.42	0.42	ug/l	U	8/3/2004
034301	Chlorobenzene	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/3/2004
034311	Chloroethane	PP	NO	Y	8260	0.8	0.8	ug/l	U	8/3/2004
032105	Dibromochloromethane	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/3/2004
077651	1,2-Dibromoethane (EDB)	PP	NO	Y	504	0.0087	0.0087	ug/l	U	8/3/2004
034536	1,2-Dichlorobenzene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/3/2004
034571	1,4-Dichlorobenzene	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/3/2004
049263	Trans-1,4-Dichloro-2-butene	PP	NO	Y	8260	2.5	2.5	ug/l	U	8/3/2004
034496	1,1-Dichloroethane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/3/2004
034531	1,2-Dichloroethane	PP	NO	Y	8260	0.57	0.57	ug/l	U	8/3/2004
034501	1,1-Dichloroethylene	PP	NO	Y	8260	0.45	0.45	ug/l	U	8/3/2004
077093	cis-1,2-Dichloroethylene	PP	NO	Y	8260	0.65	0.65	ug/l	U	8/3/2004
034546	trans-1,2-Dichloroethylene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/3/2004
034541	1,2-Dichloropropane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19927

Monitoring_Site_Num: MW-10A

Permitted Well Type: **CO**

Ground water classification: **G-II**

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Well Purged prior to Sample Collection? (Y/N) **Yes**

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/3/2004
034699	trans-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/3/2004
034371	Ethylbenzene	PP	NO	Y	8260	0.83	0.83	ug/l	U	8/3/2004
034413	Bromomethane	PP	NO	Y	8260	0.66	0.66	ug/l	U	8/3/2004
077103	2-Hexanone	PP	NO	Y	8260	4.4	4.4	ug/l	U	8/3/2004
034418	Chloromethane	PP	NO	Y	8260	0.64	0.64	ug/l	U	8/3/2004
081595	2-Butanone (MEK)	PP	NO	Y	8260	8.4	8.4	ug/l	U	8/3/2004
077424	Iodomethane	PP	NO	Y	8260	0.67	0.67	ug/l	U	8/3/2004
034423	Methylene Chloride	PP	NO	Y	8260	1	1	ug/l	U	8/3/2004
081596	4-Methyl-2-pentanone (MIBK)	PP	NO	Y	8260	3.8	3.8	ug/l	U	8/3/2004
077128	Styrene	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/3/2004
077562	1,1,1,2-Tetrachloroethane	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/3/2004
034516	1,1,2,2-Tetrachloroethane	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/3/2004
034475	Tetrachloroethene	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/3/2004
034010	Toluene	PP	NO	Y	8260	24	0.51	ug/l		8/3/2004
034506	1,1,1-Trichloroethane	PP	NO	Y	8260	0.46	0.46	ug/l	U	8/3/2004
034511	1,1,2-Trichloroethane	PP	NO	Y	8260	0.47	0.47	ug/l	U	8/3/2004
039180	Trichloroethene	PP	NO	Y	8260	0.28	0.28	ug/l	U	8/3/2004
034488	Trichlorofluoromethane	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/3/2004
077443	1,2,3-Trichloropropane	PP	NO	Y	8260	0.15	0.15	ug/l	U	8/3/2004
077057	Vinyl acetate	PP	NO	Y	8260	1.5	1.5	ug/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19927

Monitoring_Site_Num: MW-10A

Permitted Well Type: **CO**

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) **Yes**

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Store Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
039175	Vinyl chloride	PP	NO	Y	8260	0.5	0.5	ug/l	U	8/3/2004
034020	Xylenes	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/3/2004
046361	Dibromomethane	PP	NO	Y	8260	0.41	0.41	ug/l	U	8/3/2004
032106	Chloroform	PP	NO	Y	8260	0.9	0.9	ug/l	U	8/3/2004
049146	1,2-Dibromo-3-chloropropane	PP	NO	Y	504	0.003	0.003	ug/l	U	8/3/2004
001077	Silver	PP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19930

Monitoring_Site_Num: MW-11A

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	PP	NO	Y	350.3	2.1	0.04	mg/l		8/4/2004
000940	Chloride	PP	NO	Y	325.3	29	1	mg/l		8/2/2004
000620	Nitrate-N	PP	NO	Y	353.2	0.01	0.01	mg/l	U	7/29/2004
070300	Solids, Total Dissolved	PP	NO	Y	160.1	180	5	mg/l		8/3/2004
001097	Antimony	PP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/4/2004
001002	Arsenic	PP	NO	Y	6010	0.027	0.0038	mg/l		8/4/2004
001007	Barium	PP	NO	Y	6010	0.0092	0.0012	mg/l	I	8/4/2004
001012	Beryllium	PP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/4/2004
001027	Cadmium	PP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/4/2004
001034	Chromium	PP	NO	Y	6010	0.0058	0.0017	mg/l	I	8/4/2004
001037	Cobalt	PP	NO	Y	6010	0.0025	0.0014	mg/l	I	8/4/2004
001042	Copper	PP	NO	Y	6010	0.0013	0.0013	mg/l	U	8/4/2004
001045	Iron	PP	NO	Y	6010	33	0.037	mg/l		8/4/2004
001051	Lead	PP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/4/2004
071900	Mercury	PP	NO	Y	7470	0.000072	0.000072	mg/l	U	7/29/2004
001067	Nickel	PP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/4/2004
001147	Selenium	PP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/4/2004
000929	Sodium	PP	NO	Y	6010	14	0.15	mg/l		8/4/2004
001059	Thallium	PP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/3/2004
001087	Vanadium	PP	NO	Y	6010	0.0025	0.0025	mg/l	U	8/4/2004
001092	Zinc	PP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19930

Monitoring_Site_Num: MW-11A

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone	PP	NO	Y	8260	9.9	9.9	ug/l	U	8/3/2004
034215	Acrylonitrile	PP	NO	Y	8260	1.2	1.2	ug/l	U	8/3/2004
034030	Benzene	PP	NO	Y	8260	0.27	0.27	ug/l	U	8/3/2004
073085	Bromochloromethane	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/3/2004
032101	Bromodichloromethane	PP	NO	Y	8260	0.35	0.35	ug/l	U	8/3/2004
032104	Bromoform	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/3/2004
077041	Carbon disulfide	PP	NO	Y	8260	0.85	0.85	ug/l	U	8/3/2004
032102	Carbon Tetrachloride	PP	NO	Y	8260	0.42	0.42	ug/l	U	8/3/2004
034301	Chlorobenzene	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/3/2004
034311	Chloroethane	PP	NO	Y	8260	0.8	0.8	ug/l	U	8/3/2004
032105	Dibromochloromethane	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/3/2004
077651	1,2-Dibromoethane (EDB)	PP	NO	Y	504	0.0087	0.0087	ug/l	U	8/3/2004
034536	1,2-Dichlorobenzene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/3/2004
034571	1,4-Dichlorobenzene	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/3/2004
049263	Trans-1,4-Dichloro-2-butene	PP	NO	Y	8260	2.5	2.5	ug/l	U	8/3/2004
034496	1,1-Dichloroethane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/3/2004
034531	1,2-Dichloroethane	PP	NO	Y	8260	0.57	0.57	ug/l	U	8/3/2004
034501	1,1-Dichloroethylene	PP	NO	Y	8260	0.45	0.45	ug/l	U	8/3/2004
077093	cis-1,2-Dichloroethylene	PP	NO	Y	8260	0.65	0.65	ug/l	U	8/3/2004
034546	trans-1,2-Dichloroethylene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/3/2004
034541	1,2-Dichloropropane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19930

Monitoring_Site_Num: MW-11A

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/3/2004
034699	trans-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/3/2004
034371	Ethylbenzene	PP	NO	Y	8260	0.83	0.83	ug/l	U	8/3/2004
034413	Bromomethane	PP	NO	Y	8260	0.66	0.66	ug/l	U	8/3/2004
077103	2-Hexanone	PP	NO	Y	8260	4.4	4.4	ug/l	U	8/3/2004
034418	Chloromethane	PP	NO	Y	8260	0.64	0.64	ug/l	U	8/3/2004
081595	2-Butanone (MEK)	PP	NO	Y	8260	8.4	8.4	ug/l	U	8/3/2004
077424	Iodomethane	PP	NO	Y	8260	0.67	0.67	ug/l	U	8/3/2004
034423	Methylene Chloride	PP	NO	Y	8260	1	1	ug/l	U	8/3/2004
081596	4-Methyl-2-pentanone (MIBK)	PP	NO	Y	8260	3.8	3.8	ug/l	U	8/3/2004
077128	Styrene	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/3/2004
077562	1,1,1,2-Tetrachloroethane	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/3/2004
034516	1,1,2,2-Tetrachloroethane	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/3/2004
034475	Tetrachloroethene	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/3/2004
034010	Toluene	PP	NO	Y	8260	0.51	0.51	ug/l	U	8/3/2004
034506	1,1,1-Trichloroethane	PP	NO	Y	8260	0.46	0.46	ug/l	U	8/3/2004
034511	1,1,2-Trichloroethane	PP	NO	Y	8260	0.47	0.47	ug/l	U	8/3/2004
039180	Trichloroethene	PP	NO	Y	8260	0.28	0.28	ug/l	U	8/3/2004
034488	Trichlorofluoromethane	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/3/2004
077443	1,2,3-Trichloropropane	PP	NO	Y	8260	0.15	0.15	ug/l	U	8/3/2004
077057	Vinyl acetate	PP	NO	Y	8260	1.5	1.5	ug/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19930

Monitoring_Site_Num: MW-11A

Permitted Well Type: **CO**

Ground water classification: **G-II**

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Well Purged prior to Sample Collection? (Y/N) **Yes**

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
039175	Vinyl chloride	PP	NO	Y	8260	0.5	0.5	ug/l	U	8/3/2004
034020	Xylenes	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/3/2004
046361	Dibromomethane	PP	NO	Y	8260	0.41	0.41	ug/l	U	8/3/2004
049146	1,2-Dibromo-3-chloropropane	PP	NO	Y	504	0.003	0.003	ug/l	U	8/3/2004
001077	Silver	PP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/4/2004
032106	Chloroform	PP	NO	Y	8260	0.9	0.9	ug/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19933

Monitoring_Site_Num: MW-12A

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	PP	NO	Y	350.3	0.19	0.04	mg/l		8/4/2004
000940	Chloride	PP	NO	Y	325.3	13	1	mg/l		8/2/2004
000620	Nitrate-N	PP	NO	Y	353.2	0.01	0.01	mg/l	U	7/29/2004
070300	Solids, Total Dissolved	PP	NO	Y	160.1	48	5	mg/l		8/3/2004
001097	Antimony	PP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/4/2004
001002	Arsenic	PP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/4/2004
001007	Barium	PP	NO	Y	6010	0.014	0.0012	mg/l		8/4/2004
001012	Beryllium	PP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/4/2004
001027	Cadmium	PP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/4/2004
001034	Chromium	PP	NO	Y	6010	0.0019	0.0017	mg/l	I	8/4/2004
001037	Cobalt	PP	NO	Y	6010	0.0017	0.0014	mg/l	I	8/4/2004
001042	Copper	PP	NO	Y	6010	0.0013	0.0013	mg/l	U	8/4/2004
001045	Iron	PP	NO	Y	6010	1.2	0.037	mg/l		8/4/2004
001051	Lead	PP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/4/2004
071900	Mercury	PP	NO	Y	7470	0.000072	0.000072	mg/l	U	7/29/2004
001067	Nickel	PP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/4/2004
001147	Selenium	PP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/4/2004
000929	Sodium	PP	NO	Y	6010	8	0.15	mg/l		8/4/2004
001059	Thallium	PP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/3/2004
001087	Vanadium	PP	NO	Y	6010	0.0028	0.0025	mg/l	I	8/4/2004
001092	Zinc	PP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19933

Monitoring_Site_Num: MW-12A

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone	PP	NO	Y	8260	9.9	9.9	ug/l	U	8/4/2004
034215	Acrylonitrile	PP	NO	Y	8260	1.2	1.2	ug/l	U	8/4/2004
034030	Benzene	PP	NO	Y	8260	0.27	0.27	ug/l	U	8/4/2004
073085	Bromochloromethane	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/4/2004
032101	Bromodichloromethane	PP	NO	Y	8260	0.35	0.35	ug/l	U	8/4/2004
032104	Bromoform	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/4/2004
077041	Carbon disulfide	PP	NO	Y	8260	0.85	0.85	ug/l	U	8/4/2004
032102	Carbon Tetrachloride	PP	NO	Y	8260	0.42	0.42	ug/l	U	8/4/2004
034301	Chlorobenzene	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/4/2004
034311	Chloroethane	PP	NO	Y	8260	0.8	0.8	ug/l	U	8/4/2004
032105	Dibromochloromethane	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/4/2004
077651	1,2-Dibromoethane (EDB)	PP	NO	Y	504	0.0087	0.0087	ug/l	U	8/3/2004
034536	1,2-Dichlorobenzene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/4/2004
034571	1,4-Dichlorobenzene	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/4/2004
049263	Trans-1,4-Dichloro-2-butene	PP	NO	Y	8260	2.5	2.5	ug/l	U	8/4/2004
034496	1,1-Dichloroethane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/4/2004
034531	1,2-Dichloroethane	PP	NO	Y	8260	0.57	0.57	ug/l	U	8/4/2004
034501	1,1-Dichloroethylene	PP	NO	Y	8260	0.45	0.45	ug/l	U	8/4/2004
077093	cis-1,2-Dichloroethylene	PP	NO	Y	8260	0.65	0.65	ug/l	U	8/4/2004
034546	trans-1,2-Dichloroethylene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/4/2004
034541	1,2-Dichloropropane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19933

Monitoring_Site_Num: MW-12A

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/4/2004
034699	trans-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/4/2004
034371	Ethylbenzene	PP	NO	Y	8260	0.83	0.83	ug/l	U	8/4/2004
034413	Bromomethane	PP	NO	Y	8260	0.66	0.66	ug/l	U	8/4/2004
077103	2-Hexanone	PP	NO	Y	8260	4.4	4.4	ug/l	U	8/4/2004
034418	Chloromethane	PP	NO	Y	8260	0.64	0.64	ug/l	U	8/4/2004
081595	2-Butanone (MEK)	PP	NO	Y	8260	8.4	8.4	ug/l	U	8/4/2004
077424	Iodomethane	PP	NO	Y	8260	0.67	0.67	ug/l	U	8/4/2004
034423	Methylene Chloride	PP	NO	Y	8260	1	1	ug/l	U	8/4/2004
081596	4-Methyl-2-pentanone (MIBK)	PP	NO	Y	8260	3.8	3.8	ug/l	U	8/4/2004
077128	Styrene	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/4/2004
077562	1,1,1,2-Tetrachloroethane	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/4/2004
034516	1,1,2,2-Tetrachloroethane	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/4/2004
034475	Tetrachloroethene	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/4/2004
034010	Toluene	PP	NO	Y	8260	0.51	0.51	ug/l	U	8/4/2004
034506	1,1,1-Trichloroethane	PP	NO	Y	8260	0.46	0.46	ug/l	U	8/4/2004
034511	1,1,2-Trichloroethane	PP	NO	Y	8260	0.47	0.47	ug/l	U	8/4/2004
039180	Trichloroethene	PP	NO	Y	8260	0.28	0.28	ug/l	U	8/4/2004
034488	Trichlorofluoromethane	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/4/2004
077443	1,2,3-Trichloropropane	PP	NO	Y	8260	0.15	0.15	ug/l	U	8/4/2004
077057	Vinyl acetate	PP	NO	Y	8260	1.5	1.5	ug/l	U	8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19933

Monitoring_Site_Num: MW-12A

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
039175	Vinyl chloride	PP	NO	Y	8260	0.5	0.5	ug/l	U	8/4/2004
034020	Xylenes	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/4/2004
049146	1,2-Dibromo-3-chloropropane	PP	NO	Y	504	0.003	0.003	ug/l	U	8/3/2004
001077	Silver	PP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/4/2004
046361	Dibromomethane	PP	NO	Y	8260	0.41	0.41	ug/l	U	8/4/2004
032106	Chloroform	PP	NO	Y	8260	0.9	0.9	ug/l	U	8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19912

Monitoring_Site_Num: MW-5A

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	PP	NO	Y	350.3	3.6	0.04	mg/l		8/4/2004
000940	Chloride	PP	NO	Y	325.3	18	1	mg/l		8/2/2004
000620	Nitrate-N	PP	NO	Y	353.2	0.05	0.01	mg/l	U	7/29/2004
070300	Solids, Total Dissolved	PP	NO	Y	160.1	120	5	mg/l		8/3/2004
001097	Antimony (Dissolved)	PP	YES	Y	6010	0.0029	0.0029	mg/l	U	8/4/2004
001097	Antimony	PP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/4/2004
001002	Arsenic	PP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/4/2004
001002	Arsenic (Dissolved)	PP	YES	Y	6010	0.0038	0.0038	mg/l	U	8/4/2004
001007	Barium (Dissolved)	PP	YES	Y	6010	0.0029	0.0012	mg/l	I	8/4/2004
001007	Barium	PP	NO	Y	6010	0.007	0.0012	mg/l	I	8/4/2004
001012	Beryllium (Dissolved)	PP	YES	Y	6010	0.00074	0.00074	mg/l	U	8/4/2004
001012	Beryllium	PP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/4/2004
001027	Cadmium (Dissolved)	PP	YES	Y	6010	0.00071	0.00071	mg/l	U	8/4/2004
001027	Cadmium	PP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/4/2004
001034	Chromium (Dissolved)	PP	YES	Y	6010	0.0053	0.0017	mg/l	I	8/4/2004
001034	Chromium	PP	NO	Y	6010	0.0061	0.0017	mg/l	I	8/4/2004
001037	Cobalt (Dissolved)	PP	YES	Y	6010	0.0014	0.0014	mg/l	U	8/4/2004
001037	Cobalt	PP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/4/2004
001042	Copper (Dissolved)	PP	YES	Y	6010	0.0013	0.0013	mg/l	U	8/4/2004
001042	Copper	PP	NO	Y	6010	0.0016	0.0013	mg/l	I	8/4/2004
001045	Iron (Dissolved)	PP	YES	Y	6010	1.9	0.037	mg/l		8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19912

Monitoring_Site_Num: MW-5A

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001045	Iron	PP	NO	Y	6010	2	0.037	mg/l		8/4/2004
001051	Lead (Dissolved)	PP	YES	Y	6010	0.0015	0.0015	mg/l	U	8/4/2004
001051	Lead	PP	NO	Y	6010	0.002	0.0015	mg/l	I	8/4/2004
071900	Mercury	PP	NO	Y	7470	0.000099	0.000072	mg/l	I	7/29/2004
071900	Mercury (Dissolved)	PP	YES	Y	7470	0.000072	0.000072	mg/l	U	7/29/2004
001067	Nickel	PP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/4/2004
001067	Nickel (Dissolved)	PP	YES	Y	6010	0.0047	0.0047	mg/l	U	8/4/2004
001147	Selenium (Dissolved)	PP	YES	Y	6010	0.0048	0.0048	mg/l	U	8/4/2004
001147	Selenium	PP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/4/2004
000929	Sodium (Dissolved)	PP	YES	Y	6010	5.1	0.15	mg/l		8/4/2004
000929	Sodium	PP	NO	Y	6010	5.2	0.15	mg/l		8/4/2004
001059	Thallium	PP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/3/2004
001059	Thallium (Dissolved)	PP	YES	Y	7841	0.0007	0.0007	mg/l	U	8/3/2004
001087	Vanadium (Dissolved)	PP	YES	Y	6010	0.0034	0.0025	mg/l	I	8/4/2004
001087	Vanadium	PP	NO	Y	6010	0.0039	0.0025	mg/l	I	8/4/2004
001092	Zinc	PP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/4/2004
001092	Zinc (Dissolved)	PP	YES	Y	6010	0.0059	0.0059	mg/l	U	8/4/2004
081552	Acetone	PP	NO	Y	8260	9.9	9.9	ug/l	U	8/4/2004
034215	Acrylonitrile	PP	NO	Y	8260	1.2	1.2	ug/l	U	8/4/2004
034030	Benzene	PP	NO	Y	8260	0.27	0.27	ug/l	U	8/4/2004
073085	Bromochloromethane	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19912

Monitoring_Site_Num: MW-5A

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
032101	Bromodichloromethane	PP	NO	Y	8260	0.35	0.35	ug/l	U	8/4/2004
032104	Bromoform	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/4/2004
077041	Carbon disulfide	PP	NO	Y	8260	0.85	0.85	ug/l	U	8/4/2004
032102	Carbon Tetrachloride	PP	NO	Y	8260	0.42	0.42	ug/l	U	8/4/2004
034301	Chlorobenzene	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/4/2004
034311	Chloroethane	PP	NO	Y	8260	0.8	0.8	ug/l	U	8/4/2004
032105	Dibromochloromethane	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/4/2004
077651	1,2-Dibromoethane (EDB)	PP	NO	Y	504	0.0087	0.0087	ug/l	U	8/3/2004
034536	1,2-Dichlorobenzene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/4/2004
034571	1,4-Dichlorobenzene	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/4/2004
049263	Trans-1,4-Dichloro-2-butene	PP	NO	Y	8260	2.5	2.5	ug/l	U	8/4/2004
034496	1,1-Dichloroethane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/4/2004
034531	1,2-Dichloroethane	PP	NO	Y	8260	0.57	0.57	ug/l	U	8/4/2004
034501	1,1-Dichloroethylene	PP	NO	Y	8260	0.45	0.45	ug/l	U	8/4/2004
077093	cis-1,2-Dichloroethylene	PP	NO	Y	8260	0.65	0.65	ug/l	U	8/4/2004
034546	trans-1,2-Dichloroethylene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/4/2004
034541	1,2-Dichloropropane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/4/2004
034704	cis-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/4/2004
034699	trans-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/4/2004
034371	Ethylbenzene	PP	NO	Y	8260	0.83	0.83	ug/l	U	8/4/2004
034413	Bromomethane	PP	NO	Y	8260	0.66	0.66	ug/l	U	8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19912

Monitoring_Site_Num: MW-5A

Permitted Well Type: **BG**

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) **Yes**

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
077103	2-Hexanone	PP	NO	Y	8260	4.4	4.4	ug/l	U	8/4/2004
034418	Chloromethane	PP	NO	Y	8260	0.64	0.64	ug/l	U	8/4/2004
081595	2-Butanone (MEK)	PP	NO	Y	8260	8.4	8.4	ug/l	U	8/4/2004
077424	Iodomethane	PP	NO	Y	8260	0.67	0.67	ug/l	U	8/4/2004
034423	Methylene Chloride	PP	NO	Y	8260	1	1	ug/l	U	8/4/2004
081596	4-Methyl-2-pentanone (MIBK)	PP	NO	Y	8260	3.8	3.8	ug/l	U	8/4/2004
077128	Styrene	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/4/2004
077562	1,1,1,2-Tetrachloroethane	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/4/2004
034516	1,1,2,2-Tetrachloroethane	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/4/2004
034475	Tetrachloroethene	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/4/2004
034010	Toluene	PP	NO	Y	8260	170	0.51	ug/l		8/4/2004
034506	1,1,1-Trichloroethane	PP	NO	Y	8260	0.46	0.46	ug/l	U	8/4/2004
034511	1,1,2-Trichloroethane	PP	NO	Y	8260	0.47	0.47	ug/l	U	8/4/2004
039180	Trichloroethene	PP	NO	Y	8260	0.28	0.28	ug/l	U	8/4/2004
034488	Trichlorofluoromethane	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/4/2004
077443	1,2,3-Trichloropropane	PP	NO	Y	8260	0.15	0.15	ug/l	U	8/4/2004
077057	Vinyl acetate	PP	NO	Y	8260	1.5	1.5	ug/l	U	8/4/2004
039175	Vinyl chloride	PP	NO	Y	8260	0.5	0.5	ug/l	U	8/4/2004
034020	Xylenes	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/4/2004
001077	Silver (Dissolved)	PP	YES	Y	6010	0.0019	0.0019	mg/l	U	8/4/2004
049146	1,2-Dibromo-3-chloropropane	PP	NO	Y	504	0.003	0.003	ug/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19912

Monitoring_Site_Num: MW-5A

Permitted Well Type: **BG**

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001077	Silver	PP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/4/2004
032106	Chloroform	PP	NO	Y	8260	0.9	0.9	ug/l	U	8/4/2004
046361	Dibromomethane	PP	NO	Y	8260	0.41	0.41	ug/l	U	8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19915

Monitoring_Site_Num: MW-6A

Permitted Well Type: **BG**

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) **Yes**

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	PP	NO	Y	350.3	0.18	0.04	mg/l		8/4/2004
000940	Chloride	PP	NO	Y	325.3	12	1	mg/l		8/2/2004
000620	Nitrate-N	PP	NO	Y	353.2	0.01	0.01	mg/l	U	7/29/2004
070300	Solids, Total Dissolved	PP	NO	Y	160.1	60	5	mg/l		8/3/2004
001097	Antimony	PP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/4/2004
001002	Arsenic	PP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/4/2004
001007	Barium	PP	NO	Y	6010	0.0032	0.0012	mg/l	I	8/4/2004
001012	Beryllium	PP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/4/2004
001027	Cadmium	PP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/4/2004
001034	Chromium	PP	NO	Y	6010	0.0018	0.0017	mg/l	I	8/4/2004
001037	Cobalt	PP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/4/2004
001042	Copper	PP	NO	Y	6010	0.0013	0.0013	mg/l	U	8/4/2004
001045	Iron	PP	NO	Y	6010	1.6	0.037	mg/l		8/4/2004
001051	Lead	PP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/4/2004
071900	Mercury	PP	NO	Y	7470	0.000072	0.000072	mg/l	U	7/29/2004
001067	Nickel	PP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/4/2004
001147	Selenium	PP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/4/2004
000929	Sodium	PP	NO	Y	6010	9.1	0.15	mg/l		8/4/2004
001059	Thallium	PP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/3/2004
001087	Vanadium	PP	NO	Y	6010	0.0025	0.0025	mg/l	U	8/4/2004
001092	Zinc	PP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19915

Monitoring_Site_Num: MW-6A

Permitted Well Type: **BG**

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) **Yes**

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone	PP	NO	Y	8260	9.9	9.9	ug/l	U	8/3/2004
034215	Acrylonitrile	PP	NO	Y	8260	1.2	1.2	ug/l	U	8/3/2004
034030	Benzene	PP	NO	Y	8260	0.27	0.27	ug/l	U	8/3/2004
073085	Bromochloromethane	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/3/2004
032101	Bromodichloromethane	PP	NO	Y	8260	0.35	0.35	ug/l	U	8/3/2004
032104	Bromoform	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/3/2004
077041	Carbon disulfide	PP	NO	Y	8260	0.85	0.85	ug/l	U	8/3/2004
032102	Carbon Tetrachloride	PP	NO	Y	8260	0.42	0.42	ug/l	U	8/3/2004
034301	Chlorobenzene	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/3/2004
034311	Chloroethane	PP	NO	Y	8260	0.8	0.8	ug/l	U	8/3/2004
032105	Dibromochloromethane	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/3/2004
077651	1,2-Dibromoethane (EDB)	PP	NO	Y	504	0.0087	0.0087	ug/l	U	8/3/2004
034536	1,2-Dichlorobenzene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/3/2004
034571	1,4-Dichlorobenzene	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/3/2004
049263	Trans-1,4-Dichloro-2-butene	PP	NO	Y	8260	2.5	2.5	ug/l	U	8/3/2004
034496	1,1-Dichloroethane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/3/2004
034531	1,2-Dichloroethane	PP	NO	Y	8260	0.57	0.57	ug/l	U	8/3/2004
034501	1,1-Dichloroethylene	PP	NO	Y	8260	0.45	0.45	ug/l	U	8/3/2004
077093	cis-1,2-Dichloroethylene	PP	NO	Y	8260	0.65	0.65	ug/l	U	8/3/2004
034546	trans-1,2-Dichloroethylene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/3/2004
034541	1,2-Dichloropropane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19915

Monitoring_Site_Num: MW-6A

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/3/2004
034699	trans-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/3/2004
034371	Ethylbenzene	PP	NO	Y	8260	0.83	0.83	ug/l	U	8/3/2004
034413	Bromomethane	PP	NO	Y	8260	0.66	0.66	ug/l	U	8/3/2004
077103	2-Hexanone	PP	NO	Y	8260	4.4	4.4	ug/l	U	8/3/2004
034418	Chloromethane	PP	NO	Y	8260	0.64	0.64	ug/l	U	8/3/2004
081595	2-Butanone (MEK)	PP	NO	Y	8260	8.4	8.4	ug/l	U	8/3/2004
077424	Iodomethane	PP	NO	Y	8260	0.67	0.67	ug/l	U	8/3/2004
034423	Methylene Chloride	PP	NO	Y	8260	1	1	ug/l	U	8/3/2004
081596	4-Methyl-2-pentanone (MIBK)	PP	NO	Y	8260	3.8	3.8	ug/l	U	8/3/2004
077128	Styrene	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/3/2004
077562	1,1,1,2-Tetrachloroethane	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/3/2004
034516	1,1,2,2-Tetrachloroethane	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/3/2004
034475	Tetrachloroethene	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/3/2004
034010	Toluene	PP	NO	Y	8260	1.8	0.51	ug/l		8/3/2004
034506	1,1,1-Trichloroethane	PP	NO	Y	8260	0.46	0.46	ug/l	U	8/3/2004
034511	1,1,2-Trichloroethane	PP	NO	Y	8260	0.47	0.47	ug/l	U	8/3/2004
039180	Trichloroethene	PP	NO	Y	8260	0.28	0.28	ug/l	U	8/3/2004
034488	Trichlorofluoromethane	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/3/2004
077443	1,2,3-Trichloropropane	PP	NO	Y	8260	0.15	0.15	ug/l	U	8/3/2004
077057	Vinyl acetate	PP	NO	Y	8260	1.5	1.5	ug/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19915

Monitoring_Site_Num: MW-6A

Permitted Well Type: BG

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
039175	Vinyl chloride	PP	NO	Y	8260	0.5	0.5	ug/l	U	8/3/2004
034020	Xylenes	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/3/2004
001077	Silver	PP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/4/2004
049146	1,2-Dibromo-3-chloropropane	PP	NO	Y	504	0.003	0.003	ug/l	U	8/3/2004
046361	Dibromomethane	PP	NO	Y	8260	0.41	0.41	ug/l	U	8/3/2004
032106	Chloroform	PP	NO	Y	8260	0.9	0.9	ug/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19918

Monitoring_Site_Num: MW-7A

Permitted Well Type: **CO**

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) **Yes**

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	PP	NO	Y	350.3	0.19	0.04	mg/l		8/4/2004
000940	Chloride	PP	NO	Y	325.3	12	1	mg/l		8/2/2004
000620	Nitrate-N	PP	NO	Y	353.2	0.1	0.01	mg/l	U	7/29/2004
070300	Solids, Total Dissolved	PP	NO	Y	160.1	1800	5	mg/l		8/3/2004
001097	Antimony (Dissolved)	PP	YES	Y	6010	0.0029	0.0029	mg/l	U	8/4/2004
001097	Antimony	PP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/4/2004
001002	Arsenic (Dissolved)	PP	YES	Y	6010	0.0038	0.0038	mg/l	U	8/4/2004
001002	Arsenic	PP	NO	Y	6010	0.016	0.0038	mg/l		8/4/2004
001007	Barium	PP	NO	Y	6010	1.5	0.0012	mg/l		8/4/2004
001007	Barium (Dissolved)	PP	YES	Y	6010	0.013	0.0012	mg/l		8/4/2004
001012	Beryllium (Dissolved)	PP	YES	Y	6010	0.00074	0.00074	mg/l	U	8/4/2004
001012	Beryllium	PP	NO	Y	6010	0.0051	0.00074	mg/l		8/4/2004
001027	Cadmium (Dissolved)	PP	YES	Y	6010	0.00071	0.00071	mg/l	U	8/4/2004
001027	Cadmium	PP	NO	Y	6010	0.00073	0.00071	mg/l	I	8/4/2004
001034	Chromium	PP	NO	Y	6010	0.17	0.0017	mg/l		8/4/2004
001034	Chromium (Dissolved)	PP	YES	Y	6010	0.0017	0.0017	mg/l	U	8/4/2004
001037	Cobalt	PP	NO	Y	6010	0.0077	0.0014	mg/l	I	8/4/2004
001037	Cobalt (Dissolved)	PP	YES	Y	6010	0.0014	0.0014	mg/l	U	8/4/2004
001042	Copper (Dissolved)	PP	YES	Y	6010	0.0013	0.0013	mg/l	U	8/4/2004
001042	Copper	PP	NO	Y	6010	0.018	0.0013	mg/l	I	8/4/2004
001045	Iron (Dissolved)	PP	YES	Y	6010	0.35	0.037	mg/l		8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19918

Monitoring_Site_Num: MW-7A

Permitted Well Type: **CO**

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) **Yes**

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001045	Iron	PP	NO	Y	6010	19	0.037	mg/l		8/4/2004
001051	Lead (Dissolved)	PP	YES	Y	6010	0.0015	0.0015	mg/l	U	8/4/2004
001051	Lead	PP	NO	Y	6010	0.13	0.0015	mg/l		8/4/2004
071900	Mercury	PP	NO	Y	7470	0.00062	0.000072	mg/l		7/29/2004
071900	Mercury (Dissolved)	PP	YES	Y	7470	0.000072	0.000072	mg/l	U	7/29/2004
001067	Nickel (Dissolved)	PP	YES	Y	6010	0.0047	0.0047	mg/l	U	8/4/2004
001067	Nickel	PP	NO	Y	6010	0.036	0.0047	mg/l	I	8/4/2004
001147	Selenium	PP	NO	Y	6010	0.023	0.0048	mg/l		8/4/2004
001147	Selenium (Dissolved)	PP	YES	Y	6010	0.0048	0.0048	mg/l	U	8/4/2004
000929	Sodium	PP	NO	Y	6010	10	0.15	mg/l		8/4/2004
000929	Sodium (Dissolved)	PP	YES	Y	6010	11	0.15	mg/l		8/4/2004
001059	Thallium	PP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/3/2004
001059	Thallium (Dissolved)	PP	YES	Y	7841	0.0007	0.0007	mg/l	U	8/3/2004
001087	Vanadium	PP	NO	Y	6010	0.27	0.0025	mg/l		8/4/2004
001087	Vanadium (Dissolved)	PP	YES	Y	6010	0.0039	0.0025	mg/l	I	8/4/2004
001092	Zinc (Dissolved)	PP	YES	Y	6010	0.0059	0.0059	mg/l	U	8/4/2004
001092	Zinc	PP	NO	Y	6010	0.022	0.0059	mg/l		8/4/2004
081552	Acetone	PP	NO	Y	8260	9.9	9.9	ug/l	U	8/4/2004
034215	Acrylonitrile	PP	NO	Y	8260	1.2	1.2	ug/l	U	8/4/2004
034030	Benzene	PP	NO	Y	8260	0.27	0.27	ug/l	U	8/4/2004
073085	Bromochloromethane	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19918

Monitoring_Site_Num: MW-7A

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
032101	Bromodichloromethane	PP	NO	Y	8260	0.35	0.35	ug/l	U	8/4/2004
032104	Bromoform	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/4/2004
077041	Carbon disulfide	PP	NO	Y	8260	0.85	0.85	ug/l	U	8/4/2004
032102	Carbon Tetrachloride	PP	NO	Y	8260	0.42	0.42	ug/l	U	8/4/2004
034301	Chlorobenzene	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/4/2004
034311	Chloroethane	PP	NO	Y	8260	0.8	0.8	ug/l	U	8/4/2004
032105	Dibromochloromethane	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/4/2004
077651	1,2-Dibromoethane (EDB)	PP	NO	Y	504	0.0087	0.0087	ug/l	U	8/3/2004
034536	1,2-Dichlorobenzene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/4/2004
034571	1,4-Dichlorobenzene	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/4/2004
049263	Trans-1,4-Dichloro-2-butene	PP	NO	Y	8260	2.5	2.5	ug/l	U	8/4/2004
034496	1,1-Dichloroethane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/4/2004
034531	1,2-Dichloroethane	PP	NO	Y	8260	0.57	0.57	ug/l	U	8/4/2004
034501	1,1-Dichloroethylene	PP	NO	Y	8260	0.45	0.45	ug/l	U	8/4/2004
077093	cis-1,2-Dichloroethylene	PP	NO	Y	8260	0.65	0.65	ug/l	U	8/4/2004
034546	trans-1,2-Dichloroethylene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/4/2004
034541	1,2-Dichloropropane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/4/2004
034704	cis-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/4/2004
034699	trans-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/4/2004
034371	Ethylbenzene	PP	NO	Y	8260	0.83	0.83	ug/l	U	8/4/2004
034413	Bromomethane	PP	NO	Y	8260	0.66	0.66	ug/l	U	8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19918

Monitoring_Site_Num: MW-7A

Permitted Well Type: **CO**

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
077103	2-Hexanone	PP	NO	Y	8260	4.4	4.4	ug/l	U	8/4/2004
034418	Chloromethane	PP	NO	Y	8260	0.64	0.64	ug/l	U	8/4/2004
081595	2-Butanone (MEK)	PP	NO	Y	8260	8.4	8.4	ug/l	U	8/4/2004
077424	Iodomethane	PP	NO	Y	8260	0.67	0.67	ug/l	U	8/4/2004
034423	Methylene Chloride	PP	NO	Y	8260	1	1	ug/l	U	8/4/2004
081596	4-Methyl-2-pentanone (MIBK)	PP	NO	Y	8260	3.8	3.8	ug/l	U	8/4/2004
077128	Styrene	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/4/2004
077562	1,1,1,2-Tetrachloroethane	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/4/2004
034516	1,1,2,2-Tetrachloroethane	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/4/2004
034475	Tetrachloroethene	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/4/2004
034010	Toluene	PP	NO	Y	8260	0.51	0.51	ug/l	U	8/4/2004
034506	1,1,1-Trichloroethane	PP	NO	Y	8260	0.46	0.46	ug/l	U	8/4/2004
034511	1,1,2-Trichloroethane	PP	NO	Y	8260	0.47	0.47	ug/l	U	8/4/2004
039180	Trichloroethene	PP	NO	Y	8260	0.28	0.28	ug/l	U	8/4/2004
034488	Trichlorofluoromethane	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/4/2004
077443	1,2,3-Trichloropropane	PP	NO	Y	8260	0.15	0.15	ug/l	U	8/4/2004
077057	Vinyl acetate	PP	NO	Y	8260	1.5	1.5	ug/l	U	8/4/2004
039175	Vinyl chloride	PP	NO	Y	8260	0.5	0.5	ug/l	U	8/4/2004
034020	Xylenes	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/4/2004
001077	Silver	PP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/4/2004
046361	Dibromomethane	PP	NO	Y	8260	0.41	0.41	ug/l	U	8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19918

Monitoring_Site_Num: MW-7A

Permitted Well Type: **CO**

Ground water classification: **G-II**

**Well Purged prior to
Sample Collection? (Y/N)** **Yes**

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Store Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
049146	1,2-Dibromo-3-chloropropane	PP	NO	Y	504	0.003	0.003	ug/l	U	8/3/2004
001077	Silver (Dissolved)	PP	YES	Y	6010	0.0019	0.0019	mg/l	U	8/4/2004
032106	Chloroform	PP	NO	Y	8260	0.9	0.9	ug/l	U	8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19921

Monitoring_Site_Num: MW-8A

Permitted Well Type: **CO**

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) **Yes**

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	PP	NO	Y	350.3	0.14	0.04	mg/l		8/4/2004
000940	Chloride	PP	NO	Y	325.3	29	1	mg/l		8/2/2004
000620	Nitrate-N	PP	NO	Y	353.2	0.01	0.01	mg/l	U	7/29/2004
070300	Solids, Total Dissolved	PP	NO	Y	160.1	76	5	mg/l		8/3/2004
001097	Antimony	PP	NO	Y	6010	0.0037	0.0029	mg/l	I	8/4/2004
001002	Arsenic	PP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/4/2004
001007	Barium	PP	NO	Y	6010	0.016	0.0012	mg/l		8/4/2004
001012	Beryllium	PP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/4/2004
001027	Cadmium	PP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/4/2004
001034	Chromium	PP	NO	Y	6010	0.0026	0.0017	mg/l	I	8/4/2004
001037	Cobalt	PP	NO	Y	6010	0.0019	0.0014	mg/l	I	8/4/2004
001042	Copper	PP	NO	Y	6010	0.0013	0.0013	mg/l	U	8/4/2004
001045	Iron	PP	NO	Y	6010	2.4	0.037	mg/l		8/4/2004
001051	Lead	PP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/4/2004
071900	Mercury	PP	NO	Y	7470	0.000072	0.000072	mg/l	U	7/29/2004
001067	Nickel	PP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/4/2004
001147	Selenium	PP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/4/2004
000929	Sodium	PP	NO	Y	6010	12	0.15	mg/l		8/4/2004
001059	Thallium	PP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/3/2004
001087	Vanadium	PP	NO	Y	6010	0.0031	0.0025	mg/l	I	8/4/2004
001092	Zinc	PP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19921

Monitoring_Site_Num: MW-8A

Permitted Well Type: **CO**

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) **Yes**

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone	PP	NO	Y	8260	9.9	9.9	ug/l	U	8/3/2004
034215	Acrylonitrile	PP	NO	Y	8260	1.2	1.2	ug/l	U	8/3/2004
034030	Benzene	PP	NO	Y	8260	0.27	0.27	ug/l	U	8/3/2004
073085	Bromochloromethane	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/3/2004
032101	Bromodichloromethane	PP	NO	Y	8260	0.35	0.35	ug/l	U	8/3/2004
032104	Bromoform	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/3/2004
077041	Carbon disulfide	PP	NO	Y	8260	0.85	0.85	ug/l	U	8/3/2004
032102	Carbon Tetrachloride	PP	NO	Y	8260	0.42	0.42	ug/l	U	8/3/2004
034301	Chlorobenzene	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/3/2004
034311	Chloroethane	PP	NO	Y	8260	0.8	0.8	ug/l	U	8/3/2004
032105	Dibromochloromethane	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/3/2004
077651	1,2-Dibromoethane (EDB)	PP	NO	Y	504	0.0087	0.0087	ug/l	U	8/3/2004
034536	1,2-Dichlorobenzene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/3/2004
034571	1,4-Dichlorobenzene	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/3/2004
049263	Trans-1,4-Dichloro-2-butene	PP	NO	Y	8260	2.5	2.5	ug/l	U	8/3/2004
034496	1,1-Dichloroethane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/3/2004
034531	1,2-Dichloroethane	PP	NO	Y	8260	0.57	0.57	ug/l	U	8/3/2004
034501	1,1-Dichloroethylene	PP	NO	Y	8260	0.45	0.45	ug/l	U	8/3/2004
077093	cis-1,2-Dichloroethylene	PP	NO	Y	8260	0.65	0.65	ug/l	U	8/3/2004
034546	trans-1,2-Dichloroethylene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/3/2004
034541	1,2-Dichloropropane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19921

Monitoring_Site_Num: MW-8A

Permitted Well Type: CO

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Well Purged prior to Sample Collection? (Y/N) Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/3/2004
034699	trans-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/3/2004
034371	Ethylbenzene	PP	NO	Y	8260	0.83	0.83	ug/l	U	8/3/2004
034413	Bromomethane	PP	NO	Y	8260	0.66	0.66	ug/l	U	8/3/2004
077103	2-Hexanone	PP	NO	Y	8260	4.4	4.4	ug/l	U	8/3/2004
034418	Chloromethane	PP	NO	Y	8260	0.64	0.64	ug/l	U	8/3/2004
081595	2-Butanone (MEK)	PP	NO	Y	8260	8.4	8.4	ug/l	U	8/3/2004
077424	Iodomethane	PP	NO	Y	8260	0.67	0.67	ug/l	U	8/3/2004
034423	Methylene Chloride	PP	NO	Y	8260	1	1	ug/l	U	8/3/2004
081596	4-Methyl-2-pentanone (MIBK)	PP	NO	Y	8260	3.8	3.8	ug/l	U	8/3/2004
077128	Styrene	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/3/2004
077562	1,1,1,2-Tetrachloroethane	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/3/2004
034516	1,1,2,2-Tetrachloroethane	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/3/2004
034475	Tetrachloroethene	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/3/2004
034010	Toluene	PP	NO	Y	8260	0.51	0.51	ug/l	U	8/3/2004
034506	1,1,1-Trichloroethane	PP	NO	Y	8260	0.46	0.46	ug/l	U	8/3/2004
034511	1,1,2-Trichloroethane	PP	NO	Y	8260	0.47	0.47	ug/l	U	8/3/2004
039180	Trichloroethene	PP	NO	Y	8260	0.28	0.28	ug/l	U	8/3/2004
034488	Trichlorofluoromethane	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/3/2004
077443	1,2,3-Trichloropropane	PP	NO	Y	8260	0.15	0.15	ug/l	U	8/3/2004
077057	Vinyl acetate	PP	NO	Y	8260	1.5	1.5	ug/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19921

Monitoring_Site_Num: MW-8A

Permitted Well Type: **CO**

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) **Yes**

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
039175	Vinyl chloride	PP	NO	Y	8260	0.5	0.5	ug/l	U	8/3/2004
034020	Xylenes	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/3/2004
001077	Silver	PP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/4/2004
046361	Dibromomethane	PP	NO	Y	8260	0.41	0.41	ug/l	U	8/3/2004
032106	Chloroform	PP	NO	Y	8260	0.9	0.9	ug/l	U	8/3/2004
049146	1,2-Dibromo-3-chloropropane	PP	NO	Y	504	0.003	0.003	ug/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19924

Monitoring_Site_Num: MW-9A

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv. Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	PP	NO	Y	350.3	2.3	0.04	mg/l		8/4/2004
000940	Chloride	PP	NO	Y	325.3	15	1	mg/l		8/2/2004
000620	Nitrate-N	PP	NO	Y	353.2	0.01	0.01	mg/l	U	7/29/2004
070300	Solids, Total Dissolved	PP	NO	Y	160.1	82	5	mg/l		8/3/2004
001097	Antimony	PP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/4/2004
001002	Arsenic	PP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/4/2004
001007	Barium	PP	NO	Y	6010	0.0096	0.0012	mg/l	I	8/4/2004
001012	Beryllium	PP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/4/2004
001027	Cadmium	PP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/4/2004
001034	Chromium	PP	NO	Y	6010	0.0034	0.0017	mg/l	I	8/4/2004
001037	Cobalt	PP	NO	Y	6010	0.002	0.0014	mg/l	I	8/4/2004
001042	Copper	PP	NO	Y	6010	0.0013	0.0013	mg/l	U	8/4/2004
001045	Iron	PP	NO	Y	6010	1.9	0.037	mg/l		8/4/2004
001051	Lead	PP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/4/2004
071900	Mercury	PP	NO	Y	7470	0.000072	0.000072	mg/l	U	7/29/2004
001067	Nickel	PP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/4/2004
001147	Selenium	PP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/4/2004
000929	Sodium	PP	NO	Y	6010	4.3	0.15	mg/l		8/4/2004
001059	Thallium	PP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/3/2004
001087	Vanadium	PP	NO	Y	6010	0.0046	0.0025	mg/l	I	8/4/2004
001092	Zinc	PP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19924

Monitoring_Site_Num: MW-9A

Permitted Well Type: CO

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Well Purged prior to Sample Collection? (Y/N) Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone	PP	NO	Y	8260	9.9	9.9	ug/l	U	8/3/2004
034215	Acrylonitrile	PP	NO	Y	8260	1.2	1.2	ug/l	U	8/3/2004
034030	Benzene	PP	NO	Y	8260	0.27	0.27	ug/l	U	8/3/2004
073085	Bromochloromethane	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/3/2004
032101	Bromodichloromethane	PP	NO	Y	8260	0.35	0.35	ug/l	U	8/3/2004
032104	Bromoform	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/3/2004
077041	Carbon disulfide	PP	NO	Y	8260	0.85	0.85	ug/l	U	8/3/2004
032102	Carbon Tetrachloride	PP	NO	Y	8260	0.42	0.42	ug/l	U	8/3/2004
034301	Chlorobenzene	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/3/2004
034311	Chloroethane	PP	NO	Y	8260	0.8	0.8	ug/l	U	8/3/2004
032105	Dibromochloromethane	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/3/2004
077651	1,2-Dibromoethane (EDB)	PP	NO	Y	504	0.0087	0.0087	ug/l	U	8/3/2004
034536	1,2-Dichlorobenzene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/3/2004
034571	1,4-Dichlorobenzene	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/3/2004
049263	Trans-1,4-Dichloro-2-butene	PP	NO	Y	8260	2.5	2.5	ug/l	U	8/3/2004
034496	1,1-Dichloroethane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/3/2004
034531	1,2-Dichloroethane	PP	NO	Y	8260	0.57	0.57	ug/l	U	8/3/2004
034501	1,1-Dichloroethylene	PP	NO	Y	8260	0.45	0.45	ug/l	U	8/3/2004
077093	cis-1,2-Dichloroethylene	PP	NO	Y	8260	0.65	0.65	ug/l	U	8/3/2004
034546	trans-1,2-Dichloroethylene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/3/2004
034541	1,2-Dichloropropane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19924

Monitoring_Site_Num: MW-9A

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/3/2004
034699	trans-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/3/2004
034371	Ethylbenzene	PP	NO	Y	8260	0.83	0.83	ug/l	U	8/3/2004
034413	Bromomethane	PP	NO	Y	8260	0.66	0.66	ug/l	U	8/3/2004
077103	2-Hexanone	PP	NO	Y	8260	4.4	4.4	ug/l	U	8/3/2004
034418	Chloromethane	PP	NO	Y	8260	0.64	0.64	ug/l	U	8/3/2004
081595	2-Butanone (MEK)	PP	NO	Y	8260	8.4	8.4	ug/l	U	8/3/2004
077424	Iodomethane	PP	NO	Y	8260	0.67	0.67	ug/l	U	8/3/2004
034423	Methylene Chloride	PP	NO	Y	8260	1	1	ug/l	U	8/3/2004
081596	4-Methyl-2-pentanone (MIBK)	PP	NO	Y	8260	3.8	3.8	ug/l	U	8/3/2004
077128	Styrene	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/3/2004
077562	1,1,1,2-Tetrachloroethane	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/3/2004
034516	1,1,2,2-Tetrachloroethane	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/3/2004
034475	Tetrachloroethene	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/3/2004
034010	Toluene	PP	NO	Y	8260	0.51	0.51	ug/l	U	8/3/2004
034506	1,1,1-Trichloroethane	PP	NO	Y	8260	0.46	0.46	ug/l	U	8/3/2004
034511	1,1,2-Trichloroethane	PP	NO	Y	8260	0.47	0.47	ug/l	U	8/3/2004
039180	Trichloroethene	PP	NO	Y	8260	0.28	0.28	ug/l	U	8/3/2004
034488	Trichlorofluoromethane	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/3/2004
077443	1,2,3-Trichloropropane	PP	NO	Y	8260	0.15	0.15	ug/l	U	8/3/2004
077057	Vinyl acetate	PP	NO	Y	8260	1.5	1.5	ug/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19924

Monitoring_Site_Num: MW-9A

Permitted Well Type: **CO**

Ground water classification: **G-II**

**Well Purged prior to
Sample Collection? (Y/N)** **Yes**

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
039175	Vinyl chloride	PP	NO	Y	8260	0.5	0.5	ug/l	U	8/3/2004
034020	Xylenes	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/3/2004
046361	Dibromomethane	PP	NO	Y	8260	0.41	0.41	ug/l	U	8/3/2004
049146	1,2-Dibromo-3-chloropropane	PP	NO	Y	504	0.003	0.003	ug/l	U	8/3/2004
032106	Chloroform	PP	NO	Y	8260	0.9	0.9	ug/l	U	8/3/2004
001077	Silver	PP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well:

Monitoring_Site_Num: Trip Blank

Permitted Well Type: CO

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Well Purged prior to Sample Collection? (Y/N) Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone	PP	NO	Y	8260	9.9	9.9	ug/l	U	8/3/2004
034215	Acrylonitrile	PP	NO	Y	8260	1.2	1.2	ug/l	U	8/3/2004
034030	Benzene	PP	NO	Y	8260	0.27	0.27	ug/l	U	8/3/2004
073085	Bromochloromethane	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/3/2004
032101	Bromodichloromethane	PP	NO	Y	8260	0.35	0.35	ug/l	U	8/3/2004
032104	Bromoform	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/3/2004
077041	Carbon disulfide	PP	NO	Y	8260	0.85	0.85	ug/l	U	8/3/2004
032102	Carbon Tetrachloride	PP	NO	Y	8260	0.42	0.42	ug/l	U	8/3/2004
034301	Chlorobenzene	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/3/2004
034311	Chloroethane	PP	NO	Y	8260	0.8	0.8	ug/l	U	8/3/2004
032105	Dibromochloromethane	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/3/2004
077651	1,2-Dibromoethane (EDB)	PP	NO	Y	504	0.0087	0.0087	ug/l	U	8/3/2004
034536	1,2-Dichlorobenzene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/3/2004
034571	1,4-Dichlorobenzene	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/3/2004
049263	Trans-1,4-Dichloro-2-butene	PP	NO	Y	8260	2.5	2.5	ug/l	U	8/3/2004
034496	1,1-Dichloroethane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/3/2004
034531	1,2-Dichloroethane	PP	NO	Y	8260	0.57	0.57	ug/l	U	8/3/2004
034501	1,1-Dichloroethylene	PP	NO	Y	8260	0.45	0.45	ug/l	U	8/3/2004
077093	cis-1,2-Dichloroethylene	PP	NO	Y	8260	0.65	0.65	ug/l	U	8/3/2004
034546	trans-1,2-Dichloroethylene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/3/2004
034541	1,2-Dichloropropane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well:

Monitoring_Site_Num: Trip Blank

Permitted Well Type: CO

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Well Purged prior to Sample Collection? (Y/N) Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/3/2004
034699	trans-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/3/2004
034371	Ethylbenzene	PP	NO	Y	8260	0.83	0.83	ug/l	U	8/3/2004
034413	Bromomethane	PP	NO	Y	8260	0.66	0.66	ug/l	U	8/3/2004
077103	2-Hexanone	PP	NO	Y	8260	4.4	4.4	ug/l	U	8/3/2004
034418	Chloromethane	PP	NO	Y	8260	0.64	0.64	ug/l	U	8/3/2004
081595	2-Butanone (MEK)	PP	NO	Y	8260	8.4	8.4	ug/l	U	8/3/2004
077424	Iodomethane	PP	NO	Y	8260	0.67	0.67	ug/l	U	8/3/2004
034423	Methylene Chloride	PP	NO	Y	8260	1	1	ug/l	U	8/3/2004
081596	4-Methyl-2-pentanone (MIBK)	PP	NO	Y	8260	3.8	3.8	ug/l	U	8/3/2004
077128	Styrene	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/3/2004
077562	1,1,1,2-Tetrachloroethane	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/3/2004
034516	1,1,2,2-Tetrachloroethane	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/3/2004
034475	Tetrachloroethene	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/3/2004
034010	Toluene	PP	NO	Y	8260	0.51	0.51	ug/l	U	8/3/2004
034506	1,1,1-Trichloroethane	PP	NO	Y	8260	0.46	0.46	ug/l	U	8/3/2004
034511	1,1,2-Trichloroethane	PP	NO	Y	8260	0.47	0.47	ug/l	U	8/3/2004
039180	Trichloroethene	PP	NO	Y	8260	0.28	0.28	ug/l	U	8/3/2004
034488	Trichlorofluoromethane	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/3/2004
077443	1,2,3-Trichloropropane	PP	NO	Y	8260	0.15	0.15	ug/l	U	8/3/2004
077057	Vinyl acetate	PP	NO	Y	8260	1.5	1.5	ug/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well:

Monitoring_Site_Num: Trip Blank

Permitted Well Type: **CO**

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Well Purged prior to Sample Collection? (Y/N) Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
039175	Vinyl chloride	PP	NO	Y	8260	0.5	0.5	ug/l	U	8/3/2004
034020	Xylenes	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/3/2004
046361	Dibromomethane	PP	NO	Y	8260	0.41	0.41	ug/l	U	8/3/2004
032106	Chloroform	PP	NO	Y	8260	0.9	0.9	ug/l	U	8/3/2004
049146	1,2-Dibromo-3-chloropropane	PP	NO	Y	504	0.003	0.003	ug/l	U	8/3/2004

Analytical Report

For: Mr. Kirk Wills
Geosyntec
14055 Riveredge Drive, Ste.300
Tampa, FL 33637

CC:

Order Number: B423802
SDG Number:
Client Project ID: FQ0638
Project: Oak Hammock Disposal Landfill
Report Date: 08/11/2004
Sampled By: Client
Sample Received Date: 07/30/2004
Requisition Number:
Purchase Order:



Michael F. Valder, Project Manager
mvalder@stl-inc.com

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Sample Summary

Order: B423802
Date Received: 07/30/2004

Client: Geosyntec
Project: Oak Hammock Disposal Landfill

Client Sample ID	Lab Sample ID	Matrix	Date Sampled
MW-15C	B423802*1	Liquid	07/29/2004 15:55
DUP-02	B423802*2	Liquid	07/29/2004
MW-14B	B423802*3	Liquid	07/29/2004 09:45
DUP-01	B423802*4	Liquid	07/29/2004
MW-1B	B423802*5	Liquid	07/29/2004 12:45
MW-1C	B423802*6	Liquid	07/29/2004 14:10
MW-14C	B423802*7	Liquid	07/29/2004 10:25
Trip Blank	B423802*8	Liquid	07/29/2004

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23802-1	MW-15C	Liquid	07/30/04	07/29/04 15:55	
23802-2	DUP-02	Liquid	07/30/04	07/29/04	

Parameter	Units	Lab Sample IDs	
		23802-1	23802-2

Appendix I - Organics (8260)

Parameter	Units	23802-1	23802-2
Acetone	ug/l	9.9U	9.9U
Acrylonitrile	ug/l	1.2U	1.2U
Benzene	ug/l	0.27U	0.27U
Bromochloromethane	ug/l	0.58U	0.58U
Bromodichloromethane	ug/l	0.35U	0.35U
Bromoform	ug/l	0.58U	0.58U
Carbon disulfide	ug/l	0.85U	0.85U
Carbon Tetrachloride	ug/l	0.42U	0.42U
Chlorobenzene	ug/l	0.63U	0.63U
Chloroethane	ug/l	0.80U	0.80U
Chloroform	ug/l	0.90U	0.90U
Dibromochloromethane	ug/l	0.34U	0.34U
1,2-Dichlorobenzene	ug/l	0.44U	0.44U
1,4-Dichlorobenzene	ug/l	0.52U	0.52U
Trans-1,4-Dichloro-2-butene	ug/l	2.5U	2.5U
1,1-Dichloroethane	ug/l	0.52U	0.52U
1,2-Dichloroethane	ug/l	0.57U	0.57U
1,1-Dichloroethylene	ug/l	0.45U	0.45U
cis-1,2-Dichloroethylene	ug/l	0.65U	0.65U
trans-1,2-Dichloroethylene	ug/l	0.44U	0.44U
1,2-Dichloropropane	ug/l	0.52U	0.52U
cis-1,3-Dichloropropene	ug/l	0.14U	0.14U
trans-1,3-Dichloropropene	ug/l	0.14U	0.14U
Ethylbenzene	ug/l	0.83U	0.83U
2-Hexanone	ug/l	4.4U	4.4U
Bromomethane	ug/l	0.66U	0.66U
Chloromethane	ug/l	0.64U	0.64U
Dibromomethane	ug/l	0.41U	0.41U
Methylene Chloride	ug/l	1.0U	1.0U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23802-1	MW-15C	Liquid	07/30/04	07/29/04	15:55
23802-2	DUP-02	Liquid	07/30/04	07/29/04	

Parameter	Units	Lab Sample IDs	
		23802-1	23802-2

Appendix I - Organics (8260)

2-Butanone (MEK)	ug/l	8.4U	8.4U
Iodomethane	ug/l	0.67U	0.67U
4-Methyl-2-pentanone (MIBK)	ug/l	3.8U	3.8U
Styrene	ug/l	0.98U	0.98U
1,1,1,2-Tetrachloroethane	ug/l	0.63U	0.63U
1,1,2,2-Tetrachloroethane	ug/l	0.14U	0.14U
Tetrachloroethene	ug/l	0.34U	0.34U
Toluene	ug/l	0.51U	0.51U
1,1,1-Trichloroethane	ug/l	0.46U	0.46U
1,1,2-Trichloroethane	ug/l	0.47U	0.47U
Trichloroethene	ug/l	0.28U	0.28U
Trichlorofluoromethane	ug/l	0.98U	0.98U
1,2,3-Trichloropropane	ug/l	0.15U	0.15U
Vinyl acetate	ug/l	1.5U	1.5U
Vinyl chloride	ug/l	0.50U	0.50U
Xylenes	ug/l	0.98U	0.98U
Dilution Factor		1	1
Analysis Date		08/05/04	08/05/04
Analysis Time		22:01	22:20
Batch ID		0805HA	0805HA

Microextractables (504)

1,2-Dibromoethane (EDB)	ug/l	0.0087U	0.0087U
1,2-Dibromo-3-chloropropane	ug/l	0.0030U	0.0030U
Dilution Factor		1	1
Prep Date		08/05/04	08/05/04
Prep Time		11:00	11:00
Analysis Date		08/05/04	08/05/04
Analysis Time		20:01	21:04
Batch ID		0805EA	0805EA

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23802-1	MW-15C	Liquid	07/30/04	07/29/04 15:55	
23802-2	DUP-02	Liquid	07/30/04	07/29/04	

Parameter	Units	Lab Sample IDs	
		23802-1	23802-2

Appendix I Metals by ICP (6010)

Arsenic	mg/l	0.0038U	0.0038U
Barium	mg/l	0.012	0.012
Beryllium	mg/l	0.00074U	0.00074U
Cadmium	mg/l	0.0010I	0.0012I
Chromium	mg/l	0.0025I	0.0024I
Cobalt	mg/l	0.0018I	0.0016I
Copper	mg/l	0.0013U	0.0013U
Lead	mg/l	0.0015U	0.0015U
Nickel	mg/l	0.0047U	0.0047U
Selenium	mg/l	0.0048U	0.0048U
Silver	mg/l	0.0019U	0.0019U
Vanadium	mg/l	0.0034I	0.0034I
Zinc	mg/l	0.0059U	0.0059U
Antimony	mg/l	0.0035I	0.0029U
Dilution Factor		1	1
Prep Date		08/04/04	08/04/04
Prep Time		09:00	09:00
Analysis Date		08/04/04	08/04/04
Analysis Time		16:38	16:56
Batch ID		40804J	40804J

Mercury (7470)

Mercury	mg/l	0.000072U	0.000072U
Dilution Factor		1	1
Prep Date		08/03/04	08/03/04
Prep Time		10:37	10:37
Analysis Date		08/03/04	08/03/04
Analysis Time		16:22	16:27
Batch ID		40803T	40803T

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23802-1	MW-15C	Liquid	07/30/04	07/29/04 15:55	
23802-2	DUP-02	Liquid	07/30/04	07/29/04	

Parameter	Units	Lab Sample IDs	
		23802-1	23802-2

Iron (6010)

Iron	mg/l	0.69	0.65
Dilution Factor		1	1
Prep Date		08/04/04	08/04/04
Prep Time		09:00	09:00
Analysis Date		08/04/04	08/04/04
Analysis Time		16:38	16:56
Batch ID		40804J	40804J

Thallium (7841)

Thallium	mg/l	0.00070U	0.00070U
Dilution Factor		1	1
Prep Date		08/03/04	08/03/04
Prep Time		08:40	08:40
Analysis Date		08/04/04	08/04/04
Analysis Time		12:58	13:15
Batch ID		0803G	0803G

Sodium (6010)

Sodium	mg/l	5.9	5.6
Dilution Factor		1	1
Prep Date		08/04/04	08/04/04
Prep Time		09:00	09:00
Analysis Date		08/04/04	08/04/04
Analysis Time		16:38	16:56
Batch ID		40804J	40804J

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23802-1	MW-15C	Liquid	07/30/04	07/29/04 15:55	
23802-2	DUP-02	Liquid	07/30/04	07/29/04	

Parameter	Units	Lab Sample IDs	
		23802-1	23802-2

Chloride (325.3)

Chloride	mg/l	9.0	9.0
Dilution Factor		1	1
Analysis Date		08/02/04	08/02/04
Analysis Time		10:55	10:55
Batch ID		0802M-6	0802M-6

Ammonia-N (350.3)

Ammonia-N	mg/l	0.11	0.11
Dilution Factor		1	1
Analysis Date		08/05/04	08/05/04
Analysis Time		23:00	23:00
Batch ID		0805Y	0805Y

Nitrate-N (353.2)

Nitrate-N	mg/l	0.010U	0.010U
Dilution Factor		1	1
Analysis Date		07/30/04	07/30/04
Analysis Time		13:58	13:58
Batch ID		0730G-6	0730G-6

Solids, Total Dissolved (160.1)

Solids, Total Dissolved	mg/l	54	50
Dilution Factor		1	1
Analysis Date		08/05/04	08/05/04
Analysis Time		16:30	16:30
Batch ID		0805J	0805J

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23802-3	MW-14B	Liquid	07/30/04	07/29/04 09:45	
23802-4	DUP-01	Liquid	07/30/04	07/29/04	
23802-5	MW-1B	Liquid	07/30/04	07/29/04 12:45	
23802-6	MW-1C	Liquid	07/30/04	07/29/04 14:10	
23802-7	MW-14C	Liquid	07/30/04	07/29/04 10:25	

Parameter	Units	Lab Sample IDs				
		23802-3	23802-4	23802-5	23802-6	23802-7

Appendix I - Organics (8260)

Parameter	Units	23802-3	23802-4	23802-5	23802-6	23802-7
Acetone	ug/l	9.9U	9.9U	9.9U	9.9U	9.9U
Acrylonitrile	ug/l	1.2U	1.2U	1.2U	1.2U	1.2U
Benzene	ug/l	0.27U	0.27U	0.27U	0.27U	0.27U
Bromochloromethane	ug/l	0.58U	0.58U	0.58U	0.58U	0.58U
Bromodichloromethane	ug/l	0.35U	0.35U	0.35U	0.35U	0.35U
Bromoform	ug/l	0.58U	0.58U	0.58U	0.58U	0.58U
Carbon disulfide	ug/l	0.85U	0.85U	0.85U	0.85U	0.85U
Carbon Tetrachloride	ug/l	0.42U	0.42U	0.42U	0.42U	0.42U
Chlorobenzene	ug/l	0.63U	0.63U	0.63U	0.63U	0.63U
Chloroethane	ug/l	0.80U	0.80U	0.80U	0.80U	0.80U
Chloroform	ug/l	0.90U	0.90U	0.90U	0.90U	0.90U
Dibromochloromethane	ug/l	0.34U	0.34U	0.34U	0.34U	0.34U
1,2-Dichlorobenzene	ug/l	0.44U	0.44U	0.44U	0.44U	0.44U
1,4-Dichlorobenzene	ug/l	0.52U	0.52U	0.52U	0.52U	0.52U
Trans-1,4-Dichloro-2-butene	ug/l	2.5U	2.5U	2.5U	2.5U	2.5U
1,1-Dichloroethane	ug/l	0.52U	0.52U	0.52U	0.52U	0.52U
1,2-Dichloroethane	ug/l	0.57U	0.57U	0.57U	0.57U	0.57U
1,1-Dichloroethylene	ug/l	0.45U	0.45U	0.45U	0.45U	0.45U
cis-1,2-Dichloroethylene	ug/l	0.65U	0.65U	0.65U	0.65U	0.65U
trans-1,2-Dichloroethylene	ug/l	0.44U	0.44U	0.44U	0.44U	0.44U
1,2-Dichloropropane	ug/l	0.52U	0.52U	0.52U	0.52U	0.52U
cis-1,3-Dichloropropene	ug/l	0.14U	0.14U	0.14U	0.14U	0.14U
trans-1,3-Dichloropropene	ug/l	0.14U	0.14U	0.14U	0.14U	0.14U
Ethylbenzene	ug/l	0.83U	0.83U	0.83U	0.83U	0.83U
2-Hexanone	ug/l	4.4U	4.4U	4.4U	4.4U	4.4U
Bromomethane	ug/l	0.66U	0.66U	0.66U	0.66U	0.66U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23802-3	MW-14B	Liquid	07/30/04	07/29/04 09:45	
23802-4	DUP-01	Liquid	07/30/04	07/29/04	
23802-5	MW-1B	Liquid	07/30/04	07/29/04 12:45	
23802-6	MW-1C	Liquid	07/30/04	07/29/04 14:10	
23802-7	MW-14C	Liquid	07/30/04	07/29/04 10:25	

Parameter	Units	Lab Sample IDs				
		23802-3	23802-4	23802-5	23802-6	23802-7

Appendix I - Organics (8260)

Chloromethane	ug/l	0.64U	0.64U	0.64U	0.64U	0.64U
Dibromomethane	ug/l	0.41U	0.41U	0.41U	0.41U	0.41U
Methylene Chloride	ug/l	1.0U	1.0U	1.0U	1.0U	1.0U
2-Butanone (MEK)	ug/l	8.4U	8.4U	8.4U	8.4U	8.4U
Iodomethane	ug/l	0.67U	0.67U	0.67U	0.67U	0.67U
4-Methyl-2-pentanone (MIBK)	ug/l	3.8U	3.8U	3.8U	3.8U	3.8U
Styrene	ug/l	0.98U	0.98U	0.98U	0.98U	0.98U
1,1,1,2-Tetrachloroethane	ug/l	0.63U	0.63U	0.63U	0.63U	0.63U
1,1,2,2-Tetrachloroethane	ug/l	0.14U	0.14U	0.14U	0.14U	0.14U
Tetrachloroethene	ug/l	0.34U	0.34U	0.34U	0.34U	0.34U
Toluene	ug/l	2.1	1.7	4.8	0.51U	0.51U
1,1,1-Trichloroethane	ug/l	0.46U	0.46U	0.46U	0.46U	0.46U
1,1,2-Trichloroethane	ug/l	0.47U	0.47U	0.47U	0.47U	0.47U
Trichloroethene	ug/l	0.28U	0.28U	0.28U	0.28U	0.28U
Trichlorofluoromethane	ug/l	0.98U	0.98U	0.98U	0.98U	0.98U
1,2,3-Trichloropropane	ug/l	0.15U	0.15U	0.15U	0.15U	0.15U
Vinyl acetate	ug/l	1.5U	1.5U	1.5U	1.5U	1.5U
Vinyl chloride	ug/l	0.50U	0.50U	0.50U	0.50U	0.50U
Xylenes	ug/l	0.98U	0.98U	0.98U	0.98U	0.98U
Dilution Factor		1	1	1	1	1
Analysis Date		08/05/04	08/05/04	08/05/04	08/05/04	08/05/04
Analysis Time		22:39	22:58	23:18	23:37	23:56
Batch ID		0805HA	0805HA	0805HA	0805HA	0805HA

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23802-3	MW-14B	Liquid	07/30/04	07/29/04 09:45	
23802-4	DUP-01	Liquid	07/30/04	07/29/04	
23802-5	MW-1B	Liquid	07/30/04	07/29/04 12:45	
23802-6	MW-1C	Liquid	07/30/04	07/29/04 14:10	
23802-7	MW-14C	Liquid	07/30/04	07/29/04 10:25	

Parameter	Units	Lab Sample IDs				
		23802-3	23802-4	23802-5	23802-6	23802-7

Microextractables (504)

1,2-Dibromoethane (EDB)	ug/l	0.0087U	0.0087U	0.0087U	0.0087U	0.0087U
1,2-Dibromo-3-chloropropane	ug/l	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U
Dilution Factor		1	1	1	1	1
Prep Date		08/05/04	08/05/04	08/05/04	08/05/04	08/05/04
Prep Time		11:00	11:00	11:00	11:00	11:00
Analysis Date		08/05/04	08/05/04	08/05/04	08/05/04	08/05/04
Analysis Time		21:25	22:08	22:29	22:50	23:11
Batch ID		0805EA	0805EA	0805EA	0805EA	0805EA

Appendix I Metals by ICP (6010)

Arsenic	mg/l	0.0038U	0.0038U	0.0038U	0.0038U	0.0038U
Barium	mg/l	0.083	0.087	0.099	0.047	0.11
Beryllium	mg/l	0.00074U	0.00088I	0.00074U	0.00074U	0.00074U
Cadmium	mg/l	0.00097I	0.0010I	0.00071U	0.00071U	0.00071U
Chromium	mg/l	0.010	0.012	0.016	0.0038I	0.012
Cobalt	mg/l	0.0021I	0.0027I	0.0018I	0.0014U	0.0033I
Copper	mg/l	0.0053I	0.0055I	0.0013U	0.0013U	0.0013I
Lead	mg/l	0.0089	0.010	0.012	0.0015U	0.0038I
Nickel	mg/l	0.0047U	0.0047U	0.0054I	0.0047U	0.0067I
Selenium	mg/l	0.0048U	0.0048U	0.0048U	0.0048U	0.0048U
Silver	mg/l	0.0019U	0.0019U	0.0019U	0.0019U	0.0019U
Vanadium	mg/l	0.012	0.014	0.018	0.0056I	0.015
Zinc	mg/l	0.0069I	0.0059U	0.0059U	0.0059U	0.0059U
Antimony	mg/l	0.0029U	0.0029U	0.0029U	0.0029U	0.0029U
Dilution Factor		1	1	1	1	1
Prep Date		08/04/04	08/04/04	08/04/04	08/04/04	08/04/04
Prep Time		09:00	09:00	09:00	09:00	09:00
Analysis Date		08/04/04	08/04/04	08/04/04	08/04/04	08/04/04
Analysis Time		17:07	17:25	17:32	17:38	17:44
Batch ID		40804J	40804J	40804J	40804J	40804J

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23802-3	MW-14B	Liquid	07/30/04	07/29/04 09:45	
23802-4	DUP-01	Liquid	07/30/04	07/29/04	
23802-5	MW-1B	Liquid	07/30/04	07/29/04 12:45	
23802-6	MW-1C	Liquid	07/30/04	07/29/04 14:10	
23802-7	MW-14C	Liquid	07/30/04	07/29/04 10:25	

Parameter	Units	Lab Sample IDs				
		23802-3	23802-4	23802-5	23802-6	23802-7

Mercury (7470)

Mercury	mg/l	0.000072U	0.000072U	0.000072U	0.000072U	0.000072U
Dilution Factor		1	1	1	1	1
Prep Date		08/03/04	08/03/04	08/03/04	08/03/04	08/03/04
Prep Time		10:37	10:37	10:37	10:37	10:37
Analysis Date		08/03/04	08/03/04	08/03/04	08/03/04	08/03/04
Analysis Time		16:29	16:37	16:40	16:43	16:47
Batch ID		40803T	40803T	40803T	40803T	40803T

Iron (6010)

Iron	mg/l	1.9	2.2	2.6	0.69	2.2
Dilution Factor		1	1	1	1	1
Prep Date		08/04/04	08/04/04	08/04/04	08/04/04	08/04/04
Prep Time		09:00	09:00	09:00	09:00	09:00
Analysis Date		08/04/04	08/04/04	08/04/04	08/04/04	08/04/04
Analysis Time		17:07	17:25	17:32	17:38	17:44
Batch ID		40804J	40804J	40804J	40804J	40804J

Thallium (7841)

Thallium	mg/l	0.00070U	0.00070U	0.00070U	0.00070U	0.00070U
Dilution Factor		1	1	1	1	1
Prep Date		08/03/04	08/03/04	08/03/04	08/03/04	08/03/04
Prep Time		08:40	08:40	08:40	08:40	08:40
Analysis Date		08/04/04	08/04/04	08/04/04	08/04/04	08/04/04
Analysis Time		13:28	13:36	13:44	13:53	14:01
Batch ID		0803G	0803G	0803G	0803G	0803G

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23802-3	MW-14B	Liquid	07/30/04	07/29/04 09:45	
23802-4	DUP-01	Liquid	07/30/04	07/29/04	
23802-5	MW-1B	Liquid	07/30/04	07/29/04 12:45	
23802-6	MW-1C	Liquid	07/30/04	07/29/04 14:10	
23802-7	MW-14C	Liquid	07/30/04	07/29/04 10:25	

Parameter	Units	Lab Sample IDs				
		23802-3	23802-4	23802-5	23802-6	23802-7

Thallium (Dissolved) (7841)

Thallium (Dissolved)	mg/l	0.00070U	0.00070U	0.00070U	0.00070U	0.00070U
Dilution Factor		1	1	1	1	1
Prep Date		08/03/04	08/03/04	08/03/04	08/03/04	08/03/04
Prep Time		08:40	08:40	08:40	08:40	08:40
Analysis Date		08/04/04	08/04/04	08/04/04	08/04/04	08/04/04
Analysis Time		13:32	13:40	13:49	13:57	14:05
Batch ID		0803G	0803G	0803G	0803G	0803G

Sodium (6010)

Sodium	mg/l	5.5	5.6	4.1	4.1	6.2
Dilution Factor		1	1	1	1	1
Prep Date		08/04/04	08/04/04	08/04/04	08/04/04	08/04/04
Prep Time		09:00	09:00	09:00	09:00	09:00
Analysis Date		08/04/04	08/04/04	08/04/04	08/04/04	08/04/04
Analysis Time		17:07	17:25	17:32	17:38	17:44
Batch ID		40804J	40804J	40804J	40804J	40804J

Appendix I Metals Dissolved (6010)

Antimony (Dissolved)	mg/l	0.0029U	0.0033I	0.0029U	0.0029I	0.0029U
Arsenic (Dissolved)	mg/l	0.0038U	0.0038U	0.0038U	0.0038U	0.0038U
Barium (Dissolved)	mg/l	0.036	0.025	0.0086I	0.014	0.015
Beryllium (Dissolved)	mg/l	0.00074U	0.00074U	0.00074U	0.00074U	0.00074U
Cadmium (Dissolved)	mg/l	0.00098I	0.00096I	0.00071U	0.00071U	0.00071U
Chromium (Dissolved)	mg/l	0.0038I	0.0036I	0.0017U	0.0017U	0.0017U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23802-3	MW-14B	Liquid	07/30/04	07/29/04 09:45	
23802-4	DUP-01	Liquid	07/30/04	07/29/04	
23802-5	MW-1B	Liquid	07/30/04	07/29/04 12:45	
23802-6	MW-1C	Liquid	07/30/04	07/29/04 14:10	
23802-7	MW-14C	Liquid	07/30/04	07/29/04 10:25	

Parameter	Units	Lab Sample IDs				
		23802-3	23802-4	23802-5	23802-6	23802-7

Appendix I Metals Dissolved (6010)

Cobalt (Dissolved)	mg/l	0.0019I	0.0020I	0.0014U	0.0014U	0.0014U
Copper (Dissolved)	mg/l	0.0013U	0.0013U	0.0013U	0.0013U	0.0013U
Lead (Dissolved)	mg/l	0.0042I	0.0020I	0.0015U	0.0015U	0.0015U
Nickel (Dissolved)	mg/l	0.0047U	0.0047U	0.0047U	0.0047U	0.0047U
Selenium (Dissolved)	mg/l	0.0048U	0.0048U	0.0048U	0.0048U	0.0048U
Silver (Dissolved)	mg/l	0.0019U	0.0019U	0.0019U	0.0019U	0.0019U
Vanadium (Dissolved)	mg/l	0.0049I	0.0046I	0.0025U	0.0025U	0.0025U
Zinc (Dissolved)	mg/l	0.0059U	0.0059U	0.0059U	0.0059U	0.0059U
Dilution Factor		1	1	1	1	1
Prep Date		08/04/04	08/04/04	08/04/04	08/04/04	08/04/04
Prep Time		09:00	09:00	09:00	09:00	09:00
Analysis Date		08/04/04	08/04/04	08/04/04	08/04/04	08/04/04
Analysis Time		17:50	17:56	18:02	18:08	18:15
Batch ID		40804J	40804J	40804J	40804J	40804J

Iron (Dissolved) (6010)

Iron (Dissolved)	mg/l	1.0	1.0	0.50	0.43	0.73
Dilution Factor		1	1	1	1	1
Prep Date		08/04/04	08/04/04	08/04/04	08/04/04	08/04/04
Prep Time		09:00	09:00	09:00	09:00	09:00
Analysis Date		08/04/04	08/04/04	08/04/04	08/04/04	08/04/04
Analysis Time		17:50	17:56	18:02	18:08	18:15
Batch ID		40804J	40804J	40804J	40804J	40804J

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23802-3	MW-14B	Liquid	07/30/04	07/29/04 09:45	
23802-4	DUP-01	Liquid	07/30/04	07/29/04	
23802-5	MW-1B	Liquid	07/30/04	07/29/04 12:45	
23802-6	MW-1C	Liquid	07/30/04	07/29/04 14:10	
23802-7	MW-14C	Liquid	07/30/04	07/29/04 10:25	

Parameter	Units	Lab Sample IDs				
		23802-3	23802-4	23802-5	23802-6	23802-7

Sodium (Dissolved) (6010)

Sodium (Dissolved)	mg/l	5.4	5.7	4.1	4.1	6.3
Dilution Factor		1	1	1	1	1
Prep Date		08/04/04	08/04/04	08/04/04	08/04/04	08/04/04
Prep Time		09:00	09:00	09:00	09:00	09:00
Analysis Date		08/04/04	08/04/04	08/04/04	08/04/04	08/04/04
Analysis Time		17:50	17:56	18:02	18:08	18:15
Batch ID		40804J	40804J	40804J	40804J	40804J

Mercury (Dissolved) (7470)

Mercury (Dissolved)	mg/l	0.000072U	0.000072U	0.000072U	0.000072U	0.000072U
Dilution Factor		1	1	1	1	1
Prep Date		08/03/04	08/03/04	08/03/04	08/03/04	08/03/04
Prep Time		10:37	10:37	10:37	10:37	10:37
Analysis Date		08/03/04	08/03/04	08/03/04	08/03/04	08/03/04
Analysis Time		16:35	16:38	16:42	16:45	16:51
Batch ID		40803T	40803T	40803T	40803T	40803T

Chloride (325.3)

Chloride	mg/l	8.6	8.6	7.1	10	11
Dilution Factor		1	1	1	1	1
Analysis Date		08/02/04	08/02/04	08/02/04	08/02/04	08/02/04
Analysis Time		10:55	10:55	10:55	10:55	10:55
Batch ID		0802M-6	0802M-6	0802M-6	0802M-6	0802M-6

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23802-3	MW-14B	Liquid	07/30/04	07/29/04 09:45	
23802-4	DUP-01	Liquid	07/30/04	07/29/04	
23802-5	MW-1B	Liquid	07/30/04	07/29/04 12:45	
23802-6	MW-1C	Liquid	07/30/04	07/29/04 14:10	
23802-7	MW-14C	Liquid	07/30/04	07/29/04 10:25	

Parameter	Units	Lab Sample IDs				
		23802-3	23802-4	23802-5	23802-6	23802-7

Ammonia-N (350.3)

Ammonia-N	mg/l	0.11	0.11	0.13	0.11	0.13
Dilution Factor		1	1	1	1	1
Analysis Date		08/05/04	08/05/04	08/05/04	08/05/04	08/05/04
Analysis Time		23:00	23:00	23:00	23:00	23:00
Batch ID		0805Y	0805Y	0805Y	0805Y	0805Y

Nitrate-N (353.2)

Nitrate-N	mg/l	0.010U	0.010U	0.010U	0.010U	0.010U
Dilution Factor		1	1	1	1	1
Analysis Date		07/30/04	07/30/04	07/30/04	07/30/04	07/30/04
Analysis Time		13:58	13:58	13:58	13:58	13:58
Batch ID		0730G-6	0730G-6	0730G-6	0730G-6	0730G-6

Solids, Total Dissolved (160.1)

Solids, Total Dissolved	mg/l	130	130	190	70	120
Dilution Factor		1	1	1	1	1
Analysis Date		08/05/04	08/05/04	08/05/04	08/05/04	08/05/04
Analysis Time		16:30	16:30	16:30	16:30	16:30
Batch ID		0805J	0805J	0805J	0805J	0805J

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23802-8	Trip Blank	Liquid	07/30/04	07/29/04	

Parameter	Units	Lab Sample IDs
		23802-8

Microextractables (504)

1,2-Dibromoethane (EDB)	ug/l	0.0087U
1,2-Dibromo-3-chloropropane	ug/l	0.0030U
Dilution Factor		1
Prep Date		08/05/04
Prep Time		11:00
Analysis Date		08/05/04
Analysis Time		23:32
Batch ID		0805EA

STL Tampa

6712 Benjamin Road, Suite 100 - Tampa FL 33634 Telephone:(813) 885-7427 Fax:(813) 885-7049

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23802-9	Method Blank	Liquid	07/30/04		
Parameter	Units	Lab Sample IDs			
		23802-9			

Appendix I - Organics (8260)

Acetone	ug/l	9.9U
Acrylonitrile	ug/l	1.2U
Benzene	ug/l	0.27U
Bromochloromethane	ug/l	0.58U
Bromodichloromethane	ug/l	0.35U
Bromoform	ug/l	0.58U
Carbon disulfide	ug/l	0.85U
Carbon Tetrachloride	ug/l	0.42U
Chlorobenzene	ug/l	0.63U
Chloroethane	ug/l	0.80U
Chloroform	ug/l	0.90U
Dibromochloromethane	ug/l	0.34U
1,2-Dichlorobenzene	ug/l	0.44U
1,4-Dichlorobenzene	ug/l	0.52U
Trans-1,4-Dichloro-2-butene	ug/l	2.5U
1,1-Dichloroethane	ug/l	0.52U
1,2-Dichloroethane	ug/l	0.57U
1,1-Dichloroethylene	ug/l	0.45U
cis-1,2-Dichloroethylene	ug/l	0.65U
trans-1,2-Dichloroethylene	ug/l	0.44U
1,2-Dichloropropane	ug/l	0.52U
cis-1,3-Dichloropropene	ug/l	0.14U
trans-1,3-Dichloropropene	ug/l	0.14U
Ethylbenzene	ug/l	0.83U
2-Hexanone	ug/l	4.4U
Bromomethane	ug/l	0.66U
Chloromethane	ug/l	0.64U
Dibromomethane	ug/l	0.41U
Methylene Chloride	ug/l	1.0U
2-Butanone (MEK)	ug/l	8.4U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23802-9	Method Blank	Liquid	07/30/04		

Parameter	Units	Lab Sample IDs
		23802-9

Appendix I - Organics (8260)

Iodomethane	ug/l	0.67U
4-Methyl-2-pentanone (MIBK)	ug/l	3.8U
Styrene	ug/l	0.98U
1,1,1,2-Tetrachloroethane	ug/l	0.63U
1,1,2,2-Tetrachloroethane	ug/l	0.14U
Tetrachloroethene	ug/l	0.34U
Toluene	ug/l	0.51U
1,1,1-Trichloroethane	ug/l	0.46U
1,1,2-Trichloroethane	ug/l	0.47U
Trichloroethene	ug/l	0.28U
Trichlorofluoromethane	ug/l	0.98U
1,2,3-Trichloropropane	ug/l	0.15U
Vinyl acetate	ug/l	1.5U
Vinyl chloride	ug/l	0.50U
Xylenes	ug/l	0.98U
Dilution Factor		1
Analysis Date		08/05/04
Analysis Time		10:31
Batch ID		0805HA

Microextractables (504)

1,2-Dibromoethane (EDB)	ug/l	0.0087U
1,2-Dibromo-3-chloropropane	ug/l	0.0030U
Dilution Factor		1
Prep Date		08/05/04
Prep Time		11:00
Analysis Date		08/05/04
Analysis Time		18:58
Batch ID		0805EA

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23802-9	Method Blank	Liquid	07/30/04		

Parameter	Units	Lab Sample IDs
		23802-9

Appendix I Metals by ICP (6010)

Arsenic	mg/l	0.0038U
Barium	mg/l	0.0012U
Beryllium	mg/l	0.00074U
Cadmium	mg/l	0.00071U
Chromium	mg/l	0.0017U
Cobalt	mg/l	0.0014U
Copper	mg/l	0.0013U
Lead	mg/l	0.0015U
Nickel	mg/l	0.0047U
Selenium	mg/l	0.0048U
Silver	mg/l	0.0019U
Vanadium	mg/l	0.0025U
Zinc	mg/l	0.0059U
Antimony	mg/l	0.0029U
Dilution Factor		1
Prep Date		08/04/04
Prep Time		09:00
Analysis Date		08/04/04
Analysis Time		15:31
Batch ID		40804J

Mercury (7470)

Mercury	mg/l	0.000072U
Dilution Factor		1
Prep Date		08/03/04
Prep Time		10:37
Analysis Date		08/03/04
Analysis Time		16:14
Batch ID		40803T

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23802-9	Method Blank	Liquid	07/30/04		

Parameter	Units	Lab Sample IDs
		23802-9

Iron (6010)

Iron	mg/l	0.037U
Dilution Factor		1
Prep Date		08/04/04
Prep Time		09:00
Analysis Date		08/04/04
Analysis Time		15:31
Batch ID		40804J

Thallium (7841)

Thallium	mg/l	0.00070U
Dilution Factor		1
Prep Date		08/03/04
Prep Time		08:40
Analysis Date		08/04/04
Analysis Time		12:46
Batch ID		0803G

Thallium (Dissolved) (7841)

Thallium (Dissolved)	mg/l	0.00070U
Dilution Factor		1
Prep Date		08/03/04
Prep Time		08:40
Analysis Date		08/04/04
Analysis Time		12:46
Batch ID		0803G

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23802-9	Method Blank	Liquid	07/30/04		

Parameter	Units	Lab Sample IDs
		23802-9
Sodium (6010)		
Sodium	mg/l	0.15U
Dilution Factor		1
Prep Date		08/04/04
Prep Time		09:00
Analysis Date		08/04/04
Analysis Time		15:31
Batch ID		40804J

Appendix I Metals Dissolved (6010)

Antimony (Dissolved)	mg/l	0.0029U
Arsenic (Dissolved)	mg/l	0.0038U
Barium (Dissolved)	mg/l	0.0012U
Beryllium (Dissolved)	mg/l	0.00074U
Cadmium (Dissolved)	mg/l	0.00071U
Chromium (Dissolved)	mg/l	0.0017U
Cobalt (Dissolved)	mg/l	0.0014U
Copper (Dissolved)	mg/l	0.0013U
Lead (Dissolved)	mg/l	0.0015U
Nickel (Dissolved)	mg/l	0.0047U
Selenium (Dissolved)	mg/l	0.0048U
Silver (Dissolved)	mg/l	0.0019U
Vanadium (Dissolved)	mg/l	0.0025U
Zinc (Dissolved)	mg/l	0.0059U
Dilution Factor		1
Prep Date		08/04/04
Prep Time		09:00
Analysis Date		08/04/04
Analysis Time		15:31
Batch ID		40804J

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23802-9	Method Blank	Liquid	07/30/04		

Parameter	Units	Lab Sample IDs
		23802-9

Iron (Dissolved) (6010)

Iron (Dissolved)	mg/l	0.037U
Dilution Factor		1
Prep Date		08/04/04
Prep Time		09:00
Analysis Date		08/04/04
Analysis Time		15:31
Batch ID		40804J

Sodium (Dissolved) (6010)

Sodium (Dissolved)	mg/l	0.15U
Dilution Factor		1
Prep Date		08/04/04
Prep Time		09:00
Analysis Date		08/04/04
Analysis Time		15:31
Batch ID		40804J

Mercury (Dissolved) (7470)

Mercury (Dissolved)	mg/l	0.000072U
Dilution Factor		1
Prep Date		08/03/04
Prep Time		10:37
Analysis Date		08/03/04
Analysis Time		16:14
Batch ID		40803T

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23802-9	Method Blank	Liquid	07/30/04		

Parameter	Units	Lab Sample IDs
23802-9		
Chloride (325.3)		
Chloride	mg/l	1.0U
Dilution Factor		1
Analysis Date		08/02/04
Analysis Time		10:55
Batch ID		0802M-6
Ammonia-N (350.3)		
Ammonia-N	mg/l	0.040U
Dilution Factor		1
Analysis Date		08/05/04
Analysis Time		23:00
Batch ID		0805Y
Nitrate-N (353.2)		
Nitrate-N	mg/l	0.010U
Dilution Factor		1
Analysis Date		07/30/04
Analysis Time		13:58
Batch ID		0730G-6
Solids, Total Dissolved (160.1)		
Solids, Total Dissolved	mg/l	5.0U
Dilution Factor		1
Analysis Date		08/05/04
Analysis Time		16:30
Batch ID		0805J

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23802-10	Lab Control Standard % Recovery	Liquid	07/30/04		
23802-11	Lab Control Standard Duplicate % Recovery	Liquid	07/30/04		
23802-12	Precision (%RPD) of LCS/LCSD	Liquid	07/30/04		
23802-13	LCS Accuracy Control Limit (%R)	Liquid	07/30/04		
23802-14	LCS Precision Control Limit (Advisory) %RPD	Liquid	07/30/04		

Parameter	Units	Lab Sample IDs				
		23802-10	23802-11	23802-12	23802-13	23802-14

Appendix I - Organics (8260)

Benzene	%	92 %	96 %	4.2 %	62-135 %	<16 %
Chlorobenzene	%	100 %	98 %	2.0 %	72-127 %	<22 %
1,1-Dichloroethylene	%	90 %	92 %	2.2 %	46-147 %	<30 %
Toluene	%	106 %	108 %	1.9 %	68-131 %	<33 %
Trichloroethene	%	94 %	94 %	0 %	56-143 %	<35 %
Dilution Factor		1	1			
Analysis Date		08/05/04	08/05/04			
Analysis Time		09:34	09:53			
Batch ID		0805HA	0805HA	0805HA		

Microextractables (504)

1,2-Dibromoethane (EDB)	%	107 %	106 %	1.1 %	70-130 %	<30 %
1,2-Dibromo-3-chloropropane	%	116 %	110 %	5.1 %	70-130 %	<30 %
Dilution Factor		1	1			
Prep Date		08/05/04	08/05/04			
Prep Time		11:00	11:00			
Analysis Date		08/05/04	08/05/04			
Analysis Time		19:19	19:40			
Batch ID		0805EA	0805EA	0805EA		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23802-10	Lab Control Standard % Recovery	Liquid	07/30/04		
23802-11	Lab Control Standard Duplicate % Recovery	Liquid	07/30/04		
23802-12	Precision (%RPD) of LCS/LCSD	Liquid	07/30/04		
23802-13	LCS Accuracy Control Limit (%R)	Liquid	07/30/04		
23802-14	LCS Precision Control Limit (Advisory) %RPD	Liquid	07/30/04		

Parameter	Units	Lab Sample IDs				
		23802-10	23802-11	23802-12	23802-13	23802-14

Appendix I Metals by ICP (6010)

Arsenic	%	89 %	91 %	2.2 %	75-125 %	<20 %
Barium	%	96 %	98 %	1.8 %	75-125 %	<20 %
Beryllium	%	89 %	92 %	2.9 %	75-125 %	<20 %
Cadmium	%	91 %	93 %	2.4 %	75-125 %	<20 %
Chromium	%	90 %	92 %	2.9 %	75-125 %	<20 %
Cobalt	%	93 %	95 %	2.7 %	75-125 %	<20 %
Copper	%	95 %	98 %	3.1 %	75-125 %	<20 %
Lead	%	90 %	93 %	2.6 %	75-125 %	<20 %
Nickel	%	90 %	92 %	2.4 %	75-125 %	<20 %
Selenium	%	90 %	92 %	2.4 %	75-125 %	<20 %
Silver	%	92 %	93 %	1.5 %	75-125 %	<20 %
Vanadium	%	90 %	92 %	3.0 %	75-125 %	<20 %
Zinc	%	91 %	93 %	2.4 %	75-125 %	<20 %
Antimony	%	85 %	88 %	2.9 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/04/04	08/04/04			
Prep Time		09:00	09:00			
Analysis Date		08/04/04	08/04/04			
Analysis Time		15:37	15:43			
Batch ID		40804J	40804J	40804J		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23802-10	Lab Control Standard % Recovery	Liquid	07/30/04		
23802-11	Lab Control Standard Duplicate % Recovery	Liquid	07/30/04		
23802-12	Precision (%RPD) of LCS/LCSD	Liquid	07/30/04		
23802-13	LCS Accuracy Control Limit (%R)	Liquid	07/30/04		
23802-14	LCS Precision Control Limit (Advisory) %RPD	Liquid	07/30/04		

Parameter	Units	Lab Sample IDs				
		23802-10	23802-11	23802-12	23802-13	23802-14

Mercury (7470)

Mercury	%	99 %	100 %	1.0 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/03/04	08/03/04			
Prep Time		10:37	10:37			
Analysis Date		08/03/04	08/03/04			
Analysis Time		16:16	16:18			
Batch ID		40803T	40803T	40803T		

Iron (6010)

Iron	%	92 %	94 %	2.9 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/04/04	08/04/04			
Prep Time		09:00	09:00			
Analysis Date		08/04/04	08/04/04			
Analysis Time		15:37	15:43			
Batch ID		40804J	40804J	40804J		

Thallium (7841)

Thallium	%	104 %	106 %	1.7 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/03/04	08/03/04			
Prep Time		08:40	08:40			
Analysis Date		08/04/04	08/04/04			
Analysis Time		12:50	12:54			
Batch ID		0803G	0803G	0803G		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23802-10	Lab Control Standard % Recovery	Liquid	07/30/04		
23802-11	Lab Control Standard Duplicate % Recovery	Liquid	07/30/04		
23802-12	Precision (%RPD) of LCS/LCSD	Liquid	07/30/04		
23802-13	LCS Accuracy Control Limit (%R)	Liquid	07/30/04		
23802-14	LCS Precision Control Limit (Advisory) %RPD	Liquid	07/30/04		

Parameter	Units	Lab Sample IDs				
		23802-10	23802-11	23802-12	23802-13	23802-14

Thallium (Dissolved) (7841)

Thallium (Dissolved)	%	104 %	106 %	1.7 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/03/04	08/03/04			
Prep Time		08:40	08:40			
Analysis Date		08/04/04	08/04/04			
Analysis Time		12:50	12:54			
Batch ID		0803G	0803G	0803G		

Sodium (6010)

Sodium	%	88 %	88 %	0.64 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/04/04	08/04/04			
Prep Time		09:00	09:00			
Analysis Date		08/04/04	08/04/04			
Analysis Time		15:37	15:43			
Batch ID		40804J	40804J	40804J		

Appendix I Metals Dissolved (6010)

Antimony (Dissolved)	%	85 %	88 %	2.9 %	75-125 %	<20 %
Arsenic (Dissolved)	%	89 %	91 %	2.2 %	75-125 %	<20 %
Barium (Dissolved)	%	96 %	98 %	1.8 %	75-125 %	<20 %
Beryllium (Dissolved)	%	89 %	92 %	2.9 %	75-125 %	<20 %
Cadmium (Dissolved)	%	91 %	93 %	2.4 %	75-125 %	<20 %
Chromium (Dissolved)	%	90 %	92 %	2.9 %	75-125 %	<20 %

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23802-10	Lab Control Standard % Recovery	Liquid	07/30/04		
23802-11	Lab Control Standard Duplicate % Recovery	Liquid	07/30/04		
23802-12	Precision (%RPD) of LCS/LCSD	Liquid	07/30/04		
23802-13	LCS Accuracy Control Limit (%R)	Liquid	07/30/04		
23802-14	LCS Precision Control Limit (Advisory) %RPD	Liquid	07/30/04		

Parameter	Units	Lab Sample IDs				
		23802-10	23802-11	23802-12	23802-13	23802-14

Appendix I Metals Dissolved (6010)

Cobalt (Dissolved)	%	93 %	95 %	2.7 %	75-125 %	<20 %
Copper (Dissolved)	%	95 %	98 %	3.1 %	75-125 %	<20 %
Lead (Dissolved)	%	90 %	93 %	2.6 %	75-125 %	<20 %
Nickel (Dissolved)	%	90 %	92 %	2.4 %	75-125 %	<20 %
Selenium (Dissolved)	%	90 %	92 %	2.4 %	75-125 %	<20 %
Silver (Dissolved)	%	92 %	93 %	1.5 %	75-125 %	<20 %
Vanadium (Dissolved)	%	90 %	92 %	3.0 %	75-125 %	<20 %
Zinc (Dissolved)	%	91 %	93 %	2.4 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/04/04	08/04/04			
Prep Time		09:00	09:00			
Analysis Date		08/04/04	08/04/04			
Analysis Time		15:37	15:43			
Batch ID		40804J	40804J	40804J		

Iron (Dissolved) (6010)

Iron (Dissolved)	%	92 %	94 %	2.9 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/04/04	08/04/04			
Prep Time		09:00	09:00			
Analysis Date		08/04/04	08/04/04			
Analysis Time		15:37	15:43			
Batch ID		40804J	40804J	40804J		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23802-10	Lab Control Standard % Recovery	Liquid	07/30/04		
23802-11	Lab Control Standard Duplicate % Recovery	Liquid	07/30/04		
23802-12	Precision (%RPD) of LCS/LCSD	Liquid	07/30/04		
23802-13	LCS Accuracy Control Limit (%R)	Liquid	07/30/04		
23802-14	LCS Precision Control Limit (Advisory) %RPD	Liquid	07/30/04		

Parameter	Units	Lab Sample IDs			
		23802-10	23802-11	23802-12	23802-13

Sodium (Dissolved) (6010)

Sodium (Dissolved)	%	88 %	88 %	0.64 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/04/04	08/04/04			
Prep Time		09:00	09:00			
Analysis Date		08/04/04	08/04/04			
Analysis Time		15:37	15:43			
Batch ID		40804J	40804J	40804J		

Mercury (Dissolved) (7470)

Mercury (Dissolved)	%	99 %	100 %	1.0 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/03/04	08/03/04			
Prep Time		10:37	10:37			
Analysis Date		08/03/04	08/03/04			
Analysis Time		16:16	16:18			
Batch ID		40803T	40803T	40803T		

Chloride (325.3)

Chloride	%	100 %	100 %	0 %	75-125 %	<30 %
Dilution Factor		1	1			
Analysis Date		08/02/04	08/02/04			
Analysis Time		10:55	10:55			
Batch ID		0802M-6	0802M-6	0802M-6		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23802-10	Lab Control Standard % Recovery	Liquid	07/30/04		
23802-11	Lab Control Standard Duplicate % Recovery	Liquid	07/30/04		
23802-12	Precision (%RPD) of LCS/LCSD	Liquid	07/30/04		
23802-13	LCS Accuracy Control Limit (%R)	Liquid	07/30/04		
23802-14	LCS Precision Control Limit (Advisory) %RPD	Liquid	07/30/04		

Parameter	Units	Lab Sample IDs				
		23802-10	23802-11	23802-12	23802-13	23802-14

Ammonia-N (350.3)

Ammonia-N	%	100 %	102 %	2.0 %	85-115 %	<30 %
Dilution Factor		1	1			
Analysis Date		08/05/04	08/05/04			
Analysis Time		23:00	23:00			
Batch ID		0805Y	0805Y	0805Y		

Nitrate-N (353.2)

Nitrate-N	%	111 %	113 %	1.6 %	80-120 %	<30 %
Dilution Factor		1	1			
Analysis Date		07/30/04	07/30/04			
Analysis Time		13:58	13:58			
Batch ID		0730G-6	0730G-6	0730G-6		

Solids, Total Dissolved (160.1)

Solids, Total Dissolved	%	102 %	102 %	0.39 %	80-120 %	<25 %
Dilution Factor		1	1			
Analysis Date		08/05/04	08/05/04			
Analysis Time		16:30	16:30			
Batch ID		0805J	0805J	0805J		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23802-15	Matrix Spike % Recovery	Liquid	07/30/04		
23802-16	Matrix Spike Duplicate % Recovery	Liquid	07/30/04		
23802-17	Precision (%RPD) MS/MSD	Liquid	07/30/04		
23802-18	MS Accuracy Advisory Limit (%R)	Liquid	07/30/04		
23802-19	MS Precision Advisory Limit (%RPD)	Liquid	07/30/04		

Parameter	Units	Lab Sample IDs				
		23802-15	23802-16	23802-17	23802-18	23802-19

Appendix I - Organics (8260)

Benzene	%	92 %	90 %	2.2 %	62-135 %	<16 %
Chlorobenzene	%	90 %	92 %	2.2 %	72-127 %	<22 %
1,1-Dichloroethylene	%	102 %	96 %	6.1 %	46-147 %	<30 %
Toluene	%	100 %	96 %	4.1 %	68-131 %	<33 %
Trichloroethene	%	92 %	86 %	6.7 %	56-143 %	<35 %
Dilution Factor		1	1			
Analysis Date		08/06/04	08/06/04			
Analysis Time		17:52	18:11			
Batch ID		0805HA	0805HA	0805HA		

Microextractables (504)

1,2-Dibromoethane (EDB)	%	110 %	112 %	1.8 %	70-130 %	<30 %
1,2-Dibromo-3-chloropropane	%	112 %	112 %	0 %	70-130 %	<30 %
Dilution Factor		1	1			
Prep Date		08/05/04	08/05/04			
Prep Time		11:00	11:00			
Analysis Date		08/05/04	08/05/04			
Analysis Time		20:22	20:43			
Batch ID		0805EA	0805EA	0805EA		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23802-15	Matrix Spike % Recovery	Liquid	07/30/04		
23802-16	Matrix Spike Duplicate % Recovery	Liquid	07/30/04		
23802-17	Precision (%RPD) MS/MSD	Liquid	07/30/04		
23802-18	MS Accuracy Advisory Limit (%R)	Liquid	07/30/04		
23802-19	MS Precision Advisory Limit (%RPD)	Liquid	07/30/04		

Parameter	Units	Lab Sample IDs				
		23802-15	23802-16	23802-17	23802-18	23802-19

Appendix I Metals by ICP (6010)

Arsenic	%	61 %*F73	77 %*F73	23 %*F66	75-125 %	<20 %
Barium	%	65 %*F73	84 %*F73	25 %*F66	75-125 %	<20 %
Beryllium	%	61 %*F73	78 %*F73	24 %*F66	75-125 %	<20 %
Cadmium	%	62 %*F73	79 %*F73	23 %*F66	75-125 %	<20 %
Chromium	%	61 %*F73	78 %*F73	24 %*F66	75-125 %	<20 %
Cobalt	%	63 %*F73	80 %*F73	24 %*F66	75-125 %	<20 %
Copper	%	63 %*F73	81 %*F73	24 %*F66	75-125 %	<20 %
Lead	%	62 %*F73	78 %*F73	23 %*F66	75-125 %	<20 %
Nickel	%	61 %*F73	78 %*F73	24 %*F66	75-125 %	<20 %
Selenium	%	61 %*F73	77 %*F73	22 %*F66	75-125 %	<20 %
Silver	%	64 %*F73	82 %*F73	24 %*F66	75-125 %	<20 %
Vanadium	%	61 %*F73	77 %*F73	24 %*F66	75-125 %	<20 %
Zinc	%	63 %*F73	80 %*F73	23 %*F66	75-125 %	<20 %
Antimony	%	58 %*F73	73 %*F73	24 %*F66	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/04/04	08/04/04			
Prep Time		09:00	09:00			
Analysis Date		08/04/04	08/04/04			
Analysis Time		16:44	16:50			
Batch ID		40804J	40804J	40804J		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23802-15	Matrix Spike % Recovery	Liquid	07/30/04		
23802-16	Matrix Spike Duplicate % Recovery	Liquid	07/30/04		
23802-17	Precision (%RPD) MS/MSD	Liquid	07/30/04		
23802-18	MS Accuracy Advisory Limit (%R)	Liquid	07/30/04		
23802-19	MS Precision Advisory Limit (%RPD)	Liquid	07/30/04		

Parameter	Units	Lab Sample IDs				
		23802-15	23802-16	23802-17	23802-18	23802-19

Mercury (7470)

Mercury	%	94 %	103 %	9.1 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/03/04	08/03/04			
Prep Time		10:37	10:37			
Analysis Date		08/03/04	08/03/04			
Analysis Time		16:24	16:26			
Batch ID		40803T	40803T	40803T		

Iron (6010)

Iron	%	40 %*F73	70 %*F73	24 %*F66	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/04/04	08/04/04			
Prep Time		09:00	09:00			
Analysis Date		08/04/04	08/04/04			
Analysis Time		16:44	16:50			
Batch ID		40804J	40804J	40804J		

Thallium (7841)

Thallium	%	106 %	101 %	5.2 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/03/04	08/03/04			
Prep Time		08:40	08:40			
Analysis Date		08/04/04	08/04/04			
Analysis Time		13:07	13:11			
Batch ID		0803G	0803G	0803G		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23802-15	Matrix Spike % Recovery	Liquid	07/30/04		
23802-16	Matrix Spike Duplicate % Recovery	Liquid	07/30/04		
23802-17	Precision (%RPD) MS/MSD	Liquid	07/30/04		
23802-18	MS Accuracy Advisory Limit (%R)	Liquid	07/30/04		
23802-19	MS Precision Advisory Limit (%RPD)	Liquid	07/30/04		

Parameter	Units	Lab Sample IDs				
		23802-15	23802-16	23802-17	23802-18	23802-19

Thallium (Dissolved) (7841)

Thallium (Dissolved)	%	106 %	101 %	5.2 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/03/04	08/03/04			
Prep Time		08:40	08:40			
Analysis Date		08/04/04	08/04/04			
Analysis Time		13:07	13:11			
Batch ID		0803G	0803G	0803G		

Sodium (6010)

Sodium	%	41 %*F73	71 %*F73	26 %*F66	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/04/04	08/04/04			
Prep Time		09:00	09:00			
Analysis Date		08/04/04	08/04/04			
Analysis Time		16:44	16:50			
Batch ID		40804J	40804J	40804J		

Appendix I Metals Dissolved (6010)

Antimony (Dissolved)	%	58 %*F73	73 %*F73	24 %*F66	75-125 %	<20 %
Arsenic (Dissolved)	%	61 %*F73	77 %*F73	23 %*F66	75-125 %	<20 %
Barium (Dissolved)	%	65 %*F73	84 %*F73	25 %*F66	75-125 %	<20 %
Beryllium (Dissolved)	%	61 %*F73	78 %*F73	24 %*F66	75-125 %	<20 %
Cadmium (Dissolved)	%	62 %*F73	79 %*F73	23 %*F66	75-125 %	<20 %
Chromium (Dissolved)	%	61 %*F73	78 %*F73	24 %*F66	75-125 %	<20 %

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23802-15	Matrix Spike % Recovery	Liquid	07/30/04		
23802-16	Matrix Spike Duplicate % Recovery	Liquid	07/30/04		
23802-17	Precision (%RPD) MS/MSD	Liquid	07/30/04		
23802-18	MS Accuracy Advisory Limit (%R)	Liquid	07/30/04		
23802-19	MS Precision Advisory Limit (%RPD)	Liquid	07/30/04		

Parameter	Units	Lab Sample IDs				
		23802-15	23802-16	23802-17	23802-18	23802-19

Appendix I Metals Dissolved (6010)

Cobalt (Dissolved)	%	63 %*F73	80 %*F73	24 %*F66	75-125 %	<20 %
Copper (Dissolved)	%	63 %*F73	81 %*F73	24 %*F66	75-125 %	<20 %
Lead (Dissolved)	%	62 %*F73	78 %*F73	23 %*F66	75-125 %	<20 %
Nickel (Dissolved)	%	61 %*F73	78 %*F73	24 %*F66	75-125 %	<20 %
Selenium (Dissolved)	%	61 %*F73	77 %*F73	22 %*F66	75-125 %	<20 %
Silver (Dissolved)	%	64 %*F73	82 %*F73	24 %*F66	75-125 %	<20 %
Vanadium (Dissolved)	%	61 %*F73	77 %*F73	24 %*F66	75-125 %	<20 %
Zinc (Dissolved)	%	63 %*F73	80 %*F73	23 %*F66	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/04/04	08/04/04			
Prep Time		09:00	09:00			
Analysis Date		08/04/04	08/04/04			
Analysis Time		16:44	16:50			
Batch ID		40804J	40804J	40804J		

Iron (Dissolved) (6010)

Iron (Dissolved)	%	40 %*F73	70 %*F73	24 %*F66	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/04/04	08/04/04			
Prep Time		09:00	09:00			
Analysis Date		08/04/04	08/04/04			
Analysis Time		16:44	16:50			
Batch ID		40804J	40804J	40804J		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23802-15	Matrix Spike % Recovery	Liquid	07/30/04		
23802-16	Matrix Spike Duplicate % Recovery	Liquid	07/30/04		
23802-17	Precision (%RPD) MS/MSD	Liquid	07/30/04		
23802-18	MS Accuracy Advisory Limit (%R)	Liquid	07/30/04		
23802-19	MS Precision Advisory Limit (%RPD)	Liquid	07/30/04		

Parameter	Units	Lab Sample IDs				
		23802-15	23802-16	23802-17	23802-18	23802-19
Sodium (Dissolved) (6010)						
Sodium (Dissolved)	%	41 %*F73	71 %*F73	26 %*F66	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/04/04	08/04/04			
Prep Time		09:00	09:00			
Analysis Date		08/04/04	08/04/04			
Analysis Time		16:44	16:50			
Batch ID		40804J	40804J	40804J		
Mercury (Dissolved) (7470)						
Mercury (Dissolved)	%	94 %	103 %	9.1 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/03/04	08/03/04			
Prep Time		10:37	10:37			
Analysis Date		08/03/04	08/03/04			
Analysis Time		16:24	16:26			
Batch ID		40803T	40803T	40803T		
Chloride (325.3)						
Chloride	%	98 %	99 %	0.92 %	75-125 %	<30 %
Dilution Factor		1	1			
Analysis Date		08/02/04	08/02/04			
Analysis Time		10:55	10:55			
Batch ID		0802M-6	0802M-6	0802M-6		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23802-15	Matrix Spike % Recovery	Liquid	07/30/04		
23802-16	Matrix Spike Duplicate % Recovery	Liquid	07/30/04		
23802-17	Precision (%RPD) MS/MSD	Liquid	07/30/04		
23802-18	MS Accuracy Advisory Limit (%R)	Liquid	07/30/04		
23802-19	MS Precision Advisory Limit (%RPD)	Liquid	07/30/04		

Parameter	Units	Lab Sample IDs				
		23802-15	23802-16	23802-17	23802-18	23802-19

Ammonia-N (350.3)

Ammonia-N	%	97 %	97 %	0 %	85-115 %	<30 %
Dilution Factor		1	1			
Analysis Date		08/05/04	08/05/04			
Analysis Time		23:00	23:00			
Batch ID		0805Y	0805Y	0805Y		

Nitrate-N (353.2)

Nitrate-N	%	103 %	103 %	0.34 %	80-120 %	<30 %
Dilution Factor		1	1			
Analysis Date		07/30/04	07/30/04			
Analysis Time		13:58	13:58			
Batch ID		0730G-6	0730G-6	0730G-6		

Solids, Total Dissolved (160.1)

Solids, Total Dissolved	%	115 %	116 %	0.78 %	80-120 %	<25 %
Dilution Factor		1	1			
Analysis Date		08/05/04	08/05/04			
Analysis Time		16:30	16:30			
Batch ID		0805J	0805J	0805J		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23802-20	Practical Quantitation Limit (PQL)	Liquid	07/30/04		
23802-21	Method Detection Limit (MDL)	Liquid	07/30/04		

Parameter	Units	Lab Sample IDs	
		23802-20	23802-21

Appendix I - Organics (8260)

Parameter	Units	23802-20	23802-21
Acetone	ug/l	10	9.9
Acrylonitrile	ug/l	100	1.2
Benzene	ug/l	1.0	0.27
Bromochloromethane	ug/l	1.0	0.58
Bromodichloromethane	ug/l	1.0	0.35
Bromoform	ug/l	1.0	0.58
Carbon disulfide	ug/l	1.0	0.85
Carbon Tetrachloride	ug/l	1.0	0.42
Chlorobenzene	ug/l	1.0	0.63
Chloroethane	ug/l	1.0	0.80
Chloroform	ug/l	1.0	0.90
Dibromochloromethane	ug/l	1.0	0.34
1,2-Dichlorobenzene	ug/l	1.0	0.44
1,4-Dichlorobenzene	ug/l	1.0	0.52
Trans-1,4-Dichloro-2-butene	ug/l	10	2.5
1,1-Dichloroethane	ug/l	1.0	0.52
1,2-Dichloroethane	ug/l	1.0	0.57
1,1-Dichloroethylene	ug/l	1.0	0.45
cis-1,2-Dichloroethylene	ug/l	1.0	0.65
trans-1,2-Dichloroethylene	ug/l	1.0	0.44
1,2-Dichloropropane	ug/l	1.0	0.52
cis-1,3-Dichloropropene	ug/l	1.0	0.14
trans-1,3-Dichloropropene	ug/l	1.0	0.14
Ethylbenzene	ug/l	1.0	0.83
2-Hexanone	ug/l	10	4.4
Bromomethane	ug/l	1.0	0.66
Chloromethane	ug/l	1.0	0.64
Dibromomethane	ug/l	1.0	0.41
Methylene Chloride	ug/l	5.0	1.0

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23802-20	Practical Quantitation Limit (PQL)	Liquid	07/30/04		
23802-21	Method Detection Limit (MDL)	Liquid	07/30/04		

Parameter	Units	Lab Sample IDs	
		23802-20	23802-21

Appendix I - Organics (8260)

Parameter	Units	23802-20	23802-21
2-Butanone (MEK)	ug/l	10	8.4
Iodomethane	ug/l	1.0	0.67
4-Methyl-2-pentanone (MIBK)	ug/l	10	3.8
Styrene	ug/l	1.0	0.98
1,1,1,2-Tetrachloroethane	ug/l	1.0	0.63
1,1,2,2-Tetrachloroethane	ug/l	1.0	0.14
Tetrachloroethene	ug/l	1.0	0.34
Toluene	ug/l	1.0	0.51
1,1,1-Trichloroethane	ug/l	1.0	0.46
1,1,2-Trichloroethane	ug/l	1.0	0.47
Trichloroethene	ug/l	1.0	0.28
Trichlorofluoromethane	ug/l	1.0	0.98
1,2,3-Trichloropropane	ug/l	1.0	0.15
Vinyl acetate	ug/l	10	1.5
Vinyl chloride	ug/l	1.0	0.50
Xylenes	ug/l	1.0	0.98

Microextractables (504)

Parameter	Units	23802-20	23802-21
1,2-Dibromoethane (EDB)	ug/l	0.020	0.0087
1,2-Dibromo-3-chloropropane	ug/l	0.020	0.0030

Appendix I Metals by ICP (6010)

Parameter	Units	23802-20	23802-21
Arsenic	mg/l	0.010	0.0038
Barium	mg/l	0.010	0.0012
Beryllium	mg/l	0.0040	0.00074
Cadmium	mg/l	0.0050	0.00071
Chromium	mg/l	0.010	0.0017

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23802-20	Practical Quantitation Limit (PQL)	Liquid	07/30/04		
23802-21	Method Detection Limit (MDL)	Liquid	07/30/04		

Parameter	Units	Lab Sample IDs	
		23802-20	23802-21

Appendix I Metals by ICP (6010)

Cobalt	mg/l	0.010	0.0014
Copper	mg/l	0.020	0.0013
Lead	mg/l	0.0050	0.0015
Nickel	mg/l	0.040	0.0047
Selenium	mg/l	0.010	0.0048
Silver	mg/l	0.010	0.0019
Vanadium	mg/l	0.010	0.0025
Zinc	mg/l	0.020	0.0059
Antimony	mg/l	0.0060	0.0029
Mercury (7470)			
Mercury	mg/l	0.00020	0.000072
Iron (6010)			
Iron	mg/l	0.050	0.037
Thallium (7841)			
Thallium	mg/l	0.0020	0.00070
Thallium (Dissolved) (7841)			
Thallium (Dissolved)	mg/l	0.0020	0.00070

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23802-20	Practical Quantitation Limit (PQL)	Liquid	07/30/04		
23802-21	Method Detection Limit (MDL)	Liquid	07/30/04		

Parameter	Units	Lab Sample IDs	
		23802-20	23802-21

Sodium (6010)

Sodium	mg/l	0.50	0.15
--------	------	------	------

Appendix I Metals Dissolved (6010)

Antimony (Dissolved)	mg/l	0.0060	0.0029
Arsenic (Dissolved)	mg/l	0.010	0.0038
Barium (Dissolved)	mg/l	0.010	0.0012
Beryllium (Dissolved)	mg/l	0.0040	0.00074
Cadmium (Dissolved)	mg/l	0.0050	0.00071
Chromium (Dissolved)	mg/l	0.010	0.0017
Cobalt (Dissolved)	mg/l	0.010	0.0014
Copper (Dissolved)	mg/l	0.020	0.0013
Lead (Dissolved)	mg/l	0.0050	0.0015
Nickel (Dissolved)	mg/l	0.040	0.0047
Selenium (Dissolved)	mg/l	0.010	0.0038
Silver (Dissolved)	mg/l	0.010	0.0019
Vanadium (Dissolved)	mg/l	0.010	0.0025
Zinc (Dissolved)	mg/l	0.020	0.0059

Iron (Dissolved) (6010)

Iron (Dissolved)	mg/l	0.050	0.037
------------------	------	-------	-------

Sodium (Dissolved) (6010)

Sodium (Dissolved)	mg/l	0.50	0.15
--------------------	------	------	------

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23802-20	Practical Quantitation Limit (PQL)	Liquid	07/30/04		
23802-21	Method Detection Limit (MDL)	Liquid	07/30/04		

Parameter	Units	Lab Sample IDs	
		23802-20	23802-21
Mercury (Dissolved) (7470)			
Mercury (Dissolved)	mg/l	0.00020	0.000072
Chloride (325.3)			
Chloride	mg/l	1.0	1.0
Ammonia-N (350.3)			
Ammonia-N	mg/l	0.050	0.040
Nitrate-N (353.2)			
Nitrate-N	mg/l	0.050	0.010
Solids, Total Dissolved (160.1)			
Solids, Total Dissolved	mg/l	5.0	5.0

Order Number: B423802

These test results meet all the requirements of NELAC. All questions regarding this test report should be directed to the STL Project Manager who signed this test report.

The estimated uncertainty associated with these reported results is available upon request.

STL Savannah, 5102 LaRoche Ave., Savannah, GA 31404
Phone #912/354-7858. DOH Certification #E87052

I = The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.

U = Indicates that the compound was analyzed for but not detected.

*F66 = Due to matrix interference in the sample, relative percent difference values (% RPD) exceeded advisory limits.

*F73 = Matrix spike recoveries were outside advisory limits due to matrix interference present in the sample.

Remit To: SEVERN TRENT LABORATORIES, INC. P.O. Box 7777 W4305 Philadelphia, PA 19175-4305
STL Tampa 6712 Benjamin Road, Suite 100 - Tampa FL 33634 Tel:813-885-7427 Fax:813-885-7049

INVOICE

Federal ID# 23-2919996

Mr. Kirk Wills
Geosyntec
14055 Riveredge Drive, Ste.300
Tampa, FL 33637

Invoice CC:

DATE 08/11/04	TERMS Net 30 Days	CLIENT PO #	CLIENT PROJECT # FQ0638	PROJECT Oak Hammock Disposal La
------------------	----------------------	-------------	----------------------------	------------------------------------

INVOICE # 66018304	CONTRACT #	CODE MV#387007	
-----------------------	------------	-------------------	--

LOG # B423802	CREDIT / DEBIT	ORIGINATING LOG #	SDG #	REQUISITION #
------------------	----------------	-------------------	-------	---------------

QUANTITY	MATRIX	METHOD	DESCRIPTION	UNIT PRICE	EXTENDED AMOUNT
7	Liquid	8260	Appendix I - Organics	62.40	436.80
7	Liquid	504	Microextractables	33.15	232.05
7	Liquid	6010	Appendix I Metals by ICP	65.52	458.64
7	Liquid	7470	Mercury	15.60	109.20
7	Liquid	6010	Iron	4.68	32.76
7	Liquid	7841	Thallium	12.00	84.00
7	Liquid	6010	Sodium	4.68	32.76
7	Liquid	325.3	Chloride	9.75	68.25
7	Liquid	350.3	Ammonia-N	7.80	54.60
7	Liquid	353.2	Nitrate-N	9.75	68.25
7	Liquid	160.1	Solids, Total Dissolved	5.85	40.95
5	Liquid	7841	Thallium (Dissolved)	12.00	60.00
5	Liquid	6010	Appendix I Metals Dissolved	65.52	327.60
5	Liquid	6010	Iron (Dissolved)	4.68	23.40
5	Liquid	6010	Sodium (Dissolved)	4.68	23.40
5	Liquid	7470	Mercury (Dissolved)	15.60	78.00
Total for this page					\$2,130.66
INVOICE TOTAL					\$2,130.66

REPORTED TO Mr. Kirk Wills	OFFICE Geosyntec	OFFICE PHONE (813) 558-0990
--------------------------------------	----------------------------	---------------------------------------

For proper credit, please show INVOICE NUMBER on your remittance.
After 30 days, service charges of 1.5% per 30 days will be applied to unpaid balance.

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well:

Monitoring_Site_Num: DUP-01

Permitted Well Type:

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

**Well Purged prior to
 Sample Collection? (Y/N)** Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.11	0.04	mg/l		8/5/2004
000940	Chloride	SP	NO	Y	325.3	8.6	1	mg/l		8/2/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	7/30/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	130	5	mg/l		8/5/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/4/2004
001097	Antimony (Dissolved)	SP	YES	Y	6010	0.0033	0.0029	mg/l	I	8/4/2004
001002	Arsenic	SP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/4/2004
001002	Arsenic (Dissolved)	SP	YES	Y	6010	0.0038	0.0038	mg/l	U	8/4/2004
001007	Barium (Dissolved)	SP	YES	Y	6010	0.025	0.0012	mg/l		8/4/2004
001007	Barium	SP	NO	Y	6010	0.087	0.0012	mg/l		8/4/2004
001012	Beryllium	SP	NO	Y	6010	0.00088	0.00074	mg/l	I	8/4/2004
001012	Beryllium (Dissolved)	SP	YES	Y	6010	0.00074	0.00074	mg/l	U	8/4/2004
001027	Cadmium	SP	NO	Y	6010	0.001	0.00071	mg/l	I	8/4/2004
001027	Cadmium (Dissolved)	SP	YES	Y	6010	0.00096	0.00071	mg/l	I	8/4/2004
001034	Chromium (Dissolved)	SP	YES	Y	6010	0.0036	0.0017	mg/l	I	8/4/2004
001034	Chromium	SP	NO	Y	6010	0.012	0.0017	mg/l		8/4/2004
001037	Cobalt (Dissolved)	SP	YES	Y	6010	0.002	0.0014	mg/l	I	8/4/2004
001037	Cobalt	SP	NO	Y	6010	0.0027	0.0014	mg/l	I	8/4/2004
001042	Copper	SP	NO	Y	6010	0.0055	0.0013	mg/l	I	8/4/2004
001042	Copper (Dissolved)	SP	YES	Y	6010	0.0013	0.0013	mg/l	U	8/4/2004
001045	Iron	SP	NO	Y	6010	2.2	0.037	mg/l		8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well:

Monitoring_Site_Num: DUP-01

Permitted Well Type:

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Well Purged prior to Sample Collection? (Y/N) Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001045	Iron (Dissolved)	SP	YES	Y	6010	1	0.037	mg/l		8/4/2004
001051	Lead	SP	NO	Y	6010	0.01	0.0015	mg/l		8/4/2004
001051	Lead (Dissolved)	SP	YES	Y	6010	0.002	0.0015	mg/l	I	8/4/2004
071900	Mercury (Dissolved)	SP	YES	Y	7470	0.000072	0.000072	mg/l	U	8/3/2004
071900	Mercury	SP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/3/2004
001067	Nickel	SP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/4/2004
001067	Nickel (Dissolved)	SP	YES	Y	6010	0.0047	0.0047	mg/l	U	8/4/2004
001147	Selenium (Dissolved)	SP	YES	Y	6010	0.0048	0.0038	mg/l	U	8/4/2004
001147	Selenium	SP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/4/2004
000929	Sodium	SP	NO	Y	6010	5.6	0.15	mg/l		8/4/2004
000929	Sodium (Dissolved)	SP	YES	Y	6010	5.7	0.15	mg/l		8/4/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/4/2004
001059	Thallium (Dissolved)	SP	YES	Y	7841	0.0007	0.0007	mg/l	U	8/4/2004
001087	Vanadium (Dissolved)	SP	YES	Y	6010	0.0046	0.0025	mg/l	I	8/4/2004
001087	Vanadium	SP	NO	Y	6010	0.014	0.0025	mg/l		8/4/2004
001092	Zinc	SP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/4/2004
001092	Zinc (Dissolved)	SP	YES	Y	6010	0.0059	0.0059	mg/l	U	8/4/2004
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/5/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/5/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/5/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/5/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well:

Monitoring_Site_Num: DUP-01

Permitted Well Type:

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Well Purged prior to Sample Collection? (Y/N) Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/5/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/5/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/5/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/5/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/5/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/5/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/5/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/5/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/5/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/5/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/5/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/5/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/5/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/5/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/5/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/5/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/5/2004
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/5/2004
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/5/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/5/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/5/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well:

Monitoring_Site_Num: DUP-01

Permitted Well Type:

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Well Purged prior to Sample Collection? (Y/N) Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/5/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/5/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/5/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/5/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/5/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/5/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/5/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/5/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/5/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/5/2004
034010	Toluene	SP	NO	Y	8260	1.7	0.51	ug/l		8/5/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/5/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/5/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/5/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/5/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/5/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/5/2004
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/5/2004
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/5/2004
001077	Silver (Dissolved)	SP	YES	Y	6010	0.0019	0.0019	mg/l	U	8/4/2004
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/5/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well:

Monitoring_Site_Num: DUP-01

Permitted Well Type:

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/4/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/5/2004
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/5/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well:

Monitoring_Site_Num: DUP-02

Permitted Well Type:

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

**Well Purged prior to
 Sample Collection? (Y/N)** Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.11	0.04	mg/l		8/5/2004
000940	Chloride	SP	NO	Y	325.3	9	1	mg/l		8/2/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	7/30/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	50	5	mg/l		8/5/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/4/2004
001002	Arsenic	SP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/4/2004
001007	Barium	SP	NO	Y	6010	0.012	0.0012	mg/l		8/4/2004
001012	Beryllium	SP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/4/2004
001027	Cadmium	SP	NO	Y	6010	0.0012	0.00071	mg/l	I	8/4/2004
001034	Chromium	SP	NO	Y	6010	0.0024	0.0017	mg/l	I	8/4/2004
001037	Cobalt	SP	NO	Y	6010	0.0016	0.0014	mg/l	I	8/4/2004
001042	Copper	SP	NO	Y	6010	0.0013	0.0013	mg/l	U	8/4/2004
001045	Iron	SP	NO	Y	6010	0.65	0.037	mg/l		8/4/2004
001051	Lead	SP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/4/2004
071900	Mercury	SP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/3/2004
001067	Nickel	SP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/4/2004
001147	Selenium	SP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/4/2004
000929	Sodium	SP	NO	Y	6010	5.6	0.15	mg/l		8/4/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/4/2004
001087	Vanadium	SP	NO	Y	6010	0.0034	0.0025	mg/l	I	8/4/2004
001092	Zinc	SP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well:

Monitoring_Site_Num: DUP-02

Permitted Well Type:

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Well Purged prior to Sample Collection? (Y/N) Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/5/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/5/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/5/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/5/2004
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/5/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/5/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/5/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/5/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/5/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/5/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/5/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/5/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/5/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/5/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/5/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/5/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/5/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/5/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/5/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/5/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/5/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well:

Monitoring_Site_Num: DUP-02

Permitted Well Type:

Ground water classification: **G-II**

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Well Purged prior to Sample Collection? (Y/N) Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/5/2004
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/5/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/5/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/5/2004
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/5/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/5/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/5/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/5/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/5/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/5/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/5/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/5/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/5/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/5/2004
034010	Toluene	SP	NO	Y	8260	0.51	0.51	ug/l	U	8/5/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/5/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/5/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/5/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/5/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/5/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/5/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well:

Monitoring_Site_Num: DUP-02

Permitted Well Type:

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

**Well Purged prior to
 Sample Collection? (Y/N)** Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/5/2004
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/5/2004
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/5/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/4/2004
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/5/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/5/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well: 19940

Monitoring_Site_Num: MW-14B

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.11	0.04	mg/l		8/5/2004
000940	Chloride	SP	NO	Y	325.3	8.6	1	mg/l		8/2/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	7/30/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	130	5	mg/l		8/5/2004
001097	Antimony (Dissolved)	SP	YES	Y	6010	0.0029	0.0029	mg/l	U	8/4/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/4/2004
001002	Arsenic (Dissolved)	SP	YES	Y	6010	0.0038	0.0038	mg/l	U	8/4/2004
001002	Arsenic	SP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/4/2004
001007	Barium (Dissolved)	SP	YES	Y	6010	0.036	0.0012	mg/l		8/4/2004
001007	Barium	SP	NO	Y	6010	0.083	0.0012	mg/l		8/4/2004
001012	Beryllium	SP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/4/2004
001012	Beryllium (Dissolved)	SP	YES	Y	6010	0.00074	0.00074	mg/l	U	8/4/2004
001027	Cadmium	SP	NO	Y	6010	0.00097	0.00071	mg/l	I	8/4/2004
001027	Cadmium (Dissolved)	SP	YES	Y	6010	0.00098	0.00071	mg/l	I	8/4/2004
001034	Chromium (Dissolved)	SP	YES	Y	6010	0.0038	0.0017	mg/l	I	8/4/2004
001034	Chromium	SP	NO	Y	6010	0.01	0.0017	mg/l		8/4/2004
001037	Cobalt	SP	NO	Y	6010	0.0021	0.0014	mg/l	I	8/4/2004
001037	Cobalt (Dissolved)	SP	YES	Y	6010	0.0019	0.0014	mg/l	I	8/4/2004
001042	Copper (Dissolved)	SP	YES	Y	6010	0.0013	0.0013	mg/l	U	8/4/2004
001042	Copper	SP	NO	Y	6010	0.0053	0.0013	mg/l	I	8/4/2004
001045	Iron	SP	NO	Y	6010	1.9	0.037	mg/l		8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well: 19940

Monitoring_Site_Num: MW-14B

Permitted Well Type: CO

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Well Purged prior to Sample Collection? (Y/N) Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001045	Iron (Dissolved)	SP	YES	Y	6010	1	0.037	mg/l		8/4/2004
001051	Lead	SP	NO	Y	6010	0.0089	0.0015	mg/l		8/4/2004
001051	Lead (Dissolved)	SP	YES	Y	6010	0.0042	0.0015	mg/l	I	8/4/2004
071900	Mercury	SP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/3/2004
071900	Mercury (Dissolved)	SP	YES	Y	7470	0.000072	0.000072	mg/l	U	8/3/2004
001067	Nickel (Dissolved)	SP	YES	Y	6010	0.0047	0.0047	mg/l	U	8/4/2004
001067	Nickel	SP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/4/2004
001147	Selenium	SP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/4/2004
001147	Selenium (Dissolved)	SP	YES	Y	6010	0.0048	0.0038	mg/l	U	8/4/2004
000929	Sodium	SP	NO	Y	6010	5.5	0.15	mg/l		8/4/2004
000929	Sodium (Dissolved)	SP	YES	Y	6010	5.4	0.15	mg/l		8/4/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/4/2004
001059	Thallium (Dissolved)	SP	YES	Y	7841	0.0007	0.0007	mg/l	U	8/4/2004
001087	Vanadium	SP	NO	Y	6010	0.012	0.0025	mg/l		8/4/2004
001087	Vanadium (Dissolved)	SP	YES	Y	6010	0.0049	0.0025	mg/l	I	8/4/2004
001092	Zinc (Dissolved)	SP	YES	Y	6010	0.0059	0.0059	mg/l	U	8/4/2004
001092	Zinc	SP	NO	Y	6010	0.0069	0.0059	mg/l	I	8/4/2004
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/5/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/5/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/5/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/5/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well: 19940

Permitted Well Type: CO

Monitoring_Site_Num: MW-14B

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Well Purged prior to Sample Collection? (Y/N) Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/5/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/5/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/5/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/5/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/5/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/5/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/5/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/5/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/5/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/5/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/5/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/5/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/5/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/5/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/5/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/5/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/5/2004
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/5/2004
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/5/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/5/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/5/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well: 19940

Monitoring_Site_Num: MW-14B

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/5/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/5/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/5/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/5/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/5/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/5/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/5/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/5/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/5/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/5/2004
034010	Toluene	SP	NO	Y	8260	2.1	0.51	ug/l		8/5/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/5/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/5/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/5/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/5/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/5/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/5/2004
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/5/2004
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/5/2004
001077	Silver (Dissolved)	SP	YES	Y	6010	0.0019	0.0019	mg/l	U	8/4/2004
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/5/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well: 19940

Monitoring_Site_Num: MW-14B

Permitted Well Type: **CO**

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Store Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/5/2004
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/5/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well: 19941

Monitoring_Site_Num: MW-14C

Permitted Well Type: CO

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.13	0.04	mg/l		8/5/2004
000940	Chloride	SP	NO	Y	325.3	11	1	mg/l		8/2/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	7/30/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	120	5	mg/l		8/5/2004
001097	Antimony (Dissolved)	SP	YES	Y	6010	0.0029	0.0029	mg/l	U	8/4/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/4/2004
001002	Arsenic (Dissolved)	SP	YES	Y	6010	0.0038	0.0038	mg/l	U	8/4/2004
001002	Arsenic	SP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/4/2004
001007	Barium (Dissolved)	SP	YES	Y	6010	0.015	0.0012	mg/l		8/4/2004
001007	Barium	SP	NO	Y	6010	0.11	0.0012	mg/l		8/4/2004
001012	Beryllium (Dissolved)	SP	YES	Y	6010	0.00074	0.00074	mg/l	U	8/4/2004
001012	Beryllium	SP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/4/2004
001027	Cadmium (Dissolved)	SP	YES	Y	6010	0.00071	0.00071	mg/l	U	8/4/2004
001027	Cadmium	SP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/4/2004
001034	Chromium (Dissolved)	SP	YES	Y	6010	0.0017	0.0017	mg/l	U	8/4/2004
001034	Chromium	SP	NO	Y	6010	0.012	0.0017	mg/l		8/4/2004
001037	Cobalt	SP	NO	Y	6010	0.0033	0.0014	mg/l	I	8/4/2004
001037	Cobalt (Dissolved)	SP	YES	Y	6010	0.0014	0.0014	mg/l	U	8/4/2004
001042	Copper	SP	NO	Y	6010	0.0013	0.0013	mg/l	I	8/4/2004
001042	Copper (Dissolved)	SP	YES	Y	6010	0.0013	0.0013	mg/l	U	8/4/2004
001045	Iron (Dissolved)	SP	YES	Y	6010	0.73	0.037	mg/l		8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well: 19941

Monitoring_Site_Num: MW-14C

Permitted Well Type: CO

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Well Purged prior to Sample Collection? (Y/N) Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001045	Iron	SP	NO	Y	6010	2.2	0.037	mg/l		8/4/2004
001051	Lead	SP	NO	Y	6010	0.0038	0.0015	mg/l	I	8/4/2004
001051	Lead (Dissolved)	SP	YES	Y	6010	0.0015	0.0015	mg/l	U	8/4/2004
071900	Mercury (Dissolved)	SP	YES	Y	7470	0.000072	0.000072	mg/l	U	8/3/2004
071900	Mercury	SP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/3/2004
001067	Nickel (Dissolved)	SP	YES	Y	6010	0.0047	0.0047	mg/l	U	8/4/2004
001067	Nickel	SP	NO	Y	6010	0.0067	0.0047	mg/l	I	8/4/2004
001147	Selenium	SP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/4/2004
001147	Selenium (Dissolved)	SP	YES	Y	6010	0.0048	0.0038	mg/l	U	8/4/2004
000929	Sodium	SP	NO	Y	6010	6.2	0.15	mg/l		8/4/2004
000929	Sodium (Dissolved)	SP	YES	Y	6010	6.3	0.15	mg/l		8/4/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/4/2004
001059	Thallium (Dissolved)	SP	YES	Y	7841	0.0007	0.0007	mg/l	U	8/4/2004
001087	Vanadium (Dissolved)	SP	YES	Y	6010	0.0025	0.0025	mg/l	U	8/4/2004
001087	Vanadium	SP	NO	Y	6010	0.015	0.0025	mg/l		8/4/2004
001092	Zinc (Dissolved)	SP	YES	Y	6010	0.0059	0.0059	mg/l	U	8/4/2004
001092	Zinc	SP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/4/2004
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/5/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/5/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/5/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/5/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well: 19941

Monitoring_Site_Num: MW-14C

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/5/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/5/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/5/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/5/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/5/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/5/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/5/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/5/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/5/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/5/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/5/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/5/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/5/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/5/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/5/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/5/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/5/2004
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/5/2004
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/5/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/5/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/5/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well: 19941

Monitoring_Site_Num: MW-14C

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/5/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/5/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/5/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/5/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/5/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/5/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/5/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/5/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/5/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/5/2004
034010	Toluene	SP	NO	Y	8260	0.51	0.51	ug/l	U	8/5/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/5/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/5/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/5/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/5/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/5/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/5/2004
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/5/2004
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/5/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/5/2004
001077	Silver (Dissolved)	SP	YES	Y	6010	0.0019	0.0019	mg/l	U	8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well: 19941

Monitoring_Site_Num: MW-14C

Permitted Well Type: **CO**

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Store Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/4/2004
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/5/2004
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/5/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well: 19944

Monitoring_Site_Num: MW-15C

Permitted Well Type: CO

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

**Well Purged prior to
 Sample Collection? (Y/N)** Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.11	0.04	mg/l		8/5/2004
000940	Chloride	SP	NO	Y	325.3	9	1	mg/l		8/2/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	7/30/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	54	5	mg/l		8/5/2004
001097	Antimony	SP	NO	Y	6010	0.0035	0.0029	mg/l	I	8/4/2004
001002	Arsenic	SP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/4/2004
001007	Barium	SP	NO	Y	6010	0.012	0.0012	mg/l		8/4/2004
001012	Beryllium	SP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/4/2004
001027	Cadmium	SP	NO	Y	6010	0.001	0.00071	mg/l	I	8/4/2004
001034	Chromium	SP	NO	Y	6010	0.0025	0.0017	mg/l	I	8/4/2004
001037	Cobalt	SP	NO	Y	6010	0.0018	0.0014	mg/l	I	8/4/2004
001042	Copper	SP	NO	Y	6010	0.0013	0.0013	mg/l	U	8/4/2004
001045	Iron	SP	NO	Y	6010	0.69	0.037	mg/l		8/4/2004
001051	Lead	SP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/4/2004
071900	Mercury	SP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/3/2004
001067	Nickel	SP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/4/2004
001147	Selenium	SP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/4/2004
000929	Sodium	SP	NO	Y	6010	5.9	0.15	mg/l		8/4/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/4/2004
001087	Vanadium	SP	NO	Y	6010	0.0034	0.0025	mg/l	I	8/4/2004
001092	Zinc	SP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well: 19944

Monitoring_Site_Num: MW-15C

Permitted Well Type: **CO**

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/5/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/5/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/5/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/5/2004
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/5/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/5/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/5/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/5/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/5/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/5/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/5/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/5/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/5/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/5/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/5/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/5/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/5/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/5/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/5/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/5/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/5/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well: 19944

Monitoring_Site_Num: MW-15C

Permitted Well Type: **CO**

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) **Yes**

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/5/2004
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/5/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/5/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/5/2004
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/5/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/5/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/5/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/5/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/5/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/5/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/5/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/5/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/5/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/5/2004
034010	Toluene	SP	NO	Y	8260	0.51	0.51	ug/l	U	8/5/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/5/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/5/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/5/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/5/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/5/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/5/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well: 19944

Monitoring_Site_Num: MW-15C

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/5/2004
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/5/2004
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/5/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/5/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/4/2004
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/5/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well: 19901

Monitoring_Site_Num: MW-1B

Permitted Well Type: **BG**

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.13	0.04	mg/l		8/5/2004
000940	Chloride	SP	NO	Y	325.3	7.1	1	mg/l		8/2/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	7/30/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	190	5	mg/l		8/5/2004
001097	Antimony (Dissolved)	SP	YES	Y	6010	0.0029	0.0029	mg/l	U	8/4/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/4/2004
001002	Arsenic	SP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/4/2004
001002	Arsenic (Dissolved)	SP	YES	Y	6010	0.0038	0.0038	mg/l	U	8/4/2004
001007	Barium (Dissolved)	SP	YES	Y	6010	0.0086	0.0012	mg/l	I	8/4/2004
001007	Barium	SP	NO	Y	6010	0.099	0.0012	mg/l		8/4/2004
001012	Beryllium	SP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/4/2004
001012	Beryllium (Dissolved)	SP	YES	Y	6010	0.00074	0.00074	mg/l	U	8/4/2004
001027	Cadmium (Dissolved)	SP	YES	Y	6010	0.00071	0.00071	mg/l	U	8/4/2004
001027	Cadmium	SP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/4/2004
001034	Chromium	SP	NO	Y	6010	0.016	0.0017	mg/l		8/4/2004
001034	Chromium (Dissolved)	SP	YES	Y	6010	0.0017	0.0017	mg/l	U	8/4/2004
001037	Cobalt	SP	NO	Y	6010	0.0018	0.0014	mg/l	I	8/4/2004
001037	Cobalt (Dissolved)	SP	YES	Y	6010	0.0014	0.0014	mg/l	U	8/4/2004
001042	Copper	SP	NO	Y	6010	0.0013	0.0013	mg/l	U	8/4/2004
001042	Copper (Dissolved)	SP	YES	Y	6010	0.0013	0.0013	mg/l	U	8/4/2004
001045	Iron (Dissolved)	SP	YES	Y	6010	0.5	0.037	mg/l		8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well: 19901

Monitoring_Site_Num: MW-1B

Permitted Well Type: **BG**

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) **Yes**

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001045	Iron	SP	NO	Y	6010	2.6	0.037	mg/l		8/4/2004
001051	Lead (Dissolved)	SP	YES	Y	6010	0.0015	0.0015	mg/l	U	8/4/2004
001051	Lead	SP	NO	Y	6010	0.012	0.0015	mg/l		8/4/2004
071900	Mercury	SP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/3/2004
071900	Mercury (Dissolved)	SP	YES	Y	7470	0.000072	0.000072	mg/l	U	8/3/2004
001067	Nickel	SP	NO	Y	6010	0.0054	0.0047	mg/l	I	8/4/2004
001067	Nickel (Dissolved)	SP	YES	Y	6010	0.0047	0.0047	mg/l	U	8/4/2004
001147	Selenium (Dissolved)	SP	YES	Y	6010	0.0048	0.0038	mg/l	U	8/4/2004
001147	Selenium	SP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/4/2004
000929	Sodium (Dissolved)	SP	YES	Y	6010	4.1	0.15	mg/l		8/4/2004
000929	Sodium	SP	NO	Y	6010	4.1	0.15	mg/l		8/4/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/4/2004
001059	Thallium (Dissolved)	SP	YES	Y	7841	0.0007	0.0007	mg/l	U	8/4/2004
001087	Vanadium	SP	NO	Y	6010	0.018	0.0025	mg/l		8/4/2004
001087	Vanadium (Dissolved)	SP	YES	Y	6010	0.0025	0.0025	mg/l	U	8/4/2004
001092	Zinc	SP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/4/2004
001092	Zinc (Dissolved)	SP	YES	Y	6010	0.0059	0.0059	mg/l	U	8/4/2004
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/5/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/5/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/5/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/5/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well: 19901

Monitoring_Site_Num: MW-1B

Permitted Well Type: **BG**

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/5/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/5/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/5/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/5/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/5/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/5/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/5/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/5/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/5/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/5/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/5/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/5/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/5/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/5/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/5/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/5/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/5/2004
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/5/2004
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/5/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/5/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/5/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well: 19901

Monitoring_Site_Num: MW-1B

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/5/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/5/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/5/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/5/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/5/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/5/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/5/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/5/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/5/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/5/2004
034010	Toluene	SP	NO	Y	8260	4.8	0.51	ug/l		8/5/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/5/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/5/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/5/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/5/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/5/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/5/2004
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/5/2004
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/5/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/5/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well: 19901

Monitoring_Site_Num: MW-1B

Permitted Well Type: **BG**

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/5/2004
001077	Silver (Dissolved)	SP	YES	Y	6010	0.0019	0.0019	mg/l	U	8/4/2004
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/5/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well: 19902

Monitoring_Site_Num: MW-1C

Permitted Well Type: **BG**

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.11	0.04	mg/l		8/5/2004
000940	Chloride	SP	NO	Y	325.3	10	1	mg/l		8/2/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	7/30/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	70	5	mg/l		8/5/2004
001097	Antimony (Dissolved)	SP	YES	Y	6010	0.0029	0.0029	mg/l	I	8/4/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/4/2004
001002	Arsenic	SP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/4/2004
001002	Arsenic (Dissolved)	SP	YES	Y	6010	0.0038	0.0038	mg/l	U	8/4/2004
001007	Barium	SP	NO	Y	6010	0.047	0.0012	mg/l		8/4/2004
001007	Barium (Dissolved)	SP	YES	Y	6010	0.014	0.0012	mg/l		8/4/2004
001012	Beryllium (Dissolved)	SP	YES	Y	6010	0.00074	0.00074	mg/l	U	8/4/2004
001012	Beryllium	SP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/4/2004
001027	Cadmium (Dissolved)	SP	YES	Y	6010	0.00071	0.00071	mg/l	U	8/4/2004
001027	Cadmium	SP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/4/2004
001034	Chromium (Dissolved)	SP	YES	Y	6010	0.0017	0.0017	mg/l	U	8/4/2004
001034	Chromium	SP	NO	Y	6010	0.0038	0.0017	mg/l	I	8/4/2004
001037	Cobalt (Dissolved)	SP	YES	Y	6010	0.0014	0.0014	mg/l	U	8/4/2004
001037	Cobalt	SP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/4/2004
001042	Copper	SP	NO	Y	6010	0.0013	0.0013	mg/l	U	8/4/2004
001042	Copper (Dissolved)	SP	YES	Y	6010	0.0013	0.0013	mg/l	U	8/4/2004
001045	Iron (Dissolved)	SP	YES	Y	6010	0.43	0.037	mg/l		8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well: 19902

Monitoring_Site_Num: MW-1C

Permitted Well Type: **BG**

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001045	Iron	SP	NO	Y	6010	0.69	0.037	mg/l		8/4/2004
001051	Lead (Dissolved)	SP	YES	Y	6010	0.0015	0.0015	mg/l	U	8/4/2004
001051	Lead	SP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/4/2004
071900	Mercury (Dissolved)	SP	YES	Y	7470	0.000072	0.000072	mg/l	U	8/3/2004
071900	Mercury	SP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/3/2004
001067	Nickel (Dissolved)	SP	YES	Y	6010	0.0047	0.0047	mg/l	U	8/4/2004
001067	Nickel	SP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/4/2004
001147	Selenium	SP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/4/2004
001147	Selenium (Dissolved)	SP	YES	Y	6010	0.0048	0.0038	mg/l	U	8/4/2004
000929	Sodium (Dissolved)	SP	YES	Y	6010	4.1	0.15	mg/l		8/4/2004
000929	Sodium	SP	NO	Y	6010	4.1	0.15	mg/l		8/4/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/4/2004
001059	Thallium (Dissolved)	SP	YES	Y	7841	0.0007	0.0007	mg/l	U	8/4/2004
001087	Vanadium (Dissolved)	SP	YES	Y	6010	0.0025	0.0025	mg/l	U	8/4/2004
001087	Vanadium	SP	NO	Y	6010	0.0056	0.0025	mg/l	I	8/4/2004
001092	Zinc (Dissolved)	SP	YES	Y	6010	0.0059	0.0059	mg/l	U	8/4/2004
001092	Zinc	SP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/4/2004
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/5/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/5/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/5/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/5/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well: 19902

Monitoring_Site_Num: MW-1C

Permitted Well Type: BG

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Well Purged prior to Sample Collection? (Y/N) Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/5/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/5/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/5/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/5/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/5/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/5/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/5/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/5/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/5/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/5/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/5/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/5/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/5/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/5/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/5/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/5/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/5/2004
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/5/2004
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/5/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/5/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/5/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well: 19902

Monitoring_Site_Num: MW-1C

Permitted Well Type: **BG**

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/5/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/5/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/5/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/5/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/5/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/5/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/5/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/5/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/5/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/5/2004
034010	Toluene	SP	NO	Y	8260	0.51	0.51	ug/l	U	8/5/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/5/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/5/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/5/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/5/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/5/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/5/2004
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/5/2004
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/5/2004
001077	Silver (Dissolved)	SP	YES	Y	6010	0.0019	0.0019	mg/l	U	8/4/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well: 19902

Monitoring_Site_Num: MW-1C

Permitted Well Type: **BG**

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

**Well Purged prior to
 Sample Collection? (Y/N)** Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/5/2004
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/5/2004
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/5/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well:

Monitoring_Site_Num: Trip Blank

Permitted Well Type:

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Well Purged prior to Sample Collection? (Y/N) Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/5/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/5/2004

Analytical Report

For: Mr. Kirk Wills
Geosyntec
14055 Riveredge Drive, Ste.300
Tampa, FL 33637

CC:

Order Number: B423833
SDG Number:
Client Project ID: FQ0638
Project: Oak Hammock Disposal Landfill
Report Date: 08/16/2004
Sampled By: Client
Sample Received Date: 07/31/2004
Requisition Number:
Purchase Order:



Michael F. Valder, Project Manager
mvalder@stl-inc.com

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Sample Summary

Order: B423833
Date Received: 07/31/2004

Client: Geosyntec
Project: Oak Hammock Disposal Landfill

Client Sample ID	Lab Sample ID	Matrix	Date Sampled
MW-2B	B423833*1	Liquid	07/30/2004 11:00
MW-2C	B423833*2	Liquid	07/30/2004 11:00
MW-3B	B423833*3	Liquid	07/30/2004 13:30
MW-3C	B423833*4	Liquid	07/30/2004 13:10
MW-4B	B423833*5	Liquid	07/30/2004 16:12
MW-4C	B423833*6	Liquid	07/30/2004 15:55

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23833-1	MW-2B	Liquid	07/31/04	07/30/04 11:00	
23833-2	MW-2C	Liquid	07/31/04	07/30/04 11:00	
23833-3	MW-3B	Liquid	07/31/04	07/30/04 13:30	
23833-4	MW-3C	Liquid	07/31/04	07/30/04 13:10	
23833-5	MW-4B	Liquid	07/31/04	07/30/04 16:12	

Parameter	Units	Lab Sample IDs				
		23833-1	23833-2	23833-3	23833-4	23833-5

Appendix I - Organics (8260)

Parameter	Units	23833-1	23833-2	23833-3	23833-4	23833-5
Acetone	ug/l	9.9U	9.9U	9.9U	9.9U	9.9U
Acrylonitrile	ug/l	1.2U	1.2U	1.2U	1.2U	1.2U
Benzene	ug/l	0.27U	0.27U	0.27U	0.27U	0.27U
Bromochloromethane	ug/l	0.58U	0.58U	0.58U	0.58U	0.58U
Bromodichloromethane	ug/l	0.35U	0.35U	0.35U	0.35U	0.35U
Bromoform	ug/l	0.58U	0.58U	0.58U	0.58U	0.58U
Carbon disulfide	ug/l	0.85U	0.85U	0.85U	0.85U	0.85U
Carbon Tetrachloride	ug/l	0.42U	0.42U	0.42U	0.42U	0.42U
Chlorobenzene	ug/l	0.63U	0.63U	0.63U	0.63U	0.63U
Chloroethane	ug/l	0.80U	0.80U	0.80U	0.80U	0.80U
Chloroform	ug/l	0.90U	0.90U	0.90U	0.90U	0.90U
Dibromochloromethane	ug/l	0.34U	0.34U	0.34U	0.34U	0.34U
1,2-Dichlorobenzene	ug/l	0.44U	0.44U	0.44U	0.44U	0.44U
1,4-Dichlorobenzene	ug/l	0.52U	0.52U	0.52U	0.52U	0.52U
Trans-1,4-Dichloro-2-butene	ug/l	2.5U	2.5U	2.5U	2.5U	2.5U
1,1-Dichloroethane	ug/l	0.52U	0.52U	0.52U	0.52U	0.52U
1,2-Dichloroethane	ug/l	0.57U	0.57U	0.57U	0.57U	0.57U
1,1-Dichloroethylene	ug/l	0.45U	0.45U	0.45U	0.45U	0.45U
cis-1,2-Dichloroethylene	ug/l	0.65U	0.65U	0.65U	0.65U	0.65U
trans-1,2-Dichloroethylene	ug/l	0.44U	0.44U	0.44U	0.44U	0.44U
1,2-Dichloropropane	ug/l	0.52U	0.52U	0.52U	0.52U	0.52U
cis-1,3-Dichloropropene	ug/l	0.14U	0.14U	0.14U	0.14U	0.14U
trans-1,3-Dichloropropene	ug/l	0.14U	0.14U	0.14U	0.14U	0.14U
Ethylbenzene	ug/l	0.83U	0.83U	0.83U	0.83U	0.83U
2-Hexanone	ug/l	4.4U	4.4U	4.4U	4.4U	4.4U
Bromomethane	ug/l	0.66U	0.66U	0.66U	0.66U	0.66U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23833-1	MW-2B	Liquid	07/31/04	07/30/04	11:00
23833-2	MW-2C	Liquid	07/31/04	07/30/04	11:00
23833-3	MW-3B	Liquid	07/31/04	07/30/04	13:30
23833-4	MW-3C	Liquid	07/31/04	07/30/04	13:10
23833-5	MW-4B	Liquid	07/31/04	07/30/04	16:12

Parameter	Units	Lab Sample IDs				
		23833-1	23833-2	23833-3	23833-4	23833-5

Appendix I - Organics (8260)

Chloromethane	ug/l	0.64U	0.64U	0.64U	0.64U	0.64U
Dibromomethane	ug/l	0.41U	0.41U	0.41U	0.41U	0.41U
Methylene Chloride	ug/l	1.0U	1.0U	1.0U	1.0U	1.0U
2-Butanone (MEK)	ug/l	8.4U	8.4U	8.4U	8.4U	8.4U
Iodomethane	ug/l	0.67U	0.67U	0.67U	0.67U	0.67U
4-Methyl-2-pentanone (MIBK)	ug/l	3.8U	3.8U	3.8U	3.8U	3.8U
Styrene	ug/l	0.98U	0.98U	0.98U	0.98U	0.98U
1,1,1,2-Tetrachloroethane	ug/l	0.63U	0.63U	0.63U	0.63U	0.63U
1,1,2,2-Tetrachloroethane	ug/l	0.14U	0.14U	0.14U	0.14U	0.14U
Tetrachloroethene	ug/l	0.34U	0.34U	0.34U	0.34U	0.34U
Toluene	ug/l	4.5	0.51U	2.9	0.51U	0.51U
1,1,1-Trichloroethane	ug/l	0.46U	0.46U	0.46U	0.46U	0.46U
1,1,2-Trichloroethane	ug/l	0.47U	0.47U	0.47U	0.47U	0.47U
Trichloroethene	ug/l	0.28U	0.28U	0.28U	0.28U	0.28U
Trichlorofluoromethane	ug/l	0.98U	0.98U	0.98U	0.98U	0.98U
1,2,3-Trichloropropane	ug/l	0.15U	0.15U	0.15U	0.15U	0.15U
Vinyl acetate	ug/l	1.5U	1.5U	1.5U	1.5U	1.5U
Vinyl chloride	ug/l	0.50U	0.50U	0.50U	0.50U	0.50U
Xylenes	ug/l	0.98U	0.98U	0.98U	0.98U	0.98U
Dilution Factor		1	1	1	1	1
Analysis Date		08/07/04	08/07/04	08/07/04	08/07/04	08/08/04
Analysis Time		20:00	20:24	20:48	21:12	13:26
Batch ID		0807E	0807E	0807E	0807E	0807E

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23833-1	MW-2B	Liquid	07/31/04	07/30/04	11:00
23833-2	MW-2C	Liquid	07/31/04	07/30/04	11:00
23833-3	MW-3B	Liquid	07/31/04	07/30/04	13:30
23833-4	MW-3C	Liquid	07/31/04	07/30/04	13:10
23833-5	MW-4B	Liquid	07/31/04	07/30/04	16:12

Parameter	Units	Lab Sample IDs				
		23833-1	23833-2	23833-3	23833-4	23833-5

Microextractables (504)

1,2-Dibromoethane (EDB)	ug/l	0.0087U	0.0087U	0.0087U	0.0087U	0.0087U
1,2-Dibromo-3-chloropropane	ug/l	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U
Dilution Factor		1	1	1	1	1
Prep Date		08/11/04	08/11/04	08/11/04	08/11/04	08/11/04
Prep Time		19:00	19:00	19:00	19:00	19:00
Analysis Date		08/12/04	08/12/04	08/12/04	08/12/04	08/12/04
Analysis Time		10:30	10:51	11:12	11:33	11:55
Batch ID		0811EE	0811EE	0811EE	0811EE	0811EE

Appendix I Metals by ICP (6010)

Arsenic	mg/l	0.0038U	0.0038U	0.0072I	0.0041I	0.0038U
Barium	mg/l	0.071	0.070	0.35	0.10	0.035
Beryllium	mg/l	0.00074U	0.00074U	0.0014I	0.00074U	0.00074U
Cadmium	mg/l	0.00071U	0.00071U	0.00071U	0.00071U	0.00071U
Chromium	mg/l	0.0093I	0.0097I	0.061	0.015	0.0047I
Cobalt	mg/l	0.0014U	0.0014U	0.0036I	0.0014U	0.0014U
Copper	mg/l	0.0020I	0.0020I	0.011I	0.0034I	0.0027I
Lead	mg/l	0.0052	0.0021I	0.043	0.0038I	0.0016I
Nickel	mg/l	0.0047U	0.0047U	0.014I	0.0047U	0.0047U
Selenium	mg/l	0.0048U	0.0048U	0.012	0.0048U	0.0048U
Silver	mg/l	0.0019U	0.0019U	0.0019U	0.0019U	0.0019U
Vanadium	mg/l	0.014	0.0095I	0.081	0.018	0.0056I
Zinc	mg/l	0.0093I	0.0059U	0.023	0.0059U	0.0059U
Antimony	mg/l	0.0029U	0.0029U	0.0029U	0.0029U	0.0029U
Dilution Factor		1	1	1	1	1
Prep Date		08/06/04	08/06/04	08/06/04	08/06/04	08/06/04
Prep Time		12:00	12:00	12:00	12:00	12:00
Analysis Date		08/10/04	08/10/04	08/10/04	08/10/04	08/10/04
Analysis Time		11:33	11:52	11:58	12:04	12:10
Batch ID		40806K	40806K	40806K	40806K	40806K

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23833-1	MW-2B	Liquid	07/31/04	07/30/04	11:00
23833-2	MW-2C	Liquid	07/31/04	07/30/04	11:00
23833-3	MW-3B	Liquid	07/31/04	07/30/04	13:30
23833-4	MW-3C	Liquid	07/31/04	07/30/04	13:10
23833-5	MW-4B	Liquid	07/31/04	07/30/04	16:12

Parameter	Units	Lab Sample IDs				
		23833-1	23833-2	23833-3	23833-4	23833-5

Mercury (7470)

Mercury	mg/l	0.000072U	0.000072U	0.00032	0.000072U	0.000072U
Dilution Factor		1	1	1	1	1
Prep Date		08/05/04	08/05/04	08/05/04	08/05/04	08/05/04
Prep Time		13:35	13:35	13:35	13:35	13:35
Analysis Date		08/06/04	08/06/04	08/06/04	08/06/04	08/06/04
Analysis Time		18:47	18:55	19:03	19:06	19:09
Batch ID		40806T	40806T	40806T	40806T	40806T

Iron (6010)

Iron	mg/l	1.4	1.7	8.5	3.1	1.5
Dilution Factor		1	1	1	1	1
Prep Date		08/06/04	08/06/04	08/06/04	08/06/04	08/06/04
Prep Time		12:00	12:00	12:00	12:00	12:00
Analysis Date		08/10/04	08/10/04	08/10/04	08/10/04	08/10/04
Analysis Time		11:33	11:52	11:58	12:04	12:10
Batch ID		40806K	40806K	40806K	40806K	40806K

Thallium (7841)

Thallium	mg/l	0.00070U	0.00070U	0.00070U	0.00070U	0.00070U
Dilution Factor		1	1	1	1	1
Prep Date		08/05/04	08/05/04	08/05/04	08/05/04	08/05/04
Prep Time		07:45	07:45	07:45	07:45	07:45
Analysis Date		08/09/04	08/09/04	08/09/04	08/09/04	08/09/04
Analysis Time		12:59	13:07	13:24	13:33	13:41
Batch ID		0805G	0805G	0805G	0805G	0805G

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23833-1	MW-2B	Liquid	07/31/04	07/30/04 11:00	
23833-2	MW-2C	Liquid	07/31/04	07/30/04 11:00	
23833-3	MW-3B	Liquid	07/31/04	07/30/04 13:30	
23833-4	MW-3C	Liquid	07/31/04	07/30/04 13:10	
23833-5	MW-4B	Liquid	07/31/04	07/30/04 16:12	

Parameter	Units	Lab Sample IDs				
		23833-1	23833-2	23833-3	23833-4	23833-5

Thallium (Dissolved) (7841)

Thallium (Dissolved)	mg/l	0.00070U	0.00070U	0.00070U	0.00070U	0.00070U
Dilution Factor		1	1	1	1	1
Prep Date		08/05/04	08/05/04	08/05/04	08/05/04	08/05/04
Prep Time		07:45	07:45	07:45	07:45	07:45
Analysis Date		08/09/04	08/09/04	08/09/04	08/09/04	08/09/04
Analysis Time		13:03	13:20	13:28	13:37	13:45
Batch ID		0805G	0805G	0805G	0805G	0805G

Sodium (6010)

Sodium	mg/l	4.9	4.8	7.0	5.2	15
Dilution Factor		1	1	1	1	1
Prep Date		08/06/04	08/06/04	08/06/04	08/06/04	08/06/04
Prep Time		12:00	12:00	12:00	12:00	12:00
Analysis Date		08/10/04	08/10/04	08/10/04	08/10/04	08/10/04
Analysis Time		11:33	11:52	11:58	12:04	12:10
Batch ID		40806K	40806K	40806K	40806K	40806K

Appendix I Metals Dissolved (6010)

Antimony (Dissolved)	mg/l	0.0029U	0.0029U	0.0029U	0.0029U	0.0029U
Arsenic (Dissolved)	mg/l	0.0038U	0.0042I	0.0038U	0.0038U	0.0038U
Barium (Dissolved)	mg/l	0.029	0.015	0.0093I	0.015	0.013
Beryllium (Dissolved)	mg/l	0.00074U	0.00074U	0.00074U	0.00074U	0.00074U
Cadmium (Dissolved)	mg/l	0.00071U	0.00071U	0.00071U	0.00071U	0.00071U
Chromium (Dissolved)	mg/l	0.0033I	0.0017U	0.0017U	0.0017U	0.0017U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23833-1	MW-2B	Liquid	07/31/04	07/30/04 11:00	
23833-2	MW-2C	Liquid	07/31/04	07/30/04 11:00	
23833-3	MW-3B	Liquid	07/31/04	07/30/04 13:30	
23833-4	MW-3C	Liquid	07/31/04	07/30/04 13:10	
23833-5	MW-4B	Liquid	07/31/04	07/30/04 16:12	

Parameter	Units	Lab Sample IDs				
		23833-1	23833-2	23833-3	23833-4	23833-5

Appendix I Metals Dissolved (6010)

Cobalt (Dissolved)	mg/l	0.0014U	0.0014U	0.0014U	0.0014U	0.0014U
Copper (Dissolved)	mg/l	0.0013U	0.0013U	0.0013U	0.0013U	0.0013U
Lead (Dissolved)	mg/l	0.0015I	0.0015U	0.0015U	0.0015U	0.0015U
Nickel (Dissolved)	mg/l	0.0047U	0.0047U	0.0047U	0.0047U	0.0047U
Selenium (Dissolved)	mg/l	0.0048U	0.0048U	0.0048U	0.0048U	0.0048U
Silver (Dissolved)	mg/l	0.0019U	0.0019U	0.0019U	0.0019U	0.0019U
Vanadium (Dissolved)	mg/l	0.0060I	0.0025U	0.0026I	0.0025U	0.0025U
Zinc (Dissolved)	mg/l	0.0087I	0.0059U	0.0059U	0.0059U	0.0059U
Dilution Factor		1	1	1	1	1
Prep Date		08/06/04	08/06/04	08/06/04	08/06/04	08/06/04
Prep Time		12:00	12:00	12:00	12:00	12:00
Analysis Date		08/10/04	08/10/04	08/10/04	08/10/04	08/10/04
Analysis Time		12:22	12:29	12:35	12:41	12:47
Batch ID		40806K	40806K	40806K	40806K	40806K

Iron (Dissolved) (6010)

Iron (Dissolved)	mg/l	0.97	1.0	0.62	1.4	1.2
Dilution Factor		1	1	1	1	1
Prep Date		08/06/04	08/06/04	08/06/04	08/06/04	08/06/04
Prep Time		12:00	12:00	12:00	12:00	12:00
Analysis Date		08/10/04	08/10/04	08/10/04	08/10/04	08/10/04
Analysis Time		12:22	12:29	12:35	12:41	12:47
Batch ID		40806K	40806K	40806K	40806K	40806K

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23833-1	MW-2B	Liquid	07/31/04	07/30/04 11:00	
23833-2	MW-2C	Liquid	07/31/04	07/30/04 11:00	
23833-3	MW-3B	Liquid	07/31/04	07/30/04 13:30	
23833-4	MW-3C	Liquid	07/31/04	07/30/04 13:10	
23833-5	MW-4B	Liquid	07/31/04	07/30/04 16:12	

Parameter	Units	Lab Sample IDs				
		23833-1	23833-2	23833-3	23833-4	23833-5

Sodium (Dissolved) (6010)

Sodium (Dissolved)	mg/l	5.0	4.9	7.3	5.2	15
Dilution Factor		1	1	1	1	1
Prep Date		08/06/04	08/06/04	08/06/04	08/06/04	08/06/04
Prep Time		12:00	12:00	12:00	12:00	12:00
Analysis Date		08/10/04	08/10/04	08/10/04	08/10/04	08/10/04
Analysis Time		12:22	12:29	12:35	12:41	12:47
Batch ID		40806K	40806K	40806K	40806K	40806K

Mercury (Dissolved) (7470)

Mercury (Dissolved)	mg/l	0.000072U	0.000072U	0.000072U	0.000072U	0.000072U
Dilution Factor		1	1	1	1	1
Prep Date		08/05/04	08/05/04	08/05/04	08/05/04	08/05/04
Prep Time		13:35	13:35	13:35	13:35	13:35
Analysis Date		08/06/04	08/06/04	08/06/04	08/06/04	08/06/04
Analysis Time		18:52	19:00	19:04	19:08	19:12
Batch ID		40806T	40805T	40806T	40806T	40806T

Chloride (325.3)

Chloride	mg/l	7.3	6.4	14	9.8	30
Dilution Factor		1	1	1	1	1
Analysis Date		08/11/04	08/11/04	08/11/04	08/11/04	08/11/04
Analysis Time		11:00	11:00	11:00	11:00	11:00
Batch ID		0811M	0811M	0811M	0811M	0811M

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23833-1	MW-2B	Liquid	07/31/04	07/30/04 11:00	
23833-2	MW-2C	Liquid	07/31/04	07/30/04 11:00	
23833-3	MW-3B	Liquid	07/31/04	07/30/04 13:30	
23833-4	MW-3C	Liquid	07/31/04	07/30/04 13:10	
23833-5	MW-4B	Liquid	07/31/04	07/30/04 16:12	

Parameter	Units	Lab Sample IDs				
		23833-1	23833-2	23833-3	23833-4	23833-5

Ammonia-N (350.3)

Ammonia-N	mg/l	0.12	0.11	0.12	0.11	0.090
Dilution Factor		1	1	1	1	1
Analysis Date		08/05/04	08/05/04	08/05/04	08/05/04	08/05/04
Analysis Time		23:00	23:00	23:00	23:00	23:00
Batch ID		0805Y	0805Y	0805Y	0805Y	0805Y

Nitrate-N (353.2)

Nitrate-N	mg/l	0.010U	0.010U	0.010U	0.010U	0.010U
Dilution Factor		1	1	1	1	1
Analysis Date		08/01/04	08/01/04	08/01/04	08/01/04	08/01/04
Analysis Time		10:07	10:07	10:07	10:07	10:07
Batch ID		0801G	0801G	0801G	0801G	0801G

Solids, Total Dissolved (160.1)

Solids, Total Dissolved	mg/l	110	74	530	130	84
Dilution Factor		1	1	1	1	1
Analysis Date		08/06/04	08/06/04	08/06/04	08/06/04	08/06/04
Analysis Time		17:33	17:33	17:33	17:33	17:33
Batch ID		0806J	0806J	0806J	0806J	0806J

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23833-6	MW-4C	Liquid	07/31/04	07/30/04 15:55	

Lab Sample IDs

Parameter	Units	23833-6
-----------	-------	---------

Appendix I - Organics (8260)

Acetone	ug/l	9.9U
Acrylonitrile	ug/l	1.2U
Benzene	ug/l	0.27U
Bromochloromethane	ug/l	0.58U
Bromodichloromethane	ug/l	0.35U
Bromoform	ug/l	0.58U
Carbon disulfide	ug/l	0.85U
Carbon Tetrachloride	ug/l	0.42U
Chlorobenzene	ug/l	0.63U
Chloroethane	ug/l	0.80U
Chloroform	ug/l	0.90U
Dibromochloromethane	ug/l	0.34U
1,2-Dichlorobenzene	ug/l	0.44U
1,4-Dichlorobenzene	ug/l	0.52U
Trans-1,4-Dichloro-2-butene	ug/l	2.5U
1,1-Dichloroethane	ug/l	0.52U
1,2-Dichloroethane	ug/l	0.57U
1,1-Dichloroethylene	ug/l	0.45U
cis-1,2-Dichloroethylene	ug/l	0.65U
trans-1,2-Dichloroethylene	ug/l	0.44U
1,2-Dichloropropane	ug/l	0.52U
cis-1,3-Dichloropropene	ug/l	0.14U
trans-1,3-Dichloropropene	ug/l	0.14U
Ethylbenzene	ug/l	0.83U
2-Hexanone	ug/l	4.4U
Bromomethane	ug/l	0.66U
Chloromethane	ug/l	0.64U
Dibromomethane	ug/l	0.41U
Methylene Chloride	ug/l	1.0U
2-Butanone (MEK)	ug/l	8.4U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23833-6	MW-4C	Liquid	07/31/04	07/30/04 15:55	

Parameter	Units	Lab Sample IDs
		23833-6

Appendix I - Organics (8260)

Iodomethane	ug/l	0.67U
4-Methyl-2-pentanone (MIBK)	ug/l	3.8U
Styrene	ug/l	0.98U
1,1,1,2-Tetrachloroethane	ug/l	0.63U
1,1,2,2-Tetrachloroethane	ug/l	0.14U
Tetrachloroethene	ug/l	0.34U
Toluene	ug/l	0.51U
1,1,1-Trichloroethane	ug/l	0.46U
1,1,2-Trichloroethane	ug/l	0.47U
Trichloroethene	ug/l	0.28U
Trichlorofluoromethane	ug/l	0.98U
1,2,3-Trichloropropane	ug/l	0.15U
Vinyl acetate	ug/l	1.5U
Vinyl chloride	ug/l	0.50U
Xylenes	ug/l	0.98U
Dilution Factor		1
Analysis Date		08/07/04
Analysis Time		22:00
Batch ID		0807E

Microextractables (504)

1,2-Dibromoethane (EDB)	ug/l	0.0087U
1,2-Dibromo-3-chloropropane	ug/l	0.0030U
Dilution Factor		1
Prep Date		08/11/04
Prep Time		19:00
Analysis Date		08/12/04
Analysis Time		12:16
Batch ID		0811EE

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23833-6	MW-4C	Liquid	07/31/04	07/30/04 15:55	

Parameter	Units	Lab Sample IDs
		23833-6

Appendix I Metals by ICP (6010)

Arsenic	mg/l	0.015
Barium	mg/l	0.62
Beryllium	mg/l	0.0040I
Cadmium	mg/l	0.00080I
Chromium	mg/l	0.13
Cobalt	mg/l	0.0073I
Copper	mg/l	0.0072I
Lead	mg/l	0.019
Nickel	mg/l	0.022I
Selenium	mg/l	0.0048U
Silver	mg/l	0.0019U
Vanadium	mg/l	0.12
Zinc	mg/l	0.045
Antimony	mg/l	0.0029U
Dilution Factor		1
Prep Date		08/06/04
Prep Time		12:00
Analysis Date		08/10/04
Analysis Time		12:16
Batch ID		40806K

Mercury (7470)

Mercury	mg/l	0.000076I
Dilution Factor		1
Prep Date		08/05/04
Prep Time		13:35
Analysis Date		08/06/04
Analysis Time		19:14
Batch ID		40806T

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23833-6	MW-4C	Liquid	07/31/04	07/30/04 15:55	

Parameter	Units	Lab Sample IDs
		23833-6

Iron (6010)

Iron	mg/l	17
Dilution Factor		1
Prep Date		08/06/04
Prep Time		12:00
Analysis Date		08/10/04
Analysis Time		12:16
Batch ID		40806K

Thallium (7841)

Thallium	mg/l	0.00070U
Dilution Factor		1
Prep Date		08/05/04
Prep Time		07:45
Analysis Date		08/09/04
Analysis Time		13:49
Batch ID		0805G

Thallium (Dissolved) (7841)

Thallium (Dissolved)	mg/l	0.00070U
Dilution Factor		1
Prep Date		08/05/04
Prep Time		07:45
Analysis Date		08/09/04
Analysis Time		13:53
Batch ID		0805G

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23833-6	MW-4C	Liquid	07/31/04	07/30/04 15:55	

Parameter	Units	Lab Sample IDs
		23833-6

Sodium (6010)

Sodium	mg/l	8.8
Dilution Factor		1
Prep Date		08/06/04
Prep Time		12:00
Analysis Date		08/10/04
Analysis Time		12:16
Batch ID		40806K

Appendix I Metals Dissolved (6010)

Antimony (Dissolved)	mg/l	0.0029U
Arsenic (Dissolved)	mg/l	0.0038U
Barium (Dissolved)	mg/l	0.012
Beryllium (Dissolved)	mg/l	0.00074U
Cadmium (Dissolved)	mg/l	0.00071U
Chromium (Dissolved)	mg/l	0.0022I
Cobalt (Dissolved)	mg/l	0.0014U
Copper (Dissolved)	mg/l	0.0013U
Lead (Dissolved)	mg/l	0.0015U
Nickel (Dissolved)	mg/l	0.0047U
Selenium (Dissolved)	mg/l	0.0048U
Silver (Dissolved)	mg/l	0.0019U
Vanadium (Dissolved)	mg/l	0.0039I
Zinc (Dissolved)	mg/l	0.0059U
Dilution Factor		1
Prep Date		08/06/04
Prep Time		12:00
Analysis Date		08/10/04
Analysis Time		13:06
Batch ID		40806K

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23833-6	MW-4C	Liquid	07/31/04	07/30/04 15:55	

Parameter	Units	Lab Sample IDs
		23833-6

Iron (Dissolved) (6010)

Iron (Dissolved)	mg/l	0.81
Dilution Factor		1
Prep Date		08/06/04
Prep Time		12:00
Analysis Date		08/10/04
Analysis Time		13:06
Batch ID		40806K

Sodium (Dissolved) (6010)

Sodium (Dissolved)	mg/l	9.2
Dilution Factor		1
Prep Date		08/06/04
Prep Time		12:00
Analysis Date		08/10/04
Analysis Time		13:06
Batch ID		40806K

Mercury (Dissolved) (7470)

Mercury (Dissolved)	mg/l	0.000072U
Dilution Factor		1
Prep Date		08/05/04
Prep Time		13:35
Analysis Date		08/06/04
Analysis Time		19:15
Batch ID		40806T

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23833-6	MW-4C	Liquid	07/31/04	07/30/04 15:55	

Parameter	Units	Lab Sample IDs
		23833-6

Chloride (325.3)

Chloride	mg/l	9.8
Dilution Factor		1
Analysis Date		08/11/04
Analysis Time		11:00
Batch ID		0811M

Ammonia-N (350.3)

Ammonia-N	mg/l	0.11
Dilution Factor		1
Analysis Date		08/05/04
Analysis Time		23:00
Batch ID		0805Y

Nitrate-N (353.2)

Nitrate-N	mg/l	0.010U
Dilution Factor		1
Analysis Date		08/01/04
Analysis Time		10:07
Batch ID		0801G

Solids, Total Dissolved (160.1)

Solids, Total Dissolved	mg/l	490
Dilution Factor		1
Analysis Date		08/06/04
Analysis Time		17:33
Batch ID		0806J

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23833-7	Method Blank	Liquid	07/31/04		

Parameter	Units	Lab Sample IDs	
		23833-7	

Appendix I - Organics (8260)

Acetone	ug/l	9.9U
Acrylonitrile	ug/l	1.2U
Benzene	ug/l	0.27U
Bromochloromethane	ug/l	0.58U
Bromodichloromethane	ug/l	0.35U
Bromoform	ug/l	0.58U
Carbon disulfide	ug/l	0.85U
Carbon Tetrachloride	ug/l	0.42U
Chlorobenzene	ug/l	0.63U
Chloroethane	ug/l	0.80U
Chloroform	ug/l	0.90U
Dibromochloromethane	ug/l	0.34U
1,2-Dichlorobenzene	ug/l	0.44U
1,4-Dichlorobenzene	ug/l	0.52U
Trans-1,4-Dichloro-2-butene	ug/l	2.5U
1,1-Dichloroethane	ug/l	0.52U
1,2-Dichloroethane	ug/l	0.57U
1,1-Dichloroethylene	ug/l	0.45U
cis-1,2-Dichloroethylene	ug/l	0.65U
trans-1,2-Dichloroethylene	ug/l	0.44U
1,2-Dichloropropane	ug/l	0.52U
cis-1,3-Dichloropropene	ug/l	0.14U
trans-1,3-Dichloropropene	ug/l	0.14U
Ethylbenzene	ug/l	0.83U
2-Hexanone	ug/l	4.4U
Bromomethane	ug/l	0.66U
Chloromethane	ug/l	0.64U
Dibromomethane	ug/l	0.41U
Methylene Chloride	ug/l	1.0U
2-Butanone (MEK)	ug/l	8.4U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23833-7	Method Blank	Liquid	07/31/04		

Parameter	Units	Lab Sample IDs
		23833-7

Appendix I - Organics (8260)

Iodomethane	ug/l	0.67U
4-Methyl-2-pentanone (MIBK)	ug/l	3.8U
Styrene	ug/l	0.98U
1,1,1,2-Tetrachloroethane	ug/l	0.63U
1,1,2,2-Tetrachloroethane	ug/l	0.14U
Tetrachloroethene	ug/l	0.34U
Toluene	ug/l	0.51U
1,1,1-Trichloroethane	ug/l	0.46U
1,1,2-Trichloroethane	ug/l	0.47U
Trichloroethene	ug/l	0.28U
Trichlorofluoromethane	ug/l	0.98U
1,2,3-Trichloropropane	ug/l	0.15U
Vinyl acetate	ug/l	1.5U
Vinyl chloride	ug/l	0.50U
Xylenes	ug/l	0.98U
Dilution Factor		1
Analysis Date		08/07/04
Analysis Time		14:49
Batch ID		0807E

Microextractables (504)

1,2-Dibromoethane (EDB)	ug/l	0.0087U
1,2-Dibromo-3-chloropropane	ug/l	0.0030U
Dilution Factor		1
Prep Date		08/11/04
Prep Time		19:00
Analysis Date		08/12/04
Analysis Time		09:26
Batch ID		0811EE

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23833-7	Method Blank	Liquid	07/31/04		

Parameter	Units	Lab Sample IDs
		23833-7

Appendix I Metals by ICP (6010)

Arsenic	mg/l	0.0038U
Barium	mg/l	0.0012U
Beryllium	mg/l	0.00074U
Cadmium	mg/l	0.00071U
Chromium	mg/l	0.0017U
Cobalt	mg/l	0.0014U
Copper	mg/l	0.0013U
Lead	mg/l	0.0015U
Nickel	mg/l	0.0047U
Selenium	mg/l	0.0048U
Silver	mg/l	0.0019U
Vanadium	mg/l	0.0025U
Zinc	mg/l	0.0059U
Antimony	mg/l	0.0029U
Dilution Factor		1
Prep Date		08/06/04
Prep Time		12:00
Analysis Date		08/10/04
Analysis Time		10:44
Batch ID		40806K

Mercury (7470)

Mercury	mg/l	0.000072U
Dilution Factor		1
Prep Date		08/05/04
Prep Time		13:35
Analysis Date		08/06/04
Analysis Time		18:40
Batch ID		40806T

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23833-7	Method Blank	Liquid	07/31/04		

Parameter	Units	Lab Sample IDs
		23833-7

Iron (6010)

Iron	mg/l	0.037U
Dilution Factor		1
Prep Date		08/06/04
Prep Time		12:00
Analysis Date		08/10/04
Analysis Time		10:44
Batch ID		40806K

Thallium (7841)

Thallium	mg/l	0.00070U
Dilution Factor		1
Prep Date		08/05/04
Prep Time		07:45
Analysis Date		08/09/04
Analysis Time		12:46
Batch ID		0805G

Thallium (Dissolved) (7841)

Thallium (Dissolved)	mg/l	0.00070U
Dilution Factor		1
Prep Date		08/05/04
Prep Time		07:45
Analysis Date		08/09/04
Analysis Time		12:46
Batch ID		0805G

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23833-7	Method Blank	Liquid	07/31/04		

Lab Sample IDs

Parameter	Units	23833-7
-----------	-------	---------

Sodium (6010)

Sodium	mg/l	0.15U
Dilution Factor		1
Prep Date		08/06/04
Prep Time		12:00
Analysis Date		08/10/04
Analysis Time		10:44
Batch ID		40806K

Appendix I Metals Dissolved (6010)

Antimony (Dissolved)	mg/l	0.0029U
Arsenic (Dissolved)	mg/l	0.0038U
Barium (Dissolved)	mg/l	0.0012U
Beryllium (Dissolved)	mg/l	0.00074U
Cadmium (Dissolved)	mg/l	0.00071U
Chromium (Dissolved)	mg/l	0.0017U
Cobalt (Dissolved)	mg/l	0.0014U
Copper (Dissolved)	mg/l	0.0013U
Lead (Dissolved)	mg/l	0.0015U
Nickel (Dissolved)	mg/l	0.0047U
Selenium (Dissolved)	mg/l	0.0048U
Silver (Dissolved)	mg/l	0.0019U
Vanadium (Dissolved)	mg/l	0.0025U
Zinc (Dissolved)	mg/l	0.0059U
Dilution Factor		1
Prep Date		08/06/04
Prep Time		12:00
Analysis Date		08/10/04
Analysis Time		10:44
Batch ID		40806K

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23833-7	Method Blank	Liquid	07/31/04		

Parameter	Units	Lab Sample IDs
		23833-7

Iron (Dissolved) (6010)

Iron (Dissolved)	mg/l	0.037U
Dilution Factor		1
Prep Date		08/06/04
Prep Time		12:00
Analysis Date		08/10/04
Analysis Time		10:44
Batch ID		40806K

Sodium (Dissolved) (6010)

Sodium (Dissolved)	mg/l	0.15U
Dilution Factor		1
Prep Date		08/06/04
Prep Time		12:00
Analysis Date		08/10/04
Analysis Time		10:44
Batch ID		40806K

Mercury (Dissolved) (7470)

Mercury (Dissolved)	mg/l	0.000072U
Dilution Factor		1
Prep Date		08/05/04
Prep Time		13:35
Analysis Date		08/06/04
Analysis Time		18:40
Batch ID		40806T

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23833-7	Method Blank	Liquid	07/31/04		

Parameter	Units	Lab Sample IDs
		23833-7

Chloride (325.3)

Chloride	mg/l	1.00
Dilution Factor		1
Analysis Date		08/11/04
Analysis Time		11:00
Batch ID		0811M

Ammonia-N (350.3)

Ammonia-N	mg/l	0.040U
Dilution Factor		1
Analysis Date		08/05/04
Analysis Time		23:00
Batch ID		0805Y

Nitrate-N (353.2)

Nitrate-N	mg/l	0.010U
Dilution Factor		1
Analysis Date		08/01/04
Analysis Time		10:07
Batch ID		0801G

Solids, Total Dissolved (160.1)

Solids, Total Dissolved	mg/l	5.00
Dilution Factor		1
Analysis Date		08/06/04
Analysis Time		17:33
Batch ID		0806J

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23833-8	Lab Control Standard % Recovery	Liquid	07/31/04		
23833-9	Lab Control Standard Duplicate % Recovery	Liquid	07/31/04		
23833-10	Precision (%RPD) of LCS/LCSD	Liquid	07/31/04		
23833-11	LCS Accuracy Control Limit (%R)	Liquid	07/31/04		
23833-12	LCS Precision Control Limit (Advisory) %RPD	Liquid	07/31/04		

Parameter	Units	Lab Sample IDs				
		23833-8	23833-9	23833-10	23833-11	23833-12

Appendix I - Organics (8260)

Benzene	%	88 %	86 %	2.3 %	62-135 %	<16 %
Chlorobenzene	%	118 %	114 %	3.4 %	72-127 %	<22 %
1,1-Dichloroethylene	%	92 %	86 %	6.7 %	46-147 %	<30 %
Toluene	%	82 %	86 %	4.8 %	68-131 %	<33 %
Trichloroethene	%	96 %	90 %	6.4 %	56-143 %	<35 %
Dilution Factor		1	1			
Analysis Date		08/07/04	08/07/04			
Analysis Time		13:13	13:37			
Batch ID		0807E	0807E	0807E		

Microextractables (504)

1,2-Dibromoethane (EDB)	%	125 %	125 %	0 %	70-130 %	<30 %
1,2-Dibromo-3-chloropropane	%	136 %J3	136 %J3	0 %	70-130 %	<30 %
Dilution Factor		1	1			
Prep Date		08/11/04	08/11/04			
Prep Time		19:00	19:00			
Analysis Date		08/12/04	08/12/04			
Analysis Time		09:47	10:08			
Batch ID		0811EE	0811EE	0811EE		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23833-8	Lab Control Standard % Recovery	Liquid	07/31/04		
23833-9	Lab Control Standard Duplicate % Recovery	Liquid	07/31/04		
23833-10	Precision (%RPD) of LCS/LCSD	Liquid	07/31/04		
23833-11	LCS Accuracy Control Limit (%R)	Liquid	07/31/04		
23833-12	LCS Precision Control Limit (Advisory) %RPD	Liquid	07/31/04		

Parameter	Units	Lab Sample IDs				
		23833-8	23833-9	23833-10	23833-11	23833-12

Appendix I Metals by ICP (6010)

Arsenic	%	101 %	100 %	0.90 %	75-125 %	<20 %
Barium	%	100 %	98 %	1.5 %	75-125 %	<20 %
Beryllium	%	100 %	100 %	0.70 %	75-125 %	<20 %
Cadmium	%	103 %	102 %	0.78 %	75-125 %	<20 %
Chromium	%	102 %	100 %	1.3 %	75-125 %	<20 %
Cobalt	%	106 %	105 %	1.2 %	75-125 %	<20 %
Copper	%	105 %	103 %	1.6 %	75-125 %	<20 %
Lead	%	103 %	102 %	0.97 %	75-125 %	<20 %
Nickel	%	106 %	105 %	0.66 %	75-125 %	<20 %
Selenium	%	101 %	100 %	1.3 %	75-125 %	<20 %
Silver	%	99 %	98 %	1.3 %	75-125 %	<20 %
Vanadium	%	102 %	100 %	1.2 %	75-125 %	<20 %
Zinc	%	106 %	105 %	0.38 %	75-125 %	<20 %
Antimony	%	96 %	94 %	1.5 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/06/04	08/06/04			
Prep Time		12:00	12:00			
Analysis Date		08/10/04	08/10/04			
Analysis Time		10:50	10:56			
Batch ID		40806K	40806K	40806K		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23833-8	Lab Control Standard % Recovery	Liquid	07/31/04		
23833-9	Lab Control Standard Duplicate % Recovery	Liquid	07/31/04		
23833-10	Precision (%RPD) of LCS/LCSD	Liquid	07/31/04		
23833-11	LCS Accuracy Control Limit (%R)	Liquid	07/31/04		
23833-12	LCS Precision Control Limit (Advisory) %RPD	Liquid	07/31/04		

Parameter	Units	Lab Sample IDs				
		23833-8	23833-9	23833-10	23833-11	23833-12

Mercury (7470)

Mercury	%	101 %	102 %	1.3 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/05/04	08/05/04			
Prep Time		13:35	13:35			
Analysis Date		08/06/04	08/06/04			
Analysis Time		18:42	18:43			
Batch ID		40806T	40806T	40806T		

Iron (6010)

Iron	%	104 %	102 %	2.4 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/06/04	08/06/04			
Prep Time		12:00	12:00			
Analysis Date		08/10/04	08/10/04			
Analysis Time		10:50	10:56			
Batch ID		40806K	40806K	40806K		

Thallium (7841)

Thallium	%	101 %	96 %	5.1 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/05/04	08/05/04			
Prep Time		07:45	07:45			
Analysis Date		08/09/04	08/09/04			
Analysis Time		12:51	12:55			
Batch ID		0805G	0805G	0805G		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23833-8	Lab Control Standard % Recovery	Liquid	07/31/04		
23833-9	Lab Control Standard Duplicate % Recovery	Liquid	07/31/04		
23833-10	Precision (%RPD) of LCS/LCSD	Liquid	07/31/04		
23833-11	LCS Accuracy Control Limit (%R)	Liquid	07/31/04		
23833-12	LCS Precision Control Limit (Advisory) %RPD	Liquid	07/31/04		

Parameter	Units	Lab Sample IDs				
		23833-8	23833-9	23833-10	23833-11	23833-12

Thallium (Dissolved) (7841)

Thallium (Dissolved)	%	101 %	96 %	5.1 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/05/04	08/05/04			
Prep Time		07:45	07:45			
Analysis Date		08/09/04	08/09/04			
Analysis Time		12:51	12:55			
Batch ID		0805G	0805G	0805G		

Sodium (6010)

Sodium	%	97 %	94 %	2.8 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/06/04	08/06/04			
Prep Time		12:00	12:00			
Analysis Date		08/10/04	08/10/04			
Analysis Time		10:50	10:56			
Batch ID		40806K	40806K	40806K		

Appendix I Metals Dissolved (6010)

Antimony (Dissolved)	%	96 %	94 %	1.5 %	75-125 %	<20 %
Arsenic (Dissolved)	%	101 %	100 %	0.90 %	75-125 %	<20 %
Barium (Dissolved)	%	100 %	98 %	1.5 %	75-125 %	<20 %
Beryllium (Dissolved)	%	100 %	100 %	0.70 %	75-125 %	<20 %
Cadmium (Dissolved)	%	103 %	102 %	0.78 %	75-125 %	<20 %
Chromium (Dissolved)	%	102 %	100 %	1.3 %	75-125 %	<20 %

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23833-8	Lab Control Standard % Recovery	Liquid	07/31/04		
23833-9	Lab Control Standard Duplicate % Recovery	Liquid	07/31/04		
23833-10	Precision (%RPD) of LCS/LCSD	Liquid	07/31/04		
23833-11	LCS Accuracy Control Limit (%R)	Liquid	07/31/04		
23833-12	LCS Precision Control Limit (Advisory) %RPD	Liquid	07/31/04		

Parameter	Units	Lab Sample IDs				
		23833-8	23833-9	23833-10	23833-11	23833-12

Appendix I Metals Dissolved (6010)

Cobalt (Dissolved)	%	106 %	105 %	1.2 %	75-125 %	<20 %
Copper (Dissolved)	%	105 %	103 %	1.6 %	75-125 %	<20 %
Lead (Dissolved)	%	103 %	102 %	0.97 %	75-125 %	<20 %
Nickel (Dissolved)	%	106 %	105 %	0.66 %	75-125 %	<20 %
Selenium (Dissolved)	%	101 %	100 %	1.3 %	75-125 %	<20 %
Silver (Dissolved)	%	99 %	98 %	1.3 %	75-125 %	<20 %
Vanadium (Dissolved)	%	102 %	100 %	1.2 %	75-125 %	<20 %
Zinc (Dissolved)	%	106 %	105 %	0.38 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/06/04	08/06/04			
Prep Time		12:00	12:00			
Analysis Date		08/10/04	08/10/04			
Analysis Time		10:50	10:56			
Batch ID		40806K	40806K	40806K		

Iron (Dissolved) (6010)

Iron (Dissolved)	%	104 %	102 %	2.4 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/06/04	08/06/04			
Prep Time		12:00	12:00			
Analysis Date		08/10/04	08/10/04			
Analysis Time		10:50	10:56			
Batch ID		40806K	40806K	40806K		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23833-8	Lab Control Standard % Recovery	Liquid	07/31/04		
23833-9	Lab Control Standard Duplicate % Recovery	Liquid	07/31/04		
23833-10	Precision (%RPD) of LCS/LCSD	Liquid	07/31/04		
23833-11	LCS Accuracy Control Limit (%R)	Liquid	07/31/04		
23833-12	LCS Precision Control Limit (Advisory) %RPD	Liquid	07/31/04		

Parameter	Units	Lab Sample IDs				
		23833-8	23833-9	23833-10	23833-11	23833-12

Sodium (Dissolved) (6010)

Sodium (Dissolved)	%	97 %	94 %	2.8 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/06/04	08/06/04			
Prep Time		12:00	12:00			
Analysis Date		08/10/04	08/10/04			
Analysis Time		10:50	10:56			
Batch ID		40806K	40806K	40806K		

Mercury (Dissolved) (7470)

Mercury (Dissolved)	%	101 %	102 %	1.3 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/05/04	08/05/04			
Prep Time		13:35	13:35			
Analysis Date		08/06/04	08/06/04			
Analysis Time		18:42	18:43			
Batch ID		40806T	40806T	40806T		

Chloride (325.3)

Chloride	%	100 %	100 %	0 %	75-125 %	<30 %
Dilution Factor		1	1			
Analysis Date		08/11/04	08/11/04			
Analysis Time		11:00	11:00			
Batch ID		0811M	0811M	0811M		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23833-8	Lab Control Standard % Recovery	Liquid	07/31/04		
23833-9	Lab Control Standard Duplicate % Recovery	Liquid	07/31/04		
23833-10	Precision (%RPD) of LCS/LCSD	Liquid	07/31/04		
23833-11	LCS Accuracy Control Limit (%R)	Liquid	07/31/04		
23833-12	LCS Precision Control Limit (Advisory) %RPD	Liquid	07/31/04		

Parameter	Units	Lab Sample IDs				
		23833-8	23833-9	23833-10	23833-11	23833-12

Ammonia-N (350.3)

Ammonia-N	%	100 %	102 %	2.0 %	85-115 %	<30 %
Dilution Factor		1	1			
Analysis Date		08/05/04	08/05/04			
Analysis Time		23:00	23:00			
Batch ID		0805Y	0805Y	0805Y		

Nitrate-N (353.2)

Nitrate-N	%	104 %	105 %	1.1 %	80-120 %	<30 %
Dilution Factor		1	1			
Analysis Date		08/01/04	08/01/04			
Analysis Time		10:07	10:07			
Batch ID		0801G	0801G	0801G		

Solids, Total Dissolved (160.1)

Solids, Total Dissolved	%	102 %	99 %	2.8 %	80-120 %	<25 %
Dilution Factor		1	1			
Analysis Date		08/06/04	08/06/04			
Analysis Time		17:33	17:33			
Batch ID		0806J	0806J	0806J		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23833-13	Matrix Spike % Recovery	Liquid	07/31/04		
23833-14	Matrix Spike Duplicate % Recovery	Liquid	07/31/04		
23833-15	Precision (%RPD) MS/MSD	Liquid	07/31/04		
23833-16	MS Accuracy Advisory Limit (%R)	Liquid	07/31/04		
23833-17	MS Precision Advisory Limit (%RPD)	Liquid	07/31/04		

Parameter	Units	Lab Sample IDs				
		23833-13	23833-14	23833-15	23833-16	23833-17

Appendix I - Organics (8260)

Benzene	%	84 %	84 %	0 %	62-135 %	<16 %
Chlorobenzene	%	106 %	110 %	3.7 %	72-127 %	<22 %
1,1-Dichloroethylene	%	80 %	78 %	2.5 %	46-147 %	<30 %
Toluene	%	93 %	85 %	8.2 %	68-131 %	<33 %
Trichloroethene	%	82 %	92 %	11 %	56-143 %	<35 %
Dilution Factor		1	1			
Analysis Date		08/08/04	08/08/04			
Analysis Time		14:14	14:38			
Batch ID		0807E	0807E	0807E		

Microextractables (504)

1,2-Dibromoethane (EDB)	%	108 %	109 %	2.2 %	70-130 %	<30 %
1,2-Dibromo-3-chloropropane	%	235 %*F73	256 %*F73	9.5 %	70-130 %	<30 %
Dilution Factor		1	1			
Prep Date		08/11/04	08/11/04			
Prep Time		19:00	19:00			
Analysis Date		08/12/04	08/12/04			
Analysis Time		15:07	15:28			
Batch ID		0811EE	0811EE	0811EE		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23833-13	Matrix Spike % Recovery	Liquid	07/31/04		
23833-14	Matrix Spike Duplicate % Recovery	Liquid	07/31/04		
23833-15	Precision (%RPD) MS/MSD	Liquid	07/31/04		
23833-16	MS Accuracy Advisory Limit (%R)	Liquid	07/31/04		
23833-17	MS Precision Advisory Limit (%RPD)	Liquid	07/31/04		

Parameter	Units	Lab Sample IDs				
		23833-13	23833-14	23833-15	23833-16	23833-17

Appendix I Metals by ICP (6010)

Arsenic	%	113 %	113 %	0.32 %	75-125 %	<20 %
Barium	%	95 %	95 %	0.03 %	75-125 %	<20 %
Beryllium	%	92 %	92 %	0.15 %	75-125 %	<20 %
Cadmium	%	93 %	93 %	0.18 %	75-125 %	<20 %
Chromium	%	92 %	92 %	0.07 %	75-125 %	<20 %
Cobalt	%	98 %	98 %	0.10 %	75-125 %	<20 %
Copper	%	118 %	117 %	0.09 %	75-125 %	<20 %
Lead	%	97 %	97 %	0.00 %	75-125 %	<20 %
Nickel	%	98 %	98 %	0.00 %	75-125 %	<20 %
Selenium	%	113 %	113 %	0.43 %	75-125 %	<20 %
Silver	%	116 %	116 %	0.01 %	75-125 %	<20 %
Vanadium	%	98 %	98 %	0.06 %	75-125 %	<20 %
Zinc	%	93 %	93 %	0.22 %	75-125 %	<20 %
Antimony	%	107 %	107 %	0.21 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/06/04	08/06/04			
Prep Time		12:00	12:00			
Analysis Date		08/10/04	08/10/04			
Analysis Time		11:15	11:21			
Batch ID		40806K	40806K	40806K		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23833-13	Matrix Spike % Recovery	Liquid	07/31/04		
23833-14	Matrix Spike Duplicate % Recovery	Liquid	07/31/04		
23833-15	Precision (%RPD) MS/MSD	Liquid	07/31/04		
23833-16	MS Accuracy Advisory Limit (%R)	Liquid	07/31/04		
23833-17	MS Precision Advisory Limit (%RPD)	Liquid	07/31/04		

Parameter	Units	Lab Sample IDs				
		23833-13	23833-14	23833-15	23833-16	23833-17

Mercury (7470)

Mercury	%	98 %	104 %	5.9 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/05/04	08/05/04			
Prep Time		13:35	13:35			
Analysis Date		08/06/04	08/06/04			
Analysis Time		18:48	18:50			
Batch ID		40806T	40806T	40806T		

Iron (6010)

Iron	%	83 %	86 %	0.27 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/06/04	08/06/04			
Prep Time		12:00	12:00			
Analysis Date		08/10/04	08/10/04			
Analysis Time		11:15	11:21			
Batch ID		40806K	40806K	40806K		

Thallium (7841)

Thallium	%	92 %	93 %	0.6 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/05/04	08/05/04			
Prep Time		07:45	07:45			
Analysis Date		08/09/04	08/09/04			
Analysis Time		14:17	14:21			
Batch ID		0805G	0805G	0805G		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23833-13	Matrix Spike % Recovery	Liquid	07/31/04		
23833-14	Matrix Spike Duplicate % Recovery	Liquid	07/31/04		
23833-15	Precision (%RPD) MS/MSD	Liquid	07/31/04		
23833-16	MS Accuracy Advisory Limit (%R)	Liquid	07/31/04		
23833-17	MS Precision Advisory Limit (%RPD)	Liquid	07/31/04		

Parameter	Units	Lab Sample IDs				
		23833-13	23833-14	23833-15	23833-16	23833-17

Thallium (Dissolved) (7841)

Thallium (Dissolved)	%	92 %	93 %	0.6 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/05/04	08/05/04			
Prep Time		07:45	07:45			
Analysis Date		08/09/04	08/09/04			
Analysis Time		14:17	14:21			
Batch ID		0805G	0805G	0805G		

Sodium (6010)

Sodium	%	0 %	0 %	0 %	75-125 %	<20 %
Dilution Factor		5	5			
Prep Date		08/06/04	08/06/04			
Prep Time		12:00	12:00			
Analysis Date		08/10/04	08/10/04			
Analysis Time		14:59	15:05			
Batch ID		40806K	40806K	40806K		

Appendix I Metals Dissolved (6010)

Antimony (Dissolved)	%	107 %	107 %	0.21 %	75-125 %	<20 %
Arsenic (Dissolved)	%	113 %	113 %	0.32 %	75-125 %	<20 %
Barium (Dissolved)	%	95 %	95 %	0.03 %	75-125 %	<20 %
Beryllium (Dissolved)	%	92 %	92 %	0.15 %	75-125 %	<20 %
Cadmium (Dissolved)	%	93 %	93 %	0.18 %	75-125 %	<20 %
Chromium (Dissolved)	%	92 %	92 %	0.07 %	75-125 %	<20 %

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23833-13	Matrix Spike % Recovery	Liquid	07/31/04		
23833-14	Matrix Spike Duplicate % Recovery	Liquid	07/31/04		
23833-15	Precision (%RPD) MS/MSD	Liquid	07/31/04		
23833-16	MS Accuracy Advisory Limit (%R)	Liquid	07/31/04		
23833-17	MS Precision Advisory Limit (%RPD)	Liquid	07/31/04		

Parameter	Units	Lab Sample IDs				
		23833-13	23833-14	23833-15	23833-16	23833-17

Appendix I Metals Dissolved (6010)

Cobalt (Dissolved)	%	98 %	98 %	0.10 %	75-125 %	<20 %
Copper (Dissolved)	%	118 %	117 %	0.09 %	75-125 %	<20 %
Lead (Dissolved)	%	97 %	97 %	0.00 %	75-125 %	<20 %
Nickel (Dissolved)	%	98 %	98 %	0.00 %	75-125 %	<20 %
Selenium (Dissolved)	%	113 %	113 %	0.43 %	75-125 %	<20 %
Silver (Dissolved)	%	116 %	116 %	0.01 %	75-125 %	<20 %
Vanadium (Dissolved)	%	98 %	98 %	0.06 %	75-125 %	<20 %
Zinc (Dissolved)	%	93 %	93 %	0.22 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/06/04	08/06/04			
Prep Time		12:00	12:00			
Analysis Date		08/10/04	08/10/04			
Analysis Time		11:15	11:21			
Batch ID		40806K	40806K	40806K		

Iron (Dissolved) (6010)

Iron (Dissolved)	%	83 %	86 %	0.27 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/06/04	08/06/04			
Prep Time		12:00	12:00			
Analysis Date		08/10/04	08/10/04			
Analysis Time		11:15	11:21			
Batch ID		40806K	40806K	40806K		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23833-13	Matrix Spike % Recovery	Liquid	07/31/04		
23833-14	Matrix Spike Duplicate % Recovery	Liquid	07/31/04		
23833-15	Precision (%RPD) MS/MSD	Liquid	07/31/04		
23833-16	MS Accuracy Advisory Limit (%R)	Liquid	07/31/04		
23833-17	MS Precision Advisory Limit (%RPD)	Liquid	07/31/04		

Parameter	Units	Lab Sample IDs				
		23833-13	23833-14	23833-15	23833-16	23833-17

Sodium (Dissolved) (6010)

Sodium (Dissolved)	%	0 %	0 %	0 %	75-125 %	<20 %
Dilution Factor		5	5			
Prep Date		08/06/04	08/06/04			
Prep Time		12:00	12:00			
Analysis Date		08/10/04	08/10/04			
Analysis Time		14:59	15:05			
Batch ID		40806K	40806K	40806K		

Mercury (Dissolved) (7470)

Mercury (Dissolved)	%	98 %	104 %	5.9 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/05/04	08/05/04			
Prep Time		13:35	13:35			
Analysis Date		08/06/04	08/06/04			
Analysis Time		18:48	18:50			
Batch ID		40806T	40806T	40806T		

Chloride (325.3)

Chloride	%	100 %	101 %	1.0 %	75-125 %	<30 %
Dilution Factor		1	1			
Analysis Date		08/11/04	08/11/04			
Analysis Time		11:00	11:00			
Batch ID		0811M	0811M	0811M		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23833-13	Matrix Spike % Recovery	Liquid	07/31/04		
23833-14	Matrix Spike Duplicate % Recovery	Liquid	07/31/04		
23833-15	Precision (%RPD) MS/MSD	Liquid	07/31/04		
23833-16	MS Accuracy Advisory Limit (%R)	Liquid	07/31/04		
23833-17	MS Precision Advisory Limit (%RPD)	Liquid	07/31/04		

Parameter	Units	Lab Sample IDs				
		23833-13	23833-14	23833-15	23833-16	23833-17

Ammonia-N (350.3)

Ammonia-N	%	97 %	97 %	0 %	85-115 %	<30 %
Dilution Factor		1	1			
Analysis Date		08/05/04	08/05/04			
Analysis Time		23:00	23:00			
Batch ID		0805Y	0805Y	0805Y		

Nitrate-N (353.2)

Nitrate-N	%	90 %	91 %	0.39 %	80-120 %	<30 %
Dilution Factor		1	1			
Analysis Date		08/01/04	08/01/04			
Analysis Time		10:07	10:07			
Batch ID		0801G	0801G	0801G		

Solids, Total Dissolved (160.1)

Solids, Total Dissolved	%	99 %	100 %	0.20 %	80-120 %	<25 %
Dilution Factor		1	1			
Analysis Date		08/06/04	08/06/04			
Analysis Time		17:33	17:33			
Batch ID		0806J	0806J	0806J		

STL Tampa

6712 Benjamin Road, Suite 100 - Tampa FL 33634 Telephone:(813) 885-7427 Fax:(813) 885-7049

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23833-18	Practical Quantitation Limit (PQL)	Liquid	07/31/04		
23833-19	Method Detection Limit (MDL)	Liquid	07/31/04		

Parameter	Units	Lab Sample IDs	
		23833-18	23833-19

Appendix I - Organics (8260)

Parameter	Units	23833-18	23833-19
Acetone	ug/l	10	9.9
Acrylonitrile	ug/l	100	1.2
Benzene	ug/l	1.0	0.27
Bromochloromethane	ug/l	1.0	0.58
Bromodichloromethane	ug/l	1.0	0.35
Bromoform	ug/l	1.0	0.58
Carbon disulfide	ug/l	1.0	0.85
Carbon Tetrachloride	ug/l	1.0	0.42
Chlorobenzene	ug/l	1.0	0.63
Chloroethane	ug/l	1.0	0.80
Chloroform	ug/l	1.0	0.90
Dibromochloromethane	ug/l	1.0	0.34
1,2-Dichlorobenzene	ug/l	1.0	0.44
1,4-Dichlorobenzene	ug/l	1.0	0.52
Trans-1,4-Dichloro-2-butene	ug/l	10	2.5
1,1-Dichloroethane	ug/l	1.0	0.52
1,2-Dichloroethane	ug/l	1.0	0.57
1,1-Dichloroethylene	ug/l	1.0	0.45
cis-1,2-Dichloroethylene	ug/l	1.0	0.65
trans-1,2-Dichloroethylene	ug/l	1.0	0.44
1,2-Dichloropropane	ug/l	1.0	0.52
cis-1,3-Dichloropropene	ug/l	1.0	0.14
trans-1,3-Dichloropropene	ug/l	1.0	0.14
Ethylbenzene	ug/l	1.0	0.83
2-Hexanone	ug/l	10	4.4
Bromomethane	ug/l	1.0	0.66
Chloromethane	ug/l	1.0	0.64
Dibromomethane	ug/l	1.0	0.41
Methylene Chloride	ug/l	5.0	1.0

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23833-18	Practical Quantitation Limit (PQL)	Liquid	07/31/04		
23833-19	Method Detection Limit (MDL)	Liquid	07/31/04		

Lab Sample IDs

Parameter	Units	23833-18	23833-19
-----------	-------	----------	----------

Appendix I - Organics (8260)

2-Butanone (MEK)	ug/l	10	8.4
Iodomethane	ug/l	1.0	0.67
4-Methyl-2-pentanone (MIBK)	ug/l	10	3.8
Styrene	ug/l	1.0	0.98
1,1,1,2-Tetrachloroethane	ug/l	1.0	0.63
1,1,2,2-Tetrachloroethane	ug/l	1.0	0.14
Tetrachloroethene	ug/l	1.0	0.34
Toluene	ug/l	1.0	0.51
1,1,1-Trichloroethane	ug/l	1.0	0.46
1,1,2-Trichloroethane	ug/l	1.0	0.47
Trichloroethene	ug/l	1.0	0.28
Trichlorofluoromethane	ug/l	1.0	0.98
1,2,3-Trichloropropane	ug/l	1.0	0.15
Vinyl acetate	ug/l	10	1.5
Vinyl chloride	ug/l	1.0	0.50
Xylenes	ug/l	1.0	0.98

Microextractables (504)

1,2-Dibromoethane (EDB)	ug/l	0.020	0.0087
1,2-Dibromo-3-chloropropane	ug/l	0.020	0.0030

Appendix I Metals by ICP (6010)

Arsenic	mg/l	0.010	0.0038
Barium	mg/l	0.010	0.0012
Beryllium	mg/l	0.0040	0.00074
Cadmium	mg/l	0.0050	0.00071
Chromium	mg/l	0.010	0.0017

STL Tampa

6712 Benjamin Road, Suite 100 - Tampa FL 33634 Telephone:(813) 885-7427 Fax:(813) 885-7049

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23833-18	Practical Quantitation Limit (PQL)	Liquid	07/31/04		
23833-19	Method Detection Limit (MDL)	Liquid	07/31/04		

Parameter	Units	Lab Sample IDs	
		23833-18	23833-19

Appendix I Metals by ICP (6010)

Cobalt	mg/l	0.010	0.0014
Copper	mg/l	0.020	0.0013
Lead	mg/l	0.0050	0.0015
Nickel	mg/l	0.040	0.0047
Selenium	mg/l	0.010	0.0038
Silver	mg/l	0.010	0.0019
Vanadium	mg/l	0.010	0.0025
Zinc	mg/l	0.020	0.0059
Antimony	mg/l	0.0060	0.0029

Mercury (7470)

Mercury	mg/l	0.00020	0.000072
---------	------	---------	----------

Iron (6010)

Iron	mg/l	0.050	0.037
------	------	-------	-------

Thallium (7841)

Thallium	mg/l	0.0020	0.00070
----------	------	--------	---------

Thallium (Dissolved) (7841)

Thallium (Dissolved)	mg/l	0.0020	0.00070
----------------------	------	--------	---------

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23833-18	Practical Quantitation Limit (PQL)	Liquid	07/31/04		
23833-19	Method Detection Limit (MDL)	Liquid	07/31/04		

Parameter	Units	Lab Sample IDs	
		23833-18	23833-19

Sodium (6010)

Sodium	mg/l	0.50	0.15
--------	------	------	------

Appendix I Metals Dissolved (6010)

Antimony (Dissolved)	mg/l	0.0060	0.0029
Arsenic (Dissolved)	mg/l	0.010	0.0038
Barium (Dissolved)	mg/l	0.010	0.0012
Beryllium (Dissolved)	mg/l	0.0040	0.00074
Cadmium (Dissolved)	mg/l	0.0050	0.00071
Chromium (Dissolved)	mg/l	0.010	0.0017
Cobalt (Dissolved)	mg/l	0.010	0.0014
Copper (Dissolved)	mg/l	0.020	0.020
Lead (Dissolved)	mg/l	0.0050	0.0015
Nickel (Dissolved)	mg/l	0.040	0.0047
Selenium (Dissolved)	mg/l	0.010	0.0048
Silver (Dissolved)	mg/l	0.010	0.0019
Vanadium (Dissolved)	mg/l	0.010	0.0025
Zinc (Dissolved)	mg/l	0.020	0.0059

Iron (Dissolved) (6010)

Iron (Dissolved)	mg/l	0.050	0.037
------------------	------	-------	-------

Sodium (Dissolved) (6010)

Sodium (Dissolved)	mg/l	0.50	0.15
--------------------	------	------	------

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23833-18	Practical Quantitation Limit (PQL)	Liquid	07/31/04		
23833-19	Method Detection Limit (MDL)	Liquid	07/31/04		

Parameter	Units	Lab Sample IDs	
		23833-18	23833-19
Mercury (Dissolved) (7470)			
Mercury (Dissolved)	mg/l	0.00020	0.000072
Chloride (325.3)			
Chloride	mg/l	1.0	1.0
Ammonia-N (350.3)			
Ammonia-N	mg/l	0.050	0.040
Nitrate-N (353.2)			
Nitrate-N	mg/l	0.050	0.010
Solids, Total Dissolved (160.1)			
Solids, Total Dissolved	mg/l	5.0	5.0

STL Tampa

6712 Benjamin Road, Suite 100 - Tampa FL 33634 Telephone:(813) 885-7427 Fax:(813) 885-7049

Order Number: B423833

These test results meet all the requirements of NELAC. All questions regarding this test report should be directed to the STL Project Manager who signed this test report.

The estimated uncertainty associated with these reported results is available upon request.

STL Savannah, 5102 LaRoche Ave., Savannah, GA 31404
Phone #912/354-7858. DOH Certification #E87052

I = The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.

U = Indicates that the compound was analyzed for but not detected.

J3 = The reported value failed to meet the established quality control criteria for either precision or accuracy.

*F73 = Matrix spike recoveries were outside advisory limits due to matrix interference present in the sample.

Remit To: SEVERN TRENT LABORATORIES, INC. P.O. Box 7777 W4305 Philadelphia, PA 19175-4305
STL Tampa 6712 Benjamin Road, Suite 100 - Tampa FL 33634 Tel:813-885-7427 Fax:813-885-7049

INVOICE

Federal ID# 23-2919996

Mr. Kirk Wills
Geosyntec
14055 Riveredge Drive, Ste.300
Tampa, FL 33637

Invoice CC:

DATE	TERMS	CLIENT PO #	CLIENT PROJECT #	PROJECT	
08/16/04	Net 30 Days		FQ0638	Oak Hammock Disposal La	
INVOICE #	CONTRACT #	CODE			
66018383		MV*387007			
LOG #	CREDIT / DEBIT	ORIGINATING LOG #	SDG #	REQUISITION #	
B423833					
QUANTITY	MATRIX	METHOD	DESCRIPTION	UNIT PRICE	EXTENDED AMOUNT
6	Liquid	8260	Appendix I - Organics	62.40	374.40
6	Liquid	504	Microextractables	33.15	198.90
6	Liquid	6010	Appendix I Metals by ICP	65.52	393.12
6	Liquid	7470	Mercury	15.60	93.60
6	Liquid	6010	Iron	4.68	28.08
6	Liquid	7841	Thallium	12.00	72.00
6	Liquid	7841	Thallium (Dissolved)	12.00	72.00
6	Liquid	6010	Sodium	4.68	28.08
6	Liquid	6010	Appendix I Metals Dissolved	65.52	393.12
6	Liquid	6010	Iron (Dissolved)	4.68	28.08
6	Liquid	6010	Sodium (Dissolved)	4.68	28.08
6	Liquid	7470	Mercury (Dissolved)	15.60	93.60
6	Liquid	325.3	Chloride	9.75	58.50
6	Liquid	350.3	Ammonia-N	7.80	46.80
6	Liquid	353.2	Nitrate-N	9.75	58.50
6	Liquid	160.1	Solids, Total Dissolved	5.85	35.10
Total for this page					\$2,001.96
INVOICE TOTAL					\$2,001.96

REPORTED TO
Mr. Kirk Wills

OFFICE
Geosyntec

OFFICE PHONE
(813) 558-0990

For proper credit, please show INVOICE NUMBER on your remittance.
After 30 days, service charges of 1.5% per 30 days will be applied to unpaid balance.

SEVERN
TRENT

STL

42 38 33

ANALYSIS REQUEST AND CHAIN OF CUSTODY RECORD

STL Tampa
6712 Benjamin Road, Suite 100
Tampa, FL 33634

Website: www.stlinc.com
Phone: (813) 885-7427
Fax: (813) 885-7049

Alternate Laboratory Name/Location

Phone:
Fax:

PROJECT REFERENCE: **OHDF**
PROJECT NO.: **FR0638**
PROJECT LOCATION (STATE): **FL**

SAMPLER'S SIGNATURE: *Charmaine*
P.O. NUMBER: **180638**
CONTRACT NO.:

CLIENT (SITE) #:
CLIENT NAME: **KIRK WILLS**
CLIENT PHONE: **(813) 558-0990**
CLIENT FAX: **(813) 5589216**

CLIENT NAME: **GEOSYNTEC**
CLIENT E-MAIL: **KWILLS@GEOSYNTEC.COM**

CLIENT ADDRESS: **14055 RIVEREDGE DR. SUITE 300 TAMPA, FL**
COMPANY CONTRACTING THIS WORK (if applicable):

DATE	TIME	SAMPLE IDENTIFICATION	COMPOSITE (C) OR GRAB (G) INDICATE	AQUEOUS (WATER)	SOLID OR SEMISOLID	AIR	NONAQUEOUS LIQUID (OIL, SOLVENT,...)	REQUIRED ANALYSIS	STANDARD REPORT DELIVERY	EXPEDITED REPORT DELIVERY (SURCHARGE)	DATE DUE	NUMBER OF COOLERS SUBMITTED PER SHIPMENT:	REMARKS
7-30-04	11:00	MW-2B	GX					APPI VOAS EDB, DRCD APPI METALS NH3 TL CL, NO3, TDS DISS (FE, HG, NA, APPI MET.) DISS-TL	<input checked="" type="checkbox"/>	<input type="checkbox"/>		2	
7-30-04	11:00	MW-2C	GX										
7-30-04	13:30	MW-3B	GX										
7-30-04	13:10	MW-3C	GX										
7-30-04	16:12	MW-4B	GX										
7-30-04	15:55	MW-4C	GX										

RELINQUISHED BY: (SIGNATURE)	DATE	TIME	RELINQUISHED BY: (SIGNATURE)	DATE	TIME	RECEIVED BY: (SIGNATURE)	DATE	TIME	RECEIVED BY: (SIGNATURE)	DATE	TIME
<i>Charmaine</i>	7-30-04	17:45	<i>Charmaine</i>	7-30-04	17:45	<i>Charmaine</i>	7-30-04	17:45	<i>Charmaine</i>	7-30-04	18:30
<i>Charmaine</i>	7-29-04	08:45	<i>Charmaine</i>	7-29-04	08:45	<i>Charmaine</i>	7-29-04	12:45	<i>Charmaine</i>	7-31-04	10:00

RECEIVED FOR LABORATORY BY: (SIGNATURE) *William Gibbs* DATE: 7-31-04 TIME: 13:00

CUSTODY INTACT: YES NO

CUSTODY SEAL NO. **ND15** STL TAMPA LOG NO. **B423833**

LABORATORY USE ONLY: DATE: 7-30-04 TIME: 17:45

LABORATORY REMARKS:

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19904

Monitoring_Site_Num: MW-2B

Permitted Well Type: **BG**

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) **Yes**

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.12	0.04	mg/l		8/5/2004
000940	Chloride	SP	NO	Y	325.3	7.3	1	mg/l		8/11/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	8/1/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	110	5	mg/l		8/6/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/10/2004
001097	Antimony (Dissolved)	SP	YES	Y	6010	0.0029	0.0029	mg/l	U	8/10/2004
001002	Arsenic	SP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/10/2004
001002	Arsenic (Dissolved)	SP	YES	Y	6010	0.0038	0.0038	mg/l	U	8/10/2004
001007	Barium (Dissolved)	SP	YES	Y	6010	0.029	0.0012	mg/l		8/10/2004
001007	Barium	SP	NO	Y	6010	0.071	0.0012	mg/l		8/10/2004
001012	Beryllium (Dissolved)	SP	YES	Y	6010	0.00074	0.00074	mg/l	U	8/10/2004
001012	Beryllium	SP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/10/2004
001027	Cadmium (Dissolved)	SP	YES	Y	6010	0.00071	0.00071	mg/l	U	8/10/2004
001027	Cadmium	SP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/10/2004
001034	Chromium (Dissolved)	SP	YES	Y	6010	0.0033	0.0017	mg/l	I	8/10/2004
001034	Chromium	SP	NO	Y	6010	0.0093	0.0017	mg/l	I	8/10/2004
001037	Cobalt (Dissolved)	SP	YES	Y	6010	0.0014	0.0014	mg/l	U	8/10/2004
001037	Cobalt	SP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/10/2004
001042	Copper (Dissolved)	SP	YES	Y	6010	0.0013	0.02	mg/l	U	8/10/2004
001042	Copper	SP	NO	Y	6010	0.002	0.0013	mg/l	I	8/10/2004
001045	Iron	SP	NO	Y	6010	1.4	0.037	mg/l		8/10/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19904

Monitoring_Site_Num: MW-2B

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001045	Iron (Dissolved)	SP	YES	Y	6010	0.97	0.037	mg/l		8/10/2004
001051	Lead	SP	NO	Y	6010	0.0052	0.0015	mg/l		8/10/2004
001051	Lead (Dissolved)	SP	YES	Y	6010	0.0015	0.0015	mg/l	I	8/10/2004
071900	Mercury (Dissolved)	SP	YES	Y	7470	0.000072	0.000072	mg/l	U	8/6/2004
071900	Mercury	SP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/6/2004
001067	Nickel (Dissolved)	SP	YES	Y	6010	0.0047	0.0047	mg/l	U	8/10/2004
001067	Nickel	SP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/10/2004
001147	Selenium (Dissolved)	SP	YES	Y	6010	0.0048	0.0048	mg/l	U	8/10/2004
001147	Selenium	SP	NO	Y	6010	0.0048	0.0038	mg/l	U	8/10/2004
000929	Sodium (Dissolved)	SP	YES	Y	6010	5	0.15	mg/l		8/10/2004
000929	Sodium	SP	NO	Y	6010	4.9	0.15	mg/l		8/10/2004
001059	Thallium (Dissolved)	SP	YES	Y	7841	0.0007	0.0007	mg/l	U	8/9/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/9/2004
001087	Vanadium	SP	NO	Y	6010	0.014	0.0025	mg/l		8/10/2004
001087	Vanadium (Dissolved)	SP	YES	Y	6010	0.006	0.0025	mg/l	I	8/10/2004
001092	Zinc	SP	NO	Y	6010	0.0093	0.0059	mg/l	I	8/10/2004
001092	Zinc (Dissolved)	SP	YES	Y	6010	0.0087	0.0059	mg/l	I	8/10/2004
081552	Acetone	SP	N	Y	8260	9.9	9.9	ug/l	U	8/7/2004
034215	Acrylonitrile	SP	N	Y	8260	1.2	1.2	ug/l	U	8/7/2004
034030	Benzene	SP	N	Y	8260	0.27	0.27	ug/l	U	8/7/2004
073085	Bromochloromethane	SP	N	Y	8260	0.58	0.58	ug/l	U	8/7/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19904

Monitoring_Site_Num: MW-2B

Permitted Well Type: BG

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Well Purged prior to Sample Collection? (Y/N) Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
032101	Bromodichloromethane	SP	N	Y	8260	0.35	0.35	ug/l	U	8/7/2004
032104	Bromoform	SP	N	Y	8260	0.58	0.58	ug/l	U	8/7/2004
077041	Carbon disulfide	SP	N	Y	8260	0.85	0.85	ug/l	U	8/7/2004
032102	Carbon Tetrachloride	SP	N	Y	8260	0.42	0.42	ug/l	U	8/7/2004
034301	Chlorobenzene	SP	N	Y	8260	0.63	0.63	ug/l	U	8/7/2004
034311	Chloroethane	SP	N	Y	8260	0.8	0.8	ug/l	U	8/7/2004
032105	Dibromochloromethane	SP	N	Y	8260	0.34	0.34	ug/l	U	8/7/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/12/2004
034536	1,2-Dichlorobenzene	SP	N	Y	8260	0.44	0.44	ug/l	U	8/7/2004
034571	1,4-Dichlorobenzene	SP	N	Y	8260	0.52	0.52	ug/l	U	8/7/2004
049263	Trans-1,4-Dichloro-2-butene	SP	N	Y	8260	2.5	2.5	ug/l	U	8/7/2004
034496	1,1-Dichloroethane	SP	N	Y	8260	0.52	0.52	ug/l	U	8/7/2004
034531	1,2-Dichloroethane	SP	N	Y	8260	0.57	0.57	ug/l	U	8/7/2004
034501	1,1-Dichloroethylene	SP	N	Y	8260	0.45	0.45	ug/l	U	8/7/2004
077093	cis-1,2-Dichloroethylene	SP	N	Y	8260	0.65	0.65	ug/l	U	8/7/2004
034546	trans-1,2-Dichloroethylene	SP	N	Y	8260	0.44	0.44	ug/l	U	8/7/2004
034541	1,2-Dichloropropane	SP	N	Y	8260	0.52	0.52	ug/l	U	8/7/2004
034704	cis-1,3-Dichloropropene	SP	N	Y	8260	0.14	0.14	ug/l	U	8/7/2004
034699	trans-1,3-Dichloropropene	SP	N	Y	8260	0.14	0.14	ug/l	U	8/7/2004
034371	Ethylbenzene	SP	N	Y	8260	0.83	0.83	ug/l	U	8/7/2004
034413	Bromomethane	SP	N	Y	8260	0.66	0.66	ug/l	U	8/7/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19904

Monitoring_Site_Num: MW-2B

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
077103	2-Hexanone	SP	N	Y	8260	4.4	4.4	ug/l	U	8/7/2004
034418	Chloromethane	SP	N	Y	8260	0.64	0.64	ug/l	U	8/7/2004
081595	2-Butanone (MEK)	SP	N	Y	8260	8.4	8.4	ug/l	U	8/7/2004
077424	Iodomethane	SP	N	Y	8260	0.67	0.67	ug/l	U	8/7/2004
034423	Methylene Chloride	SP	N	Y	8260	1	1	ug/l	U	8/7/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	N	Y	8260	3.8	3.8	ug/l	U	8/7/2004
077128	Styrene	SP	N	Y	8260	0.98	0.98	ug/l	U	8/7/2004
077562	1,1,1,2-Tetrachloroethane	SP	N	Y	8260	0.63	0.63	ug/l	U	8/7/2004
034516	1,1,2,2-Tetrachloroethane	SP	N	Y	8260	0.14	0.14	ug/l	U	8/7/2004
034475	Tetrachloroethene	SP	N	Y	8260	0.34	0.34	ug/l	U	8/7/2004
034010	Toluene	SP	N	Y	8260	4.5	0.51	ug/l		8/7/2004
034506	1,1,1-Trichloroethane	SP	N	Y	8260	0.46	0.46	ug/l	U	8/7/2004
034511	1,1,2-Trichloroethane	SP	N	Y	8260	0.47	0.47	ug/l	U	8/7/2004
039180	Trichloroethene	SP	N	Y	8260	0.28	0.28	ug/l	U	8/7/2004
034488	Trichlorofluoromethane	SP	N	Y	8260	0.98	0.98	ug/l	U	8/7/2004
077443	1,2,3-Trichloropropane	SP	N	Y	8260	0.15	0.15	ug/l	U	8/7/2004
077057	Vinyl acetate	SP	N	Y	8260	1.5	1.5	ug/l	U	8/7/2004
039175	Vinyl chloride	SP	N	Y	8260	0.5	0.5	ug/l	U	8/7/2004
034020	Xylenes	SP	N	Y	8260	0.98	0.98	ug/l	U	8/7/2004
001077	Silver (Dissolved)	SP	YES	Y	6010	0.0019	0.0019	mg/l	U	8/10/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19904

Monitoring_Site_Num: MW-2B

Permitted Well Type: **BG**

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
032106	Chloroform	SP	N	Y	8260	0.9	0.9	ug/l	U	8/7/2004
046361	Dibromomethane	SP	N	Y	8260	0.41	0.41	ug/l	U	8/7/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/10/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19905

Monitoring_Site_Num: MW-2C

Permitted Well Type: BG

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

**Well Purged prior to
 Sample Collection? (Y/N)** Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.11	0.04	mg/l		8/5/2004
000940	Chloride	SP	NO	Y	325.3	6.4	1	mg/l		8/11/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	8/1/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	74	5	mg/l		8/6/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/10/2004
001097	Antimony (Dissolved)	SP	YES	Y	6010	0.0029	0.0029	mg/l	U	8/10/2004
001002	Arsenic (Dissolved)	SP	YES	Y	6010	0.0042	0.0038	mg/l	I	8/10/2004
001002	Arsenic	SP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/10/2004
001007	Barium (Dissolved)	SP	YES	Y	6010	0.015	0.0012	mg/l		8/10/2004
001007	Barium	SP	NO	Y	6010	0.07	0.0012	mg/l		8/10/2004
001012	Beryllium (Dissolved)	SP	YES	Y	6010	0.00074	0.00074	mg/l	U	8/10/2004
001012	Beryllium	SP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/10/2004
001027	Cadmium	SP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/10/2004
001027	Cadmium (Dissolved)	SP	YES	Y	6010	0.00071	0.00071	mg/l	U	8/10/2004
001034	Chromium (Dissolved)	SP	YES	Y	6010	0.0017	0.0017	mg/l	U	8/10/2004
001034	Chromium	SP	NO	Y	6010	0.0097	0.0017	mg/l	I	8/10/2004
001037	Cobalt (Dissolved)	SP	YES	Y	6010	0.0014	0.0014	mg/l	U	8/10/2004
001037	Cobalt	SP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/10/2004
001042	Copper	SP	NO	Y	6010	0.002	0.0013	mg/l	I	8/10/2004
001042	Copper (Dissolved)	SP	YES	Y	6010	0.0013	0.02	mg/l	U	8/10/2004
001045	Iron (Dissolved)	SP	YES	Y	6010	1	0.037	mg/l		8/10/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19905

Monitoring_Site_Num: MW-2C

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001045	Iron	SP	NO	Y	6010	1.7	0.037	mg/l		8/10/2004
001051	Lead (Dissolved)	SP	YES	Y	6010	0.0015	0.0015	mg/l	U	8/10/2004
001051	Lead	SP	NO	Y	6010	0.0021	0.0015	mg/l	I	8/10/2004
071900	Mercury (Dissolved)	SP	YES	Y	7470	0.000072	0.000072	mg/l	U	8/6/2004
071900	Mercury	SP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/6/2004
001067	Nickel (Dissolved)	SP	YES	Y	6010	0.0047	0.0047	mg/l	U	8/10/2004
001067	Nickel	SP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/10/2004
001147	Selenium (Dissolved)	SP	YES	Y	6010	0.0048	0.0048	mg/l	U	8/10/2004
001147	Selenium	SP	NO	Y	6010	0.0048	0.0038	mg/l	U	8/10/2004
000929	Sodium	SP	NO	Y	6010	4.8	0.15	mg/l		8/10/2004
000929	Sodium (Dissolved)	SP	YES	Y	6010	4.9	0.15	mg/l		8/10/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/9/2004
001059	Thallium (Dissolved)	SP	YES	Y	7841	0.0007	0.0007	mg/l	U	8/9/2004
001087	Vanadium	SP	NO	Y	6010	0.0095	0.0025	mg/l	I	8/10/2004
001087	Vanadium (Dissolved)	SP	YES	Y	6010	0.0025	0.0025	mg/l	U	8/10/2004
001092	Zinc (Dissolved)	SP	YES	Y	6010	0.0059	0.0059	mg/l	U	8/10/2004
001092	Zinc	SP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/10/2004
081552	Acetone	SP	N	Y	8260	9.9	9.9	ug/l	U	8/7/2004
034215	Acrylonitrile	SP	N	Y	8260	1.2	1.2	ug/l	U	8/7/2004
034030	Benzene	SP	N	Y	8260	0.27	0.27	ug/l	U	8/7/2004
073085	Bromochloromethane	SP	N	Y	8260	0.58	0.58	ug/l	U	8/7/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19905

Monitoring_Site_Num: MW-2C

Permitted Well Type: **BG**

Ground water classification: **G-II**

Well Purged prior to **Yes**
Sample Collection? (Y/N)

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
032101	Bromodichloromethane	SP	N	Y	8260	0.35	0.35	ug/l	U	8/7/2004
032104	Bromoform	SP	N	Y	8260	0.58	0.58	ug/l	U	8/7/2004
077041	Carbon disulfide	SP	N	Y	8260	0.85	0.85	ug/l	U	8/7/2004
032102	Carbon Tetrachloride	SP	N	Y	8260	0.42	0.42	ug/l	U	8/7/2004
034301	Chlorobenzene	SP	N	Y	8260	0.63	0.63	ug/l	U	8/7/2004
034311	Chloroethane	SP	N	Y	8260	0.8	0.8	ug/l	U	8/7/2004
032105	Dibromochloromethane	SP	N	Y	8260	0.34	0.34	ug/l	U	8/7/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/12/2004
034536	1,2-Dichlorobenzene	SP	N	Y	8260	0.44	0.44	ug/l	U	8/7/2004
034571	1,4-Dichlorobenzene	SP	N	Y	8260	0.52	0.52	ug/l	U	8/7/2004
049263	Trans-1,4-Dichloro-2-butene	SP	N	Y	8260	2.5	2.5	ug/l	U	8/7/2004
034496	1,1-Dichloroethane	SP	N	Y	8260	0.52	0.52	ug/l	U	8/7/2004
034531	1,2-Dichloroethane	SP	N	Y	8260	0.57	0.57	ug/l	U	8/7/2004
034501	1,1-Dichloroethylene	SP	N	Y	8260	0.45	0.45	ug/l	U	8/7/2004
077093	cis-1,2-Dichloroethylene	SP	N	Y	8260	0.65	0.65	ug/l	U	8/7/2004
034546	trans-1,2-Dichloroethylene	SP	N	Y	8260	0.44	0.44	ug/l	U	8/7/2004
034541	1,2-Dichloropropane	SP	N	Y	8260	0.52	0.52	ug/l	U	8/7/2004
034704	cis-1,3-Dichloropropene	SP	N	Y	8260	0.14	0.14	ug/l	U	8/7/2004
034699	trans-1,3-Dichloropropene	SP	N	Y	8260	0.14	0.14	ug/l	U	8/7/2004
034371	Ethylbenzene	SP	N	Y	8260	0.83	0.83	ug/l	U	8/7/2004
034413	Bromomethane	SP	N	Y	8260	0.66	0.66	ug/l	U	8/7/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19905

Monitoring_Site_Num: MW-2C

Permitted Well Type: **BG**

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
077103	2-Hexanone	SP	N	Y	8260	4.4	4.4	ug/l	U	8/7/2004
034418	Chloromethane	SP	N	Y	8260	0.64	0.64	ug/l	U	8/7/2004
081595	2-Butanone (MEK)	SP	N	Y	8260	8.4	8.4	ug/l	U	8/7/2004
077424	Iodomethane	SP	N	Y	8260	0.67	0.67	ug/l	U	8/7/2004
034423	Methylene Chloride	SP	N	Y	8260	1	1	ug/l	U	8/7/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	N	Y	8260	3.8	3.8	ug/l	U	8/7/2004
077128	Styrene	SP	N	Y	8260	0.98	0.98	ug/l	U	8/7/2004
077562	1,1,1,2-Tetrachloroethane	SP	N	Y	8260	0.63	0.63	ug/l	U	8/7/2004
034516	1,1,2,2-Tetrachloroethane	SP	N	Y	8260	0.14	0.14	ug/l	U	8/7/2004
034475	Tetrachloroethene	SP	N	Y	8260	0.34	0.34	ug/l	U	8/7/2004
034010	Toluene	SP	N	Y	8260	0.51	0.51	ug/l	U	8/7/2004
034506	1,1,1-Trichloroethane	SP	N	Y	8260	0.46	0.46	ug/l	U	8/7/2004
034511	1,1,2-Trichloroethane	SP	N	Y	8260	0.47	0.47	ug/l	U	8/7/2004
039180	Trichloroethene	SP	N	Y	8260	0.28	0.28	ug/l	U	8/7/2004
034488	Trichlorofluoromethane	SP	N	Y	8260	0.98	0.98	ug/l	U	8/7/2004
077443	1,2,3-Trichloropropane	SP	N	Y	8260	0.15	0.15	ug/l	U	8/7/2004
077057	Vinyl acetate	SP	N	Y	8260	1.5	1.5	ug/l	U	8/7/2004
039175	Vinyl chloride	SP	N	Y	8260	0.5	0.5	ug/l	U	8/7/2004
034020	Xylenes	SP	N	Y	8260	0.98	0.98	ug/l	U	8/7/2004
001077	Silver (Dissolved)	SP	YES	Y	6010	0.0019	0.0019	mg/l	U	8/10/2004
046361	Dibromomethane	SP	N	Y	8260	0.41	0.41	ug/l	U	8/7/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19905

Monitoring_Site_Num: MW-2C

Permitted Well Type: **BG**

Ground water classification: **G-II**

**Well Purged prior to
Sample Collection? (Y/N)** **Yes**

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/12/2004
032106	Chloroform	SP	N	Y	8260	0.9	0.9	ug/l	U	8/7/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/10/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19907

Monitoring_Site_Num: MW-3B

Permitted Well Type: BG

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Well Purged prior to Sample Collection? (Y/N) Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.12	0.04	mg/l		8/5/2004
000940	Chloride	SP	NO	Y	325.3	14	1	mg/l		8/11/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	8/1/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	530	5	mg/l		8/6/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/10/2004
001097	Antimony (Dissolved)	SP	YES	Y	6010	0.0029	0.0029	mg/l	U	8/10/2004
001002	Arsenic	SP	NO	Y	6010	0.0072	0.0038	mg/l	I	8/10/2004
001002	Arsenic (Dissolved)	SP	YES	Y	6010	0.0038	0.0038	mg/l	U	8/10/2004
001007	Barium	SP	NO	Y	6010	0.35	0.0012	mg/l		8/10/2004
001007	Barium (Dissolved)	SP	YES	Y	6010	0.0093	0.0012	mg/l	I	8/10/2004
001012	Beryllium (Dissolved)	SP	YES	Y	6010	0.00074	0.00074	mg/l	U	8/10/2004
001012	Beryllium	SP	NO	Y	6010	0.0014	0.00074	mg/l	I	8/10/2004
001027	Cadmium (Dissolved)	SP	YES	Y	6010	0.00071	0.00071	mg/l	U	8/10/2004
001027	Cadmium	SP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/10/2004
001034	Chromium	SP	NO	Y	6010	0.061	0.0017	mg/l		8/10/2004
001034	Chromium (Dissolved)	SP	YES	Y	6010	0.0017	0.0017	mg/l	U	8/10/2004
001037	Cobalt (Dissolved)	SP	YES	Y	6010	0.0014	0.0014	mg/l	U	8/10/2004
001037	Cobalt	SP	NO	Y	6010	0.0036	0.0014	mg/l	I	8/10/2004
001042	Copper (Dissolved)	SP	YES	Y	6010	0.0013	0.02	mg/l	U	8/10/2004
001042	Copper	SP	NO	Y	6010	0.011	0.0013	mg/l	I	8/10/2004
001045	Iron (Dissolved)	SP	YES	Y	6010	0.62	0.037	mg/l		8/10/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19907

Monitoring_Site_Num: MW-3B

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001045	Iron	SP	NO	Y	6010	8.5	0.037	mg/l		8/10/2004
001051	Lead	SP	NO	Y	6010	0.043	0.0015	mg/l		8/10/2004
001051	Lead (Dissolved)	SP	YES	Y	6010	0.0015	0.0015	mg/l	U	8/10/2004
071900	Mercury	SP	NO	Y	7470	0.00032	0.000072	mg/l		8/6/2004
071900	Mercury (Dissolved)	SP	YES	Y	7470	0.000072	0.000072	mg/l	U	8/6/2004
001067	Nickel (Dissolved)	SP	YES	Y	6010	0.0047	0.0047	mg/l	U	8/10/2004
001067	Nickel	SP	NO	Y	6010	0.014	0.0047	mg/l	I	8/10/2004
001147	Selenium	SP	NO	Y	6010	0.012	0.0038	mg/l		8/10/2004
001147	Selenium (Dissolved)	SP	YES	Y	6010	0.0048	0.0048	mg/l	U	8/10/2004
000929	Sodium (Dissolved)	SP	YES	Y	6010	7.3	0.15	mg/l		8/10/2004
000929	Sodium	SP	NO	Y	6010	7	0.15	mg/l		8/10/2004
001059	Thallium (Dissolved)	SP	YES	Y	7841	0.0007	0.0007	mg/l	U	8/9/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/9/2004
001087	Vanadium	SP	NO	Y	6010	0.081	0.0025	mg/l		8/10/2004
001087	Vanadium (Dissolved)	SP	YES	Y	6010	0.0026	0.0025	mg/l	I	8/10/2004
001092	Zinc (Dissolved)	SP	YES	Y	6010	0.0059	0.0059	mg/l	U	8/10/2004
001092	Zinc	SP	NO	Y	6010	0.023	0.0059	mg/l		8/10/2004
081552	Acetone	SP	N	Y	8260	9.9	9.9	ug/l	U	8/7/2004
034215	Acrylonitrile	SP	N	Y	8260	1.2	1.2	ug/l	U	8/7/2004
034030	Benzene	SP	N	Y	8260	0.27	0.27	ug/l	U	8/7/2004
073085	Bromochloromethane	SP	N	Y	8260	0.58	0.58	ug/l	U	8/7/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19907

Monitoring_Site_Num: MW-3B

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
032101	Bromodichloromethane	SP	N	Y	8260	0.35	0.35	ug/l	U	8/7/2004
032104	Bromoform	SP	N	Y	8260	0.58	0.58	ug/l	U	8/7/2004
077041	Carbon disulfide	SP	N	Y	8260	0.85	0.85	ug/l	U	8/7/2004
032102	Carbon Tetrachloride	SP	N	Y	8260	0.42	0.42	ug/l	U	8/7/2004
034301	Chlorobenzene	SP	N	Y	8260	0.63	0.63	ug/l	U	8/7/2004
034311	Chloroethane	SP	N	Y	8260	0.8	0.8	ug/l	U	8/7/2004
032105	Dibromochloromethane	SP	N	Y	8260	0.34	0.34	ug/l	U	8/7/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/12/2004
034536	1,2-Dichlorobenzene	SP	N	Y	8260	0.44	0.44	ug/l	U	8/7/2004
034571	1,4-Dichlorobenzene	SP	N	Y	8260	0.52	0.52	ug/l	U	8/7/2004
049263	Trans-1,4-Dichloro-2-butene	SP	N	Y	8260	2.5	2.5	ug/l	U	8/7/2004
034496	1,1-Dichloroethane	SP	N	Y	8260	0.52	0.52	ug/l	U	8/7/2004
034531	1,2-Dichloroethane	SP	N	Y	8260	0.57	0.57	ug/l	U	8/7/2004
034501	1,1-Dichloroethylene	SP	N	Y	8260	0.45	0.45	ug/l	U	8/7/2004
077093	cis-1,2-Dichloroethylene	SP	N	Y	8260	0.65	0.65	ug/l	U	8/7/2004
034546	trans-1,2-Dichloroethylene	SP	N	Y	8260	0.44	0.44	ug/l	U	8/7/2004
034541	1,2-Dichloropropane	SP	N	Y	8260	0.52	0.52	ug/l	U	8/7/2004
034704	cis-1,3-Dichloropropene	SP	N	Y	8260	0.14	0.14	ug/l	U	8/7/2004
034699	trans-1,3-Dichloropropene	SP	N	Y	8260	0.14	0.14	ug/l	U	8/7/2004
034371	Ethylbenzene	SP	N	Y	8260	0.83	0.83	ug/l	U	8/7/2004
034413	Bromomethane	SP	N	Y	8260	0.66	0.66	ug/l	U	8/7/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19907

Monitoring_Site_Num: MW-3B

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
077103	2-Hexanone	SP	N	Y	8260	4.4	4.4	ug/l	U	8/7/2004
034418	Chloromethane	SP	N	Y	8260	0.64	0.64	ug/l	U	8/7/2004
081595	2-Butanone (MEK)	SP	N	Y	8260	8.4	8.4	ug/l	U	8/7/2004
077424	Iodomethane	SP	N	Y	8260	0.67	0.67	ug/l	U	8/7/2004
034423	Methylene Chloride	SP	N	Y	8260	1	1	ug/l	U	8/7/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	N	Y	8260	3.8	3.8	ug/l	U	8/7/2004
077128	Styrene	SP	N	Y	8260	0.98	0.98	ug/l	U	8/7/2004
077562	1,1,1,2-Tetrachloroethane	SP	N	Y	8260	0.63	0.63	ug/l	U	8/7/2004
034516	1,1,2,2-Tetrachloroethane	SP	N	Y	8260	0.14	0.14	ug/l	U	8/7/2004
034475	Tetrachloroethene	SP	N	Y	8260	0.34	0.34	ug/l	U	8/7/2004
034010	Toluene	SP	N	Y	8260	2.9	0.51	ug/l		8/7/2004
034506	1,1,1-Trichloroethane	SP	N	Y	8260	0.46	0.46	ug/l	U	8/7/2004
034511	1,1,2-Trichloroethane	SP	N	Y	8260	0.47	0.47	ug/l	U	8/7/2004
039180	Trichloroethene	SP	N	Y	8260	0.28	0.28	ug/l	U	8/7/2004
034488	Trichlorofluoromethane	SP	N	Y	8260	0.98	0.98	ug/l	U	8/7/2004
077443	1,2,3-Trichloropropane	SP	N	Y	8260	0.15	0.15	ug/l	U	8/7/2004
077057	Vinyl acetate	SP	N	Y	8260	1.5	1.5	ug/l	U	8/7/2004
039175	Vinyl chloride	SP	N	Y	8260	0.5	0.5	ug/l	U	8/7/2004
034020	Xylenes	SP	N	Y	8260	0.98	0.98	ug/l	U	8/7/2004
032106	Chloroform	SP	N	Y	8260	0.9	0.9	ug/l	U	8/7/2004
046361	Dibromomethane	SP	N	Y	8260	0.41	0.41	ug/l	U	8/7/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19907

Monitoring_Site_Num: MW-3B

Permitted Well Type: BG

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001077	Silver (Dissolved)	SP	YES	Y	6010	0.0019	0.0019	mg/l	U	8/10/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/10/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19908

Monitoring_Site_Num: MW-3C

Permitted Well Type: **BG**

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) **Yes**

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.11	0.04	mg/l		8/5/2004
000940	Chloride	SP	NO	Y	325.3	9.8	1	mg/l		8/11/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	8/1/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	130	5	mg/l		8/6/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/10/2004
001097	Antimony (Dissolved)	SP	YES	Y	6010	0.0029	0.0029	mg/l	U	8/10/2004
001002	Arsenic	SP	NO	Y	6010	0.0041	0.0038	mg/l	I	8/10/2004
001002	Arsenic (Dissolved)	SP	YES	Y	6010	0.0038	0.0038	mg/l	U	8/10/2004
001007	Barium	SP	NO	Y	6010	0.1	0.0012	mg/l		8/10/2004
001007	Barium (Dissolved)	SP	YES	Y	6010	0.015	0.0012	mg/l		8/10/2004
001012	Beryllium	SP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/10/2004
001012	Beryllium (Dissolved)	SP	YES	Y	6010	0.00074	0.00074	mg/l	U	8/10/2004
001027	Cadmium	SP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/10/2004
001027	Cadmium (Dissolved)	SP	YES	Y	6010	0.00071	0.00071	mg/l	U	8/10/2004
001034	Chromium (Dissolved)	SP	YES	Y	6010	0.0017	0.0017	mg/l	U	8/10/2004
001034	Chromium	SP	NO	Y	6010	0.015	0.0017	mg/l		8/10/2004
001037	Cobalt	SP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/10/2004
001037	Cobalt (Dissolved)	SP	YES	Y	6010	0.0014	0.0014	mg/l	U	8/10/2004
001042	Copper	SP	NO	Y	6010	0.0034	0.0013	mg/l	I	8/10/2004
001042	Copper (Dissolved)	SP	YES	Y	6010	0.0013	0.02	mg/l	U	8/10/2004
001045	Iron	SP	NO	Y	6010	3.1	0.037	mg/l		8/10/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19908

Monitoring_Site_Num: MW-3C

Permitted Well Type: **BG**

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001045	Iron (Dissolved)	SP	YES	Y	6010	1.4	0.037	mg/l		8/10/2004
001051	Lead (Dissolved)	SP	YES	Y	6010	0.0015	0.0015	mg/l	U	8/10/2004
001051	Lead	SP	NO	Y	6010	0.0038	0.0015	mg/l	I	8/10/2004
071900	Mercury (Dissolved)	SP	YES	Y	7470	0.000072	0.000072	mg/l	U	8/6/2004
071900	Mercury	SP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/6/2004
001067	Nickel	SP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/10/2004
001067	Nickel (Dissolved)	SP	YES	Y	6010	0.0047	0.0047	mg/l	U	8/10/2004
001147	Selenium (Dissolved)	SP	YES	Y	6010	0.0048	0.0048	mg/l	U	8/10/2004
001147	Selenium	SP	NO	Y	6010	0.0048	0.0038	mg/l	U	8/10/2004
000929	Sodium	SP	NO	Y	6010	5.2	0.15	mg/l		8/10/2004
000929	Sodium (Dissolved)	SP	YES	Y	6010	5.2	0.15	mg/l		8/10/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/9/2004
001059	Thallium (Dissolved)	SP	YES	Y	7841	0.0007	0.0007	mg/l	U	8/9/2004
001087	Vanadium	SP	NO	Y	6010	0.018	0.0025	mg/l		8/10/2004
001087	Vanadium (Dissolved)	SP	YES	Y	6010	0.0025	0.0025	mg/l	U	8/10/2004
001092	Zinc (Dissolved)	SP	YES	Y	6010	0.0059	0.0059	mg/l	U	8/10/2004
001092	Zinc	SP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/10/2004
081552	Acetone	SP	N	Y	8260	9.9	9.9	ug/l	U	8/7/2004
034215	Acrylonitrile	SP	N	Y	8260	1.2	1.2	ug/l	U	8/7/2004
034030	Benzene	SP	N	Y	8260	0.27	0.27	ug/l	U	8/7/2004
073085	Bromochloromethane	SP	N	Y	8260	0.58	0.58	ug/l	U	8/7/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19908

Monitoring_Site_Num: MW-3C

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
032101	Bromodichloromethane	SP	N	Y	8260	0.35	0.35	ug/l	U	8/7/2004
032104	Bromoform	SP	N	Y	8260	0.58	0.58	ug/l	U	8/7/2004
077041	Carbon disulfide	SP	N	Y	8260	0.85	0.85	ug/l	U	8/7/2004
032102	Carbon Tetrachloride	SP	N	Y	8260	0.42	0.42	ug/l	U	8/7/2004
034301	Chlorobenzene	SP	N	Y	8260	0.63	0.63	ug/l	U	8/7/2004
034311	Chloroethane	SP	N	Y	8260	0.8	0.8	ug/l	U	8/7/2004
032105	Dibromochloromethane	SP	N	Y	8260	0.34	0.34	ug/l	U	8/7/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/12/2004
034536	1,2-Dichlorobenzene	SP	N	Y	8260	0.44	0.44	ug/l	U	8/7/2004
034571	1,4-Dichlorobenzene	SP	N	Y	8260	0.52	0.52	ug/l	U	8/7/2004
049263	Trans-1,4-Dichloro-2-butene	SP	N	Y	8260	2.5	2.5	ug/l	U	8/7/2004
034496	1,1-Dichloroethane	SP	N	Y	8260	0.52	0.52	ug/l	U	8/7/2004
034531	1,2-Dichloroethane	SP	N	Y	8260	0.57	0.57	ug/l	U	8/7/2004
034501	1,1-Dichloroethylene	SP	N	Y	8260	0.45	0.45	ug/l	U	8/7/2004
077093	cis-1,2-Dichloroethylene	SP	N	Y	8260	0.65	0.65	ug/l	U	8/7/2004
034546	trans-1,2-Dichloroethylene	SP	N	Y	8260	0.44	0.44	ug/l	U	8/7/2004
034541	1,2-Dichloropropane	SP	N	Y	8260	0.52	0.52	ug/l	U	8/7/2004
034704	cis-1,3-Dichloropropene	SP	N	Y	8260	0.14	0.14	ug/l	U	8/7/2004
034699	trans-1,3-Dichloropropene	SP	N	Y	8260	0.14	0.14	ug/l	U	8/7/2004
034371	Ethylbenzene	SP	N	Y	8260	0.83	0.83	ug/l	U	8/7/2004
034413	Bromomethane	SP	N	Y	8260	0.66	0.66	ug/l	U	8/7/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19908

Monitoring_Site_Num: MW-3C

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
077103	2-Hexanone	SP	N	Y	8260	4.4	4.4	ug/l	U	8/7/2004
034418	Chloromethane	SP	N	Y	8260	0.64	0.64	ug/l	U	8/7/2004
081595	2-Butanone (MEK)	SP	N	Y	8260	8.4	8.4	ug/l	U	8/7/2004
077424	Iodomethane	SP	N	Y	8260	0.67	0.67	ug/l	U	8/7/2004
034423	Methylene Chloride	SP	N	Y	8260	1	1	ug/l	U	8/7/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	N	Y	8260	3.8	3.8	ug/l	U	8/7/2004
077128	Styrene	SP	N	Y	8260	0.98	0.98	ug/l	U	8/7/2004
077562	1,1,1,2-Tetrachloroethane	SP	N	Y	8260	0.63	0.63	ug/l	U	8/7/2004
034516	1,1,2,2-Tetrachloroethane	SP	N	Y	8260	0.14	0.14	ug/l	U	8/7/2004
034475	Tetrachloroethene	SP	N	Y	8260	0.34	0.34	ug/l	U	8/7/2004
034010	Toluene	SP	N	Y	8260	0.51	0.51	ug/l	U	8/7/2004
034506	1,1,1-Trichloroethane	SP	N	Y	8260	0.46	0.46	ug/l	U	8/7/2004
034511	1,1,2-Trichloroethane	SP	N	Y	8260	0.47	0.47	ug/l	U	8/7/2004
039180	Trichloroethene	SP	N	Y	8260	0.28	0.28	ug/l	U	8/7/2004
034488	Trichlorofluoromethane	SP	N	Y	8260	0.98	0.98	ug/l	U	8/7/2004
077443	1,2,3-Trichloropropane	SP	N	Y	8260	0.15	0.15	ug/l	U	8/7/2004
077057	Vinyl acetate	SP	N	Y	8260	1.5	1.5	ug/l	U	8/7/2004
039175	Vinyl chloride	SP	N	Y	8260	0.5	0.5	ug/l	U	8/7/2004
034020	Xylenes	SP	N	Y	8260	0.98	0.98	ug/l	U	8/7/2004
046361	Dibromomethane	SP	N	Y	8260	0.41	0.41	ug/l	U	8/7/2004
001077	Silver (Dissolved)	SP	YES	Y	6010	0.0019	0.0019	mg/l	U	8/10/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19908

Monitoring_Site_Num: MW-3C

Permitted Well Type: **BG**

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/12/2004
032106	Chloroform	SP	N	Y	8260	0.9	0.9	ug/l	U	8/7/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/10/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19910

Monitoring_Site_Num: MW-4B

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.09	0.04	mg/l		8/5/2004
000940	Chloride	SP	NO	Y	325.3	30	1	mg/l		8/11/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	8/1/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	84	5	mg/l		8/6/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/10/2004
001097	Antimony (Dissolved)	SP	YES	Y	6010	0.0029	0.0029	mg/l	U	8/10/2004
001002	Arsenic (Dissolved)	SP	YES	Y	6010	0.0038	0.0038	mg/l	U	8/10/2004
001002	Arsenic	SP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/10/2004
001007	Barium (Dissolved)	SP	YES	Y	6010	0.013	0.0012	mg/l		8/10/2004
001007	Barium	SP	NO	Y	6010	0.035	0.0012	mg/l		8/10/2004
001012	Beryllium (Dissolved)	SP	YES	Y	6010	0.00074	0.00074	mg/l	U	8/10/2004
001012	Beryllium	SP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/10/2004
001027	Cadmium (Dissolved)	SP	YES	Y	6010	0.00071	0.00071	mg/l	U	8/10/2004
001027	Cadmium	SP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/10/2004
001034	Chromium	SP	NO	Y	6010	0.0047	0.0017	mg/l	I	8/10/2004
001034	Chromium (Dissolved)	SP	YES	Y	6010	0.0017	0.0017	mg/l	U	8/10/2004
001037	Cobalt	SP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/10/2004
001037	Cobalt (Dissolved)	SP	YES	Y	6010	0.0014	0.0014	mg/l	U	8/10/2004
001042	Copper (Dissolved)	SP	YES	Y	6010	0.0013	0.02	mg/l	U	8/10/2004
001042	Copper	SP	NO	Y	6010	0.0027	0.0013	mg/l	I	8/10/2004
001045	Iron (Dissolved)	SP	YES	Y	6010	1.2	0.037	mg/l		8/10/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19910

Monitoring_Site_Num: MW-4B

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001045	Iron	SP	NO	Y	6010	1.5	0.037	mg/l		8/10/2004
001051	Lead	SP	NO	Y	6010	0.0016	0.0015	mg/l	I	8/10/2004
001051	Lead (Dissolved)	SP	YES	Y	6010	0.0015	0.0015	mg/l	U	8/10/2004
071900	Mercury (Dissolved)	SP	YES	Y	7470	0.000072	0.000072	mg/l	U	8/6/2004
071900	Mercury	SP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/6/2004
001067	Nickel	SP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/10/2004
001067	Nickel (Dissolved)	SP	YES	Y	6010	0.0047	0.0047	mg/l	U	8/10/2004
001147	Selenium	SP	NO	Y	6010	0.0048	0.0038	mg/l	U	8/10/2004
001147	Selenium (Dissolved)	SP	YES	Y	6010	0.0048	0.0048	mg/l	U	8/10/2004
000929	Sodium (Dissolved)	SP	YES	Y	6010	15	0.15	mg/l		8/10/2004
000929	Sodium	SP	NO	Y	6010	15	0.15	mg/l		8/10/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/9/2004
001059	Thallium (Dissolved)	SP	YES	Y	7841	0.0007	0.0007	mg/l	U	8/9/2004
001087	Vanadium	SP	NO	Y	6010	0.0056	0.0025	mg/l	I	8/10/2004
001087	Vanadium (Dissolved)	SP	YES	Y	6010	0.0025	0.0025	mg/l	U	8/10/2004
001092	Zinc (Dissolved)	SP	YES	Y	6010	0.0059	0.0059	mg/l	U	8/10/2004
001092	Zinc	SP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/10/2004
081552	Acetone	SP	N	Y	8260	9.9	9.9	ug/l	U	8/8/2004
034215	Acrylonitrile	SP	N	Y	8260	1.2	1.2	ug/l	U	8/8/2004
034030	Benzene	SP	N	Y	8260	0.27	0.27	ug/l	U	8/8/2004
073085	Bromochloromethane	SP	N	Y	8260	0.58	0.58	ug/l	U	8/8/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19910

Monitoring_Site_Num: MW-4B

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
032101	Bromodichloromethane	SP	N	Y	8260	0.35	0.35	ug/l	U	8/8/2004
032104	Bromoform	SP	N	Y	8260	0.58	0.58	ug/l	U	8/8/2004
077041	Carbon disulfide	SP	N	Y	8260	0.85	0.85	ug/l	U	8/8/2004
032102	Carbon Tetrachloride	SP	N	Y	8260	0.42	0.42	ug/l	U	8/8/2004
034301	Chlorobenzene	SP	N	Y	8260	0.63	0.63	ug/l	U	8/8/2004
034311	Chloroethane	SP	N	Y	8260	0.8	0.8	ug/l	U	8/8/2004
032105	Dibromochloromethane	SP	N	Y	8260	0.34	0.34	ug/l	U	8/8/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/12/2004
034536	1,2-Dichlorobenzene	SP	N	Y	8260	0.44	0.44	ug/l	U	8/8/2004
034571	1,4-Dichlorobenzene	SP	N	Y	8260	0.52	0.52	ug/l	U	8/8/2004
049263	Trans-1,4-Dichloro-2-butene	SP	N	Y	8260	2.5	2.5	ug/l	U	8/8/2004
034496	1,1-Dichloroethane	SP	N	Y	8260	0.52	0.52	ug/l	U	8/8/2004
034531	1,2-Dichloroethane	SP	N	Y	8260	0.57	0.57	ug/l	U	8/8/2004
034501	1,1-Dichloroethylene	SP	N	Y	8260	0.45	0.45	ug/l	U	8/8/2004
077093	cis-1,2-Dichloroethylene	SP	N	Y	8260	0.65	0.65	ug/l	U	8/8/2004
034546	trans-1,2-Dichloroethylene	SP	N	Y	8260	0.44	0.44	ug/l	U	8/8/2004
034541	1,2-Dichloropropane	SP	N	Y	8260	0.52	0.52	ug/l	U	8/8/2004
034704	cis-1,3-Dichloropropene	SP	N	Y	8260	0.14	0.14	ug/l	U	8/8/2004
034699	trans-1,3-Dichloropropene	SP	N	Y	8260	0.14	0.14	ug/l	U	8/8/2004
034371	Ethylbenzene	SP	N	Y	8260	0.83	0.83	ug/l	U	8/8/2004
034413	Bromomethane	SP	N	Y	8260	0.66	0.66	ug/l	U	8/8/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19910

Monitoring_Site_Num: MW-4B

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
077103	2-Hexanone	SP	N	Y	8260	4.4	4.4	ug/l	U	8/8/2004
034418	Chloromethane	SP	N	Y	8260	0.64	0.64	ug/l	U	8/8/2004
081595	2-Butanone (MEK)	SP	N	Y	8260	8.4	8.4	ug/l	U	8/8/2004
077424	Iodomethane	SP	N	Y	8260	0.67	0.67	ug/l	U	8/8/2004
034423	Methylene Chloride	SP	N	Y	8260	1	1	ug/l	U	8/8/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	N	Y	8260	3.8	3.8	ug/l	U	8/8/2004
077128	Styrene	SP	N	Y	8260	0.98	0.98	ug/l	U	8/8/2004
077562	1,1,1,2-Tetrachloroethane	SP	N	Y	8260	0.63	0.63	ug/l	U	8/8/2004
034516	1,1,2,2-Tetrachloroethane	SP	N	Y	8260	0.14	0.14	ug/l	U	8/8/2004
034475	Tetrachloroethene	SP	N	Y	8260	0.34	0.34	ug/l	U	8/8/2004
034010	Toluene	SP	N	Y	8260	0.51	0.51	ug/l	U	8/8/2004
034506	1,1,1-Trichloroethane	SP	N	Y	8260	0.46	0.46	ug/l	U	8/8/2004
034511	1,1,2-Trichloroethane	SP	N	Y	8260	0.47	0.47	ug/l	U	8/8/2004
039180	Trichloroethene	SP	N	Y	8260	0.28	0.28	ug/l	U	8/8/2004
034488	Trichlorofluoromethane	SP	N	Y	8260	0.98	0.98	ug/l	U	8/8/2004
077443	1,2,3-Trichloropropane	SP	N	Y	8260	0.15	0.15	ug/l	U	8/8/2004
077057	Vinyl acetate	SP	N	Y	8260	1.5	1.5	ug/l	U	8/8/2004
039175	Vinyl chloride	SP	N	Y	8260	0.5	0.5	ug/l	U	8/8/2004
034020	Xylenes	SP	N	Y	8260	0.98	0.98	ug/l	U	8/8/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/12/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/10/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19910

Monitoring_Site_Num: MW-4B

Permitted Well Type: BG

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
046361	Dibromomethane	SP	N	Y	8260	0.41	0.41	ug/l	U	8/8/2004
032106	Chloroform	SP	N	Y	8260	0.9	0.9	ug/l	U	8/8/2004
001077	Silver (Dissolved)	SP	YES	Y	6010	0.0019	0.0019	mg/l	U	8/10/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19911

Monitoring_Site_Num: MW-4C

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.11	0.04	mg/l		8/5/2004
000940	Chloride	SP	NO	Y	325.3	9.8	1	mg/l		8/11/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	8/1/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	490	5	mg/l		8/6/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/10/2004
001097	Antimony (Dissolved)	SP	YES	Y	6010	0.0029	0.0029	mg/l	U	8/10/2004
001002	Arsenic	SP	NO	Y	6010	0.015	0.0038	mg/l		8/10/2004
001002	Arsenic (Dissolved)	SP	YES	Y	6010	0.0038	0.0038	mg/l	U	8/10/2004
001007	Barium	SP	NO	Y	6010	0.62	0.0012	mg/l		8/10/2004
001007	Barium (Dissolved)	SP	YES	Y	6010	0.012	0.0012	mg/l		8/10/2004
001012	Beryllium	SP	NO	Y	6010	0.004	0.00074	mg/l	I	8/10/2004
001012	Beryllium (Dissolved)	SP	YES	Y	6010	0.00074	0.00074	mg/l	U	8/10/2004
001027	Cadmium (Dissolved)	SP	YES	Y	6010	0.00071	0.00071	mg/l	U	8/10/2004
001027	Cadmium	SP	NO	Y	6010	0.0008	0.00071	mg/l	I	8/10/2004
001034	Chromium (Dissolved)	SP	YES	Y	6010	0.0022	0.0017	mg/l	I	8/10/2004
001034	Chromium	SP	NO	Y	6010	0.13	0.0017	mg/l		8/10/2004
001037	Cobalt	SP	NO	Y	6010	0.0073	0.0014	mg/l	I	8/10/2004
001037	Cobalt (Dissolved)	SP	YES	Y	6010	0.0014	0.0014	mg/l	U	8/10/2004
001042	Copper	SP	NO	Y	6010	0.0072	0.0013	mg/l	I	8/10/2004
001042	Copper (Dissolved)	SP	YES	Y	6010	0.0013	0.02	mg/l	U	8/10/2004
001045	Iron (Dissolved)	SP	YES	Y	6010	0.81	0.037	mg/l		8/10/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19911

Monitoring_Site_Num: MW-4C

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001045	Iron	SP	NO	Y	6010	17	0.037	mg/l		8/10/2004
001051	Lead (Dissolved)	SP	YES	Y	6010	0.0015	0.0015	mg/l	U	8/10/2004
001051	Lead	SP	NO	Y	6010	0.019	0.0015	mg/l		8/10/2004
071900	Mercury (Dissolved)	SP	YES	Y	7470	0.000072	0.000072	mg/l	U	8/6/2004
071900	Mercury	SP	NO	Y	7470	0.000076	0.000072	mg/l	I	8/6/2004
001067	Nickel	SP	NO	Y	6010	0.022	0.0047	mg/l	I	8/10/2004
001067	Nickel (Dissolved)	SP	YES	Y	6010	0.0047	0.0047	mg/l	U	8/10/2004
001147	Selenium (Dissolved)	SP	YES	Y	6010	0.0048	0.0048	mg/l	U	8/10/2004
001147	Selenium	SP	NO	Y	6010	0.0048	0.0038	mg/l	U	8/10/2004
000929	Sodium	SP	NO	Y	6010	8.8	0.15	mg/l		8/10/2004
000929	Sodium (Dissolved)	SP	YES	Y	6010	9.2	0.15	mg/l		8/10/2004
001059	Thallium (Dissolved)	SP	YES	Y	7841	0.0007	0.0007	mg/l	U	8/9/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/9/2004
001087	Vanadium	SP	NO	Y	6010	0.12	0.0025	mg/l		8/10/2004
001087	Vanadium (Dissolved)	SP	YES	Y	6010	0.0039	0.0025	mg/l	I	8/10/2004
001092	Zinc	SP	NO	Y	6010	0.045	0.0059	mg/l		8/10/2004
001092	Zinc (Dissolved)	SP	YES	Y	6010	0.0059	0.0059	mg/l	U	8/10/2004
081552	Acetone	SP	N	Y	8260	9.9	9.9	ug/l	U	8/7/2004
034215	Acrylonitrile	SP	N	Y	8260	1.2	1.2	ug/l	U	8/7/2004
034030	Benzene	SP	N	Y	8260	0.27	0.27	ug/l	U	8/7/2004
073085	Bromochloromethane	SP	N	Y	8260	0.58	0.58	ug/l	U	8/7/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19911

Monitoring_Site_Num: MW-4C

Permitted Well Type: **BG**

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) **Yes**

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
032101	Bromodichloromethane	SP	N	Y	8260	0.35	0.35	ug/l	U	8/7/2004
032104	Bromoform	SP	N	Y	8260	0.58	0.58	ug/l	U	8/7/2004
077041	Carbon disulfide	SP	N	Y	8260	0.85	0.85	ug/l	U	8/7/2004
032102	Carbon Tetrachloride	SP	N	Y	8260	0.42	0.42	ug/l	U	8/7/2004
034301	Chlorobenzene	SP	N	Y	8260	0.63	0.63	ug/l	U	8/7/2004
034311	Chloroethane	SP	N	Y	8260	0.8	0.8	ug/l	U	8/7/2004
032105	Dibromochloromethane	SP	N	Y	8260	0.34	0.34	ug/l	U	8/7/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/12/2004
034536	1,2-Dichlorobenzene	SP	N	Y	8260	0.44	0.44	ug/l	U	8/7/2004
034571	1,4-Dichlorobenzene	SP	N	Y	8260	0.52	0.52	ug/l	U	8/7/2004
049263	Trans-1,4-Dichloro-2-butene	SP	N	Y	8260	2.5	2.5	ug/l	U	8/7/2004
034496	1,1-Dichloroethane	SP	N	Y	8260	0.52	0.52	ug/l	U	8/7/2004
034531	1,2-Dichloroethane	SP	N	Y	8260	0.57	0.57	ug/l	U	8/7/2004
034501	1,1-Dichloroethylene	SP	N	Y	8260	0.45	0.45	ug/l	U	8/7/2004
077093	cis-1,2-Dichloroethylene	SP	N	Y	8260	0.65	0.65	ug/l	U	8/7/2004
034546	trans-1,2-Dichloroethylene	SP	N	Y	8260	0.44	0.44	ug/l	U	8/7/2004
034541	1,2-Dichloropropane	SP	N	Y	8260	0.52	0.52	ug/l	U	8/7/2004
034704	cis-1,3-Dichloropropene	SP	N	Y	8260	0.14	0.14	ug/l	U	8/7/2004
034699	trans-1,3-Dichloropropene	SP	N	Y	8260	0.14	0.14	ug/l	U	8/7/2004
034371	Ethylbenzene	SP	N	Y	8260	0.83	0.83	ug/l	U	8/7/2004
034413	Bromomethane	SP	N	Y	8260	0.66	0.66	ug/l	U	8/7/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19911

Monitoring_Site_Num: MW-4C

Permitted Well Type: **BG**

Ground water classification: **G-II**

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Well Purged prior to Sample Collection? (Y/N) Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
077103	2-Hexanone	SP	N	Y	8260	4.4	4.4	ug/l	U	8/7/2004
034418	Chloromethane	SP	N	Y	8260	0.64	0.64	ug/l	U	8/7/2004
081595	2-Butanone (MEK)	SP	N	Y	8260	8.4	8.4	ug/l	U	8/7/2004
077424	Iodomethane	SP	N	Y	8260	0.67	0.67	ug/l	U	8/7/2004
034423	Methylene Chloride	SP	N	Y	8260	1	1	ug/l	U	8/7/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	N	Y	8260	3.8	3.8	ug/l	U	8/7/2004
077128	Styrene	SP	N	Y	8260	0.98	0.98	ug/l	U	8/7/2004
077562	1,1,1,2-Tetrachloroethane	SP	N	Y	8260	0.63	0.63	ug/l	U	8/7/2004
034516	1,1,2,2-Tetrachloroethane	SP	N	Y	8260	0.14	0.14	ug/l	U	8/7/2004
034475	Tetrachloroethene	SP	N	Y	8260	0.34	0.34	ug/l	U	8/7/2004
034010	Toluene	SP	N	Y	8260	0.51	0.51	ug/l	U	8/7/2004
034506	1,1,1-Trichloroethane	SP	N	Y	8260	0.46	0.46	ug/l	U	8/7/2004
034511	1,1,2-Trichloroethane	SP	N	Y	8260	0.47	0.47	ug/l	U	8/7/2004
039180	Trichloroethene	SP	N	Y	8260	0.28	0.28	ug/l	U	8/7/2004
034488	Trichlorofluoromethane	SP	N	Y	8260	0.98	0.98	ug/l	U	8/7/2004
077443	1,2,3-Trichloropropane	SP	N	Y	8260	0.15	0.15	ug/l	U	8/7/2004
077057	Vinyl acetate	SP	N	Y	8260	1.5	1.5	ug/l	U	8/7/2004
039175	Vinyl chloride	SP	N	Y	8260	0.5	0.5	ug/l	U	8/7/2004
034020	Xylenes	SP	N	Y	8260	0.98	0.98	ug/l	U	8/7/2004
032106	Chloroform	SP	N	Y	8260	0.9	0.9	ug/l	U	8/7/2004
046361	Dibromomethane	SP	N	Y	8260	0.41	0.41	ug/l	U	8/7/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19911

Monitoring_Site_Num: MW-4C

Permitted Well Type: BG

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

**Well Purged prior to
 Sample Collection? (Y/N)** Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/12/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/10/2004
001077	Silver (Dissolved)	SP	YES	Y	6010	0.0019	0.0019	mg/l	U	8/10/2004

Analytical Report

For: Mr. Kirk Wills
Geosyntec
14055 Riveredge Drive, Ste.300
Tampa, FL 33637

CC:

Order Number: B423859
SDG Number:
Client Project ID: FQ0638
Project: Oak Hammock Disposal Landfill
Report Date: 08/16/2004
Sampled By: Client
Sample Received Date: 08/03/2004
Requisition Number:
Purchase Order:



Michael F. Valder, Project Manager
mvalder@stl-inc.com

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Sample Summary

Order: B423859
Date Received: 08/03/2004

Client: Geosyntec
Project: Oak Hammock Disposal Landfill

Client Sample ID	Lab Sample ID	Matrix	Date Sampled
MW-5B	B423859*1	Liquid	08/02/2004 15:00
MW-5C	B423859*2	Liquid	08/02/2004 12:10
MW-6B	B423859*3	Liquid	08/02/2004 15:10
MW-6C	B423859*4	Liquid	08/02/2004 14:30
Trip Blank	B423859*5	Liquid	08/02/2004

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23859-1	MW-5B	Liquid	08/03/04	08/02/04 15:00	
23859-2	MW-5C	Liquid	08/03/04	08/02/04 12:10	

Parameter	Units	Lab Sample IDs	
		23859-1	23859-2

Appendix I - Organics (8260)

Parameter	Units	23859-1	23859-2
Acetone	ug/l	9.9U	9.9U
Acrylonitrile	ug/l	1.2U	1.2U
Benzene	ug/l	0.27U	0.27U
Bromochloromethane	ug/l	0.58U	0.58U
Bromodichloromethane	ug/l	0.35U	0.35U
Bromoform	ug/l	0.58U	0.58U
Carbon disulfide	ug/l	0.85U	0.85U
Carbon Tetrachloride	ug/l	0.42U	0.42U
Chlorobenzene	ug/l	0.63U	0.63U
Chloroethane	ug/l	0.80U	0.80U
Chloroform	ug/l	0.90U	0.90U
Dibromochloromethane	ug/l	0.34U	0.34U
1,2-Dichlorobenzene	ug/l	0.44U	0.44U
1,4-Dichlorobenzene	ug/l	0.52U	0.52U
Trans-1,4-Dichloro-2-butene	ug/l	2.5U	2.5U
1,1-Dichloroethane	ug/l	0.52U	0.52U
1,2-Dichloroethane	ug/l	0.57U	0.57U
1,1-Dichloroethylene	ug/l	0.45U	0.45U
cis-1,2-Dichloroethylene	ug/l	0.65U	0.65U
trans-1,2-Dichloroethylene	ug/l	0.44U	0.44U
1,2-Dichloropropane	ug/l	0.52U	0.52U
cis-1,3-Dichloropropene	ug/l	0.14U	0.14U
trans-1,3-Dichloropropene	ug/l	0.14U	0.14U
Ethylbenzene	ug/l	0.83U	0.83U
2-Hexanone	ug/l	4.4U	4.4U
Bromomethane	ug/l	0.66U	0.66U
Chloromethane	ug/l	0.64U	0.64U
Dibromomethane	ug/l	0.41U	0.41U
Methylene Chloride	ug/l	1.0U	1.0U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23859-1	MW-5B	Liquid	08/03/04	08/02/04 15:00	
23859-2	MW-5C	Liquid	08/03/04	08/02/04 12:10	

Parameter	Units	Lab Sample IDs	
		23859-1	23859-2

Appendix I - Organics (8260)

2-Butanone (MEK)	ug/l	8.4U	8.4U
Iodomethane	ug/l	0.67U	0.67U
4-Methyl-2-pentanone (MIBK)	ug/l	3.8U	3.8U
Styrene	ug/l	0.98U	0.98U
1,1,1,2-Tetrachloroethane	ug/l	0.63U	0.63U
1,1,2,2-Tetrachloroethane	ug/l	0.14U	0.14U
Tetrachloroethene	ug/l	0.34U	0.34U
Toluene	ug/l	8.8	0.51U
1,1,1-Trichloroethane	ug/l	0.46U	0.46U
1,1,2-Trichloroethane	ug/l	0.47U	0.47U
Trichloroethene	ug/l	0.28U	0.28U
Trichlorofluoromethane	ug/l	0.98U	0.98U
1,2,3-Trichloropropane	ug/l	0.15U	0.15U
Vinyl acetate	ug/l	1.5U	1.5U
Vinyl chloride	ug/l	0.50U	0.50U
Xylenes	ug/l	0.98U	0.98U
Dilution Factor		1	1
Analysis Date		08/12/04	08/12/04
Analysis Time		13:59	14:20
Batch ID		0812H	0812H

Microextractables (504)

1,2-Dibromoethane (EDB)	ug/l	0.0087U	0.0087U
1,2-Dibromo-3-chloropropane	ug/l	0.0030U	0.0030U
Dilution Factor		1	1
Prep Date		08/11/04	08/11/04
Prep Time		19:00	19:00
Analysis Date		08/12/04	08/12/04
Analysis Time		12:37	12:59
Batch ID		0811EE	0811EE

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23859-1	MW-5B	Liquid	08/03/04	08/02/04 15:00	
23859-2	MW-5C	Liquid	08/03/04	08/02/04 12:10	

Parameter	Units	Lab Sample IDs	
		23859-1	23859-2

Appendix I Metals by ICP (6010)

Arsenic	mg/l	0.0038U	0.0038U
Barium	mg/l	0.027	0.047
Beryllium	mg/l	0.00074U	0.00074U
Cadmium	mg/l	0.00071U	0.00071U
Chromium	mg/l	0.0019I	0.0025I
Cobalt	mg/l	0.0014U	0.0014U
Copper	mg/l	0.0013U	0.0013U
Lead	mg/l	0.0015U	0.0015U
Nickel	mg/l	0.0047U	0.0047U
Selenium	mg/l	0.0048U	0.0048U
Silver	mg/l	0.0019U	0.0019U
Vanadium	mg/l	0.0036I	0.0025U
Zinc	mg/l	0.0077I	0.0070I
Antimony	mg/l	0.0029U	0.0029U
Dilution Factor		1	1
Prep Date		08/08/04	08/08/04
Prep Time		09:30	09:30
Analysis Date		08/11/04	08/11/04
Analysis Time		14:18	14:37
Batch ID		40808I	40808I

Mercury (7470)

Mercury	mg/l	0.000072U	0.000072U
Dilution Factor		1	1
Prep Date		08/05/04	08/05/04
Prep Time		13:35	13:35
Analysis Date		08/06/04	08/06/04
Analysis Time		19:46	19:51
Batch ID		40805U	40805U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23859-1	MW-5B	Liquid	08/03/04	08/02/04 15:00	
23859-2	MW-5C	Liquid	08/03/04	08/02/04 12:10	

Parameter	Units	Lab Sample IDs	
		23859-1	23859-2

Iron (6010)

Iron	mg/l	0.64	1.9
Dilution Factor		1	1
Prep Date		08/08/04	08/08/04
Prep Time		09:30	09:30
Analysis Date		08/11/04	08/11/04
Analysis Time		14:18	14:37
Batch ID		40808I	40808I

Thallium (7841)

Thallium	mg/l	0.00070U	0.00070U
Dilution Factor		1	1
Prep Date		08/05/04	08/05/04
Prep Time		07:45	07:45
Analysis Date		08/09/04	08/09/04
Analysis Time		13:57	14:25
Batch ID		0805G	0805G

Sodium (6010)

Sodium	mg/l	4.3	6.6
Dilution Factor		1	1
Prep Date		08/08/04	08/08/04
Prep Time		09:30	09:30
Analysis Date		08/11/04	08/11/04
Analysis Time		14:18	14:37
Batch ID		40808I	40808I

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23859-1	MW-5B	Liquid	08/03/04	08/02/04 15:00	
23859-2	MW-5C	Liquid	08/03/04	08/02/04 12:10	

Parameter	Units	Lab Sample IDs	
		23859-1	23859-2

Chloride (325.3)

Chloride	mg/l	7.3	12
Dilution Factor		1	1
Analysis Date		08/11/04	08/11/04
Analysis Time		11:00	11:00
Batch ID		0811M	0811M

Ammonia-N (350.3)

Ammonia-N	mg/l	0.13	0.080
Dilution Factor		1	1
Analysis Date		08/11/04	08/11/04
Analysis Time		07:00	07:00
Batch ID		0811Y	0811Y

Nitrate-N (353.2)

Nitrate-N	mg/l	0.010U	0.010U
Dilution Factor		1	1
Analysis Date		08/03/04	08/03/04
Analysis Time		13:30	13:30
Batch ID		0803G	0803G

Solids, Total Dissolved (160.1)

Solids, Total Dissolved	mg/l	42	56
Dilution Factor		1	1
Analysis Date		08/09/04	08/09/04
Analysis Time		17:00	17:00
Batch ID		0809J-6	0809J-6

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23859-3	MW-6B	Liquid	08/03/04	08/02/04 15:10	
23859-4	MW-6C	Liquid	08/03/04	08/02/04 14:30	

Lab Sample IDs

Parameter	Units	23859-3	23859-4
-----------	-------	---------	---------

Appendix I - Organics (8260)

Parameter	Units	23859-3	23859-4
Acetone	ug/l	9.9U	9.9U
Acrylonitrile	ug/l	1.2U	1.2U
Benzene	ug/l	0.27U	0.27U
Bromochloromethane	ug/l	0.58U	0.58U
Bromodichloromethane	ug/l	0.35U	0.35U
Bromoform	ug/l	0.58U	0.58U
Carbon disulfide	ug/l	0.85U	0.85U
Carbon Tetrachloride	ug/l	0.42U	0.42U
Chlorobenzene	ug/l	0.63U	0.63U
Chloroethane	ug/l	0.80U	0.80U
Chloroform	ug/l	0.90U	0.90U
Dibromochloromethane	ug/l	0.34U	0.34U
1,2-Dichlorobenzene	ug/l	0.44U	0.44U
1,4-Dichlorobenzene	ug/l	0.52U	0.52U
Trans-1,4-Dichloro-2-butene	ug/l	2.5U	2.5U
1,1-Dichloroethane	ug/l	0.52U	0.52U
1,2-Dichloroethane	ug/l	0.57U	0.57U
1,1-Dichloroethylene	ug/l	0.45U	0.45U
cis-1,2-Dichloroethylene	ug/l	0.65U	0.65U
trans-1,2-Dichloroethylene	ug/l	0.44U	0.44U
1,2-Dichloropropane	ug/l	0.52U	0.52U
cis-1,3-Dichloropropene	ug/l	0.14U	0.14U
trans-1,3-Dichloropropene	ug/l	0.14U	0.14U
Ethylbenzene	ug/l	0.83U	0.83U
2-Hexanone	ug/l	4.4U	4.4U
Bromomethane	ug/l	0.66U	0.66U
Chloromethane	ug/l	0.64U	0.64U
Dibromomethane	ug/l	0.41U	0.41U
Methylene Chloride	ug/l	1.0U	1.0U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23859-3	MW-6B	Liquid	08/03/04	08/02/04 15:10	
23859-4	MW-6C	Liquid	08/03/04	08/02/04 14:30	

Parameter	Units	Lab Sample IDs	
		23859-3	23859-4

Appendix I - Organics (8260)

2-Butanone (MEK)	ug/l	8.4U	8.4U
Iodomethane	ug/l	0.67U	0.67U
4-Methyl-2-pentanone (MIBK)	ug/l	3.8U	3.8U
Styrene	ug/l	0.98U	0.98U
1,1,1,2-Tetrachloroethane	ug/l	0.63U	0.63U
1,1,2,2-Tetrachloroethane	ug/l	0.14U	0.14U
Tetrachloroethene	ug/l	0.34U	0.34U
Toluene	ug/l	0.51U	0.51U
1,1,1-Trichloroethane	ug/l	0.46U	0.46U
1,1,2-Trichloroethane	ug/l	0.47U	0.47U
Trichloroethene	ug/l	0.28U	0.28U
Trichlorofluoromethane	ug/l	0.98U	0.98U
1,2,3-Trichloropropane	ug/l	0.15U	0.15U
Vinyl acetate	ug/l	1.5U	1.5U
Vinyl chloride	ug/l	0.50U	0.50U
Xylenes	ug/l	0.98U	0.98U
Dilution Factor		1	1
Analysis Date		08/12/04	08/12/04
Analysis Time		14:40	14:59
Batch ID		0812H	0812H

Microextractables (504)

1,2-Dibromoethane (EDB)	ug/l	0.0087U	0.0087U
1,2-Dibromo-3-chloropropane	ug/l	0.0030U	0.0030U
Dilution Factor		1	1
Prep Date		08/11/04	08/11/04
Prep Time		19:00	19:00
Analysis Date		08/12/04	08/12/04
Analysis Time		13:20	13:41
Batch ID		0811EE	0811EE

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23859-3	MW-6B	Liquid	08/03/04	08/02/04 15:10	
23859-4	MW-6C	Liquid	08/03/04	08/02/04 14:30	

Parameter	Units	Lab Sample IDs	
		23859-3	23859-4

Appendix I Metals by ICP (6010)

Arsenic	mg/l	0.0038U	0.0038U
Barium	mg/l	0.20	0.097
Beryllium	mg/l	0.00074U	0.00074U
Cadmium	mg/l	0.00071U	0.00071U
Chromium	mg/l	0.030	0.0034I
Cobalt	mg/l	0.0014U	0.0014U
Copper	mg/l	0.0066I	0.0013U
Lead	mg/l	0.024	0.0015U
Nickel	mg/l	0.0068I	0.0047U
Selenium	mg/l	0.0057I	0.0048U
Silver	mg/l	0.0019U	0.0019U
Vanadium	mg/l	0.043	0.0046I
Zinc	mg/l	0.0073I	0.0067I
Antimony	mg/l	0.0029U	0.0029U
Dilution Factor		1	1
Prep Date		08/08/04	08/08/04
Prep Time		09:30	09:30
Analysis Date		08/11/04	08/11/04
Analysis Time		14:43	14:49
Batch ID		40808I	40808I

Mercury (7470)

Mercury	mg/l	0.000072U	0.000072U
Dilution Factor		1	1
Prep Date		08/05/04	08/05/04
Prep Time		13:35	13:35
Analysis Date		08/06/04	08/06/04
Analysis Time		19:53	19:57
Batch ID		40805U	40805U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23859-3	MW-6B	Liquid	08/03/04	08/02/04 15:10	
23859-4	MW-6C	Liquid	08/03/04	08/02/04 14:30	

Parameter	Units	Lab Sample IDs	
		23859-3	23859-4

Iron (6010)

Iron	mg/l	4.8	1.8
Dilution Factor		1	1
Prep Date		08/08/04	08/08/04
Prep Time		09:30	09:30
Analysis Date		08/11/04	08/11/04
Analysis Time		14:43	14:49
Batch ID		40808I	40808I

Thallium (7841)

Thallium	mg/l	0.00070U	0.00070U
Dilution Factor		1	1
Prep Date		08/05/04	08/05/04
Prep Time		07:45	07:45
Analysis Date		08/09/04	08/09/04
Analysis Time		14:29	14:38
Batch ID		0805G	0805G

Thallium (Dissolved) (7841)

Thallium (Dissolved)	mg/l	0.00070U	0.00070U
Dilution Factor		1	1
Prep Date		08/05/04	08/05/04
Prep Time		07:45	07:45
Analysis Date		08/09/04	08/09/04
Analysis Time		14:33	14:42
Batch ID		0805G	0805G

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23859-3	MW-6B	Liquid	08/03/04	08/02/04 15:10	
23859-4	MW-6C	Liquid	08/03/04	08/02/04 14:30	

Lab Sample IDs

Parameter	Units	23859-3	23859-4
Sodium (6010)			
Sodium	mg/l	6.6	4.2
Dilution Factor		1	1
Prep Date		08/08/04	08/08/04
Prep Time		09:30	09:30
Analysis Date		08/11/04	08/11/04
Analysis Time		14:43	14:49
Batch ID		40808I	40808I

Appendix I Metals Dissolved (6010)

Antimony (Dissolved)	mg/l	0.0029U	0.0029U
Arsenic (Dissolved)	mg/l	0.0038U	0.0038U
Barium (Dissolved)	mg/l	0.021	0.065
Beryllium (Dissolved)	mg/l	0.00074U	0.00074U
Cadmium (Dissolved)	mg/l	0.00071U	0.00071U
Chromium (Dissolved)	mg/l	0.0017U	0.0017U
Cobalt (Dissolved)	mg/l	0.0014U	0.0014U
Copper (Dissolved)	mg/l	0.0013U	0.0013U
Lead (Dissolved)	mg/l	0.0015U	0.0015U
Nickel (Dissolved)	mg/l	0.0047U	0.0047U
Selenium (Dissolved)	mg/l	0.0048U	0.0048U
Silver (Dissolved)	mg/l	0.0019U	0.0019U
Vanadium (Dissolved)	mg/l	0.0029I	0.0025U
Zinc (Dissolved)	mg/l	0.0059U	0.0059U
Dilution Factor		1	1
Prep Date		08/08/04	08/08/04
Prep Time		09:30	09:30
Analysis Date		08/11/04	08/11/04
Analysis Time		14:55	15:01
Batch ID		40808I	40808I

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23859-3	MW-6B	Liquid	08/03/04	08/02/04 15:10	
23859-4	MW-6C	Liquid	08/03/04	08/02/04 14:30	

Parameter	Units	Lab Sample IDs	
		23859-3	23859-4

Iron (Dissolved) (6010)

Iron (Dissolved)	mg/l	0.95	1.4
Dilution Factor		1	1
Prep Date		08/08/04	08/08/04
Prep Time		09:30	09:30
Analysis Date		08/11/04	08/11/04
Analysis Time		14:55	15:01
Batch ID		40808I	40808I

Sodium (Dissolved) (6010)

Sodium (Dissolved)	mg/l	6.5	4.2
Dilution Factor		1	1
Prep Date		08/08/04	08/08/04
Prep Time		09:30	09:30
Analysis Date		08/11/04	08/11/04
Analysis Time		14:55	15:01
Batch ID		40808I	40808I

Mercury (Dissolved) (7470)

Mercury (Dissolved)	mg/l	0.000072U	0.000072U
Dilution Factor		1	1
Prep Date		08/05/04	08/05/04
Prep Time		13:35	13:35
Analysis Date		08/06/04	08/06/04
Analysis Time		19:55	19:59
Batch ID		40805U	40805U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23859-3	MW-6B	Liquid	08/03/04	08/02/04 15:10	
23859-4	MW-6C	Liquid	08/03/04	08/02/04 14:30	

Parameter	Units	Lab Sample IDs	
		23859-3	23859-4
Chloride (325.3)			
Chloride	mg/l	5.9	5.4
Dilution Factor		1	1
Analysis Date		08/11/04	08/11/04
Analysis Time		11:00	11:00
Batch ID		0811M	0811M
Ammonia-N (350.3)			
Ammonia-N	mg/l	0.11	0.11
Dilution Factor		1	1
Analysis Date		08/11/04	08/11/04
Analysis Time		07:00	07:00
Batch ID		0811Y	0811Y
Nitrate-N (353.2)			
Nitrate-N	mg/l	0.010U	0.010U
Dilution Factor		1	1
Analysis Date		08/03/04	08/03/04
Analysis Time		13:30	13:30
Batch ID		0803G	0803G
Solids, Total Dissolved (160.1)			
Solids, Total Dissolved	mg/l	270	44
Dilution Factor		1	1
Analysis Date		08/09/04	08/09/04
Analysis Time		17:00	17:00
Batch ID		0809J-6	0809J-6

STL Tampa

6712 Benjamin Road, Suite 100 - Tampa FL 33634 Telephone:(813) 885-7427 Fax:(813) 885-7049

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23859-5	Trip Blank	Liquid	08/03/04	08/02/04	

Parameter	Units	Lab Sample IDs
		23859-5

Appendix I - Organics (8260)

Acetone	ug/l	9.9U
Acrylonitrile	ug/l	1.2U
Benzene	ug/l	0.27U
Bromochloromethane	ug/l	0.58U
Bromodichloromethane	ug/l	0.35U
Bromoform	ug/l	0.58U
Carbon disulfide	ug/l	0.85U
Carbon Tetrachloride	ug/l	0.42U
Chlorobenzene	ug/l	0.63U
Chloroethane	ug/l	0.80U
Chloroform	ug/l	0.90U
Dibromochloromethane	ug/l	0.34U
1,2-Dichlorobenzene	ug/l	0.44U
1,4-Dichlorobenzene	ug/l	0.52U
Trans-1,4-Dichloro-2-butene	ug/l	2.5U
1,1-Dichloroethane	ug/l	0.52U
1,2-Dichloroethane	ug/l	0.57U
1,1-Dichloroethylene	ug/l	0.45U
cis-1,2-Dichloroethylene	ug/l	0.65U
trans-1,2-Dichloroethylene	ug/l	0.44U
1,2-Dichloropropane	ug/l	0.52U
cis-1,3-Dichloropropene	ug/l	0.14U
trans-1,3-Dichloropropene	ug/l	0.14U
Ethylbenzene	ug/l	0.83U
2-Hexanone	ug/l	4.4U
Bromomethane	ug/l	0.66U
Chloromethane	ug/l	0.64U
Dibromomethane	ug/l	0.41U
Methylene Chloride	ug/l	1.0U
2-Butanone (MEK)	ug/l	8.4U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23859-5	Trip Blank	Liquid	08/03/04	08/02/04	

Parameter	Units	Lab Sample IDs
		23859-5

Appendix I - Organics (8260)

Iodomethane	ug/l	0.67U
4-Methyl-2-pentanone (MIBK)	ug/l	3.8U
Styrene	ug/l	0.98U
1,1,1,2-Tetrachloroethane	ug/l	0.63U
1,1,2,2-Tetrachloroethane	ug/l	0.14U
Tetrachloroethene	ug/l	0.34U
Toluene	ug/l	0.51U
1,1,1-Trichloroethane	ug/l	0.46U
1,1,2-Trichloroethane	ug/l	0.47U
Trichloroethene	ug/l	0.28U
Trichlorofluoromethane	ug/l	0.98U
1,2,3-Trichloropropane	ug/l	0.15U
Vinyl acetate	ug/l	1.5U
Vinyl chloride	ug/l	0.50U
Xylenes	ug/l	0.98U
Dilution Factor		1
Analysis Date		08/12/04
Analysis Time		15:20
Batch ID		0812H

STL Tampa

6712 Benjamin Road, Suite 100 - Tampa FL 33634 Telephone:(813) 885-7427 Fax:(813) 885-7049

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23859-6	Method Blank	Liquid	08/03/04		

Parameter	Units	Lab Sample IDs
		23859-6

Appendix I - Organics (8260)

Acetone	ug/l	9.9U
Acrylonitrile	ug/l	1.2U
Benzene	ug/l	0.27U
Bromochloromethane	ug/l	0.58U
Bromodichloromethane	ug/l	0.35U
Bromoform	ug/l	0.58U
Carbon disulfide	ug/l	0.85U
Carbon Tetrachloride	ug/l	0.42U
Chlorobenzene	ug/l	0.63U
Chloroethane	ug/l	0.80U
Chloroform	ug/l	0.90U
Dibromochloromethane	ug/l	0.34U
1,2-Dichlorobenzene	ug/l	0.44U
1,4-Dichlorobenzene	ug/l	0.52U
Trans-1,4-Dichloro-2-butene	ug/l	2.5U
1,1-Dichloroethane	ug/l	0.52U
1,2-Dichloroethane	ug/l	0.57U
1,1-Dichloroethylene	ug/l	0.45U
cis-1,2-Dichloroethylene	ug/l	0.65U
trans-1,2-Dichloroethylene	ug/l	0.44U
1,2-Dichloropropane	ug/l	0.52U
cis-1,3-Dichloropropene	ug/l	0.14U
trans-1,3-Dichloropropene	ug/l	0.14U
Ethylbenzene	ug/l	0.83U
2-Hexanone	ug/l	4.4U
Bromomethane	ug/l	0.66U
Chloromethane	ug/l	0.64U
Dibromomethane	ug/l	0.41U
Methylene Chloride	ug/l	1.0U
2-Butanone (MEK)	ug/l	8.4U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23859-6	Method Blank	Liquid	08/03/04		

Parameter	Units	Lab Sample IDs
		23859-6

Appendix I - Organics (8260)

Iodomethane	ug/l	0.67U
4-Methyl-2-pentanone (MIBK)	ug/l	3.8U
Styrene	ug/l	0.98U
1,1,1,2-Tetrachloroethane	ug/l	0.63U
1,1,2,2-Tetrachloroethane	ug/l	0.14U
Tetrachloroethene	ug/l	0.34U
Toluene	ug/l	0.51U
1,1,1-Trichloroethane	ug/l	0.46U
1,1,2-Trichloroethane	ug/l	0.47U
Trichloroethene	ug/l	0.28U
Trichlorofluoromethane	ug/l	0.98U
1,2,3-Trichloropropane	ug/l	0.15U
Vinyl acetate	ug/l	1.5U
Vinyl chloride	ug/l	0.50U
Xylenes	ug/l	0.98U
Dilution Factor		1
Analysis Date		08/12/04
Analysis Time		10:06
Batch ID		0812H

Microextractables (504)

1,2-Dibromoethane (EDB)	ug/l	0.0087U
1,2-Dibromo-3-chloropropane	ug/l	0.0030U
Dilution Factor		1
Prep Date		08/11/04
Prep Time		19:00
Analysis Date		08/12/04
Analysis Time		09:26
Batch ID		0811EE

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23859-6	Method Blank	Liquid	08/03/04		

Parameter	Units	Lab Sample IDs
		23859-6

Appendix I Metals by ICP (6010)

Arsenic	mg/l	0.0038U
Barium	mg/l	0.0012U
Beryllium	mg/l	0.00074U
Cadmium	mg/l	0.00071U
Chromium	mg/l	0.0017U
Cobalt	mg/l	0.0014U
Copper	mg/l	0.0013U
Lead	mg/l	0.0015U
Nickel	mg/l	0.0047U
Selenium	mg/l	0.0048U
Silver	mg/l	0.0019U
Vanadium	mg/l	0.0025U
Zinc	mg/l	0.0059U
Antimony	mg/l	0.0029U
Dilution Factor		1
Prep Date		08/08/04
Prep Time		09:30
Analysis Date		08/11/04
Analysis Time		12:21
Batch ID		40808I

Mercury (7470)

Mercury	mg/l	0.000072U
Dilution Factor		1
Prep Date		08/05/04
Prep Time		13:35
Analysis Date		08/06/04
Analysis Time		19:35
Batch ID		40805U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23859-6	Method Blank	Liquid	08/03/04		

Parameter	Units	Lab Sample IDs
		23859-6

Iron (6010)

Iron	mg/l	0.037U
Dilution Factor		1
Prep Date		08/08/04
Prep Time		09:30
Analysis Date		08/11/04
Analysis Time		12:21
Batch ID		40808I

Thallium (7841)

Thallium	mg/l	0.00070U
Dilution Factor		1
Prep Date		08/05/04
Prep Time		07:45
Analysis Date		08/09/04
Analysis Time		12:46
Batch ID		0805G

Thallium (Dissolved) (7841)

Thallium (Dissolved)	mg/l	0.00070U
Dilution Factor		1
Prep Date		08/05/04
Prep Time		07:45
Analysis Date		08/09/04
Analysis Time		12:46
Batch ID		0805G

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23859-6	Method Blank	Liquid	08/03/04		

Parameter	Units	Lab Sample IDs	
		23859-6	
Sodium (6010)			
Sodium	mg/l	0.15U	
Dilution Factor		1	
Prep Date		08/08/04	
Prep Time		09:30	
Analysis Date		08/11/04	
Analysis Time		12:21	
Batch ID		40808I	

Appendix I Metals Dissolved (6010)			
Antimony (Dissolved)	mg/l	0.0029U	
Arsenic (Dissolved)	mg/l	0.0038U	
Barium (Dissolved)	mg/l	0.0012U	
Beryllium (Dissolved)	mg/l	0.00074U	
Cadmium (Dissolved)	mg/l	0.00071U	
Chromium (Dissolved)	mg/l	0.0017U	
Cobalt (Dissolved)	mg/l	0.0014U	
Copper (Dissolved)	mg/l	0.0013U	
Lead (Dissolved)	mg/l	0.0015U	
Nickel (Dissolved)	mg/l	0.0047U	
Selenium (Dissolved)	mg/l	0.0048U	
Silver (Dissolved)	mg/l	0.0019U	
Vanadium (Dissolved)	mg/l	0.0025U	
Zinc (Dissolved)	mg/l	0.0059U	
Dilution Factor		1	
Prep Date		08/08/04	
Prep Time		09:30	
Analysis Date		08/11/04	
Analysis Time		12:21	
Batch ID		40808I	

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23859-6	Method Blank	Liquid	08/03/04		

Parameter	Units	Lab Sample IDs
		23859-6

Iron (Dissolved) (6010)

Iron (Dissolved)	mg/l	0.037U
Dilution Factor		1
Prep Date		08/08/04
Prep Time		09:30
Analysis Date		08/11/04
Analysis Time		12:21
Batch ID		40808I

Sodium (Dissolved) (6010)

Sodium (Dissolved)	mg/l	0.15U
Dilution Factor		1
Prep Date		08/08/04
Prep Time		09:30
Analysis Date		08/11/04
Analysis Time		12:21
Batch ID		40808I

Mercury (Dissolved) (7470)

Mercury (Dissolved)	mg/l	0.000072U
Dilution Factor		1
Prep Date		08/05/04
Prep Time		13:35
Analysis Date		08/06/04
Analysis Time		19:35
Batch ID		40805U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23859-6	Method Blank	Liquid	08/03/04		

Parameter	Units	Lab Sample IDs
		23859-6

Chloride (325.3)

Chloride	mg/l	1.0U
Dilution Factor		1
Analysis Date		08/11/04
Analysis Time		11:00
Batch ID		0811M

Ammonia-N (350.3)

Ammonia-N	mg/l	0.040U
Dilution Factor		1
Analysis Date		08/11/04
Analysis Time		07:00
Batch ID		0811Y

Nitrate-N (353.2)

Nitrate-N	mg/l	0.010U
Dilution Factor		1
Analysis Date		08/03/04
Analysis Time		13:30
Batch ID		0803G

Solids, Total Dissolved (160.1)

Solids, Total Dissolved	mg/l	5.0U
Dilution Factor		1
Analysis Date		08/09/04
Analysis Time		17:00
Batch ID		0809J-6

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23859-7	Lab Control Standard % Recovery	Liquid	08/03/04		
23859-8	Lab Control Standard Duplicate % Recovery	Liquid	08/03/04		
23859-9	Precision (%RPD) of LCS/LCSD	Liquid	08/03/04		
23859-10	LCS Accuracy Control Limit (%R)	Liquid	08/03/04		
23859-11	LCS Precision Control Limit (Advisory) %RPD	Liquid	08/03/04		

Parameter	Units	Lab Sample IDs				
		23859-7	23859-8	23859-9	23859-10	23859-11

Appendix I - Organics (8260)

Benzene	%	98 %	98 %	0 %	62-135 %	<16 %
Chlorobenzene	%	94 %	98 %	4.2 %	72-127 %	<22 %
1,1-Dichloroethylene	%	102 %	106 %	3.8 %	46-147 %	<30 %
Toluene	%	96 %	100 %	4.1 %	68-131 %	<33 %
Trichloroethene	%	100 %	98 %	2.0 %	56-143 %	<35 %
Dilution Factor		1	1			
Analysis Date		08/12/04	08/12/04			
Analysis Time		09:09	09:28			
Batch ID		0812H	0812H	0812H		

Microextractables (504)

1,2-Dibromoethane (EDB)	%	125 %	125 %	0 %	70-130 %	<30 %
1,2-Dibromo-3-chloropropane	%	136 %J3	136 %J3	0 %	70-130 %	<30 %
Dilution Factor		1	1			
Prep Date		08/11/04	08/11/04			
Prep Time		19:00	19:00			
Analysis Date		08/12/04	08/12/04			
Analysis Time		09:47	10:08			
Batch ID		0811EE	0811EE	0811EE		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23859-7	Lab Control Standard % Recovery	Liquid	08/03/04		
23859-8	Lab Control Standard Duplicate % Recovery	Liquid	08/03/04		
23859-9	Precision (%RPD) of LCS/LCSD	Liquid	08/03/04		
23859-10	LCS Accuracy Control Limit (%R)	Liquid	08/03/04		
23859-11	LCS Precision Control Limit (Advisory) %RPD	Liquid	08/03/04		

Parameter	Units	Lab Sample IDs				
		23859-7	23859-8	23859-9	23859-10	23859-11

Appendix I Metals by ICP (6010)

Arsenic	%	101 %	101 %	0.00 %	75-125 %	<20 %
Barium	%	105 %	105 %	0.67 %	75-125 %	<20 %
Beryllium	%	102 %	102 %	0.49 %	75-125 %	<20 %
Cadmium	%	103 %	104 %	0.39 %	75-125 %	<20 %
Chromium	%	102 %	103 %	0.59 %	75-125 %	<20 %
Cobalt	%	106 %	106 %	0.19 %	75-125 %	<20 %
Copper	%	110 %	110 %	0.45 %	75-125 %	<20 %
Lead	%	103 %	103 %	0.10 %	75-125 %	<20 %
Nickel	%	104 %	104 %	0.10 %	75-125 %	<20 %
Selenium	%	102 %	102 %	0.20 %	75-125 %	<20 %
Silver	%	101 %	100 %	0.40 %	75-125 %	<20 %
Vanadium	%	103 %	103 %	0.19 %	75-125 %	<20 %
Zinc	%	103 %	104 %	0.87 %	75-125 %	<20 %
Antimony	%	98 %	98 %	0.10 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/08/04	08/08/04			
Prep Time		09:30	09:30			
Analysis Date		08/11/04	08/11/04			
Analysis Time		12:27	12:34			
Batch ID		40808I	40808I	40808I		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23859-7	Lab Control Standard % Recovery	Liquid	08/03/04		
23859-8	Lab Control Standard Duplicate % Recovery	Liquid	08/03/04		
23859-9	Precision (%RPD) of LCS/LCSD	Liquid	08/03/04		
23859-10	LCS Accuracy Control Limit (%R)	Liquid	08/03/04		
23859-11	LCS Precision Control Limit (Advisory) %RPD	Liquid	08/03/04		

Parameter	Units	Lab Sample IDs				
		23859-7	23859-8	23859-9	23859-10	23859-11

Mercury (7470)

Mercury	%	96 %	94 %	2.1 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/05/04	08/05/04			
Prep Time		13:35	13:35			
Analysis Date		08/06/04	08/06/04			
Analysis Time		19:36	19:38			
Batch ID		40805U	40805U	40805U		

Iron (6010)

Iron	%	106 %	106 %	0.57 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/08/04	08/08/04			
Prep Time		09:30	09:30			
Analysis Date		08/11/04	08/11/04			
Analysis Time		12:27	12:34			
Batch ID		40808I	40808I	40808I		

Thallium (7841)

Thallium	%	101 %	96 %	5.1 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/05/04	08/05/04			
Prep Time		07:45	07:45			
Analysis Date		08/09/04	08/09/04			
Analysis Time		12:51	12:55			
Batch ID		0805G	0805G	0805G		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23859-7	Lab Control Standard % Recovery	Liquid	08/03/04		
23859-8	Lab Control Standard Duplicate % Recovery	Liquid	08/03/04		
23859-9	Precision (%RPD) of LCS/LCSD	Liquid	08/03/04		
23859-10	LCS Accuracy Control Limit (%R)	Liquid	08/03/04		
23859-11	LCS Precision Control Limit (Advisory) %RPD	Liquid	08/03/04		

Parameter	Units	Lab Sample IDs				
		23859-7	23859-8	23859-9	23859-10	23859-11

Thallium (Dissolved) (7841)

Thallium (Dissolved)	%	101 %	96 %	5.1 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/05/04	08/05/04			
Prep Time		07:45	07:45			
Analysis Date		08/09/04	08/09/04			
Analysis Time		12:51	12:55			
Batch ID		0805G	0805G	0805G		

Sodium (6010)

Sodium	%	97 %	97 %	0.67 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/08/04	08/08/04			
Prep Time		09:30	09:30			
Analysis Date		08/11/04	08/11/04			
Analysis Time		12:27	12:34			
Batch ID		40808I	40808I	40808I		

Appendix I Metals Dissolved (6010)

Antimony (Dissolved)	%	98 %	98 %	0.10 %	75-125 %	<20 %
Arsenic (Dissolved)	%	101 %	101 %	0.00 %	75-125 %	<20 %
Barium (Dissolved)	%	105 %	105 %	0.67 %	75-125 %	<20 %
Beryllium (Dissolved)	%	102 %	102 %	0.49 %	75-125 %	<20 %
Cadmium (Dissolved)	%	103 %	104 %	0.39 %	75-125 %	<20 %
Chromium (Dissolved)	%	102 %	103 %	0.59 %	75-125 %	<20 %

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23859-7	Lab Control Standard % Recovery	Liquid	08/03/04		
23859-8	Lab Control Standard Duplicate % Recovery	Liquid	08/03/04		
23859-9	Precision (%RPD) of LCS/LCSD	Liquid	08/03/04		
23859-10	LCS Accuracy Control Limit (%R)	Liquid	08/03/04		
23859-11	LCS Precision Control Limit (Advisory) %RPD	Liquid	08/03/04		

Parameter	Units	Lab Sample IDs				
		23859-7	23859-8	23859-9	23859-10	23859-11

Appendix I Metals Dissolved (6010)

Cobalt (Dissolved)	%	106 %	106 %	0.19 %	75-125 %	<20 %
Copper (Dissolved)	%	110 %	110 %	0.45 %	75-125 %	<20 %
Lead (Dissolved)	%	103 %	103 %	0.10 %	75-125 %	<20 %
Nickel (Dissolved)	%	104 %	104 %	0.10 %	75-125 %	<20 %
Selenium (Dissolved)	%	102 %	102 %	0.20 %	75-125 %	<20 %
Silver (Dissolved)	%	101 %	100 %	0.40 %	75-125 %	<20 %
Vanadium (Dissolved)	%	103 %	103 %	0.19 %	75-125 %	<20 %
Zinc (Dissolved)	%	103 %	104 %	0.87 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/08/04	08/08/04			
Prep Time		09:30	09:30			
Analysis Date		08/11/04	08/11/04			
Analysis Time		12:27	12:34			
Batch ID		40808I	40808I	40808I		

Iron (Dissolved) (6010)

Iron (Dissolved)	%	106 %	106 %	0.57 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/08/04	08/08/04			
Prep Time		09:30	09:30			
Analysis Date		08/11/04	08/11/04			
Analysis Time		12:27	12:34			
Batch ID		40808I	40808I	40808I		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23859-7	Lab Control Standard % Recovery	Liquid	08/03/04		
23859-8	Lab Control Standard Duplicate % Recovery	Liquid	08/03/04		
23859-9	Precision (%RPD) of LCS/LCSD	Liquid	08/03/04		
23859-10	LCS Accuracy Control Limit (%R)	Liquid	08/03/04		
23859-11	LCS Precision Control Limit (Advisory) %RPD	Liquid	08/03/04		

Parameter	Units	Lab Sample IDs				
		23859-7	23859-8	23859-9	23859-10	23859-11

Sodium (Dissolved) (6010)

Sodium (Dissolved)	%	97 %	97 %	0.67 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/08/04	08/08/04			
Prep Time		09:30	09:30			
Analysis Date		08/11/04	08/11/04			
Analysis Time		12:27	12:34			
Batch ID		40808I	40808I	40808I		

Mercury (Dissolved) (7470)

Mercury (Dissolved)	%	96 %	94 %	2.1 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/05/04	08/05/04			
Prep Time		13:35	13:35			
Analysis Date		08/06/04	08/06/04			
Analysis Time		19:36	19:38			
Batch ID		40805U	40805U	40805U		

Chloride (325.3)

Chloride	%	100 %	100 %	0 %	75-125 %	<30 %
Dilution Factor		1	1			
Analysis Date		08/11/04	08/11/04			
Analysis Time		11:00	11:00			
Batch ID		0811M	0811M	0811M		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23859-7	Lab Control Standard % Recovery	Liquid	08/03/04		
23859-8	Lab Control Standard Duplicate % Recovery	Liquid	08/03/04		
23859-9	Precision (%RPD) of LCS/LCSD	Liquid	08/03/04		
23859-10	LCS Accuracy Control Limit (%R)	Liquid	08/03/04		
23859-11	LCS Precision Control Limit (Advisory) %RPD	Liquid	08/03/04		

Parameter	Units	Lab Sample IDs				
		23859-7	23859-8	23859-9	23859-10	23859-11

Ammonia-N (350.3)

Ammonia-N	%	98 %	98 %	0 %	85-115 %	<30 %
Dilution Factor		1	1			
Analysis Date		08/11/04	08/11/04			
Analysis Time		07:00	07:00			
Batch ID		0811Y	0811Y	0811Y		

Nitrate-N (353.2)

Nitrate-N	%	101 %	99 %	1.4 %	75-125 %	<30 %
Dilution Factor		1	1			
Analysis Date		08/03/04	08/03/04			
Analysis Time		13:30	13:30			
Batch ID		0803G	0803G	0803G		

Solids, Total Dissolved (160.1)

Solids, Total Dissolved	%	99 %	100 %	0.70 %	80-120 %	<25 %
Dilution Factor		1	1			
Analysis Date		08/09/04	08/09/04			
Analysis Time		17:00	17:00			
Batch ID		0809J-6	0809J-6	0809J-6		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23859-12	Matrix Spike % Recovery	Liquid	08/03/04		
23859-13	Matrix Spike Duplicate % Recovery	Liquid	08/03/04		
23859-14	Precision (%RPD) MS/MSD	Liquid	08/03/04		
23859-15	MS Accuracy Advisory Limit (%R)	Liquid	08/03/04		
23859-16	MS Precision Advisory Limit (%RPD)	Liquid	08/03/04		

Parameter	Units	Lab Sample IDs				
		23859-12	23859-13	23859-14	23859-15	23859-16

Appendix I - Organics (8260)

Benzene	%	94 %	88 %	6.6 %	62-135 %	<16 %
Chlorobenzene	%	94 %	88 %	6.6 %	72-127 %	<22 %
1,1-Dichloroethylene	%	102 %	96 %	6.1 %	46-147 %	<30 %
Toluene	%	88 %	90 %	2.2 %	68-131 %	<33 %
Trichloroethene	%	94 %	90 %	4.3 %	56-143 %	<35 %
Dilution Factor		1	1			
Analysis Date		08/12/04	08/12/04			
Analysis Time		15:39	15:58			
Batch ID		0812H	0812H	0812H		

Microextractables (504)

1,2-Dibromoethane (EDB)	%	108 %	109 %	2.2 %	70-130 %	<30 %
1,2-Dibromo-3-chloropropane	%	235 %*F73	256 %*F73	9.5 %	70-130 %	<30 %
Dilution Factor		1	1			
Prep Date		08/11/04	08/11/04			
Prep Time		19:00	19:00			
Analysis Date		08/12/04	08/12/04			
Analysis Time		15:07	15:28			
Batch ID		0811EE	0811EE	0811EE		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23859-12	Matrix Spike % Recovery	Liquid	08/03/04		
23859-13	Matrix Spike Duplicate % Recovery	Liquid	08/03/04		
23859-14	Precision (%RPD) MS/MSD	Liquid	08/03/04		
23859-15	MS Accuracy Advisory Limit (%R)	Liquid	08/03/04		
23859-16	MS Precision Advisory Limit (%RPD)	Liquid	08/03/04		

Parameter	Units	Lab Sample IDs				
		23859-12	23859-13	23859-14	23859-15	23859-16

Appendix I Metals by ICP (6010)

Arsenic	%	105 %	104 %	0.59 %	75-125 %	<20 %
Barium	%	105 %	105 %	0.45 %	75-125 %	<20 %
Beryllium	%	103 %	102 %	0.70 %	75-125 %	<20 %
Cadmium	%	103 %	102 %	1.1 %	75-125 %	<20 %
Chromium	%	102 %	101 %	0.45 %	75-125 %	<20 %
Cobalt	%	105 %	105 %	0.62 %	75-125 %	<20 %
Copper	%	114 %	114 %	0.01 %	75-125 %	<20 %
Lead	%	103 %	103 %	0.51 %	75-125 %	<20 %
Nickel	%	104 %	103 %	0.95 %	75-125 %	<20 %
Selenium	%	105 %	104 %	0.58 %	75-125 %	<20 %
Silver	%	103 %	102 %	0.81 %	75-125 %	<20 %
Vanadium	%	104 %	104 %	0.39 %	75-125 %	<20 %
Zinc	%	102 %	102 %	0.11 %	75-125 %	<20 %
Antimony	%	101 %	100 %	0.71 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/08/04	08/08/04			
Prep Time		09:30	09:30			
Analysis Date		08/11/04	08/11/04			
Analysis Time		12:52	12:58			
Batch ID		40808I	40808I	40808I		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23859-12	Matrix Spike % Recovery	Liquid	08/03/04		
23859-13	Matrix Spike Duplicate % Recovery	Liquid	08/03/04		
23859-14	Precision (%RPD) MS/MSD	Liquid	08/03/04		
23859-15	MS Accuracy Advisory Limit (%R)	Liquid	08/03/04		
23859-16	MS Precision Advisory Limit (%RPD)	Liquid	08/03/04		

Parameter	Units	Lab Sample IDs				
		23859-12	23859-13	23859-14	23859-15	23859-16

Mercury (7470)

Mercury	%	102 %	99 %	3.0 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/05/04	08/05/04			
Prep Time		13:35	13:35			
Analysis Date		08/06/04	08/06/04			
Analysis Time		19:47	19:49			
Batch ID		40805U	40805U	40805U		

Iron (6010)

Iron	%	105 %	104 %	1.3 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/08/04	08/08/04			
Prep Time		09:30	09:30			
Analysis Date		08/11/04	08/11/04			
Analysis Time		12:52	12:58			
Batch ID		40808I	40808I	40808I		

Thallium (7841)

Thallium	%	92 %	93 %	0.6 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/05/04	08/05/04			
Prep Time		07:45	07:45			
Analysis Date		08/09/04	08/09/04			
Analysis Time		14:17	14:21			
Batch ID		0805G	0805G	0805G		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23859-12	Matrix Spike % Recovery	Liquid	08/03/04		
23859-13	Matrix Spike Duplicate % Recovery	Liquid	08/03/04		
23859-14	Precision (%RPD) MS/MSD	Liquid	08/03/04		
23859-15	MS Accuracy Advisory Limit (%R)	Liquid	08/03/04		
23859-16	MS Precision Advisory Limit (%RPD)	Liquid	08/03/04		

Parameter	Units	Lab Sample IDs				
		23859-12	23859-13	23859-14	23859-15	23859-16

Thallium (Dissolved) (7841)

Thallium (Dissolved)	%	92 %	93 %	0.6 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/05/04	08/05/04			
Prep Time		07:45	07:45			
Analysis Date		08/09/04	08/09/04			
Analysis Time		14:17	14:21			
Batch ID		0805G	0805G	0805G		

Sodium (6010)

Sodium	%	188 %*F61	170 %*F61	0.86 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/08/04	08/08/04			
Prep Time		09:30	09:30			
Analysis Date		08/11/04	08/11/04			
Analysis Time		12:52	12:58			
Batch ID		40808I	40808I	40808I		

Appendix I Metals Dissolved (6010)

Antimony (Dissolved)	%	101 %	100 %	0.71 %	75-125 %	<20 %
Arsenic (Dissolved)	%	105 %	104 %	0.59 %	75-125 %	<20 %
Barium (Dissolved)	%	105 %	105 %	0.45 %	75-125 %	<20 %
Beryllium (Dissolved)	%	103 %	102 %	0.70 %	75-125 %	<20 %
Cadmium (Dissolved)	%	103 %	102 %	1.1 %	75-125 %	<20 %
Chromium (Dissolved)	%	102 %	101 %	0.45 %	75-125 %	<20 %

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23859-12	Matrix Spike % Recovery	Liquid	08/03/04		
23859-13	Matrix Spike Duplicate % Recovery	Liquid	08/03/04		
23859-14	Precision (%RPD) MS/MSD	Liquid	08/03/04		
23859-15	MS Accuracy Advisory Limit (%R)	Liquid	08/03/04		
23859-16	MS Precision Advisory Limit (%RPD)	Liquid	08/03/04		

Parameter	Units	Lab Sample IDs				
		23859-12	23859-13	23859-14	23859-15	23859-16

Appendix I Metals Dissolved (6010)

Cobalt (Dissolved)	%	105 %	105 %	0.62 %	75-125 %	<20 %
Copper (Dissolved)	%	114 %	114 %	0.01 %	75-125 %	<20 %
Lead (Dissolved)	%	103 %	103 %	0.51 %	75-125 %	<20 %
Nickel (Dissolved)	%	104 %	103 %	0.95 %	75-125 %	<20 %
Selenium (Dissolved)	%	105 %	104 %	0.58 %	75-125 %	<20 %
Silver (Dissolved)	%	103 %	102 %	0.81 %	75-125 %	<20 %
Vanadium (Dissolved)	%	104 %	104 %	0.39 %	75-125 %	<20 %
Zinc (Dissolved)	%	102 %	102 %	0.11 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/08/04	08/08/04			
Prep Time		09:30	09:30			
Analysis Date		08/11/04	08/11/04			
Analysis Time		12:52	12:58			
Batch ID		40808I	40808I	40808I		

Iron (Dissolved) (6010)

Iron (Dissolved)	%	105 %	104 %	1.3 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/08/04	08/08/04			
Prep Time		09:30	09:30			
Analysis Date		08/11/04	08/11/04			
Analysis Time		12:52	12:58			
Batch ID		40808I	40808I	40808I		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23859-12	Matrix Spike % Recovery	Liquid	08/03/04		
23859-13	Matrix Spike Duplicate % Recovery	Liquid	08/03/04		
23859-14	Precision (%RPD) MS/MSD	Liquid	08/03/04		
23859-15	MS Accuracy Advisory Limit (%R)	Liquid	08/03/04		
23859-16	MS Precision Advisory Limit (%RPD)	Liquid	08/03/04		

Parameter	Units	Lab Sample IDs				
		23859-12	23859-13	23859-14	23859-15	23859-16

Sodium (Dissolved) (6010)

Sodium (Dissolved)	%	188 %*F61	170 %*F61	0.86 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/08/04	08/08/04			
Prep Time		09:30	09:30			
Analysis Date		08/11/04	08/11/04			
Analysis Time		12:52	12:58			
Batch ID		40808I	40808I	40808I		

Mercury (Dissolved) (7470)

Mercury (Dissolved)	%	102 %	99 %	2.6 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/05/04	08/05/04			
Prep Time		13:35	13:35			
Analysis Date		08/06/04	08/06/04			
Analysis Time		19:47	19:49			
Batch ID		40805U	40805U	40805U		

Chloride (325.3)

Chloride	%	100 %	101 %	1.0 %	75-125 %	<30 %
Dilution Factor		1	1			
Analysis Date		08/11/04	08/11/04			
Analysis Time		11:00	11:00			
Batch ID		0811M	0811M	0811M		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23859-12	Matrix Spike % Recovery	Liquid	08/03/04		
23859-13	Matrix Spike Duplicate % Recovery	Liquid	08/03/04		
23859-14	Precision (%RPD) MS/MSD	Liquid	08/03/04		
23859-15	MS Accuracy Advisory Limit (%R)	Liquid	08/03/04		
23859-16	MS Precision Advisory Limit (%RPD)	Liquid	08/03/04		

Parameter	Units	Lab Sample IDs				
		23859-12	23859-13	23859-14	23859-15	23859-16

Ammonia-N (350.3)

Ammonia-N	%	99 %	98 %	1.0 %	85-115 %	<30 %
Dilution Factor		1	1			
Analysis Date		08/11/04	08/11/04			
Analysis Time		07:00	07:00			
Batch ID		0811Y	0811Y	0811Y		

Nitrate-N (353.2)

Nitrate-N	%	104 %	105 %	1.7 %	80-120 %	<30 %
Dilution Factor		1	1			
Analysis Date		08/03/04	08/03/04			
Analysis Time		13:30	13:30			
Batch ID		0803G	0803G	0803G		

Solids, Total Dissolved (160.1)

Solids, Total Dissolved	%	103 %	100 %	3.1 %	80-120 %	<25 %
Dilution Factor		1	1			
Analysis Date		08/09/04	08/09/04			
Analysis Time		17:00	17:00			
Batch ID		0809J-6	0809J-6	0809J-6		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23859-17	Practical Quantitation Limit (PQL)	Liquid	08/03/04		
23859-18	Method Detection Limit (MDL)	Liquid	08/03/04		

Parameter	Units	Lab Sample IDs	
		23859-17	23859-18

Appendix I - Organics (8260)

Acetone	ug/l	10	9.9
Acrylonitrile	ug/l	100	1.2
Benzene	ug/l	1.0	0.27
Bromochloromethane	ug/l	1.0	0.58
Bromodichloromethane	ug/l	1.0	0.35
Bromoform	ug/l	1.0	0.58
Carbon disulfide	ug/l	1.0	0.85
Carbon Tetrachloride	ug/l	1.0	0.42
Chlorobenzene	ug/l	1.0	0.63
Chloroethane	ug/l	1.0	0.80
Chloroform	ug/l	1.0	0.90
Dibromochloromethane	ug/l	1.0	0.34
1,2-Dichlorobenzene	ug/l	1.0	0.44
1,4-Dichlorobenzene	ug/l	1.0	0.52
Trans-1,4-Dichloro-2-butene	ug/l	10	2.5
1,1-Dichloroethane	ug/l	1.0	0.52
1,2-Dichloroethane	ug/l	1.0	0.57
1,1-Dichloroethylene	ug/l	1.0	0.45
cis-1,2-Dichloroethylene	ug/l	1.0	0.65
trans-1,2-Dichloroethylene	ug/l	1.0	0.44
1,2-Dichloropropane	ug/l	1.0	0.52
cis-1,3-Dichloropropene	ug/l	1.0	0.14
trans-1,3-Dichloropropene	ug/l	1.0	0.14
Ethylbenzene	ug/l	1.0	0.83
2-Hexanone	ug/l	10	4.4
Bromomethane	ug/l	1.0	0.66
Chloromethane	ug/l	1.0	0.64
Dibromomethane	ug/l	1.0	0.41
Methylene Chloride	ug/l	5.0	1.0

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23859-17	Practical Quantitation Limit (PQL)	Liquid	08/03/04		
23859-18	Method Detection Limit (MDL)	Liquid	08/03/04		

Parameter	Units	Lab Sample IDs	
		23859-17	23859-18

Appendix I - Organics (8260)

Parameter	Units	23859-17	23859-18
2-Butanone (MEK)	ug/l	10	8.4
Iodomethane	ug/l	1.0	0.67
4-Methyl-2-pentanone (MIBK)	ug/l	10	3.8
Styrene	ug/l	1.0	0.98
1,1,1,2-Tetrachloroethane	ug/l	1.0	0.63
1,1,2,2-Tetrachloroethane	ug/l	1.0	0.14
Tetrachloroethene	ug/l	1.0	0.34
Toluene	ug/l	1.0	0.51
1,1,1-Trichloroethane	ug/l	1.0	0.46
1,1,2-Trichloroethane	ug/l	1.0	0.47
Trichloroethene	ug/l	1.0	0.28
Trichlorofluoromethane	ug/l	1.0	0.98
1,2,3-Trichloropropane	ug/l	1.0	0.15
Vinyl acetate	ug/l	10	1.5
Vinyl chloride	ug/l	1.0	0.50
Xylenes	ug/l	1.0	0.98

Microextractables (504)

Parameter	Units	23859-17	23859-18
1,2-Dibromoethane (EDB)	ug/l	0.020	0.0087
1,2-Dibromo-3-chloropropane	ug/l	0.020	0.0030

Appendix I Metals by ICP (6010)

Parameter	Units	23859-17	23859-18
Arsenic	mg/l	0.010	0.0038
Barium	mg/l	0.010	0.0012
Beryllium	mg/l	0.0040	0.00074
Cadmium	mg/l	0.0050	0.00071
Chromium	mg/l	0.010	0.0017

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23859-17	Practical Quantitation Limit (PQL)	Liquid	08/03/04		
23859-18	Method Detection Limit (MDL)	Liquid	08/03/04		

Parameter	Units	Lab Sample IDs	
		23859-17	23859-18

Appendix I Metals by ICP (6010)

Cobalt	mg/l	0.010	0.0014
Copper	mg/l	0.020	0.0013
Lead	mg/l	0.0050	0.0015
Nickel	mg/l	0.040	0.0047
Selenium	mg/l	0.010	0.0048
Silver	mg/l	0.010	0.0019
Vanadium	mg/l	0.010	0.0025
Zinc	mg/l	0.020	0.0059
Antimony	mg/l	0.0060	0.0029

Mercury (7470)

Mercury	mg/l	0.00020	0.000072
---------	------	---------	----------

Iron (6010)

Iron	mg/l	0.050	0.037
------	------	-------	-------

Thallium (7841)

Thallium	mg/l	0.0020	0.00070
----------	------	--------	---------

Thallium (Dissolved) (7841)

Thallium (Dissolved)	mg/l	0.0020	0.00070
----------------------	------	--------	---------

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23859-17	Practical Quantitation Limit (PQL)	Liquid	08/03/04		
23859-18	Method Detection Limit (MDL)	Liquid	08/03/04		

Parameter	Units	Lab Sample IDs	
		23859-17	23859-18

Sodium (6010)

Sodium	mg/l	0.50	0.15
--------	------	------	------

Appendix I Metals Dissolved (6010)

Antimony (Dissolved)	mg/l	0.0060	0.0029
Arsenic (Dissolved)	mg/l	0.010	0.0038
Barium (Dissolved)	mg/l	0.010	0.0012
Beryllium (Dissolved)	mg/l	0.0040	0.00074
Cadmium (Dissolved)	mg/l	0.0050	0.00071
Chromium (Dissolved)	mg/l	0.010	0.0017
Cobalt (Dissolved)	mg/l	0.010	0.0014
Copper (Dissolved)	mg/l	0.020	0.0013
Lead (Dissolved)	mg/l	0.0050	0.0015
Nickel (Dissolved)	mg/l	0.040	0.0047
Selenium (Dissolved)	mg/l	0.010	0.0048
Silver (Dissolved)	mg/l	0.010	0.0019
Vanadium (Dissolved)	mg/l	0.010	0.0025
Zinc (Dissolved)	mg/l	0.020	0.0059

Iron (Dissolved) (6010)

Iron (Dissolved)	mg/l	0.050	0.037
------------------	------	-------	-------

Sodium (Dissolved) (6010)

Sodium (Dissolved)	mg/l	0.50	0.15
--------------------	------	------	------

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23859-17	Practical Quantitation Limit (PQL)	Liquid	08/03/04		
23859-18	Method Detection Limit (MDL)	Liquid	08/03/04		

Parameter	Units	Lab Sample IDs	
		23859-17	23859-18
Mercury (Dissolved) (7470)			
Mercury (Dissolved)	mg/l	0.00020	0.000072
Chloride (325.3)			
Chloride	mg/l	1.0	1.0
Ammonia-N (350.3)			
Ammonia-N	mg/l	0.050	0.040
Nitrate-N (353.2)			
Nitrate-N	mg/l	0.050	0.010
Solids, Total Dissolved (160.1)			
Solids, Total Dissolved	mg/l	5.0	5.0

Order Number: B423859

These test results meet all the requirements of NELAC. All questions regarding this test report should be directed to the STL Project Manager who signed this test report.

The estimated uncertainty associated with these reported results is available upon request.

STL Savannah, 5102 LaRoche Ave., Savannah, GA 31404
Phone #912/354-7858. DOH Certification #E87052

I = The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.

U = Indicates that the compound was analyzed for but not detected.

J3 = The reported value failed to meet the established quality control criteria for accuracy.

*F61 = The recoveries of the matrix spikes are outside advisory limits due to the abundance of the target analyte in the sample.

*F73 = Matrix spike recoveries were outside advisory limits due to matrix interference present in the sample.

Remit To: SEVERN TRENT LABORATORIES, INC. P.O. Box 7777 W4305 Philadelphia, PA 19175-4305
STL Tampa 6712 Benjamin Road, Suite 100 - Tampa FL 33634 Tel:813-885-7427 Fax:813-885-7049

INVOICE

Mr. Kirk Wills
Geosyntec
14055 Riveredge Drive, Ste.300
Tampa, FL 33637

Federal ID# 23-2919996

Invoice CC:

DATE 08/16/04	TERMS Net 30 Days	CLIENT PO #	CLIENT PROJECT # FQ0638	PROJECT Oak Hammock Disposal La
------------------	----------------------	-------------	----------------------------	------------------------------------

INVOICE # 66018384	CONTRACT #	CODE MV*387007	
-----------------------	------------	-------------------	--

LOG # B423859	CREDIT / DEBIT	ORIGINATING LOG #	SDG #	REQUISITION #
------------------	----------------	-------------------	-------	---------------

QUANTITY	MATRIX	METHOD	DESCRIPTION	UNIT PRICE	EXTENDED AMOUNT
4	Liquid	8260	Appendix I - Organics	62.40	249.60
4	Liquid	504	Microextractables	33.15	132.60
4	Liquid	6010	Appendix I Metals by ICP	65.52	262.08
4	Liquid	7470	Mercury	15.60	62.40
4	Liquid	6010	Iron	4.68	18.72
4	Liquid	7841	Thallium	12.00	48.00
4	Liquid	6010	Sodium	4.68	18.72
4	Liquid	325.3	Chloride	9.75	39.00
4	Liquid	350.3	Ammonia-N	7.80	31.20
4	Liquid	353.2	Nitrate-N	9.75	39.00
4	Liquid	160.1	Solids, Total Dissolved	5.85	23.40
4	Liquid	7841	Thallium (Dissolved)	12.00	24.00
2	Liquid	6010	Appendix I Metals Dissolved	65.52	131.04
2	Liquid	6010	Iron (Dissolved)	4.68	9.36
2	Liquid	6010	Sodium (Dissolved)	4.68	9.36
2	Liquid	7470	Mercury (Dissolved)	15.60	31.20
Total for this page					\$1,129.68
INVOICE TOTAL					\$1,129.68

REPORTED TO Mr. Kirk Wills	OFFICE Geosyntec	OFFICE PHONE (813) 558-0990
--------------------------------------	----------------------------	---------------------------------------

For proper credit, please show INVOICE NUMBER on your remittance.
After 30 days, service charges of 1.5% per 30 days will be applied to unpaid balance.

ANALYSIS REQUEST AND CHAIN OF CUSTODY RECORD

SEVERN
TRENT

STL

A2 38 59

STL Tampa
6712 Benjamin Road, Suite 100
Tampa, FL 33634

Website: www.stl-inc.com
Phone: (813) 885-7427
Fax: (813) 885-7049

Alternate Laboratory Name/Location

Phone:
Fax:

PROJECT REFERENCE
OHDF

PROJECT NO.
FR 0638

PROJECT LOCATION
(STATE) **FL.**

MATRIX TYPE

REQUIRED ANALYSIS

PAGE 1 OF 1

SAMPLER'S SIGNATURE
[Signature]

P.O. NUMBER

CONTRACT NO.

STANDARD REPORT DELIVERY

DATE DUE

CLIENT (SITE) PM
Kirk Withs

CLIENT PHONE
813-558-0990

CLIENT FAX
813-558-9726

EXPEDITED REPORT DELIVERY (SURCHARGE)

DATE DUE

CLIENT NAME
Geosyntec

CLIENT E-MAIL
Kwillis@Geosyntec.com

COMPOSITE (C) OR GRAB (G) INDICATE

AQUEOUS (WATER)

SOLID OR SEMISOLID

AIR

NONAQUEOUS LIQUID (OIL, SOLVENT, ...)

NUMBER OF COOLERS SUBMITTED PER SHIPMENT: 1

CLIENT ADDRESS
14055 Riveredge Dr. Suite 300, Tampa, FL.

COMPANY CONTRACTING THIS WORK (if applicable)

SAMPLE DATE TIME

SAMPLE IDENTIFICATION

COMPOSITE (C) OR GRAB (G) INDICATE

AQUEOUS (WATER)

SOLID OR SEMISOLID

AIR

NONAQUEOUS LIQUID (OIL, SOLVENT, ...)

REMARKS

DATE	TIME	SAMPLE IDENTIFICATION	COMPOSITE (C) OR GRAB (G) INDICATE	AQUEOUS (WATER)	SOLID OR SEMISOLID	AIR	NONAQUEOUS LIQUID (OIL, SOLVENT, ...)	NUMBER OF CONTAINERS SUBMITTED	REMARKS
8-2-04	1150	MW-5B	X					3	No Diss Taken
8-2-04	1210	MW-5C	X					3	No Diss Taken
8-2-04	1510	MW-6B	X					3	
8-2-04	1430	MW-6C	X					3	

RELINQUISHED BY: (SIGNATURE)

DATE

TIME

RECEIVED BY: (SIGNATURE)

DATE

TIME

RECEIVED BY: (SIGNATURE)

DATE

TIME

RECEIVED BY: (SIGNATURE)

DATE

TIME

RECEIVED BY: (SIGNATURE)

DATE

TIME

RECEIVED BY: (SIGNATURE)

DATE

TIME

RECEIVED FOR LABORATORY BY: (SIGNATURE)

DATE

TIME

CUSTODY INTACT

CUSTODY SEAL NO.

STL TAMPA LOG NO.

LABORATORY USE ONLY

LABORATORY REMARKS

<i>[Signature]</i>	8-3-04	1030	YES	N/A	B923859	
--------------------	--------	------	-----	-----	---------	--

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/2/2004

WACS Well: 19913

Monitoring_Site_Num: MW-5B

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.13	0.04	mg/l		8/11/2004
000940	Chloride	SP	NO	Y	325.3	7.3	1	mg/l		8/11/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	8/3/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	42	5	mg/l		8/9/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/11/2004
001002	Arsenic	SP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/11/2004
001007	Barium	SP	NO	Y	6010	0.027	0.0012	mg/l		8/11/2004
001012	Beryllium	SP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/11/2004
001027	Cadmium	SP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/11/2004
001034	Chromium	SP	NO	Y	6010	0.0019	0.0017	mg/l	I	8/11/2004
001037	Cobalt	SP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/11/2004
001042	Copper	SP	NO	Y	6010	0.0013	0.0013	mg/l	U	8/11/2004
001045	Iron	SP	NO	Y	6010	0.64	0.037	mg/l		8/11/2004
001051	Lead	SP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/11/2004
071900	Mercury	SP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/6/2004
001067	Nickel	SP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/11/2004
001147	Selenium	SP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/11/2004
000929	Sodium	SP	NO	Y	6010	4.3	0.15	mg/l		8/11/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/9/2004
001087	Vanadium	SP	NO	Y	6010	0.0036	0.0025	mg/l	I	8/11/2004
001092	Zinc	SP	NO	Y	6010	0.0077	0.0059	mg/l	I	8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/2/2004

WACS Well: 19913

Monitoring_Site_Num: MW-5B

Permitted Well Type: BG

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/12/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/12/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/12/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/12/2004
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/12/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/12/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/12/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/12/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/12/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/12/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/12/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/12/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/12/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/12/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/12/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/12/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/12/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/12/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/12/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/12/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/2/2004

WACS Well: 19913

Monitoring_Site_Num: MW-5B

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/12/2004
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/12/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/12/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/12/2004
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/12/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/12/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/12/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/12/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/12/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/12/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/12/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/12/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/12/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/12/2004
034010	Toluene	SP	NO	Y	8260	8.8	0.51	ug/l		8/12/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/12/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/12/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/12/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/12/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/12/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/2/2004

WACS Well: 19913

Monitoring_Site_Num: MW-5B

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/12/2004
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/12/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/11/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/12/2004
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/12/2004
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/2/2004

WACS Well: 19914

Monitoring_Site_Num: MW-5C

Permitted Well Type: **BG**

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.08	0.04	mg/l		8/11/2004
000940	Chloride	SP	NO	Y	325.3	12	1	mg/l		8/11/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	8/3/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	56	5	mg/l		8/9/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/11/2004
001002	Arsenic	SP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/11/2004
001007	Barium	SP	NO	Y	6010	0.047	0.0012	mg/l		8/11/2004
001012	Beryllium	SP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/11/2004
001027	Cadmium	SP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/11/2004
001034	Chromium	SP	NO	Y	6010	0.0025	0.0017	mg/l	I	8/11/2004
001037	Cobalt	SP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/11/2004
001042	Copper	SP	NO	Y	6010	0.0013	0.0013	mg/l	U	8/11/2004
001045	Iron	SP	NO	Y	6010	1.9	0.037	mg/l		8/11/2004
001051	Lead	SP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/11/2004
071900	Mercury	SP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/6/2004
001067	Nickel	SP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/11/2004
001147	Selenium	SP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/11/2004
000929	Sodium	SP	NO	Y	6010	6.6	0.15	mg/l		8/11/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/9/2004
001087	Vanadium	SP	NO	Y	6010	0.0025	0.0025	mg/l	U	8/11/2004
001092	Zinc	SP	NO	Y	6010	0.007	0.0059	mg/l	I	8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/2/2004

WACS Well: 19914

Monitoring_Site_Num: MW-5C

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/12/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/12/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/12/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/12/2004
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/12/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/12/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/12/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/12/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/12/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/12/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/12/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/12/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/12/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/12/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/12/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/12/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/12/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/12/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/12/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/12/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/2/2004

WACS Well: 19914

Monitoring_Site_Num: MW-5C

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/12/2004
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/12/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/12/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/12/2004
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/12/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/12/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/12/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/12/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/12/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/12/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/12/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/12/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/12/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/12/2004
034010	Toluene	SP	NO	Y	8260	0.51	0.51	ug/l	U	8/12/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/12/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/12/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/12/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/12/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/12/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/2/2004

WACS Well: 19914

Monitoring_Site_Num: MW-5C

Permitted Well Type: BG

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/12/2004
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/12/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/12/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/11/2004
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/12/2004
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/2/2004

WACS Well: 19916

Monitoring_Site_Num: MW-6B

Permitted Well Type: **BG**

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) **Yes**

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.11	0.04	mg/l		8/11/2004
000940	Chloride	SP	NO	Y	325.3	5.9	1	mg/l		8/11/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	8/3/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	270	5	mg/l		8/9/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/11/2004
001097	Antimony (Dissolved)	SP	YES	Y	6010	0.0029	0.0029	mg/l	U	8/11/2004
001002	Arsenic	SP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/11/2004
001002	Arsenic (Dissolved)	SP	YES	Y	6010	0.0038	0.0038	mg/l	U	8/11/2004
001007	Barium	SP	NO	Y	6010	0.2	0.0012	mg/l		8/11/2004
001007	Barium (Dissolved)	SP	YES	Y	6010	0.021	0.0012	mg/l		8/11/2004
001012	Beryllium	SP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/11/2004
001012	Beryllium (Dissolved)	SP	YES	Y	6010	0.00074	0.00074	mg/l	U	8/11/2004
001027	Cadmium (Dissolved)	SP	YES	Y	6010	0.00071	0.00071	mg/l	U	8/11/2004
001027	Cadmium	SP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/11/2004
001034	Chromium (Dissolved)	SP	YES	Y	6010	0.0017	0.0017	mg/l	U	8/11/2004
001034	Chromium	SP	NO	Y	6010	0.03	0.0017	mg/l		8/11/2004
001037	Cobalt	SP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/11/2004
001037	Cobalt (Dissolved)	SP	YES	Y	6010	0.0014	0.0014	mg/l	U	8/11/2004
001042	Copper	SP	NO	Y	6010	0.0066	0.0013	mg/l	I	8/11/2004
001042	Copper (Dissolved)	SP	YES	Y	6010	0.0013	0.0013	mg/l	U	8/11/2004
001045	Iron (Dissolved)	SP	YES	Y	6010	0.95	0.037	mg/l		8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/2/2004

WACS Well: 19916

Monitoring_Site_Num: MW-6B

Permitted Well Type: **BG**

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Store Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001045	Iron	SP	NO	Y	6010	4.8	0.037	mg/l		8/11/2004
001051	Lead	SP	NO	Y	6010	0.024	0.0015	mg/l		8/11/2004
001051	Lead (Dissolved)	SP	YES	Y	6010	0.0015	0.0015	mg/l	U	8/11/2004
071900	Mercury	SP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/6/2004
071900	Mercury (Dissolved)	SP	YES	Y	7470	0.000072	0.000072	mg/l	U	8/6/2004
001067	Nickel (Dissolved)	SP	YES	Y	6010	0.0047	0.0047	mg/l	U	8/11/2004
001067	Nickel	SP	NO	Y	6010	0.0068	0.0047	mg/l	I	8/11/2004
001147	Selenium (Dissolved)	SP	YES	Y	6010	0.0048	0.0048	mg/l	U	8/11/2004
001147	Selenium	SP	NO	Y	6010	0.0057	0.0048	mg/l	I	8/11/2004
000929	Sodium	SP	NO	Y	6010	6.6	0.15	mg/l		8/11/2004
000929	Sodium (Dissolved)	SP	YES	Y	6010	6.5	0.15	mg/l		8/11/2004
001059	Thallium (Dissolved)	SP	YES	Y	7841	0.0007	0.0007	mg/l	U	8/9/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/9/2004
001087	Vanadium (Dissolved)	SP	YES	Y	6010	0.0029	0.0025	mg/l	I	8/11/2004
001087	Vanadium	SP	NO	Y	6010	0.043	0.0025	mg/l		8/11/2004
001092	Zinc (Dissolved)	SP	YES	Y	6010	0.0059	0.0059	mg/l	U	8/11/2004
001092	Zinc	SP	NO	Y	6010	0.0073	0.0059	mg/l	I	8/11/2004
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/12/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/12/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/12/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/2/2004

WACS Well: 19916

Monitoring_Site_Num: MW-6B

Permitted Well Type: **BG**

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) **Yes**

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/12/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/12/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/12/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/12/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/12/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/12/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/12/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/12/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/12/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/12/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/12/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/12/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/12/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/12/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/12/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/12/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/12/2004
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/12/2004
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/12/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/12/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/2/2004

WACS Well: 19916

Monitoring_Site_Num: MW-6B

Permitted Well Type: **BG**

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) **Yes**

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/12/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/12/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/12/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/12/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/12/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/12/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/12/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/12/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/12/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/12/2004
034010	Toluene	SP	NO	Y	8260	0.51	0.51	ug/l	U	8/12/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/12/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/12/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/12/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/12/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/12/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/12/2004
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/12/2004
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/12/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/12/2004
001077	Silver (Dissolved)	SP	YES	Y	6010	0.0019	0.0019	mg/l	U	8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/2/2004

WACS Well: 19916

Monitoring_Site_Num: MW-6B

Permitted Well Type: **BG**

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/12/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/11/2004
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/2/2004

WACS Well: 19917

Monitoring_Site_Num: MW-6C

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.11	0.04	mg/l		8/11/2004
000940	Chloride	SP	NO	Y	325.3	5.4	1	mg/l		8/11/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	8/3/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	44	5	mg/l		8/9/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/11/2004
001097	Antimony (Dissolved)	SP	YES	Y	6010	0.0029	0.0029	mg/l	U	8/11/2004
001002	Arsenic (Dissolved)	SP	YES	Y	6010	0.0038	0.0038	mg/l	U	8/11/2004
001002	Arsenic	SP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/11/2004
001007	Barium (Dissolved)	SP	YES	Y	6010	0.065	0.0012	mg/l		8/11/2004
001007	Barium	SP	NO	Y	6010	0.097	0.0012	mg/l		8/11/2004
001012	Beryllium (Dissolved)	SP	YES	Y	6010	0.00074	0.00074	mg/l	U	8/11/2004
001012	Beryllium	SP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/11/2004
001027	Cadmium (Dissolved)	SP	YES	Y	6010	0.00071	0.00071	mg/l	U	8/11/2004
001027	Cadmium	SP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/11/2004
001034	Chromium	SP	NO	Y	6010	0.0034	0.0017	mg/l	I	8/11/2004
001034	Chromium (Dissolved)	SP	YES	Y	6010	0.0017	0.0017	mg/l	U	8/11/2004
001037	Cobalt	SP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/11/2004
001037	Cobalt (Dissolved)	SP	YES	Y	6010	0.0014	0.0014	mg/l	U	8/11/2004
001042	Copper	SP	NO	Y	6010	0.0013	0.0013	mg/l	U	8/11/2004
001042	Copper (Dissolved)	SP	YES	Y	6010	0.0013	0.0013	mg/l	U	8/11/2004
001045	Iron (Dissolved)	SP	YES	Y	6010	1.4	0.037	mg/l		8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/2/2004

WACS Well: 19917

Monitoring_Site_Num: MW-6C

Permitted Well Type: **BG**

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Well Purged prior to Sample Collection? (Y/N) Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001045	Iron	SP	NO	Y	6010	1.8	0.037	mg/l		8/11/2004
001051	Lead (Dissolved)	SP	YES	Y	6010	0.0015	0.0015	mg/l	U	8/11/2004
001051	Lead	SP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/11/2004
071900	Mercury (Dissolved)	SP	YES	Y	7470	0.000072	0.000072	mg/l	U	8/6/2004
071900	Mercury	SP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/6/2004
001067	Nickel (Dissolved)	SP	YES	Y	6010	0.0047	0.0047	mg/l	U	8/11/2004
001067	Nickel	SP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/11/2004
001147	Selenium (Dissolved)	SP	YES	Y	6010	0.0048	0.0048	mg/l	U	8/11/2004
001147	Selenium	SP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/11/2004
000929	Sodium	SP	NO	Y	6010	4.2	0.15	mg/l		8/11/2004
000929	Sodium (Dissolved)	SP	YES	Y	6010	4.2	0.15	mg/l		8/11/2004
001059	Thallium (Dissolved)	SP	YES	Y	7841	0.0007	0.0007	mg/l	U	8/9/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/9/2004
001087	Vanadium (Dissolved)	SP	YES	Y	6010	0.0025	0.0025	mg/l	U	8/11/2004
001087	Vanadium	SP	NO	Y	6010	0.0046	0.0025	mg/l	I	8/11/2004
001092	Zinc (Dissolved)	SP	YES	Y	6010	0.0059	0.0059	mg/l	U	8/11/2004
001092	Zinc	SP	NO	Y	6010	0.0067	0.0059	mg/l	I	8/11/2004
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/12/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/12/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/12/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/2/2004

WACS Well: 19917

Monitoring_Site_Num: MW-6C

Permitted Well Type: **BG**

Ground water classification: **G-II**

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

**Well Purged prior to
 Sample Collection? (Y/N)** **Yes**

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/12/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/12/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/12/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/12/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/12/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/12/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/12/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/12/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/12/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/12/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/12/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/12/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/12/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/12/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/12/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/12/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/12/2004
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/12/2004
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/12/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/12/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/2/2004

WACS Well: 19917

Monitoring_Site_Num: MW-6C

Permitted Well Type: BG

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

**Well Purged prior to
 Sample Collection? (Y/N)** Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/12/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/12/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/12/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/12/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/12/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/12/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/12/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/12/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/12/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/12/2004
034010	Toluene	SP	NO	Y	8260	0.51	0.51	ug/l	U	8/12/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/12/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/12/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/12/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/12/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/12/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/12/2004
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/12/2004
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/12/2004
001077	Silver (Dissolved)	SP	YES	Y	6010	0.0019	0.0019	mg/l	U	8/11/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/2/2004

WACS Well: 19917

Monitoring_Site_Num: MW-6C

Permitted Well Type: BG

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/11/2004
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/12/2004
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/2/2004

WACS Well:

Monitoring_Site_Num: Trip Blank

Permitted Well Type:

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Well Purged prior to Sample Collection? (Y/N) Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/12/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/12/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/12/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/12/2004
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/12/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/12/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/12/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/12/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/12/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/12/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/12/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/12/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/12/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/12/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/12/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/12/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/12/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/12/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/12/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/12/2004
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/2/2004

WACS Well:

Monitoring_Site_Num: Trip Blank

Permitted Well Type:

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Well Purged prior to Sample Collection? (Y/N) Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/12/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/12/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/12/2004
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/12/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/12/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/12/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/12/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/12/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/12/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/12/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/12/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/12/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/12/2004
034010	Toluene	SP	NO	Y	8260	0.51	0.51	ug/l	U	8/12/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/12/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/12/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/12/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/12/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/12/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/12/2004
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/2/2004

WACS Well:

Monitoring_Site_Num: Trip Blank

Permitted Well Type:

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Well Purged prior to Sample Collection? (Y/N) Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/12/2004
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/12/2004
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/12/2004

Analytical Report

For: Mr. Kirk Wills
Geosyntec
14055 Riveredge Drive, Ste.300
Tampa, FL 33637
CC:

Order Number: B423889
SDG Number:
Client Project ID: FQ0638
Project: Oak Hammock Disposal Landfill
Report Date: 08/17/2004
Sampled By: Client
Sample Received Date: 08/04/2004
Requisition Number:
Purchase Order:



Michael F. Valder, Project Manager
mvalder@stl-inc.com

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Sample Summary

Order: B423889
Date Received: 08/04/2004

Client: Geosyntec
Project: Oak Hammock Disposal Landfill

Client Sample ID	Lab Sample ID	Matrix	Date Sampled
MW-8C	B423889*1	Liquid	08/03/2004 13:05
MW-9C	B423889*2	Liquid	08/03/2004 15:05
MW-9B	B423889*4	Liquid	08/03/2004 15:00
MW-7B	B423889*5	Liquid	08/03/2004 10:50
MW-7C	B423889*6	Liquid	08/03/2004 10:55
Trip Blank	B423889*7	Liquid	08/03/2004

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23889-1	MW-8C	Liquid	08/04/04	08/03/04 13:05	
23889-2	MW-9C	Liquid	08/04/04	08/03/04 15:05	

Lab Sample IDs

Parameter	Units	23889-1	23889-2
-----------	-------	---------	---------

Appendix I - Organics (8260)

Parameter	Units	23889-1	23889-2
Acetone	ug/l	9.9U	9.9U
Acrylonitrile	ug/l	1.2U	1.2U
Benzene	ug/l	0.27U	0.27U
Bromochloromethane	ug/l	0.58U	0.58U
Bromodichloromethane	ug/l	0.35U	0.35U
Bromoform	ug/l	0.58U	0.58U
Carbon disulfide	ug/l	0.85U	0.85U
Carbon Tetrachloride	ug/l	0.42U	0.42U
Chlorobenzene	ug/l	0.63U	0.63U
Chloroethane	ug/l	0.80U	0.80U
Chloroform	ug/l	0.90U	0.90U
Dibromochloromethane	ug/l	0.34U	0.34U
1,2-Dichlorobenzene	ug/l	0.44U	0.44U
1,4-Dichlorobenzene	ug/l	0.52U	0.52U
Trans-1,4-Dichloro-2-butene	ug/l	2.5U	2.5U
1,1-Dichloroethane	ug/l	0.52U	0.52U
1,2-Dichloroethane	ug/l	0.57U	0.57U
1,1-Dichloroethylene	ug/l	0.45U	0.45U
cis-1,2-Dichloroethylene	ug/l	0.65U	0.65U
trans-1,2-Dichloroethylene	ug/l	0.44U	0.44U
1,2-Dichloropropane	ug/l	0.52U	0.52U
cis-1,3-Dichloropropene	ug/l	0.14U	0.14U
trans-1,3-Dichloropropene	ug/l	0.14U	0.14U
Ethylbenzene	ug/l	0.83U	0.83U
2-Hexanone	ug/l	4.4U	4.4U
Bromomethane	ug/l	0.66U	0.66U
Chloromethane	ug/l	0.64U	0.64U
Dibromomethane	ug/l	0.41U	0.41U
Methylene Chloride	ug/l	1.0U	1.0U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23889-1	MW-8C	Liquid	08/04/04	08/03/04 13:05	
23889-2	MW-9C	Liquid	08/04/04	08/03/04 15:05	

Parameter	Units	Lab Sample IDs	
		23889-1	23889-2

Appendix I - Organics (8260)

2-Butanone (MEK)	ug/l	8.4U	8.4U
Iodomethane	ug/l	0.67U	0.67U
4-Methyl-2-pentanone (MIBK)	ug/l	3.8U	3.8U
Styrene	ug/l	0.98U	0.98U
1,1,1,2-Tetrachloroethane	ug/l	0.63U	0.63U
1,1,2,2-Tetrachloroethane	ug/l	0.14U	0.14U
Tetrachloroethene	ug/l	0.34U	0.34U
Toluene	ug/l	0.51U	0.51U
1,1,1-Trichloroethane	ug/l	0.46U	0.46U
1,1,2-Trichloroethane	ug/l	0.47U	0.47U
Trichloroethene	ug/l	0.28U	0.28U
Trichlorofluoromethane	ug/l	0.98U	0.98U
1,2,3-Trichloropropane	ug/l	0.15U	0.15U
Vinyl acetate	ug/l	1.5U	1.5U
Vinyl chloride	ug/l	0.50U	0.50U
Xylenes	ug/l	0.98U	0.98U
Dilution Factor		1	1
Analysis Date		08/11/04	08/11/04
Analysis Time		12:03	12:22
Batch ID		0811H	0811H

Microextractables (504)

1,2-Dibromoethane (EDB)	ug/l	0.0087U	0.0087U
1,2-Dibromo-3-chloropropane	ug/l	0.0030U	0.0030U
Dilution Factor		1	1
Prep Date		08/11/04	08/11/04
Prep Time		13:00	13:00
Analysis Date		08/11/04	08/11/04
Analysis Time		20:24	21:06
Batch ID		0811E	0811E

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23889-1	MW-8C	Liquid	08/04/04	08/03/04 13:05	
23889-2	MW-9C	Liquid	08/04/04	08/03/04 15:05	

Parameter	Units	Lab Sample IDs	
		23889-1	23889-2

Appendix I Metals by ICP (6010)

Arsenic	mg/l	0.0038U	0.0038U
Barium	mg/l	0.029	0.026
Beryllium	mg/l	0.00074U	0.00074U
Cadmium	mg/l	0.00071U	0.00071U
Chromium	mg/l	0.0017U	0.0017U
Cobalt	mg/l	0.0014U	0.0014U
Copper	mg/l	0.0013U	0.0018I
Lead	mg/l	0.0015U	0.0015U
Nickel	mg/l	0.0047U	0.0047U
Selenium	mg/l	0.0048U	0.0048U
Silver	mg/l	0.0019U	0.0019U
Vanadium	mg/l	0.0025U	0.0026I
Zinc	mg/l	0.0059U	0.0059U
Antimony	mg/l	0.0029U	0.0029U
Dilution Factor		1	1
Prep Date		08/08/04	08/08/04
Prep Time		12:00	12:00
Analysis Date		08/11/04	08/11/04
Analysis Time		10:02	10:20
Batch ID		40808J	40808J

Mercury (7470)

Mercury	mg/l	0.000072U	0.000072U
Dilution Factor		1	1
Prep Date		08/10/04	08/10/04
Prep Time		12:12	12:12
Analysis Date		08/10/04	08/10/04
Analysis Time		17:23	17:29
Batch ID		4H10U	4H10U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23889-1	MW-8C	Liquid	08/04/04	08/03/04 13:05	
23889-2	MW-9C	Liquid	08/04/04	08/03/04 15:05	

Parameter	Units	Lab Sample IDs	
		23889-1	23889-2

Iron (6010)

Iron	mg/l	1.7	1.3
Dilution Factor		1	1
Prep Date		08/08/04	08/08/04
Prep Time		12:00	12:00
Analysis Date		08/11/04	08/11/04
Analysis Time		10:02	10:20
Batch ID		40808J	40808J

Thallium (7841)

Thallium	mg/l	0.00070U	0.00070U
Dilution Factor		1	1
Prep Date		08/11/04	08/11/04
Prep Time		09:00	09:00
Analysis Date		08/13/04	08/13/04
Analysis Time		13:03	13:24
Batch ID		0811G	0811G

Sodium (6010)

Sodium	mg/l	4.8	5.6
Dilution Factor		1	1
Prep Date		08/08/04	08/08/04
Prep Time		12:00	12:00
Analysis Date		08/11/04	08/11/04
Analysis Time		10:02	10:20
Batch ID		40808J	40808J

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23889-1	MW-8C	Liquid	08/04/04	08/03/04 13:05	
23889-2	MW-9C	Liquid	08/04/04	08/03/04 15:05	

Parameter	Units	Lab Sample IDs	
		23889-1	23889-2

Chloride (325.3)

Chloride	mg/l	7.5	9.4
Dilution Factor		1	1
Analysis Date		08/16/04	08/16/04
Analysis Time		12:10	12:10
Batch ID		0816M	0816M

Ammonia-N (350.3)

Ammonia-N	mg/l	0.11	0.11
Dilution Factor		1	1
Analysis Date		08/11/04	08/11/04
Analysis Time		17:00	17:00
Batch ID		0811Y	0811Y

Nitrate-N (353.2)

Nitrate-N	mg/l	0.010U	0.010U
Dilution Factor		1	1
Analysis Date		08/04/04	08/04/04
Analysis Time		15:46	15:46
Batch ID		0804G-6	0804G-6

Solids, Total Dissolved (160.1)

Solids, Total Dissolved	mg/l	50	50
Dilution Factor		1	1
Analysis Date		08/10/04	08/10/04
Analysis Time		14:50	14:50
Batch ID		0810J	0810J

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23889-4	MW-9B	Liquid	08/04/04	08/03/04 15:00	
23889-5	MW-7B	Liquid	08/04/04	08/03/04 10:50	
23889-6	MW-7C	Liquid	08/04/04	08/03/04 10:55	

Parameter	Units	Lab Sample IDs		
		23889-4	23889-5	23889-6

Appendix I - Organics (8260)

	Units	23889-4	23889-5	23889-6
Acetone	ug/l	9.9U	9.9U	9.9U
Acrylonitrile	ug/l	1.2U	1.2U	1.2U
Benzene	ug/l	0.27U	0.27U	0.27U
Bromochloromethane	ug/l	0.58U	0.58U	0.58U
Bromodichloromethane	ug/l	0.35U	0.35U	0.35U
Bromoform	ug/l	0.58U	0.58U	0.58U
Carbon disulfide	ug/l	0.85U	0.85U	0.85U
Carbon Tetrachloride	ug/l	0.42U	0.42U	0.42U
Chlorobenzene	ug/l	0.63U	0.63U	0.63U
Chloroethane	ug/l	0.80U	0.80U	0.80U
Chloroform	ug/l	0.90U	0.90U	0.90U
Dibromochloromethane	ug/l	0.34U	0.34U	0.34U
1,2-Dichlorobenzene	ug/l	0.44U	0.44U	0.44U
1,4-Dichlorobenzene	ug/l	0.52U	0.52U	0.52U
Trans-1,4-Dichloro-2-butene	ug/l	2.5U	2.5U	2.5U
1,1-Dichloroethane	ug/l	0.52U	0.52U	0.52U
1,2-Dichloroethane	ug/l	0.57U	0.57U	0.57U
1,1-Dichloroethylene	ug/l	0.45U	0.45U	0.45U
cis-1,2-Dichloroethylene	ug/l	0.65U	0.65U	0.65U
trans-1,2-Dichloroethylene	ug/l	0.44U	0.44U	0.44U
1,2-Dichloropropane	ug/l	0.52U	0.52U	0.52U
cis-1,3-Dichloropropene	ug/l	0.14U	0.14U	0.14U
trans-1,3-Dichloropropene	ug/l	0.14U	0.14U	0.14U
Ethylbenzene	ug/l	0.83U	0.83U	0.83U
2-Hexanone	ug/l	4.4U	4.4U	4.4U
Bromomethane	ug/l	0.66U	0.66U	0.66U
Chloromethane	ug/l	0.64U	0.64U	0.64U
Dibromomethane	ug/l	0.41U	0.41U	0.41U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23889-4	MW-9B	Liquid	08/04/04	08/03/04 15:00	
23889-5	MW-7B	Liquid	08/04/04	08/03/04 10:50	
23889-6	MW-7C	Liquid	08/04/04	08/03/04 10:55	

Parameter	Units	Lab Sample IDs		
		23889-4	23889-5	23889-6

Appendix I - Organics (8260)

Parameter	Units	23889-4	23889-5	23889-6
Methylene Chloride	ug/l	1.0U	1.0U	1.0U
2-Butanone (MEK)	ug/l	8.4U	8.4U	8.4U
Iodomethane	ug/l	0.67U	0.67U	0.67U
4-Methyl-2-pentanone (MIBK)	ug/l	3.8U	3.8U	3.8U
Styrene	ug/l	0.98U	0.98U	0.98U
1,1,1,2-Tetrachloroethane	ug/l	0.63U	0.63U	0.63U
1,1,2,2-Tetrachloroethane	ug/l	0.14U	0.14U	0.14U
Tetrachloroethene	ug/l	0.34U	0.34U	0.34U
Toluene	ug/l	8.1	8.5	0.51U
1,1,1-Trichloroethane	ug/l	0.46U	0.46U	0.46U
1,1,2-Trichloroethane	ug/l	0.47U	0.47U	0.47U
Trichloroethene	ug/l	0.28U	0.28U	0.28U
Trichlorofluoromethane	ug/l	0.98U	0.98U	0.98U
1,2,3-Trichloropropane	ug/l	0.15U	0.15U	0.15U
Vinyl acetate	ug/l	1.5U	1.5U	1.5U
Vinyl chloride	ug/l	0.50U	0.50U	0.50U
Xylenes	ug/l	0.98U	0.98U	0.98U
Dilution Factor		1	1	1
Analysis Date		08/11/04	08/11/04	08/11/04
Analysis Time		13:01	13:20	13:39
Batch ID		0811H	0811H	0811H

Microextractables (504)

Parameter	Units	23889-4	23889-5	23889-6
1,2-Dibromoethane (EDB)	ug/l	0.0087U	0.0087U	0.0087U
1,2-Dibromo-3-chloropropane	ug/l	0.0030U	0.0030U	0.0030U
Dilution Factor		1	1	1
Prep Date		08/11/04	08/11/04	08/11/04
Prep Time		13:00	13:00	13:00
Analysis Date		08/11/04	08/11/04	08/11/04
Analysis Time		21:27	21:48	22:10
Batch ID		0811E	0811E	0811E

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23889-4	MW-9B	Liquid	08/04/04	08/03/04 15:00	
23889-5	MW-7B	Liquid	08/04/04	08/03/04 10:50	
23889-6	MW-7C	Liquid	08/04/04	08/03/04 10:55	

Parameter	Units	Lab Sample IDs		
		23889-4	23889-5	23889-6

Appendix I Metals by ICP (6010)

Arsenic	mg/l	0.0038U	0.0074I	0.010
Barium	mg/l	0.18	0.72	0.80
Beryllium	mg/l	0.00074U	0.0026I	0.0029I
Cadmium	mg/l	0.00071U	0.0011I	0.00071U
Chromium	mg/l	0.036	0.12	0.086
Cobalt	mg/l	0.0014U	0.0043I	0.0043I
Copper	mg/l	0.013I	0.018I	0.011I
Lead	mg/l	0.028	0.10	0.060
Nickel	mg/l	0.0078I	0.029I	0.019I
Selenium	mg/l	0.0076I	0.025	0.014
Silver	mg/l	0.0019U	0.0019U	0.0019U
Vanadium	mg/l	0.051	0.18	0.14
Zinc	mg/l	0.0072I	0.021	0.014I
Antimony	mg/l	0.0029U	0.0029U	0.0029U
Dilution Factor		1	1	1
Prep Date		08/08/04	08/08/04	08/08/04
Prep Time		12:00	12:00	12:00
Analysis Date		08/11/04	08/11/04	08/11/04
Analysis Time		10:26	10:33	10:51
Batch ID		40808J	40808J	40808J

Mercury (7470)

Mercury	mg/l	0.000077I	0.00047	0.00026
Dilution Factor		1	1	1
Prep Date		08/10/04	08/10/04	08/10/04
Prep Time		12:12	12:12	12:12
Analysis Date		08/10/04	08/10/04	08/10/04
Analysis Time		17:31	17:35	17:38
Batch ID		4H10U	4H10U	4H10U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23889-4	MW-9B	Liquid	08/04/04	08/03/04 15:00	
23889-5	MW-7B	Liquid	08/04/04	08/03/04 10:50	
23889-6	MW-7C	Liquid	08/04/04	08/03/04 10:55	

Parameter	Units	Lab Sample IDs		
		23889-4	23889-5	23889-6

Iron (6010)

Iron	mg/l	5.8	17	10
Dilution Factor		1	1	1
Prep Date		08/08/04	08/08/04	08/08/04
Prep Time		12:00	12:00	12:00
Analysis Date		08/11/04	08/11/04	08/11/04
Analysis Time		10:26	10:33	10:51
Batch ID		40808J	40808J	40808J

Thallium (7841)

Thallium	mg/l	0.00070U	0.00070U	0.00070U
Dilution Factor		1	1	1
Prep Date		08/11/04	08/11/04	08/11/04
Prep Time		09:00	09:00	09:00
Analysis Date		08/13/04	08/13/04	08/13/04
Analysis Time		13:28	13:37	13:54
Batch ID		0811G	0811G	0811G

Thallium (Dissolved) (7841)

Thallium (Dissolved)	mg/l	0.00070U	0.00070U	0.00070U
Dilution Factor		1	1	1
Prep Date		08/11/04	08/11/04	08/11/04
Prep Time		09:00	09:00	09:00
Analysis Date		08/13/04	08/13/04	08/13/04
Analysis Time		13:32	13:49	13:58
Batch ID		0811G	0811G	0811G

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23889-4	MW-9B	Liquid	08/04/04	08/03/04 15:00	
23889-5	MW-7B	Liquid	08/04/04	08/03/04 10:50	
23889-6	MW-7C	Liquid	08/04/04	08/03/04 10:55	

Parameter	Units	Lab Sample IDs		
		23889-4	23889-5	23889-6
Sodium (6010)				
Sodium	mg/l	7.5	8.8	8.0
Dilution Factor		1	1	1
Prep Date		08/08/04	08/08/04	08/08/04
Prep Time		12:00	12:00	12:00
Analysis Date		08/11/04	08/11/04	08/11/04
Analysis Time		10:26	10:33	10:51
Batch ID		40808J	40808J	40808J

Appendix I Metals Dissolved (6010)				
Antimony (Dissolved)	mg/l	0.0029U	0.0029U	0.0029U
Arsenic (Dissolved)	mg/l	0.0038U	0.0038U	0.0038U
Barium (Dissolved)	mg/l	0.021	0.12	0.043
Beryllium (Dissolved)	mg/l	0.00074U	0.00074U	0.00074U
Cadmium (Dissolved)	mg/l	0.00071U	0.00071U	0.00071U
Chromium (Dissolved)	mg/l	0.0017U	0.020	0.0039I
Cobalt (Dissolved)	mg/l	0.0014U	0.0014U	0.0014U
Copper (Dissolved)	mg/l	0.0013U	0.0028I	0.0013U
Lead (Dissolved)	mg/l	0.0015U	0.015	0.0015I
Nickel (Dissolved)	mg/l	0.0047U	0.0047U	0.0047U
Selenium (Dissolved)	mg/l	0.0048U	0.0048U	0.0048U
Silver (Dissolved)	mg/l	0.0019U	0.0019U	0.0019U
Vanadium (Dissolved)	mg/l	0.0037I	0.030	0.0062I
Zinc (Dissolved)	mg/l	0.0059U	0.0069I	0.0059U
Dilution Factor		1	1	1
Prep Date		08/08/04	08/08/04	08/08/04
Prep Time		12:00	12:00	12:00
Analysis Date		08/11/04	08/11/04	08/11/04
Analysis Time		10:57	11:03	11:09
Batch ID		40808J	40808J	40808J

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23889-4	MW-9B	Liquid	08/04/04	08/03/04 15:00	
23889-5	MW-7B	Liquid	08/04/04	08/03/04 10:50	
23889-6	MW-7C	Liquid	08/04/04	08/03/04 10:55	

Parameter	Units	Lab Sample IDs		
		23889-4	23889-5	23889-6

Iron (Dissolved) (6010)

Iron (Dissolved)	mg/l	0.96	3.3	0.89
Dilution Factor		1	1	1
Prep Date		08/08/04	08/08/04	08/08/04
Prep Time		12:00	12:00	12:00
Analysis Date		08/11/04	08/11/04	08/11/04
Analysis Time		10:57	11:03	11:09
Batch ID		40808J	40808J	40808J

Sodium (Dissolved) (6010)

Sodium (Dissolved)	mg/l	7.5	8.5	8.5
Dilution Factor		1	1	1
Prep Date		08/08/04	08/08/04	08/08/04
Prep Time		12:00	12:00	12:00
Analysis Date		08/11/04	08/11/04	08/11/04
Analysis Time		10:57	11:03	11:09
Batch ID		40808J	40808J	40808J

Mercury (Dissolved) (7470)

Mercury (Dissolved)	mg/l	0.000072U	0.000072U	0.000072U
Dilution Factor		1	1	1
Prep Date		08/10/04	08/10/04	08/10/04
Prep Time		12:12	12:12	12:12
Analysis Date		08/10/04	08/10/04	08/10/04
Analysis Time		17:32	17:37	17:44
Batch ID		4H10U	4H10U	4H10U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23889-4	MW-9B	Liquid	08/04/04	08/03/04 15:00	
23889-5	MW-7B	Liquid	08/04/04	08/03/04 10:50	
23889-6	MW-7C	Liquid	08/04/04	08/03/04 10:55	

Parameter	Units	Lab Sample IDs		
		23889-4	23889-5	23889-6
Chloride (325.3)				
Chloride	mg/l	12	12	10
Dilution Factor		1	1	1
Analysis Date		08/16/04	08/16/04	08/16/04
Analysis Time		12:10	12:10	12:10
Batch ID		0816M	0816M	0816M
Ammonia-N (350.3)				
Ammonia-N	mg/l	0.11	0.20	0.15
Dilution Factor		1	1	1
Analysis Date		08/11/04	08/11/04	08/11/04
Analysis Time		17:00	17:00	17:00
Batch ID		0811Y	0811Y	0811Y
Nitrate-N (353.2)				
Nitrate-N	mg/l	0.050U	0.10U	0.10U
Dilution Factor		5	10	10
Analysis Date		08/04/04	08/04/04	08/04/04
Analysis Time		15:46	15:46	15:46
Batch ID		0804G-6	0804G-6	0804G-6
Solids, Total Dissolved (160.1)				
Solids, Total Dissolved	mg/l	260	1000	590
Dilution Factor		1	1	1
Analysis Date		08/10/04	08/10/04	08/10/04
Analysis Time		14:50	14:50	14:50
Batch ID		0810J	0810J	0810J

STL Tampa

6712 Benjamin Road, Suite 100 - Tampa FL 33634 Telephone:(813) 885-7427 Fax:(813) 885-7049

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23889-7	Trip Blank	Liquid	08/04/04	08/03/04	

Parameter	Units	Lab Sample IDs
		23889-7

Appendix I - Organics (8260)

Acetone	ug/l	9.9U
Acrylonitrile	ug/l	1.2U
Benzene	ug/l	0.27U
Bromochloromethane	ug/l	0.58U
Bromodichloromethane	ug/l	0.35U
Bromoform	ug/l	0.58U
Carbon disulfide	ug/l	0.85U
Carbon Tetrachloride	ug/l	0.42U
Chlorobenzene	ug/l	0.63U
Chloroethane	ug/l	0.80U
Chloroform	ug/l	0.90U
Dibromochloromethane	ug/l	0.34U
1,2-Dichlorobenzene	ug/l	0.44U
1,4-Dichlorobenzene	ug/l	0.52U
Trans-1,4-Dichloro-2-butene	ug/l	2.5U
1,1-Dichloroethane	ug/l	0.52U
1,2-Dichloroethane	ug/l	0.57U
1,1-Dichloroethylene	ug/l	0.45U
cis-1,2-Dichloroethylene	ug/l	0.65U
trans-1,2-Dichloroethylene	ug/l	0.44U
1,2-Dichloropropane	ug/l	0.52U
cis-1,3-Dichloropropene	ug/l	0.14U
trans-1,3-Dichloropropene	ug/l	0.14U
Ethylbenzene	ug/l	0.83U
2-Hexanone	ug/l	4.4U
Bromomethane	ug/l	0.66U
Chloromethane	ug/l	0.64U
Dibromomethane	ug/l	0.41U
Methylene Chloride	ug/l	1.0U
2-Butanone (MEK)	ug/l	8.4U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23889-7	Trip Blank	Liquid	08/04/04	08/03/04	

Parameter	Units	Lab Sample IDs
		23889-7

Appendix I - Organics (8260)

Iodomethane	ug/l	0.67U
4-Methyl-2-pentanone (MIBK)	ug/l	3.8U
Styrene	ug/l	0.98U
1,1,1,2-Tetrachloroethane	ug/l	0.63U
1,1,2,2-Tetrachloroethane	ug/l	0.14U
Tetrachloroethene	ug/l	0.34U
Toluene	ug/l	0.51U
1,1,1-Trichloroethane	ug/l	0.46U
1,1,2-Trichloroethane	ug/l	0.47U
Trichloroethene	ug/l	0.28U
Trichlorofluoromethane	ug/l	0.98U
1,2,3-Trichloropropane	ug/l	0.15U
Vinyl acetate	ug/l	1.5U
Vinyl chloride	ug/l	0.50U
Xylenes	ug/l	0.98U
Dilution Factor		1
Analysis Date		08/11/04
Analysis Time		11:05
Batch ID		0811H

STL Tampa

6712 Benjamin Road, Suite 100 - Tampa FL 33634 Telephone:(813) 885-7427 Fax:(813) 885-7049

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23889-8	Method Blank	Liquid	08/04/04		

Parameter	Units	Lab Sample IDs
		23889-8

Appendix I - Organics (8260)

Acetone	ug/l	9.9U
Acrylonitrile	ug/l	1.2U
Benzene	ug/l	0.27U
Bromochloromethane	ug/l	0.58U
Bromodichloromethane	ug/l	0.35U
Bromoform	ug/l	0.58U
Carbon disulfide	ug/l	0.85U
Carbon Tetrachloride	ug/l	0.42U
Chlorobenzene	ug/l	0.63U
Chloroethane	ug/l	0.80U
Chloroform	ug/l	0.90U
Dibromochloromethane	ug/l	0.34U
1,2-Dichlorobenzene	ug/l	0.44U
1,4-Dichlorobenzene	ug/l	0.52U
Trans-1,4-Dichloro-2-butene	ug/l	2.5U
1,1-Dichloroethane	ug/l	0.52U
1,2-Dichloroethane	ug/l	0.57U
1,1-Dichloroethylene	ug/l	0.45U
cis-1,2-Dichloroethylene	ug/l	0.65U
trans-1,2-Dichloroethylene	ug/l	0.44U
1,2-Dichloropropane	ug/l	0.52U
cis-1,3-Dichloropropene	ug/l	0.14U
trans-1,3-Dichloropropene	ug/l	0.14U
Ethylbenzene	ug/l	0.83U
2-Hexanone	ug/l	4.4U
Bromomethane	ug/l	0.66U
Chloromethane	ug/l	0.64U
Dibromomethane	ug/l	0.41U
Methylene Chloride	ug/l	1.0U
2-Butanone (MEK)	ug/l	8.4U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23889-8	Method Blank	Liquid	08/04/04		

Parameter	Units	Lab Sample IDs
		23889-8

Appendix I - Organics (8260)

Iodomethane	ug/l	0.67U
4-Methyl-2-pentanone (MIBK)	ug/l	3.8U
Styrene	ug/l	0.98U
1,1,1,2-Tetrachloroethane	ug/l	0.63U
1,1,2,2-Tetrachloroethane	ug/l	0.14U
Tetrachloroethene	ug/l	0.34U
Toluene	ug/l	0.51U
1,1,1-Trichloroethane	ug/l	0.46U
1,1,2-Trichloroethane	ug/l	0.47U
Trichloroethene	ug/l	0.28U
Trichlorofluoromethane	ug/l	0.98U
1,2,3-Trichloropropane	ug/l	0.15U
Vinyl acetate	ug/l	1.5U
Vinyl chloride	ug/l	0.50U
Xylenes	ug/l	0.98U
Dilution Factor		1
Analysis Date		08/11/04
Analysis Time		10:46
Batch ID		0811H

Microextractables (504)

1,2-Dibromoethane (EDB)	ug/l	0.0087U
1,2-Dibromo-3-chloropropane	ug/l	0.0030U
Dilution Factor		1
Prep Date		08/11/04
Prep Time		13:00
Analysis Date		08/11/04
Analysis Time		19:21
Batch ID		0811E

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23889-8	Method Blank	Liquid	08/04/04		

Parameter	Units	Lab Sample IDs
		23889-8

Appendix I Metals by ICP (6010)

Arsenic	mg/l	0.0038U
Barium	mg/l	0.0012U
Beryllium	mg/l	0.00074U
Cadmium	mg/l	0.00071U
Chromium	mg/l	0.0017U
Cobalt	mg/l	0.0014U
Copper	mg/l	0.0013U
Lead	mg/l	0.0015U
Nickel	mg/l	0.0047U
Selenium	mg/l	0.0048U
Silver	mg/l	0.0019U
Vanadium	mg/l	0.0025U
Zinc	mg/l	0.0059U
Antimony	mg/l	0.0029U
Dilution Factor		1
Prep Date		08/08/04
Prep Time		12:00
Analysis Date		08/11/04
Analysis Time		09:37
Batch ID		40808J

Mercury (7470)

Mercury	mg/l	0.000072U
Dilution Factor		1
Prep Date		08/10/04
Prep Time		12:12
Analysis Date		08/10/04
Analysis Time		17:12
Batch ID		4H10U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23889-8	Method Blank	Liquid	08/04/04		

Parameter	Units	Lab Sample IDs
		23889-8

Iron (6010)

Iron	mg/l	0.037U
Dilution Factor		1
Prep Date		08/08/04
Prep Time		12:00
Analysis Date		08/11/04
Analysis Time		09:37
Batch ID		40808J

Thallium (7841)

Thallium	mg/l	0.00070U
Dilution Factor		1
Prep Date		08/11/04
Prep Time		09:00
Analysis Date		08/13/04
Analysis Time		12:43
Batch ID		0811G

Thallium (Dissolved) (7841)

Thallium (Dissolved)	mg/l	0.00070U
Dilution Factor		1
Prep Date		08/11/04
Prep Time		09:00
Analysis Date		08/13/04
Analysis Time		12:43
Batch ID		0811G

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23889-8	Method Blank	Liquid	08/04/04		

Parameter	Units	Lab Sample IDs
		23889-8
Sodium (6010)		
Sodium	mg/l	0.15U
Dilution Factor		1
Prep Date		08/08/04
Prep Time		12:00
Analysis Date		08/11/04
Analysis Time		09:37
Batch ID		40808J

Appendix I Metals Dissolved (6010)		
Antimony (Dissolved)	mg/l	0.0029U
Arsenic (Dissolved)	mg/l	0.0038U
Barium (Dissolved)	mg/l	0.0012U
Beryllium (Dissolved)	mg/l	0.00074U
Cadmium (Dissolved)	mg/l	0.00071U
Chromium (Dissolved)	mg/l	0.0017U
Cobalt (Dissolved)	mg/l	0.0014U
Copper (Dissolved)	mg/l	0.0013U
Lead (Dissolved)	mg/l	0.0015U
Nickel (Dissolved)	mg/l	0.0047U
Selenium (Dissolved)	mg/l	0.0048U
Silver (Dissolved)	mg/l	0.0019U
Vanadium (Dissolved)	mg/l	0.0025U
Zinc (Dissolved)	mg/l	0.0059U
Dilution Factor		1
Prep Date		08/08/04
Prep Time		12:00
Analysis Date		08/11/04
Analysis Time		09:37
Batch ID		40808J

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23889-8	Method Blank	Liquid	08/04/04		

Lab Sample IDs

Parameter	Units	23889-8
-----------	-------	---------

Iron (Dissolved) (6010)

Iron (Dissolved)	mg/l	0.037U
Dilution Factor		1
Prep Date		08/08/04
Prep Time		12:00
Analysis Date		08/11/04
Analysis Time		09:37
Batch ID		40808J

Sodium (Dissolved) (6010)

Sodium (Dissolved)	mg/l	0.15U
Dilution Factor		1
Prep Date		08/08/04
Prep Time		12:00
Analysis Date		08/11/04
Analysis Time		09:37
Batch ID		40808J

Mercury (Dissolved) (7470)

Mercury (Dissolved)	mg/l	0.000072U
Dilution Factor		1
Prep Date		08/10/04
Prep Time		12:12
Analysis Date		08/10/04
Analysis Time		17:12
Batch ID		4H10U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23889-8	Method Blank	Liquid	08/04/04		

Parameter	Units	Lab Sample IDs
Chloride (325.3)		
Chloride	mg/l	1.0U
Dilution Factor		1
Analysis Date		08/16/04
Analysis Time		12:10
Batch ID		0816M
Ammonia-N (350.3)		
Ammonia-N	mg/l	0.040U
Dilution Factor		1
Analysis Date		08/11/04
Analysis Time		17:00
Batch ID		0811Y
Nitrate-N (353.2)		
Nitrate-N	mg/l	0.010U
Dilution Factor		1
Analysis Date		08/04/04
Analysis Time		15:46
Batch ID		0804G-6
Solids, Total Dissolved (160.1)		
Solids, Total Dissolved	mg/l	5.0U
Dilution Factor		1
Analysis Date		08/10/04
Analysis Time		14:50
Batch ID		0810J

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23889-9	Lab Control Standard % Recovery	Liquid	08/04/04		
23889-10	Lab Control Standard Duplicate % Recovery	Liquid	08/04/04		
23889-11	Precision (%RPD) of LCS/LCSD	Liquid	08/04/04		
23889-12	LCS Accuracy Control Limit (%R)	Liquid	08/04/04		
23889-13	LCS Precision Control Limit (Advisory) %RPD	Liquid	08/04/04		

Parameter	Units	Lab Sample IDs				
		23889-9	23889-10	23889-11	23889-12	23889-13

Appendix I - Organics (8260)

Benzene	%	94 %	102 %	8.2 %	62-135 %	<16 %
Chlorobenzene	%	94 %	96 %	2.1 %	72-127 %	<22 %
1,1-Dichloroethylene	%	102 %	106 %	3.8 %	46-147 %	<30 %
Toluene	%	96 %	100 %	4.1 %	68-131 %	<33 %
Trichloroethene	%	96 %	100 %	4.1 %	56-143 %	<35 %
Dilution Factor		1	1			
Analysis Date		08/11/04	08/11/04			
Analysis Time		09:48	10:07			
Batch ID		0811H	0811H	0811H		

Microextractables (504)

1,2-Dibromoethane (EDB)	%	104 %	105 %	3.2 %	70-130 %	<30 %
1,2-Dibromo-3-chloropropane	%	111 %	121 %	10 %	70-130 %	<30 %
Dilution Factor		1	1			
Prep Date		08/11/04	08/11/04			
Prep Time		13:00	13:00			
Analysis Date		08/11/04	08/11/04			
Analysis Time		19:42	20:03			
Batch ID		0811E	0811E	0811E		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23889-9	Lab Control Standard % Recovery	Liquid	08/04/04		
23889-10	Lab Control Standard Duplicate % Recovery	Liquid	08/04/04		
23889-11	Precision (%RPD) of LCS/LCSD	Liquid	08/04/04		
23889-12	LCS Accuracy Control Limit (%R)	Liquid	08/04/04		
23889-13	LCS Precision Control Limit (Advisory) %RPD	Liquid	08/04/04		

Parameter	Units	Lab Sample IDs				
		23889-9	23889-10	23889-11	23889-12	23889-13

Appendix I Metals by ICP (6010)

Arsenic	%	102 %	101 %	0.79 %	75-125 %	<20 %
Barium	%	103 %	102 %	0.78 %	75-125 %	<20 %
Beryllium	%	103 %	101 %	1.6 %	75-125 %	<20 %
Cadmium	%	104 %	102 %	1.7 %	75-125 %	<20 %
Chromium	%	103 %	102 %	1.7 %	75-125 %	<20 %
Cobalt	%	108 %	106 %	1.8 %	75-125 %	<20 %
Copper	%	109 %	108 %	0.74 %	75-125 %	<20 %
Lead	%	105 %	102 %	2.3 %	75-125 %	<20 %
Nickel	%	106 %	105 %	1.4 %	75-125 %	<20 %
Selenium	%	102 %	101 %	1.1 %	75-125 %	<20 %
Silver	%	101 %	100 %	0.90 %	75-125 %	<20 %
Vanadium	%	104 %	102 %	1.3 %	75-125 %	<20 %
Zinc	%	106 %	103 %	2.2 %	75-125 %	<20 %
Antimony	%	97 %	96 %	1.0 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/08/04	08/08/04			
Prep Time		12:00	12:00			
Analysis Date		08/11/04	08/11/04			
Analysis Time		09:43	09:50			
Batch ID		40808J	40808J	40808J		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23889-9	Lab Control Standard % Recovery	Liquid	08/04/04		
23889-10	Lab Control Standard Duplicate % Recovery	Liquid	08/04/04		
23889-11	Precision (%RPD) of LCS/LCSD	Liquid	08/04/04		
23889-12	LCS Accuracy Control Limit (%R)	Liquid	08/04/04		
23889-13	LCS Precision Control Limit (Advisory) %RPD	Liquid	08/04/04		

Parameter	Units	Lab Sample IDs				
		23889-9	23889-10	23889-11	23889-12	23889-13

Mercury (7470)

Mercury	%	97 %	100 %	3.4 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/10/04	08/10/04			
Prep Time		12:12	12:12			
Analysis Date		08/10/04	08/10/04			
Analysis Time		17:14	17:15			
Batch ID		4H10U	4H10U	4H10U		

Iron (6010)

Iron	%	106 %	105 %	0.19 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/08/04	08/08/04			
Prep Time		12:00	12:00			
Analysis Date		08/11/04	08/11/04			
Analysis Time		09:43	09:50			
Batch ID		40808J	40808J	40808J		

Thallium (7841)

Thallium	%	105 %	105 %	0.4 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/11/04	08/11/04			
Prep Time		09:00	09:00			
Analysis Date		08/13/04	08/13/04			
Analysis Time		12:47	12:59			
Batch ID		0811G	0811G	0811G		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23889-9	Lab Control Standard % Recovery	Liquid	08/04/04		
23889-10	Lab Control Standard Duplicate % Recovery	Liquid	08/04/04		
23889-11	Precision (%RPD) of LCS/LCSD	Liquid	08/04/04		
23889-12	LCS Accuracy Control Limit (%R)	Liquid	08/04/04		
23889-13	LCS Precision Control Limit (Advisory) %RPD	Liquid	08/04/04		

Parameter	Units	Lab Sample IDs				
		23889-9	23889-10	23889-11	23889-12	23889-13

Thallium (Dissolved) (7841)

Thallium (Dissolved)	%	105 %	105 %	0.4 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/11/04	08/11/04			
Prep Time		09:00	09:00			
Analysis Date		08/13/04	08/13/04			
Analysis Time		12:47	12:59			
Batch ID		0811G	0811G	0811G		

Sodium (6010)

Sodium	%	96 %	95 %	1.4 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/08/04	08/08/04			
Prep Time		12:00	12:00			
Analysis Date		08/11/04	08/11/04			
Analysis Time		09:43	09:50			
Batch ID		40808J	40808J	40808J		

Appendix I Metals Dissolved (6010)

Antimony (Dissolved)	%	97 %	96 %	1.0 %	75-125 %	<20 %
Arsenic (Dissolved)	%	102 %	101 %	0.79 %	75-125 %	<20 %
Barium (Dissolved)	%	103 %	102 %	0.78 %	75-125 %	<20 %
Beryllium (Dissolved)	%	103 %	101 %	1.6 %	75-125 %	<20 %
Cadmium (Dissolved)	%	104 %	102 %	1.7 %	75-125 %	<20 %
Chromium (Dissolved)	%	103 %	102 %	1.7 %	75-125 %	<20 %

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23889-9	Lab Control Standard % Recovery	Liquid	08/04/04		
23889-10	Lab Control Standard Duplicate % Recovery	Liquid	08/04/04		
23889-11	Precision (%RPD) of LCS/LCSD	Liquid	08/04/04		
23889-12	LCS Accuracy Control Limit (%R)	Liquid	08/04/04		
23889-13	LCS Precision Control Limit (Advisory) %RPD	Liquid	08/04/04		

Lab Sample IDs

Parameter	Units	23889-9	23889-10	23889-11	23889-12	23889-13
-----------	-------	---------	----------	----------	----------	----------

Appendix I Metals Dissolved (6010)

Cobalt (Dissolved)	%	108 %	106 %	1.8 %	75-125 %	<20 %
Copper (Dissolved)	%	109 %	108 %	0.74 %	75-125 %	<20 %
Lead (Dissolved)	%	105 %	102 %	2.3 %	75-125 %	<20 %
Nickel (Dissolved)	%	106 %	105 %	1.4 %	75-125 %	<20 %
Selenium (Dissolved)	%	102 %	101 %	1.1 %	75-125 %	<20 %
Silver (Dissolved)	%	101 %	100 %	0.90 %	75-125 %	<20 %
Vanadium (Dissolved)	%	104 %	102 %	1.3 %	75-125 %	<20 %
Zinc (Dissolved)	%	106 %	103 %	2.2 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/08/04	08/08/04			
Prep Time		12:00	12:00			
Analysis Date		08/11/04	08/11/04			
Analysis Time		09:43	09:50			
Batch ID		40808J	40808J	40808J		

Iron (Dissolved) (6010)

Iron (Dissolved)	%	106 %	105 %	0.19 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/08/04	08/08/04			
Prep Time		12:00	12:00			
Analysis Date		08/11/04	08/11/04			
Analysis Time		09:43	09:50			
Batch ID		40808J	40808J	40808J		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23889-9	Lab Control Standard % Recovery	Liquid	08/04/04		
23889-10	Lab Control Standard Duplicate % Recovery	Liquid	08/04/04		
23889-11	Precision (%RPD) of LCS/LCSD	Liquid	08/04/04		
23889-12	LCS Accuracy Control Limit (%R)	Liquid	08/04/04		
23889-13	LCS Precision Control Limit (Advisory) %RPD	Liquid	08/04/04		

Parameter	Units	Lab Sample IDs				
		23889-9	23889-10	23889-11	23889-12	23889-13
Sodium (Dissolved) (6010)						
Sodium (Dissolved)	%	96 %	95 %	1.4 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/08/04	08/08/04			
Prep Time		12:00	12:00			
Analysis Date		08/11/04	08/11/04			
Analysis Time		09:43	09:50			
Batch ID		40808J	40808J	40808J		
Mercury (Dissolved) (7470)						
Mercury (Dissolved)	%	97 %	100 %	3.4 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/10/04	08/10/04			
Prep Time		12:12	12:12			
Analysis Date		08/10/04	08/10/04			
Analysis Time		17:14	17:15			
Batch ID		4H10U	4H10U	4H10U		
Chloride (325.3)						
Chloride	%	99 %	100 %	0.90 %	75-125 %	<30 %
Dilution Factor		1	1			
Analysis Date		08/16/04	08/16/04			
Analysis Time		12:10	12:10			
Batch ID		0816M	0816M	0816M		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23889-9	Lab Control Standard % Recovery	Liquid	08/04/04		
23889-10	Lab Control Standard Duplicate % Recovery	Liquid	08/04/04		
23889-11	Precision (%RPD) of LCS/LCSD	Liquid	08/04/04		
23889-12	LCS Accuracy Control Limit (%R)	Liquid	08/04/04		
23889-13	LCS Precision Control Limit (Advisory) %RPD	Liquid	08/04/04		

Parameter	Units	Lab Sample IDs				
		23889-9	23889-10	23889-11	23889-12	23889-13
Ammonia-N (350.3)						
Ammonia-N	%	98 %	98 %	0 %	85-115 %	<30 %
Dilution Factor		1	1			
Analysis Date		08/11/04	08/11/04			
Analysis Time		17:00	17:00			
Batch ID		0811Y	0811Y	0811Y		
Nitrate-N (353.2)						
Nitrate-N	%	97 %	98 %	1.1 %	80-120 %	<30 %
Dilution Factor		1	1			
Analysis Date		08/04/04	08/04/04			
Analysis Time		15:46	15:46			
Batch ID		0804G-6	0804G-6	0804G-6		
Solids, Total Dissolved (160.1)						
Solids, Total Dissolved	%	102 %	102 %	0.098 %	80-120 %	<25 %
Dilution Factor		1	1			
Analysis Date		08/10/04	08/10/04			
Analysis Time		14:50	14:50			
Batch ID		0810J	0810J	0810J		

STL Tampa

6712 Benjamin Road, Suite 100 - Tampa FL 33634 Telephone:(813) 885-7427 Fax:(813) 885-7049

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23889-14	Matrix Spike % Recovery	Liquid	08/04/04		
23889-15	Matrix Spike Duplicate % Recovery	Liquid	08/04/04		
23889-16	Precision (%RPD) MS/MSD	Liquid	08/04/04		
23889-17	MS Accuracy Advisory Limit (%R)	Liquid	08/04/04		
23889-18	MS Precision Advisory Limit (%RPD)	Liquid	08/04/04		

Lab Sample IDs

Parameter	Units	23889-14	23889-15	23889-16	23889-17	23889-18
-----------	-------	----------	----------	----------	----------	----------

Appendix I - Organics (8260)

Benzene	%	96 %	98 %	2.1 %	62-135 %	<16 %
Chlorobenzene	%	94 %	98 %	4.2 %	72-127 %	<22 %
1,1-Dichloroethylene	%	104 %	106 %	1.9 %	46-147 %	<30 %
Toluene	%	100 %	98 %	2.0 %	68-131 %	<33 %
Trichloroethene	%	96 %	98 %	2.1 %	56-143 %	<35 %
Dilution Factor		1	1			
Analysis Date		08/11/04	08/11/04			
Analysis Time		16:35	16:54			
Batch ID		0811H	0811H	0811H		

Microextractables (504)

1,2-Dibromoethane (EDB)	%	108 %	109 %	4.1 %	70-130 %	<30 %
1,2-Dibromo-3-chloropropane	%	129 %	114 %	18 %	70-130 %	<30 %
Dilution Factor		1	1			
Prep Date		08/11/04	08/11/04			
Prep Time		13:00	13:00			
Analysis Date		08/11/04	08/11/04			
Analysis Time		22:52	23:13			
Batch ID		0811E	0811E	0811E		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23889-14	Matrix Spike % Recovery	Liquid	08/04/04		
23889-15	Matrix Spike Duplicate % Recovery	Liquid	08/04/04		
23889-16	Precision (%RPD) MS/MSD	Liquid	08/04/04		
23889-17	MS Accuracy Advisory Limit (%R)	Liquid	08/04/04		
23889-18	MS Precision Advisory Limit (%RPD)	Liquid	08/04/04		

Lab Sample IDs

Parameter	Units	23889-14	23889-15	23889-16	23889-17	23889-18
-----------	-------	----------	----------	----------	----------	----------

Appendix I Metals by ICP (6010)

Arsenic	%	99 %	101 %	2.1 %	75-125 %	<20 %
Barium	%	100 %	103 %	2.6 %	75-125 %	<20 %
Beryllium	%	101 %	102 %	1.6 %	75-125 %	<20 %
Cadmium	%	101 %	103 %	1.2 %	75-125 %	<20 %
Chromium	%	101 %	102 %	1.4 %	75-125 %	<20 %
Cobalt	%	105 %	106 %	0.99 %	75-125 %	<20 %
Copper	%	106 %	109 %	3.0 %	75-125 %	<20 %
Lead	%	102 %	103 %	0.90 %	75-125 %	<20 %
Nickel	%	104 %	105 %	1.0 %	75-125 %	<20 %
Selenium	%	100 %	101 %	1.3 %	75-125 %	<20 %
Silver	%	98 %	100 %	1.9 %	75-125 %	<20 %
Vanadium	%	101 %	103 %	1.8 %	75-125 %	<20 %
Zinc	%	104 %	104 %	0.01 %	75-125 %	<20 %
Antimony	%	94 %	97 %	2.3 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/08/04	08/08/04			
Prep Time		12:00	12:00			
Analysis Date		08/11/04	08/11/04			
Analysis Time		10:08	10:14			
Batch ID		40808J	40808J	40808J		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23889-14	Matrix Spike % Recovery	Liquid	08/04/04		
23889-15	Matrix Spike Duplicate % Recovery	Liquid	08/04/04		
23889-16	Precision (%RPD) MS/MSD	Liquid	08/04/04		
23889-17	MS Accuracy Advisory Limit (%R)	Liquid	08/04/04		
23889-18	MS Precision Advisory Limit (%RPD)	Liquid	08/04/04		

Parameter	Units	Lab Sample IDs				
		23889-14	23889-15	23889-16	23889-17	23889-18
Mercury (7470)						
Mercury	%	100 %	100 %	0.15 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/10/04	08/10/04			
Prep Time		12:12	12:12			
Analysis Date		08/10/04	08/10/04			
Analysis Time		17:25	17:27			
Batch ID		4H10U	4H10U	4H10U		
Iron (6010)						
Iron	%	102 %	104 %	0.87 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/08/04	08/08/04			
Prep Time		12:00	12:00			
Analysis Date		08/11/04	08/11/04			
Analysis Time		10:08	10:14			
Batch ID		40808J	40808J	40808J		
Thallium (7841)						
Thallium	%	108 %	104 %	4.0 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/11/04	08/11/04			
Prep Time		09:00	09:00			
Analysis Date		08/13/04	08/13/04			
Analysis Time		13:16	13:20			
Batch ID		0811G	0811G	0811G		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23889-14	Matrix Spike % Recovery	Liquid	08/04/04		
23889-15	Matrix Spike Duplicate % Recovery	Liquid	08/04/04		
23889-16	Precision (%RPD) MS/MSD	Liquid	08/04/04		
23889-17	MS Accuracy Advisory Limit (%R)	Liquid	08/04/04		
23889-18	MS Precision Advisory Limit (%RPD)	Liquid	08/04/04		

Parameter	Units	Lab Sample IDs				
		23889-14	23889-15	23889-16	23889-17	23889-18
Thallium (Dissolved) (7841)						
Thallium (Dissolved)	%	108 %	104 %	4.0 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/11/04	08/11/04			
Prep Time		09:00	09:00			
Analysis Date		08/13/04	08/13/04			
Analysis Time		13:16	13:20			
Batch ID		0811G	0811G	0811G		
Sodium (6010)						
Sodium	%	94 %	97 %	1.6 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/08/04	08/08/04			
Prep Time		12:00	12:00			
Analysis Date		08/11/04	08/11/04			
Analysis Time		10:08	10:14			
Batch ID		40808J	40808J	40808J		
Appendix I Metals Dissolved (6010)						
Antimony (Dissolved)	%	94 %	97 %	2.3 %	75-125 %	<20 %
Arsenic (Dissolved)	%	99 %	101 %	2.1 %	75-125 %	<20 %
Barium (Dissolved)	%	100 %	103 %	2.6 %	75-125 %	<20 %
Beryllium (Dissolved)	%	101 %	102 %	1.6 %	75-125 %	<20 %
Cadmium (Dissolved)	%	101 %	103 %	1.2 %	75-125 %	<20 %
Chromium (Dissolved)	%	101 %	102 %	1.4 %	75-125 %	<20 %

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23889-14	Matrix Spike % Recovery	Liquid	08/04/04		
23889-15	Matrix Spike Duplicate % Recovery	Liquid	08/04/04		
23889-16	Precision (%RPD) MS/MSD	Liquid	08/04/04		
23889-17	MS Accuracy Advisory Limit (%R)	Liquid	08/04/04		
23889-18	MS Precision Advisory Limit (%RPD)	Liquid	08/04/04		

Lab Sample IDs

Parameter	Units	23889-14	23889-15	23889-16	23889-17	23889-18
-----------	-------	----------	----------	----------	----------	----------

Appendix I Metals Dissolved (6010)

Cobalt (Dissolved)	%	105 %	106 %	0.99 %	75-125 %	<20 %
Copper (Dissolved)	%	106 %	109 %	3.0 %	75-125 %	<20 %
Lead (Dissolved)	%	102 %	103 %	0.90 %	75-125 %	<20 %
Nickel (Dissolved)	%	104 %	105 %	1.0 %	75-125 %	<20 %
Selenium (Dissolved)	%	100 %	101 %	1.3 %	75-125 %	<20 %
Silver (Dissolved)	%	98 %	100 %	1.9 %	75-125 %	<20 %
Vanadium (Dissolved)	%	101 %	103 %	1.8 %	75-125 %	<20 %
Zinc (Dissolved)	%	104 %	104 %	0.01 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/08/04	08/08/04			
Prep Time		12:00	12:00			
Analysis Date		08/11/04	08/11/04			
Analysis Time		10:08	10:14			
Batch ID		40808J	40808J	40808J		

Iron (Dissolved) (6010)

Iron (Dissolved)	%	102 %	104 %	0.87 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/08/04	08/08/04			
Prep Time		12:00	12:00			
Analysis Date		08/11/04	08/11/04			
Analysis Time		10:08	10:14			
Batch ID		40808J	40808J	40808J		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23889-14	Matrix Spike % Recovery	Liquid	08/04/04		
23889-15	Matrix Spike Duplicate % Recovery	Liquid	08/04/04		
23889-16	Precision (%RPD) MS/MSD	Liquid	08/04/04		
23889-17	MS Accuracy Advisory Limit (%R)	Liquid	08/04/04		
23889-18	MS Precision Advisory Limit (%RPD)	Liquid	08/04/04		

Lab Sample IDs

Parameter	Units	23889-14	23889-15	23889-16	23889-17	23889-18
Sodium (Dissolved) (6010)						
Sodium (Dissolved)	%	94 %	97 %	1.6 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/08/04	08/08/04			
Prep Time		12:00	12:00			
Analysis Date		08/11/04	08/11/04			
Analysis Time		10:08	10:14			
Batch ID		40808J	40808J	40808J		
Mercury (Dissolved) (7470)						
Mercury (Dissolved)	%	100 %	100 %	0.15 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/10/04	08/10/04			
Prep Time		12:12	12:12			
Analysis Date		08/10/04	08/10/04			
Analysis Time		17:25	17:27			
Batch ID		4H10U	4H10U	4H10U		
Chloride (325.3)						
Chloride	%	98 %	98 %	0 %	75-125 %	<30 %
Dilution Factor		1	1			
Analysis Date		08/16/04	08/16/04			
Analysis Time		12:10	12:10			
Batch ID		0816M	0816M	0816M		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23889-14	Matrix Spike % Recovery	Liquid	08/04/04		
23889-15	Matrix Spike Duplicate % Recovery	Liquid	08/04/04		
23889-16	Precision (%RPD) MS/MSD	Liquid	08/04/04		
23889-17	MS Accuracy Advisory Limit (%R)	Liquid	08/04/04		
23889-18	MS Precision Advisory Limit (%RPD)	Liquid	08/04/04		

Parameter	Units	Lab Sample IDs				
		23889-14	23889-15	23889-16	23889-17	23889-18

Ammonia-N (350.3)

Ammonia-N	%	99 %	98 %	1.0 %	85-115 %	<30 %
Dilution Factor		1	1			
Analysis Date		08/11/04	08/11/04			
Analysis Time		17:00	17:00			
Batch ID		0811Y	0811Y	0811Y		

Nitrate-N (353.2)

Nitrate-N	%	103 %	105 %	2.3 %	80-120 %	<30 %
Dilution Factor		1	1			
Analysis Date		08/04/04	08/04/04			
Analysis Time		15:46	15:46			
Batch ID		0804G-6	0804G-6	0804G-6		

Solids, Total Dissolved (160.1)

Solids, Total Dissolved	%	102 %	100 %	2.2 %	80-120 %	<25 %
Dilution Factor		1	1			
Analysis Date		08/10/04	08/10/04			
Analysis Time		14:50	14:50			
Batch ID		0810J	0810J	0810J		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23889-19	Practical Quantitation Limit (PQL)	Liquid	08/04/04		
23889-20	Method Detection Limit (MDL)	Liquid	08/04/04		

Parameter	Units	Lab Sample IDs	
		23889-19	23889-20

Appendix I - Organics (8260)

Parameter	Units	23889-19	23889-20
Acetone	ug/l	10	9.9
Acrylonitrile	ug/l	100	1.2
Benzene	ug/l	1.0	0.27
Bromochloromethane	ug/l	1.0	0.58
Bromodichloromethane	ug/l	1.0	0.35
Bromoform	ug/l	1.0	0.58
Carbon disulfide	ug/l	1.0	0.85
Carbon Tetrachloride	ug/l	1.0	0.42
Chlorobenzene	ug/l	1.0	0.63
Chloroethane	ug/l	1.0	0.80
Chloroform	ug/l	1.0	0.90
Dibromochloromethane	ug/l	1.0	0.34
1,2-Dichlorobenzene	ug/l	1.0	0.44
1,4-Dichlorobenzene	ug/l	1.0	0.52
Trans-1,4-Dichloro-2-butene	ug/l	10	2.5
1,1-Dichloroethane	ug/l	1.0	0.52
1,2-Dichloroethane	ug/l	1.0	0.57
1,1-Dichloroethylene	ug/l	1.0	0.45
cis-1,2-Dichloroethylene	ug/l	1.0	0.65
trans-1,2-Dichloroethylene	ug/l	1.0	0.44
1,2-Dichloropropane	ug/l	1.0	0.52
cis-1,3-Dichloropropene	ug/l	1.0	0.14
trans-1,3-Dichloropropene	ug/l	1.0	0.14
Ethylbenzene	ug/l	1.0	0.83
2-Hexanone	ug/l	10	4.4
Bromomethane	ug/l	1.0	0.66
Chloromethane	ug/l	1.0	0.64
Dibromomethane	ug/l	1.0	0.41
Methylene Chloride	ug/l	5.0	1.0

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23889-19	Practical Quantitation Limit (PQL)	Liquid	08/04/04		
23889-20	Method Detection Limit (MDL)	Liquid	08/04/04		

Parameter	Units	Lab Sample IDs	
		23889-19	23889-20

Appendix I - Organics (8260)

2-Butanone (MEK)	ug/l	10	8.4
Iodomethane	ug/l	1.0	0.67
4-Methyl-2-pentanone (MIBK)	ug/l	10	3.8
Styrene	ug/l	1.0	0.98
1,1,1,2-Tetrachloroethane	ug/l	1.0	0.63
1,1,2,2-Tetrachloroethane	ug/l	1.0	0.14
Tetrachloroethene	ug/l	1.0	0.34
Toluene	ug/l	1.0	0.51
1,1,1-Trichloroethane	ug/l	1.0	0.46
1,1,2-Trichloroethane	ug/l	1.0	0.47
Trichloroethene	ug/l	1.0	0.28
Trichlorofluoromethane	ug/l	1.0	0.98
1,2,3-Trichloropropane	ug/l	1.0	0.15
Vinyl acetate	ug/l	10	1.5
Vinyl chloride	ug/l	1.0	0.50
Xylenes	ug/l	1.0	0.98

Microextractables (504)

1,2-Dibromoethane (EDB)	ug/l	0.020	0.0087
1,2-Dibromo-3-chloropropane	ug/l	0.020	0.0030

Appendix I Metals by ICP (6010)

Arsenic	mg/l	0.010	0.0038
Barium	mg/l	0.010	0.0012
Beryllium	mg/l	0.0040	0.00074
Cadmium	mg/l	0.0050	0.00071
Chromium	mg/l	0.010	0.0017

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23889-19	Practical Quantitation Limit (PQL)	Liquid	08/04/04		
23889-20	Method Detection Limit (MDL)	Liquid	08/04/04		

Parameter	Units	Lab Sample IDs	
		23889-19	23889-20

Appendix I Metals by ICP (6010)

Cobalt	mg/l	0.010	0.0014
Copper	mg/l	0.020	0.0013
Lead	mg/l	0.0050	0.0015
Nickel	mg/l	0.040	0.0047
Selenium	mg/l	0.010	0.0048
Silver	mg/l	0.010	0.0019
Vanadium	mg/l	0.010	0.0025
Zinc	mg/l	0.020	0.0059
Antimony	mg/l	0.0060	0.0029
Mercury (7470)			
Mercury	mg/l	0.00020	0.000072
Iron (6010)			
Iron	mg/l	0.050	0.037
Thallium (7841)			
Thallium	mg/l	0.0020	0.00070
Thallium (Dissolved) (7841)			
Thallium (Dissolved)	mg/l	0.0020	0.00070

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23889-19	Practical Quantitation Limit (PQL)	Liquid	08/04/04		
23889-20	Method Detection Limit (MDL)	Liquid	08/04/04		

Parameter	Units	Lab Sample IDs	
		23889-19	23889-20
Sodium (6010)			
Sodium	mg/l	0.50	0.15
Appendix I Metals Dissolved (6010)			
Antimony (Dissolved)	mg/l	0.0060	0.0029
Arsenic (Dissolved)	mg/l	0.010	0.0038
Barium (Dissolved)	mg/l	0.010	0.0012
Beryllium (Dissolved)	mg/l	0.0040	0.00074
Cadmium (Dissolved)	mg/l	0.0050	0.00071
Chromium (Dissolved)	mg/l	0.010	0.0017
Cobalt (Dissolved)	mg/l	0.010	0.0014
Copper (Dissolved)	mg/l	0.020	0.0013
Lead (Dissolved)	mg/l	0.0050	0.0015
Nickel (Dissolved)	mg/l	0.040	0.0047
Selenium (Dissolved)	mg/l	0.010	0.0048
Silver (Dissolved)	mg/l	0.010	0.0019
Vanadium (Dissolved)	mg/l	0.010	0.0025
Zinc (Dissolved)	mg/l	0.020	0.0059
Iron (Dissolved) (6010)			
Iron (Dissolved)	mg/l	0.050	0.037
Sodium (Dissolved) (6010)			
Sodium (Dissolved)	mg/l	0.50	0.15

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23889-19	Practical Quantitation Limit (PQL)	Liquid	08/04/04		
23889-20	Method Detection Limit (MDL)	Liquid	08/04/04		

Parameter	Units	Lab Sample IDs	
		23889-19	23889-20
Mercury (Dissolved) (7470)			
Mercury (Dissolved)	mg/l	0.00020	0.000072
Chloride (325.3)			
Chloride	mg/l	1.0	1.0
Ammonia-N (350.3)			
Ammonia-N	mg/l	0.050	0.040
Nitrate-N (353.2)			
Nitrate-N	mg/l	0.050	0.010
Solids, Total Dissolved (160.1)			
Solids, Total Dissolved	mg/l	5.0	5.0

Order Number: B423889

These test results meet all the requirements of NELAC. All questions regarding this test report should be directed to the STL Project Manager who signed this test report.

The estimated uncertainty associated with these reported results is available upon request.

STL Savannah, 5102 LaRoche Ave., Savannah, GA 31404
Phone #912/354-7858. DOH Certification #E87052

I = The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.

U = Indicates that the compound was analyzed for but not detected.

Remit To: SEVERN TRENT LABORATORIES, INC. P.O. Box 7777 W4305 Philadelphia, PA 19175-4305
STL Tampa 6712 Benjamin Road, Suite 100 - Tampa FL 33634 Tel:813-885-7427 Fax:813-885-7049

INVOICE

Federal ID# 23-2919996

Mr. Kirk Wills
Geosyntec
14055 Riveredge Drive, Ste.300
Tampa, FL 33637

Invoice CC:

DATE 08/17/04	TERMS Net 30 Days	CLIENT PO #	CLIENT PROJECT # FQ0638	PROJECT Oak Hammock Disposal La
------------------	----------------------	-------------	----------------------------	------------------------------------

INVOICE # 66018394	CONTRACT #	CODE MV*387007	
LOG # B423889	CREDIT / DEBIT	ORIGINATING LOG #	SDG #
			REQUISITION #

QUANTITY	MATRIX	METHOD	DESCRIPTION	UNIT PRICE	EXTENDED AMOUNT
5	Liquid	8260	Appendix I - Organics	62.40	312.00
5	Liquid	504	Microextractables	33.15	165.75
5	Liquid	6010	Appendix I Metals by ICP	65.52	327.60
5	Liquid	7470	Mercury	15.60	78.00
5	Liquid	6010	Iron	4.68	23.40
5	Liquid	7841	Thallium	12.00	60.00
5	Liquid	6010	Sodium	4.68	23.40
5	Liquid	325.3	Chloride	9.75	48.75
5	Liquid	350.3	Ammonia-N	7.80	39.00
5	Liquid	353.2	Nitrate-N	9.75	48.75
5	Liquid	160.1	Solids, Total Dissolved	5.85	29.25
3	Liquid	7841	Thallium (Dissolved)	12.00	36.00
3	Liquid	6010	Appendix I Metals Dissolved	65.52	196.56
3	Liquid	6010	Iron (Dissolved)	4.68	14.04
3	Liquid	6010	Sodium (Dissolved)	4.68	14.04
3	Liquid	7470	Mercury (Dissolved)	15.60	46.80
			Total for this page		\$1,463.34
			INVOICE TOTAL		\$1,463.34

REPORTED TO Mr. Kirk Wills	OFFICE Geosyntec	OFFICE PHONE (813) 558-0990
--------------------------------------	----------------------------	---------------------------------------

For proper credit, please show INVOICE NUMBER on your remittance.
After 30 days, service charges of 1.5% per 30 days will be applied to unpaid balance.

Serial Number 14783

SEVERN
TRENT

STL

42 3889

ANALYSIS REQUEST AND CHAIN OF CUSTODY RECORD

STL Tampa
6712 Benjamin Road, Suite 100
Tampa, FL 33634

Website: www.sthinc.com
Phone: (813) 885-7427
Fax: (813) 885-7049

Alternate Laboratory Name/Location

Phone:
Fax:

PROJECT REFERENCE OHDF	PROJECT NO. F00638	PROJECT LOCATION (STATE) FL	MATRIX TYPE	REQUIRED ANALYSIS	PAGE 1 OF 1
SAMPLER'S SIGNATURE <i>Clare Jones</i>	P.O. NUMBER	CONTRACT NO.	COMPOSITE (C) OR GRAB (G) INDICATE	CL, NO3, TDS DISS (FE, SIGMA APPI MET)	STANDARD REPORT DELIVERY DATE DUE <input checked="" type="checkbox"/>
CLIENT (SITE) PHONE KIRK WILLS	CLIENT PHONE (813) 558-0990	CLIENT FAX (813) 558-9726	AQUEOUS (WATER)	APPI VOAS	EXPEDITED REPORT DELIVERY (SURCHARGE) <input type="checkbox"/>
CLIENT NAME GEOSWTEC	CLIENT E-MAIL KWILLS@GEOSWTEC.COM		SOLID OR SEMISOLID	EDS, DRCP	DATE DUE
CLIENT ADDRESS 14055 RIVEREDGE DR, SUITE 300 TAMPA FL 33637			AIR	APPI METALS	NUMBER OF COOLERS SUBMITTED PER SHIPMENT: 1
COMPANY CONTRACTING THIS WORK (if applicable)			NONAQUEOUS LIQUID (OIL, SOLVENT,...)	NH3	REMARKS

SAMPLE	TIME	SAMPLE IDENTIFICATION	NUMBER OF CONTAINERS SUBMITTED	REMARKS
8-3-04	1310	MW-8B	3	
8-3-04	1305	MW-8C	3	
8-3-04	1500	MW-9B	3	
8-3-04	1505	MW-9C	3	
8-3-04	1050	MW-7B	3	
8-3-04	1055	MW-7C	3	

RELINQUISHED BY: (SIGNATURE)	DATE	TIME	RELINQUISHED BY: (SIGNATURE)	DATE	TIME
<i>Clare Jones</i>	8-3-04	17:01	<i>Clare Jones</i>	8-3-04	18:05
RECEIVED BY: (SIGNATURE)	DATE	TIME	RECEIVED BY: (SIGNATURE)	DATE	TIME
<i>Clare Jones</i>	8-3-04	10:00	<i>Clare Jones</i>	8-4-04	11:00

RECEIVED FOR LABORATORY BY: (SIGNATURE)	DATE	TIME	CUSTODY INTACT	CUSTODY SEAL NO.	STL TAMPA LOG NO.	LABORATORY REMARKS
<i>Clare Jones</i>	8-4-04	12:20	YES	N/S	8423889	

**Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)**

**WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring**

WACS_Facility: 89544

Sample Date 8/3/2004

WACS Well: 19919

Monitoring_Site_Num: MW-7B

Permitted Well Type: **CO**

Ground water classification: **G-II**

**Well Purged prior to
Sample Collection? (Y/N)** **Yes**

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.2	0.04	mg/l		8/11/2004
000940	Chloride	SP	NO	Y	325.3	12	1	mg/l		8/16/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.1	0.01	mg/l	U	8/4/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	1000	5	mg/l		8/10/2004
001097	Antimony (Dissolved)	SP	YES	Y	6010	0.0029	0.0029	mg/l	U	8/11/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/11/2004
001002	Arsenic	SP	NO	Y	6010	0.0074	0.0038	mg/l	I	8/11/2004
001002	Arsenic (Dissolved)	SP	YES	Y	6010	0.0038	0.0038	mg/l	U	8/11/2004
001007	Barium (Dissolved)	SP	YES	Y	6010	0.12	0.0012	mg/l		8/11/2004
001007	Barium	SP	NO	Y	6010	0.72	0.0012	mg/l		8/11/2004
001012	Beryllium	SP	NO	Y	6010	0.0026	0.00074	mg/l	I	8/11/2004
001012	Beryllium (Dissolved)	SP	YES	Y	6010	0.00074	0.00074	mg/l	U	8/11/2004
001027	Cadmium	SP	NO	Y	6010	0.0011	0.00071	mg/l	I	8/11/2004
001027	Cadmium (Dissolved)	SP	YES	Y	6010	0.00071	0.00071	mg/l	U	8/11/2004
001034	Chromium	SP	NO	Y	6010	0.12	0.0017	mg/l		8/11/2004
001034	Chromium (Dissolved)	SP	YES	Y	6010	0.02	0.0017	mg/l		8/11/2004
001037	Cobalt (Dissolved)	SP	YES	Y	6010	0.0014	0.0014	mg/l	U	8/11/2004
001037	Cobalt	SP	NO	Y	6010	0.0043	0.0014	mg/l	I	8/11/2004
001042	Copper	SP	NO	Y	6010	0.018	0.0013	mg/l	I	8/11/2004
001042	Copper (Dissolved)	SP	YES	Y	6010	0.0028	0.0013	mg/l	I	8/11/2004
001045	Iron (Dissolved)	SP	YES	Y	6010	3.3	0.037	mg/l		8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/3/2004

WACS Well: 19919

Permitted Well Type: **CO**

Monitoring_Site_Num: MW-7B

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001045	Iron	SP	NO	Y	6010	17	0.037	mg/l		8/11/2004
001051	Lead (Dissolved)	SP	YES	Y	6010	0.015	0.0015	mg/l		8/11/2004
001051	Lead	SP	NO	Y	6010	0.1	0.0015	mg/l		8/11/2004
071900	Mercury (Dissolved)	SP	YES	Y	7470	0.000072	0.000072	mg/l	U	8/10/2004
071900	Mercury	SP	NO	Y	7470	0.00047	0.000072	mg/l		8/10/2004
001067	Nickel (Dissolved)	SP	YES	Y	6010	0.0047	0.0047	mg/l	U	8/11/2004
001067	Nickel	SP	NO	Y	6010	0.029	0.0047	mg/l	I	8/11/2004
001147	Selenium (Dissolved)	SP	YES	Y	6010	0.0048	0.0048	mg/l	U	8/11/2004
001147	Selenium	SP	NO	Y	6010	0.025	0.0048	mg/l		8/11/2004
000929	Sodium (Dissolved)	SP	YES	Y	6010	8.5	0.15	mg/l		8/11/2004
000929	Sodium	SP	NO	Y	6010	8.8	0.15	mg/l		8/11/2004
001059	Thallium (Dissolved)	SP	YES	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001087	Vanadium (Dissolved)	SP	YES	Y	6010	0.03	0.0025	mg/l		8/11/2004
001087	Vanadium	SP	NO	Y	6010	0.18	0.0025	mg/l		8/11/2004
001092	Zinc (Dissolved)	SP	YES	Y	6010	0.0069	0.0059	mg/l	I	8/11/2004
001092	Zinc	SP	NO	Y	6010	0.021	0.0059	mg/l		8/11/2004
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/11/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/11/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/11/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/3/2004

WACS Well: 19919

Permitted Well Type: CO

Monitoring_Site_Num: MW-7B

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Well Purged prior to Sample Collection? (Y/N) Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/11/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/11/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/11/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/11/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/11/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/11/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/11/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/11/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/11/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/11/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/11/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/11/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/11/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/11/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/11/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/11/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/11/2004
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/11/2004
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/11/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/11/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/3/2004

WACS Well: 19919

Permitted Well Type: CO

Monitoring_Site_Num: MW-7B

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/11/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/11/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/11/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/11/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/11/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/11/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/11/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/11/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/11/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/11/2004
034010	Toluene	SP	NO	Y	8260	8.5	0.51	ug/l		8/11/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/11/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/11/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/11/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/11/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/11/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/11/2004
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/11/2004
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/11/2004
001077	Silver (Dissolved)	SP	YES	Y	6010	0.0019	0.0019	mg/l	U	8/11/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/3/2004

WACS Well: 19919

Permitted Well Type: **CO**

Monitoring_Site_Num: MW-7B

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/11/2004
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/11/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/3/2004

WACS Well: 19920

Monitoring_Site_Num: MW-7C

Permitted Well Type: **CO**

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) **Yes**

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.15	0.04	mg/l		8/11/2004
000940	Chloride	SP	NO	Y	325.3	10	1	mg/l		8/16/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.1	0.01	mg/l	U	8/4/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	590	5	mg/l		8/10/2004
001097	Antimony (Dissolved)	SP	YES	Y	6010	0.0029	0.0029	mg/l	U	8/11/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/11/2004
001002	Arsenic (Dissolved)	SP	YES	Y	6010	0.0038	0.0038	mg/l	U	8/11/2004
001002	Arsenic	SP	NO	Y	6010	0.01	0.0038	mg/l		8/11/2004
001007	Barium	SP	NO	Y	6010	0.8	0.0012	mg/l		8/11/2004
001007	Barium (Dissolved)	SP	YES	Y	6010	0.043	0.0012	mg/l		8/11/2004
001012	Beryllium (Dissolved)	SP	YES	Y	6010	0.00074	0.00074	mg/l	U	8/11/2004
001012	Beryllium	SP	NO	Y	6010	0.0029	0.00074	mg/l	I	8/11/2004
001027	Cadmium	SP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/11/2004
001027	Cadmium (Dissolved)	SP	YES	Y	6010	0.00071	0.00071	mg/l	U	8/11/2004
001034	Chromium	SP	NO	Y	6010	0.086	0.0017	mg/l		8/11/2004
001034	Chromium (Dissolved)	SP	YES	Y	6010	0.0039	0.0017	mg/l	I	8/11/2004
001037	Cobalt	SP	NO	Y	6010	0.0043	0.0014	mg/l	I	8/11/2004
001037	Cobalt (Dissolved)	SP	YES	Y	6010	0.0014	0.0014	mg/l	U	8/11/2004
001042	Copper	SP	NO	Y	6010	0.011	0.0013	mg/l	I	8/11/2004
001042	Copper (Dissolved)	SP	YES	Y	6010	0.0013	0.0013	mg/l	U	8/11/2004
001045	Iron	SP	NO	Y	6010	10	0.037	mg/l		8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/3/2004

WACS Well: 19920

Permitted Well Type: CO

Monitoring_Site_Num: MW-7C

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Well Purged prior to Sample Collection? (Y/N) Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001045	Iron (Dissolved)	SP	YES	Y	6010	0.89	0.037	mg/l		8/11/2004
001051	Lead	SP	NO	Y	6010	0.06	0.0015	mg/l		8/11/2004
001051	Lead (Dissolved)	SP	YES	Y	6010	0.0015	0.0015	mg/l	I	8/11/2004
071900	Mercury	SP	NO	Y	7470	0.00026	0.000072	mg/l		8/10/2004
071900	Mercury (Dissolved)	SP	YES	Y	7470	0.000072	0.000072	mg/l	U	8/10/2004
001067	Nickel (Dissolved)	SP	YES	Y	6010	0.0047	0.0047	mg/l	U	8/11/2004
001067	Nickel	SP	NO	Y	6010	0.019	0.0047	mg/l	I	8/11/2004
001147	Selenium	SP	NO	Y	6010	0.014	0.0048	mg/l		8/11/2004
001147	Selenium (Dissolved)	SP	YES	Y	6010	0.0048	0.0048	mg/l	U	8/11/2004
000929	Sodium	SP	NO	Y	6010	8	0.15	mg/l		8/11/2004
000929	Sodium (Dissolved)	SP	YES	Y	6010	8.5	0.15	mg/l		8/11/2004
001059	Thallium (Dissolved)	SP	YES	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001087	Vanadium (Dissolved)	SP	YES	Y	6010	0.0062	0.0025	mg/l	I	8/11/2004
001087	Vanadium	SP	NO	Y	6010	0.14	0.0025	mg/l		8/11/2004
001092	Zinc	SP	NO	Y	6010	0.014	0.0059	mg/l	I	8/11/2004
001092	Zinc (Dissolved)	SP	YES	Y	6010	0.0059	0.0059	mg/l	U	8/11/2004
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/11/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/11/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/11/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/3/2004

WACS Well: 19920

Permitted Well Type: CO

Monitoring_Site_Num: MW-7C

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Well Purged prior to Sample Collection? (Y/N) Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/11/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/11/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/11/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/11/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/11/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/11/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/11/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/11/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/11/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/11/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/11/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/11/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/11/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/11/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/11/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/11/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/11/2004
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/11/2004
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/11/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/11/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/3/2004

WACS Well: 19920

Monitoring_Site_Num: MW-7C

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/11/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/11/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/11/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/11/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/11/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/11/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/11/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/11/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/11/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/11/2004
034010	Toluene	SP	NO	Y	8260	0.51	0.51	ug/l	U	8/11/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/11/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/11/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/11/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/11/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/11/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/11/2004
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/11/2004
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/11/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/11/2004
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/3/2004

WACS Well: 19920

Monitoring_Site_Num: MW-7C

Permitted Well Type: **CO**

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) **Yes**

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/11/2004
001077	Silver (Dissolved)	SP	YES	Y	6010	0.0019	0.0019	mg/l	U	8/11/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/3/2004

WACS Well: 19923

Monitoring_Site_Num: MW-8C

Permitted Well Type: **CO**

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) **Yes**

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.11	0.04	mg/l		8/11/2004
000940	Chloride	SP	NO	Y	325.3	7.5	1	mg/l		8/16/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	8/4/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	50	5	mg/l		8/10/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/11/2004
001002	Arsenic	SP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/11/2004
001007	Barium	SP	NO	Y	6010	0.029	0.0012	mg/l		8/11/2004
001012	Beryllium	SP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/11/2004
001027	Cadmium	SP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/11/2004
001034	Chromium	SP	NO	Y	6010	0.0017	0.0017	mg/l	U	8/11/2004
001037	Cobalt	SP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/11/2004
001042	Copper	SP	NO	Y	6010	0.0013	0.0013	mg/l	U	8/11/2004
001045	Iron	SP	NO	Y	6010	1.7	0.037	mg/l		8/11/2004
001051	Lead	SP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/11/2004
071900	Mercury	SP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/10/2004
001067	Nickel	SP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/11/2004
001147	Selenium	SP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/11/2004
000929	Sodium	SP	NO	Y	6010	4.8	0.15	mg/l		8/11/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001087	Vanadium	SP	NO	Y	6010	0.0025	0.0025	mg/l	U	8/11/2004
001092	Zinc	SP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/3/2004

WACS Well: 19923

Monitoring_Site_Num: MW-8C

Permitted Well Type: CO

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/11/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/11/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/11/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/11/2004
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/11/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/11/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/11/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/11/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/11/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/11/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/11/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/11/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/11/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/11/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/11/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/11/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/11/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/11/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/11/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/11/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/3/2004

WACS Well: 19923

Monitoring_Site_Num: MW-8C

Permitted Well Type: **CO**

Ground water classification: **G-II**

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Well Purged prior to Sample Collection? (Y/N) Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/11/2004
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/11/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/11/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/11/2004
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/11/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/11/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/11/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/11/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/11/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/11/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/11/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/11/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/11/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/11/2004
034010	Toluene	SP	NO	Y	8260	0.51	0.51	ug/l	U	8/11/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/11/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/11/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/11/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/11/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/11/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/3/2004

WACS Well: 19923

Monitoring_Site_Num: MW-8C

Permitted Well Type: **CO**

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/11/2004
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/11/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/11/2004
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/11/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/11/2004
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/3/2004

WACS Well: 19925

Permitted Well Type: **CO**

Monitoring_Site_Num: MW-9B

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.11	0.04	mg/l		8/11/2004
000940	Chloride	SP	NO	Y	325.3	12	1	mg/l		8/16/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.05	0.01	mg/l	U	8/4/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	260	5	mg/l		8/10/2004
001097	Antimony (Dissolved)	SP	YES	Y	6010	0.0029	0.0029	mg/l	U	8/11/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/11/2004
001002	Arsenic (Dissolved)	SP	YES	Y	6010	0.0038	0.0038	mg/l	U	8/11/2004
001002	Arsenic	SP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/11/2004
001007	Barium	SP	NO	Y	6010	0.18	0.0012	mg/l		8/11/2004
001007	Barium (Dissolved)	SP	YES	Y	6010	0.021	0.0012	mg/l		8/11/2004
001012	Beryllium (Dissolved)	SP	YES	Y	6010	0.00074	0.00074	mg/l	U	8/11/2004
001012	Beryllium	SP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/11/2004
001027	Cadmium	SP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/11/2004
001027	Cadmium (Dissolved)	SP	YES	Y	6010	0.00071	0.00071	mg/l	U	8/11/2004
001034	Chromium	SP	NO	Y	6010	0.036	0.0017	mg/l		8/11/2004
001034	Chromium (Dissolved)	SP	YES	Y	6010	0.0017	0.0017	mg/l	U	8/11/2004
001037	Cobalt (Dissolved)	SP	YES	Y	6010	0.0014	0.0014	mg/l	U	8/11/2004
001037	Cobalt	SP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/11/2004
001042	Copper	SP	NO	Y	6010	0.013	0.0013	mg/l	I	8/11/2004
001042	Copper (Dissolved)	SP	YES	Y	6010	0.0013	0.0013	mg/l	U	8/11/2004
001045	Iron (Dissolved)	SP	YES	Y	6010	0.96	0.037	mg/l		8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/3/2004

WACS Well: 19925

Monitoring_Site_Num: MW-9B

Permitted Well Type: **CO**

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) **Yes**

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001045	Iron	SP	NO	Y	6010	5.8	0.037	mg/l		8/11/2004
001051	Lead	SP	NO	Y	6010	0.028	0.0015	mg/l		8/11/2004
001051	Lead (Dissolved)	SP	YES	Y	6010	0.0015	0.0015	mg/l	U	8/11/2004
071900	Mercury (Dissolved)	SP	YES	Y	7470	0.000072	0.000072	mg/l	U	8/10/2004
071900	Mercury	SP	NO	Y	7470	0.000077	0.000072	mg/l	I	8/10/2004
001067	Nickel	SP	NO	Y	6010	0.0078	0.0047	mg/l	I	8/11/2004
001067	Nickel (Dissolved)	SP	YES	Y	6010	0.0047	0.0047	mg/l	U	8/11/2004
001147	Selenium	SP	NO	Y	6010	0.0076	0.0048	mg/l	I	8/11/2004
001147	Selenium (Dissolved)	SP	YES	Y	6010	0.0048	0.0048	mg/l	U	8/11/2004
000929	Sodium (Dissolved)	SP	YES	Y	6010	7.5	0.15	mg/l		8/11/2004
000929	Sodium	SP	NO	Y	6010	7.5	0.15	mg/l		8/11/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001059	Thallium (Dissolved)	SP	YES	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001087	Vanadium	SP	NO	Y	6010	0.051	0.0025	mg/l		8/11/2004
001087	Vanadium (Dissolved)	SP	YES	Y	6010	0.0037	0.0025	mg/l	I	8/11/2004
001092	Zinc (Dissolved)	SP	YES	Y	6010	0.0059	0.0059	mg/l	U	8/11/2004
001092	Zinc	SP	NO	Y	6010	0.0072	0.0059	mg/l	I	8/11/2004
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/11/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/11/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/11/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/3/2004

WACS Well: 19925

Monitoring_Site_Num: MW-9B

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/11/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/11/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/11/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/11/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/11/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/11/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/11/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/11/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/11/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/11/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/11/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/11/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/11/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/11/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/11/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/11/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/11/2004
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/11/2004
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/11/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/11/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/3/2004

WACS Well: 19925

Monitoring_Site_Num: MW-9B

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/11/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/11/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/11/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/11/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/11/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/11/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/11/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/11/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/11/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/11/2004
034010	Toluene	SP	NO	Y	8260	8.1	0.51	ug/l		8/11/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/11/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/11/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/11/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/11/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/11/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/11/2004
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/11/2004
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/11/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/11/2004
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/3/2004

WACS Well: 19925

Monitoring_Site_Num: MW-9B

Permitted Well Type: **CO**

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
001077	Silver (Dissolved)	SP	YES	Y	6010	0.0019	0.0019	mg/l	U	8/11/2004
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/11/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/3/2004

WACS Well: 19926

Monitoring_Site_Num: MW-9C

Permitted Well Type: **CO**

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) **Yes**

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.11	0.04	mg/l		8/11/2004
000940	Chloride	SP	NO	Y	325.3	9.4	1	mg/l		8/16/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	8/4/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	50	5	mg/l		8/10/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/11/2004
001002	Arsenic	SP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/11/2004
001007	Barium	SP	NO	Y	6010	0.026	0.0012	mg/l		8/11/2004
001012	Beryllium	SP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/11/2004
001027	Cadmium	SP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/11/2004
001034	Chromium	SP	NO	Y	6010	0.0017	0.0017	mg/l	U	8/11/2004
001037	Cobalt	SP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/11/2004
001042	Copper	SP	NO	Y	6010	0.0018	0.0013	mg/l	I	8/11/2004
001045	Iron	SP	NO	Y	6010	1.3	0.037	mg/l		8/11/2004
001051	Lead	SP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/11/2004
071900	Mercury	SP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/10/2004
001067	Nickel	SP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/11/2004
001147	Selenium	SP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/11/2004
000929	Sodium	SP	NO	Y	6010	5.6	0.15	mg/l		8/11/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001087	Vanadium	SP	NO	Y	6010	0.0026	0.0025	mg/l	I	8/11/2004
001092	Zinc	SP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/3/2004

WACS Well: 19926

Monitoring_Site_Num: MW-9C

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/11/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/11/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/11/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/11/2004
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/11/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/11/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/11/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/11/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/11/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/11/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/11/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/11/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/11/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/11/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/11/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/11/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/11/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/11/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/11/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/11/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/3/2004

WACS Well: 19926

Monitoring_Site_Num: MW-9C

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/11/2004
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/11/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/11/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/11/2004
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/11/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/11/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/11/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/11/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/11/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/11/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/11/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/11/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/11/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/11/2004
034010	Toluene	SP	NO	Y	8260	0.51	0.51	ug/l	U	8/11/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/11/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/11/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/11/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/11/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/11/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/3/2004

WACS Well: 19926

Monitoring_Site_Num: MW-9C

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/11/2004
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/11/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/11/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/11/2004
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/11/2004
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/3/2004

WACS Well:

Monitoring_Site_Num: Trip Blank

Permitted Well Type:

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/11/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/11/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/11/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/11/2004
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/11/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/11/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/11/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/11/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/11/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/11/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/11/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/11/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/11/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/11/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/11/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/11/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/11/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/11/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/11/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/11/2004
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/3/2004

WACS Well:

Monitoring_Site_Num: Trip Blank

Permitted Well Type:

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/11/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/11/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/11/2004
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/11/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/11/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/11/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/11/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/11/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/11/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/11/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/11/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/11/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/11/2004
034010	Toluene	SP	NO	Y	8260	0.51	0.51	ug/l	U	8/11/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/11/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/11/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/11/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/11/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/11/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/11/2004
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/3/2004

WACS Well:

Monitoring_Site_Num: Trip Blank

Permitted Well Type:

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Well Purged prior to Sample Collection? (Y/N) Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/11/2004
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/11/2004
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/11/2004

Analytical Report

For: Mr. Kirk Wills
Geosyntec
14055 Riveredge Drive, Ste.300
Tampa, FL 33637

CC:

Order Number: B423933
SDG Number:
Client Project ID: FQ0638
Project: Oak Hammock Disposal Landfill
Report Date: 08/18/2004
Sampled By: Client
Sample Received Date: 08/05/2004
Requisition Number:
Purchase Order:



Michael F. Valder, Project Manager
mvalder@stl-inc.com

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Sample Summary

Order: B423933
Date Received: 08/05/2004

Client: Geosyntec
Project: Oak Hammock Disposal Landfill

Client Sample ID	Lab Sample ID	Matrix	Date Sampled
MW-12C	B423933*1	Liquid	08/04/2004 10:30
MW-13C	B423933*2	Liquid	08/04/2004 12:25
MW-11C	B423933*3	Liquid	08/04/2004 14:50
MW-10B	B423933*4	Liquid	08/04/2004 08:55
MW-10C	B423933*5	Liquid	08/04/2004 08:55
MW-12B	B423933*6	Liquid	08/04/2004 10:35
MW-13B	B423933*7	Liquid	08/04/2004 12:25
MW-11B	B423933*8	Liquid	08/04/2004 14:55
Trip Blank	B423933*9	Liquid	08/04/2004

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23933-1	MW-12C	Liquid	08/05/04	08/04/04 10:30	
23933-2	MW-13C	Liquid	08/05/04	08/04/04 12:25	
23933-3	MW-11C	Liquid	08/05/04	08/04/04 14:50	

Parameter	Units	Lab Sample IDs		
		23933-1	23933-2	23933-3

Appendix I - Organics (8260)

	Units	23933-1	23933-2	23933-3
Acetone	ug/l	9.9U	9.9U	9.9U
Acrylonitrile	ug/l	1.2U	1.2U	1.2U
Benzene	ug/l	0.27U	0.27U	0.27U
Bromochloromethane	ug/l	0.58U	0.58U	0.58U
Bromodichloromethane	ug/l	0.35U	0.35U	0.35U
Bromoform	ug/l	0.58U	0.58U	0.58U
Carbon disulfide	ug/l	0.85U	0.85U	0.85U
Carbon Tetrachloride	ug/l	0.42U	0.42U	0.42U
Chlorobenzene	ug/l	0.63U	0.63U	0.63U
Chloroethane	ug/l	0.80U	0.80U	0.80U
Chloroform	ug/l	0.90U	0.90U	0.90U
Dibromochloromethane	ug/l	0.34U	0.34U	0.34U
1,2-Dichlorobenzene	ug/l	0.44U	0.44U	0.44U
1,4-Dichlorobenzene	ug/l	0.52U	0.52U	0.52U
Trans-1,4-Dichloro-2-butene	ug/l	2.5U	2.5U	2.5U
1,1-Dichloroethane	ug/l	0.52U	0.52U	0.52U
1,2-Dichloroethane	ug/l	0.57U	0.57U	0.57U
1,1-Dichloroethylene	ug/l	0.45U	0.45U	0.45U
cis-1,2-Dichloroethylene	ug/l	0.65U	0.65U	0.65U
trans-1,2-Dichloroethylene	ug/l	0.44U	0.44U	0.44U
1,2-Dichloropropane	ug/l	0.52U	0.52U	0.52U
cis-1,3-Dichloropropene	ug/l	0.14U	0.14U	0.14U
trans-1,3-Dichloropropene	ug/l	0.14U	0.14U	0.14U
Ethylbenzene	ug/l	0.83U	0.83U	0.83U
2-Hexanone	ug/l	4.4U	4.4U	4.4U
Bromomethane	ug/l	0.66U	0.66U	0.66U
Chloromethane	ug/l	0.64U	0.64U	0.64U
Dibromomethane	ug/l	0.41U	0.41U	0.41U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23933-1	MW-12C	Liquid	08/05/04	08/04/04 10:30	
23933-2	MW-13C	Liquid	08/05/04	08/04/04 12:25	
23933-3	MW-11C	Liquid	08/05/04	08/04/04 14:50	

Parameter	Units	Lab Sample IDs		
		23933-1	23933-2	23933-3

Appendix I - Organics (8260)

Methylene Chloride	ug/l	1.0U	1.0U	1.0U
2-Butanone (MEK)	ug/l	8.4U	8.4U	8.4U
Iodomethane	ug/l	0.67U	0.67U	0.67U
4-Methyl-2-pentanone (MIBK)	ug/l	3.8U	3.8U	3.8U
Styrene	ug/l	0.98U	0.98U	0.98U
1,1,1,2-Tetrachloroethane	ug/l	0.63U	0.63U	0.63U
1,1,2,2-Tetrachloroethane	ug/l	0.14U	0.14U	0.14U
Tetrachloroethene	ug/l	0.34U	0.34U	0.34U
Toluene	ug/l	0.51U	0.51U	0.51U
1,1,1-Trichloroethane	ug/l	0.46U	0.46U	0.46U
1,1,2-Trichloroethane	ug/l	0.47U	0.47U	0.47U
Trichloroethene	ug/l	0.28U	0.28U	0.28U
Trichlorofluoromethane	ug/l	0.98U	0.98U	0.98U
1,2,3-Trichloropropane	ug/l	0.15U	0.15U	0.15U
Vinyl acetate	ug/l	1.5U	1.5U	1.5U
Vinyl chloride	ug/l	0.50U	0.50U	0.50U
Xylenes	ug/l	0.98U	0.98U	0.98U
Dilution Factor		1	1	1
Analysis Date		08/15/04	08/15/04	08/15/04
Analysis Time		16:45	17:04	17:23
Batch ID		0815H	0815H	0815H

Microextractables (504)

1,2-Dibromoethane (EDB)	ug/l	0.0087U	0.0087U	0.0087U
1,2-Dibromo-3-chloropropane	ug/l	0.0030U	0.0030U	0.0030U
Dilution Factor		1	1	1
Prep Date		08/11/04	08/11/04	08/11/04
Prep Time		13:00	13:00	13:00
Analysis Date		08/11/04	08/11/04	08/11/04
Analysis Time		22:31	23:34	23:55
Batch ID		0811E	0811E	0811E

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23933-1	MW-12C	Liquid	08/05/04	08/04/04 10:30	
23933-2	MW-13C	Liquid	08/05/04	08/04/04 12:25	
23933-3	MW-11C	Liquid	08/05/04	08/04/04 14:50	

Lab Sample IDs

Parameter	Units	23933-1	23933-2	23933-3
-----------	-------	---------	---------	---------

Appendix I Metals by ICP (6010)

Arsenic	mg/l	0.0038U	0.0038U	0.0038U
Barium	mg/l	0.041	0.028	0.015
Beryllium	mg/l	0.00074U	0.00074U	0.00074U
Cadmium	mg/l	0.00071U	0.00071U	0.00071U
Chromium	mg/l	0.0023I	0.0017U	0.0018I
Cobalt	mg/l	0.0014U	0.0014U	0.0014U
Copper	mg/l	0.0016I	0.0018I	0.0013U
Lead	mg/l	0.0015U	0.0015U	0.0015U
Nickel	mg/l	0.0047U	0.0047U	0.0047U
Selenium	mg/l	0.0048U	0.0048U	0.0048U
Silver	mg/l	0.0019U	0.0019U	0.0019U
Vanadium	mg/l	0.0030I	0.0025U	0.0025U
Zinc	mg/l	0.0089I	0.0059U	0.0059U
Antimony	mg/l	0.0029U	0.0029U	0.0029U
Dilution Factor		1	1	1
Prep Date		08/10/04	08/10/04	08/10/04
Prep Time		09:52	09:52	09:52
Analysis Date		08/12/04	08/12/04	08/12/04
Analysis Time		10:40	10:46	10:52
Batch ID		40810J	40810J	40810J

Mercury (7470)

Mercury	mg/l	0.000072U	0.000072U	0.000072U
Dilution Factor		1	1	1
Prep Date		08/11/04	08/11/04	08/11/04
Prep Time		17:06	17:06	17:06
Analysis Date		08/12/04	08/12/04	08/12/04
Analysis Time		13:15	13:20	13:22
Batch ID		40811T	40811T	40811T

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23933-1	MW-12C	Liquid	08/05/04	08/04/04 10:30	
23933-2	MW-13C	Liquid	08/05/04	08/04/04 12:25	
23933-3	MW-11C	Liquid	08/05/04	08/04/04 14:50	

Parameter	Units	Lab Sample IDs		
		23933-1	23933-2	23933-3

Iron (6010)

Iron	mg/l	1.2	0.92	0.76
Dilution Factor		1	1	1
Prep Date		08/10/04	08/10/04	08/10/04
Prep Time		09:52	09:52	09:52
Analysis Date		08/12/04	08/12/04	08/12/04
Analysis Time		10:40	10:46	10:52
Batch ID		40810J	40810J	40810J

Thallium (7841)

Thallium	mg/l	0.00070U	0.00070U	0.00070U
Dilution Factor		1	1	1
Prep Date		08/11/04	08/11/04	08/11/04
Prep Time		08:30	08:30	08:30
Analysis Date		08/13/04	08/13/04	08/13/04
Analysis Time		15:07	16:13	16:17
Batch ID		0811H	0811H	0811H

Sodium (6010)

Sodium	mg/l	4.9	6.7	9.3
Dilution Factor		1	1	1
Prep Date		08/10/04	08/10/04	08/10/04
Prep Time		09:52	09:52	09:52
Analysis Date		08/12/04	08/12/04	08/12/04
Analysis Time		10:40	10:46	10:52
Batch ID		40810J	40810J	40810J

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23933-1	MW-12C	Liquid	08/05/04	08/04/04 10:30	
23933-2	MW-13C	Liquid	08/05/04	08/04/04 12:25	
23933-3	MW-11C	Liquid	08/05/04	08/04/04 14:50	

Parameter	Units	Lab Sample IDs		
		23933-1	23933-2	23933-3

Chloride (325.3)

Chloride	mg/l	8.4	12	20
Dilution Factor		1	1	1
Analysis Date		08/16/04	08/16/04	08/16/04
Analysis Time		12:10	12:10	12:10
Batch ID		0816M	0816M	0816M

Ammonia-N (350.3)

Ammonia-N	mg/l	0.14	0.13	0.11
Dilution Factor		1	1	1
Analysis Date		08/11/04	08/11/04	08/11/04
Analysis Time		21:30	21:30	21:30
Batch ID		0811Y-6	0811Y-6	0811Y-6

Nitrate-N (353.2)

Nitrate-N	mg/l	0.010U	0.010U	0.010U
Dilution Factor		1	1	1
Analysis Date		08/06/04	08/06/04	08/06/04
Analysis Time		08:53	08:53	08:53
Batch ID		0806G	0806G	0806G

Solids, Total Dissolved (160.1)

Solids, Total Dissolved	mg/l	52	82	100
Dilution Factor		1	1	1
Analysis Date		08/11/04	08/11/04	08/11/04
Analysis Time		16:00	16:00	16:00
Batch ID		0811J	0811J	0811J

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23933-4	MW-10B	Liquid	08/05/04	08/04/04 08:55	
23933-5	MW-10C	Liquid	08/05/04	08/04/04 08:55	
23933-6	MW-12B	Liquid	08/05/04	08/04/04 10:35	
23933-7	MW-13B	Liquid	08/05/04	08/04/04 12:25	
23933-8	MW-11B	Liquid	08/05/04	08/04/04 14:55	

Lab Sample IDs

Parameter	Units	23933-4	23933-5	23933-6	23933-7	23933-8
-----------	-------	---------	---------	---------	---------	---------

Appendix I - Organics (8260)

Acetone	ug/l	9.9U	9.9U	9.9U	9.9U	9.9U
Acrylonitrile	ug/l	1.2U	1.2U	1.2U	1.2U	1.2U
Benzene	ug/l	0.27U	0.27U	0.27U	0.27U	0.27U
Bromochloromethane	ug/l	0.58U	0.58U	0.58U	0.58U	0.58U
Bromodichloromethane	ug/l	0.35U	0.35U	0.35U	0.35U	0.35U
Bromoform	ug/l	0.58U	0.58U	0.58U	0.58U	0.58U
Carbon disulfide	ug/l	0.85U	0.85U	0.85U	0.85U	0.85U
Carbon Tetrachloride	ug/l	0.42U	0.42U	0.42U	0.42U	0.42U
Chlorobenzene	ug/l	0.63U	0.63U	0.63U	0.63U	0.63U
Chloroethane	ug/l	0.80U	0.80U	0.80U	0.80U	0.80U
Chloroform	ug/l	0.90U	0.90U	0.90U	0.90U	0.90U
Dibromochloromethane	ug/l	0.34U	0.34U	0.34U	0.34U	0.34U
1,2-Dichlorobenzene	ug/l	0.44U	0.44U	0.44U	0.44U	0.44U
1,4-Dichlorobenzene	ug/l	0.52U	0.52U	0.52U	0.52U	0.52U
Trans-1,4-Dichloro-2-butene	ug/l	2.5U	2.5U	2.5U	2.5U	2.5U
1,1-Dichloroethane	ug/l	0.52U	0.52U	0.52U	0.52U	0.52U
1,2-Dichloroethane	ug/l	0.57U	0.57U	0.57U	0.57U	0.57U
1,1-Dichloroethylene	ug/l	0.45U	0.45U	0.45U	0.45U	0.45U
cis-1,2-Dichloroethylene	ug/l	0.65U	0.65U	0.65U	0.65U	0.65U
trans-1,2-Dichloroethylene	ug/l	0.44U	0.44U	0.44U	0.44U	0.44U
1,2-Dichloropropane	ug/l	0.52U	0.52U	0.52U	0.52U	0.52U
cis-1,3-Dichloropropene	ug/l	0.14U	0.14U	0.14U	0.14U	0.14U
trans-1,3-Dichloropropene	ug/l	0.14U	0.14U	0.14U	0.14U	0.14U
Ethylbenzene	ug/l	0.83U	0.83U	0.83U	0.83U	0.83U
2-Hexanone	ug/l	4.4U	4.4U	4.4U	4.4U	4.4U
Bromomethane	ug/l	0.66U	0.66U	0.66U	0.66U	0.66U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23933-4	MW-10B	Liquid	08/05/04	08/04/04 08:55	
23933-5	MW-10C	Liquid	08/05/04	08/04/04 08:55	
23933-6	MW-12B	Liquid	08/05/04	08/04/04 10:35	
23933-7	MW-13B	Liquid	08/05/04	08/04/04 12:25	
23933-8	MW-11B	Liquid	08/05/04	08/04/04 14:55	

Parameter	Units	Lab Sample IDs				
		23933-4	23933-5	23933-6	23933-7	23933-8

Appendix I - Organics (8260)

Chloromethane	ug/l	0.64U	0.64U	0.64U	0.64U	0.64U
Dibromomethane	ug/l	0.41U	0.41U	0.41U	0.41U	0.41U
Methylene Chloride	ug/l	1.0U	1.0U	1.0U	1.0U	1.0U
2-Butanone (MEK)	ug/l	8.4U	8.4U	8.4U	8.4U	8.4U
Iodomethane	ug/l	0.67U	0.67U	0.67U	0.67U	0.67U
4-Methyl-2-pentanone (MIBK)	ug/l	3.8U	3.8U	3.8U	3.8U	3.8U
Styrene	ug/l	0.98U	0.98U	0.98U	0.98U	0.98U
1,1,1,2-Tetrachloroethane	ug/l	0.63U	0.63U	0.63U	0.63U	0.63U
1,1,2,2-Tetrachloroethane	ug/l	0.14U	0.14U	0.14U	0.14U	0.14U
Tetrachloroethene	ug/l	0.34U	0.34U	0.34U	0.34U	0.34U
Toluene	ug/l	0.51U	0.51U	1.7	0.51U	0.51U
1,1,1-Trichloroethane	ug/l	0.46U	0.46U	0.46U	0.46U	0.46U
1,1,2-Trichloroethane	ug/l	0.47U	0.47U	0.47U	0.47U	0.47U
Trichloroethene	ug/l	0.28U	0.28U	0.28U	0.28U	0.28U
Trichlorofluoromethane	ug/l	0.98U	0.98U	0.98U	0.98U	0.98U
1,2,3-Trichloropropane	ug/l	0.15U	0.15U	0.15U	0.15U	0.15U
Vinyl acetate	ug/l	1.5U	1.5U	1.5U	1.5U	1.5U
Vinyl chloride	ug/l	0.50U	0.50U	0.50U	0.50U	0.50U
Xylenes	ug/l	0.98U	0.98U	0.98U	0.98U	0.98U
Dilution Factor		1	1	1	1	1
Analysis Date		08/15/04	08/15/04	08/15/04	08/15/04	08/15/04
Analysis Time		17:43	18:03	18:22	18:41	19:04
Batch ID		0815H	0815H	0815H	0815H	0815H

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23933-4	MW-10B	Liquid	08/05/04	08/04/04 08:55	
23933-5	MW-10C	Liquid	08/05/04	08/04/04 08:55	
23933-6	MW-12B	Liquid	08/05/04	08/04/04 10:35	
23933-7	MW-13B	Liquid	08/05/04	08/04/04 12:25	
23933-8	MW-11B	Liquid	08/05/04	08/04/04 14:55	

Parameter	Units	Lab Sample IDs				
		23933-4	23933-5	23933-6	23933-7	23933-8

Microextractables (504)

1,2-Dibromoethane (EDB)	ug/l	0.0087U	0.0087U	0.0087U	0.0087U	0.0087U
1,2-Dibromo-3-chloropropane	ug/l	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U
Dilution Factor		1	1	1	1	1
Prep Date		08/11/04	08/11/04	08/11/04	08/11/04	08/11/04
Prep Time		13:00	13:00	13:00	13:00	13:00
Analysis Date		08/12/04	08/12/04	08/12/04	08/12/04	08/12/04
Analysis Time		00:16	00:37	02:02	02:23	02:44
Batch ID		0811E	0811E	0811E	0811E	0811E

Appendix I Metals by ICP (6010)

Arsenic	mg/l	0.0038U	0.0038U	0.0038U	0.0038U	0.0038U
Barium	mg/l	0.035	0.048	0.31	0.059	0.31
Beryllium	mg/l	0.00074U	0.00074U	0.0011I	0.00074U	0.00086I
Cadmium	mg/l	0.00071U	0.00071U	0.00071U	0.00071U	0.00071U
Chromium	mg/l	0.0038I	0.0041I	0.044	0.011	0.040
Cobalt	mg/l	0.0014U	0.0014U	0.0024I	0.0014U	0.0020I
Copper	mg/l	0.0028I	0.0023I	0.023	0.0054I	0.0073I
Lead	mg/l	0.0015U	0.0015U	0.038	0.0074	0.024
Nickel	mg/l	0.0047U	0.0047U	0.011I	0.0047U	0.0094I
Selenium	mg/l	0.0048U	0.0048U	0.0048I	0.0068I	0.013
Silver	mg/l	0.0019U	0.0019U	0.0019U	0.0019U	0.0019U
Vanadium	mg/l	0.0041I	0.0057I	0.053	0.012	0.056
Antimony	mg/l	0.0029U	0.0029U	0.0029U	0.0029U	0.0029U
Zinc	mg/l	0.0083I	0.0059U	0.018I	0.0059U	0.0092I
Dilution Factor		1	1	1	1	1
Prep Date		08/10/04	08/10/04	08/10/04	08/10/04	08/10/04
Prep Time		09:52	09:52	09:52	09:52	09:52
Analysis Date		08/12/04	08/12/04	08/12/04	08/12/04	08/12/04
Analysis Time		10:58	11:04	11:10	11:16	11:23
Batch ID		40810J	40810J	40810J	40810J	40810J

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23933-4	MW-10B	Liquid	08/05/04	08/04/04 08:55	
23933-5	MW-10C	Liquid	08/05/04	08/04/04 08:55	
23933-6	MW-12B	Liquid	08/05/04	08/04/04 10:35	
23933-7	MW-13B	Liquid	08/05/04	08/04/04 12:25	
23933-8	MW-11B	Liquid	08/05/04	08/04/04 14:55	

Parameter	Units	Lab Sample IDs				
		23933-4	23933-5	23933-6	23933-7	23933-8

Mercury (7470)

Mercury	mg/l	0.000072U	0.000072U	0.00021	0.000072U	0.00018I
Dilution Factor		1	1	1	1	1
Prep Date		08/11/04	08/11/04	08/11/04	08/11/04	08/11/04
Prep Time		17:06	17:06	17:06	17:06	17:06
Analysis Date		08/12/04	08/12/04	08/12/04	08/12/04	08/12/04
Analysis Time		13:24	17:17	17:20	17:23	17:27
Batch ID		40811T	40811T	40811T	40811T	40811T

Iron (6010)

Iron	mg/l	0.97	1.5	6.8	2.3	5.5
Dilution Factor		1	1	1	1	1
Prep Date		08/10/04	08/10/04	08/10/04	08/10/04	08/10/04
Prep Time		09:52	09:52	09:52	09:52	09:52
Analysis Date		08/12/04	08/12/04	08/12/04	08/12/04	08/12/04
Analysis Time		10:58	11:04	11:10	11:16	11:23
Batch ID		40810J	40810J	40810J	40810J	40810J

Thallium (7841)

Thallium	mg/l	0.00070U	0.00070U	0.00070U	0.00070U	0.00070U
Dilution Factor		1	1	1	1	1
Prep Date		08/11/04	08/11/04	08/11/04	08/11/04	08/11/04
Prep Time		08:30	08:30	08:30	08:30	08:30
Analysis Date		08/13/04	08/13/04	08/13/04	08/13/04	08/13/04
Analysis Time		16:21	16:29	16:37	16:53	17:01
Batch ID		0811H	0811H	0811H	0811H	0811H

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23933-4	MW-10B	Liquid	08/05/04	08/04/04 08:55	
23933-5	MW-10C	Liquid	08/05/04	08/04/04 08:55	
23933-6	MW-12B	Liquid	08/05/04	08/04/04 10:35	
23933-7	MW-13B	Liquid	08/05/04	08/04/04 12:25	
23933-8	MW-11B	Liquid	08/05/04	08/04/04 14:55	

Parameter	Units	Lab Sample IDs				
		23933-4	23933-5	23933-6	23933-7	23933-8

Thallium (Dissolved) (7841)

Thallium (Dissolved)	mg/l	0.00070U	0.00070U	0.00070U	0.00070U	0.00070U
Dilution Factor		1	1	1	1	1
Prep Date		08/11/04	08/11/04	08/11/04	08/11/04	08/11/04
Prep Time		08:30	08:30	08:30	08:30	08:30
Analysis Date		08/13/04	08/13/04	08/13/04	08/13/04	08/13/04
Analysis Time		16:25	16:33	16:41	16:57	17:05
Batch ID		0811H	0811H	0811H	0811H	0811H

Sodium (6010)

Sodium	mg/l	6.4	5.8	9.0	7.1	21
Dilution Factor		1	1	1	1	1
Prep Date		08/10/04	08/10/04	08/10/04	08/10/04	08/10/04
Prep Time		09:52	09:52	09:52	09:52	09:52
Analysis Date		08/12/04	08/12/04	08/12/04	08/12/04	08/12/04
Analysis Time		10:58	11:04	11:10	11:16	11:23
Batch ID		40810J	40810J	40810J	40810J	40810J

Appendix I Metals Dissolved (6010)

Antimony (Dissolved)	mg/l	0.0029U	0.0029U	0.0029U	0.0029U	0.0029U
Arsenic (Dissolved)	mg/l	0.0038U	0.0038U	0.0038U	0.0038U	0.0038U
Barium (Dissolved)	mg/l	0.012	0.014	0.019	0.012	0.015
Beryllium (Dissolved)	mg/l	0.00074U	0.00074U	0.00074U	0.00074U	0.00074U
Cadmium (Dissolved)	mg/l	0.00071U	0.00071U	0.00071U	0.00071U	0.00071U
Chromium (Dissolved)	mg/l	0.0017U	0.0017U	0.0017U	0.0017U	0.0017U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23933-4	MW-10B	Liquid	08/05/04	08/04/04 08:55	
23933-5	MW-10C	Liquid	08/05/04	08/04/04 08:55	
23933-6	MW-12B	Liquid	08/05/04	08/04/04 10:35	
23933-7	MW-13B	Liquid	08/05/04	08/04/04 12:25	
23933-8	MW-11B	Liquid	08/05/04	08/04/04 14:55	

Parameter	Units	Lab Sample IDs				
		23933-4	23933-5	23933-6	23933-7	23933-8

Appendix I Metals Dissolved (6010)

Cobalt (Dissolved)	mg/l	0.0014U	0.0014U	0.0014U	0.0014U	0.0014U
Copper (Dissolved)	mg/l	0.0014I	0.0013U	0.0013U	0.0013U	0.0013U
Lead (Dissolved)	mg/l	0.0015U	0.0015U	0.0015U	0.0015U	0.0015U
Nickel (Dissolved)	mg/l	0.0047U	0.0047U	0.0047U	0.0047U	0.0047U
Selenium (Dissolved)	mg/l	0.0048U	0.0048U	0.0048U	0.0048U	0.0048U
Silver (Dissolved)	mg/l	0.0019U	0.0019U	0.0019U	0.0019U	0.0019U
Vanadium (Dissolved)	mg/l	0.0025U	0.0025U	0.0025I	0.0025U	0.0025U
Dilution Factor		1	1	1	1	1
Prep Date		08/10/04	08/10/04	08/10/04	08/10/04	08/10/04
Prep Time		09:52	09:52	09:52	09:52	09:52
Analysis Date		08/12/04	08/12/04	08/12/04	08/12/04	08/12/04
Analysis Time		11:29	11:35	11:53	12:07	12:13
Batch ID		40810J	40810J	40810J	40810J	40810J

Iron (Dissolved) (6010)

Iron (Dissolved)	mg/l	0.60	0.81	0.64	0.91	0.49
Dilution Factor		1	1	1	1	1
Prep Date		08/10/04	08/10/04	08/10/04	08/10/04	08/10/04
Prep Time		09:52	09:52	09:52	09:52	09:52
Analysis Date		08/12/04	08/12/04	08/12/04	08/12/04	08/12/04
Analysis Time		11:29	11:35	11:53	12:07	12:13
Batch ID		40810J	40810J	40810J	40810J	40810J

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23933-4	MW-10B	Liquid	08/05/04	08/04/04 08:55	
23933-5	MW-10C	Liquid	08/05/04	08/04/04 08:55	
23933-6	MW-12B	Liquid	08/05/04	08/04/04 10:35	
23933-7	MW-13B	Liquid	08/05/04	08/04/04 12:25	
23933-8	MW-11B	Liquid	08/05/04	08/04/04 14:55	

Parameter	Units	Lab Sample IDs				
		23933-4	23933-5	23933-6	23933-7	23933-8

Sodium (Dissolved) (6010)

Sodium (Dissolved)	mg/l	6.4	5.8	8.9	7.4	22
Dilution Factor		1	1	1	1	1
Prep Date		08/10/04	08/10/04	08/10/04	08/10/04	08/10/04
Prep Time		09:52	09:52	09:52	09:52	09:52
Analysis Date		08/12/04	08/12/04	08/12/04	08/12/04	08/12/04
Analysis Time		11:29	11:35	11:53	12:07	12:13
Batch ID		40810J	40810J	40810J	40810J	40810J

Mercury (Dissolved) (7470)

Mercury (Dissolved)	mg/l	0.000072U	0.000072U	0.000072U	0.000072U	0.000072U
Dilution Factor		1	1	1	1	1
Prep Date		08/11/04	08/11/04	08/11/04	08/11/04	08/11/04
Prep Time		17:06	17:06	17:06	17:06	17:06
Analysis Date		08/12/04	08/12/04	08/12/04	08/12/04	08/12/04
Analysis Time		17:14	17:18	17:22	17:25	17:29
Batch ID		40811T	40811T	40811T	40811T	40811T

Zinc (Dissolved) (6010)

Zinc (Dissolved)	mg/l	0.0059U	0.013I	0.012I	0.015I	0.015I
Dilution Factor		1	1	1	1	1
Prep Date		08/18/04	08/10/04	08/10/04	08/10/04	08/10/04
Prep Time		16:00	09:52	09:52	09:52	09:52
Analysis Date		08/18/04	08/12/04	08/12/04	08/12/04	08/12/04
Analysis Time		16:17	11:35	11:53	12:07	12:13
Batch ID		40818I	40810J	40810J	40810J	40810J

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23933-4	MW-10B	Liquid	08/05/04	08/04/04 08:55	
23933-5	MW-10C	Liquid	08/05/04	08/04/04 08:55	
23933-6	MW-12B	Liquid	08/05/04	08/04/04 10:35	
23933-7	MW-13B	Liquid	08/05/04	08/04/04 12:25	
23933-8	MW-11B	Liquid	08/05/04	08/04/04 14:55	

Parameter	Units	Lab Sample IDs				
		23933-4	23933-5	23933-6	23933-7	23933-8

Chloride (325.3)

Chloride	mg/l	9.8	8.0	8.9	13	26
Dilution Factor		1	1	1	1	1
Analysis Date		08/16/04	08/16/04	08/16/04	08/16/04	08/16/04
Analysis Time		12:10	12:10	12:10	12:10	12:10
Batch ID		0816M	0816M	0816M	0816M	0816M

Ammonia-N (350.3)

Ammonia-N	mg/l	0.10	0.12	0.12	0.11	0.15
Dilution Factor		1	1	1	1	1
Analysis Date		08/11/04	08/11/04	08/11/04	08/11/04	08/11/04
Analysis Time		21:30	21:30	21:30	21:30	21:30
Batch ID		0811Y-6	0811Y-6	0811Y-6	0811Y-6	0811Y-6

Nitrate-N (353.2)

Nitrate-N	mg/l	0.010U	0.010U	0.010U	0.010U	0.010U
Dilution Factor		1	1	1	1	1
Analysis Date		08/06/04	08/06/04	08/06/04	08/06/04	08/06/04
Analysis Time		08:53	08:53	08:53	08:53	08:53
Batch ID		0806G	0806G	0806G	0806G	0806G

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23933-4	MW-10B	Liquid	08/05/04	08/04/04 08:55	
23933-5	MW-10C	Liquid	08/05/04	08/04/04 08:55	
23933-6	MW-12B	Liquid	08/05/04	08/04/04 10:35	
23933-7	MW-13B	Liquid	08/05/04	08/04/04 12:25	
23933-8	MW-11B	Liquid	08/05/04	08/04/04 14:55	

Parameter	Units	Lab Sample IDs				
		23933-4	23933-5	23933-6	23933-7	23933-8

Solids, Total Dissolved (160.1)

Solids, Total Dissolved	mg/l	58	50	930	86	530
Dilution Factor		1	1	1	1	1
Analysis Date		08/11/04	08/11/04	08/11/04	08/11/04	08/11/04
Analysis Time		16:00	16:00	16:00	16:00	16:00
Batch ID		0811J	0811J	0811J	0811J	0811J

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23933-9	Trip Blank	Liquid	08/05/04	08/04/04	

Parameter	Units	Lab Sample IDs
		23933-9

Appendix I - Organics (8260)

Acetone	ug/l	9.9U
Acrylonitrile	ug/l	1.2U
Benzene	ug/l	0.27U
Bromochloromethane	ug/l	0.58U
Bromodichloromethane	ug/l	0.35U
Bromoform	ug/l	0.58U
Carbon disulfide	ug/l	0.85U
Carbon Tetrachloride	ug/l	0.42U
Chlorobenzene	ug/l	0.63U
Chloroethane	ug/l	0.80U
Chloroform	ug/l	0.90U
Dibromochloromethane	ug/l	0.34U
1,2-Dichlorobenzene	ug/l	0.44U
1,4-Dichlorobenzene	ug/l	0.52U
Trans-1,4-Dichloro-2-butene	ug/l	2.5U
1,1-Dichloroethane	ug/l	0.52U
1,2-Dichloroethane	ug/l	0.57U
1,1-Dichloroethylene	ug/l	0.45U
cis-1,2-Dichloroethylene	ug/l	0.65U
trans-1,2-Dichloroethylene	ug/l	0.44U
1,2-Dichloropropane	ug/l	0.52U
cis-1,3-Dichloropropene	ug/l	0.14U
trans-1,3-Dichloropropene	ug/l	0.14U
Ethylbenzene	ug/l	0.83U
2-Hexanone	ug/l	4.4U
Bromomethane	ug/l	0.66U
Chloromethane	ug/l	0.64U
Dibromomethane	ug/l	0.41U
Methylene Chloride	ug/l	1.0U
2-Butanone (MEK)	ug/l	8.4U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23933-9	Trip Blank	Liquid	08/05/04	08/04/04	

Parameter	Units	Lab Sample IDs
		23933-9

Appendix I - Organics (8260)

Iodomethane	ug/l	0.67U
4-Methyl-2-pentanone (MIBK)	ug/l	3.8U
Styrene	ug/l	0.98U
1,1,1,2-Tetrachloroethane	ug/l	0.63U
1,1,2,2-Tetrachloroethane	ug/l	0.14U
Tetrachloroethene	ug/l	0.34U
Toluene	ug/l	0.51U
1,1,1-Trichloroethane	ug/l	0.46U
1,1,2-Trichloroethane	ug/l	0.47U
Trichloroethene	ug/l	0.28U
Trichlorofluoromethane	ug/l	0.98U
1,2,3-Trichloropropane	ug/l	0.15U
Vinyl acetate	ug/l	1.5U
Vinyl chloride	ug/l	0.50U
Xylenes	ug/l	0.98U
Dilution Factor		1
Analysis Date		08/15/04
Analysis Time		16:26
Batch ID		0815H

Microextractables (504)

1,2-Dibromoethane (EDB)	ug/l	0.0087U
1,2-Dibromo-3-chloropropane	ug/l	0.0030U
Dilution Factor		1
Prep Date		08/11/04
Prep Time		13:00
Analysis Date		08/12/04
Analysis Time		03:05
Batch ID		0811E

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23933-10	Method Blank	Liquid	08/05/04		

Parameter	Units	Lab Sample IDs
		23933-10

Appendix I - Organics (8260)

Acetone	ug/l	9.9U
Acrylonitrile	ug/l	1.2U
Benzene	ug/l	0.27U
Bromochloromethane	ug/l	0.58U
Bromodichloromethane	ug/l	0.35U
Bromoform	ug/l	0.58U
Carbon disulfide	ug/l	0.85U
Carbon Tetrachloride	ug/l	0.42U
Chlorobenzene	ug/l	0.63U
Chloroethane	ug/l	0.80U
Chloroform	ug/l	0.90U
Dibromochloromethane	ug/l	0.34U
1,2-Dichlorobenzene	ug/l	0.44U
1,4-Dichlorobenzene	ug/l	0.52U
Trans-1,4-Dichloro-2-butene	ug/l	2.5U
1,1-Dichloroethane	ug/l	0.52U
1,2-Dichloroethane	ug/l	0.57U
1,1-Dichloroethylene	ug/l	0.45U
cis-1,2-Dichloroethylene	ug/l	0.65U
trans-1,2-Dichloroethylene	ug/l	0.44U
1,2-Dichloropropane	ug/l	0.52U
cis-1,3-Dichloropropene	ug/l	0.14U
trans-1,3-Dichloropropene	ug/l	0.14U
Ethylbenzene	ug/l	0.83U
2-Hexanone	ug/l	4.4U
Bromomethane	ug/l	0.66U
Chloromethane	ug/l	0.64U
Dibromomethane	ug/l	0.41U
Methylene Chloride	ug/l	1.0U
2-Butanone (MEK)	ug/l	8.4U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23933-10	Method Blank	Liquid	08/05/04		

Parameter	Units	Lab Sample IDs
		23933-10

Appendix I - Organics (8260)

Iodomethane	ug/l	0.67U
4-Methyl-2-pentanone (MIBK)	ug/l	3.8U
Styrene	ug/l	0.98U
1,1,1,2-Tetrachloroethane	ug/l	0.63U
1,1,2,2-Tetrachloroethane	ug/l	0.14U
Tetrachloroethene	ug/l	0.34U
Toluene	ug/l	0.51U
1,1,1-Trichloroethane	ug/l	0.46U
1,1,2-Trichloroethane	ug/l	0.47U
Trichloroethene	ug/l	0.28U
Trichlorofluoromethane	ug/l	0.98U
1,2,3-Trichloropropane	ug/l	0.15U
Vinyl acetate	ug/l	1.5U
Vinyl chloride	ug/l	0.50U
Xylenes	ug/l	0.98U
Dilution Factor		1
Analysis Date		08/15/04
Analysis Time		15:08
Batch ID		0815H

Microextractables (504)

1,2-Dibromoethane (EDB)	ug/l	0.0087U
1,2-Dibromo-3-chloropropane	ug/l	0.0030U
Dilution Factor		1
Prep Date		08/11/04
Prep Time		13:00
Analysis Date		08/11/04
Analysis Time		19:21
Batch ID		0811E

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23933-10	Method Blank	Liquid	08/05/04		

Parameter	Units	Lab Sample IDs
		23933-10

Appendix I Metals by ICP (6010)

Arsenic	mg/l	0.0038U
Barium	mg/l	0.0012U
Beryllium	mg/l	0.00074U
Cadmium	mg/l	0.00071U
Chromium	mg/l	0.0017U
Cobalt	mg/l	0.0014U
Copper	mg/l	0.0013U
Lead	mg/l	0.0015U
Nickel	mg/l	0.0047U
Selenium	mg/l	0.0048U
Silver	mg/l	0.0019U
Vanadium	mg/l	0.0025U
Zinc	mg/l	0.0059U
Antimony	mg/l	0.0029U
Dilution Factor		1
Prep Date		08/10/04
Prep Time		09:52
Analysis Date		08/12/04
Analysis Time		09:26
Batch ID		40810J

Zinc (Dissolved) (6010)

Zinc (Dissolved)	mg/l	0.0059U
Dilution Factor		1
Prep Date		08/18/04
Prep Time		11:00
Analysis Date		08/18/04
Analysis Time		14:54
Batch ID		40818I

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23933-10	Method Blank	Liquid	08/05/04		

Parameter	Units	Lab Sample IDs
		23933-10

Mercury (7470)

Mercury	mg/l	0.000072U
Dilution Factor		1
Prep Date		08/11/04
Prep Time		17:06
Analysis Date		08/12/04
Analysis Time		13:08
Batch ID		40811T

Iron (6010)

Iron	mg/l	0.037U
Dilution Factor		1
Prep Date		08/10/04
Prep Time		09:52
Analysis Date		08/12/04
Analysis Time		09:26
Batch ID		40810J

Thallium (7841)

Thallium	mg/l	0.00070U
Dilution Factor		1
Prep Date		08/11/04
Prep Time		08:30
Analysis Date		08/13/04
Analysis Time		14:55
Batch ID		0811H

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23933-10	Method Blank	Liquid	08/05/04		

Parameter	Units	Lab Sample IDs
		23933-10

Thallium (Dissolved) (7841)

Thallium (Dissolved)	mg/l	0.00070U
Dilution Factor		1
Prep Date		08/11/04
Prep Time		08:30
Analysis Date		08/13/04
Analysis Time		14:55
Batch ID		0811H

Sodium (6010)

Sodium	mg/l	0.15U
Dilution Factor		1
Prep Date		08/10/04
Prep Time		09:52
Analysis Date		08/12/04
Analysis Time		09:26
Batch ID		40810J

Appendix I Metals Dissolved (6010)

Antimony (Dissolved)	mg/l	0.0029U
Arsenic (Dissolved)	mg/l	0.0038U
Barium (Dissolved)	mg/l	0.0012U
Beryllium (Dissolved)	mg/l	0.00074U
Cadmium (Dissolved)	mg/l	0.00071U
Chromium (Dissolved)	mg/l	0.0017U
Cobalt (Dissolved)	mg/l	0.0014U
Copper (Dissolved)	mg/l	0.0013U
Lead (Dissolved)	mg/l	0.0015U
Nickel (Dissolved)	mg/l	0.0047U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23933-10	Method Blank	Liquid	08/05/04		

Parameter	Units	Lab Sample IDs
		23933-10

Appendix I Metals Dissolved (6010)

Selenium (Dissolved)	mg/l	0.0048U
Silver (Dissolved)	mg/l	0.0019U
Vanadium (Dissolved)	mg/l	0.0025U
Zinc (Dissolved)	mg/l	0.0059U
Dilution Factor		1
Prep Date		08/10/04
Prep Time		09:52
Analysis Date		08/12/04
Analysis Time		09:26
Batch ID		40810J

Iron (Dissolved) (6010)

Iron (Dissolved)	mg/l	0.037U
Dilution Factor		1
Prep Date		08/10/04
Prep Time		09:52
Analysis Date		08/12/04
Analysis Time		09:26
Batch ID		40810J

Sodium (Dissolved) (6010)

Sodium (Dissolved)	mg/l	0.15U
Dilution Factor		1
Prep Date		08/10/04
Prep Time		09:52
Analysis Date		08/12/04
Analysis Time		09:26
Batch ID		40810J

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23933-10	Method Blank	Liquid	08/05/04		

Parameter	Units	Lab Sample IDs
		23933-10

Mercury (Dissolved) (7470)

Mercury (Dissolved)	mg/l	0.000072U
Dilution Factor		1
Prep Date		08/11/04
Prep Time		17:06
Analysis Date		08/12/04
Analysis Time		13:08
Batch ID		40811T

Chloride (325.3)

Chloride	mg/l	1.0U
Dilution Factor		1
Analysis Date		08/16/04
Analysis Time		12:10
Batch ID		0816M

Ammonia-N (350.3)

Ammonia-N	mg/l	0.040U
Dilution Factor		1
Analysis Date		08/11/04
Analysis Time		21:30
Batch ID		0811Y-6

Nitrate-N (353.2)

Nitrate-N	mg/l	0.010U
Dilution Factor		1
Analysis Date		08/06/04
Analysis Time		08:53
Batch ID		0806G

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23933-10	Method Blank	Liquid	08/05/04		

Parameter	Units	Lab Sample IDs
		23933-10

Solids, Total Dissolved (160.1)

Solids, Total Dissolved	mg/l	5.00
Dilution Factor		1
Analysis Date		08/11/04
Analysis Time		16:00
Batch ID		0811J

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23933-11	Lab Control Standard % Recovery	Liquid	08/05/04		
23933-12	Lab Control Standard Duplicate % Recovery	Liquid	08/05/04		
23933-13	Precision (%RPD) of LCS/LCSD	Liquid	08/05/04		
23933-14	LCS Accuracy Control Limit (%R)	Liquid	08/05/04		
23933-15	LCS Precision Control Limit (Advisory) %RPD	Liquid	08/05/04		

Parameter	Units	Lab Sample IDs				
		23933-11	23933-12	23933-13	23933-14	23933-15

Appendix I - Organics (8260)

Benzene	%	90 %	96 %	6.4 %	62-135 %	<16 %
Chlorobenzene	%	96 %	100 %	4.1 %	72-127 %	<22 %
1,1-Dichloroethylene	%	98 %	108 %	9.7 %	46-147 %	<30 %
Toluene	%	82 %	86 %	4.8 %	68-131 %	<33 %
Trichloroethene	%	92 %	102 %	10 %	56-143 %	<35 %
Dilution Factor		1	1			
Analysis Date		08/15/04	08/15/04			
Analysis Time		13:45	14:04			
Batch ID		0815H	0815H	0815H		

Microextractables (504)

1,2-Dibromoethane (EDB)	%	104 %	105 %	3.2 %	70-130 %	<30 %
1,2-Dibromo-3-chloropropane	%	111 %	121 %	10 %	70-130 %	<30 %
Dilution Factor		1	1			
Prep Date		08/11/04	08/11/04			
Prep Time		13:00	13:00			
Analysis Date		08/11/04	08/11/04			
Analysis Time		19:42	20:03			
Batch ID		0811E	0811E	0811E		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23933-11	Lab Control Standard % Recovery	Liquid	08/05/04		
23933-12	Lab Control Standard Duplicate % Recovery	Liquid	08/05/04		
23933-13	Precision (%RPD) of LCS/LCSD	Liquid	08/05/04		
23933-14	LCS Accuracy Control Limit (%R)	Liquid	08/05/04		
23933-15	LCS Precision Control Limit (Advisory) %RPD	Liquid	08/05/04		

Parameter	Units	Lab Sample IDs				
		23933-11	23933-12	23933-13	23933-14	23933-15

Appendix I Metals by ICP (6010)

Arsenic	%	101 %	101 %	0.40 %	75-125 %	<20 %
Barium	%	111 %	100 %	10 %	75-125 %	<20 %
Beryllium	%	102 %	102 %	0.39 %	75-125 %	<20 %
Cadmium	%	103 %	103 %	0.19 %	75-125 %	<20 %
Chromium	%	102 %	101 %	0.30 %	75-125 %	<20 %
Cobalt	%	106 %	106 %	0.19 %	75-125 %	<20 %
Copper	%	106 %	106 %	0.09 %	75-125 %	<20 %
Lead	%	104 %	104 %	0.19 %	75-125 %	<20 %
Nickel	%	107 %	106 %	0.38 %	75-125 %	<20 %
Selenium	%	102 %	102 %	0.69 %	75-125 %	<20 %
Silver	%	112 %	101 %	11 %	75-125 %	<20 %
Vanadium	%	102 %	102 %	0.39 %	75-125 %	<20 %
Zinc	%	106 %	105 %	1.2 %	75-125 %	<20 %
Antimony	%	96 %	96 %	0.21 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/10/04	08/10/04			
Prep Time		09:52	09:52			
Analysis Date		08/12/04	08/12/04			
Analysis Time		09:32	09:38			
Batch ID		40810J	40810J	40810J		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23933-11	Lab Control Standard % Recovery	Liquid	08/05/04		
23933-12	Lab Control Standard Duplicate % Recovery	Liquid	08/05/04		
23933-13	Precision (%RPD) of LCS/LCSD	Liquid	08/05/04		
23933-14	LCS Accuracy Control Limit (%R)	Liquid	08/05/04		
23933-15	LCS Precision Control Limit (Advisory) %RPD	Liquid	08/05/04		

Lab Sample IDs

Parameter	Units	23933-11	23933-12	23933-13	23933-14	23933-15
-----------	-------	----------	----------	----------	----------	----------

Zinc (Dissolved) (6010)

Zinc (Dissolved)	%	102 %	103 %	0.98 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/18/04	08/18/04			
Prep Time		11:00	11:00			
Analysis Date		08/18/04	08/18/04			
Analysis Time		15:00	15:06			
Batch ID		40818I	40818I	40818I		

Mercury (7470)

Mercury	%	103 %	103 %	0.15 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/11/04	08/11/04			
Prep Time		17:06	17:06			
Analysis Date		08/12/04	08/12/04			
Analysis Time		13:10	13:11			
Batch ID		40811T	40811T	40811T		

Iron (6010)

Iron	%	104 %	103 %	1.1 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/10/04	08/10/04			
Prep Time		09:52	09:52			
Analysis Date		08/12/04	08/12/04			
Analysis Time		09:32	09:38			
Batch ID		40810J	40810J	40810J		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23933-11	Lab Control Standard % Recovery	Liquid	08/05/04		
23933-12	Lab Control Standard Duplicate % Recovery	Liquid	08/05/04		
23933-13	Precision (%RPD) of LCS/LCSD	Liquid	08/05/04		
23933-14	LCS Accuracy Control Limit (%R)	Liquid	08/05/04		
23933-15	LCS Precision Control Limit (Advisory) %RPD	Liquid	08/05/04		

Parameter	Units	Lab Sample IDs				
		23933-11	23933-12	23933-13	23933-14	23933-15

Thallium (7841)

Thallium	%	103 %	100 %	2.6 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/11/04	08/11/04			
Prep Time		08:30	08:30			
Analysis Date		08/13/04	08/13/04			
Analysis Time		14:59	15:03			
Batch ID		0811H	0811H	0811H		

Thallium (Dissolved) (7841)

Thallium (Dissolved)	%	103 %	100 %	2.6 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/11/04	08/11/04			
Prep Time		08:30	08:30			
Analysis Date		08/13/04	08/13/04			
Analysis Time		14:59	15:03			
Batch ID		0811H	0811H	0811H		

Sodium (6010)

Sodium	%	97 %	96 %	1.1 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/10/04	08/10/04			
Prep Time		09:52	09:52			
Analysis Date		08/12/04	08/12/04			
Analysis Time		09:32	09:38			
Batch ID		40810J	40810J	40810J		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23933-11	Lab Control Standard % Recovery	Liquid	08/05/04		
23933-12	Lab Control Standard Duplicate % Recovery	Liquid	08/05/04		
23933-13	Precision (%RPD) of LCS/LCSD	Liquid	08/05/04		
23933-14	LCS Accuracy Control Limit (%R)	Liquid	08/05/04		
23933-15	LCS Precision Control Limit (Advisory) %RPD	Liquid	08/05/04		

Parameter	Units	Lab Sample IDs				
		23933-11	23933-12	23933-13	23933-14	23933-15

Appendix I Metals Dissolved (6010)

Antimony (Dissolved)	%	96 %	96 %	0.21 %	75-125 %	<20 %
Arsenic (Dissolved)	%	101 %	101 %	0.40 %	75-125 %	<20 %
Barium (Dissolved)	%	111 %	100 %	10 %	75-125 %	<20 %
Beryllium (Dissolved)	%	102 %	102 %	0.39 %	75-125 %	<20 %
Cadmium (Dissolved)	%	103 %	103 %	0.19 %	75-125 %	<20 %
Chromium (Dissolved)	%	102 %	101 %	0.30 %	75-125 %	<20 %
Cobalt (Dissolved)	%	106 %	106 %	0.19 %	75-125 %	<20 %
Copper (Dissolved)	%	106 %	106 %	0.09 %	75-125 %	<20 %
Lead (Dissolved)	%	104 %	104 %	0.19 %	75-125 %	<20 %
Nickel (Dissolved)	%	107 %	106 %	0.38 %	75-125 %	<20 %
Selenium (Dissolved)	%	102 %	102 %	0.69 %	75-125 %	<20 %
Silver (Dissolved)	%	112 %	101 %	11 %	75-125 %	<20 %
Vanadium (Dissolved)	%	102 %	102 %	0.39 %	75-125 %	<20 %
Zinc (Dissolved)	%	106 %	105 %	1.2 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/10/04	08/10/04			
Prep Time		09:52	09:52			
Analysis Date		08/12/04	08/12/04			
Analysis Time		09:32	09:38			
Batch ID		40810J	40810J	40810J		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23933-11	Lab Control Standard % Recovery	Liquid	08/05/04		
23933-12	Lab Control Standard Duplicate % Recovery	Liquid	08/05/04		
23933-13	Precision (%RPD) of LCS/LCSD	Liquid	08/05/04		
23933-14	LCS Accuracy Control Limit (%R)	Liquid	08/05/04		
23933-15	LCS Precision Control Limit (Advisory) %RPD	Liquid	08/05/04		

Parameter	Units	Lab Sample IDs				
		23933-11	23933-12	23933-13	23933-14	23933-15

Iron (Dissolved) (6010)

Iron (Dissolved)	%	104 %	103 %	1.1 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/10/04	08/10/04			
Prep Time		09:52	09:52			
Analysis Date		08/12/04	08/12/04			
Analysis Time		09:32	09:38			
Batch ID		40810J	40810J	40810J		

Sodium (Dissolved) (6010)

Sodium (Dissolved)	%	97 %	96 %	1.1 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/10/04	08/10/04			
Prep Time		09:52	09:52			
Analysis Date		08/12/04	08/12/04			
Analysis Time		09:32	09:38			
Batch ID		40810J	40810J	40810J		

Mercury (Dissolved) (7470)

Mercury (Dissolved)	%	103 %	103 %	0.15 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/11/04	08/11/04			
Prep Time		17:06	17:06			
Analysis Date		08/12/04	08/12/04			
Analysis Time		13:10	13:11			
Batch ID		40811T	40811T	40811T		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23933-11	Lab Control Standard % Recovery	Liquid	08/05/04		
23933-12	Lab Control Standard Duplicate % Recovery	Liquid	08/05/04		
23933-13	Precision (%RPD) of LCS/LCSD	Liquid	08/05/04		
23933-14	LCS Accuracy Control Limit (%R)	Liquid	08/05/04		
23933-15	LCS Precision Control Limit (Advisory) %RPD	Liquid	08/05/04		

Parameter	Units	Lab Sample IDs				
		23933-11	23933-12	23933-13	23933-14	23933-15

Chloride (325.3)

Chloride	%	99 %	100 %	0.90 %	75-125 %	<30 %
Dilution Factor		1	1			
Analysis Date		08/16/04	08/16/04			
Analysis Time		12:10	12:10			
Batch ID		0816M	0816M	0816M		

Ammonia-N (350.3)

Ammonia-N	%	97 %	97 %	0 %	85-115 %	<30 %
Dilution Factor		1	1			
Analysis Date		08/11/04	08/11/04			
Analysis Time		21:30	21:30			
Batch ID		0811Y-6	0811Y-6	0811Y-6		

Nitrate-N (353.2)

Nitrate-N	%	93 %	94 %	0.61 %	80-120 %	<30 %
Dilution Factor		1	1			
Analysis Date		08/06/04	08/06/04			
Analysis Time		08:53	08:53			
Batch ID		0806G	0806G	0806G		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23933-11	Lab Control Standard % Recovery	Liquid	08/05/04		
23933-12	Lab Control Standard Duplicate % Recovery	Liquid	08/05/04		
23933-13	Precision (%RPD) of LCS/LCSD	Liquid	08/05/04		
23933-14	LCS Accuracy Control Limit (%R)	Liquid	08/05/04		
23933-15	LCS Precision Control Limit (Advisory) %RPD	Liquid	08/05/04		

Parameter	Units	Lab Sample IDs				
		23933-11	23933-12	23933-13	23933-14	23933-15

Solids, Total Dissolved (160.1)

Solids, Total Dissolved	%	103 %	102 %	0.39 %	80-120 %	<25 %
Dilution Factor		1	1			
Analysis Date		08/11/04	08/11/04			
Analysis Time		16:00	16:00			
Batch ID		0811J	0811J	0811J		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23933-16	Matrix Spike % Recovery	Liquid	08/05/04		
23933-17	Matrix Spike Duplicate % Recovery	Liquid	08/05/04		
23933-18	Precision (%RPD) MS/MSD	Liquid	08/05/04		
23933-19	MS Accuracy Advisory Limit (%R)	Liquid	08/05/04		
23933-20	MS Precision Advisory Limit (%RPD)	Liquid	08/05/04		

Parameter	Units	Lab Sample IDs				
		23933-16	23933-17	23933-18	23933-19	23933-20

Appendix I - Organics (8260)

Benzene	%	86 %	84 %	2.4 %	62-135 %	<16 %
Chlorobenzene	%	94 %	100 %	6.2 %	72-127 %	<22 %
1,1-Dichloroethylene	%	104 %	100 %	3.9 %	46-147 %	<30 %
Toluene	%	78 %	78 %	0 %	68-131 %	<33 %
Trichloroethene	%	90 %	88 %	2.2 %	56-143 %	<35 %
Dilution Factor		1	1			
Analysis Date		08/16/04	08/16/04			
Analysis Time		11:53	12:14			
Batch ID		0815H	0815H	0815H		

Microextractables (504)

1,2-Dibromoethane (EDB)	%	108 %	109 %	4.1 %	70-130 %	<30 %
1,2-Dibromo-3-chloropropane	%	129 %	114 %	18 %	70-130 %	<30 %
Dilution Factor		1	1			
Prep Date		08/11/04	08/11/04			
Prep Time		13:00	13:00			
Analysis Date		08/11/04	08/11/04			
Analysis Time		22:52	23:13			
Batch ID		0811E	0811E	0811E		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23933-16	Matrix Spike % Recovery	Liquid	08/05/04		
23933-17	Matrix Spike Duplicate % Recovery	Liquid	08/05/04		
23933-18	Precision (%RPD) MS/MSD	Liquid	08/05/04		
23933-19	MS Accuracy Advisory Limit (%R)	Liquid	08/05/04		
23933-20	MS Precision Advisory Limit (%RPD)	Liquid	08/05/04		

Parameter	Units	Lab Sample IDs				
		23933-16	23933-17	23933-18	23933-19	23933-20

Appendix I Metals by ICP (6010)

Arsenic	%	105 %	104 %	0.49 %	75-125 %	<20 %
Barium	%	103 %	101 %	1.3 %	75-125 %	<20 %
Beryllium	%	103 %	103 %	0.42 %	75-125 %	<20 %
Cadmium	%	104 %	103 %	1.5 %	75-125 %	<20 %
Chromium	%	101 %	101 %	0.46 %	75-125 %	<20 %
Cobalt	%	108 %	106 %	1.4 %	75-125 %	<20 %
Copper	%	112 %	110 %	1.7 %	75-125 %	<20 %
Lead	%	106 %	104 %	2.0 %	75-125 %	<20 %
Nickel	%	109 %	107 %	1.7 %	75-125 %	<20 %
Selenium	%	107 %	104 %	2.1 %	75-125 %	<20 %
Silver	%	3.0 %*F73	103 %	190 %*F66	75-125 %	<20 %
Vanadium	%	104 %	103 %	1.1 %	75-125 %	<20 %
Zinc	%	108 %	106 %	1.7 %	75-125 %	<20 %
Antimony	%	98 %	99 %	0.52 %	75-125 %	<20 %
Dilution Factor		2	2			
Prep Date		08/10/04	08/10/04			
Prep Time		09:52	09:52			
Analysis Date		08/12/04	08/12/04			
Analysis Time		09:56	10:03			
Batch ID		40810J	40810J	40810J		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23933-16	Matrix Spike % Recovery	Liquid	08/05/04		
23933-17	Matrix Spike Duplicate % Recovery	Liquid	08/05/04		
23933-18	Precision (%RPD) MS/MSD	Liquid	08/05/04		
23933-19	MS Accuracy Advisory Limit (%R)	Liquid	08/05/04		
23933-20	MS Precision Advisory Limit (%RPD)	Liquid	08/05/04		

Parameter	Units	Lab Sample IDs				
		23933-16	23933-17	23933-18	23933-19	23933-20

Zinc (Dissolved) (6010)

Zinc (Dissolved)	%	103 %	102 %	1.1 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/18/04	08/18/04			
Prep Time		11:00	11:00			
Analysis Date		08/18/04	08/18/04			
Analysis Time		15:24	15:30			
Batch ID		40818I	40818I	40818I		

Mercury (7470)

Mercury	%	96 %	94 %	1.7 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/11/04	08/11/04			
Prep Time		17:06	17:06			
Analysis Date		08/12/04	08/12/04			
Analysis Time		13:17	13:18			
Batch ID		40811T	40811T	40811T		

Iron (6010)

Iron	%	73 %*F73	100 %	18 %	75-125 %	<20 %
Dilution Factor		2	2			
Prep Date		08/10/04	08/10/04			
Prep Time		09:52	09:52			
Analysis Date		08/12/04	08/12/04			
Analysis Time		09:56	10:03			
Batch ID		40810J	40810J	40810J		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23933-16	Matrix Spike % Recovery	Liquid	08/05/04		
23933-17	Matrix Spike Duplicate % Recovery	Liquid	08/05/04		
23933-18	Precision (%RPD) MS/MSD	Liquid	08/05/04		
23933-19	MS Accuracy Advisory Limit (%R)	Liquid	08/05/04		
23933-20	MS Precision Advisory Limit (%RPD)	Liquid	08/05/04		

Parameter	Units	Lab Sample IDs				
		23933-16	23933-17	23933-18	23933-19	23933-20

Thallium (7841)

Thallium	%	103 %	102 %	0.8 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/11/04	08/11/04			
Prep Time		08:30	08:30			
Analysis Date		08/13/04	08/13/04			
Analysis Time		16:04	16:09			
Batch ID		0811H	0811H	0811H		

Thallium (Dissolved) (7841)

Thallium (Dissolved)	%	103 %	102 %	0.8 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/11/04	08/11/04			
Prep Time		08:30	08:30			
Analysis Date		08/13/04	08/13/04			
Analysis Time		16:04	16:09			
Batch ID		0811H	0811H	0811H		

Sodium (6010)

Sodium	%	283 %*F61	135 %*F61	4.1 %	75-125 %	<20 %
Dilution Factor		2	2			
Prep Date		08/10/04	08/10/04			
Prep Time		09:52	09:52			
Analysis Date		08/12/04	08/12/04			
Analysis Time		09:56	10:03			
Batch ID		40810J	40810J	40810J		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23933-16	Matrix Spike % Recovery	Liquid	08/05/04		
23933-17	Matrix Spike Duplicate % Recovery	Liquid	08/05/04		
23933-18	Precision (%RPD) MS/MSD	Liquid	08/05/04		
23933-19	MS Accuracy Advisory Limit (%R)	Liquid	08/05/04		
23933-20	MS Precision Advisory Limit (%RPD)	Liquid	08/05/04		

Parameter	Units	Lab Sample IDs				
		23933-16	23933-17	23933-18	23933-19	23933-20

Appendix I Metals Dissolved (6010)

Antimony (Dissolved)	%	98 %	99 %	0.52 %	75-125 %	<20 %
Arsenic (Dissolved)	%	105 %	104 %	0.49 %	75-125 %	<20 %
Barium (Dissolved)	%	103 %	101 %	1.3 %	75-125 %	<20 %
Beryllium (Dissolved)	%	103 %	103 %	0.42 %	75-125 %	<20 %
Cadmium (Dissolved)	%	104 %	103 %	1.5 %	75-125 %	<20 %
Chromium (Dissolved)	%	101 %	101 %	0.46 %	75-125 %	<20 %
Cobalt (Dissolved)	%	108 %	106 %	1.4 %	75-125 %	<20 %
Copper (Dissolved)	%	112 %	110 %	1.7 %	75-125 %	<20 %
Lead (Dissolved)	%	106 %	104 %	2.0 %	75-125 %	<20 %
Nickel (Dissolved)	%	109 %	107 %	1.7 %	75-125 %	<20 %
Selenium (Dissolved)	%	107 %	104 %	2.1 %	75-125 %	<20 %
Silver (Dissolved)	%	3.0 %*F73	103 %	190 %*F66	75-125 %	<20 %
Vanadium (Dissolved)	%	104 %	103 %	1.1 %	75-125 %	<20 %
Zinc (Dissolved)	%	108 %	106 %	1.7 %	75-125 %	<20 %
Dilution Factor		2	2			
Prep Date		08/10/04	08/10/04			
Prep Time		09:52	09:52			
Analysis Date		08/12/04	08/12/04			
Analysis Time		09:56	10:03			
Batch ID		40810J	40810J	40810J		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23933-16	Matrix Spike % Recovery	Liquid	08/05/04		
23933-17	Matrix Spike Duplicate % Recovery	Liquid	08/05/04		
23933-18	Precision (%RPD) MS/MSD	Liquid	08/05/04		
23933-19	MS Accuracy Advisory Limit (%R)	Liquid	08/05/04		
23933-20	MS Precision Advisory Limit (%RPD)	Liquid	08/05/04		

Parameter	Units	Lab Sample IDs				
		23933-16	23933-17	23933-18	23933-19	23933-20

Iron (Dissolved) (6010)

Iron (Dissolved)	%	73 %*F73	100 %	18 %	75-125 %	<20 %
Dilution Factor		2	2			
Prep Date		08/10/04	08/10/04			
Prep Time		09:52	09:52			
Analysis Date		08/12/04	08/12/04			
Analysis Time		09:56	10:03			
Batch ID		40810J	40810J	40810J		

Sodium (Dissolved) (6010)

Sodium (Dissolved)	%	283 %*F61	135 %*F61	4.1 %	75-125 %	<20 %
Dilution Factor		2	2			
Prep Date		08/10/04	08/10/04			
Prep Time		09:52	09:52			
Analysis Date		08/12/04	08/12/04			
Analysis Time		09:56	10:03			
Batch ID		40810J	40810J	40810J		

Mercury (Dissolved) (7470)

Mercury (Dissolved)	%	96 %	94 %	1.7 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/11/04	08/11/04			
Prep Time		17:06	17:06			
Analysis Date		08/12/04	08/12/04			
Analysis Time		13:17	13:18			
Batch ID		40811T	40811T	40811T		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23933-16	Matrix Spike % Recovery	Liquid	08/05/04		
23933-17	Matrix Spike Duplicate % Recovery	Liquid	08/05/04		
23933-18	Precision (%RPD) MS/MSD	Liquid	08/05/04		
23933-19	MS Accuracy Advisory Limit (%R)	Liquid	08/05/04		
23933-20	MS Precision Advisory Limit (%RPD)	Liquid	08/05/04		

Parameter	Units	Lab Sample IDs				
		23933-16	23933-17	23933-18	23933-19	23933-20

Chloride (325.3)

Chloride	%	98 %	98 %	0 %	75-125 %	<30 %
Dilution Factor		1	1			
Analysis Date		08/16/04	08/16/04			
Analysis Time		12:10	12:10			
Batch ID		0816M	0816M	0816M		

Ammonia-N (350.3)

Ammonia-N	%	101 %	100 %	1.0 %	85-115 %	<30 %
Dilution Factor		1	1			
Analysis Date		08/11/04	08/11/04			
Analysis Time		21:30	21:30			
Batch ID		0811Y-6	0811Y-6	0811Y-6		

Nitrate-N (353.2)

Nitrate-N	%	82 %	82 %	0.46 %	80-120 %	<30 %
Dilution Factor		1	1			
Analysis Date		08/06/04	08/06/04			
Analysis Time		08:53	08:53			
Batch ID		0806G	0806G	0806G		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23933-16	Matrix Spike % Recovery	Liquid	08/05/04		
23933-17	Matrix Spike Duplicate % Recovery	Liquid	08/05/04		
23933-18	Precision (%RPD) MS/MSD	Liquid	08/05/04		
23933-19	MS Accuracy Advisory Limit (%R)	Liquid	08/05/04		
23933-20	MS Precision Advisory Limit (%RPD)	Liquid	08/05/04		

Parameter	Units	Lab Sample IDs			
		23933-16	23933-17	23933-18	23933-19

Solids, Total Dissolved (160.1)

Solids, Total Dissolved	%	100 %	100 %	0.40 %	80-120 %	<25 %
Dilution Factor		1	1			
Analysis Date		08/11/04	08/11/04			
Analysis Time		16:00	16:00			
Batch ID		0811J	0811J	0811J		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23933-21	Practical Quantitation Limit (PQL)	Liquid	08/05/04		
23933-22	Method Detection Limit (MDL)	Liquid	08/05/04		

Parameter	Units	Lab Sample IDs	
		23933-21	23933-22

Appendix I - Organics (8260)

Parameter	Units	23933-21	23933-22
Acetone	ug/l	10	9.9
Acrylonitrile	ug/l	100	1.2
Benzene	ug/l	1.0	0.27
Bromochloromethane	ug/l	1.0	0.58
Bromodichloromethane	ug/l	1.0	0.35
Bromoform	ug/l	1.0	0.58
Carbon disulfide	ug/l	1.0	0.85
Carbon Tetrachloride	ug/l	1.0	0.42
Chlorobenzene	ug/l	1.0	0.63
Chloroethane	ug/l	1.0	0.80
Chloroform	ug/l	1.0	0.90
Dibromochloromethane	ug/l	1.0	0.34
1,2-Dichlorobenzene	ug/l	1.0	0.44
1,4-Dichlorobenzene	ug/l	1.0	0.52
Trans-1,4-Dichloro-2-butene	ug/l	10	2.5
1,1-Dichloroethane	ug/l	1.0	0.52
1,2-Dichloroethane	ug/l	1.0	0.57
1,1-Dichloroethylene	ug/l	1.0	0.45
cis-1,2-Dichloroethylene	ug/l	1.0	0.65
trans-1,2-Dichloroethylene	ug/l	1.0	0.44
1,2-Dichloropropane	ug/l	1.0	0.52
cis-1,3-Dichloropropene	ug/l	1.0	0.14
trans-1,3-Dichloropropene	ug/l	1.0	0.14
Ethylbenzene	ug/l	1.0	0.83
2-Hexanone	ug/l	10	4.4
Bromomethane	ug/l	1.0	0.66
Chloromethane	ug/l	1.0	0.64
Dibromomethane	ug/l	1.0	0.41
Methylene Chloride	ug/l	5.0	1.0

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23933-21	Practical Quantitation Limit (PQL)	Liquid	08/05/04		
23933-22	Method Detection Limit (MDL)	Liquid	08/05/04		

Parameter	Units	Lab Sample IDs	
		23933-21	23933-22

Appendix I - Organics (8260)

2-Butanone (MEK)	ug/l	10	8.4
Iodomethane	ug/l	1.0	0.67
4-Methyl-2-pentanone (MIBK)	ug/l	10	3.8
Styrene	ug/l	1.0	0.98
1,1,1,2-Tetrachloroethane	ug/l	1.0	0.63
1,1,2,2-Tetrachloroethane	ug/l	1.0	0.14
Tetrachloroethene	ug/l	1.0	0.34
Toluene	ug/l	1.0	0.51
1,1,1-Trichloroethane	ug/l	1.0	0.46
1,1,2-Trichloroethane	ug/l	1.0	0.47
Trichloroethene	ug/l	1.0	0.28
Trichlorofluoromethane	ug/l	1.0	0.98
1,2,3-Trichloropropane	ug/l	1.0	0.15
Vinyl acetate	ug/l	10	1.5
Vinyl chloride	ug/l	1.0	0.50
Xylenes	ug/l	1.0	0.98

Microextractables (504)

1,2-Dibromoethane (EDB)	ug/l	0.020	0.0087
1,2-Dibromo-3-chloropropane	ug/l	0.020	0.0030

Appendix I Metals by ICP (6010)

Arsenic	mg/l	0.010	0.0038
Barium	mg/l	0.010	0.0012
Beryllium	mg/l	0.0040	0.00074
Cadmium	mg/l	0.0050	0.00071
Chromium	mg/l	0.010	0.0017

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23933-21	Practical Quantitation Limit (PQL)	Liquid	08/05/04		
23933-22	Method Detection Limit (MDL)	Liquid	08/05/04		
		Lab Sample IDs			
Parameter	Units	23933-21	23933-22		

Appendix I Metals by ICP (6010)

Cobalt	mg/l	0.010	0.0014
Copper	mg/l	0.020	0.0013
Lead	mg/l	0.0050	0.0015
Nickel	mg/l	0.040	0.0047
Selenium	mg/l	0.010	0.0048
Silver	mg/l	0.010	0.0019
Vanadium	mg/l	0.010	0.0025
Zinc	mg/l	0.020	0.0059
Antimony	mg/l	0.0060	0.0029

Zinc (Dissolved) (6010)

Zinc (Dissolved)	mg/l	0.020	0.0059
------------------	------	-------	--------

Mercury (7470)

Mercury	mg/l	0.00020	0.000072
---------	------	---------	----------

Iron (6010)

Iron	mg/l	0.050	0.037
------	------	-------	-------

Thallium (7841)

Thallium	mg/l	0.0020	0.00070
----------	------	--------	---------

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23933-21	Practical Quantitation Limit (PQL)	Liquid	08/05/04		
23933-22	Method Detection Limit (MDL)	Liquid	08/05/04		

Parameter	Units	Lab Sample IDs	
		23933-21	23933-22

Thallium (Dissolved) (7841)

Thallium (Dissolved)	mg/l	0.0020	0.00070
----------------------	------	--------	---------

Sodium (6010)

Sodium	mg/l	0.50	0.15
--------	------	------	------

Appendix I Metals Dissolved (6010)

Antimony (Dissolved)	mg/l	0.0060	0.0029
Arsenic (Dissolved)	mg/l	0.010	0.0038
Barium (Dissolved)	mg/l	0.010	0.0012
Beryllium (Dissolved)	mg/l	0.0040	0.00074
Cadmium (Dissolved)	mg/l	0.0050	0.00071
Chromium (Dissolved)	mg/l	0.010	0.0017
Cobalt (Dissolved)	mg/l	0.010	0.0014
Copper (Dissolved)	mg/l	0.020	0.0013
Lead (Dissolved)	mg/l	0.0050	0.0015
Nickel (Dissolved)	mg/l	0.040	0.0047
Selenium (Dissolved)	mg/l	0.010	0.0048
Silver (Dissolved)	mg/l	0.010	0.0019
Vanadium (Dissolved)	mg/l	0.010	0.0025
Zinc (Dissolved)	mg/l	0.020	0.0059

Iron (Dissolved) (6010)

Iron (Dissolved)	mg/l	0.050	0.037
------------------	------	-------	-------

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23933-21	Practical Quantitation Limit (PQL)	Liquid	08/05/04		
23933-22	Method Detection Limit (MDL)	Liquid	08/05/04		

Parameter	Units	Lab Sample IDs	
		23933-21	23933-22
Sodium (Dissolved) (6010)			
Sodium (Dissolved)	mg/l	0.50	0.15
Mercury (Dissolved) (7470)			
Mercury (Dissolved)	mg/l	0.00020	0.000072
Chloride (325.3)			
Chloride	mg/l	1.0	1.0
Ammonia-N (350.3)			
Ammonia-N	mg/l	0.050	0.040
Nitrate-N (353.2)			
Nitrate-N	mg/l	0.050	0.010
Solids, Total Dissolved (160.1)			
Solids, Total Dissolved	mg/l	5.0	5.0

Order Number: B423933

These test results meet all the requirements of NELAC. All questions regarding this test report should be directed to the STL Project Manager who signed this test report.

The estimated uncertainty associated with these reported results is available upon request.

STL Savannah, 5102 LaRoche Ave., Savannah, GA 31404
Phone #912/354-7858. DOH Certification #E87052

I = The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.

U = Indicates that the compound was analyzed for but not detected.

*F61 = The recoveries of the matrix spikes are outside advisory limits due to the abundance of the target analyte in the sample.

*F66 = Due to matrix interference in the sample, relative percent difference values (% RPD) exceeded advisory limits.

*F73 = Matrix spike recoveries were outside advisory limits due to matrix interference present in the sample.

Remit To: SEVERN TRENT LABORATORIES, INC. P.O. Box 7777 W4305 Philadelphia, PA 19175-4305
STL Tampa 6712 Benjamin Road, Suite 100 - Tampa FL 33634 Tel:813-885-7427 Fax:813-885-7049

INVOICE

Federal ID# 23-2919996

Mr. Kirk Wills
Geosyntec
14055 Riveredge Drive, Ste.300
Tampa, FL 33637

Invoice CC:

DATE 08/18/04	TERMS Net 30 Days	CLIENT PO #	CLIENT PROJECT # FQ0638	PROJECT Oak Hammock Disposal La
------------------	----------------------	-------------	----------------------------	------------------------------------

INVOICE # 66018412	CONTRACT #	CODE MV*387007	
-----------------------	------------	-------------------	--

LOG # B423933	CREDIT / DEBIT	ORIGINATING LOG #	SDG #	REQUISITION #
------------------	----------------	-------------------	-------	---------------

QUANTITY	MATRIX	METHOD	DESCRIPTION	UNIT PRICE	EXTENDED AMOUNT
8	Liquid	8260	Appendix I - Organics	62.40	499.20
8	Liquid	504	Microextractables	33.15	265.20
8	Liquid	6010	Appendix I Metals by ICP	65.52	524.16
8	Liquid	7470	Mercury	15.60	124.80
8	Liquid	6010	Iron	4.68	37.44
8	Liquid	7841	Thallium	12.00	96.00
8	Liquid	6010	Sodium	4.68	37.44
8	Liquid	325.3	Chloride	9.75	78.00
8	Liquid	350.3	Ammonia-N	7.80	62.40
8	Liquid	353.2	Nitrate-N	9.75	78.00
8	Liquid	160.1	Solids, Total Dissolved	5.85	46.80
5	Liquid	7841	Thallium (Dissolved)	12.00	60.00
5	Liquid	6010	Appendix I Metals Dissolved	65.52	327.60
5	Liquid	6010	Iron (Dissolved)	4.68	23.40
5	Liquid	6010	Sodium (Dissolved)	4.68	23.40
5	Liquid	7470	Mercury (Dissolved)	15.60	78.00
Total for this page					\$2,361.84
INVOICE TOTAL					\$2,361.84

REPORTED TO Mr. Kirk Wills	OFFICE Geosyntec	OFFICE PHONE (813) 558-0990
--------------------------------------	----------------------------	---------------------------------------

For proper credit, please show INVOICE NUMBER on your remittance.
After 30 days, service charges of 1.5% per 30 days will be applied to unpaid balance.

SEVERN TRENT **STL** 42 39 33

ANALYSIS REQUEST AND CHAIN OF CUSTODY RECORD

STL Tampa
6712 Benjamin Road, Suite 100
Tampa, FL 33634

Website: www.stl-inc.com
Phone: (813) 885-7427
Fax: (813) 885-7049

Alternate Laboratory Name/Location

Phone:
Fax:

PROJECT REFERENCE 040F	PROJECT NO. FQ0638	PROJECT LOCATION (STATE) FL	MATRIX TYPE	REQUIRED ANALYSIS	PAGE 1 OF 1
SAMPLER'S SIGNATURE <i>Clarene Oram</i>	P.O. NUMBER	CONTRACT NO.	COMPOSITE (C) OR GRAB (G) INDICATE	STANDARD REPORT DELIVERY	DATE DUE
CLIENT (SITE) PM Kirk Willis	CLIENT PHONE (813) 558-0990	CLIENT FAX (813) 558-9726	AQUEOUS (WATER)	EXPEDITED REPORT DELIVERY (SURCHARGE)	DATE DUE
CLIENT NAME GEOSYNTEC	CLIENT EMAIL Kwillis@geosyntec.com		SOLID OR SEMISOLID		
CLIENT ADDRESS 14065 RIVEREDGE DR, SUITE 300 TAMPA FL 33637			AIR		
COMPANY CONTRACTING THIS WORK (if applicable)			NONAQUEOUS LIQUID (OIL, SOLVENT,...)		

DATE	TIME	SAMPLE IDENTIFICATION	COMPOSITE (C) OR GRAB (G) INDICATE	AQUEOUS (WATER)	SOLID OR SEMISOLID	AIR	NONAQUEOUS LIQUID (OIL, SOLVENT,...)	NUMBER OF CONTAINERS SUBMITTED	REMARKS
8-4-04	08:55	MW-10B	G X					3	
8-4-04	08:55	MW-10C	G X					3	
8-4-04	10:35	MW-12B	G X					3	
8-4-04	10:30	MW-12C	G X					3	
8-4-04	12:25	MW-13B	G X					3	
8-4-04	12:25	MW-13C	G X					3	
8-4-04	14:55	MW-11B	G X					3	
8-4-04	14:50	MW-11C	G X					3	

RELINQUISHED BY: (SIGNATURE)	DATE	TIME	RELINQUISHED BY: (SIGNATURE)	DATE	TIME
<i>Clarene Oram</i>	8-4-04	1718	<i>Clarene Oram</i>	8-4-04	1718
RECEIVED BY: (SIGNATURE)	DATE	TIME	RECEIVED BY: (SIGNATURE)	DATE	TIME
<i>Clarene Oram</i>	8-4-04	1718	<i>Clarene Oram</i>	8-4-04	1718
RECEIVED BY: (SIGNATURE)	DATE	TIME	RECEIVED BY: (SIGNATURE)	DATE	TIME
<i>Clarene Oram</i>	8-5-04	1815	<i>Clarene Oram</i>	8-5-04	1815

RECEIVED FOR LABORATORY BY: (SIGNATURE)	DATE	TIME	CUSTODY INTACT	CUSTODY SEAL NO.	STL TAMPA LOG NO.	LABORATORY REMARKS
<i>Clarene Oram</i>	8-5-04	1115	<input checked="" type="checkbox"/>	N/S	B423933	

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19928

Monitoring_Site_Num: MW-10B

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.1	0.04	mg/l		8/11/2004
000940	Chloride	SP	NO	Y	325.3	9.8	1	mg/l		8/16/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	8/6/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	58	5	mg/l		8/11/2004
001097	Antimony (Dissolved)	SP	YES	Y	6010	0.0029	0.0029	mg/l	U	8/12/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/12/2004
001002	Arsenic (Dissolved)	SP	YES	Y	6010	0.0038	0.0038	mg/l	U	8/12/2004
001002	Arsenic	SP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/12/2004
001007	Barium	SP	NO	Y	6010	0.035	0.0012	mg/l		8/12/2004
001007	Barium (Dissolved)	SP	YES	Y	6010	0.012	0.0012	mg/l		8/12/2004
001012	Beryllium	SP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/12/2004
001012	Beryllium (Dissolved)	SP	YES	Y	6010	0.00074	0.00074	mg/l	U	8/12/2004
001027	Cadmium (Dissolved)	SP	YES	Y	6010	0.00071	0.00071	mg/l	U	8/12/2004
001027	Cadmium	SP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/12/2004
001034	Chromium (Dissolved)	SP	YES	Y	6010	0.0017	0.0017	mg/l	U	8/12/2004
001034	Chromium	SP	NO	Y	6010	0.0038	0.0017	mg/l	I	8/12/2004
001037	Cobalt	SP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/12/2004
001037	Cobalt (Dissolved)	SP	YES	Y	6010	0.0014	0.0014	mg/l	U	8/12/2004
001042	Copper (Dissolved)	SP	YES	Y	6010	0.0014	0.0013	mg/l	I	8/12/2004
001042	Copper	SP	NO	Y	6010	0.0028	0.0013	mg/l	I	8/12/2004
001045	Iron	SP	NO	Y	6010	0.97	0.037	mg/l		8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19928

Monitoring_Site_Num: MW-10B

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001045	Iron (Dissolved)	SP	YES	Y	6010	0.6	0.037	mg/l		8/12/2004
001051	Lead (Dissolved)	SP	YES	Y	6010	0.0015	0.0015	mg/l	U	8/12/2004
001051	Lead	SP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/12/2004
071900	Mercury (Dissolved)	SP	YES	Y	7470	0.000072	0.000072	mg/l	U	8/12/2004
071900	Mercury	SP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/12/2004
001067	Nickel	SP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/12/2004
001067	Nickel (Dissolved)	SP	YES	Y	6010	0.0047	0.0047	mg/l	U	8/12/2004
001147	Selenium	SP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/12/2004
001147	Selenium (Dissolved)	SP	YES	Y	6010	0.0048	0.0048	mg/l	U	8/12/2004
000929	Sodium	SP	NO	Y	6010	6.4	0.15	mg/l		8/12/2004
000929	Sodium (Dissolved)	SP	YES	Y	6010	6.4	0.15	mg/l		8/12/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001059	Thallium (Dissolved)	SP	YES	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001087	Vanadium	SP	NO	Y	6010	0.0041	0.0025	mg/l	I	8/12/2004
001087	Vanadium (Dissolved)	SP	YES	Y	6010	0.0025	0.0025	mg/l	U	8/12/2004
001092	Zinc	SP	NO	Y	6010	0.0083	0.0059	mg/l	I	8/12/2004
001092	Zinc (Dissolved)	SP		Y	6010	0.0059	0.0059	mg/l	U	8/18/2004
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/15/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/15/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/15/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/15/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19928

Monitoring_Site_Num: MW-10B

Permitted Well Type: **CO**

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) **Yes**

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/15/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/15/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/15/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/15/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/15/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/15/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/15/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/12/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/15/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/15/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/15/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/15/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/15/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/15/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/15/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/15/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19928

Monitoring_Site_Num: MW-10B

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/15/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/15/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/15/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/15/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/15/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/15/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/15/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/15/2004
034010	Toluene	SP	NO	Y	8260	0.51	0.51	ug/l	U	8/15/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/15/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/15/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/15/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/15/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/15/2004
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/15/2004
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/15/2004
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/15/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS Facility: 89544

Sample Date 8/4/2004

WACS Well: 19928

Monitoring_Site_Num: MW-10B

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/12/2004
001077	Silver (Dissolved)	SP	YES	Y	6010	0.0019	0.0019	mg/l	U	8/12/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19929

Monitoring_Site_Num: MW-10C

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.12	0.04	mg/l		8/11/2004
000940	Chloride	SP	NO	Y	325.3	8	1	mg/l		8/16/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	8/6/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	50	5	mg/l		8/11/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/12/2004
001097	Antimony (Dissolved)	SP	YES	Y	6010	0.0029	0.0029	mg/l	U	8/12/2004
001002	Arsenic	SP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/12/2004
001002	Arsenic (Dissolved)	SP	YES	Y	6010	0.0038	0.0038	mg/l	U	8/12/2004
001007	Barium (Dissolved)	SP	YES	Y	6010	0.014	0.0012	mg/l		8/12/2004
001007	Barium	SP	NO	Y	6010	0.048	0.0012	mg/l		8/12/2004
001012	Beryllium	SP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/12/2004
001012	Beryllium (Dissolved)	SP	YES	Y	6010	0.00074	0.00074	mg/l	U	8/12/2004
001027	Cadmium (Dissolved)	SP	YES	Y	6010	0.00071	0.00071	mg/l	U	8/12/2004
001027	Cadmium	SP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/12/2004
001034	Chromium (Dissolved)	SP	YES	Y	6010	0.0017	0.0017	mg/l	U	8/12/2004
001034	Chromium	SP	NO	Y	6010	0.0041	0.0017	mg/l	I	8/12/2004
001037	Cobalt (Dissolved)	SP	YES	Y	6010	0.0014	0.0014	mg/l	U	8/12/2004
001037	Cobalt	SP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/12/2004
001042	Copper (Dissolved)	SP	YES	Y	6010	0.0013	0.0013	mg/l	U	8/12/2004
001042	Copper	SP	NO	Y	6010	0.0023	0.0013	mg/l	I	8/12/2004
001045	Iron	SP	NO	Y	6010	1.5	0.037	mg/l		8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19929

Monitoring_Site_Num: MW-10C

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001045	Iron (Dissolved)	SP	YES	Y	6010	0.81	0.037	mg/l		8/12/2004
001051	Lead (Dissolved)	SP	YES	Y	6010	0.0015	0.0015	mg/l	U	8/12/2004
001051	Lead	SP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/12/2004
071900	Mercury (Dissolved)	SP	YES	Y	7470	0.000072	0.000072	mg/l	U	8/12/2004
071900	Mercury	SP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/12/2004
001067	Nickel (Dissolved)	SP	YES	Y	6010	0.0047	0.0047	mg/l	U	8/12/2004
001067	Nickel	SP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/12/2004
001147	Selenium (Dissolved)	SP	YES	Y	6010	0.0048	0.0048	mg/l	U	8/12/2004
001147	Selenium	SP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/12/2004
000929	Sodium (Dissolved)	SP	YES	Y	6010	5.8	0.15	mg/l		8/12/2004
000929	Sodium	SP	NO	Y	6010	5.8	0.15	mg/l		8/12/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001059	Thallium (Dissolved)	SP	YES	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001087	Vanadium (Dissolved)	SP	YES	Y	6010	0.0025	0.0025	mg/l	U	8/12/2004
001087	Vanadium	SP	NO	Y	6010	0.0057	0.0025	mg/l	I	8/12/2004
001092	Zinc	SP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/12/2004
001092	Zinc (Dissolved)	SP		Y	6010	0.013	0.0059	mg/l	I	8/12/2004
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/15/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/15/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/15/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/15/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19929

Monitoring_Site_Num: MW-10C

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/15/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/15/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/15/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/15/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/15/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/15/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/15/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/12/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/15/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/15/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/15/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/15/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/15/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/15/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/15/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/15/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19929

Monitoring_Site_Num: MW-10C

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/15/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/15/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/15/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/15/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/15/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/15/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/15/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/15/2004
034010	Toluene	SP	NO	Y	8260	0.51	0.51	ug/l	U	8/15/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/15/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/15/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/15/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/15/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/15/2004
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/15/2004
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/15/2004
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/15/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19929

Monitoring_Site_Num: MW-10C

Permitted Well Type: **CO**

Ground water classification: **G-II**

**Well Purged prior to
Sample Collection? (Y/N)** **Yes**

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/12/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/12/2004
001077	Silver (Dissolved)	SP	YES	Y	6010	0.0019	0.0019	mg/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19931

Monitoring_Site_Num: MW-11B

Permitted Well Type: **CO**

Ground water classification: **G-II**

**Well Purged prior to
Sample Collection? (Y/N)** **Yes**

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.15	0.04	mg/l		8/11/2004
000940	Chloride	SP	NO	Y	325.3	26	1	mg/l		8/16/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	8/6/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	530	5	mg/l		8/11/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/12/2004
001097	Antimony (Dissolved)	SP	YES	Y	6010	0.0029	0.0029	mg/l	U	8/12/2004
001002	Arsenic (Dissolved)	SP	YES	Y	6010	0.0038	0.0038	mg/l	U	8/12/2004
001002	Arsenic	SP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/12/2004
001007	Barium (Dissolved)	SP	YES	Y	6010	0.015	0.0012	mg/l		8/12/2004
001007	Barium	SP	NO	Y	6010	0.31	0.0012	mg/l		8/12/2004
001012	Beryllium	SP	NO	Y	6010	0.00086	0.00074	mg/l	I	8/12/2004
001012	Beryllium (Dissolved)	SP	YES	Y	6010	0.00074	0.00074	mg/l	U	8/12/2004
001027	Cadmium (Dissolved)	SP	YES	Y	6010	0.00071	0.00071	mg/l	U	8/12/2004
001027	Cadmium	SP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/12/2004
001034	Chromium	SP	NO	Y	6010	0.04	0.0017	mg/l		8/12/2004
001034	Chromium (Dissolved)	SP	YES	Y	6010	0.0017	0.0017	mg/l	U	8/12/2004
001037	Cobalt (Dissolved)	SP	YES	Y	6010	0.0014	0.0014	mg/l	U	8/12/2004
001037	Cobalt	SP	NO	Y	6010	0.002	0.0014	mg/l	I	8/12/2004
001042	Copper (Dissolved)	SP	YES	Y	6010	0.0013	0.0013	mg/l	U	8/12/2004
001042	Copper	SP	NO	Y	6010	0.0073	0.0013	mg/l	I	8/12/2004
001045	Iron	SP	NO	Y	6010	5.5	0.037	mg/l		8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19931

Monitoring_Site_Num: MW-11B

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001045	Iron (Dissolved)	SP	YES	Y	6010	0.49	0.037	mg/l		8/12/2004
001051	Lead	SP	NO	Y	6010	0.024	0.0015	mg/l		8/12/2004
001051	Lead (Dissolved)	SP	YES	Y	6010	0.0015	0.0015	mg/l	U	8/12/2004
071900	Mercury (Dissolved)	SP	YES	Y	7470	0.000072	0.000072	mg/l	U	8/12/2004
071900	Mercury	SP	NO	Y	7470	0.00018	0.000072	mg/l	I	8/12/2004
001067	Nickel (Dissolved)	SP	YES	Y	6010	0.0047	0.0047	mg/l	U	8/12/2004
001067	Nickel	SP	NO	Y	6010	0.0094	0.0047	mg/l	I	8/12/2004
001147	Selenium (Dissolved)	SP	YES	Y	6010	0.0048	0.0048	mg/l	U	8/12/2004
001147	Selenium	SP	NO	Y	6010	0.013	0.0048	mg/l		8/12/2004
000929	Sodium	SP	NO	Y	6010	21	0.15	mg/l		8/12/2004
000929	Sodium (Dissolved)	SP	YES	Y	6010	22	0.15	mg/l		8/12/2004
001059	Thallium (Dissolved)	SP	YES	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001087	Vanadium (Dissolved)	SP	YES	Y	6010	0.0025	0.0025	mg/l	U	8/12/2004
001087	Vanadium	SP	NO	Y	6010	0.056	0.0025	mg/l		8/12/2004
001092	Zinc	SP	NO	Y	6010	0.0092	0.0059	mg/l	I	8/12/2004
001092	Zinc (Dissolved)	SP		Y	6010	0.015	0.0059	mg/l	I	8/12/2004
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/15/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/15/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/15/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/15/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19931

Monitoring_Site_Num: MW-11B

Permitted Well Type: **CO**

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/15/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/15/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/15/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/15/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/15/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/15/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/15/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/12/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/15/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/15/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/15/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/15/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/15/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/15/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/15/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/15/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19931

Monitoring_Site_Num: MW-11B

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/15/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/15/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/15/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/15/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/15/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/15/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/15/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/15/2004
034010	Toluene	SP	NO	Y	8260	0.51	0.51	ug/l	U	8/15/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/15/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/15/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/15/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/15/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/15/2004
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/15/2004
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
001077	Silver (Dissolved)	SP	YES	Y	6010	0.0019	0.0019	mg/l	U	8/12/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19931

Monitoring_Site_Num: MW-11B

Permitted Well Type: **CO**

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/15/2004
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/15/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19932

Monitoring_Site_Num: MW-11C

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.11	0.04	mg/l		8/11/2004
000940	Chloride	SP	NO	Y	325.3	20	1	mg/l		8/16/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	8/6/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	100	5	mg/l		8/11/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/12/2004
001002	Arsenic	SP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/12/2004
001007	Barium	SP	NO	Y	6010	0.015	0.0012	mg/l		8/12/2004
001012	Beryllium	SP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/12/2004
001027	Cadmium	SP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/12/2004
001034	Chromium	SP	NO	Y	6010	0.0018	0.0017	mg/l	I	8/12/2004
001037	Cobalt	SP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/12/2004
001042	Copper	SP	NO	Y	6010	0.0013	0.0013	mg/l	U	8/12/2004
001045	Iron	SP	NO	Y	6010	0.76	0.037	mg/l		8/12/2004
001051	Lead	SP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/12/2004
071900	Mercury	SP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/12/2004
001067	Nickel	SP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/12/2004
001147	Selenium	SP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/12/2004
000929	Sodium	SP	NO	Y	6010	9.3	0.15	mg/l		8/12/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001087	Vanadium	SP	NO	Y	6010	0.0025	0.0025	mg/l	U	8/12/2004
001092	Zinc	SP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19932

Monitoring_Site_Num: MW-11C

Permitted Well Type: **CO**

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) **Yes**

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/15/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/15/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/15/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/15/2004
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/15/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/15/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/15/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/15/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/15/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/15/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/15/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/11/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/15/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/15/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/15/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/15/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/15/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/15/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19932

Monitoring_Site_Num: MW-11C

Permitted Well Type: **CO**

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/15/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/15/2004
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/15/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/15/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/15/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/15/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/15/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/15/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/15/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/15/2004
034010	Toluene	SP	NO	Y	8260	0.51	0.51	ug/l	U	8/15/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/15/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/15/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/15/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/15/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/15/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19932

Monitoring_Site_Num: MW-11C

Permitted Well Type: **CO**

Ground water classification: **G-II**

**Well Purged prior to
Sample Collection? (Y/N)** **Yes**

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/15/2004
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/15/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/12/2004
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/15/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19934

Monitoring_Site_Num: MW-12B

Permitted Well Type: **CO**

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) **Yes**

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.12	0.04	mg/l		8/11/2004
000940	Chloride	SP	NO	Y	325.3	8.9	1	mg/l		8/16/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	8/6/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	930	5	mg/l		8/11/2004
001097	Antimony (Dissolved)	SP	YES	Y	6010	0.0029	0.0029	mg/l	U	8/12/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/12/2004
001002	Arsenic	SP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/12/2004
001002	Arsenic (Dissolved)	SP	YES	Y	6010	0.0038	0.0038	mg/l	U	8/12/2004
001007	Barium (Dissolved)	SP	YES	Y	6010	0.019	0.0012	mg/l		8/12/2004
001007	Barium	SP	NO	Y	6010	0.31	0.0012	mg/l		8/12/2004
001012	Beryllium (Dissolved)	SP	YES	Y	6010	0.00074	0.00074	mg/l	U	8/12/2004
001012	Beryllium	SP	NO	Y	6010	0.0011	0.00074	mg/l	I	8/12/2004
001027	Cadmium (Dissolved)	SP	YES	Y	6010	0.00071	0.00071	mg/l	U	8/12/2004
001027	Cadmium	SP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/12/2004
001034	Chromium (Dissolved)	SP	YES	Y	6010	0.0017	0.0017	mg/l	U	8/12/2004
001034	Chromium	SP	NO	Y	6010	0.044	0.0017	mg/l		8/12/2004
001037	Cobalt	SP	NO	Y	6010	0.0024	0.0014	mg/l	I	8/12/2004
001037	Cobalt (Dissolved)	SP	YES	Y	6010	0.0014	0.0014	mg/l	U	8/12/2004
001042	Copper	SP	NO	Y	6010	0.023	0.0013	mg/l		8/12/2004
001042	Copper (Dissolved)	SP	YES	Y	6010	0.0013	0.0013	mg/l	U	8/12/2004
001045	Iron (Dissolved)	SP	YES	Y	6010	0.64	0.037	mg/l		8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19934

Monitoring_Site_Num: MW-12B

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001045	Iron	SP	NO	Y	6010	6.8	0.037	mg/l		8/12/2004
001051	Lead	SP	NO	Y	6010	0.038	0.0015	mg/l		8/12/2004
001051	Lead (Dissolved)	SP	YES	Y	6010	0.0015	0.0015	mg/l	U	8/12/2004
071900	Mercury (Dissolved)	SP	YES	Y	7470	0.000072	0.000072	mg/l	U	8/12/2004
071900	Mercury	SP	NO	Y	7470	0.00021	0.000072	mg/l		8/12/2004
001067	Nickel	SP	NO	Y	6010	0.011	0.0047	mg/l	I	8/12/2004
001067	Nickel (Dissolved)	SP	YES	Y	6010	0.0047	0.0047	mg/l	U	8/12/2004
001147	Selenium	SP	NO	Y	6010	0.0048	0.0048	mg/l	I	8/12/2004
001147	Selenium (Dissolved)	SP	YES	Y	6010	0.0048	0.0048	mg/l	U	8/12/2004
000929	Sodium (Dissolved)	SP	YES	Y	6010	8.9	0.15	mg/l		8/12/2004
000929	Sodium	SP	NO	Y	6010	9	0.15	mg/l		8/12/2004
001059	Thallium (Dissolved)	SP	YES	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001087	Vanadium (Dissolved)	SP	YES	Y	6010	0.0025	0.0025	mg/l	I	8/12/2004
001087	Vanadium	SP	NO	Y	6010	0.053	0.0025	mg/l		8/12/2004
001092	Zinc (Dissolved)	SP		Y	6010	0.012	0.0059	mg/l	I	8/12/2004
001092	Zinc	SP	NO	Y	6010	0.018	0.0059	mg/l	I	8/12/2004
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/15/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/15/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/15/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/15/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19934

Monitoring_Site_Num: MW-12B

Permitted Well Type: **CO**

Ground water classification: **G-II**

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

**Well Purged prior to
 Sample Collection? (Y/N)** **Yes**

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/15/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/15/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/15/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/15/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/15/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/15/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/15/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/12/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/15/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/15/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/15/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/15/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/15/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/15/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/15/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/15/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19934

Monitoring_Site_Num: MW-12B

Permitted Well Type: CO

Ground water classification: **G-II**

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Well Purged prior to Sample Collection? (Y/N) Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/15/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/15/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/15/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/15/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/15/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/15/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/15/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/15/2004
034010	Toluene	SP	NO	Y	8260	1.7	0.51	ug/l		8/15/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/15/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/15/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/15/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/15/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/15/2004
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/15/2004
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/15/2004
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/15/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19934

Monitoring_Site_Num: MW-12B

Permitted Well Type: **CO**

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001077	Silver (Dissolved)	SP	YES	Y	6010	0.0019	0.0019	mg/l	U	8/12/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/12/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19935

Monitoring_Site_Num: MW-12C

Permitted Well Type: **CO**

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) **Yes**

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.14	0.04	mg/l		8/11/2004
000940	Chloride	SP	NO	Y	325.3	8.4	1	mg/l		8/16/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	8/6/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	52	5	mg/l		8/11/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/12/2004
001002	Arsenic	SP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/12/2004
001007	Barium	SP	NO	Y	6010	0.041	0.0012	mg/l		8/12/2004
001012	Beryllium	SP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/12/2004
001027	Cadmium	SP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/12/2004
001034	Chromium	SP	NO	Y	6010	0.0023	0.0017	mg/l	I	8/12/2004
001037	Cobalt	SP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/12/2004
001042	Copper	SP	NO	Y	6010	0.0016	0.0013	mg/l	I	8/12/2004
001045	Iron	SP	NO	Y	6010	1.2	0.037	mg/l		8/12/2004
001051	Lead	SP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/12/2004
071900	Mercury	SP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/12/2004
001067	Nickel	SP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/12/2004
001147	Selenium	SP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/12/2004
000929	Sodium	SP	NO	Y	6010	4.9	0.15	mg/l		8/12/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001087	Vanadium	SP	NO	Y	6010	0.003	0.0025	mg/l	I	8/12/2004
001092	Zinc	SP	NO	Y	6010	0.0089	0.0059	mg/l	I	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19935

Monitoring_Site_Num: MW-12C

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/15/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/15/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/15/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/15/2004
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/15/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/15/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/15/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/15/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/15/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/15/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/15/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/11/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/15/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/15/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/15/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/15/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/15/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/15/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19935

Monitoring_Site_Num: MW-12C

Permitted Well Type: **CO**

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) **Yes**

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/15/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/15/2004
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/15/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/15/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/15/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/15/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/15/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/15/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/15/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/15/2004
034010	Toluene	SP	NO	Y	8260	0.51	0.51	ug/l	U	8/15/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/15/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/15/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/15/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/15/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/15/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19935

Monitoring_Site_Num: MW-12C

Permitted Well Type: **CO**

Ground water classification: **G-II**

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Well Purged prior to Sample Collection? (Y/N) Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/15/2004
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/11/2004
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/15/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/12/2004
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/15/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19937

Monitoring_Site_Num: MW-13B

Permitted Well Type: CO

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

**Well Purged prior to
 Sample Collection? (Y/N)** Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.11	0.04	mg/l		8/11/2004
000940	Chloride	SP	NO	Y	325.3	13	1	mg/l		8/16/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	8/6/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	86	5	mg/l		8/11/2004
001097	Antimony (Dissolved)	SP	YES	Y	6010	0.0029	0.0029	mg/l	U	8/12/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/12/2004
001002	Arsenic	SP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/12/2004
001002	Arsenic (Dissolved)	SP	YES	Y	6010	0.0038	0.0038	mg/l	U	8/12/2004
001007	Barium (Dissolved)	SP	YES	Y	6010	0.012	0.0012	mg/l		8/12/2004
001007	Barium	SP	NO	Y	6010	0.059	0.0012	mg/l		8/12/2004
001012	Beryllium (Dissolved)	SP	YES	Y	6010	0.00074	0.00074	mg/l	U	8/12/2004
001012	Beryllium	SP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/12/2004
001027	Cadmium	SP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/12/2004
001027	Cadmium (Dissolved)	SP	YES	Y	6010	0.00071	0.00071	mg/l	U	8/12/2004
001034	Chromium	SP	NO	Y	6010	0.011	0.0017	mg/l		8/12/2004
001034	Chromium (Dissolved)	SP	YES	Y	6010	0.0017	0.0017	mg/l	U	8/12/2004
001037	Cobalt (Dissolved)	SP	YES	Y	6010	0.0014	0.0014	mg/l	U	8/12/2004
001037	Cobalt	SP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/12/2004
001042	Copper (Dissolved)	SP	YES	Y	6010	0.0013	0.0013	mg/l	U	8/12/2004
001042	Copper	SP	NO	Y	6010	0.0054	0.0013	mg/l	I	8/12/2004
001045	Iron	SP	NO	Y	6010	2.3	0.037	mg/l		8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19937

Monitoring_Site_Num: MW-13B

Permitted Well Type: **CO**

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001045	Iron (Dissolved)	SP	YES	Y	6010	0.91	0.037	mg/l		8/12/2004
001051	Lead	SP	NO	Y	6010	0.0074	0.0015	mg/l		8/12/2004
001051	Lead (Dissolved)	SP	YES	Y	6010	0.0015	0.0015	mg/l	U	8/12/2004
071900	Mercury	SP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/12/2004
071900	Mercury (Dissolved)	SP	YES	Y	7470	0.000072	0.000072	mg/l	U	8/12/2004
001067	Nickel	SP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/12/2004
001067	Nickel (Dissolved)	SP	YES	Y	6010	0.0047	0.0047	mg/l	U	8/12/2004
001147	Selenium (Dissolved)	SP	YES	Y	6010	0.0048	0.0048	mg/l	U	8/12/2004
001147	Selenium	SP	NO	Y	6010	0.0068	0.0048	mg/l	I	8/12/2004
000929	Sodium (Dissolved)	SP	YES	Y	6010	7.4	0.15	mg/l		8/12/2004
000929	Sodium	SP	NO	Y	6010	7.1	0.15	mg/l		8/12/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001059	Thallium (Dissolved)	SP	YES	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001087	Vanadium (Dissolved)	SP	YES	Y	6010	0.0025	0.0025	mg/l	U	8/12/2004
001087	Vanadium	SP	NO	Y	6010	0.012	0.0025	mg/l		8/12/2004
001092	Zinc	SP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/12/2004
001092	Zinc (Dissolved)	SP		Y	6010	0.015	0.0059	mg/l	I	8/12/2004
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/15/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/15/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/15/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/15/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19937

Monitoring_Site_Num: MW-13B

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/15/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/15/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/15/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/15/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/15/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/15/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/15/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/12/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/15/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/15/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/15/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/15/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/15/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/15/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/15/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/15/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19937

Monitoring_Site_Num: MW-13B

Permitted Well Type: CO

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Well Purged prior to Sample Collection? (Y/N) Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/15/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/15/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/15/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/15/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/15/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/15/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/15/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/15/2004
034010	Toluene	SP	NO	Y	8260	0.51	0.51	ug/l	U	8/15/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/15/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/15/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/15/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/15/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/15/2004
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/15/2004
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/15/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19937

Monitoring_Site_Num: MW-13B

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Store Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/15/2004
001077	Silver (Dissolved)	SP	YES	Y	6010	0.0019	0.0019	mg/l	U	8/12/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/12/2004

**Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)**

**WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring**

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19938

Monitoring_Site_Num: MW-13C

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.13	0.04	mg/l		8/11/2004
000940	Chloride	SP	NO	Y	325.3	12	1	mg/l		8/16/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	8/6/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	82	5	mg/l		8/11/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/12/2004
001002	Arsenic	SP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/12/2004
001007	Barium	SP	NO	Y	6010	0.028	0.0012	mg/l		8/12/2004
001012	Beryllium	SP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/12/2004
001027	Cadmium	SP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/12/2004
001034	Chromium	SP	NO	Y	6010	0.0017	0.0017	mg/l	U	8/12/2004
001037	Cobalt	SP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/12/2004
001042	Copper	SP	NO	Y	6010	0.0018	0.0013	mg/l	I	8/12/2004
001045	Iron	SP	NO	Y	6010	0.92	0.037	mg/l		8/12/2004
001051	Lead	SP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/12/2004
071900	Mercury	SP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/12/2004
001067	Nickel	SP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/12/2004
001147	Selenium	SP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/12/2004
000929	Sodium	SP	NO	Y	6010	6.7	0.15	mg/l		8/12/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001087	Vanadium	SP	NO	Y	6010	0.0025	0.0025	mg/l	U	8/12/2004
001092	Zinc	SP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19938

Monitoring_Site_Num: MW-13C

Permitted Well Type: **CO**

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) **Yes**

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/15/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/15/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/15/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/15/2004
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/15/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/15/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/15/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/15/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/15/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/15/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/15/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/11/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/15/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/15/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/15/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/15/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/15/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/15/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19938

Monitoring_Site_Num: MW-13C

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/15/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/15/2004
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/15/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/15/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/15/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/15/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/15/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/15/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/15/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/15/2004
034010	Toluene	SP	NO	Y	8260	0.51	0.51	ug/l	U	8/15/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/15/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/15/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/15/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/15/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/15/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19938

Monitoring_Site_Num: MW-13C

Permitted Well Type: **CO**

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) **Yes**

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Store Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/15/2004
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/11/2004
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/15/2004
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/15/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well:

Monitoring_Site_Num: Trip Blank

Permitted Well Type:

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

**Well Purged prior to
 Sample Collection? (Y/N)**

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone		NO	Y	8260	9.9	9.9	ug/l	U	8/15/2004
034215	Acrylonitrile		NO	Y	8260	1.2	1.2	ug/l	U	8/15/2004
034030	Benzene		NO	Y	8260	0.27	0.27	ug/l	U	8/15/2004
073085	Bromochloromethane		NO	Y	8260	0.58	0.58	ug/l	U	8/15/2004
032101	Bromodichloromethane		NO	Y	8260	0.35	0.35	ug/l	U	8/15/2004
032104	Bromoform		NO	Y	8260	0.58	0.58	ug/l	U	8/15/2004
077041	Carbon disulfide		NO	Y	8260	0.85	0.85	ug/l	U	8/15/2004
032102	Carbon Tetrachloride		NO	Y	8260	0.42	0.42	ug/l	U	8/15/2004
034301	Chlorobenzene		NO	Y	8260	0.63	0.63	ug/l	U	8/15/2004
034311	Chloroethane		NO	Y	8260	0.8	0.8	ug/l	U	8/15/2004
032105	Dibromochloromethane		NO	Y	8260	0.34	0.34	ug/l	U	8/15/2004
077651	1,2-Dibromoethane (EDB)		NO	Y	504	0.0087	0.0087	ug/l	U	8/12/2004
034536	1,2-Dichlorobenzene		NO	Y	8260	0.44	0.44	ug/l	U	8/15/2004
034571	1,4-Dichlorobenzene		NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004
049263	Trans-1,4-Dichloro-2-butene		NO	Y	8260	2.5	2.5	ug/l	U	8/15/2004
034496	1,1-Dichloroethane		NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004
034531	1,2-Dichloroethane		NO	Y	8260	0.57	0.57	ug/l	U	8/15/2004
034501	1,1-Dichloroethylene		NO	Y	8260	0.45	0.45	ug/l	U	8/15/2004
077093	cis-1,2-Dichloroethylene		NO	Y	8260	0.65	0.65	ug/l	U	8/15/2004
034546	trans-1,2-Dichloroethylene		NO	Y	8260	0.44	0.44	ug/l	U	8/15/2004
034541	1,2-Dichloropropane		NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well:

Monitoring_Site_Num: Trip Blank

Permitted Well Type:

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

**Well Purged prior to
 Sample Collection? (Y/N)**

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene		NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034699	trans-1,3-Dichloropropene		NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034371	Ethylbenzene		NO	Y	8260	0.83	0.83	ug/l	U	8/15/2004
034413	Bromomethane		NO	Y	8260	0.66	0.66	ug/l	U	8/15/2004
077103	2-Hexanone		NO	Y	8260	4.4	4.4	ug/l	U	8/15/2004
034418	Chloromethane		NO	Y	8260	0.64	0.64	ug/l	U	8/15/2004
081595	2-Butanone (MEK)		NO	Y	8260	8.4	8.4	ug/l	U	8/15/2004
077424	Iodomethane		NO	Y	8260	0.67	0.67	ug/l	U	8/15/2004
034423	Methylene Chloride		NO	Y	8260	1	1	ug/l	U	8/15/2004
081596	4-Methyl-2-pentanone (MIBK)		NO	Y	8260	3.8	3.8	ug/l	U	8/15/2004
077128	Styrene		NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
077562	1,1,1,2-Tetrachloroethane		NO	Y	8260	0.63	0.63	ug/l	U	8/15/2004
034516	1,1,2,2-Tetrachloroethane		NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034475	Tetrachloroethene		NO	Y	8260	0.34	0.34	ug/l	U	8/15/2004
034010	Toluene		NO	Y	8260	0.51	0.51	ug/l	U	8/15/2004
034506	1,1,1-Trichloroethane		NO	Y	8260	0.46	0.46	ug/l	U	8/15/2004
034511	1,1,2-Trichloroethane		NO	Y	8260	0.47	0.47	ug/l	U	8/15/2004
039180	Trichloroethene		NO	Y	8260	0.28	0.28	ug/l	U	8/15/2004
034488	Trichlorofluoromethane		NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
077443	1,2,3-Trichloropropane		NO	Y	8260	0.15	0.15	ug/l	U	8/15/2004
077057	Vinyl acetate		NO	Y	8260	1.5	1.5	ug/l	U	8/15/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well:

Monitoring_Site_Num: Trip Blank

Permitted Well Type:

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

**Well Purged prior to
 Sample Collection? (Y/N)**

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
039175	Vinyl chloride		NO	Y	8260	0.5	0.5	ug/l	U	8/15/2004
034020	Xylenes		NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
032106	Chloroform		NO	Y	8260	0.9	0.9	ug/l	U	8/15/2004
046361	Dibromomethane		NO	Y	8260	0.41	0.41	ug/l	U	8/15/2004
049146	1,2-Dibromo-3-chloropropane		NO	Y	504	0.003	0.003	ug/l	U	8/12/2004

Analytical Report

For: Mr. Kirk Wills
Geosyntec
14055 Riveredge Drive, Ste.300
Tampa, FL 33637

CC:

Order Number: B423964
SDG Number:
Client Project ID: FQ0638
Project: Oak Hammock Disposal Landfill
Report Date: 08/24/2004
Sampled By: Client
Sample Received Date: 08/06/2004
Requisition Number:
Purchase Order:



Michael F. Valder, Project Manager
mvalder@stl-inc.com

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Sample Summary

Order: B423964
Date Received: 08/06/2004

Client: Geosyntec
Project: Oak Hammock Disposal Landfill

Client Sample ID
L-1
Trip Blank

Lab Sample ID
B423964*1
B423964*2

Matrix
Liquid
Liquid

Date Sampled
08/05/2004 13:45
08/05/2004

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-1	L-1	Liquid	08/06/04	08/05/04 13:45	

Parameter	Units	Lab Sample IDs
		23964-1

Volatile Organic Compounds (8260)

Acetonitrile	ug/l	75U
Acetone	ug/l	350
Benzene	ug/l	2.0
Bromodichloromethane	ug/l	0.35U
Bromomethane	ug/l	0.66U
Carbon disulfide	ug/l	1.7
Chlorobenzene	ug/l	0.63U
Bromochloromethane	ug/l	0.58U
Dibromochloromethane	ug/l	0.34U
Chloroethane	ug/l	0.80U
Chloromethane	ug/l	0.64U
Chloroform	ug/l	0.90U
3-Chloro-1-propene (Allyl chloride)	ug/l	1.1U
Chloroprene	ug/l	0.89U
Dibromomethane	ug/l	0.41U
trans-1,4-Dichloro-2-butene	ug/l	2.5U
Dichlorodifluoromethane	ug/l	0.40U
1,1-Dichloroethane	ug/l	1.0
1,2-Dichloroethane	ug/l	1.9
trans-1,2-Dichloroethene	ug/l	0.44U
cis-1,2-Dichloroethene	ug/l	0.65U
1,1-Dichloroethene	ug/l	0.45U
Methylene chloride (Dichloromethane)	ug/l	7.3
1,2-Dichloropropane	ug/l	0.79U
1,3-Dichloropropane	ug/l	0.39U
2,2 Dichloropropane	ug/l	0.36U
1,1 Dichloropropene	ug/l	0.31U
cis-1,3-Dichloropropene	ug/l	0.14U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-1	L-1	Liquid	08/06/04	08/05/04 13:45	

Parameter	Units	Lab Sample IDs
		23964-1

Volatile Organic Compounds (8260)

trans-1,3-Dichloropropene	ug/l	0.14U
Ethylbenzene	ug/l	0.83U
2-Butanone (MEK)	ug/l	1200*F42
Iodomethane	ug/l	0.67U
Methacrylonitrile	ug/l	1.8U
4-Methyl-2-pentanone (MIBK)	ug/l	8.8I
Styrene	ug/l	0.98U
1,1,1,2-Tetrachloroethane	ug/l	0.63U
1,1,2,2-Tetrachloroethane	ug/l	0.14U
Tetrachloroethene	ug/l	0.34U
Carbon tetrachloride	ug/l	0.42U
Toluene	ug/l	5.2
Bromoform	ug/l	0.58U
1,1,2-Trichloroethane	ug/l	0.47U
1,1,1-Trichloroethane	ug/l	0.46U
Trichloroethene	ug/l	0.41I
Trichlorofluoromethane	ug/l	0.98U
1,2,3-Trichloropropane	ug/l	0.15U
Vinyl acetate	ug/l	1.5U
Vinyl chloride	ug/l	0.50U
Xylenes, Total	ug/l	0.98U
2-Hexanone	ug/l	4.4U
Propionitrile	ug/l	7.2U
Methyl methacrylate	ug/l	1.9I
Acrolein (Propenal)	ug/l	3.8U
Acrylonitrile	ug/l	1.2U
Ethyl methacrylate	ug/l	0.53U
Isobutanol	ug/l	31U
Surrogate - Toluene-d8 *	%	80 %
Surrogate -		
4-Bromofluorobenzene *	%	84 %

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-1	L-1	Liquid	08/06/04	08/05/04 13:45	

Parameter	Units	Lab Sample IDs
		23964-1

Volatile Organic Compounds (8260)

Surrogate -		
Dibromofluoromethane *	%	90 %
Dilution Factor		1
Analysis Date		08/16/04
Analysis Time		18:44
Batch ID		0816H

PCB's (8082)

Aroclor-1016	ug/l	0.26U
Aroclor-1221	ug/l	0.15U
Aroclor-1232	ug/l	0.38U
Aroclor-1242	ug/l	0.077U
Aroclor-1248	ug/l	0.070U
Aroclor-1254	ug/l	0.12U
Aroclor-1260	ug/l	0.10U
Surrogate - TCX *	%	55 %
Surrogate - DCB *	%	50 %
Dilution Factor		1
Prep Date		08/10/04
Prep Time		11:00
Analysis Date		08/17/04
Analysis Time		19:29
Batch ID		08100

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-1	L-1	Liquid	08/06/04	08/05/04 13:45	

Parameter	Units	Lab Sample IDs
		23964-1

Chlorinated Pesticides (8081)

Aldrin	ug/l	0.00065U
Isodrin	ug/l	0.0061U
Chlordane (technical)	ug/l	0.057U
Chlorobenzilate	ug/l	0.075U
p,p'-DDD	ug/l	0.0047U
p,p'-DDE	ug/l	0.0031U
p,p'-DDT	ug/l	0.0042U
Dieldrin	ug/l	0.014IP
Endosulfan I	ug/l	0.0063U
Endosulfan II	ug/l	0.0078U
Endosulfan sulfate	ug/l	0.0070U
Endrin	ug/l	0.0035U
Endrin aldehyde	ug/l	0.0061IP
Heptachlor	ug/l	0.011U
Heptachlor epoxide	ug/l	0.0060U
alpha-BHC	ug/l	0.00051U
beta-BHC	ug/l	0.0063U
gamma-BHC (Lindane)	ug/l	0.011U
delta-BHC	ug/l	0.0074U
Kepone	ug/l	0.083U
Methoxychlor	ug/l	0.0082U
Toxaphene	ug/l	0.72U
Surrogate -		
Tetrachloro-m-xylene (TCX) * %		55 %
Surrogate -		
Decachlorobiphenyl (DCB) * %		55 %
Dilution Factor		1
Prep Date		08/10/04
Prep Time		11:00
Analysis Date		08/17/04
Analysis Time		20:02
Batch ID		08100

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-1	L-1	Liquid	08/06/04	08/05/04 13:45	

Parameter	Units	Lab Sample IDs
		23964-1

Herbicides (8151)

2,4-D	ug/l	0.36U
2,4,5-T	ug/l	0.046U
2,4,5-TP (Silvex)	ug/l	0.036U
Surrogate-2,4-Dichlorophenyl acetic acid (DCAA) *	%	130 %
Dilution Factor		1
Prep Date		08/12/04
Prep Time		13:00
Analysis Date		08/17/04
Analysis Time		01:52
Batch ID		0812P

Organophosphorus Pesticides (8141)

Disulfoton	ug/l	0.18U
Methyl parathion	ug/l	0.11U
Ethyl parathion (Parathion)	ug/l	0.085U
Famphur	ug/l	0.17U
Phorate	ug/l	0.086U
Thionazin		
(o,o-Diethyl-O-pyrazinyl phosphorothioate)	ug/l	0.080U
Dimethoate	ug/l	0.12U
Surrogate -		
Triphenylphosphate *	%	38 %
Dilution Factor		1
Prep Date		08/10/04
Prep Time		18:00
Analysis Date		08/12/04
Analysis Time		05:53
Batch ID		0810CC

STL Tampa

6712 Benjamin Road, Suite 100 - Tampa FL 33634 Telephone:(813) 885-7427 Fax:(813) 885-7049

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-1	L-1	Liquid	08/06/04	08/05/04 13:45	

Parameter	Units	Lab Sample IDs
		23964-1

Microextractables (8011)

1,2-Dibromoethane (EDB)	ug/l	0.0087U
1,2-Dibromo-3-chloropropane	ug/l	0.0030U
Dilution Factor		1
Prep Date		08/18/04
Prep Time		13:00
Analysis Date		08/18/04
Analysis Time		21:45
Batch ID		0818E

Acids and Base Neutrals (8270)

Acetophenone	ug/l	1.6U
2-Acetylaminofluorene	ug/l	1.5U
4-Aminobiphenyl	ug/l	14U
Benzyl alcohol	ug/l	30U
bis(2-Chloroethoxy)methane	ug/l	0.78U
bis(2-Chloroethyl)ether	ug/l	1.3U
2,2'-Oxybis(1-chloropropane)[b is(2-Chloroisopropyl)ether]	ug/l	0.69U
bis(2-Ethylhexyl)phthalate	ug/l	3.0U
4-Bromophenylphenyl ether	ug/l	1.0U
Butylbenzylphthalate	ug/l	1.2U
Dinoseb (2-sec-Butyl-4,6-dinitrophen)	ug/l	3.3U
4-Chloroaniline (p-Chloroaniline)	ug/l	2.9U
1,3-Dichlorobenzene	ug/l	0.96U
1,4-Dichlorobenzene	ug/l	0.87U
1,2-Dichlorobenzene	ug/l	0.93U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-1	L-1	Liquid	08/06/04	08/05/04 13:45	

Parameter	Units	Lab Sample IDs
		23964-1

Acids and Base Neutrals (8270)

4-Chlorophenylphenyl ether	ug/l	2.0U
2-Chloronaphthalene	ug/l	1.2U
Di-n-butylphthalate	ug/l	0.78U
3,3'-Dichlorobenzidine	ug/l	13U
3,3'-Dimethylbenzidine	ug/l	39U
Diethylphthalate	ug/l	10
p-(Dimethylamino)azobenzene	ug/l	3.9U
7,12-Dimethylbenz(a)anthracene	ug/l	8.1U
Dimethylphthalate	ug/l	1.2U
m-Dinitrobenzene	ug/l	2.7U
2,4-Dinitrotoluene	ug/l	1.2U
2,6-Dinitrotoluene	ug/l	1.0U
Di-n-octylphthalate	ug/l	1.0U
Diphenylamine	ug/l	1.0U
n-Nitrosodi-n-propylamine	ug/l	0.87U
Hexachlorobenzene	ug/l	0.57U
Hexachlorobutadiene	ug/l	1.0U
Hexachlorocyclopentadiene	ug/l	7.2U
Hexachloroethane	ug/l	0.96U
Hexachloropropene	ug/l	1.6U
Isophorone	ug/l	1.1U
Isosafrole	ug/l	1.9U
Methapyrilene	ug/l	4.8U
3-Methylcholanthrene	ug/l	2.3U
Methyl methanesulfonate	ug/l	2.2U
1,4-Naphthoquinone	ug/l	2.3U
1-Naphthylamine	ug/l	3.3U
2-Naphthylamine	ug/l	2.9U
2-Nitroaniline	ug/l	16U
3-Nitroaniline	ug/l	15U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-1	L-1	Liquid	08/06/04	08/05/04 13:45	

Parameter	Units	Lab Sample IDs
		23964-1

Acids and Base Neutrals (8270)

4-Nitroaniline	ug/l	23U
Nitrobenzene	ug/l	0.93U
N-Nitrosodi-n-butylamine	ug/l	1.9U
N-Nitrosodiethylamine	ug/l	1.4U
N-Nitrosodimethylamine	ug/l	1.5U
N-Nitrosomethylethylamine	ug/l	26U
N-Nitrosodiphenylamine	ug/l	1.0U
N-Nitrosopiperidine	ug/l	4.8U
N-Nitrosopyrrolidine	ug/l	2.6U
5-Nitro-o-toluidine	ug/l	3.9U
Pentachlorobenzene	ug/l	2.0U
Pentachloronitrobenzene	ug/l	3.9U
Phenacetin	ug/l	3.6U
Pronamide	ug/l	1.7U
Safrole	ug/l	2.8U
1,2,4,5-Tetrachlorobenzene	ug/l	2.2U
1,2,4-Trichlorobenzene	ug/l	1.1U
2-Chlorophenol	ug/l	0.72U
Cresol, m & p	ug/l	130
Cresol (ortho)	ug/l	0.87U
4-Nitrophenol	ug/l	15U
2,4-Dichlorophenol	ug/l	2.0U
2,6-Dichlorophenol	ug/l	3.0U
2,4-Dimethylphenol	ug/l	1.2U
4,6-Dinitro-2-methylphenol	ug/l	15U
2,4-Dinitrophenol	ug/l	2.4U
Pentachlorophenol	ug/l	12U
Phenol	ug/l	29
2,4,5-Trichlorophenol	ug/l	2.2U
2,4,6-Trichlorophenol	ug/l	1.0U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-1	L-1	Liquid	08/06/04	08/05/04 13:45	

Parameter	Units	Lab Sample IDs
		23964-1

Acids and Base Neutrals (8270)

2,3,4,6-Tetrachlorophenol	ug/l	1.8U
2-Nitrophenol	ug/l	1.1U
Diallate, Total	ug/l	3.6U
Ethyl methanesulfonate	ug/l	2.1U
1,4-Phenylenediamine		
(p-Phenylenediamine)	ug/l	1500U
o-Toluidine	ug/l	1.6U
0,0,0-Triethyl phosphorothioate	ug/l	4.8U
1,3,5-Trinitrobenzene	ug/l	4.5U
4-Chloro-3-methylphenol	ug/l	0.99U
Dibenzofuran	ug/l	0.87U
Surrogate - 2-Fluorophenol *	%	68 %
Surrogate - Phenol-d5 *	%	61 %
Surrogate - Nitrobenzene-d5 *	%	72 %
Surrogate - 2-Fluorobiphenyl *	%	92 %
Surrogate - 2,4,6-Tribromophenol *	%	61 %
Surrogate - Terphenyl-d14 *	%	32 %
Dilution Factor		3
Prep Date		08/09/04
Prep Time		17:00
Analysis Date		08/17/04
Analysis Time		15:15
Batch ID		0809AA

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-1	L-1	Liquid	08/06/04	08/05/04 13:45	

Parameter	Units	Lab Sample IDs
		23964-1

Polynuclear Aromatics (8270)

Acenaphthene	ug/l	0.18U
Acenaphthylene	ug/l	0.15U
Anthracene	ug/l	0.15U
Benzo(a)Anthracene	ug/l	0.12U
Benzo(a)Pyrene	ug/l	0.11U
Benzo(b)Fluoranthene	ug/l	0.11U
Benzo (g,h,i) Perylene	ug/l	0.11U
Benzo (k) Fluoranthene	ug/l	0.11U
Chrysene	ug/l	0.14U
Dibenzo (a,h) Anthracene	ug/l	0.11U
Fluoranthene	ug/l	0.11U
Fluorene	ug/l	0.17U
Indeno (1,2,3-cd) Pyrene	ug/l	0.13U
Naphthalene	ug/l	12
Phenanthrene	ug/l	0.18U
Pyrene	ug/l	0.18U
1-Methylnaphthalene	ug/l	2.0U
2-Methylnaphthalene	ug/l	2.0U
Surrogate, o-Terphenyl *	%	85 %
Dilution Factor		2
Prep Date		08/10/04
Prep Time		18:00
Analysis Date		08/17/04
Analysis Time		00:10
Batch ID		0810A

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-1	L-1	Liquid	08/06/04	08/05/04 13:45	
Parameter	Units	Lab Sample IDs			
		23964-1			

Appendix II Metals (6010)

Antimony	mg/l	0.0029U
Arsenic	mg/l	0.0038U
Barium	mg/l	0.083
Beryllium	mg/l	0.00074U
Cadmium	mg/l	0.00071U
Chromium	mg/l	0.0029I
Cobalt	mg/l	0.0041I
Copper	mg/l	0.0013U
Lead	mg/l	0.0015U
Nickel	mg/l	0.0075I
Selenium	mg/l	0.0048U
Silver	mg/l	0.0019U
Tin	mg/l	0.0064U
Vanadium	mg/l	0.0080I
Zinc	mg/l	0.0093I
Dilution Factor		1
Prep Date		08/11/04
Prep Time		09:50
Analysis Date		08/12/04
Analysis Time		16:58
Batch ID		40811J

Mercury (7470)

Mercury	mg/l	0.000072U
Dilution Factor		1
Prep Date		08/16/04
Prep Time		15:10
Analysis Date		08/17/04
Analysis Time		11:36
Batch ID		40816T

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-1	L-1	Liquid	08/06/04	08/05/04 13:45	

Parameter	Units	Lab Sample IDs
		23964-1

Thallium (7841)

Thallium	mg/l	0.00070U
Dilution Factor		1
Prep Date		08/11/04
Prep Time		09:00
Analysis Date		08/13/04
Analysis Time		14:02
Batch ID		0811G

Iron (6010)

Iron	mg/l	6.3
Dilution Factor		1
Prep Date		08/11/04
Prep Time		09:50
Analysis Date		08/12/04
Analysis Time		16:58
Batch ID		40811J

Sodium (6010)

Sodium	mg/l	38
Dilution Factor		1
Prep Date		08/11/04
Prep Time		09:50
Analysis Date		08/12/04
Analysis Time		16:58
Batch ID		40811J

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-1	L-1	Liquid	08/06/04	08/05/04 13:45	

Parameter	Units	Lab Sample IDs
		23964-1

Chloride (325.3)

Chloride	mg/l	79
Dilution Factor		1
Analysis Date		08/16/04
Analysis Time		12:10
Batch ID		0816M

Ammonia-N (350.3)

Ammonia-N	mg/l	3.9
Dilution Factor		1
Analysis Date		08/11/04
Analysis Time		21:30
Batch ID		0811Y-6

Nitrate-N (353.2)

Nitrate-N	mg/l	0.010U
Dilution Factor		1
Analysis Date		08/06/04
Analysis Time		18:32
Batch ID		0806G

Solids, Total Dissolved (160.1)

Solids, Total Dissolved	mg/l	280
Dilution Factor		1
Analysis Date		08/11/04
Analysis Time		16:00
Batch ID		0811J

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-1	L-1	Liquid	08/06/04	08/05/04 13:45	
Parameter	Units	Lab Sample IDs			
		23964-1			

Bicarbonate Alkalinity as CaCO3 (SM2320B)

Bicarbonate Alkalinity as CaCO3	mg/l	37
Dilution Factor		1
Analysis Date		08/11/04
Analysis Time		12:47
Batch ID		0811B

Cyanide (335.2)

Cyanide	mg/l	0.0050U
Dilution Factor		1
Analysis Date		08/09/04
Analysis Time		11:00
Batch ID		0809FF

Sulfide (376.1)

Sulfide	mg/l	4.2
Dilution Factor		1
Analysis Date		08/07/04
Analysis Time		14:00
Batch ID		0807LL

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-2	Trip Blank	Liquid	08/06/04	08/05/04	
		Lab Sample IDs			
Parameter	Units	23964-2			

Microextractables (8011)

1,2-Dibromoethane (EDB)	1300	0.0087U
1,2-Dibromo-3-chloropropane	1300	0.0030U
Dilution Factor		1
Prep Date		08/18/04
Prep Time		13:00
Analysis Date		08/18/04
Analysis Time		22:06
Batch ID		0818E

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-3	Method Blank	Liquid	08/06/04		

Parameter	Units	Lab Sample IDs
		23964-3

Volatile Organic Compounds (8260)

Acetonitrile	ug/l	75U
Acetone	ug/l	9.9U
Benzene	ug/l	0.27U
Bromodichloromethane	ug/l	0.35U
Bromomethane	ug/l	0.66U
Carbon disulfide	ug/l	0.85U
Chlorobenzene	ug/l	0.63U
Bromochloromethane	ug/l	0.58U
Dibromochloromethane	ug/l	0.34U
Chloroethane	ug/l	0.80U
Chloromethane	ug/l	0.64U
Chloroform	ug/l	0.90U
3-Chloro-1-propene (Allyl chloride)	ug/l	1.1U
Chloroprene	ug/l	0.89U
Dibromomethane	ug/l	0.41U
trans-1,4-Dichloro-2-butene	ug/l	2.5U
Dichlorodifluoromethane	ug/l	0.40U
1,1-Dichloroethane	ug/l	0.52U
1,2-Dichloroethane	ug/l	0.57U
trans-1,2-Dichloroethene	ug/l	0.44U
cis-1,2-Dichloroethene	ug/l	0.65U
1,1-Dichloroethene	ug/l	0.45U
Methylene chloride (Dichloromethane)	ug/l	1.0U
1,2-Dichloropropane	ug/l	0.52U
1,3-Dichloropropane	ug/l	0.39U
2,2 Dichloropropane	ug/l	0.36U
1,1 Dichloropropene	ug/l	0.31U
cis-1,3-Dichloropropene	ug/l	0.14U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-3	Method Blank	Liquid	08/06/04		

Parameter	Units	Lab Sample IDs
		23964-3

Volatile Organic Compounds (8260)

trans-1,3-Dichloropropene	ug/l	0.14U
Ethylbenzene	ug/l	0.83U
2-Butanone (MEK)	ug/l	8.4U
Iodomethane	ug/l	0.67U
Methacrylonitrile	ug/l	1.8U
4-Methyl-2-pentanone (MIBK)	ug/l	3.8U
Styrene	ug/l	0.98U
1,1,1,2-Tetrachloroethane	ug/l	0.63U
1,1,2,2-Tetrachloroethane	ug/l	0.14U
Tetrachloroethene	ug/l	0.34U
Carbon tetrachloride	ug/l	0.42U
Toluene	ug/l	0.51U
Bromoform	ug/l	0.58U
1,1,2-Trichloroethane	ug/l	0.47U
1,1,1-Trichloroethane	ug/l	0.46U
Trichloroethene	ug/l	0.28U
Trichlorofluoromethane	ug/l	0.98U
1,2,3-Trichloropropane	ug/l	0.15U
Vinyl acetate	ug/l	1.5U
Vinyl chloride	ug/l	0.50U
Xylenes, Total	ug/l	0.98U
2-Hexanone	ug/l	4.4U
Propionitrile	ug/l	7.2U
Methyl methacrylate	ug/l	0.66U
Acrolein (Propenal)	ug/l	3.8U
Acrylonitrile	ug/l	1.2U
Ethyl methacrylate	ug/l	0.53U
Isobutanol	ug/l	31U
Surrogate - Toluene-d8 *	%	82 %
Surrogate -		
4-Bromofluorobenzene *	%	82 %

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-3	Method Blank	Liquid	08/06/04		

Parameter	Units	Lab Sample IDs
		23964-3

Volatile Organic Compounds (8260)

Surrogate -		
Dibromofluoromethane *	%	88 %
Dilution Factor		1
Analysis Date		08/16/04
Analysis Time		10:17
Batch ID		0816H

PCB's (8082)

Aroclor-1016	ug/l	0.26U
Aroclor-1221	ug/l	0.15U
Aroclor-1232	ug/l	0.38U
Aroclor-1242	ug/l	0.077U
Aroclor-1248	ug/l	0.070U
Aroclor-1254	ug/l	0.12U
Aroclor-1260	ug/l	0.10U
Surrogate - TCX *	%	48 %
Surrogate - DCB *	%	70 %
Dilution Factor		1
Prep Date		08/10/04
Prep Time		11:00
Analysis Date		08/17/04
Analysis Time		02:54
Batch ID		08100

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-3	Method Blank	Liquid	08/06/04		

Parameter	Units	Lab Sample IDs
		23964-3

Chlorinated Pesticides (8081)

Aldrin	ug/l	0.00065U
Isodrin	ug/l	0.0061U
Chlordane (technical)	ug/l	0.057U
Chlorobenzilate	ug/l	0.075U
p,p'-DDD	ug/l	0.0047U
p,p'-DDE	ug/l	0.0031U
p,p'-DDT	ug/l	0.0042U
Dieldrin	ug/l	0.00086U
Endosulfan I	ug/l	0.0063U
Endosulfan II	ug/l	0.0078U
Endosulfan sulfate	ug/l	0.0070U
Endrin	ug/l	0.0035U
Endrin aldehyde	ug/l	0.0050U
Heptachlor	ug/l	0.011U
Heptachlor epoxide	ug/l	0.0060U
alpha-BHC	ug/l	0.00051U
beta-BHC	ug/l	0.0063U
gamma-BHC (Lindane)	ug/l	0.011U
delta-BHC	ug/l	0.0074U
Kepone	ug/l	0.083U
Methoxychlor	ug/l	0.0082U
Toxaphene	ug/l	0.72U
Surrogate -		
Tetrachloro-m-xylene (TCX) * %		55 %
Surrogate -		
Decachlorobiphenyl (DCB) * %		70 %
Dilution Factor		1
Prep Date		08/10/04
Prep Time		11:00
Analysis Date		08/17/04
Analysis Time		04:35
Batch ID		08100

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-3	Method Blank	Liquid	08/06/04		

Parameter	Units	Lab Sample IDs
		23964-3

Herbicides (8151)

2,4-D	ug/l	0.36U
2,4,5-T	ug/l	0.046U
2,4,5-TP (Silvex)	ug/l	0.036U
Surrogate-2,4-Dichlorophenyl acetic acid (DCAA) *	%	85 %
Dilution Factor		1
Prep Date		08/12/04
Prep Time		13:00
Analysis Date		08/17/04
Analysis Time		00:54
Batch ID		0812P

Organophosphorus Pesticides (8141)

Disulfoton	ug/l	0.18U
Methyl parathion	ug/l	0.11U
Ethyl parathion (Parathion)	ug/l	0.085U
Famphur	ug/l	0.17U
Phorate	ug/l	0.086U
Thionazin (o,o-Diethyl-O-pyrazinyl phosphorothioate)	ug/l	0.080U
Dimethoate	ug/l	0.12U
Surrogate - Triphenylphosphate *	%	56 %
Dilution Factor		1
Prep Date		08/10/04
Prep Time		18:00
Analysis Date		08/12/04
Analysis Time		04:32
Batch ID		0810CC

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-3	Method Blank	Liquid	08/06/04		

Parameter	Units	Lab Sample IDs
		23964-3

Microextractables (8011)

1,2-Dibromoethane (EDB)	ug/l	0.0087U
1,2-Dibromo-3-chloropropane	ug/l	0.0030U
Dilution Factor		1
Prep Date		08/18/04
Prep Time		13:00
Analysis Date		08/18/04
Analysis Time		20:41
Batch ID		0818E

Acids and Base Neutrals (8270)

Acetophenone	ug/l	0.52U
2-Acetylaminofluorene	ug/l	0.50U
4-Aminobiphenyl	ug/l	4.8U
Benzyl alcohol	ug/l	10U
bis(2-Chloroethoxy)methane	ug/l	0.26U
bis(2-Chloroethyl)ether	ug/l	0.44U
2,2'-Oxybis(1-chloropropane)[b is(2-Chloroisopropyl)ether]	ug/l	0.23U
bis(2-Ethylhexyl)phthalate	ug/l	1.0U
4-Bromophenylphenyl ether	ug/l	0.35U
Butylbenzylphthalate	ug/l	0.41U
Dinoseb (2-sec-Butyl-4,6-dinitrophen)	ug/l	1.1U
4-Chloroaniline (p-Chloroaniline)	ug/l	0.98U
1,3-Dichlorobenzene	ug/l	0.32U
1,4-Dichlorobenzene	ug/l	0.29U
1,2-Dichlorobenzene	ug/l	0.31U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-3	Method Blank	Liquid	08/06/04		

Parameter	Units	Lab Sample IDs
		23964-3

Acids and Base Neutrals (8270)

4-Chlorophenylphenyl ether	ug/l	0.66U
2-Chloronaphthalene	ug/l	0.39U
Di-n-butylphthalate	ug/l	0.26U
3,3'-Dichlorobenzidine	ug/l	4.4U
3,3'-Dimethylbenzidine	ug/l	13U
Diethylphthalate	ug/l	1.0U
p-(Dimethylamino)azobenzene	ug/l	1.3U
7,12-Dimethylbenz(a)anthracene	ug/l	2.7U
Dimethylphthalate	ug/l	0.39U
m-Dinitrobenzene	ug/l	0.91U
2,4-Dinitrotoluene	ug/l	0.41U
2,6-Dinitrotoluene	ug/l	0.34U
Di-n-octylphthalate	ug/l	0.35U
Diphenylamine	ug/l	0.34U
n-Nitrosodi-n-propylamine	ug/l	0.29U
Hexachlorobenzene	ug/l	0.19U
Hexachlorobutadiene	ug/l	0.35U
Hexachlorocyclopentadiene	ug/l	2.4U
Hexachloroethane	ug/l	0.32U
Hexachloropropene	ug/l	0.53U
Isophorone	ug/l	0.37U
Isosafrole	ug/l	0.64U
Methapyrilene	ug/l	1.6U
3-Methylcholanthrene	ug/l	0.76U
Methyl methanesulfonate	ug/l	0.72U
1,4-Naphthoquinone	ug/l	0.33U
1-Naphthylamine	ug/l	1.1U
2-Naphthylamine	ug/l	0.98U
2-Nitroaniline	ug/l	5.3U
3-Nitroaniline	ug/l	5.0U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-3	Method Blank	Liquid	08/06/04		

Parameter	Units	Lab Sample IDs
		23964-3

Acids and Base Neutrals (8270)

4-Nitroaniline	ug/l	7.7U
Nitrobenzene	ug/l	0.31U
N-Nitrosodi-n-butylamine	ug/l	0.62U
N-Nitrosodiethylamine	ug/l	0.46U
N-Nitrosodimethylamine	ug/l	0.49U
N-Nitrosomethylethylamine	ug/l	8.6U
N-Nitrosodiphenylamine	ug/l	0.34U
N-Nitrosopiperidine	ug/l	1.6U
N-Nitrosopyrrolidine	ug/l	0.86U
5-Nitro-o-toluidine	ug/l	1.3U
Pentachlorobenzene	ug/l	0.68U
Pentachloronitrobenzene	ug/l	1.3U
Phenacetin	ug/l	1.2U
Pronamide	ug/l	0.56U
Safrole	ug/l	0.95U
1,2,4,5-Tetrachlorobenzene	ug/l	0.75U
1,2,4-Trichlorobenzene	ug/l	0.36U
2-Chlorophenol	ug/l	0.24U
Cresol, m & p	ug/l	0.71U
Cresol (ortho)	ug/l	0.29U
4-Nitrophenol	ug/l	4.9U
2,4-Dichlorophenol	ug/l	0.66U
2,6-Dichlorophenol	ug/l	1.0U
2,4-Dimethylphenol	ug/l	0.39U
4,6-Dinitro-2-methylphenol	ug/l	5.0U
2,4-Dinitrophenol	ug/l	0.80U
Pentachlorophenol	ug/l	4.0U
Phenol	ug/l	1.0U
2,4,5-Trichlorophenol	ug/l	0.74U
2,4,6-Trichlorophenol	ug/l	0.35U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-3	Method Blank	Liquid	08/06/04		

Parameter	Units	Lab Sample IDs
		23964-3

Acids and Base Neutrals (8270)

2,3,4,6-Tetrachlorophenol	ug/l	0.61U
2-Nitrophenol	ug/l	0.36U
Diallate, Total	ug/l	1.2U
Ethyl methanesulfonate	ug/l	0.70U
1,4-Phenylenediamine		
(p-Phenylenediamine)	ug/l	500U
o-Toluidine	ug/l	0.53U
0,0,0-Triethyl phosphorothioate	ug/l	1.6U
1,3,5-Trinitrobenzene	ug/l	1.5U
4-Chloro-3-methylphenol	ug/l	0.33U
Dibenzofuran	ug/l	0.29U
Surrogate - 2-Fluorophenol *	%	90 %
Surrogate - Phenol-d5 *	%	86 %
Surrogate - Nitrobenzene-d5 *	%	82 %
Surrogate - 2-Fluorobiphenyl *	%	100 %
Surrogate - 2,4,6-Tribromophenol *	%	80 %
Surrogate - Terphenyl-d14 *	%	100 %
Dilution Factor		1
Prep Date		08/09/04
Prep Time		17:00
Analysis Date		08/17/04
Analysis Time		13:47
Batch ID		0809AA

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-3	Method Blank	Liquid	08/06/04		

Parameter	Units	Lab Sample IDs
		23964-3

Polynuclear Aromatics (8270)

Acenaphthene	ug/l	0.088U
Acenaphthylene	ug/l	0.074U
Anthracene	ug/l	0.076U
Benzo(a)Anthracene	ug/l	0.060U
Benzo(a)Pyrene	ug/l	0.057U
Benzo(b)fluoranthene	ug/l	0.057U
Benzo (g,h,i) Perylene	ug/l	0.056U
Benzo (k) Fluoranthene	ug/l	0.057U
Chrysene	ug/l	0.069U
Dibenzo (a,h) Anthracene	ug/l	0.054U
Fluoranthene	ug/l	0.054U
Fluorene	ug/l	0.087U
Indeno (1,2,3-cd) Pyrene	ug/l	0.064U
Naphthalene	ug/l	0.071U
Phenanthrene	ug/l	0.089U
Pyrene	ug/l	0.089U
1-Methylnaphthalene	ug/l	1.0U
2-Methylnaphthalene	ug/l	1.0U
Surrogate, o-Terphenyl *	%	90 %
Dilution Factor		1
Prep Date		08/10/04
Prep Time		18:00
Analysis Date		08/11/04
Analysis Time		12:48
Batch ID		0810A

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-3	Method Blank	Liquid	08/06/04		

Parameter	Units	Lab Sample IDs
		23964-3

Appendix II Metals (6010)

Antimony	mg/l	0.0029U
Arsenic	mg/l	0.0038U
Barium	mg/l	0.0012U
Beryllium	mg/l	0.00074U
Cadmium	mg/l	0.00071U
Chromium	mg/l	0.0017U
Cobalt	mg/l	0.0014U
Copper	mg/l	0.0013U
Lead	mg/l	0.0015U
Nickel	mg/l	0.0047U
Selenium	mg/l	0.0048U
Silver	mg/l	0.0019U
Tin	mg/l	0.0064U
Vanadium	mg/l	0.0025U
Zinc	mg/l	0.0059U
Dilution Factor		1
Prep Date		08/11/04
Prep Time		09:50
Analysis Date		08/12/04
Analysis Time		14:58
Batch ID		40811J

Mercury (7470)

Mercury	mg/l	0.000072U
Dilution Factor		1
Prep Date		08/16/04
Prep Time		15:10
Analysis Date		08/17/04
Analysis Time		11:28
Batch ID		40816T

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-3	Method Blank	Liquid	08/06/04		

Parameter	Units	Lab Sample IDs
		23964-3

Thallium (7841)

Thallium	mg/l	0.00070U
Dilution Factor		1
Prep Date		08/11/04
Prep Time		09:00
Analysis Date		08/13/04
Analysis Time		12:43
Batch ID		0811G

Iron (6010)

Iron	mg/l	0.037U
Dilution Factor		1
Prep Date		08/11/04
Prep Time		09:50
Analysis Date		08/12/04
Analysis Time		14:58
Batch ID		40811J

Sodium (6010)

Sodium	mg/l	0.15U
Dilution Factor		1
Prep Date		08/11/04
Prep Time		09:50
Analysis Date		08/12/04
Analysis Time		14:58
Batch ID		40811J

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-3	Method Blank	Liquid	08/06/04		

Parameter	Units	Lab Sample IDs
		23964-3

Chloride (325.3)

Chloride	mg/l	1.0U
Dilution Factor		1
Analysis Date		08/16/04
Analysis Time		12:10
Batch ID		0816M

Ammonia-N (350.3)

Ammonia-N	mg/l	0.040U
Dilution Factor		1
Analysis Date		08/11/04
Analysis Time		21:30
Batch ID		0811Y-6

Nitrate-N (353.2)

Nitrate-N	mg/l	0.010U
Dilution Factor		1
Analysis Date		08/06/04
Analysis Time		18:32
Batch ID		0806G

Solids, Total Dissolved (160.1)

Solids, Total Dissolved	mg/l	5.0U
Dilution Factor		1
Analysis Date		08/11/04
Analysis Time		16:00
Batch ID		0811J

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-3	Method Blank	Liquid	08/06/04		

Parameter	Units	Lab Sample IDs
		23964-3

Bicarbonate Alkalinity as CaCO3 (SM2320B)

Bicarbonate Alkalinity as CaCO3	mg/l	1.0U
Dilution Factor		1
Analysis Date		08/11/04
Analysis Time		12:47
Batch ID		0811B

Cyanide (335.2)

Cyanide	mg/l	0.0050U
Dilution Factor		1
Analysis Date		08/09/04
Analysis Time		11:00
Batch ID		0809FF

Sulfide (376.1)

Sulfide	mg/l	1.0U
Dilution Factor		1
Analysis Date		08/07/04
Analysis Time		14:00
Batch ID		0807LL

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-4	Lab Control Standard % Recovery	Liquid	08/06/04		
23964-5	Lab Control Standard Duplicate % Recovery	Liquid	08/06/04		
23964-6	Precision (%RPD) of LCS/LCSD	Liquid	08/06/04		
23964-7	LCS Accuracy Control Limit (%R)	Liquid	08/06/04		
23964-8	LCS Precision Control Limit (Advisory) %RPD	Liquid	08/06/04		

Parameter	Units	Lab Sample IDs				
		23964-4	23964-5	23964-6	23964-7	23964-8

Volatile Organic Compounds (8260)

Benzene	%	80 %	86 %	7.2 %	62-135 %	<16 %
Chlorobenzene	%	88 %	98 %	11 %	72-127 %	<22 %
1,1-Dichloroethene	%	88 %	96 %	8.7 %	46-147 %	<30 %
Toluene	%	78 %	78 %	0 %	68-131 %	<33 %
Trichloroethene	%	82 %	90 %	9.3 %	56-143 %	<35 %
Surrogate - Toluene-d8 *	%	88 %	82 %		77-122 %	
Surrogate - 4-Bromofluorobenzene *	%	88 %	84 %		74-126 %	
Surrogate - Dibromofluoromethane *	%	86 %	84 %		70-130 %	
Dilution Factor		1	1			
Analysis Date		08/16/04	08/16/04			
Analysis Time		09:19	09:38			
Batch ID		0816H	0816H	0816H		

PCB's (8082)

Aroclor-1016	%	46 %	48 %	4.2 %	45-134 %	<34 %
Aroclor-1260	%	52 %	54 %	3.8 %	41-144 %	<34 %
Surrogate - TCX *	%	55 %	55 %		30-150 %	
Surrogate - DCB *	%	70 %	80 %		30-150 %	
Dilution Factor		1	1			
Prep Date		08/10/04	08/10/04			
Prep Time		11:00	11:00			
Analysis Date		08/17/04	08/17/04			
Analysis Time		16:48	17:02			
Batch ID		08100	08100	08100		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-4	Lab Control Standard % Recovery	Liquid	08/06/04		
23964-5	Lab Control Standard Duplicate % Recovery	Liquid	08/06/04		
23964-6	Precision (%RPD) of LCS/LCSD	Liquid	08/06/04		
23964-7	LCS Accuracy Control Limit (%R)	Liquid	08/06/04		
23964-8	LCS Precision Control Limit (Advisory) %RPD	Liquid	08/06/04		

Parameter	Units	Lab Sample IDs				
		23964-4	23964-5	23964-6	23964-7	23964-8

Chlorinated Pesticides (8081)

Aldrin	%	38 %	40 %	5.1 %	38-129 %	<25 %
p,p'-DDT	%	80 %	58 %	32 %J3	50-147 %	<27 %
Dieldrin	%	54 %	54 %	0 %	34-150 %	<42 %
Endrin	%	62 %	56 %	10 %	41-158 %	<25 %
Heptachlor	%	48 %	48 %	0 %	37-148 %	<26 %
gamma-BHC (Lindane)	%	52 %	52 %	0 %	40-139 %	<26 %
Surrogate -						
Tetrachloro-m-xylene (TCX) * %		55 %	60 %		30-150 %	
Surrogate -						
Decachlorobiphenyl (DCB) * %		90 %	60 %		30-150 %	
Dilution Factor		1	1			
Prep Date		08/10/04	08/10/04			
Prep Time		11:00	11:00			
Analysis Date		08/18/04	08/17/04			
Analysis Time		15:46	05:14			
Batch ID		08100	08100	08100		

Herbicides (8151)

2,4-D	%	109 %	110 %	0.91 %	11-154 %	<78 %
2,4,5-T	%	100 %	100 %	0 %	25-128 %	<48 %
2,4,5-TP (Silvex)	%	120 %*F99	120 %*F99	0 %	10-100 %	<66 %
Surrogate-2,4-Dichlorophenyl						
acetic acid (DCAA) * %	%	210 %*F99	230 %*F99		27-133 %	
Dilution Factor		1	1			
Prep Date		08/12/04	08/12/04			
Prep Time		13:00	13:00			
Analysis Date		08/17/04	08/17/04			
Analysis Time		01:14	01:33			
Batch ID		0812P	0812P	0812P		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-4	Lab Control Standard % Recovery	Liquid	08/06/04		
23964-5	Lab Control Standard Duplicate % Recovery	Liquid	08/06/04		
23964-6	Precision (%RPD) of LCS/LCSD	Liquid	08/06/04		
23964-7	LCS Accuracy Control Limit (%R)	Liquid	08/06/04		
23964-8	LCS Precision Control Limit (Advisory) %RPD	Liquid	08/06/04		

Parameter	Units	Lab Sample IDs			
		23964-4	23964-5	23964-6	23964-7

Organophosphorus Pesticides (8141)

Methyl parathion	%	72 %	73 %	2.2 %	38-149 %	<32 %
Ethyl parathion (Parathion)	%	73 %	76 %	4.3 %	28-155 %	<34 %
Surrogate - Triphenylphosphate *	%	51 %	55 %		16-164 %	
Dilution Factor		1	1			
Prep Date		08/10/04	08/10/04			
Prep Time		18:00	18:00			
Analysis Date		08/12/04	08/12/04			
Analysis Time		04:59	05:26			
Batch ID		0810CC	0810CC	0810CC		

Microextractables (8011)

1,2-Dibromoethane (EDB)	%	106 %	109 %	3.2 %	70-130 %	<30 %
1,2-Dibromo-3-chloropropane	%	114 %	125 %	9.5 %	70-130 %	<30 %
Dilution Factor		1	1			
Prep Date		08/18/04	08/18/04			
Prep Time		13:00	13:00			
Analysis Date		08/18/04	08/18/04			
Analysis Time		21:02	21:23			
Batch ID		0818E	0818E	0818E		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-4	Lab Control Standard % Recovery	Liquid	08/06/04		
23964-5	Lab Control Standard Duplicate % Recovery	Liquid	08/06/04		
23964-6	Precision (%RPD) of LCS/LCSD	Liquid	08/06/04		
23964-7	LCS Accuracy Control Limit (%R)	Liquid	08/06/04		
23964-8	LCS Precision Control Limit (Advisory) %RPD	Liquid	08/06/04		

Parameter	Units	Lab Sample IDs				
		23964-4	23964-5	23964-6	23964-7	23964-8

Acids and Base Neutrals (8270)

1,4-Dichlorobenzene	%	78 %	70 %	11 %	27-130 %	<31 %
2,4-Dinitrotoluene	%	74 %	72 %	2.7 %	37-129 %	<32 %
n-Nitrosodi-n-propylamine	%	68 %	58 %	16 %	31-138 %	<30 %
1,2,4-Trichlorobenzene	%	84 %	76 %	10 %	28-110 %	<28 %
2-Chlorophenol	%	74 %	68 %	8.4 %	38-115 %	<34 %
4-Nitrophenol	%	35 %	44 %	23 %	12-143 %	<44 %
Pentachlorophenol	%	60 %	57 %	5.1 %	19-148 %	<33 %
Phenol	%	55 %	50 %	9.5 %	33-122 %	<36 %
4-Chloro-3-methylphenol	%	71 %	65 %	8.8 %	34-126 %	<31 %
Surrogate - 2-Fluorophenol *	%	69 %	62 %		29-121 %	
Surrogate - Phenol-d5 *	%	63 %	55 %		25-128 %	
Surrogate - Nitrobenzene-d5 *	%	74 %	68 %		34-130 %	
Surrogate - 2-Fluorobiphenyl *	%	96 %	82 %		36-124 %	
Surrogate -						
2,4,6-Tribromophenol *	%	76 %	66 %		29-143 %	
Surrogate - Terphenyl-d14 *	%	84 %	70 %		14-148 %	
Dilution Factor		1	1			
Prep Date		08/09/04	08/09/04			
Prep Time		17:00	17:00			
Analysis Date		08/17/04	08/17/04			
Analysis Time		14:16	14:45			
Batch ID		0809AA	0809AA	0809AA		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-4	Lab Control Standard % Recovery	Liquid	08/06/04		
23964-5	Lab Control Standard Duplicate % Recovery	Liquid	08/06/04		
23964-6	Precision (%RPD) of LCS/LCSD	Liquid	08/06/04		
23964-7	LCS Accuracy Control Limit (%R)	Liquid	08/06/04		
23964-8	LCS Precision Control Limit (Advisory) %RPD	Liquid	08/06/04		

Parameter	Units	Lab Sample IDs				
		23964-4	23964-5	23964-6	23964-7	23964-8

Polynuclear Aromatics (8270)

Acenaphthene	%	90 %	100 %	10 %	36-121 %	<35 %
Chrysene	%	115 %	110 %	4.4 %	44-128 %	<31 %
Fluorene	%	95 %	110 %	15 %	50-124 %	<23 %
Naphthalene	%	95 %	100 %	5.1 %	41-130 %	<33 %
Pyrene	%	105 %	100 %	4.9 %	31-139 %	<42 %
Surrogate, o-Terphenyl *	%	100 %	95 %		30-130 %	
Dilution Factor		1	1			
Prep Date		08/10/04	08/10/04			
Prep Time		18:00	18:00			
Analysis Date		08/11/04	08/11/04			
Analysis Time		13:03	13:18			
Batch ID		0810A	0810A	0810A		

Appendix II Metals (6010)

Antimony	%	94 %	96 %	1.6 %	75-125 %	<20 %
Arsenic	%	97 %	99 %	1.4 %	75-125 %	<20 %
Barium	%	101 %	103 %	2.4 %	75-125 %	<20 %
Beryllium	%	99 %	101 %	2.0 %	75-125 %	<20 %
Cadmium	%	101 %	102 %	1.7 %	75-125 %	<20 %
Chromium	%	98 %	100 %	1.7 %	75-125 %	<20 %
Cobalt	%	102 %	103 %	1.5 %	75-125 %	<20 %
Copper	%	104 %	106 %	1.8 %	75-125 %	<20 %
Lead	%	100 %	101 %	1.8 %	75-125 %	<20 %
Nickel	%	99 %	100 %	1.4 %	75-125 %	<20 %
Selenium	%	99 %	100 %	1.7 %	75-125 %	<20 %

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-4	Lab Control Standard % Recovery	Liquid	08/06/04		
23964-5	Lab Control Standard Duplicate % Recovery	Liquid	08/06/04		
23964-6	Precision (%RPD) of LCS/LCSD	Liquid	08/06/04		
23964-7	LCS Accuracy Control Limit (%R)	Liquid	08/06/04		
23964-8	LCS Precision Control Limit (Advisory) %RPD	Liquid	08/06/04		

Parameter	Units	Lab Sample IDs			
		23964-4	23964-5	23964-6	23964-7

Appendix II Metals (6010)

Silver	%	96 %	98 %	2.6 %	75-125 %	<20 %
Tin	%	95 %	97 %	1.6 %	75-125 %	<20 %
Vanadium	%	98 %	100 %	1.9 %	75-125 %	<20 %
Zinc	%	100 %	102 %	1.3 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/11/04	08/11/04			
Prep Time		09:50	09:50			
Analysis Date		08/12/04	08/12/04			
Analysis Time		15:04	15:11			
Batch ID		40811J	40811J	40811J		

Mercury (7470)

Mercury	%	106 %	98 %	7.8 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/16/04	08/16/04			
Prep Time		15:10	15:10			
Analysis Date		08/17/04	08/17/04			
Analysis Time		11:30	11:32			
Batch ID		40816T	40816T	40816T		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-4	Lab Control Standard % Recovery	Liquid	08/06/04		
23964-5	Lab Control Standard Duplicate % Recovery	Liquid	08/06/04		
23964-6	Precision (%RPD) of LCS/LCSD	Liquid	08/06/04		
23964-7	LCS Accuracy Control Limit (%R)	Liquid	08/06/04		
23964-8	LCS Precision Control Limit (Advisory) %RPD	Liquid	08/06/04		

Lab Sample IDs

Parameter	Units	23964-4	23964-5	23964-6	23964-7	23964-8
-----------	-------	---------	---------	---------	---------	---------

Thallium (7841)

Thallium	%	105 %	105 %	0.4 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/11/04	08/11/04			
Prep Time		09:00	09:00			
Analysis Date		08/13/04	08/13/04			
Analysis Time		12:47	12:59			
Batch ID		0811G	0811G	0811G		

Iron (6010)

Iron	%	100 %	101 %	1.3 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/11/04	08/11/04			
Prep Time		09:50	09:50			
Analysis Date		08/12/04	08/12/04			
Analysis Time		15:04	15:11			
Batch ID		40811J	40811J	40811J		

Sodium (6010)

Sodium	%	94 %	95 %	0.94 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/11/04	08/11/04			
Prep Time		09:50	09:50			
Analysis Date		08/12/04	08/12/04			
Analysis Time		15:04	15:11			
Batch ID		40811J	40811J	40811J		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-4	Lab Control Standard % Recovery	Liquid	08/06/04		
23964-5	Lab Control Standard Duplicate % Recovery	Liquid	08/06/04		
23964-6	Precision (%RPD) of LCS/LCSD	Liquid	08/06/04		
23964-7	LCS Accuracy Control Limit (%R)	Liquid	08/06/04		
23964-8	LCS Precision Control Limit (Advisory) %RPD	Liquid	08/06/04		

Parameter	Units	Lab Sample IDs				
		23964-4	23964-5	23964-6	23964-7	23964-8
Chloride (325.3)						
Chloride	%	99 %	100 %	0.90 %	75-125 %	<30 %
Dilution Factor		1	1			
Analysis Date		08/16/04	08/16/04			
Analysis Time		12:10	12:10			
Batch ID		0816M	0816M	0816M		
Ammonia-N (350.3)						
Ammonia-N	%	97 %	97 %	0 %	85-115 %	<30 %
Dilution Factor		1	1			
Analysis Date		08/11/04	08/11/04			
Analysis Time		21:30	21:30			
Batch ID		0811Y-6	0811Y-6	0811Y-6		
Nitrate-N (353.2)						
Nitrate-N	%	93 %	94 %	0.61 %	80-120 %	<30 %
Dilution Factor		1	1			
Analysis Date		08/06/04	08/06/04			
Analysis Time		18:32	18:32			
Batch ID		0806G	0806G	0806G		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-4	Lab Control Standard % Recovery	Liquid	08/06/04		
23964-5	Lab Control Standard Duplicate % Recovery	Liquid	08/06/04		
23964-6	Precision (%RPD) of LCS/LCSD	Liquid	08/06/04		
23964-7	LCS Accuracy Control Limit (%R)	Liquid	08/06/04		
23964-8	LCS Precision Control Limit (Advisory) %RPD	Liquid	08/06/04		

Parameter	Units	Lab Sample IDs				
		23964-4	23964-5	23964-6	23964-7	23964-8

Solids, Total Dissolved (160.1)

Solids, Total Dissolved	%	103 %	102 %	0.39 %	80-120 %	<25 %
Dilution Factor		1	1			
Analysis Date		08/11/04	08/11/04			
Analysis Time		16:00	16:00			
Batch ID		0811J	0811J	0811J		

Bicarbonate Alkalinity as CaCO3 (SM2320B)

Bicarbonate Alkalinity as CaCO3	%	100 %	100 %	0 %	80-120 %	<30 %
Dilution Factor		1	1			
Analysis Date		08/11/04	08/11/04			
Analysis Time		12:47	12:47			
Batch ID		0811B	0811B	0811B		

Cyanide (335.2)

Cyanide	%	92 %	88 %	4.4 %	80-120 %	<25 %
Dilution Factor		1	1			
Analysis Date		08/09/04	08/09/04			
Analysis Time		11:00	11:00			
Batch ID		0809FF	0809FF	0809FF		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-4	Lab Control Standard % Recovery	Liquid	08/06/04		
23964-5	Lab Control Standard Duplicate % Recovery	Liquid	08/06/04		
23964-6	Precision (%RPD) of LCS/LCSD	Liquid	08/06/04		
23964-7	LCS Accuracy Control Limit (%R)	Liquid	08/06/04		
23964-8	LCS Precision Control Limit (Advisory) %RPD	Liquid	08/06/04		

Parameter	Units	Lab Sample IDs				23964-8
		23964-4	23964-5	23964-6	23964-7	
Sulfide (376.1)						
Sulfide	%	95 %	95 %	0 %	75-125 %	<30 %
Dilution Factor		1	1			
Analysis Date		08/07/04	08/07/04			
Analysis Time		14:00	14:00			
Batch ID		0807LL	0807LL	0807LL		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-9	Matrix Spike % Recovery	Liquid	08/06/04		
23964-10	Matrix Spike Duplicate % Recovery	Liquid	08/06/04		
23964-11	Precision (%RPD) MS/MSD	Liquid	08/06/04		
23964-12	MS Accuracy Advisory Limit (%R)	Liquid	08/06/04		
23964-13	MS Precision Advisory Limit (%RPD)	Liquid	08/06/04		

Parameter	Units	Lab Sample IDs				
		23964-9	23964-10	23964-11	23964-12	23964-13

Volatile Organic Compounds (8260)

Benzene	%	96 %	90 %	6.4 %	62-135 %	<16 %
Chlorobenzene	%	94 %	90 %	4.3 %	72-127 %	<22 %
1,1-Dichloroethene	%	102 %	100 %	2.0 %	46-147 %	<30 %
Toluene	%	100 %	94 %	6.2 %	68-131 %	<33 %
Trichloroethene	%	94 %	90 %	4.3 %	56-143 %	<35 %
Surrogate - Toluene-d8 *	%	86 %	84 %		77-122 %	
Surrogate - 4-Bromofluorobenzene *	%	82 %	78 %		74-126 %	
Surrogate - Dibromofluoromethane *	%	80 %	80 %		70-130 %	
Dilution Factor		1	1			
Analysis Date		08/18/04	08/18/04			
Analysis Time		13:01	13:40			
Batch ID		0816H	0816H	0816H		

PCB's (8082)

Aroclor-1016	%	*F82	*F82	*F82	45-134 %	<34 %
Aroclor-1260	%	*F82	*F82	*F82	41-144 %	<34 %
Surrogate - TCX *	%				30-150 %	
Surrogate - DCB *	%				30-150 %	
Batch ID		08100	08100	08100		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-9	Matrix Spike % Recovery	Liquid	08/06/04		
23964-10	Matrix Spike Duplicate % Recovery	Liquid	08/06/04		
23964-11	Precision (%RPD) MS/MSD	Liquid	08/06/04		
23964-12	MS Accuracy Advisory Limit (%R)	Liquid	08/06/04		
23964-13	MS Precision Advisory Limit (%RPD)	Liquid	08/06/04		

Parameter	Units	Lab Sample IDs				
		23964-9	23964-10	23964-11	23964-12	23964-13

Chlorinated Pesticides (8081)

Aldrin	%	*F82	*F82	*F82	38-129 %	<25 %
p,p'-DDT	%	*F82	*F82	*F82	50-147 %	<27 %
Dieldrin	%	*F82	*F82	*F82	34-150 %	<42 %
Endrin	%	*F82	*F82	*F82	41-158 %	<25 %
Heptachlor	%	*F82	*F82	*F82	37-148 %	<26 %
gamma-BHC (Lindane)	%	*F82	*F82	*F82	40-139 %	<26 %
Surrogate - Tetrachloro-m-xylene (TCX) *	%				30-150 %	
Surrogate - Decachlorobiphenyl (DCB) *	%				30-150 %	
Batch ID		08100	08100	08100		

Herbicides (8151)

2,4-D	%	*F82	*F82	*F82	11-154 %	<78 %
2,4,5-T	%	*F82	*F82	*F82	25-128 %	<48 %
2,4,5-TP (Silvex)	%	*F82	*F82	*F82	10-100 %	<66 %
Surrogate-2,4-Dichlorophenyl acetic acid (DCAA) *	%				27-133 %	
Batch ID		0812P	0812P	0812P		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-9	Matrix Spike % Recovery	Liquid	08/06/04		
23964-10	Matrix Spike Duplicate % Recovery	Liquid	08/06/04		
23964-11	Precision (%RPD) MS/MSD	Liquid	08/06/04		
23964-12	MS Accuracy Advisory Limit (%R)	Liquid	08/06/04		
23964-13	MS Precision Advisory Limit (%RPD)	Liquid	08/06/04		

Parameter	Units	Lab Sample IDs				
		23964-9	23964-10	23964-11	23964-12	23964-13

Organophosphorus Pesticides (8141)

Methyl parathion	%	*F82	*F82	*F82	38-149 %	<32 %
Ethyl parathion (Parathion)	%	*F82	*F82	*F82	28-155 %	<34 %
Surrogate - Triphenylphosphate *	%				16-164 %	
Batch ID		0810CC	0810CC	0810CC		

Microextractables (8011)

1,2-Dibromoethane (EDB)	%	104 %	110 %	5.6 %	70-130 %	<30 %
1,2-Dibromo-3-chloropropane	%	114 %	110 %	3.6 %	70-130 %	<30 %
Dilution Factor		1	1			
Prep Date		08/18/04	08/18/04			
Prep Time		13:00	13:00			
Analysis Date		08/18/04	08/18/04			
Analysis Time		22:48	23:09			
Batch ID		0818E	0818E	0818E		

Acids and Base Neutrals (8270)

1,4-Dichlorobenzene	%	*F82	*F82	*F82	27-130 %	<31 %
2,4-Dinitrotoluene	%	*F82	*F82	*F82	37-129 %	<32 %
n-Nitrosodi-n-propylamine	%	*F82	*F82	*F82	31-138 %	<30 %
1,2,4-Trichlorobenzene	%	*F82	*F82	*F82	28-110 %	<28 %
2-Chlorophenol	%	*F82	*F82	*F82	38-115 %	<34 %
4-Nitrophenol	%	*F82	*F82	*F82	12-143 %	<44 %
Pentachlorophenol	%	*F82	*F82	*F82	19-148 %	<33 %

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-9	Matrix Spike % Recovery	Liquid	08/06/04		
23964-10	Matrix Spike Duplicate % Recovery	Liquid	08/06/04		
23964-11	Precision (%RPD) MS/MSD	Liquid	08/06/04		
23964-12	MS Accuracy Advisory Limit (%R)	Liquid	08/06/04		
23964-13	MS Precision Advisory Limit (%RPD)	Liquid	08/06/04		

Parameter	Units	Lab Sample IDs				
		23964-9	23964-10	23964-11	23964-12	23964-13

Acids and Base Neutrals (8270)

Phenol	%	*F82	*F82	*F82	33-122 %	<36 %
4-Chloro-3-methylphenol	%	*F82	*F82	*F82	34-126 %	<31 %
Surrogate - 2-Fluorophenol *	%				29-121 %	
Surrogate - Phenol-d5 *	%				25-128 %	
Surrogate - Nitrobenzene-d5 *	%				34-130 %	
Surrogate - 2-Fluorobiphenyl *	%				36-124 %	
Surrogate - 2,4,6-Tribromophenol *	%				29-143 %	
Surrogate - Terphenyl-d14 *	%				14-148 %	
Batch ID		0809AA	0809AA	0809AA		

Polynuclear Aromatics (8270)

Acenaphthene	%	*F82	*F82	*F82	36-121 %	<35 %
Chrysene	%	*F82	*F82	*F82	44-128 %	<31 %
Fluorene	%	*F82	*F82	*F82	50-124 %	<23 %
Naphthalene	%	*F82	*F82	*F82	41-130 %	<33 %
Pyrene	%	*F82	*F82	*F82	31-139 %	<42 %
Surrogate, o-Terphenyl *	%				30-130 %	
Batch ID		0810A	0810A	0810A		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-9	Matrix Spike % Recovery	Liquid	08/06/04		
23964-10	Matrix Spike Duplicate % Recovery	Liquid	08/06/04		
23964-11	Precision (%RPD) MS/MSD	Liquid	08/06/04		
23964-12	MS Accuracy Advisory Limit (%R)	Liquid	08/06/04		
23964-13	MS Precision Advisory Limit (%RPD)	Liquid	08/06/04		

Parameter	Units	Lab Sample IDs				
		23964-9	23964-10	23964-11	23964-12	23964-13

Appendix II Metals (6010)

Antimony	%	99 %	105 %	5.3 %	75-125 %	<20 %
Arsenic	%	103 %	109 %	6.1 %	75-125 %	<20 %
Barium	%	100 %	104 %	4.6 %	75-125 %	<20 %
Beryllium	%	100 %	107 %	6.2 %	75-125 %	<20 %
Cadmium	%	103 %	109 %	5.8 %	75-125 %	<20 %
Chromium	%	99 %	105 %	6.2 %	75-125 %	<20 %
Cobalt	%	103 %	109 %	6.3 %	75-125 %	<20 %
Copper	%	108 %	115 %	5.5 %	75-125 %	<20 %
Lead	%	102 %	108 %	6.0 %	75-125 %	<20 %
Nickel	%	101 %	108 %	6.0 %	75-125 %	<20 %
Selenium	%	105 %	111 %	5.7 %	75-125 %	<20 %
Silver	%	102 %	107 %	4.8 %	75-125 %	<20 %
Tin	%	99 %	105 %	6.5 %	75-125 %	<20 %
Vanadium	%	100 %	106 %	5.7 %	75-125 %	<20 %
Zinc	%	103 %	110 %	6.4 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/11/04	08/11/04			
Prep Time		09:50	09:50			
Analysis Date		08/12/04	08/12/04			
Analysis Time		15:31	15:38			
Batch ID		40811J	40811J	40811J		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-9	Matrix Spike % Recovery	Liquid	08/06/04		
23964-10	Matrix Spike Duplicate % Recovery	Liquid	08/06/04		
23964-11	Precision (%RPD) MS/MSD	Liquid	08/06/04		
23964-12	MS Accuracy Advisory Limit (%R)	Liquid	08/06/04		
23964-13	MS Precision Advisory Limit (%RPD)	Liquid	08/06/04		

Parameter	Units	Lab Sample IDs				
		23964-9	23964-10	23964-11	23964-12	23964-13

Mercury (7470)

Mercury	%	103 %	97 %	5.2 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/16/04	08/16/04			
Prep Time		15:10	15:10			
Analysis Date		08/17/04	08/17/04			
Analysis Time		11:37	11:39			
Batch ID		40816T	40816T	40816T		

Thallium (7841)

Thallium	%	108 %	104 %	4.0 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/11/04	08/11/04			
Prep Time		09:00	09:00			
Analysis Date		08/13/04	08/13/04			
Analysis Time		13:16	13:20			
Batch ID		0811G	0811G	0811G		

Iron (6010)

Iron	%	101 %	107 %	6.1 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/11/04	08/11/04			
Prep Time		09:50	09:50			
Analysis Date		08/12/04	08/12/04			
Analysis Time		15:31	15:38			
Batch ID		40811J	40811J	40811J		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-9	Matrix Spike % Recovery	Liquid	08/06/04		
23964-10	Matrix Spike Duplicate % Recovery	Liquid	08/06/04		
23964-11	Precision (%RPD) MS/MSD	Liquid	08/06/04		
23964-12	MS Accuracy Advisory Limit (%R)	Liquid	08/06/04		
23964-13	MS Precision Advisory Limit (%RPD)	Liquid	08/06/04		

Parameter	Units	Lab Sample IDs				
		23964-9	23964-10	23964-11	23964-12	23964-13
Sodium (6010)						
Sodium	%	0 %*F61	0 %	0.82 %	75-125 %	<20 %
Dilution Factor		5	5			
Prep Date		08/11/04	08/11/04			
Prep Time		09:50	09:50			
Analysis Date		08/12/04	08/12/04			
Analysis Time		15:44	15:50			
Batch ID		40811J	40811J	40811J		
Chloride (325.3)						
Chloride	%	98 %	98 %	0 %	75-125 %	<30 %
Dilution Factor		1	1			
Analysis Date		08/16/04	08/16/04			
Analysis Time		12:10	12:10			
Batch ID		0816M	0816M	0816M		
Ammonia-N (350.3)						
Ammonia-N	%	101 %	100 %	1.0 %	85-115 %	<30 %
Dilution Factor		1	1			
Analysis Date		08/11/04	08/11/04			
Analysis Time		21:30	21:30			
Batch ID		0811Y-6	0811Y-6	0811Y-6		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-9	Matrix Spike % Recovery	Liquid	08/06/04		
23964-10	Matrix Spike Duplicate % Recovery	Liquid	08/06/04		
23964-11	Precision (%RPD) MS/MSD	Liquid	08/06/04		
23964-12	MS Accuracy Advisory Limit (%R)	Liquid	08/06/04		
23964-13	MS Precision Advisory Limit (%RPD)	Liquid	08/06/04		

Parameter	Units	Lab Sample IDs				
		23964-9	23964-10	23964-11	23964-12	23964-13
Nitrate-N (353.2)						
Nitrate-N	%	82 %	82 %	0.46 %	80-120 %	<30 %
Dilution Factor		1	1			
Analysis Date		08/06/04	08/06/04			
Analysis Time		18:32	18:32			
Batch ID		0806G	0806G	0802G		
Solids, Total Dissolved (160.1)						
Solids, Total Dissolved	%	100 %	100 %	0.40 %	80-120 %	<25 %
Dilution Factor		1	1			
Analysis Date		08/11/04	08/11/04			
Analysis Time		16:00	16:00			
Batch ID		0811J	0811J	0811J		
Bicarbonate Alkalinity as CaCO3 (SM2320B)						
Bicarbonate Alkalinity as CaCO3	mg/l	---	---	---		
Cyanide (335.2)						
Cyanide	%	90 %	86 %	4.5 %	80-120 %	<25 %
Dilution Factor		1	1			
Analysis Date		08/09/04	08/09/04			
Analysis Time		11:00	11:00			
Batch ID		0809FF	0809FF	0809FF		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-9	Matrix Spike % Recovery	Liquid	08/06/04		
23964-10	Matrix Spike Duplicate % Recovery	Liquid	08/06/04		
23964-11	Precision (%RPD) MS/MSD	Liquid	08/06/04		
23964-12	MS Accuracy Advisory Limit (%R)	Liquid	08/06/04		
23964-13	MS Precision Advisory Limit (%RPD)	Liquid	08/06/04		

Parameter	Units	Lab Sample IDs				
		23964-9	23964-10	23964-11	23964-12	23964-13
Sulfide (376.1)						
Sulfide	mg/l	---	---	---		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-14	Practical Quantitation Limit (PQL)	Liquid	08/06/04		
23964-15	Method Detection Limit (MDL)	Liquid	08/06/04		

Parameter	Units	Lab Sample IDs	
		23964-14	23964-15

Volatile Organic Compounds (8260)

Acetonitrile	ug/l	200	75
Acetone	ug/l	10	9.9
Benzene	ug/l	1.0	0.27
Bromodichloromethane	ug/l	1.0	0.35
Bromomethane	ug/l	1.0	0.66
Carbon disulfide	ug/l	1.0	0.85
Chlorobenzene	ug/l	1.0	0.63
Bromochloromethane	ug/l	1.0	0.58
Dibromochloromethane	ug/l	1.0	0.34
Chloroethane	ug/l	1.0	0.80
Chloromethane	ug/l	1.0	0.64
Chloroform	ug/l	1.0	0.90
3-Chloro-1-propene (Allyl chloride)	ug/l	5.0	1.1
Chloroprene	ug/l	5.0	0.89
Dibromomethane	ug/l	1.0	0.41
trans-1,4-Dichloro-2-butene	ug/l	10	2.5
Dichlorodifluoromethane	ug/l	1.0	0.40
1,1-Dichloroethane	ug/l	1.0	0.52
1,2-Dichloroethane	ug/l	1.0	0.57
trans-1,2-Dichloroethene	ug/l	1.0	0.44
cis-1,2-Dichloroethene	ug/l	1.0	0.65
1,1-Dichloroethene	ug/l	1.0	0.45
Methylene chloride (Dichloromethane)	ug/l	5.0	1.0
1,2-Dichloropropane	ug/l	1.0	0.52
1,3-Dichloropropane	ug/l	1.0	0.39
2,2 Dichloropropane	ug/l	1.0	0.36
1,1 Dichloropropene	ug/l	1.0	0.31

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-14	Practical Quantitation Limit (PQL)	Liquid	08/06/04		
23964-15	Method Detection Limit (MDL)	Liquid	08/06/04		

Parameter	Units	Lab Sample IDs	
		23964-14	23964-15

Volatile Organic Compounds (8260)

cis-1,3-Dichloropropene	ug/l	1.0	0.14
trans-1,3-Dichloropropene	ug/l	1.0	0.14
Ethylbenzene	ug/l	1.0	0.83
2-Butanone (MEK)	ug/l	10	8.4
Iodomethane	ug/l	1.0	0.67
Methacrylonitrile	ug/l	100	1.8
4-Methyl-2-pentanone (MIBK)	ug/l	10	3.8
Styrene	ug/l	1.0	0.98
1,1,1,2-Tetrachloroethane	ug/l	1.0	0.63
1,1,2,2-Tetrachloroethane	ug/l	1.0	0.14
Tetrachloroethene	ug/l	1.0	0.34
Carbon tetrachloride	ug/l	1.0	0.42
Toluene	ug/l	1.0	0.51
Bromoform	ug/l	1.0	0.58
1,1,2-Trichloroethane	ug/l	1.0	0.47
1,1,1-Trichloroethane	ug/l	1.0	0.46
Trichloroethene	ug/l	1.0	0.28
Trichlorofluoromethane	ug/l	1.0	0.98
1,2,3-Trichloropropane	ug/l	1.0	0.15
Vinyl acetate	ug/l	10	1.5
Vinyl chloride	ug/l	1.0	0.50
Xylenes, Total	ug/l	1.0	0.98
2-Hexanone	ug/l	10	4.4
Propionitrile	ug/l	100	7.2
Methyl methacrylate	ug/l	5.0	0.66
Acrolein (Propenal)	ug/l	100	3.8
Acrylonitrile	ug/l	100	1.2
Ethyl methacrylate	ug/l	5.0	0.53
Isobutanol	ug/l	200	31

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-14	Practical Quantitation Limit (PQL)	Liquid	08/06/04		
23964-15	Method Detection Limit (MDL)	Liquid	08/06/04		

Parameter	Units	Lab Sample IDs	
		23964-14	23964-15

PCB's (8082)

Aroclor-1016	ug/l	0.50	0.26
Aroclor-1221	ug/l	0.50	0.15
Aroclor-1232	ug/l	0.50	0.38
Aroclor-1242	ug/l	0.50	0.077
Aroclor-1248	ug/l	0.50	0.070
Aroclor-1254	ug/l	0.50	0.12
Aroclor-1260	ug/l	0.50	0.10

Chlorinated Pesticides (8081)

Aldrin	ug/l	0.050	0.00065
Isodrin	ug/l	0.050	0.0061
Chlordane (technical)	ug/l	0.50	0.057
Chlorobenzilate	ug/l	0.50	0.075
p,p'-DDD	ug/l	0.10	0.0047
p,p'-DDE	ug/l	0.10	0.0031
p,p'-DDT	ug/l	0.10	0.0042
Dieldrin	ug/l	0.10	0.00086
Endosulfan I	ug/l	0.050	0.0063
Endosulfan II	ug/l	0.10	0.0078
Endosulfan sulfate	ug/l	0.10	0.0070
Endrin	ug/l	0.10	0.0035
Endrin aldehyde	ug/l	0.10	0.0050
Heptachlor	ug/l	0.050	0.011
Heptachlor epoxide	ug/l	0.050	0.0060
alpha-BHC	ug/l	0.050	0.00051
beta-BHC	ug/l	0.050	0.0063
gamma-BHC (Lindane)	ug/l	0.050	0.011
delta-BHC	ug/l	0.050	0.0074

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-14	Practical Quantitation Limit (PQL)	Liquid	08/06/04		
23964-15	Method Detection Limit (MDL)	Liquid	08/06/04		

Parameter	Units	Lab Sample IDs	
		23964-14	23964-15

Chlorinated Pesticides (8081)

Kepone	ug/l	1.0	0.083
Methoxychlor	ug/l	0.50	0.0082
Toxaphene	ug/l	3.0	0.72

Herbicides (8151)

2,4-D	ug/l	0.50	0.36
2,4,5-T	ug/l	0.50	0.046
2,4,5-TP (Silvex)	ug/l	0.50	0.036

Organophosphorus Pesticides (8141)

Disulfoton	ug/l	2.0	0.18
Methyl parathion	ug/l	0.50	0.11
Ethyl parathion (Parathion)	ug/l	1.0	0.085
Famphur	ug/l	2.0	0.17
Phorate	ug/l	1.0	0.086
Thionazin (o,o-Diethyl-O-pyrazinyl phosphorothioate)	ug/l	1.0	0.080
Dimethoate	ug/l	2.0	0.12

Microextractables (8011)

1,2-Dibromoethane (EDB)	ug/l	0.020	0.0087
1,2-Dibromo-3-chloropropane	ug/l	0.020	0.0030

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-14	Practical Quantitation Limit (PQL)	Liquid	08/06/04		
23964-15	Method Detection Limit (MDL)	Liquid	08/06/04		

Parameter	Units	Lab Sample IDs	
		23964-14	23964-15

Acids and Base Neutrals (8270)

Acetophenone	ug/l	10	0.52
2-Acetylaminofluorene	ug/l	10	0.50
4-Aminobiphenyl	ug/l	10	4.8
Benzyl alcohol	ug/l	10	10
bis(2-Chloroethoxy)methane	ug/l	10	0.26
bis(2-Chloroethyl)ether	ug/l	10	0.44
2,2'-Oxybis(1-chloropropane) [b is(2-Chloroisopropyl) ether]	ug/l	10	0.23
bis(2-Ethylhexyl)phthalate	ug/l	6.0	1.0
4-Bromophenylphenyl ether	ug/l	10	0.35
Butylbenzylphthalate	ug/l	10	0.41
Dinoseb (2-sec-Butyl-4,6-dinitrophen)	ug/l	10	1.1
4-Chloroaniline (p-Chloroaniline)	ug/l	20	0.98
1,3-Dichlorobenzene	ug/l	10	0.32
1,4-Dichlorobenzene	ug/l	10	0.29
1,2-Dichlorobenzene	ug/l	10	0.31
4-Chlorophenylphenyl ether	ug/l	10	0.66
2-Chloronaphthalene	ug/l	10	0.39
Di-n-butylphthalate	ug/l	10	0.26
3,3'-Dichlorobenzidine	ug/l	20	4.4
3,3'-Dimethylbenzidine	ug/l	20	13
Diethylphthalate	ug/l	10	1.0
p-(Dimethylamino)azobenzene	ug/l	10	1.3
7,12-Dimethylbenz(a)anthracene	ug/l	10	2.7
Dimethylphthalate	ug/l	10	0.39
m-Dinitrobenzene	ug/l	10	0.91

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-14	Practical Quantitation Limit (PQL)	Liquid	08/06/04		
23964-15	Method Detection Limit (MDL)	Liquid	08/06/04		

Parameter	Units	Lab Sample IDs	
		23964-14	23964-15

Acids and Base Neutrals (8270)

2,4-Dinitrotoluene	ug/l	10	0.41
2,6-Dinitrotoluene	ug/l	10	0.34
Di-n-octylphthalate	ug/l	10	0.35
Diphenylamine	ug/l	10	0.34
n-Nitrosodi-n-propylamine	ug/l	10	0.29
Hexachlorobenzene	ug/l	4.0	0.19
Hexachlorobutadiene	ug/l	10	0.35
Hexachlorocyclopentadiene	ug/l	10	2.4
Hexachloroethane	ug/l	10	0.32
Hexachloropropene	ug/l	10	0.53
Isophorone	ug/l	10	0.37
Isosafrole	ug/l	10	0.64
Methapyrilene	ug/l	2000	1.6
3-Methylcholanthrene	ug/l	10	0.76
Methyl methanesulfonate	ug/l	10	0.72
1,4-Naphthoquinone	ug/l	10	0.33
1-Naphthylamine	ug/l	10	1.1
2-Naphthylamine	ug/l	10	0.98
2-Nitroaniline	ug/l	50	5.3
3-Nitroaniline	ug/l	50	5.0
4-Nitroaniline	ug/l	50	7.7
Nitrobenzene	ug/l	10	0.31
N-Nitrosodi-n-butylamine	ug/l	10	0.62
N-Nitrosodiethylamine	ug/l	10	0.46
N-Nitrosodimethylamine	ug/l	10	0.49
N-Nitrosomethylethylamine	ug/l	10	8.6
N-Nitrosodiphenylamine	ug/l	10	0.34
N-Nitrosopiperidine	ug/l	10	1.6
N-Nitrosopyrrolidine	ug/l	10	0.86

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-14	Practical Quantitation Limit (PQL)	Liquid	08/06/04		
23964-15	Method Detection Limit (MDL)	Liquid	08/06/04		

Parameter	Units	Lab Sample IDs	
		23964-14	23964-15

Acids and Base Neutrals (8270)

5-Nitro-o-toluidine	ug/l	10	1.3
Pentachlorobenzene	ug/l	10	0.68
Pentachloronitrobenzene	ug/l	10	1.3
Phenacetin	ug/l	10	1.2
Pronamide	ug/l	10	0.56
Safrole	ug/l	10	0.95
1,2,4,5-Tetrachlorobenzene	ug/l	10	0.75
1,2,4-Trichlorobenzene	ug/l	10	0.36
2-Chlorophenol	ug/l	10	0.24
Cresol, m & p	ug/l	10	0.71
Cresol (ortho)	ug/l	10	0.29
4-Nitrophenol	ug/l	50	4.9
2,4-Dichlorophenol	ug/l	10	0.66
2,6-Dichlorophenol	ug/l	10	1.0
2,4-Dimethylphenol	ug/l	10	0.39
4,6-Dinitro-2-methylphenol	ug/l	50	5.0
2,4-Dinitrophenol	ug/l	50	0.80
Pentachlorophenol	ug/l	15	4.0
Phenol	ug/l	10	1.0
2,4,5-Trichlorophenol	ug/l	10	0.74
2,4,6-Trichlorophenol	ug/l	10	0.35
2,3,4,6-Tetrachlorophenol	ug/l	10	0.61
2-Nitrophenol	ug/l	10	0.36
Diallate, Total	ug/l	10	1.2
Ethyl methanesulfonate	ug/l	10	0.70
1,4-Phenylenediamine			
(p-Phenylenediamine)	ug/l	2000	500
o-Toluidine	ug/l	10	0.53
O,O,O-Triethyl phosphorothioate	ug/l	10	1.6

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-14	Practical Quantitation Limit (PQL)	Liquid	08/06/04		
23964-15	Method Detection Limit (MDL)	Liquid	08/06/04		

Parameter	Units	Lab Sample IDs	
		23964-14	23964-15

Acids and Base Neutrals (8270)

1,3,5-Trinitrobenzene	ug/l	10	1.5
4-Chloro-3-methylphenol	ug/l	10	0.33
Dibenzofuran	ug/l	10	0.29

Polynuclear Aromatics (8270)

Acenaphthene	ug/l	1.0	0.088
Acenaphthylene	ug/l	1.0	0.074
Anthracene	ug/l	0.20	0.076
Benzo(a)Anthracene	ug/l	0.20	0.060
Benzo(a)Pyrene	ug/l	0.20	0.057
Benzo(b)fluoranthene	ug/l	0.20	0.057
Benzo (g,h,i) Perylene	ug/l	0.50	0.056
Benzo (k) Fluoranthene	ug/l	0.20	0.057
Chrysene	ug/l	0.20	0.069
Dibenzo (a,h) Anthracene	ug/l	0.20	0.054
Fluoranthene	ug/l	0.50	0.054
Fluorene	ug/l	0.50	0.087
Indeno (1,2,3-cd) Pyrene	ug/l	0.20	0.064
Naphthalene	ug/l	1.0	0.071
Phenanthrene	ug/l	0.20	0.089
Pyrene	ug/l	0.50	0.089
1-Methylnaphthalene	ug/l	4.0	1.0
2-Methylnaphthalene	ug/l	4.0	1.0

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-14	Practical Quantitation Limit (PQL)	Liquid	08/06/04		
23964-15	Method Detection Limit (MDL)	Liquid	08/06/04		

Parameter	Units	Lab Sample IDs	
		23964-14	23964-15

Appendix II Metals (6010)

Antimony	mg/l	0.0060	0.0029
Arsenic	mg/l	0.010	0.0038
Barium	mg/l	0.010	0.0012
Beryllium	mg/l	0.0040	0.00074
Cadmium	mg/l	0.0050	0.00071
Chromium	mg/l	0.010	0.0017
Cobalt	mg/l	0.010	0.0014
Copper	mg/l	0.020	0.0013
Lead	mg/l	0.0050	0.0015
Nickel	mg/l	0.040	0.0047
Selenium	mg/l	0.010	0.0048
Silver	mg/l	0.010	0.0019
Tin	mg/l	0.050	0.0064
Vanadium	mg/l	0.010	0.0025
Zinc	mg/l	0.020	0.0059

Mercury (7470)

Mercury	mg/l	0.00020	0.000072
---------	------	---------	----------

Thallium (7841)

Thallium	mg/l	0.0020	0.00070
----------	------	--------	---------

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-14	Practical Quantitation Limit (PQL)	Liquid	08/06/04		
23964-15	Method Detection Limit (MDL)	Liquid	08/06/04		

Parameter	Units	Lab Sample IDs	
		23964-14	23964-15
Iron (6010)			
Iron	mg/l	0.050	0.037
Sodium (6010)			
Sodium	mg/l	0.50	0.15
Chloride (325.3)			
Chloride	mg/l	1.0	1.0
Ammonia-N (350.3)			
Ammonia-N	mg/l	0.050	0.040
Nitrate-N (353.2)			
Nitrate-N	mg/l	0.050	0.010
Solids, Total Dissolved (160.1)			
Solids, Total Dissolved	mg/l	5.0	5.0
Bicarbonate Alkalinity as CaCO3 (SM2320B)			
Bicarbonate Alkalinity as CaCO3	mg/l	1.0	1.0

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23964-14	Practical Quantitation Limit (PQL)	Liquid	08/06/04		
23964-15	Method Detection Limit (MDL)	Liquid	08/06/04		

Parameter	Units	Lab Sample IDs	
		23964-14	23964-15
Cyanide (335.2)			
Cyanide	mg/l	0.010	0.0050
Sulfide (376.1)			
Sulfide	mg/l	1.0	1.0

Order Number: B423964

Method: FDEP, SW-846, 40 CFR Part 136, 600/4-79-020, Standard Methods.
Doh Certification #:E84282

These test results meet all the requirements of NELAC. All questions regarding this test report should be directed to the STL Project Manager who signed this test report.

The estimated uncertainty associated with these reported results is available upon request.

STL Savannah, 5102 LaRoche Ave., Savannah, GA 31404
Phone #912/354-7858. DOH Certification #E87052

I = The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.

U = Indicates that the compound was analyzed for but not detected.

J3 = The reported value failed to meet the established quality control criteria for either precision or accuracy.

P = Identification of target analytes using GC methodology is based on retention time. Although two dissimilar GC columns confirmed the presence of the target analyte in the sample, relative percent difference is >40 %. Thus, viewer discretion should be employed during data review and interpretation of results for this target compound.

*F42 = Target compounds were quantitated from a secondary dilution due to analyte abundance in the sample.

*F61 = The recoveries of the matrix spikes are outside advisory limits due to the abundance of the target analyte in the sample.

*F82 = Insufficient sample volume was available to perform a batch-specific matrix spike. However, an LCS analyzed with the sample batch met control criteria.

*F99 = Recoveries for silvex and surrogate DCAA exceeded the method guidance

criteria. Since there were no hits in the sample and the spikes were high, the batch was reported.

Remit To: SEVERN TRENT LABORATORIES, INC. P.O. Box 7777 W4305 Philadelphia, PA 19175-4305
 STL Tampa 6712 Benjamin Road, Suite 100 - Tampa FL 33634 Tel:813-885-7427 Fax:813-885-7049

INVOICE

Federal ID# 23-2919996

Mr. Kirk Wills
 Geosyntec
 14055 Riveredge Drive, Ste.300
 Tampa, FL 33637

Invoice CC:

DATE 08/24/04	TERMS Net 30 Days	CLIENT PO #	CLIENT PROJECT # FQ0638	PROJECT Oak Hammock Disposal La
------------------	----------------------	-------------	----------------------------	------------------------------------

INVOICE # 66018548	CONTRACT #	CODE MV*387007	
-----------------------	------------	-------------------	--

LOG # B423964	CREDIT / DEBIT	ORIGINATING LOG #	SDG #	REQUISITION #
------------------	----------------	-------------------	-------	---------------

QUANTITY	MATRIX	METHOD	DESCRIPTION	UNIT PRICE	EXTENDED AMOUNT
1	Liquid	8260	Volatile Organic Compounds	62.40	62.40
1	Liquid	8082	PCB's	19.50	19.50
1	Liquid	8081	Chlorinated Pesticides	58.50	58.50
1	Liquid	8151	Herbicides	78.00	78.00
1	Liquid	8141	Organophosphorus Pesticides	58.50	58.50
1	Liquid	8011	Microextractables	33.15	33.15
1	Liquid	8270	Acids and Base Neutrals	140.40	140.40
1	Liquid	8270	Polynuclear Aromatics	0.00	0.00
1	Liquid	6010	Appendix II Metals	70.20	70.20
1	Liquid	7470	Mercury	15.60	15.60
1	Liquid	7841	Thallium	12.00	12.00
1	Liquid	6010	Iron	4.68	4.68
1	Liquid	6010	Sodium	4.68	4.68
1	Liquid	325.3	Chloride	9.75	9.75
1	Liquid	350.3	Ammonia-N	7.80	7.80
1	Liquid	353.2	Nitrate-N	9.75	9.75
1	Liquid	160.1	Solids, Total Dissolved	5.85	5.85
1	Liquid	SM2320B	Bicarbonate Alkalinity as CaCO3	7.80	7.80
1	Liquid	335.2	Cyanide	15.60	15.60
1	Liquid	376.1	Sulfide	9.75	9.75
Total for this page					\$623.91
INVOICE TOTAL					\$623.91

REPORTED TO Mr. Kirk Wills	OFFICE Geosyntec	OFFICE PHONE (813) 558-0990
--------------------------------------	----------------------------	---------------------------------------

For proper credit, please show INVOICE NUMBER on your remittance.
 After 30 days, service charges of 1.5% per 30 days will be applied to unpaid balance.

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well: 19947

Permitted Well Type: CO

Monitoring_Site_Num: L-1

Ground water classification: LC

Well Purged prior to Sample Collection? (Y/N) YES

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
	1-Methylnaphthalene	PP	N	Y	8270	2	1	ug/l	U	8/17/2004
39492	Aroclor-1232	PP	N	Y	8082	0.38	0.38	ug/l	U	8/17/2004
39496	Aroclor-1242	PP	N	Y	8082	0.077	0.077	ug/l	U	8/17/2004
39508	Aroclor-1260	PP	N	Y	8082	0.1	0.1	ug/l	U	8/17/2004
39504	Aroclor-1254	PP	N	Y	8082	0.12	0.12	ug/l	U	8/17/2004
81648	Aroclor-1016	PP	N	Y	8082	0.26	0.26	ug/l	U	8/17/2004
39488	Aroclor-1221	PP	N	Y	8082	0.15	0.15	ug/l	U	8/17/2004
39500	Aroclor-1248	PP	N	Y	8082	0.07	0.07	ug/l	U	8/17/2004
000425	Bicarbonate Alkalinity as CaCO3	PP	N	Y	SM2320B	37	1	mg/l		8/11/2004
000610	Ammonia-N	PP	NO	Y	350.3	3.9	0.04	mg/l		8/11/2004
000940	Chloride	PP	NO	Y	325.3	79	1	mg/l		8/16/2004
000620	Nitrate-N	PP	NO	Y	353.2	0.01	0.01	mg/l	U	8/6/2004
070300	Solids, Total Dissolved	PP	NO	Y	160.1	280	5	mg/l		8/11/2004
001097	Antimony	PP	N	Y	6010	0.0029	0.0029	mg/l	U	8/12/2004
001002	Arsenic	PP	N	Y	6010	0.0038	0.0038	mg/l	U	8/12/2004
001007	Barium	PP	N	Y	6010	0.083	0.0012	mg/l		8/12/2004
001012	Beryllium	PP	N	Y	6010	0.00074	0.00074	mg/l	U	8/12/2004
001027	Cadmium	PP	N	Y	6010	0.00071	0.00071	mg/l	U	8/12/2004
001034	Chromium	PP	N	Y	6010	0.0029	0.0017	mg/l	I	8/12/2004
001037	Cobalt	PP	N	Y	6010	0.0041	0.0014	mg/l	I	8/12/2004
001042	Copper	PP	N	Y	6010	0.0013	0.0013	mg/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well: 19947

Monitoring_Site_Num: L-1

Permitted Well Type: CO

Ground water classification: LC

Well Purged prior to Sample Collection? (Y/N) YES

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
001045	Iron	PP	NO	Y	6010	6.3	0.037	mg/l		8/12/2004
001051	Lead	PP	N	Y	6010	0.0015	0.0015	mg/l	U	8/12/2004
071900	Mercury	PP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/17/2004
001067	Nickel	PP	N	Y	6010	0.0075	0.0047	mg/l	I	8/12/2004
001147	Selenium	PP	N	Y	6010	0.0048	0.0048	mg/l	U	8/12/2004
000929	Sodium	PP	NO	Y	6010	38	0.15	mg/l		8/12/2004
001059	Thallium	PP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001087	Vanadium	PP	N	Y	6010	0.008	0.0025	mg/l	I	8/12/2004
001092	Zinc	PP	N	Y	6010	0.0093	0.0059	mg/l	I	8/12/2004
081552	Acetone	PP	N	Y	8260	350	9.9	ug/l		8/16/2004
034215	Acrylonitrile	PP	N	Y	8260	1.2	1.2	ug/l	U	8/16/2004
034030	Benzene	PP	N	Y	8260	2	0.27	ug/l		8/16/2004
073085	Bromochloromethane	PP	N	Y	8260	0.58	0.58	ug/l	U	8/16/2004
032101	Bromodichloromethane	PP	N	Y	8260	0.35	0.35	ug/l	U	8/16/2004
032104	Bromoform	PP	N	Y	8260	0.58	0.58	ug/l	U	8/16/2004
077041	Carbon disulfide	PP	N	Y	8260	1.7	0.85	ug/l		8/16/2004
032102	Carbon tetrachloride	PP	N	Y	8260	0.42	0.42	ug/l	U	8/16/2004
034301	Chlorobenzene	PP	N	Y	8260	0.63	0.63	ug/l	U	8/16/2004
034311	Chloroethane	PP	N	Y	8260	0.8	0.8	ug/l	U	8/16/2004
032105	Dibromochloromethane	PP	N	Y	8260	0.34	0.34	ug/l	U	8/16/2004
077651	1,2-Dibromoethane (EDB)	PP	N	Y	8011	0.0087	0.0087	ug/l	U	8/18/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well: 19947

Permitted Well Type: CO

Monitoring_Site_Num: L-1

Ground water classification: LC

Well Purged prior to Sample Collection? (Y/N) YES

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034536	1,2-Dichlorobenzene	PP	N	Y	8270	0.93	0.31	ug/l	U	8/17/2004
034571	1,4-Dichlorobenzene	PP	N	Y	8270	0.87	0.29	ug/l	U	8/17/2004
049263	trans-1,4-Dichloro-2-butene	PP	N	Y	8260	2.5	2.5	ug/l	U	8/16/2004
034496	1,1-Dichloroethane	PP	N	Y	8260	1	0.52	ug/l		8/16/2004
034531	1,2-Dichloroethane	PP	N	Y	8260	1.9	0.57	ug/l		8/16/2004
034501	1,1-Dichloroethene	PP	N	Y	8260	0.45	0.45	ug/l	U	8/16/2004
077093	cis-1,2-Dichloroethene	PP	N	Y	8260	0.65	0.65	ug/l	U	8/16/2004
034546	trans-1,2-Dichloroethene	PP	N	Y	8260	0.44	0.44	ug/l	U	8/16/2004
034541	1,2-Dichloropropane	PP	N	Y	8260	0.79	0.52	ug/l	I	8/16/2004
034704	cis-1,3-Dichloropropene	PP	N	Y	8260	0.14	0.14	ug/l	U	8/16/2004
034699	trans-1,3-Dichloropropene	PP	N	Y	8260	0.14	0.14	ug/l	U	8/16/2004
034371	Ethylbenzene	PP	N	Y	8260	0.83	0.83	ug/l	U	8/16/2004
034413	Bromomethane	PP	N	Y	8260	0.66	0.66	ug/l	U	8/16/2004
077103	2-Hexanone	PP	N	Y	8260	4.4	4.4	ug/l	U	8/16/2004
034418	Chloromethane	PP	N	Y	8260	0.64	0.64	ug/l	U	8/16/2004
081595	2-Butanone (MEK)	PP	N	Y	8260	1200	8.4	ug/l	*F42	8/16/2004
077424	Iodomethane	PP	N	Y	8260	0.67	0.67	ug/l	U	8/16/2004
034423	Methylene chloride (Dichloromethane)	PP	N	Y	8260	7.3	1	ug/l		8/16/2004
081596	4-Methyl-2-pentanone (MIBK)	PP	N	Y	8260	8.8	3.8	ug/l	I	8/16/2004
077128	Styrene	PP	N	Y	8260	0.98	0.98	ug/l	U	8/16/2004
077562	1,1,1,2-Tetrachloroethane	PP	N	Y	8260	0.63	0.63	ug/l	U	8/16/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well: 19947

Monitoring_Site_Num: L-1

Permitted Well Type: CO

Ground water classification: LC

Well Purged prior to Sample Collection? (Y/N) YES

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
034516	1,1,2,2-Tetrachloroethane	PP	N	Y	8260	0.14	0.14	ug/l	U	8/16/2004
034475	Tetrachloroethene	PP	N	Y	8260	0.34	0.34	ug/l	U	8/16/2004
034010	Toluene	PP	N	Y	8260	5.2	0.51	ug/l		8/16/2004
034506	1,1,1-Trichloroethane	PP	N	Y	8260	0.46	0.46	ug/l	U	8/16/2004
034511	1,1,2-Trichloroethane	PP	N	Y	8260	0.47	0.47	ug/l	U	8/16/2004
039180	Trichloroethene	PP	N	Y	8260	0.41	0.28	ug/l	I	8/16/2004
034488	Trichlorofluoromethane	PP	N	Y	8260	0.98	0.98	ug/l	U	8/16/2004
077443	1,2,3-Trichloropropane	PP	N	Y	8260	0.15	0.15	ug/l	U	8/16/2004
077057	Vinyl acetate	PP	N	Y	8260	1.5	1.5	ug/l	U	8/16/2004
039175	Vinyl chloride	PP	N	Y	8260	0.5	0.5	ug/l	U	8/16/2004
034020	Xylenes, Total	PP	N	Y	8260	0.98	0.98	ug/l	U	8/16/2004
077416	2-Methylnaphthalene	PP	N	Y	8270	2	1	ug/l	U	8/17/2004
034361	Endosulfan I	PP	N	Y	8081	0.0063	0.0063	ug/l	U	8/17/2004
034242	Benzo (k) Fluoranthene	PP	N	Y	8270	0.11	0.057	ug/l	U	8/17/2004
034461	Phenanthrene	PP	N	Y	8270	0.18	0.089	ug/l	U	8/17/2004
001077	Silver	PP	N	Y	6010	0.0019	0.0019	mg/l	U	8/12/2004
034636	4-Bromophenylphenyl ether	PP	N	Y	8270	1	0.35	ug/l	U	8/17/2004
073522	Oxybis(1-chloropropane)[bis(2-Chloroiso	PP	N	Y	8270	0.69	0.23	ug/l	U	8/17/2004
001102	Tin	PP	N	Y	6010	0.0064	0.0064	mg/l	U	8/12/2004
038462	Famphur	PP	N	Y	8141	0.17	0.17	ug/l	U	8/12/2004
034469	Pyrene	PP	N	Y	8270	0.18	0.089	ug/l	U	8/17/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well: 19947

Monitoring_Site_Num: L-1

Permitted Well Type: CO

Ground water classification: LC

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Well Purged prior to Sample Collection? (Y/N) YES

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
039350	Chlordane (technical)	PP	N	Y	8081	0.057	0.057	ug/l	U	8/17/2004
034696	Naphthalene	PP	N	Y	8270	12	0.071	ug/l		8/17/2004
000745	Sulfide	PP	N	Y	376.1	4.2	1	mg/l		8/7/2004
034403	Indeno (1,2,3-cd) Pyrene	PP	N	Y	8270	0.13	0.064	ug/l	U	8/17/2004
034381	Fluorene	PP	N	Y	8270	0.17	0.087	ug/l	U	8/17/2004
076997	Acetonitrile	PP	N	Y	8260	75	75	ug/l	U	8/16/2004
034376	Fluoranthene	PP	N	Y	8270	0.11	0.054	ug/l	U	8/17/2004
039480	Methoxychlor	PP	N	Y	8081	0.0082	0.0082	ug/l	U	8/17/2004
034320	Chrysene	PP	N	Y	8270	0.14	0.069	ug/l	U	8/17/2004
039400	Toxaphene	PP	N	Y	8081	0.72	0.72	ug/l	U	8/17/2004
034521	Benzo (g,h,i) Perylene	PP	N	Y	8270	0.11	0.056	ug/l	U	8/17/2004
000720	Cyanide	PP	N	Y	335.2	0.005	0.005	mg/l	U	8/9/2004
039410	Heptachlor	PP	N	Y	8081	0.011	0.011	ug/l	U	8/17/2004
034581	2-Chloronaphthalene	PP	N	Y	8270	1.2	0.39	ug/l	U	8/17/2004
081597	Methyl methacrylate	PP	N	Y	8260	1.9	0.66	ug/l	I	8/16/2004
034210	Acrolein (Propenal)	PP	N	Y	8260	3.8	3.8	ug/l	U	8/16/2004
073570	Ethyl methacrylate	PP	N	Y	8260	0.53	0.53	ug/l	U	8/16/2004
077033	Isobutanol	PP	N	Y	8260	31	31	ug/l	U	8/16/2004
081888	Disulfoton	PP	N	Y	8141	0.18	0.18	ug/l	U	8/12/2004
039600	Methyl parathion	PP	N	Y	8141	0.11	0.11	ug/l	U	8/12/2004
039370	p,p'-DDT	PP	N	Y	8081	0.0042	0.0042	ug/l	U	8/17/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date **8/5/2004**

WACS Well: 19947

Permitted Well Type: **CO**

Monitoring_Site_Num: L-1

Ground water classification: LC

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Well Purged prior to
Sample Collection? (Y/N) YES

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
081281	Kepone	PP	N	Y	8081	0.083	0.083	ug/l	U	8/17/2004
046323	delta-BHC	PP	N	Y	8081	0.0074	0.0074	ug/l	U	8/17/2004
039340	gamma-BHC (Lindane)	PP	N	Y	8081	0.011	0.011	ug/l	U	8/17/2004
039338	beta-BHC	PP	N	Y	8081	0.0063	0.0063	ug/l	U	8/17/2004
039330	Aldrin	PP	N	Y	8081	0.00065	0.00065	ug/l	U	8/17/2004
039420	Heptachlor epoxide	PP	N	Y	8081	0.006	0.006	ug/l	U	8/17/2004
034668	Dichlorodifluoromethane	PP	N	Y	8260	0.4	0.4	ug/l	U	8/16/2004
034366	Endrin aldehyde	PP	N	Y	8081	0.0061	0.005	ug/l	IP	8/17/2004
039390	Endrin	PP	N	Y	8081	0.0035	0.0035	ug/l	U	8/17/2004
034351	Endosulfan sulfate	PP	N	Y	8081	0.007	0.007	ug/l	U	8/17/2004
034356	Endosulfan II	PP	N	Y	8081	0.0078	0.0078	ug/l	U	8/17/2004
039540	Ethyl parathion (Parathion)	PP	N	Y	8141	0.085	0.085	ug/l	U	8/12/2004
039380	Dieldrin	PP	N	Y	8081	0.014	0.00086	ug/l	IP	8/17/2004
039730	2,4-D	PP	N	Y	8151	0.36	0.36	ug/l	U	8/17/2004
039365	p,p'-DDE	PP	N	Y	8081	0.0031	0.0031	ug/l	U	8/17/2004
039360	p,p'-DDD	PP	N	Y	8081	0.0047	0.0047	ug/l	U	8/17/2004
039460	Chlorobenzilate	PP	N	Y	8081	0.075	0.075	ug/l	U	8/17/2004
034230	Benzo(b)fluoranthene	PP	N	Y	8270	0.11	0.057	ug/l	U	8/17/2004
039430	Isodrin	PP	N	Y	8081	0.0061	0.0061	ug/l	U	8/17/2004
039337	alpha-BHC	PP	N	Y	8081	0.00051	0.00051	ug/l	U	8/17/2004
034433	N-Nitrosodiphenylamine	PP	N	Y	8270	1	0.34	ug/l	U	8/17/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well: 19947

Monitoring_Site_Num: L-1

Permitted Well Type: CO

Ground water classification: LC

Well Purged prior to Sample Collection? (Y/N) YES

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
078300	3-Nitroaniline	PP	N	Y	8270	15	5	ug/l	U	8/17/2004
030342	4-Nitroaniline	PP	N	Y	8270	23	7.7	ug/l	U	8/17/2004
034447	Nitrobenzene	PP	N	Y	8270	0.93	0.31	ug/l	U	8/17/2004
073609	N-Nitrosodi-n-butylamine	PP	N	Y	8270	1.9	0.62	ug/l	U	8/17/2004
073611	N-Nitrosodiethylamine	PP	N	Y	8270	1.4	0.46	ug/l	U	8/17/2004
034438	N-Nitrosodimethylamine	PP	N	Y	8270	1.5	0.49	ug/l	U	8/17/2004
073613	N-Nitrosomethylethylamine	PP	N	Y	8270	26	8.6	ug/l	U	8/17/2004
077734	1,2,4,5-Tetrachlorobenzene	PP	N	Y	8270	2.2	0.75	ug/l	U	8/17/2004
034551	1,2,4-Trichlorobenzene	PP	N	Y	8270	1.1	0.36	ug/l	U	8/17/2004
034586	2-Chlorophenol	PP	N	Y	8270	0.72	0.24	ug/l	U	8/17/2004
073599	1,4-Naphthoquinone	PP	N	Y	8270	2.3	0.33	ug/l	U	8/17/2004
077687	2,4,5-Trichlorophenol	PP	N	Y	8270	2.2	0.74	ug/l	U	8/17/2004
034646	4-Nitrophenol	PP	N	Y	8270	15	4.9	ug/l	U	8/17/2004
073619	N-Nitrosopiperidine	PP	N	Y	8270	4.8	1.6	ug/l	U	8/17/2004
078206	N-Nitrosopyrrolidine	PP	N	Y	8270	2.6	0.86	ug/l	U	8/17/2004
073622	5-Nitro-o-toluidine	PP	N	Y	8270	3.9	1.3	ug/l	U	8/17/2004
077793	Pentachlorobenzene	PP	N	Y	8270	2	0.68	ug/l	U	8/17/2004
081316	Pentachloronitrobenzene	PP	N	Y	8270	3.9	1.3	ug/l	U	8/17/2004
073626	Phenacetin	PP	N	Y	8270	3.6	1.2	ug/l	U	8/17/2004
039080	Pronamide	PP	N	Y	8270	1.7	0.56	ug/l	U	8/17/2004
077545	Safrole	PP	N	Y	8270	2.8	0.95	ug/l	U	8/17/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well: 19947

Permitted Well Type: CO

Monitoring_Site_Num: L-1

Ground water classification: LC

Well Purged prior to Sample Collection? (Y/N) YES

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
034657	4,6-Dinitro-2-methylphenol	PP	N	Y	8270	15	5	ug/l	U	8/17/2004
034292	Butylbenzylphthalate	PP	N	Y	8270	1.2	0.41	ug/l	U	8/17/2004
034391	Hexachlorobutadiene	PP	N	Y	8270	1	0.35	ug/l	U	8/17/2004
073601	2-Naphthylamine	PP	N	Y	8270	2.9	0.98	ug/l	U	8/17/2004
034601	2,4-Dichlorophenol	PP	N	Y	8270	2	0.66	ug/l	U	8/17/2004
077541	2,6-Dichlorophenol	PP	N	Y	8270	3	1	ug/l	U	8/17/2004
034606	2,4-Dimethylphenol	PP	N	Y	8270	1.2	0.39	ug/l	U	8/17/2004
032106	Chloroform	PP	N	Y	8260	0.9	0.9	ug/l	U	8/16/2004
078109	3-Chloro-1-propene (Allyl chloride)	PP	N	Y	8260	1.1	1.1	ug/l	U	8/16/2004
081520	Chloroprene	PP	N	Y	8260	0.89	0.89	ug/l	U	8/16/2004
077152	Cresol (ortho)	PP	N	Y	8270	0.87	0.29	ug/l	U	8/17/2004
077173	1,3-Dichloropropane	PP	N	Y	8260	0.39	0.39	ug/l	U	8/16/2004
077146	Cresol, m & p	PP	N	Y	8270	130	0.71	ug/l		8/17/2004
077168	1,1 Dichloropropene	PP	N	Y	8260	0.31	0.31	ug/l	U	8/16/2004
078142	2-Nitroaniline	PP	N	Y	8270	16	5.3	ug/l	U	8/17/2004
046361	Dibromomethane	PP	N	Y	8260	0.41	0.41	ug/l	U	8/16/2004
034386	Hexachlorocyclopentadiene	PP	N	Y	8270	7.2	2.4	ug/l	U	8/17/2004
081287	Dinoseb (2-sec-Butyl-4,6-dinitrophenol)	PP	N	Y	8270	3.3	1.1	ug/l	U	8/17/2004
073529	4-Chloroaniline (p-Chloroaniline)	PP	N	Y	8270	2.9	0.98	ug/l	U	8/17/2004
034566	1,3-Dichlorobenzene	PP	N	Y	8270	0.96	0.32	ug/l	U	8/17/2004
045622	m-Dinitrobenzene	PP	N	Y	8270	2.7	0.91	ug/l	U	8/17/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well: 19947

Permitted Well Type: CO

Monitoring_Site_Num: L-1

Ground water classification: LC

Well Purged prior to Sample Collection? (Y/N) YES

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
034611	2,4-Dinitrotoluene	PP	N	Y	8270	1.2	0.41	ug/l	U	8/17/2004
034626	2,6-Dinitrotoluene	PP	N	Y	8270	1	0.34	ug/l	U	8/17/2004
034596	Di-n-octylphthalate	PP	N	Y	8270	1	0.35	ug/l	U	8/17/2004
077579	Diphenylamine	PP	N	Y	8270	1	0.34	ug/l	U	8/17/2004
034428	n-Nitrosodi-n-propylamine	PP	N	Y	8270	0.87	0.29	ug/l	U	8/17/2004
039700	Hexachlorobenzene	PP	N	Y	8270	0.57	0.19	ug/l	U	8/17/2004
034694	Phenol	PP	N	Y	8270	29	1	ug/l		8/17/2004
081593	Methacrylonitrile	PP	N	Y	8260	1.8	1.8	ug/l	U	8/16/2004
073589	Methapyrilene	PP	N	Y	8270	4.8	1.6	ug/l	U	8/17/2004
034616	2,4-Dinitrophenol	PP	N	Y	8270	2.4	0.8	ug/l	U	8/17/2004
073600	1-Naphthylamine	PP	N	Y	8270	3.3	1.1	ug/l	U	8/17/2004
039110	Di-n-butylphthalate	PP	N	Y	8270	0.78	0.26	ug/l	U	8/17/2004
082213	3,3'-Dimethylbenzidine	PP	N	Y	8270	39	13	ug/l	U	8/17/2004
034336	Diethylphthalate	PP	N	Y	8270	10	1	ug/l		8/17/2004
073558	p-(Dimethylamino)azobenzene	PP	N	Y	8270	3.9	1.3	ug/l	U	8/17/2004
073559	7,12-Dimethylbenz(a)anthracene	PP	N	Y	8270	8.1	2.7	ug/l	U	8/17/2004
034341	Dimethylphthalate	PP	N	Y	8270	1.2	0.39	ug/l	U	8/17/2004
034396	Hexachloroethane	PP	N	Y	8270	0.96	0.32	ug/l	U	8/17/2004
073576	Hexachloropropene	PP	N	Y	8270	1.6	0.53	ug/l	U	8/17/2004
034273	bis(2-Chloroethyl)ether	PP	N	Y	8270	1.3	0.44	ug/l	U	8/17/2004
073582	Isosafrole	PP	N	Y	8270	1.9	0.64	ug/l	U	8/17/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well: 19947

Permitted Well Type: **CO**

Monitoring_Site_Num: L-1

Ground water classification: LC

Well Purged prior to Sample Collection? (Y/N) YES

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034278	bis(2-Chloroethoxy)methane	PP	N	Y	8270	0.78	0.26	ug/l	U	8/17/2004
073591	3-Methylcholanthrene	PP	N	Y	8270	2.3	0.76	ug/l	U	8/17/2004
077170	2,2 Dichloropropane	PP	N	Y	8260	0.36	0.36	ug/l	U	8/16/2004
034556	Dibenzo (a,h) Anthracene	PP	N	Y	8270	0.11	0.054	ug/l	U	8/17/2004
039740	2,4,5-T	PP	N	Y	8151	0.046	0.046	ug/l	U	8/17/2004
039760	2,4,5-TP (Silvex)	PP	N	Y	8151	0.036	0.036	ug/l	U	8/17/2004
049146	1,2-Dibromo-3-chloropropane	PP	N	Y	8011	0.003	0.003	ug/l	U	8/18/2004
034205	Acenaphthene	PP	N	Y	8270	0.18	0.088	ug/l	U	8/17/2004
034200	Acenaphthylene	PP	N	Y	8270	0.15	0.074	ug/l	U	8/17/2004
034220	Anthracene	PP	N	Y	8270	0.15	0.076	ug/l	U	8/17/2004
034526	Benzo(a)Anthracene	PP	N	Y	8270	0.12	0.06	ug/l	U	8/17/2004
034408	Isophorone	PP	N	Y	8270	1.1	0.37	ug/l	U	8/17/2004
081302	Dibenzofuran	PP	N	Y	8270	0.87	0.29	ug/l	U	8/17/2004
073595	Methyl methanesulfonate	PP	N	Y	8270	2.2	0.72	ug/l	U	8/17/2004
034621	2,4,6-Trichlorophenol	PP	N	Y	8270	1	0.35	ug/l	U	8/17/2004
077770	2,3,4,6-Tetrachlorophenol	PP	N	Y	8270	1.8	0.61	ug/l	U	8/17/2004
034591	2-Nitrophenol	PP	N	Y	8270	1.1	0.36	ug/l	U	8/17/2004
073540	Diallate, Total	PP	N	Y	8270	3.6	1.2	ug/l	U	8/17/2004
073571	Ethyl methanesulfonate	PP	N	Y	8270	2.1	0.7	ug/l	U	8/17/2004
073628	4-Phenylenediamine (p-Phenylenediamine)	PP	N	Y	8270	1500	500	ug/l	U	8/17/2004
077142	o-Toluidine	PP	N	Y	8270	1.6	0.53	ug/l	U	8/17/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well: 19947

Permitted Well Type: **CO**

Monitoring_Site_Num: L-1

Ground water classification: LC

Well Purged prior to Sample Collection? (Y/N) YES

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
073652	O,O,O-Triethyl phosphorothioate	PP	N	Y	8270	4.8	1.6	ug/l	U	8/17/2004
073653	1,3,5-Trinitrobenzene	PP	N	Y	8270	4.5	1.5	ug/l	U	8/17/2004
034641	4-Chlorophenyphenyl ether	PP	N	Y	8270	2	0.66	ug/l	U	8/17/2004
034452	4-Chloro-3-methylphenol	PP	N	Y	8270	0.99	0.33	ug/l	U	8/17/2004
034247	Benzo(a)Pyrene	PP	N	Y	8270	0.11	0.057	ug/l	U	8/17/2004
039032	Pentachlorophenol	PP	N	Y	8270	12	4	ug/l	U	8/17/2004
034631	3,3'-Dichlorobenzidine	PP	N	Y	8270	13	4.4	ug/l	U	8/17/2004
039100	bis(2-Ethylhexyl)phthalate	PP	N	Y	8270	3	1	ug/l	U	8/17/2004
077007	Propionitrile	PP	N	Y	8260	7.2	7.2	ug/l	U	8/16/2004
046313	Phorate	PP	N	Y	8141	0.086	0.086	ug/l	U	8/12/2004
073553	iazin (o,o-Diethyl-O-pyrazinyl phosphoro	PP	N	Y	8141	0.08	0.08	ug/l	U	8/12/2004
046314	Dimethoate	PP	N	Y	8141	0.12	0.12	ug/l	U	8/12/2004
081553	Acetophenone	PP	N	Y	8270	1.6	0.52	ug/l	U	8/17/2004
073501	2-Acetylaminofluorene	PP	N	Y	8270	1.5	0.5	ug/l	U	8/17/2004
077581	4-Aminobiphenyl	PP	N	Y	8270	14	4.8	ug/l	U	8/17/2004
077147	Benzyl alcohol	PP	N	Y	8270	30	10	ug/l	U	8/17/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well: 19942

Monitoring_Site_Num: Trip Blank

Permitted Well Type: **CO**

Ground water classification: **G-II**

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Well Purged prior to Sample Collection? (Y/N) **YES**

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
077651	1,2-Dibromoethane (EDB)	PP	N	Y	8011	0.0087	0.0087	ug/l	U	8/18/2004
049146	1,2-Dibromo-3-chloropropane	PP	N	Y	8011	0.003	0.003	ug/l	U	8/18/2004

Analytical Report

For: Mr. Kirk Wills
Geosyntec
14055 Riveredge Drive, Ste.300
Tampa, FL 33637

CC:

Order Number: B423971
SDG Number:
Client Project ID: FQ0638
Project: Oak Hammock Disposal Landfill
Report Date: 08/20/2004
Sampled By: Client
Sample Received Date: 08/07/2004
Requisition Number:
Purchase Order:



Michael F. Valder, Project Manager
mvalder@stl-inc.com

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Sample Summary

Order: B423971
Date Received: 08/07/2004

Client: Geosyntec
Project: Oak Hammock Disposal Landfill

Client Sample ID	Lab Sample ID	Matrix	Date Sampled
MW-13A(R)	B423971*1	Liquid	08/05/2004 10:20
EB-02	B423971*2	Liquid	08/05/2004 07:45
MW-15B(R)	B423971*3	Liquid	08/05/2004 10:55
MW-4A(R)	B423971*4	Liquid	08/05/2004 11:10
MW-8B(R)	B423971*5	Liquid	08/05/2004 12:00
Trip Blank	B423971*6	Liquid	08/05/2004

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23971-1	MW-13A(R)	Liquid	08/07/04	08/05/04 10:20	
23971-2	EB-02	Liquid	08/07/04	08/05/04 07:45	

Parameter	Units	Lab Sample IDs	
		23971-1	23971-2

Appendix I - Organics (8260)

Acetone	ug/l	9.9U	9.9U
Acrylonitrile	ug/l	1.2U	1.2U
Benzene	ug/l	0.27U	0.27U
Bromochloromethane	ug/l	0.58U	0.58U
Bromodichloromethane	ug/l	0.35U	0.35U
Bromoform	ug/l	0.58U	0.58U
Carbon disulfide	ug/l	0.85U	0.85U
Carbon Tetrachloride	ug/l	0.42U	0.42U
Chlorobenzene	ug/l	0.63U	0.63U
Chloroethane	ug/l	0.80U	0.80U
Chloroform	ug/l	0.90U	0.90U
Dibromochloromethane	ug/l	0.34U	0.34U
1,2-Dichlorobenzene	ug/l	0.44U	0.44U
1,4-Dichlorobenzene	ug/l	0.52U	0.52U
Trans-1,4-Dichloro-2-butene	ug/l	2.5U	2.5U
1,1-Dichloroethane	ug/l	0.52U	0.52U
1,2-Dichloroethane	ug/l	0.57U	0.57U
1,1-Dichloroethylene	ug/l	0.45U	0.45U
cis-1,2-Dichloroethylene	ug/l	0.65U	0.65U
trans-1,2-Dichloroethylene	ug/l	0.44U	0.44U
1,2-Dichloropropane	ug/l	0.52U	0.52U
cis-1,3-Dichloropropene	ug/l	0.14U	0.14U
trans-1,3-Dichloropropene	ug/l	0.14U	0.14U
Ethylbenzene	ug/l	0.83U	0.83U
2-Hexanone	ug/l	4.4U	4.4U
Bromomethane	ug/l	0.66U	0.66U
Chloromethane	ug/l	0.64U	0.64U
Dibromomethane	ug/l	0.41U	0.41U
Methylene Chloride	ug/l	1.0U	1.0U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23971-1	MW-13A(R)	Liquid	08/07/04	08/05/04 10:20	
23971-2	EB-02	Liquid	08/07/04	08/05/04 07:45	

Parameter	Units	Lab Sample IDs	
		23971-1	23971-2

Appendix I - Organics (8260)

	ug/l	23971-1	23971-2
2-Butanone (MEK)	ug/l	8.4U	8.4U
Iodomethane	ug/l	0.67U	0.67U
4-Methyl-2-pentanone (MIBK)	ug/l	3.8U	3.8U
Styrene	ug/l	0.98U	0.98U
1,1,1,2-Tetrachloroethane	ug/l	0.63U	0.63U
1,1,2,2-Tetrachloroethane	ug/l	0.14U	0.14U
Tetrachloroethene	ug/l	0.34U	0.34U
Toluene	ug/l	1.8	0.51U
1,1,1-Trichloroethane	ug/l	0.46U	0.46U
1,1,2-Trichloroethane	ug/l	0.47U	0.47U
Trichloroethene	ug/l	0.28U	0.28U
Trichlorofluoromethane	ug/l	0.98U	0.98U
1,2,3-Trichloropropane	ug/l	0.15U	0.15U
Vinyl acetate	ug/l	1.5U	1.5U
Vinyl chloride	ug/l	0.50U	0.50U
Xylenes	ug/l	0.98U	0.98U
Dilution Factor		1	1
Analysis Date		08/18/04	08/18/04
Analysis Time		02:29	02:48
Batch ID		0817H	0817H

Microextractables (504)

	ug/l	23971-1	23971-2
1,2-Dibromoethane (EDB)	ug/l	0.0087U	0.0087U
1,2-Dibromo-3-chloropropane	ug/l	0.0030U	0.0030U
Dilution Factor		1	1
Prep Date		08/18/04	08/18/04
Prep Time		13:00	13:00
Analysis Date		08/18/04	08/18/04
Analysis Time		22:27	23:31
Batch ID		0818E	0818E

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23971-1	MW-13A(R)	Liquid	08/07/04	08/05/04 10:20	
23971-2	EB-02	Liquid	08/07/04	08/05/04 07:45	

Parameter	Units	Lab Sample IDs	
		23971-1	23971-2

Appendix I Metals by ICP (6010)

Arsenic	mg/l	0.0053I	0.0038U
Barium	mg/l	0.014	0.0012U
Beryllium	mg/l	0.00074U	0.00074U
Cadmium	mg/l	0.00071U	0.00071U
Chromium	mg/l	0.0017U	0.0017U
Cobalt	mg/l	0.0014U	0.0014U
Copper	mg/l	0.0013U	0.0013U
Lead	mg/l	0.0015U	0.0015U
Nickel	mg/l	0.0047U	0.0047U
Selenium	mg/l	0.0048U	0.0048U
Silver	mg/l	0.0019U	0.0019U
Vanadium	mg/l	0.0025U	0.0025U
Zinc	mg/l	0.0059U	0.011I
Antimony	mg/l	0.0029U	0.0029U
Dilution Factor		1	1
Prep Date		08/11/04	08/11/04
Prep Time		15:05	15:05
Analysis Date		08/16/04	08/16/04
Analysis Time		14:30	14:37
Batch ID		40811K	40811K

Mercury (7470)

Mercury	mg/l	0.000072U	0.00013I
Dilution Factor		1	1
Prep Date		08/16/04	08/16/04
Prep Time		15:10	15:10
Analysis Date		08/17/04	08/17/04
Analysis Time		11:57	11:59
Batch ID		40816T	40816T

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23971-1	MW-13A(R)	Liquid	08/07/04	08/05/04 10:20	
23971-2	EB-02	Liquid	08/07/04	08/05/04 07:45	

Parameter	Units	Lab Sample IDs	
		23971-1	23971-2

Iron (6010)

Iron	mg/l	6.2	0.037U
Dilution Factor		1	1
Prep Date		08/11/04	08/11/04
Prep Time		15:05	15:05
Analysis Date		08/16/04	08/16/04
Analysis Time		14:30	14:37
Batch ID		40811K	40811K

Thallium (7841)

Thallium	mg/l	0.00070U	0.00070U
Dilution Factor		1	1
Prep Date		08/11/04	08/11/04
Prep Time		09:00	09:00
Analysis Date		08/13/04	08/13/04
Analysis Time		14:06	14:10
Batch ID		0811G	0811G

Sodium (6010)

Sodium	mg/l	13	0.15U
Dilution Factor		1	1
Prep Date		08/11/04	08/11/04
Prep Time		15:05	15:05
Analysis Date		08/16/04	08/16/04
Analysis Time		14:30	14:37
Batch ID		40811K	40811K

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23971-1	MW-13A(R)	Liquid	08/07/04	08/05/04 10:20	
23971-2	EB-02	Liquid	08/07/04	08/05/04 07:45	

Parameter	Units	Lab Sample IDs	
		23971-1	23971-2

Chloride (325.3)

Chloride	mg/l	25	1.0U
Dilution Factor		1	1
Analysis Date		08/17/04	08/17/04
Analysis Time		11:40	11:40
Batch ID		0817M	0817M

Ammonia-N (350.3)

Ammonia-N	mg/l	0.35	0.040U
Dilution Factor		1	1
Analysis Date		08/16/04	08/16/04
Analysis Time		19:30	19:30
Batch ID		0816Y	0816Y

Nitrate-N (353.2)

Nitrate-N	mg/l	0.010U	0.010U
Dilution Factor		1	1
Analysis Date		08/06/04	08/06/04
Analysis Time		18:32	18:32
Batch ID		0806G	0806G

Solids, Total Dissolved (160.1)

Solids, Total Dissolved	mg/l	90	5.0U
Dilution Factor		1	1
Analysis Date		08/11/04	08/11/04
Analysis Time		16:00	16:00
Batch ID		0811J	0811J

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23971-3	MW-15B(R)	Liquid	08/07/04	08/05/04 10:55	
23971-4	MW-4A(R)	Liquid	08/07/04	08/05/04 11:10	
23971-5	MW-8B(R)	Liquid	08/07/04	08/05/04 12:00	

Parameter	Units	Lab Sample IDs		
		23971-3	23971-4	23971-5

Appendix I - Organics (8260)

	Units	23971-3	23971-4	23971-5
Acetone	ug/l	9.9U	9.9U	9.9U
Acrylonitrile	ug/l	1.2U	1.2U	1.2U
Benzene	ug/l	0.27U	0.27U	0.27U
Bromochloromethane	ug/l	0.58U	0.58U	0.58U
Bromodichloromethane	ug/l	0.35U	0.35U	0.35U
Bromoform	ug/l	0.58U	0.58U	0.58U
Carbon disulfide	ug/l	0.85U	0.85U	0.85U
Carbon Tetrachloride	ug/l	0.42U	0.42U	0.42U
Chlorobenzene	ug/l	0.63U	0.63U	0.63U
Chloroethane	ug/l	0.80U	0.80U	0.80U
Chloroform	ug/l	0.90U	0.90U	0.90U
Dibromochloromethane	ug/l	0.34U	0.34U	0.34U
1,2-Dichlorobenzene	ug/l	0.44U	0.44U	0.44U
1,4-Dichlorobenzene	ug/l	0.52U	0.52U	0.52U
Trans-1,4-Dichloro-2-butene	ug/l	2.5U	2.5U	2.5U
1,1-Dichloroethane	ug/l	0.52U	0.52U	0.52U
1,2-Dichloroethane	ug/l	0.57U	0.57U	0.57U
1,1-Dichloroethylene	ug/l	0.45U	0.45U	0.45U
cis-1,2-Dichloroethylene	ug/l	0.65U	0.65U	0.65U
trans-1,2-Dichloroethylene	ug/l	0.44U	0.44U	0.44U
1,2-Dichloropropane	ug/l	0.52U	0.52U	0.52U
cis-1,3-Dichloropropene	ug/l	0.14U	0.14U	0.14U
trans-1,3-Dichloropropene	ug/l	0.14U	0.14U	0.14U
Ethylbenzene	ug/l	0.83U	1.8	0.83U
2-Hexanone	ug/l	4.4U	4.4U	4.4U
Bromomethane	ug/l	0.66U	0.66U	0.66U
Chloromethane	ug/l	0.64U	0.64U	0.64U
Dibromomethane	ug/l	0.41U	0.41U	0.41U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23971-3	MW-15B(R)	Liquid	08/07/04	08/05/04 10:55	
23971-4	MW-4A(R)	Liquid	08/07/04	08/05/04 11:10	
23971-5	MW-8B(R)	Liquid	08/07/04	08/05/04 12:00	

Parameter	Units	Lab Sample IDs		
		23971-3	23971-4	23971-5

Appendix I - Organics (8260)

Methylene Chloride	ug/l	1.0U	1.0U	1.0U
2-Butanone (MEK)	ug/l	8.4U	8.4U	8.4U
Iodomethane	ug/l	0.67U	0.67U	0.67U
4-Methyl-2-pentanone (MIBK)	ug/l	3.8U	3.8U	3.8U
Styrene	ug/l	0.98U	0.98U	0.98U
1,1,1,2-Tetrachloroethane	ug/l	0.63U	0.63U	0.63U
1,1,2,2-Tetrachloroethane	ug/l	0.14U	0.14U	0.14U
Tetrachloroethene	ug/l	0.34U	0.34U	0.34U
Toluene	ug/l	0.51U	190	7.8
1,1,1-Trichloroethane	ug/l	0.46U	0.46U	0.46U
1,1,2-Trichloroethane	ug/l	0.47U	0.47U	0.47U
Trichloroethene	ug/l	0.28U	0.28U	0.28U
Trichlorofluoromethane	ug/l	0.98U	0.98U	0.98U
1,2,3-Trichloropropane	ug/l	0.15U	0.15U	0.15U
Vinyl acetate	ug/l	1.5U	1.5U	1.5U
Vinyl chloride	ug/l	0.50U	0.50U	0.50U
Xylenes	ug/l	0.98U	0.98U	0.98U
Dilution Factor		1	1	1
Analysis Date		08/18/04	08/18/04	08/18/04
Analysis Time		03:08	03:27	03:46
Batch ID		0817H	0817H	0817H

Microextractables (504)

1,2-Dibromoethane (EDB)	ug/l	0.0087U	0.0087U	0.0087U
1,2-Dibromo-3-chloropropane	ug/l	0.0030U	0.0030U	0.0030U
Dilution Factor		1	1	1
Prep Date		08/18/04	08/18/04	08/18/04
Prep Time		13:00	13:00	13:00
Analysis Date		08/18/04	08/19/04	08/19/04
Analysis Time		23:52	00:13	00:34
Batch ID		0818E	0818E	0818E

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23971-3	MW-15B(R)	Liquid	08/07/04	08/05/04 10:55	
23971-4	MW-4A(R)	Liquid	08/07/04	08/05/04 11:10	
23971-5	MW-8B(R)	Liquid	08/07/04	08/05/04 12:00	

Parameter	Units	Lab Sample IDs		
		23971-3	23971-4	23971-5

Appendix I Metals by ICP (6010)

Arsenic	mg/l	0.0038U	0.0038U	0.0054I
Barium	mg/l	0.070	0.011	0.29
Beryllium	mg/l	0.00074U	0.00074U	0.0012I
Cadmium	mg/l	0.00071U	0.00071U	0.00071U
Chromium	mg/l	0.0091I	0.0024I	0.057
Cobalt	mg/l	0.0014U	0.0014U	0.0016I
Copper	mg/l	0.0013U	0.0013U	0.012I
Lead	mg/l	0.0072	0.0015U	0.039
Nickel	mg/l	0.0047U	0.0047U	0.011I
Selenium	mg/l	0.0048U	0.0048U	0.0088I
Silver	mg/l	0.0019U	0.0019U	0.0019U
Vanadium	mg/l	0.013	0.0025U	0.12
Zinc	mg/l	0.0059U	0.0059U	0.011I
Antimony	mg/l	0.0029U	0.0029U	0.0029U
Dilution Factor		1	1	1
Prep Date		08/11/04	08/11/04	08/11/04
Prep Time		15:05	15:05	15:05
Analysis Date		08/16/04	08/16/04	08/16/04
Analysis Time		14:43	14:49	14:56
Batch ID		40811K	40811K	40811K

Mercury (7470)

Mercury	mg/l	0.000072U	0.000072U	0.00021
Dilution Factor		1	1	1
Prep Date		08/16/04	08/16/04	08/16/04
Prep Time		15:10	15:10	15:10
Analysis Date		08/17/04	08/17/04	08/17/04
Analysis Time		12:01	12:05	12:12
Batch ID		40816T	40816T	40816T

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23971-3	MW-15B(R)	Liquid	08/07/04	08/05/04 10:55	
23971-4	MW-4A(R)	Liquid	08/07/04	08/05/04 11:10	
23971-5	MW-8B(R)	Liquid	08/07/04	08/05/04 12:00	

Parameter	Units	Lab Sample IDs		
		23971-3	23971-4	23971-5

Iron (6010)

Iron	mg/l	1.4	2.9	6.6
Dilution Factor		1	1	1
Prep Date		08/11/04	08/11/04	08/11/04
Prep Time		15:05	15:05	15:05
Analysis Date		08/16/04	08/16/04	08/16/04
Analysis Time		14:43	14:49	14:56
Batch ID		40811K	40811K	40811K

Thallium (7841)

Thallium	mg/l	0.00070U	0.00070U	0.00070U
Dilution Factor		1	1	1
Prep Date		08/11/04	08/11/04	08/11/04
Prep Time		09:00	09:00	09:00
Analysis Date		08/13/04	08/13/04	08/13/04
Analysis Time		14:14	14:22	14:39
Batch ID		0811G	0811G	0811G

Thallium (Dissolved) (7841)

Thallium (Dissolved)	mg/l	0.00070U	0.00070U	0.00070U
Dilution Factor		1	1	1
Prep Date		08/11/04	08/11/04	08/11/04
Prep Time		09:00	09:00	09:00
Analysis Date		08/13/04	08/13/04	08/13/04
Analysis Time		14:18	14:26	14:43
Batch ID		0811G	0811G	0811G

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23971-3	MW-15B(R)	Liquid	08/07/04	08/05/04 10:55	
23971-4	MW-4A(R)	Liquid	08/07/04	08/05/04 11:10	
23971-5	MW-8B(R)	Liquid	08/07/04	08/05/04 12:00	

Parameter	Units	Lab Sample IDs		
		23971-3	23971-4	23971-5
Sodium (6010)				
Sodium	mg/l	7.4	7.2	5.7
Dilution Factor		1	1	1
Prep Date		08/11/04	08/11/04	08/11/04
Prep Time		15:05	15:05	15:05
Analysis Date		08/16/04	08/16/04	08/16/04
Analysis Time		14:43	14:49	14:56
Batch ID		40811K	40811K	40811K

Appendix I Metals Dissolved (6010)				
Antimony (Dissolved)	mg/l	0.0029U	0.0029U	0.0029U
Arsenic (Dissolved)	mg/l	0.0038U	0.0038U	0.0038U
Barium (Dissolved)	mg/l	0.0050I	0.012	0.019
Beryllium (Dissolved)	mg/l	0.00074U	0.00074U	0.00074U
Cadmium (Dissolved)	mg/l	0.00071U	0.00071U	0.00071U
Chromium (Dissolved)	mg/l	0.0017U	0.0035I	0.0017U
Cobalt (Dissolved)	mg/l	0.0014U	0.0014U	0.0014U
Copper (Dissolved)	mg/l	0.0013U	0.0013U	0.0013U
Lead (Dissolved)	mg/l	0.0015U	0.0015U	0.0015U
Nickel (Dissolved)	mg/l	0.0047U	0.0047U	0.0047U
Selenium (Dissolved)	mg/l	0.0048U	0.0048U	0.0048U
Silver (Dissolved)	mg/l	0.0019U	0.0019U	0.0019U
Vanadium (Dissolved)	mg/l	0.0025U	0.0026I	0.0025U
Zinc (Dissolved)	mg/l	0.0059U	0.0059U	0.0059U
Dilution Factor		1	1	1
Prep Date		08/11/04	08/11/04	08/11/04
Prep Time		15:05	15:05	15:05
Analysis Date		08/16/04	08/16/04	08/16/04
Analysis Time		15:02	15:08	15:18
Batch ID		40811K	40811K	40811K

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23971-3	MW-15B(R)	Liquid	08/07/04	08/05/04 10:55	
23971-4	MW-4A(R)	Liquid	08/07/04	08/05/04 11:10	
23971-5	MW-8B(R)	Liquid	08/07/04	08/05/04 12:00	

Parameter	Units	Lab Sample IDs		
		23971-3	23971-4	23971-5

Iron (Dissolved) (6010)

Iron (Dissolved)	mg/l	0.29	3.0	0.84
Dilution Factor		1	1	1
Prep Date		08/11/04	08/11/04	08/11/04
Prep Time		15:05	15:05	15:05
Analysis Date		08/16/04	08/16/04	08/16/04
Analysis Time		15:02	15:08	15:18
Batch ID		40811K	40811K	40811K

Sodium (Dissolved) (6010)

Sodium (Dissolved)	mg/l	7.1	7.8	5.8
Dilution Factor		1	1	1
Prep Date		08/11/04	08/11/04	08/11/04
Prep Time		15:05	15:05	15:05
Analysis Date		08/16/04	08/16/04	08/16/04
Analysis Time		15:02	15:08	15:18
Batch ID		40811K	40811K	40811K

Mercury (Dissolved) (7470)

Mercury (Dissolved)	mg/l	0.000072U	0.000072U	0.000072U
Dilution Factor		1	1	1
Prep Date		08/16/04	08/16/04	08/16/04
Prep Time		15:10	15:10	15:10
Analysis Date		08/17/04	08/17/04	08/17/04
Analysis Time		12:03	12:10	12:14
Batch ID		40816T	40816T	40816T

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23971-3	MW-15B(R)	Liquid	08/07/04	08/05/04 10:55	
23971-4	MW-4A(R)	Liquid	08/07/04	08/05/04 11:10	
23971-5	MW-8B(R)	Liquid	08/07/04	08/05/04 12:00	

Parameter	Units	Lab Sample IDs		
		23971-3	23971-4	23971-5

Chloride (325.3)

Chloride	mg/l	9.0	18	10
Dilution Factor		1	1	1
Analysis Date		08/17/04	08/17/04	08/17/04
Analysis Time		11:40	11:40	11:40
Batch ID		0817M	0817M	0817M

Ammonia-N (350.3)

Ammonia-N	mg/l	0.13	2.7	0.12
Dilution Factor		1	1	1
Analysis Date		08/16/04	08/16/04	08/16/04
Analysis Time		19:30	19:30	19:30
Batch ID		0816Y	0816Y	0816Y

Nitrate-N (353.2)

Nitrate-N	mg/l	0.010U	0.010U	0.010U
Dilution Factor		1	1	1
Analysis Date		08/06/04	08/06/04	08/06/04
Analysis Time		18:32	18:32	18:32
Batch ID		0806G	0806G	0806G

Solids, Total Dissolved (160.1)

Solids, Total Dissolved	mg/l	140	120	600
Dilution Factor		1	1	1
Analysis Date		08/11/04	08/11/04	08/11/04
Analysis Time		16:00	16:00	16:00
Batch ID		0811J	0811J	0811J

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23971-6	Trip Blank	Liquid	08/07/04	08/05/04	

Parameter	Units	Lab Sample IDs
		23971-6

Appendix I - Organics (8260)

Acetone	ug/l	9.9U
Acrylonitrile	ug/l	1.2U
Benzene	ug/l	0.27U
Bromochloromethane	ug/l	0.58U
Bromodichloromethane	ug/l	0.35U
Bromoform	ug/l	0.58U
Carbon disulfide	ug/l	0.85U
Carbon Tetrachloride	ug/l	0.42U
Chlorobenzene	ug/l	0.63U
Chloroethane	ug/l	0.80U
Chloroform	ug/l	0.90U
Dibromochloromethane	ug/l	0.34U
1,2-Dichlorobenzene	ug/l	0.44U
1,4-Dichlorobenzene	ug/l	0.52U
Trans-1,4-Dichloro-2-butene	ug/l	2.5U
1,1-Dichloroethane	ug/l	0.52U
1,2-Dichloroethane	ug/l	0.57U
1,1-Dichloroethylene	ug/l	0.45U
cis-1,2-Dichloroethylene	ug/l	0.65U
trans-1,2-Dichloroethylene	ug/l	0.44U
1,2-Dichloropropane	ug/l	0.52U
cis-1,3-Dichloropropene	ug/l	0.14U
trans-1,3-Dichloropropene	ug/l	0.14U
Ethylbenzene	ug/l	0.83U
2-Hexanone	ug/l	4.4U
Bromomethane	ug/l	0.66U
Chloromethane	ug/l	0.64U
Dibromomethane	ug/l	0.41U
Methylene Chloride	ug/l	1.0U
2-Butanone (MEK)	ug/l	8.4U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23971-6	Trip Blank	Liquid	08/07/04	08/05/04	
Parameter	Units	Lab Sample IDs			
		23971-6			

Appendix I - Organics (8260)

Iodomethane	ug/l	0.67U
4-Methyl-2-pentanone (MIBK)	ug/l	3.8U
Styrene	ug/l	0.98U
1,1,1,2-Tetrachloroethane	ug/l	0.63U
1,1,2,2-Tetrachloroethane	ug/l	0.14U
Tetrachloroethene	ug/l	0.34U
Toluene	ug/l	0.51U
1,1,1-Trichloroethane	ug/l	0.46U
1,1,2-Trichloroethane	ug/l	0.47U
Trichloroethene	ug/l	0.28U
Trichlorofluoromethane	ug/l	0.98U
1,2,3-Trichloropropane	ug/l	0.15U
Vinyl acetate	ug/l	1.5U
Vinyl chloride	ug/l	0.50U
Xylenes	ug/l	0.98U
Dilution Factor		1
Analysis Date		08/18/04
Analysis Time		11:45
Batch ID		0817H

Microextractables (504)

1,2-Dibromoethane (EDB)	ug/l	0.0087U
1,2-Dibromo-3-chloropropane	ug/l	0.0030U
Dilution Factor		1
Prep Date		08/18/04
Prep Time		13:00
Analysis Date		08/19/04
Analysis Time		00:55
Batch ID		0818E

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23971-7	Method Blank	Liquid	08/07/04		

Parameter	Units	Lab Sample IDs
		23971-7

Appendix I - Organics (8260)

Acetone	ug/l	9.9U
Acrylonitrile	ug/l	1.2U
Benzene	ug/l	0.27U
Bromochloromethane	ug/l	0.58U
Bromodichloromethane	ug/l	0.35U
Bromoform	ug/l	0.58U
Carbon disulfide	ug/l	0.85U
Carbon Tetrachloride	ug/l	0.42U
Chlorobenzene	ug/l	0.63U
Chloroethane	ug/l	0.80U
Chloroform	ug/l	0.90U
Dibromochloromethane	ug/l	0.34U
1,2-Dichlorobenzene	ug/l	0.44U
1,4-Dichlorobenzene	ug/l	0.52U
Trans-1,4-Dichloro-2-butene	ug/l	2.5U
1,1-Dichloroethane	ug/l	0.52U
1,2-Dichloroethane	ug/l	0.57U
1,1-Dichloroethylene	ug/l	0.45U
cis-1,2-Dichloroethylene	ug/l	0.65U
trans-1,2-Dichloroethylene	ug/l	0.44U
1,2-Dichloropropane	ug/l	0.52U
cis-1,3-Dichloropropene	ug/l	0.14U
trans-1,3-Dichloropropene	ug/l	0.14U
Ethylbenzene	ug/l	0.83U
2-Hexanone	ug/l	4.4U
Bromomethane	ug/l	0.66U
Chloromethane	ug/l	0.64U
Dibromomethane	ug/l	0.41U
Methylene Chloride	ug/l	1.0U
2-Butanone (MEK)	ug/l	8.4U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23971-7	Method Blank	Liquid	08/07/04		

Parameter	Units	Lab Sample IDs
		23971-7

Appendix I - Organics (8260)

Iodomethane	ug/l	0.67U
4-Methyl-2-pentanone (MIBK)	ug/l	3.8U
Styrene	ug/l	0.98U
1,1,1,2-Tetrachloroethane	ug/l	0.63U
1,1,2,2-Tetrachloroethane	ug/l	0.14U
Tetrachloroethene	ug/l	0.34U
Toluene	ug/l	0.51U
1,1,1-Trichloroethane	ug/l	0.46U
1,1,2-Trichloroethane	ug/l	0.47U
Trichloroethene	ug/l	0.28U
Trichlorofluoromethane	ug/l	0.98U
1,2,3-Trichloropropane	ug/l	0.15U
Vinyl acetate	ug/l	1.5U
Vinyl chloride	ug/l	0.50U
Xylenes	ug/l	0.98U
Dilution Factor		1
Analysis Date		08/17/04
Analysis Time		21:38
Batch ID		0817H

Microextractables (504)

1,2-Dibromoethane (EDB)	ug/l	0.0087U
1,2-Dibromo-3-chloropropane	ug/l	0.0030U
Dilution Factor		1
Prep Date		08/18/04
Prep Time		13:00
Analysis Date		08/18/04
Analysis Time		20:41
Batch ID		0818E

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23971-7	Method Blank	Liquid	08/07/04		
Parameter	Units	Lab Sample IDs			
		23971-7			

Appendix I Metals by ICP (6010)

Arsenic	mg/l	0.0038U
Barium	mg/l	0.0012U
Beryllium	mg/l	0.00074U
Cadmium	mg/l	0.00071U
Chromium	mg/l	0.0017U
Cobalt	mg/l	0.0014U
Copper	mg/l	0.0013U
Lead	mg/l	0.0015U
Nickel	mg/l	0.0047U
Selenium	mg/l	0.0048U
Silver	mg/l	0.0019U
Vanadium	mg/l	0.0025U
Zinc	mg/l	0.0059U
Antimony	mg/l	0.0029U
Dilution Factor		1
Prep Date		08/11/04
Prep Time		15:05
Analysis Date		08/16/04
Analysis Time		12:43
Batch ID		40811K

Mercury (7470)

Mercury	mg/l	0.000072U
Dilution Factor		1
Prep Date		08/16/04
Prep Time		15:10
Analysis Date		08/17/04
Analysis Time		11:28
Batch ID		40816T

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23971-7	Method Blank	Liquid	08/07/04		

Parameter	Units	Lab Sample IDs
		23971-7

Iron (6010)

Iron	mg/l	0.0370
Dilution Factor		1
Prep Date		08/11/04
Prep Time		15:05
Analysis Date		08/16/04
Analysis Time		12:43
Batch ID		40811K

Thallium (7841)

Thallium	mg/l	0.00070U
Dilution Factor		1
Prep Date		08/11/04
Prep Time		09:00
Analysis Date		08/13/04
Analysis Time		12:43
Batch ID		0811G

Thallium (Dissolved) (7841)

Thallium (Dissolved)	mg/l	0.00070U
Dilution Factor		1
Prep Date		08/11/04
Prep Time		09:00
Analysis Date		08/13/04
Analysis Time		12:43
Batch ID		0811G

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23971-7	Method Blank	Liquid	08/07/04		

Parameter	Units	Lab Sample IDs
		23971-7
Sodium (6010)		
Sodium	mg/l	0.15U
Dilution Factor		1
Prep Date		08/11/04
Prep Time		15:05
Analysis Date		08/16/04
Analysis Time		12:43
Batch ID		40811K

Appendix I Metals Dissolved (6010)		
Antimony (Dissolved)	mg/l	0.0029U
Arsenic (Dissolved)	mg/l	0.0038U
Barium (Dissolved)	mg/l	0.0012U
Beryllium (Dissolved)	mg/l	0.00074U
Cadmium (Dissolved)	mg/l	0.00071U
Chromium (Dissolved)	mg/l	0.0017U
Cobalt (Dissolved)	mg/l	0.0014U
Copper (Dissolved)	mg/l	0.0013U
Lead (Dissolved)	mg/l	0.0015U
Nickel (Dissolved)	mg/l	0.0047U
Selenium (Dissolved)	mg/l	0.0048U
Silver (Dissolved)	mg/l	0.0019U
Vanadium (Dissolved)	mg/l	0.0025U
Zinc (Dissolved)	mg/l	0.0059U
Dilution Factor		1
Prep Date		08/11/04
Prep Time		15:05
Analysis Date		08/16/04
Analysis Time		12:43
Batch ID		40811K



STL

STL Tampa

6712 Benjamin Road, Suite 100 - Tampa FL 33634 Telephone:(813) 885-7427 Fax:(813) 885-7049

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23971-7	Method Blank	Liquid	08/07/04		

Parameter	Units	Lab Sample IDs
		23971-7

Iron (Dissolved) (6010)

Iron (Dissolved)	mg/l	0.037U
Dilution Factor		1
Prep Date		08/11/04
Prep Time		15:05
Analysis Date		08/16/04
Analysis Time		12:43
Batch ID		40811K

Sodium (Dissolved) (6010)

Sodium (Dissolved)	mg/l	0.15U
Dilution Factor		1
Prep Date		08/11/04
Prep Time		15:05
Analysis Date		08/16/04
Analysis Time		12:43
Batch ID		40811K

Mercury (Dissolved) (7470)

Mercury (Dissolved)	mg/l	0.000072U
Dilution Factor		1
Prep Date		08/16/04
Prep Time		15:10
Analysis Date		08/17/04
Analysis Time		11:28
Batch ID		40816T

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23971-7	Method Blank	Liquid	08/07/04		

Parameter	Units	Lab Sample IDs
		23971-7

Chloride (325.3)

Chloride	mg/l	1.00
Dilution Factor		1
Analysis Date		08/17/04
Analysis Time		11:40
Batch ID		0817M

Ammonia-N (350.3)

Ammonia-N	mg/l	0.040U
Dilution Factor		1
Analysis Date		08/16/04
Analysis Time		19:30
Batch ID		0816Y

Nitrate-N (353.2)

Nitrate-N	mg/l	0.010U
Dilution Factor		1
Analysis Date		08/06/04
Analysis Time		18:32
Batch ID		0806G

Solids, Total Dissolved (160.1)

Solids, Total Dissolved	mg/l	5.00
Dilution Factor		1
Analysis Date		08/11/04
Analysis Time		16:00
Batch ID		0811J

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23971-8	Lab Control Standard % Recovery	Liquid	08/07/04		
23971-9	Lab Control Standard Duplicate % Recovery	Liquid	08/07/04		
23971-10	Precision (%RPD) of LCS/LCSD	Liquid	08/07/04		
23971-11	LCS Accuracy Control Limit (%R)	Liquid	08/07/04		
23971-12	LCS Precision Control Limit (Advisory) %RPD	Liquid	08/07/04		

Parameter	Units	Lab Sample IDs			
		23971-8	23971-9	23971-10	23971-11

Appendix I - Organics (8260)

Benzene	%	112 %	98 %	13 %	62-135 %	<16 %
Chlorobenzene	%	102 %	92 %	10 %	72-127 %	<22 %
1,1-Dichloroethylene	%	118 %	108 %	8.8 %	46-147 %	<30 %
Toluene	%	106 %	96 %	9.9 %	68-131 %	<33 %
Trichloroethene	%	112 %	102 %	9.3 %	56-143 %	<35 %
Dilution Factor		1	1			
Analysis Date		08/17/04	08/17/04			
Analysis Time		20:40	20:59			
Batch ID		0817H	0817H	0817H		

Microextractables (504)

1,2-Dibromoethane (EDB)	%	106 %	109 %	3.2 %	70-130 %	<30 %
1,2-Dibromo-3-chloropropane	%	114 %	125 %	9.5 %	70-130 %	<30 %
Dilution Factor		1	1			
Prep Date		08/18/04	08/18/04			
Prep Time		13:00	13:00			
Analysis Date		08/18/04	08/18/04			
Analysis Time		21:02	21:23			
Batch ID		0818E	0818E	0818E		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23971-8	Lab Control Standard % Recovery	Liquid	08/07/04		
23971-9	Lab Control Standard Duplicate % Recovery	Liquid	08/07/04		
23971-10	Precision (%RPD) of LCS/LCSD	Liquid	08/07/04		
23971-11	LCS Accuracy Control Limit (%R)	Liquid	08/07/04		
23971-12	LCS Precision Control Limit (Advisory) %RPD	Liquid	08/07/04		

Parameter	Units	Lab Sample IDs			
		23971-8	23971-9	23971-10	23971-11

Appendix I Metals by ICP (6010)

Arsenic	%	105 %	102 %	3.1 %	75-125 %	<20 %
Barium	%	103 %	100 %	2.9 %	75-125 %	<20 %
Beryllium	%	105 %	101 %	3.3 %	75-125 %	<20 %
Cadmium	%	106 %	102 %	3.3 %	75-125 %	<20 %
Chromium	%	100 %	97 %	3.5 %	75-125 %	<20 %
Cobalt	%	103 %	100 %	3.6 %	75-125 %	<20 %
Copper	%	110 %	106 %	3.2 %	75-125 %	<20 %
Lead	%	106 %	103 %	2.9 %	75-125 %	<20 %
Nickel	%	108 %	105 %	3.4 %	75-125 %	<20 %
Selenium	%	104 %	101 %	2.9 %	75-125 %	<20 %
Silver	%	99 %	96 %	2.9 %	75-125 %	<20 %
Vanadium	%	102 %	98 %	3.4 %	75-125 %	<20 %
Zinc	%	105 %	101 %	3.5 %	75-125 %	<20 %
Antimony	%	99 %	96 %	3.5 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/11/04	08/11/04			
Prep Time		15:05	15:05			
Analysis Date		08/16/04	08/16/04			
Analysis Time		12:49	12:55			
Batch ID		40811K	40811K	40811K		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23971-8	Lab Control Standard % Recovery	Liquid	08/07/04		
23971-9	Lab Control Standard Duplicate % Recovery	Liquid	08/07/04		
23971-10	Precision (%RPD) of LCS/LCSD	Liquid	08/07/04		
23971-11	LCS Accuracy Control Limit (%R)	Liquid	08/07/04		
23971-12	LCS Precision Control Limit (Advisory) %RPD	Liquid	08/07/04		

Parameter	Units	Lab Sample IDs			
		23971-8	23971-9	23971-10	23971-11

Mercury (7470)

Mercury	%	106 %	98 %	7.8 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/16/04	08/16/04			
Prep Time		15:10	15:10			
Analysis Date		08/17/04	08/17/04			
Analysis Time		11:30	11:32			
Batch ID		40816T	40816T	40816T		

Iron (6010)

Iron	%	102 %	98 %	3.6 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/11/04	08/11/04			
Prep Time		15:05	15:05			
Analysis Date		08/16/04	08/16/04			
Analysis Time		12:49	12:55			
Batch ID		40811K	40811K	40811K		

Thallium (7841)

Thallium	%	105 %	105 %	0.4 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/11/04	08/11/04			
Prep Time		09:00	09:00			
Analysis Date		08/13/04	08/13/04			
Analysis Time		12:47	12:59			
Batch ID		0811G	0811G	0811G		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23971-8	Lab Control Standard % Recovery	Liquid	08/07/04		
23971-9	Lab Control Standard Duplicate % Recovery	Liquid	08/07/04		
23971-10	Precision (%RPD) of LCS/LCSD	Liquid	08/07/04		
23971-11	LCS Accuracy Control Limit (%R)	Liquid	08/07/04		
23971-12	LCS Precision Control Limit (Advisory) %RPD	Liquid	08/07/04		

Parameter	Units	Lab Sample IDs				
		23971-8	23971-9	23971-10	23971-11	23971-12

Thallium (Dissolved) (7841)

Thallium (Dissolved)	%	105 %	105 %	0.4 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/11/04	08/11/04			
Prep Time		09:00	09:00			
Analysis Date		08/13/04	08/13/04			
Analysis Time		12:47	12:59			
Batch ID		0811G	0811G	0811G		

Sodium (6010)

Sodium	%	95 %	93 %	1.9 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/11/04	08/11/04			
Prep Time		15:05	15:05			
Analysis Date		08/16/04	08/16/04			
Analysis Time		12:49	12:55			
Batch ID		40811K	40811K	40811K		

Appendix I Metals Dissolved (6010)

Antimony (Dissolved)	%	99 %	96 %	3.5 %	75-125 %	<20 %
Arsenic (Dissolved)	%	105 %	102 %	3.1 %	75-125 %	<20 %
Barium (Dissolved)	%	103 %	100 %	2.9 %	75-125 %	<20 %
Beryllium (Dissolved)	%	105 %	101 %	3.3 %	75-125 %	<20 %
Cadmium (Dissolved)	%	106 %	102 %	3.3 %	75-125 %	<20 %
Chromium (Dissolved)	%	100 %	97 %	3.5 %	75-125 %	<20 %

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23971-8	Lab Control Standard % Recovery	Liquid	08/07/04		
23971-9	Lab Control Standard Duplicate % Recovery	Liquid	08/07/04		
23971-10	Precision (%RPD) of LCS/LCSD	Liquid	08/07/04		
23971-11	LCS Accuracy Control Limit (%R)	Liquid	08/07/04		
23971-12	LCS Precision Control Limit (Advisory) %RPD	Liquid	08/07/04		

Parameter	Units	Lab Sample IDs			
		23971-8	23971-9	23971-10	23971-11

Appendix I Metals Dissolved (6010)

Cobalt (Dissolved)	%	103 %	100 %	3.6 %	75-125 %	<20 %
Copper (Dissolved)	%	110 %	106 %	3.2 %	75-125 %	<20 %
Lead (Dissolved)	%	106 %	103 %	2.9 %	75-125 %	<20 %
Nickel (Dissolved)	%	108 %	105 %	3.4 %	75-125 %	<20 %
Selenium (Dissolved)	%	104 %	101 %	2.9 %	75-125 %	<20 %
Silver (Dissolved)	%	99 %	96 %	2.9 %	75-125 %	<20 %
Vanadium (Dissolved)	%	102 %	98 %	3.4 %	75-125 %	<20 %
Zinc (Dissolved)	%	105 %	101 %	3.5 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/11/04	08/11/04			
Prep Time		15:05	15:05			
Analysis Date		08/16/04	08/16/04			
Analysis Time		12:49	12:55			
Batch ID		40811K	40811K	40811K		

Iron (Dissolved) (6010)

Iron (Dissolved)	%	102 %	98 %	3.6 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/11/04	08/11/04			
Prep Time		15:05	15:05			
Analysis Date		08/16/04	08/16/04			
Analysis Time		12:49	12:55			
Batch ID		40811K	40811K	40811K		



STL

STL Tampa 6712 Benjamin Road, Suite 100 - Tampa FL 33634 Telephone:(813) 885-7427 Fax:(813) 885-7049

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23971-8	Lab Control Standard % Recovery	Liquid	08/07/04		
23971-9	Lab Control Standard Duplicate % Recovery	Liquid	08/07/04		
23971-10	Precision (%RPD) of LCS/LCSD	Liquid	08/07/04		
23971-11	LCS Accuracy Control Limit (%R)	Liquid	08/07/04		
23971-12	LCS Precision Control Limit (Advisory) %RPD	Liquid	08/07/04		

Parameter	Units	Lab Sample IDs				
		23971-8	23971-9	23971-10	23971-11	23971-12
Sodium (Dissolved) (6010)						
Sodium (Dissolved)	%	95 %	93 %	1.9 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/11/04	08/11/04			
Prep Time		15:05	15:05			
Analysis Date		08/16/04	08/16/04			
Analysis Time		12:49	12:55			
Batch ID		40811K	40811K	40811K		
Mercury (Dissolved) (7470)						
Mercury (Dissolved)	%	106 %	98 %	7.8 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/16/04	08/16/04			
Prep Time		15:10	15:10			
Analysis Date		08/17/04	08/17/04			
Analysis Time		11:30	11:32			
Batch ID		40816T	40816T	40816T		
Chloride (325.3)						
Chloride	%	100 %	100 %	0 %	75-125 %	<30 %
Dilution Factor		1	1			
Analysis Date		08/14/04	08/17/04			
Analysis Time		11:40	11:40			
Batch ID		0817M	0817M	0817M		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23971-8	Lab Control Standard % Recovery	Liquid	08/07/04		
23971-9	Lab Control Standard Duplicate % Recovery	Liquid	08/07/04		
23971-10	Precision (%RPD) of LCS/LCSD	Liquid	08/07/04		
23971-11	LCS Accuracy Control Limit (%R)	Liquid	08/07/04		
23971-12	LCS Precision Control Limit (Advisory) %RPD	Liquid	08/07/04		

Parameter	Units	Lab Sample IDs				
		23971-8	23971-9	23971-10	23971-11	23971-12

Ammonia-N (350.3)

Ammonia-N	%	99 %	100 %	1.0 %	85-115 %	<30 %
Dilution Factor		1	1			
Analysis Date		08/16/04	08/16/04			
Analysis Time		19:30	19:30			
Batch ID		0816Y	0816Y	0816Y		

Nitrate-N (353.2)

Nitrate-N	%	93 %	94 %	0.61 %	80-120 %	<30 %
Dilution Factor		1	1			
Analysis Date		08/06/04	08/06/04			
Analysis Time		18:32	18:32			
Batch ID		0806G	0806G	0806G		

Solids, Total Dissolved (160.1)

Solids, Total Dissolved	%	103 %	102 %	0.39 %	80-120 %	<25 %
Dilution Factor		1	1			
Analysis Date		08/11/04	08/11/04			
Analysis Time		16:00	16:00			
Batch ID		0811J	0811J	0811J		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23971-13	Matrix Spike % Recovery	Liquid	08/07/04		
23971-14	Matrix Spike Duplicate % Recovery	Liquid	08/07/04		
23971-15	Precision (%RPD) MS/MSD	Liquid	08/07/04		
23971-16	MS Accuracy Advisory Limit (%R)	Liquid	08/07/04		
23971-17	MS Precision Advisory Limit (%RPD)	Liquid	08/07/04		

Parameter	Units	Lab Sample IDs				
		23971-13	23971-14	23971-15	23971-16	23971-17

Appendix I - Organics (8260)

Benzene	%	92 %	92 %	0 %	62-135 %	<16 %
Chlorobenzene	%	96 %	94 %	2.1 %	72-127 %	<22 %
1,1-Dichloroethylene	%	100 %	98 %	2.0 %	46-147 %	<30 %
Toluene	%	90 %	92 %	1.9 %	68-131 %	<33 %
Trichloroethene	%	94 %	96 %	2.1 %	56-143 %	<35 %
Dilution Factor		1	1			
Analysis Date		08/19/04	08/19/04			
Analysis Time		11:11	11:30			
Batch ID		0817H	0817H	0817H		

Microextractables (504)

1,2-Dibromoethane (EDB)	%	104 %	110 %	5.6 %	70-130 %	<30 %
1,2-Dibromo-3-chloropropane	%	114 %	110 %	3.6 %	70-130 %	<30 %
Dilution Factor		1	1			
Prep Date		08/18/04	08/18/04			
Prep Time		13:00	13:00			
Analysis Date		08/18/04	08/18/04			
Analysis Time		22:48	23:09			
Batch ID		0818E	0818E	0818E		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23971-13	Matrix Spike % Recovery	Liquid	08/07/04		
23971-14	Matrix Spike Duplicate % Recovery	Liquid	08/07/04		
23971-15	Precision (%RPD) MS/MSD	Liquid	08/07/04		
23971-16	MS Accuracy Advisory Limit (%R)	Liquid	08/07/04		
23971-17	MS Precision Advisory Limit (%RPD)	Liquid	08/07/04		

Parameter	Units	Lab Sample IDs				
		23971-13	23971-14	23971-15	23971-16	23971-17

Appendix I Metals by ICP (6010)

Arsenic	%	102 %	104 %	1.7 %	75-125 %	<20 %
Barium	%	102 %	104 %	2.0 %	75-125 %	<20 %
Beryllium	%	103 %	105 %	1.4 %	75-125 %	<20 %
Cadmium	%	102 %	104 %	1.8 %	75-125 %	<20 %
Chromium	%	99 %	100 %	1.2 %	75-125 %	<20 %
Cobalt	%	100 %	101 %	0.99 %	75-125 %	<20 %
Copper	%	110 %	111 %	0.89 %	75-125 %	<20 %
Lead	%	103 %	105 %	1.2 %	75-125 %	<20 %
Nickel	%	105 %	106 %	1.5 %	75-125 %	<20 %
Selenium	%	101 %	103 %	1.1 %	75-125 %	<20 %
Silver	%	96 %	98 %	2.2 %	75-125 %	<20 %
Vanadium	%	100 %	102 %	1.3 %	75-125 %	<20 %
Zinc	%	101 %	102 %	1.2 %	75-125 %	<20 %
Antimony	%	98 %	99 %	1.5 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/11/04	08/11/04			
Prep Time		15:05	15:05			
Analysis Date		08/16/04	08/16/04			
Analysis Time		13:27	13:33			
Batch ID		40811K	40811K	40811K		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23971-13	Matrix Spike % Recovery	Liquid	08/07/04		
23971-14	Matrix Spike Duplicate % Recovery	Liquid	08/07/04		
23971-15	Precision (%RPD) MS/MSD	Liquid	08/07/04		
23971-16	MS Accuracy Advisory Limit (%R)	Liquid	08/07/04		
23971-17	MS Precision Advisory Limit (%RPD)	Liquid	08/07/04		

Parameter	Units	Lab Sample IDs				
		23971-13	23971-14	23971-15	23971-16	23971-17

Mercury (7470)

Mercury	%	103 %	97 %	5.2 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/16/04	08/16/04			
Prep Time		15:10	15:10			
Analysis Date		08/17/04	08/17/04			
Analysis Time		11:37	11:39			
Batch ID		40816T	40816T	40816T		

Iron (6010)

Iron	%	98 %	100 %	1.6 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/11/04	08/11/04			
Prep Time		15:05	15:05			
Analysis Date		08/16/04	08/16/04			
Analysis Time		13:27	13:33			
Batch ID		40811K	40811K	40811K		

Thallium (7841)

Thallium	%	108 %	104 %	4.0 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/11/04	08/11/04			
Prep Time		09:00	09:00			
Analysis Date		08/13/04	08/13/04			
Analysis Time		13:16	13:20			
Batch ID		0811G	0811G	0811G		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23971-13	Matrix Spike % Recovery	Liquid	08/07/04		
23971-14	Matrix Spike Duplicate % Recovery	Liquid	08/07/04		
23971-15	Precision (%RPD) MS/MSD	Liquid	08/07/04		
23971-16	MS Accuracy Advisory Limit (%R)	Liquid	08/07/04		
23971-17	MS Precision Advisory Limit (%RPD)	Liquid	08/07/04		

Parameter	Units	Lab Sample IDs				
		23971-13	23971-14	23971-15	23971-16	23971-17

Thallium (Dissolved) (7841)

Thallium (Dissolved)	%	108 %	104 %	4.0 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/11/04	08/11/04			
Prep Time		09:00	09:00			
Analysis Date		08/13/04	08/13/04			
Analysis Time		13:16	13:20			
Batch ID		0811G	0811G	0811G		

Sodium (6010)

Sodium	%	101 %	102 %	0.30 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/11/04	08/11/04			
Prep Time		15:05	15:05			
Analysis Date		08/16/04	08/16/04			
Analysis Time		13:27	13:33			
Batch ID		40811K	40811K	40811K		

Appendix I Metals Dissolved (6010)

Antimony (Dissolved)	%	98 %	99 %	1.5 %	75-125 %	<20 %
Arsenic (Dissolved)	%	102 %	104 %	1.7 %	75-125 %	<20 %
Barium (Dissolved)	%	102 %	104 %	2.0 %	75-125 %	<20 %
Beryllium (Dissolved)	%	103 %	105 %	1.4 %	75-125 %	<20 %
Cadmium (Dissolved)	%	102 %	104 %	1.8 %	75-125 %	<20 %
Chromium (Dissolved)	%	99 %	100 %	1.2 %	75-125 %	<20 %

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23971-13	Matrix Spike % Recovery	Liquid	08/07/04		
23971-14	Matrix Spike Duplicate % Recovery	Liquid	08/07/04		
23971-15	Precision (%RPD) MS/MSD	Liquid	08/07/04		
23971-16	MS Accuracy Advisory Limit (%R)	Liquid	08/07/04		
23971-17	MS Precision Advisory Limit (%RPD)	Liquid	08/07/04		

Parameter	Units	Lab Sample IDs				
		23971-13	23971-14	23971-15	23971-16	23971-17

Appendix I Metals Dissolved (6010)

Cobalt (Dissolved)	%	100 %	101 %	0.99 %	75-125 %	<20 %
Copper (Dissolved)	%	110 %	111 %	0.89 %	75-125 %	<20 %
Lead (Dissolved)	%	103 %	105 %	1.2 %	75-125 %	<20 %
Nickel (Dissolved)	%	105 %	106 %	1.5 %	75-125 %	<20 %
Selenium (Dissolved)	%	101 %	103 %	1.1 %	75-125 %	<20 %
Silver (Dissolved)	%	96 %	98 %	2.2 %	75-125 %	<20 %
Vanadium (Dissolved)	%	100 %	102 %	1.3 %	75-125 %	<20 %
Zinc (Dissolved)	%	101 %	102 %	1.2 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/11/04	08/11/04			
Prep Time		15:05	15:05			
Analysis Date		08/16/04	08/16/04			
Analysis Time		13:27	13:33			
Batch ID		40811K	40811K	40811K		

Iron (Dissolved) (6010)

Iron (Dissolved)	%	98 %	100 %	1.6 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/11/04	08/11/04			
Prep Time		15:05	15:05			
Analysis Date		08/16/04	08/16/04			
Analysis Time		13:27	13:33			
Batch ID		40811K	40811K	40811K		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23971-13	Matrix Spike % Recovery	Liquid	08/07/04		
23971-14	Matrix Spike Duplicate % Recovery	Liquid	08/07/04		
23971-15	Precision (%RPD) MS/MSD	Liquid	08/07/04		
23971-16	MS Accuracy Advisory Limit (%R)	Liquid	08/07/04		
23971-17	MS Precision Advisory Limit (%RPD)	Liquid	08/07/04		

Parameter	Units	Lab Sample IDs				
		23971-13	23971-14	23971-15	23971-16	23971-17

Sodium (Dissolved) (6010)

Sodium (Dissolved)	%	101 %	102 %	0.30 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/11/04	08/11/04			
Prep Time		15:05	15:05			
Analysis Date		08/16/04	08/16/04			
Analysis Time		13:27	13:33			
Batch ID		40811K	40811K	40811K		

Mercury (Dissolved) (7470)

Mercury (Dissolved)	%	103 %	97 %	5.2 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/16/04	08/16/04			
Prep Time		15:10	15:10			
Analysis Date		08/17/04	08/17/04			
Analysis Time		11:37	11:39			
Batch ID		40816T	40816T	40816T		

Chloride (325.3)

Chloride	%	99 %	99 %	0 %	75-125 %	<30 %
Dilution Factor		1	1			
Analysis Date		08/17/04	08/17/04			
Analysis Time		11:40	11:40			
Batch ID		0817M	0817M	0817M		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23971-13	Matrix Spike % Recovery	Liquid	08/07/04		
23971-14	Matrix Spike Duplicate % Recovery	Liquid	08/07/04		
23971-15	Precision (%RPD) MS/MSD	Liquid	08/07/04		
23971-16	MS Accuracy Advisory Limit (%R)	Liquid	08/07/04		
23971-17	MS Precision Advisory Limit (%RPD)	Liquid	08/07/04		

Parameter	Units	Lab Sample IDs				
		23971-13	23971-14	23971-15	23971-16	23971-17

Ammonia-N (350.3)

Ammonia-N	%	101 %	100 %	0.99 %	85-115 %	<30 %
Dilution Factor		1	1			
Analysis Date		08/16/04	08/16/04			
Analysis Time		19:30	19:30			
Batch ID		0816Y	0816Y	0816Y		

Nitrate-N (353.2)

Nitrate-N	%	82 %	82 %	0.46 %	80-120 %	<30 %
Dilution Factor		1	1			
Analysis Date		08/06/04	08/06/04			
Analysis Time		18:32	18:32			
Batch ID		0806G	0806G	0806G		

Solids, Total Dissolved (160.1)

Solids, Total Dissolved	%	100 %	100 %	0.40 %	80-120 %	<25 %
Dilution Factor		1	1			
Analysis Date		08/11/04	08/11/04			
Analysis Time		16:00	16:00			
Batch ID		0811J	0811J	0811J		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23971-18	Practical Quantitation Limit (PQL)	Liquid	08/07/04		
23971-19	Method Detection Limit (MDL)	Liquid	08/07/04		

Parameter	Units	Lab Sample IDs	
		23971-18	23971-19

Appendix I - Organics (8260)

Parameter	Units	23971-18	23971-19
Acetone	ug/l	10	9.9
Acrylonitrile	ug/l	100	1.2
Benzene	ug/l	1.0	0.27
Bromochloromethane	ug/l	1.0	0.58
Bromodichloromethane	ug/l	1.0	0.35
Bromoform	ug/l	1.0	0.58
Carbon disulfide	ug/l	1.0	0.85
Carbon Tetrachloride	ug/l	1.0	0.42
Chlorobenzene	ug/l	1.0	0.63
Chloroethane	ug/l	1.0	0.80
Chloroform	ug/l	1.0	0.90
Dibromochloromethane	ug/l	1.0	0.34
1,2-Dichlorobenzene	ug/l	1.0	0.44
1,4-Dichlorobenzene	ug/l	1.0	0.52
Trans-1,4-Dichloro-2-butene	ug/l	10	2.5
1,1-Dichloroethane	ug/l	1.0	0.52
1,2-Dichloroethane	ug/l	1.0	0.57
1,1-Dichloroethylene	ug/l	1.0	0.45
cis-1,2-Dichloroethylene	ug/l	1.0	0.65
trans-1,2-Dichloroethylene	ug/l	1.0	0.44
1,2-Dichloropropane	ug/l	1.0	0.52
cis-1,3-Dichloropropene	ug/l	1.0	0.14
trans-1,3-Dichloropropene	ug/l	1.0	0.14
Ethylbenzene	ug/l	1.0	0.83
2-Hexanone	ug/l	10	4.4
Bromomethane	ug/l	1.0	0.66
Chloromethane	ug/l	1.0	0.64
Dibromomethane	ug/l	1.0	0.41
Methylene Chloride	ug/l	5.0	1.0

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23971-18	Practical Quantitation Limit (PQL)	Liquid	08/07/04		
23971-19	Method Detection Limit (MDL)	Liquid	08/07/04		

Parameter	Units	Lab Sample IDs	
		23971-18	23971-19

Appendix I - Organics (8260)

Parameter	Units	23971-18	23971-19
2-Butanone (MEK)	ug/l	10	8.4
Iodomethane	ug/l	1.0	0.67
4-Methyl-2-pentanone (MIBK)	ug/l	10	3.8
Styrene	ug/l	1.0	0.98
1,1,1,2-Tetrachloroethane	ug/l	1.0	0.63
1,1,2,2-Tetrachloroethane	ug/l	1.0	0.14
Tetrachloroethene	ug/l	1.0	0.34
Toluene	ug/l	1.0	0.51
1,1,1-Trichloroethane	ug/l	1.0	0.46
1,1,2-Trichloroethane	ug/l	1.0	0.47
Trichloroethene	ug/l	1.0	0.28
Trichlorofluoromethane	ug/l	1.0	0.98
1,2,3-Trichloropropane	ug/l	1.0	0.15
Vinyl acetate	ug/l	10	1.5
Vinyl chloride	ug/l	1.0	0.50
Xylenes	ug/l	1.0	0.98

Microextractables (504)

Parameter	Units	23971-18	23971-19
1,2-Dibromoethane (EDB)	ug/l	0.020	0.0087
1,2-Dibromo-3-chloropropane	ug/l	0.020	0.0030

Appendix I Metals by ICP (6010)

Parameter	Units	23971-18	23971-19
Arsenic	mg/l	0.010	0.0038
Barium	mg/l	0.010	0.0012
Beryllium	mg/l	0.0040	0.00074
Cadmium	mg/l	0.0050	0.00071
Chromium	mg/l	0.010	0.0017

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23971-18	Practical Quantitation Limit (PQL)	Liquid	08/07/04		
23971-19	Method Detection Limit (MDL)	Liquid	08/07/04		
		Lab Sample IDs			
Parameter	Units	23971-18	23971-19		

Appendix I Metals by ICP (6010)

Cobalt	mg/l	0.010	0.0014
Copper	mg/l	0.020	0.0013
Lead	mg/l	0.0050	0.0015
Nickel	mg/l	0.040	0.0047
Selenium	mg/l	0.010	0.0048
Silver	mg/l	0.010	0.0019
Vanadium	mg/l	0.010	0.0025
Zinc	mg/l	0.020	0.0059
Antimony	mg/l	0.0060	0.0029
Mercury (7470)			
Mercury	mg/l	0.00020	0.000072
Iron (6010)			
Iron	mg/l	0.050	0.037
Thallium (7841)			
Thallium	mg/l	0.0020	0.00070
Thallium (Dissolved) (7841)			
Thallium (Dissolved)	mg/l	0.0020	0.00070

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23971-18	Practical Quantitation Limit (PQL)	Liquid	08/07/04		
23971-19	Method Detection Limit (MDL)	Liquid	08/07/04		

Parameter	Units	Lab Sample IDs	
		23971-18	23971-19

Sodium (6010)

Sodium	mg/l	0.50	0.15
--------	------	------	------

Appendix I Metals Dissolved (6010)

Antimony (Dissolved)	mg/l	0.0060	0.0029
Arsenic (Dissolved)	mg/l	0.010	0.0038
Barium (Dissolved)	mg/l	0.010	0.0012
Beryllium (Dissolved)	mg/l	0.0040	0.00074
Cadmium (Dissolved)	mg/l	0.0050	0.00071
Chromium (Dissolved)	mg/l	0.010	0.0017
Cobalt (Dissolved)	mg/l	0.010	0.0014
Copper (Dissolved)	mg/l	0.020	0.0013
Lead (Dissolved)	mg/l	0.0050	0.0015
Nickel (Dissolved)	mg/l	0.040	0.0047
Selenium (Dissolved)	mg/l	0.010	0.0048
Silver (Dissolved)	mg/l	0.010	0.0019
Vanadium (Dissolved)	mg/l	0.010	0.0025
Zinc (Dissolved)	mg/l	0.020	0.0059

Iron (Dissolved) (6010)

Iron (Dissolved)	mg/l	0.050	0.037
------------------	------	-------	-------

Sodium (Dissolved) (6010)

Sodium (Dissolved)	mg/l	0.50	0.15
--------------------	------	------	------

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23971-18	Practical Quantitation Limit (PQL)	Liquid	08/07/04		
23971-19	Method Detection Limit (MDL)	Liquid	08/07/04		

Parameter	Units	Lab Sample IDs	
		23971-18	23971-19
Mercury (Dissolved) (7470)			
Mercury (Dissolved)	mg/l	0.00020	0.000072
Chloride (325.3)			
Chloride	mg/l	1.0	1.0
Ammonia-N (350.3)			
Ammonia-N	mg/l	0.050	0.040
Nitrate-N (353.2)			
Nitrate-N	mg/l	0.050	0.010
Solids, Total Dissolved (160.1)			
Solids, Total Dissolved	mg/l	5.0	5.0

Order Number: B423971

These test results meet all the requirements of NELAC. All questions regarding this test report should be directed to the STL Project Manager who signed this test report.

The estimated uncertainty associated with these reported results is available upon request.

STL Savannah, 5102 LaRoche Ave., Savannah, GA 31404
Phone #912/354-7858. DOH Certification #E87052

I = The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.

U = Indicates that the compound was analyzed for but not detected.

Remit To: SEVERN TRENT LABORATORIES, INC. P.O. Box 7777 W4305 Philadelphia, PA 19175-4305
 STL Tampa 6712 Benjamin Road, Suite 100 - Tampa FL 33634 Tel:813-885-7427 Fax:813-885-7049

INVOICE

Federal ID# 23-2919996

Mr. Kirk Wills
 Geosyntec
 14055 Riveredge Drive, Ste.300
 Tampa, FL 33637

Invoice CC:

DATE 08/20/04	TERMS Net 30 Days	CLIENT PO #	CLIENT PROJECT # FQ0638	PROJECT Oak Hammock Disposal La
------------------	----------------------	-------------	----------------------------	------------------------------------

INVOICE # 66018471	CONTRACT #	CODE MV*387007	
-----------------------	------------	-------------------	--

LOG # B423971	CREDIT / DEBIT	ORIGINATING LOG #	SDG #	REQUISITION #
------------------	----------------	-------------------	-------	---------------

QUANTITY	MATRIX	METHOD	DESCRIPTION	UNIT PRICE	EXTENDED AMOUNT
5	Liquid	8260	Appendix I - Organics	62.40	312.00
5	Liquid	504	Microextractables	33.15	165.75
5	Liquid	6010	Appendix I Metals by ICP	65.52	327.60
5	Liquid	7470	Mercury	15.60	78.00
5	Liquid	6010	Iron	4.68	23.40
5	Liquid	7841	Thallium	12.00	60.00
5	Liquid	6010	Sodium	4.68	23.40
5	Liquid	325.3	Chloride	9.75	48.75
5	Liquid	350.3	Ammonia-N	7.80	39.00
5	Liquid	353.2	Nitrate-N	9.75	48.75
5	Liquid	160.1	Solids, Total Dissolved	5.85	29.25
3	Liquid	7841	Thallium (Dissolved)	12.00	36.00
3	Liquid	6010	Appendix I Metals Dissolved	65.52	196.56
3	Liquid	6010	Iron (Dissolved)	4.68	14.04
3	Liquid	6010	Sodium (Dissolved)	4.68	14.04
3	Liquid	7470	Mercury (Dissolved)	15.60	46.80
Total for this page					\$1,463.34
INVOICE TOTAL					\$1,463.34

REPORTED TO Mr. Kirk Wills	OFFICE Geosyntec	OFFICE PHONE (813) 558-0990
--------------------------------------	----------------------------	---------------------------------------

For proper credit, please show INVOICE NUMBER on your remittance.
 After 30 days, service charges of 1.5% per 30 days will be applied to unpaid balance.

ANALYSIS REQUEST AND CHAIN OF CUSTODY RECORD

SEVERN
TRENT

STL

42 3971

STL Tampa
6712 Benjamin Road, Suite 100
Tampa, FL 33634

Alternate Laboratory Name/Location

Phone:
Fax:

Serial Number

06080

Website: www.stl-inc.com
Phone: (813) 885-7427
Fax: (813) 885-7049

PROJECT REFERENCE	PROJECT NO.	PROJECT LOCATION (STATE)	MATRIX TYPE	REQUIRED ANALYSIS	PAGE	OF			
GHDF	EQ0638	FL		APPI VOAS EDB, DBCP APPI METALS NH3 TL CL, NO3, TDS DISS (FE, HG, NA APPI MET) DISS-TL	1	1			
SAMPLER'S SIGNATURE <i>Charles Jones</i>	P.O. NUMBER	CONTRACT NO.			STANDARD REPORT DELIVERY DATE DUE	<input checked="" type="checkbox"/>			
CLIENT (SITE) PM KIRK WILLS	CLIENT PHONE (813) 558-0990	CLIENT FAX (813) 558-9726			EXPEDITED REPORT DELIVERY (SURCHARGE)	<input type="checkbox"/>			
CLIENT NAME GEOSYNTEC	CLIENT E-MAIL KWILLSE@GEOSYNTEC.COM				DATE DUE	1			
CLIENT ADDRESS 14055 RIVERBIDGE DR. SUITE 300 TAMPA FL, 33637					NUMBER OF COOLERS SUBMITTED PER SHIPMENT:				
COMPANY CONTRACTING THIS WORK (if applicable)									
SAMPLE DATE	TIME	SAMPLE IDENTIFICATION	COMPOSITE (C) OR GRAB (G)	AQUEOUS (WATER)	SOLID OR SEMISOLID	AIR	NONAQUEOUS LIQUID (OIL, SOLVENT,...)	NUMBER OF CONTAINERS SUBMITTED	REMARKS
8-5-04	10:55	MW-15B(R)	G X					3	
8-5-04	10:20	MW-13A(R)	G X					3	
8-5-04	11:10	MW-4A(R)	G X					3	
8-5-04	12:00	MW-8B(R)	G X					3	
8-5-04	07:45	EB-2	G X					3	
RELINQUISHED BY: (SIGNATURE)									
RECEIVED BY: (SIGNATURE)									
RECEIVED FOR LABORATORY BY: (SIGNATURE)									
LABORATORY USE ONLY									
DATE	TIME	RELINQUISHED BY: (SIGNATURE)	DATE	TIME	RELINQUISHED BY: (SIGNATURE)	DATE	TIME	LABORATORY REMARKS	
8-5-04	17:15	<i>Charles Jones</i>	8-5-04	17:11	<i>Jim Ball</i>	8/5/04	17:11		
8-6-04	17:45	<i>Wanda Ellis</i>	8-6-04	17:45	<i>Wanda Ellis</i>	8/5/04	18:15		

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well:

Monitoring_Site_Num: EB-02

Permitted Well Type:

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	PP	NO	Y	350.3	0.04	0.04	mg/l	U	8/16/2004
000940	Chloride	PP	NO	Y	325.3	1	1	mg/l	U	8/17/2004
000620	Nitrate-N	PP	NO	Y	353.2	0.01	0.01	mg/l	U	8/6/2004
070300	Solids, Total Dissolved	PP	NO	Y	160.1	5	5	mg/l	U	8/11/2004
001097	Antimony	PP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/16/2004
001002	Arsenic	PP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/16/2004
001007	Barium	PP	NO	Y	6010	0.0012	0.0012	mg/l	U	8/16/2004
001012	Beryllium	PP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/16/2004
001027	Cadmium	PP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/16/2004
001034	Chromium	PP	NO	Y	6010	0.0017	0.0017	mg/l	U	8/16/2004
001037	Cobalt	PP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/16/2004
001042	Copper	PP	NO	Y	6010	0.0013	0.0013	mg/l	U	8/16/2004
001045	Iron	PP	NO	Y	6010	0.037	0.037	mg/l	U	8/16/2004
001051	Lead	PP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/16/2004
071900	Mercury	PP	NO	Y	7470	0.00013	0.000072	mg/l	I	8/17/2004
001067	Nickel	PP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/16/2004
001147	Selenium	PP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/16/2004
000929	Sodium	PP	NO	Y	6010	0.15	0.15	mg/l	U	8/16/2004
001059	Thallium	PP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001087	Vanadium	PP	NO	Y	6010	0.0025	0.0025	mg/l	U	8/16/2004
001092	Zinc	PP	NO	Y	6010	0.011	0.0059	mg/l	I	8/16/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well:

Monitoring_Site_Num: EB-02

Permitted Well Type:

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Well Purged prior to Sample Collection? (Y/N) Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone	PP	NO	Y	8260	9.9	9.9	ug/l	U	8/18/2004
034215	Acrylonitrile	PP	NO	Y	8260	1.2	1.2	ug/l	U	8/18/2004
034030	Benzene	PP	NO	Y	8260	0.27	0.27	ug/l	U	8/18/2004
073085	Bromochloromethane	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/18/2004
032101	Bromodichloromethane	PP	NO	Y	8260	0.35	0.35	ug/l	U	8/18/2004
032104	Bromoform	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/18/2004
077041	Carbon disulfide	PP	NO	Y	8260	0.85	0.85	ug/l	U	8/18/2004
032102	Carbon Tetrachloride	PP	NO	Y	8260	0.42	0.42	ug/l	U	8/18/2004
034301	Chlorobenzene	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/18/2004
034311	Chloroethane	PP	NO	Y	8260	0.8	0.8	ug/l	U	8/18/2004
032105	Dibromochloromethane	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/18/2004
077651	1,2-Dibromoethane (EDB)	PP	NO	Y	504	0.0087	0.0087	ug/l	U	8/18/2004
034536	1,2-Dichlorobenzene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/18/2004
034571	1,4-Dichlorobenzene	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004
049263	Trans-1,4-Dichloro-2-butene	PP	NO	Y	8260	2.5	2.5	ug/l	U	8/18/2004
034496	1,1-Dichloroethane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004
034531	1,2-Dichloroethane	PP	NO	Y	8260	0.57	0.57	ug/l	U	8/18/2004
034501	1,1-Dichloroethylene	PP	NO	Y	8260	0.45	0.45	ug/l	U	8/18/2004
077093	cis-1,2-Dichloroethylene	PP	NO	Y	8260	0.65	0.65	ug/l	U	8/18/2004
034546	trans-1,2-Dichloroethylene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/18/2004
034541	1,2-Dichloropropane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well:

Monitoring_Site_Num: EB-02

Permitted Well Type:

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004
034699	trans-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004
034371	Ethylbenzene	PP	NO	Y	8260	0.83	0.83	ug/l	U	8/18/2004
034413	Bromomethane	PP	NO	Y	8260	0.66	0.66	ug/l	U	8/18/2004
077103	2-Hexanone	PP	NO	Y	8260	4.4	4.4	ug/l	U	8/18/2004
034418	Chloromethane	PP	NO	Y	8260	0.64	0.64	ug/l	U	8/18/2004
081595	2-Butanone (MEK)	PP	NO	Y	8260	8.4	8.4	ug/l	U	8/18/2004
077424	Iodomethane	PP	NO	Y	8260	0.67	0.67	ug/l	U	8/18/2004
034423	Methylene Chloride	PP	NO	Y	8260	1	1	ug/l	U	8/18/2004
081596	4-Methyl-2-pentanone (MIBK)	PP	NO	Y	8260	3.8	3.8	ug/l	U	8/18/2004
077128	Styrene	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
077562	1,1,1,2-Tetrachloroethane	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/18/2004
034516	1,1,2,2-Tetrachloroethane	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004
034475	Tetrachloroethene	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/18/2004
034010	Toluene	PP	NO	Y	8260	0.51	0.51	ug/l	U	8/18/2004
034506	1,1,1-Trichloroethane	PP	NO	Y	8260	0.46	0.46	ug/l	U	8/18/2004
034511	1,1,2-Trichloroethane	PP	NO	Y	8260	0.47	0.47	ug/l	U	8/18/2004
039180	Trichloroethene	PP	NO	Y	8260	0.28	0.28	ug/l	U	8/18/2004
034488	Trichlorofluoromethane	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
077443	1,2,3-Trichloropropane	PP	NO	Y	8260	0.15	0.15	ug/l	U	8/18/2004
077057	Vinyl acetate	PP	NO	Y	8260	1.5	1.5	ug/l	U	8/18/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well:

Monitoring_Site_Num: EB-02

Permitted Well Type:

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

**Well Purged prior to
 Sample Collection? (Y/N)** Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
039175	Vinyl chloride	PP	NO	Y	8260	0.5	0.5	ug/l	U	8/18/2004
034020	Xylenes	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
049146	1,2-Dibromo-3-chloropropane	PP	NO	Y	504	0.003	0.003	ug/l	U	8/18/2004
032106	Chloroform	PP	NO	Y	8260	0.9	0.9	ug/l	U	8/18/2004
046361	Dibromomethane	PP	NO	Y	8260	0.41	0.41	ug/l	U	8/18/2004
001077	Silver	PP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/16/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well: 19936

Monitoring_Site_Num: MW-13A(R)

Permitted Well Type: CO

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Well Purged prior to Sample Collection? (Y/N) Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	PP	NO	Y	350.3	0.35	0.04	mg/l		8/16/2004
000940	Chloride	PP	NO	Y	325.3	25	1	mg/l		8/17/2004
000620	Nitrate-N	PP	NO	Y	353.2	0.01	0.01	mg/l	U	8/6/2004
070300	Solids, Total Dissolved	PP	NO	Y	160.1	90	5	mg/l		8/11/2004
001097	Antimony	PP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/16/2004
001002	Arsenic	PP	NO	Y	6010	0.0053	0.0038	mg/l	I	8/16/2004
001007	Barium	PP	NO	Y	6010	0.014	0.0012	mg/l		8/16/2004
001012	Beryllium	PP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/16/2004
001027	Cadmium	PP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/16/2004
001034	Chromium	PP	NO	Y	6010	0.0017	0.0017	mg/l	U	8/16/2004
001037	Cobalt	PP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/16/2004
001042	Copper	PP	NO	Y	6010	0.0013	0.0013	mg/l	U	8/16/2004
001045	Iron	PP	NO	Y	6010	6.2	0.037	mg/l		8/16/2004
001051	Lead	PP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/16/2004
071900	Mercury	PP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/17/2004
001067	Nickel	PP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/16/2004
001147	Selenium	PP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/16/2004
000929	Sodium	PP	NO	Y	6010	13	0.15	mg/l		8/16/2004
001059	Thallium	PP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001087	Vanadium	PP	NO	Y	6010	0.0025	0.0025	mg/l	U	8/16/2004
001092	Zinc	PP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/16/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well: 19936

Monitoring_Site_Num: MW-13A(R)

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone	PP	NO	Y	8260	9.9	9.9	ug/l	U	8/18/2004
034215	Acrylonitrile	PP	NO	Y	8260	1.2	1.2	ug/l	U	8/18/2004
034030	Benzene	PP	NO	Y	8260	0.27	0.27	ug/l	U	8/18/2004
073085	Bromochloromethane	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/18/2004
032101	Bromodichloromethane	PP	NO	Y	8260	0.35	0.35	ug/l	U	8/18/2004
032104	Bromoform	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/18/2004
077041	Carbon disulfide	PP	NO	Y	8260	0.85	0.85	ug/l	U	8/18/2004
032102	Carbon Tetrachloride	PP	NO	Y	8260	0.42	0.42	ug/l	U	8/18/2004
034301	Chlorobenzene	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/18/2004
034311	Chloroethane	PP	NO	Y	8260	0.8	0.8	ug/l	U	8/18/2004
032105	Dibromochloromethane	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/18/2004
077651	1,2-Dibromoethane (EDB)	PP	NO	Y	504	0.0087	0.0087	ug/l	U	8/18/2004
034536	1,2-Dichlorobenzene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/18/2004
034571	1,4-Dichlorobenzene	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004
049263	Trans-1,4-Dichloro-2-butene	PP	NO	Y	8260	2.5	2.5	ug/l	U	8/18/2004
034496	1,1-Dichloroethane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004
034531	1,2-Dichloroethane	PP	NO	Y	8260	0.57	0.57	ug/l	U	8/18/2004
034501	1,1-Dichloroethylene	PP	NO	Y	8260	0.45	0.45	ug/l	U	8/18/2004
077093	cis-1,2-Dichloroethylene	PP	NO	Y	8260	0.65	0.65	ug/l	U	8/18/2004
034546	trans-1,2-Dichloroethylene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/18/2004
034541	1,2-Dichloropropane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well: 19936

Monitoring_Site_Num: MW-13A(R)

Permitted Well Type: CO

Ground water classification: **G-II**

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Well Purged prior to Sample Collection? (Y/N) Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004
034699	trans-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004
034371	Ethylbenzene	PP	NO	Y	8260	0.83	0.83	ug/l	U	8/18/2004
034413	Bromomethane	PP	NO	Y	8260	0.66	0.66	ug/l	U	8/18/2004
077103	2-Hexanone	PP	NO	Y	8260	4.4	4.4	ug/l	U	8/18/2004
034418	Chloromethane	PP	NO	Y	8260	0.64	0.64	ug/l	U	8/18/2004
081595	2-Butanone (MEK)	PP	NO	Y	8260	8.4	8.4	ug/l	U	8/18/2004
077424	Iodomethane	PP	NO	Y	8260	0.67	0.67	ug/l	U	8/18/2004
034423	Methylene Chloride	PP	NO	Y	8260	1	1	ug/l	U	8/18/2004
081596	4-Methyl-2-pentanone (MIBK)	PP	NO	Y	8260	3.8	3.8	ug/l	U	8/18/2004
077128	Styrene	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
077562	1,1,1,2-Tetrachloroethane	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/18/2004
034516	1,1,2,2-Tetrachloroethane	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004
034475	Tetrachloroethene	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/18/2004
034010	Toluene	PP	NO	Y	8260	1.8	0.51	ug/l		8/18/2004
034506	1,1,1-Trichloroethane	PP	NO	Y	8260	0.46	0.46	ug/l	U	8/18/2004
034511	1,1,2-Trichloroethane	PP	NO	Y	8260	0.47	0.47	ug/l	U	8/18/2004
039180	Trichloroethene	PP	NO	Y	8260	0.28	0.28	ug/l	U	8/18/2004
034488	Trichlorofluoromethane	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
077443	1,2,3-Trichloropropane	PP	NO	Y	8260	0.15	0.15	ug/l	U	8/18/2004
077057	Vinyl acetate	PP	NO	Y	8260	1.5	1.5	ug/l	U	8/18/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well: 19936

Monitoring_Site_Num: MW-13A(R)

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
039175	Vinyl chloride	PP	NO	Y	8260	0.5	0.5	ug/l	U	8/18/2004
034020	Xylenes	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
046361	Dibromomethane	PP	NO	Y	8260	0.41	0.41	ug/l	U	8/18/2004
032106	Chloroform	PP	NO	Y	8260	0.9	0.9	ug/l	U	8/18/2004
001077	Silver	PP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/16/2004
049146	1,2-Dibromo-3-chloropropane	PP	NO	Y	504	0.003	0.003	ug/l	U	8/18/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well: 19943

Monitoring_Site_Num: MW-15B(R)

Permitted Well Type: CO

Ground water classification: **G-II**

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

**Well Purged prior to
 Sample Collection? (Y/N) Yes**

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.13	0.04	mg/l		8/16/2004
000940	Chloride	SP	NO	Y	325.3	9	1	mg/l		8/17/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	8/6/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	140	5	mg/l		8/11/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/16/2004
001097	Antimony (Dissolved)	SP	YES	Y	6010	0.0029	0.0029	mg/l	U	8/16/2004
001002	Arsenic (Dissolved)	SP	YES	Y	6010	0.0038	0.0038	mg/l	U	8/16/2004
001002	Arsenic	SP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/16/2004
001007	Barium (Dissolved)	SP	YES	Y	6010	0.005	0.0012	mg/l	I	8/16/2004
001007	Barium	SP	NO	Y	6010	0.07	0.0012	mg/l		8/16/2004
001012	Beryllium (Dissolved)	SP	YES	Y	6010	0.00074	0.00074	mg/l	U	8/16/2004
001012	Beryllium	SP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/16/2004
001027	Cadmium	SP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/16/2004
001027	Cadmium (Dissolved)	SP	YES	Y	6010	0.00071	0.00071	mg/l	U	8/16/2004
001034	Chromium (Dissolved)	SP	YES	Y	6010	0.0017	0.0017	mg/l	U	8/16/2004
001034	Chromium	SP	NO	Y	6010	0.0091	0.0017	mg/l	I	8/16/2004
001037	Cobalt (Dissolved)	SP	YES	Y	6010	0.0014	0.0014	mg/l	U	8/16/2004
001037	Cobalt	SP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/16/2004
001042	Copper	SP	NO	Y	6010	0.0013	0.0013	mg/l	U	8/16/2004
001042	Copper (Dissolved)	SP	YES	Y	6010	0.0013	0.0013	mg/l	U	8/16/2004
001045	Iron	SP	NO	Y	6010	1.4	0.037	mg/l		8/16/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well: 19943

Monitoring_Site_Num: MW-15B(R)

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001045	Iron (Dissolved)	SP	YES	Y	6010	0.29	0.037	mg/l		8/16/2004
001051	Lead	SP	NO	Y	6010	0.0072	0.0015	mg/l		8/16/2004
001051	Lead (Dissolved)	SP	YES	Y	6010	0.0015	0.0015	mg/l	U	8/16/2004
071900	Mercury (Dissolved)	SP	YES	Y	7470	0.000072	0.000072	mg/l	U	8/17/2004
071900	Mercury	SP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/17/2004
001067	Nickel	SP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/16/2004
001067	Nickel (Dissolved)	SP	YES	Y	6010	0.0047	0.0047	mg/l	U	8/16/2004
001147	Selenium (Dissolved)	SP	YES	Y	6010	0.0048	0.0048	mg/l	U	8/16/2004
001147	Selenium	SP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/16/2004
000929	Sodium (Dissolved)	SP	YES	Y	6010	7.1	0.15	mg/l		8/16/2004
000929	Sodium	SP	NO	Y	6010	7.4	0.15	mg/l		8/16/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001059	Thallium (Dissolved)	SP	YES	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001087	Vanadium (Dissolved)	SP	YES	Y	6010	0.0025	0.0025	mg/l	U	8/16/2004
001087	Vanadium	SP	NO	Y	6010	0.013	0.0025	mg/l		8/16/2004
001092	Zinc (Dissolved)	SP	YES	Y	6010	0.0059	0.0059	mg/l	U	8/16/2004
001092	Zinc	SP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/16/2004
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/18/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/18/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/18/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/18/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well: 19943

Monitoring_Site_Num: MW-15B(R)

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/18/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/18/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/18/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/18/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/18/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/18/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/18/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/18/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/18/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/18/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/18/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/18/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/18/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/18/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/18/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/18/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well: 19943

Monitoring_Site_Num: MW-15B(R)

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/18/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/18/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/18/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/18/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/18/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/18/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/18/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/18/2004
034010	Toluene	SP	NO	Y	8260	0.51	0.51	ug/l	U	8/18/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/18/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/18/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/18/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/18/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/18/2004
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/18/2004
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/18/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/18/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well: 19943

Monitoring_Site_Num: MW-15B(R)

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N) Yes**

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/18/2004
001077	Silver (Dissolved)	SP	YES	Y	6010	0.0019	0.0019	mg/l	U	8/16/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/16/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well: 19909

Monitoring_Site_Num: MW-4A(R)

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	PP	NO	Y	350.3	2.7	0.04	mg/l		8/16/2004
000940	Chloride	PP	NO	Y	325.3	18	1	mg/l		8/17/2004
000620	Nitrate-N	PP	NO	Y	353.2	0.01	0.01	mg/l	U	8/6/2004
070300	Solids, Total Dissolved	PP	NO	Y	160.1	120	5	mg/l		8/11/2004
001097	Antimony (Dissolved)	PP	YES	Y	6010	0.0029	0.0029	mg/l	U	8/16/2004
001097	Antimony	PP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/16/2004
001002	Arsenic	PP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/16/2004
001002	Arsenic (Dissolved)	PP	YES	Y	6010	0.0038	0.0038	mg/l	U	8/16/2004
001007	Barium (Dissolved)	PP	YES	Y	6010	0.012	0.0012	mg/l		8/16/2004
001007	Barium	PP	NO	Y	6010	0.011	0.0012	mg/l		8/16/2004
001012	Beryllium (Dissolved)	PP	YES	Y	6010	0.00074	0.00074	mg/l	U	8/16/2004
001012	Beryllium	PP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/16/2004
001027	Cadmium	PP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/16/2004
001027	Cadmium (Dissolved)	PP	YES	Y	6010	0.00071	0.00071	mg/l	U	8/16/2004
001034	Chromium	PP	NO	Y	6010	0.0024	0.0017	mg/l	I	8/16/2004
001034	Chromium (Dissolved)	PP	YES	Y	6010	0.0035	0.0017	mg/l	I	8/16/2004
001037	Cobalt (Dissolved)	PP	YES	Y	6010	0.0014	0.0014	mg/l	U	8/16/2004
001037	Cobalt	PP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/16/2004
001042	Copper (Dissolved)	PP	YES	Y	6010	0.0013	0.0013	mg/l	U	8/16/2004
001042	Copper	PP	NO	Y	6010	0.0013	0.0013	mg/l	U	8/16/2004
001045	Iron	PP	NO	Y	6010	2.9	0.037	mg/l		8/16/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well: 19909

Monitoring_Site_Num: MW-4A(R)

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001045	Iron (Dissolved)	PP	YES	Y	6010	3	0.037	mg/l		8/16/2004
001051	Lead	PP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/16/2004
001051	Lead (Dissolved)	PP	YES	Y	6010	0.0015	0.0015	mg/l	U	8/16/2004
071900	Mercury	PP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/17/2004
071900	Mercury (Dissolved)	PP	YES	Y	7470	0.000072	0.000072	mg/l	U	8/17/2004
001067	Nickel (Dissolved)	PP	YES	Y	6010	0.0047	0.0047	mg/l	U	8/16/2004
001067	Nickel	PP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/16/2004
001147	Selenium (Dissolved)	PP	YES	Y	6010	0.0048	0.0048	mg/l	U	8/16/2004
001147	Selenium	PP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/16/2004
000929	Sodium	PP	NO	Y	6010	7.2	0.15	mg/l		8/16/2004
000929	Sodium (Dissolved)	PP	YES	Y	6010	7.8	0.15	mg/l		8/16/2004
001059	Thallium (Dissolved)	PP	YES	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001059	Thallium	PP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001087	Vanadium (Dissolved)	PP	YES	Y	6010	0.0026	0.0025	mg/l	I	8/16/2004
001087	Vanadium	PP	NO	Y	6010	0.0025	0.0025	mg/l	U	8/16/2004
001092	Zinc (Dissolved)	PP	YES	Y	6010	0.0059	0.0059	mg/l	U	8/16/2004
001092	Zinc	PP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/16/2004
081552	Acetone	PP	NO	Y	8260	9.9	9.9	ug/l	U	8/18/2004
034215	Acrylonitrile	PP	NO	Y	8260	1.2	1.2	ug/l	U	8/18/2004
034030	Benzene	PP	NO	Y	8260	0.27	0.27	ug/l	U	8/18/2004
073085	Bromochloromethane	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/18/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well: 19909

Permitted Well Type: BG

Monitoring_Site_Num: MW-4A(R)

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Well Purged prior to Sample Collection? (Y/N) Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
032101	Bromodichloromethane	PP	NO	Y	8260	0.35	0.35	ug/l	U	8/18/2004
032104	Bromoform	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/18/2004
077041	Carbon disulfide	PP	NO	Y	8260	0.85	0.85	ug/l	U	8/18/2004
032102	Carbon Tetrachloride	PP	NO	Y	8260	0.42	0.42	ug/l	U	8/18/2004
034301	Chlorobenzene	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/18/2004
034311	Chloroethane	PP	NO	Y	8260	0.8	0.8	ug/l	U	8/18/2004
032105	Dibromochloromethane	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/18/2004
077651	1,2-Dibromoethane (EDB)	PP	NO	Y	504	0.0087	0.0087	ug/l	U	8/19/2004
034536	1,2-Dichlorobenzene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/18/2004
034571	1,4-Dichlorobenzene	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004
049263	Trans-1,4-Dichloro-2-butene	PP	NO	Y	8260	2.5	2.5	ug/l	U	8/18/2004
034496	1,1-Dichloroethane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004
034531	1,2-Dichloroethane	PP	NO	Y	8260	0.57	0.57	ug/l	U	8/18/2004
034501	1,1-Dichloroethylene	PP	NO	Y	8260	0.45	0.45	ug/l	U	8/18/2004
077093	cis-1,2-Dichloroethylene	PP	NO	Y	8260	0.65	0.65	ug/l	U	8/18/2004
034546	trans-1,2-Dichloroethylene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/18/2004
034541	1,2-Dichloropropane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004
034704	cis-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004
034699	trans-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004
034371	Ethylbenzene	PP	NO	Y	8260	1.8	0.83	ug/l		8/18/2004
034413	Bromomethane	PP	NO	Y	8260	0.66	0.66	ug/l	U	8/18/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well: 19909

Monitoring_Site_Num: MW-4A(R)

Permitted Well Type: **BG**

Ground water classification: **G-II**

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Well Purged prior to Sample Collection? (Y/N) Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
077103	2-Hexanone	PP	NO	Y	8260	4.4	4.4	ug/l	U	8/18/2004
034418	Chloromethane	PP	NO	Y	8260	0.64	0.64	ug/l	U	8/18/2004
081595	2-Butanone (MEK)	PP	NO	Y	8260	8.4	8.4	ug/l	U	8/18/2004
077424	Iodomethane	PP	NO	Y	8260	0.67	0.67	ug/l	U	8/18/2004
034423	Methylene Chloride	PP	NO	Y	8260	1	1	ug/l	U	8/18/2004
081596	4-Methyl-2-pentanone (MIBK)	PP	NO	Y	8260	3.8	3.8	ug/l	U	8/18/2004
077128	Styrene	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
077562	1,1,1,2-Tetrachloroethane	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/18/2004
034516	1,1,2,2-Tetrachloroethane	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004
034475	Tetrachloroethene	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/18/2004
034010	Toluene	PP	NO	Y	8260	190	0.51	ug/l		8/18/2004
034506	1,1,1-Trichloroethane	PP	NO	Y	8260	0.46	0.46	ug/l	U	8/18/2004
034511	1,1,2-Trichloroethane	PP	NO	Y	8260	0.47	0.47	ug/l	U	8/18/2004
039180	Trichloroethene	PP	NO	Y	8260	0.28	0.28	ug/l	U	8/18/2004
034488	Trichlorofluoromethane	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
077443	1,2,3-Trichloropropane	PP	NO	Y	8260	0.15	0.15	ug/l	U	8/18/2004
077057	Vinyl acetate	PP	NO	Y	8260	1.5	1.5	ug/l	U	8/18/2004
039175	Vinyl chloride	PP	NO	Y	8260	0.5	0.5	ug/l	U	8/18/2004
034020	Xylenes	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
001077	Silver (Dissolved)	PP	YES	Y	6010	0.0019	0.0019	mg/l	U	8/16/2004
001077	Silver	PP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/16/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well: 19909

Monitoring_Site_Num: MW-4A(R)

Permitted Well Type: BG

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

**Well Purged prior to
 Sample Collection? (Y/N)** Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
032106	Chloroform	PP	NO	Y	8260	0.9	0.9	ug/l	U	8/18/2004
049146	1,2-Dibromo-3-chloropropane	PP	NO	Y	504	0.003	0.003	ug/l	U	8/19/2004
046361	Dibromomethane	PP	NO	Y	8260	0.41	0.41	ug/l	U	8/18/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well: 19922

Permitted Well Type: CO

Monitoring_Site_Num: MW-8B(R)

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

**Well Purged prior to
Sample Collection? (Y/N) Yes**

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.12	0.04	mg/l		8/16/2004
000940	Chloride	SP	NO	Y	325.3	10	1	mg/l		8/17/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	8/6/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	600	5	mg/l		8/11/2004
001097	Antimony (Dissolved)	SP	YES	Y	6010	0.0029	0.0029	mg/l	U	8/16/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/16/2004
001002	Arsenic	SP	NO	Y	6010	0.0054	0.0038	mg/l	I	8/16/2004
001002	Arsenic (Dissolved)	SP	YES	Y	6010	0.0038	0.0038	mg/l	U	8/16/2004
001007	Barium (Dissolved)	SP	YES	Y	6010	0.019	0.0012	mg/l		8/16/2004
001007	Barium	SP	NO	Y	6010	0.29	0.0012	mg/l		8/16/2004
001012	Beryllium (Dissolved)	SP	YES	Y	6010	0.00074	0.00074	mg/l	U	8/16/2004
001012	Beryllium	SP	NO	Y	6010	0.0012	0.00074	mg/l	I	8/16/2004
001027	Cadmium (Dissolved)	SP	YES	Y	6010	0.00071	0.00071	mg/l	U	8/16/2004
001027	Cadmium	SP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/16/2004
001034	Chromium (Dissolved)	SP	YES	Y	6010	0.0017	0.0017	mg/l	U	8/16/2004
001034	Chromium	SP	NO	Y	6010	0.057	0.0017	mg/l		8/16/2004
001037	Cobalt	SP	NO	Y	6010	0.0016	0.0014	mg/l	I	8/16/2004
001037	Cobalt (Dissolved)	SP	YES	Y	6010	0.0014	0.0014	mg/l	U	8/16/2004
001042	Copper	SP	NO	Y	6010	0.012	0.0013	mg/l	I	8/16/2004
001042	Copper (Dissolved)	SP	YES	Y	6010	0.0013	0.0013	mg/l	U	8/16/2004
001045	Iron (Dissolved)	SP	YES	Y	6010	0.84	0.037	mg/l		8/16/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well: 19922

Permitted Well Type: CO

Monitoring_Site_Num: MW-8B(R)

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Well Purged prior to Sample Collection? (Y/N) Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001045	Iron	SP	NO	Y	6010	6.6	0.037	mg/l		8/16/2004
001051	Lead (Dissolved)	SP	YES	Y	6010	0.0015	0.0015	mg/l	U	8/16/2004
001051	Lead	SP	NO	Y	6010	0.039	0.0015	mg/l		8/16/2004
071900	Mercury (Dissolved)	SP	YES	Y	7470	0.000072	0.000072	mg/l	U	8/17/2004
071900	Mercury	SP	NO	Y	7470	0.00021	0.000072	mg/l		8/17/2004
001067	Nickel (Dissolved)	SP	YES	Y	6010	0.0047	0.0047	mg/l	U	8/16/2004
001067	Nickel	SP	NO	Y	6010	0.011	0.0047	mg/l	I	8/16/2004
001147	Selenium	SP	NO	Y	6010	0.0088	0.0048	mg/l	I	8/16/2004
001147	Selenium (Dissolved)	SP	YES	Y	6010	0.0048	0.0048	mg/l	U	8/16/2004
000929	Sodium	SP	NO	Y	6010	5.7	0.15	mg/l		8/16/2004
000929	Sodium (Dissolved)	SP	YES	Y	6010	5.8	0.15	mg/l		8/16/2004
001059	Thallium (Dissolved)	SP	YES	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001087	Vanadium (Dissolved)	SP	YES	Y	6010	0.0025	0.0025	mg/l	U	8/16/2004
001087	Vanadium	SP	NO	Y	6010	0.12	0.0025	mg/l		8/16/2004
001092	Zinc (Dissolved)	SP	YES	Y	6010	0.0059	0.0059	mg/l	U	8/16/2004
001092	Zinc	SP	NO	Y	6010	0.011	0.0059	mg/l	I	8/16/2004
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/18/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/18/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/18/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/18/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well: 19922

Monitoring_Site_Num: MW-8B(R)

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/18/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/18/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/18/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/18/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/18/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/18/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/18/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/19/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/18/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/18/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/18/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/18/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/18/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/18/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/18/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/18/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well: 19922

Monitoring_Site_Num: MW-8B(R)

Permitted Well Type: CO

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Well Purged prior to Sample Collection? (Y/N) Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/18/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/18/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/18/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/18/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/18/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/18/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/18/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/18/2004
034010	Toluene	SP	NO	Y	8260	7.8	0.51	ug/l		8/18/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/18/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/18/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/18/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/18/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/18/2004
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/18/2004
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/19/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/16/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well: 19922

Monitoring_Site_Num: MW-8B(R)

Permitted Well Type: CO

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Well Purged prior to Sample Collection? (Y/N) Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001077	Silver (Dissolved)	SP	YES	Y	6010	0.0019	0.0019	mg/l	U	8/16/2004
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/18/2004
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/18/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well:

Monitoring_Site_Num: Trip Blank

Permitted Well Type: **CO**

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
081552	Acetone	PP	NO	Y	8260	9.9	9.9	ug/l	U	8/18/2004
034215	Acrylonitrile	PP	NO	Y	8260	1.2	1.2	ug/l	U	8/18/2004
034030	Benzene	PP	NO	Y	8260	0.27	0.27	ug/l	U	8/18/2004
073085	Bromochloromethane	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/18/2004
032101	Bromodichloromethane	PP	NO	Y	8260	0.35	0.35	ug/l	U	8/18/2004
032104	Bromoform	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/18/2004
077041	Carbon disulfide	PP	NO	Y	8260	0.85	0.85	ug/l	U	8/18/2004
032102	Carbon Tetrachloride	PP	NO	Y	8260	0.42	0.42	ug/l	U	8/18/2004
034301	Chlorobenzene	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/18/2004
034311	Chloroethane	PP	NO	Y	8260	0.8	0.8	ug/l	U	8/18/2004
032105	Dibromochloromethane	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/18/2004
077651	1,2-Dibromoethane (EDB)	PP	NO	Y	504	0.0087	0.0087	ug/l	U	8/19/2004
034536	1,2-Dichlorobenzene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/18/2004
034571	1,4-Dichlorobenzene	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004
049263	Trans-1,4-Dichloro-2-butene	PP	NO	Y	8260	2.5	2.5	ug/l	U	8/18/2004
034496	1,1-Dichloroethane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004
034531	1,2-Dichloroethane	PP	NO	Y	8260	0.57	0.57	ug/l	U	8/18/2004
034501	1,1-Dichloroethylene	PP	NO	Y	8260	0.45	0.45	ug/l	U	8/18/2004
077093	cis-1,2-Dichloroethylene	PP	NO	Y	8260	0.65	0.65	ug/l	U	8/18/2004
034546	trans-1,2-Dichloroethylene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/18/2004
034541	1,2-Dichloropropane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well:

Monitoring_Site_Num: Trip Blank

Permitted Well Type: CO

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Well Purged prior to Sample Collection? (Y/N) Yes

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004
034699	trans-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004
034371	Ethylbenzene	PP	NO	Y	8260	0.83	0.83	ug/l	U	8/18/2004
034413	Bromomethane	PP	NO	Y	8260	0.66	0.66	ug/l	U	8/18/2004
077103	2-Hexanone	PP	NO	Y	8260	4.4	4.4	ug/l	U	8/18/2004
034418	Chloromethane	PP	NO	Y	8260	0.64	0.64	ug/l	U	8/18/2004
081595	2-Butanone (MEK)	PP	NO	Y	8260	8.4	8.4	ug/l	U	8/18/2004
077424	Iodomethane	PP	NO	Y	8260	0.67	0.67	ug/l	U	8/18/2004
034423	Methylene Chloride	PP	NO	Y	8260	1	1	ug/l	U	8/18/2004
081596	4-Methyl-2-pentanone (MIBK)	PP	NO	Y	8260	3.8	3.8	ug/l	U	8/18/2004
077128	Styrene	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
077562	1,1,1,2-Tetrachloroethane	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/18/2004
034516	1,1,2,2-Tetrachloroethane	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004
034475	Tetrachloroethene	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/18/2004
034010	Toluene	PP	NO	Y	8260	0.51	0.51	ug/l	U	8/18/2004
034506	1,1,1-Trichloroethane	PP	NO	Y	8260	0.46	0.46	ug/l	U	8/18/2004
034511	1,1,2-Trichloroethane	PP	NO	Y	8260	0.47	0.47	ug/l	U	8/18/2004
039180	Trichloroethene	PP	NO	Y	8260	0.28	0.28	ug/l	U	8/18/2004
034488	Trichlorofluoromethane	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
077443	1,2,3-Trichloropropane	PP	NO	Y	8260	0.15	0.15	ug/l	U	8/18/2004
077057	Vinyl acetate	PP	NO	Y	8260	1.5	1.5	ug/l	U	8/18/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well:

Monitoring_Site_Num: Trip Blank

Permitted Well Type: **CO**

Ground water classification: **G-II**

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Well Purged prior to Sample Collection? (Y/N) **Yes**

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
039175	Vinyl chloride	PP	NO	Y	8260	0.5	0.5	ug/l	U	8/18/2004
034020	Xylenes	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
046361	Dibromomethane	PP	NO	Y	8260	0.41	0.41	ug/l	U	8/18/2004
032106	Chloroform	PP	NO	Y	8260	0.9	0.9	ug/l	U	8/18/2004
049146	1,2-Dibromo-3-chloropropane	PP	NO	Y	504	0.003	0.003	ug/l	U	8/19/2004

Analytical Report

For: Mr. Kirk Wills
Geosyntec
14055 Riveredge Drive, Ste.300
Tampa, FL 33637

CC:

Order Number: B423989
SDG Number:
Client Project ID: FQ0638
Project: Oak Hammock Disposal Landfill
Report Date: 08/26/2004
Sampled By: Client
Sample Received Date: 08/09/2004
Requisition Number:
Purchase Order:



Michael F. Valder, Project Manager
mvalder@stl-inc.com

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Analytical Report

For: Mr. Kirk Wills
Geosyntec
14055 Riveredge Drive, Ste.300
Tampa, FL 33637

CC:

Order Number: B423989
SDG Number:
Client Project ID: FQ0638
Project: Oak Hammock Disposal Landfill
Report Date: 08/26/2004
Sampled By: Client
Sample Received Date: 08/09/2004
Requisition Number:
Purchase Order:



Michael F. Valder, Project Manager
mvalder@stl-inc.com

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Sample Summary

Order: B423989
Date Received: 08/09/2004

Client: Geosyntec
Project: Oak Hammock Disposal Landfill

Client Sample ID

SW-3
SW-4
Trip Blank

Lab Sample ID

B423989*1
B423989*2
B423989*3

Matrix

Liquid
Liquid
Liquid

Date Sampled

08/09/2004 11:45
08/09/2004 12:55
08/09/2004

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDC#
23989-1	SW-3	Liquid	08/09/04	08/09/04 11:45	
23989-2	SW-4	Liquid	08/09/04	08/09/04 12:55	

Parameter	Units	Lab Sample IDs	
		23989-1	23989-2

Appendix I - Organics (8260)

Acetone	ug/l	9.9U	9.9U
Acrylonitrile	ug/l	1.2U	1.2U
Benzene	ug/l	0.27U	0.27U
Bromochloromethane	ug/l	0.58U	0.58U
Bromodichloromethane	ug/l	0.35U	0.35U
Bromoform	ug/l	0.58U	0.58U
Carbon disulfide	ug/l	0.85U	0.85U
Carbon Tetrachloride	ug/l	0.42U	0.42U
Chlorobenzene	ug/l	0.63U	0.63U
Chloroethane	ug/l	0.80U	0.80U
Chloroform	ug/l	0.90U	0.90U
Dibromochloromethane	ug/l	0.34U	0.34U
1,2-Dichlorobenzene	ug/l	0.44U	0.44U
1,4-Dichlorobenzene	ug/l	0.52U	0.52U
Trans-1,4-Dichloro-2-butene	ug/l	2.5U	2.5U
1,1-Dichloroethane	ug/l	0.52U	0.52U
1,2-Dichloroethane	ug/l	0.57U	0.57U
1,1-Dichloroethylene	ug/l	0.45U	0.45U
cis-1,2-Dichloroethylene	ug/l	0.65U	0.65U
trans-1,2-Dichloroethylene	ug/l	0.44U	0.44U
1,2-Dichloropropane	ug/l	0.52U	0.52U
cis-1,3-Dichloropropene	ug/l	0.14U	0.14U
trans-1,3-Dichloropropene	ug/l	0.14U	0.14U
Ethylbenzene	ug/l	0.83U	0.83U
2-Hexanone	ug/l	4.4U	4.4U
Bromomethane	ug/l	0.66U	0.66U
Chloromethane	ug/l	0.64U	0.64U
Dibromomethane	ug/l	0.41U	0.41U
Methylene Chloride	ug/l	1.0U	1.0U

STL Tampa

6712 Benjamin Road, Suite 100 - Tampa FL 33634 Telephone:(813) 885-7427 Fax:(813) 885-7049

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23989-1	SW-3	Liquid	08/09/04	08/09/04 11:45	
23989-2	SW-4	Liquid	08/09/04	08/09/04 12:55	

Parameter	Units	Lab Sample IDs	
		23989-1	23989-2

Appendix I - Organics (8260)

2-Butanone (MEK)	ug/l	8.4U	8.4U
Iodomethane	ug/l	0.67U	0.67U
4-Methyl-2-pentanone (MIBK)	ug/l	3.8U	3.8U
Styrene	ug/l	0.98U	0.98U
1,1,1,2-Tetrachloroethane	ug/l	0.63U	0.63U
1,1,2,2-Tetrachloroethane	ug/l	0.14U	0.14U
Tetrachloroethene	ug/l	0.34U	0.34U
Toluene	ug/l	0.51U	0.51U
1,1,1-Trichloroethane	ug/l	0.46U	0.46U
1,1,2-Trichloroethane	ug/l	0.47U	0.47U
Trichloroethene	ug/l	0.28U	0.28U
Trichlorofluoromethane	ug/l	0.98U	0.98U
1,2,3-Trichloropropane	ug/l	0.15U	0.15U
Vinyl acetate	ug/l	1.5U	1.5U
Vinyl chloride	ug/l	0.50U	0.50U
Xylenes	ug/l	0.98U	0.98U
Dilution Factor		1	1
Analysis Date		08/18/04	08/18/04
Analysis Time		17:32	17:12
Batch ID		0818H	0818H

Microextractables (504)

1,2-Dibromoethane (EDB)	ug/l	0.0087U	0.0087U
1,2-Dibromo-3-chloropropane	ug/l	0.0030U	0.0030U
Dilution Factor		1	1
Prep Date		08/18/04	08/18/04
Prep Time		13:00	13:00
Analysis Date		08/19/04	08/19/04
Analysis Time		08:19	08:40
Batch ID		0818EE	0818EE

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23989-1	SW-3	Liquid	08/09/04	08/09/04 11:45	
23989-2	SW-4	Liquid	08/09/04	08/09/04 12:55	

Parameter	Units	Lab Sample IDs	
		23989-1	23989-2

Appendix I Metals by ICP (6010)

Arsenic	mg/l	0.0038U	0.0038U
Barium	mg/l	0.0076I	0.0059I
Beryllium	mg/l	0.00074U	0.00074U
Cadmium	mg/l	0.00071U	0.00071U
Chromium	mg/l	0.0017U	0.0017U
Cobalt	mg/l	0.0014U	0.0014U
Copper	mg/l	0.0013U	0.0013U
Lead	mg/l	0.0015U	0.0015U
Nickel	mg/l	0.0047U	0.0047U
Selenium	mg/l	0.0048U	0.0048U
Silver	mg/l	0.0019U	0.0019U
Vanadium	mg/l	0.0025U	0.0025U
Antimony	mg/l	0.0029U	0.0029U
Dilution Factor		1	1
Prep Date		08/16/04	08/16/04
Prep Time		09:26	09:26
Analysis Date		08/18/04	08/18/04
Analysis Time		11:57	12:03
Batch ID		40816I	40816I

Zinc (6010)

Zinc	mg/l	0.0059U	0.0059U
Dilution Factor		1	1
Prep Date		08/18/04	08/18/04
Prep Time		11:00	11:00
Analysis Date		08/18/04	08/18/04
Analysis Time		15:53	15:59
Batch ID		40818I	40818I

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23989-1	SW-3	Liquid	08/09/04	08/09/04 11:45	
23989-2	SW-4	Liquid	08/09/04	08/09/04 12:55	

Parameter	Units	Lab Sample IDs	
		23989-1	23989-2

Mercury (7470)

Mercury	mg/l	0.000072U	0.000072U
Dilution Factor		1	1
Prep Date		08/16/04	08/16/04
Prep Time		15:10	15:10
Analysis Date		08/17/04	08/17/04
Analysis Time		12:47	12:48
Batch ID		40816U	40816U

Iron (6010)

Iron	mg/l	0.73	0.59
Dilution Factor		1	1
Prep Date		08/16/04	08/16/04
Prep Time		09:26	09:26
Analysis Date		08/18/04	08/18/04
Analysis Time		11:57	12:03
Batch ID		40816I	40816I

Thallium (7841)

Thallium	mg/l	0.00070U	0.00070U
Dilution Factor		1	1
Prep Date		08/12/04	08/12/04
Prep Time		11:05	11:05
Analysis Date		08/23/04	08/23/04
Analysis Time		18:12	18:46
Batch ID		0812I	0812I

STL Tampa 6712 Benjamin Road, Suite 100 - Tampa FL 33634 Telephone:(813) 885-7427 Fax:(813) 885-7049

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23989-1	SW-3	Liquid	08/09/04	08/09/04 11:45	
23989-2	SW-4	Liquid	08/09/04	08/09/04 12:55	

Parameter	Units	Lab Sample IDs	
		23989-1	23989-2

Hardness as CaCO3 (23408)

Hardness as CaCO3	mg/l	8.1	6.2
Dilution Factor		1	1
Prep Date		08/16/04	08/16/04
Prep Time		09:26	09:26
Analysis Date		08/18/04	08/18/04
Analysis Time		11:57	12:03
Batch ID		40816I	40816I

Ammonia-N (350.3)

Ammonia-N	mg/l	0.069	0.062
Dilution Factor		1	1
Analysis Date		08/16/04	08/16/04
Analysis Time		19:30	19:30
Batch ID		0816Y	0816Y

Nitrate-N (353.2)

Nitrate-N	mg/l	0.010U	0.010U
Dilution Factor		1	1
Analysis Date		08/11/04	08/11/04
Analysis Time		08:17	08:17
Batch ID		0811G	0811G

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23989-1	SW-3	Liquid	08/09/04	08/09/04 11:45	
23989-2	SW-4	Liquid	08/09/04	08/09/04 12:55	

Parameter	Units	Lab Sample IDs	
		23989-1	23989-2

Solids, Total Dissolved (160.1)

Solids, Total Dissolved	mg/l	26	5.0U
Dilution Factor		1	1
Analysis Date		08/16/04	08/16/04
Analysis Time		16:30	16:30
Batch ID		0816J	0816J

Suspended Solids (160.2)

Suspended Solids	mg/l	5.0U	5.0U
Dilution Factor		1	1
Analysis Date		08/16/04	08/16/04
Analysis Time		15:30	15:30
Batch ID		0816K	0816K

Biochemical Oxygen Demand (5 Day) (405.1/210B)

Biochemical Oxygen Demand (5 Day)	mg/l	2.0U	2.0U
Dilution Factor		1	1
Prep Date		08/11/04	08/11/04
Prep Time		11:10	11:10
Analysis Date		08/16/04	08/16/04
Analysis Time		09:45	09:45
Batch ID		0811C	0811C

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23989-1	SW-3	Liquid	08/09/04	08/09/04 11:45	
23989-2	SW-4	Liquid	08/09/04	08/09/04 12:55	

Parameter	Units	Lab Sample IDs	
		23989-1	23989-2

Total Kjeldahl Nitrogen-N (351.3)

Total Kjeldahl Nitrogen-N	mg/l	0.78	0.78
Dilution Factor		1	1
Analysis Date		08/16/04	08/16/04
Batch ID		0816GG	0816GG

Total Nitrogen (351.2+353.2)

Total Nitrogen	mg/l	0.78	0.78
----------------	------	------	------

Ammonia Unionized (FL-DEP 10/83)

Ammonia Unionized	mg/l	0.010U	0.010U
-------------------	------	--------	--------

Total Organic Carbon (415.1)

Total Organic Carbon	mg/l	25	23
Dilution Factor		1.00	1.00
Analysis Date		08/12/04	08/12/04
Analysis Time		15:21	15:21
Batch ID		0812YY	0812YY

Chemical Oxygen Demand (SM5220C)

Chemical Oxygen Demand	mg/l	99	64
Dilution Factor		1	1
Prep Date		08/16/04	08/16/04
Prep Time		09:45	09:45
Analysis Date		08/17/04	08/17/04
Analysis Time		13:10	13:10
Batch ID		0816E	0816E

STL Tampa 6712 Benjamin Road, Suite 100 - Tampa FL 33634 Telephone:(813) 885-7427 Fax:(813) 885-7049

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23989-1	SW-3	Liquid	08/09/04	08/09/04 11:45	
23989-2	SW-4	Liquid	08/09/04	08/09/04 12:55	

Parameter	Units	Lab Sample IDs	
		23989-1	23989-2
Phosphorus, Total (365.2)			
Phosphorus, Total	mg/l	0.038I	0.045I
Dilution Factor		1	1
Analysis Date		08/17/04	08/17/04
Analysis Time		14:00	14:00
Batch ID		0817V	0817V

Chlorophyll-a (SM10200H)			
Parameter	Units	23989-1	23989-2
Chlorophyll-a	mg/m3	3.5	1.1
Analysis Date		08/09/04	08/09/04
Analysis Time		11:45	12:55

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23989-3	Trip Blank	Liquid	08/09/04	08/09/04	

Parameter	Units	Lab Sample IDs
		23989-3

Appendix I - Organics (8260)

Acetone	ug/l	9.9U
Acrylonitrile	ug/l	1.2U
Benzene	ug/l	0.27U
Bromochloromethane	ug/l	0.58U
Bromodichloromethane	ug/l	0.35U
Bromoform	ug/l	0.58U
Carbon disulfide	ug/l	0.85U
Carbon Tetrachloride	ug/l	0.42U
Chlorobenzene	ug/l	0.63U
Chloroethane	ug/l	0.80U
Chloroform	ug/l	0.90U
Dibromochloromethane	ug/l	0.34U
1,2-Dichlorobenzene	ug/l	0.44U
1,4-Dichlorobenzene	ug/l	0.52U
Trans-1,4-Dichloro-2-butene	ug/l	2.5U
1,1-Dichloroethane	ug/l	0.52U
1,2-Dichloroethane	ug/l	0.57U
1,1-Dichloroethylene	ug/l	0.45U
cis-1,2-Dichloroethylene	ug/l	0.65U
trans-1,2-Dichloroethylene	ug/l	0.44U
1,2-Dichloropropane	ug/l	0.52U
cis-1,3-Dichloropropene	ug/l	0.14U
trans-1,3-Dichloropropene	ug/l	0.14U
Ethylbenzene	ug/l	0.83U
2-Hexanone	ug/l	4.4U
Bromomethane	ug/l	0.66U
Chloromethane	ug/l	0.64U
Dibromomethane	ug/l	0.41U
Methylene Chloride	ug/l	1.0U
2-Butanone (MEK)	ug/l	8.4U

STL Tampa 6712 Benjamin Road, Suite 100 - Tampa FL 33634 Telephone: (813) 885-7427 Fax: (813) 885-7049

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23989-3	Trip Blank	Liquid	08/09/04	08/09/04	

Parameter	Units	Lab Sample IDs
		23989-3

Appendix I - Organics (8260)

Iodomethane	ug/l	0.67U
4-Methyl-2-pentanone (MIBK)	ug/l	3.8U
Styrene	ug/l	0.98U
1,1,1,2-Tetrachloroethane	ug/l	0.63U
1,1,2,2-Tetrachloroethane	ug/l	0.14U
Tetrachloroethene	ug/l	0.34U
Toluene	ug/l	0.51U
1,1,1-Trichloroethane	ug/l	0.46U
1,1,2-Trichloroethane	ug/l	0.47U
Trichloroethene	ug/l	0.28U
Trichlorofluoromethane	ug/l	0.98U
1,2,3-Trichloropropane	ug/l	0.15U
Vinyl acetate	ug/l	1.5U
Vinyl chloride	ug/l	0.50U
Xylenes	ug/l	0.98U
Dilution Factor		1
Analysis Date		08/18/04
Analysis Time		16:51
Batch ID		0818H

Microextractables (504)

1,2-Dibromoethane (EDB)	ug/l	0.0087U
1,2-Dibromo-3-chloropropane	ug/l	0.0030U
Dilution Factor		1
Prep Date		08/18/04
Prep Time		13:00
Analysis Date		08/19/04
Analysis Time		09:01
Batch ID		0818EE

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23989-4	Method Blank	Liquid	08/09/04		

Parameter	Units	Lab Sample IDs
		23989-4

Appendix I - Organics (8260)

Acetone	ug/l	9.9U
Acrylonitrile	ug/l	1.2U
Benzene	ug/l	0.27U
Bromochloromethane	ug/l	0.58U
Bromodichloromethane	ug/l	0.35U
Bromoform	ug/l	0.58U
Carbon disulfide	ug/l	0.85U
Carbon Tetrachloride	ug/l	0.42U
Chlorobenzene	ug/l	0.63U
Chloroethane	ug/l	0.80U
Chloroform	ug/l	0.90U
Dibromochloromethane	ug/l	0.34U
1,2-Dichlorobenzene	ug/l	0.44U
1,4-Dichlorobenzene	ug/l	0.52U
Trans-1,4-Dichloro-2-butene	ug/l	2.5U
1,1-Dichloroethane	ug/l	0.52U
1,2-Dichloroethane	ug/l	0.57U
1,1-Dichloroethylene	ug/l	0.45U
cis-1,2-Dichloroethylene	ug/l	0.65U
trans-1,2-Dichloroethylene	ug/l	0.44U
1,2-Dichloropropane	ug/l	0.52U
cis-1,3-Dichloropropene	ug/l	0.14U
trans-1,3-Dichloropropene	ug/l	0.14U
Ethylbenzene	ug/l	0.83U
2-Hexanone	ug/l	4.4U
Bromomethane	ug/l	0.66U
Chloromethane	ug/l	0.64U
Dibromomethane	ug/l	0.41U
Methylene Chloride	ug/l	1.0U
2-Butanone (MEK)	ug/l	8.4U

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23989-4	Method Blank	Liquid	08/09/04		

Lab Sample IDs

Parameter	Units	23989-4
-----------	-------	---------

Appendix I - Organics (8260)

Iodomethane	ug/l	0.67U
4-Methyl-2-pentanone (MIBK)	ug/l	3.8U
Styrene	ug/l	0.98U
1,1,1,2-Tetrachloroethane	ug/l	0.63U
1,1,2,2-Tetrachloroethane	ug/l	0.14U
Tetrachloroethene	ug/l	0.34U
Toluene	ug/l	0.51U
1,1,1-Trichloroethane	ug/l	0.46U
1,1,2-Trichloroethane	ug/l	0.47U
Trichloroethene	ug/l	0.28U
Trichlorofluoromethane	ug/l	0.98U
1,2,3-Trichloropropane	ug/l	0.15U
Vinyl acetate	ug/l	1.5U
Vinyl chloride	ug/l	0.50U
Xylenes	ug/l	0.98U
Dilution Factor		1
Analysis Date		08/18/04
Analysis Time		06:23
Batch ID		0818H

Microextractables (504)

1,2-Dibromoethane (EDB)	ug/l	0.0087U
1,2-Dibromo-3-chloropropane	ug/l	0.0030U
Dilution Factor		1
Prep Date		08/18/04
Prep Time		13:00
Analysis Date		08/19/04
Analysis Time		07:16
Batch ID		0818EE

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23989-4	Method Blank	Liquid	08/09/04		

Parameter	Units	Lab Sample IDs
		23989-4

Appendix I Metals by ICP (6010)

Arsenic	mg/l	0.0038U
Barium	mg/l	0.0012U
Beryllium	mg/l	0.00074U
Cadmium	mg/l	0.00071U
Chromium	mg/l	0.0017U
Cobalt	mg/l	0.0014U
Copper	mg/l	0.0013U
Lead	mg/l	0.0015U
Nickel	mg/l	0.0047U
Selenium	mg/l	0.0048U
Silver	mg/l	0.0019U
Vanadium	mg/l	0.0025U
Antimony	mg/l	0.0029U
Dilution Factor		1
Prep Date		08/16/04
Prep Time		09:26
Analysis Date		08/18/04
Analysis Time		09:20
Batch ID		40816I

Zinc (6010)

Zinc	mg/l	0.0059U
Dilution Factor		1
Prep Date		08/18/04
Prep Time		11:00
Analysis Date		08/18/04
Analysis Time		14:54
Batch ID		40818I

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23989-4	Method Blank	Liquid	08/09/04		

Parameter	Units	Lab Sample IDs
		23989-4

Mercury (7470)

Mercury	mg/l	0.000072U
Dilution Factor		1
Prep Date		08/16/04
Prep Time		15:10
Analysis Date		08/17/04
Analysis Time		12:16
Batch ID		40816U

Iron (6010)

Iron	mg/l	0.037U
Dilution Factor		1
Prep Date		08/16/04
Prep Time		09:26
Analysis Date		08/18/04
Analysis Time		09:20
Batch ID		40816I

Thallium (7841)

Thallium	mg/l	0.00070U
Dilution Factor		1
Prep Date		08/12/04
Prep Time		11:05
Analysis Date		08/23/04
Analysis Time		17:59
Batch ID		0812I

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23989-4	Method Blank	Liquid	08/09/04		

Parameter	Units	Lab Sample IDs
Ammonia-N (350.3)		
Ammonia-N	mg/l	0.040U
Dilution Factor		1
Analysis Date		08/16/04
Analysis Time		19:30
Batch ID		0816Y
Nitrate-N (353.2)		
Nitrate-N	mg/l	0.010U
Dilution Factor		1
Analysis Date		08/11/04
Analysis Time		08:17
Batch ID		0811G
Solids, Total Dissolved (160.1)		
Solids, Total Dissolved	mg/l	5.0U
Dilution Factor		1
Analysis Date		08/16/04
Analysis Time		16:30
Batch ID		0816J
Suspended Solids (160.2)		
Suspended Solids	mg/l	5.0U
Dilution Factor		1
Analysis Date		08/16/04
Analysis Time		15:30
Batch ID		0816K

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23989-4	Method Blank	Liquid	08/09/04		

Parameter	Units	Lab Sample IDs
		23989-4

Biochemical Oxygen Demand (5 Day) (405.1/210B)

Biochemical Oxygen Demand (5 Day)	mg/l	2.0U
Dilution Factor		1
Prep Date		08/11/04
Prep Time		11:10
Analysis Date		08/16/04
Analysis Time		09:45
Batch ID		0811C

Total Kjeldahl Nitrogen-N (351.3)

Total Kjeldahl Nitrogen-N	mg/l	0.44U
Dilution Factor		1
Analysis Date		08/16/04
Batch ID		0816GG

Total Nitrogen (351.2+353.2)

Total Nitrogen	mg/l	---
----------------	------	-----

Total Organic Carbon (415.1)

Total Organic Carbon	mg/l	0.53U
Dilution Factor		1.00
Analysis Date		08/12/04
Analysis Time		15:21
Batch ID		0812YY

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23989-4	Method Blank	Liquid	08/09/04		

Lab Sample IDs

Parameter	Units	23989-4
-----------	-------	---------

Chemical Oxygen Demand (SM5220C)

Chemical Oxygen Demand	mg/l	20U
Dilution Factor		1
Prep Date		08/16/04
Prep Time		09:45
Analysis Date		08/17/04
Analysis Time		13:10
Batch ID		0816E

Phosphorus, Total (365.2)

Phosphorus, Total	mg/l	0.017U
Dilution Factor		1
Analysis Date		08/17/04
Analysis Time		14:00
Batch ID		0817V

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23989-5	Lab Control Standard % Recovery	Liquid	08/09/04		
23989-6	Lab Control Standard Duplicate % Recovery	Liquid	08/09/04		
23989-7	Precision (%RPD) of LCS/LCSD	Liquid	08/09/04		
23989-8	LCS Accuracy Control Limit (%R)	Liquid	08/09/04		
23989-9	LCS Precision Control Limit (Advisory) %RPD	Liquid	08/09/04		

Parameter	Units	Lab Sample IDs				
		23989-5	23989-6	23989-7	23989-8	23989-9

Appendix I - Organics (8260)

Benzene	%	105 %	105 %	0 %	62-135 %	<16 %
Chlorobenzene	%	105 %	100 %	4.9 %	72-127 %	<22 %
1,1-Dichloroethylene	%	105 %	110 %	4.6 %	46-147 %	<30 %
Toluene	%	105 %	105 %	0 %	68-131 %	<33 %
Trichloroethene	%	100 %	105 %	4.9 %	56-143 %	<35 %
Dilution Factor		1	1			
Analysis Date		08/18/04	08/18/04			
Analysis Time		05:25	05:44			
Batch ID		0818H	0818H	0818H		

Microextractables (504)

1,2-Dibromoethane (EDB)	%	101 %	109 %	7.6 %	70-130 %	<30 %
1,2-Dibromo-3-chloropropane	%	110 %	114 %	3.6 %	70-130 %	<30 %
Prep Date		08/18/04	08/18/04			
Prep Time		13:00	13:00			
Analysis Date		08/19/04	08/19/04			
Analysis Time		07:37	07:58			
Batch ID		0818EE	0818EE	0818EE		

Appendix I Metals by ICP (6010)

Arsenic	%	98 %	98 %	0.20 %	75-125 %	<20 %
Barium	%	98 %	98 %	0.31 %	75-125 %	<20 %
Beryllium	%	99 %	98 %	0.51 %	75-125 %	<20 %
Cadmium	%	100 %	100 %	0.00 %	75-125 %	<20 %

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23989-5	Lab Control Standard % Recovery	Liquid	08/09/04		
23989-6	Lab Control Standard Duplicate % Recovery	Liquid	08/09/04		
23989-7	Precision (%RPD) of LCS/LCSD	Liquid	08/09/04		
23989-8	LCS Accuracy Control Limit (%)	Liquid	08/09/04		
23989-9	LCS Precision Control Limit (Advisory) %RPD	Liquid	08/09/04		

Parameter	Units	Lab Sample IDs				
		23989-5	23989-6	23989-7	23989-8	23989-9

Appendix I Metals by ICP (6010)

Chromium	%	99 %	98 %	0.41 %	75-125 %	<20 %
Cobalt	%	103 %	102 %	0.19 %	75-125 %	<20 %
Copper	%	104 %	103 %	0.77 %	75-125 %	<20 %
Lead	%	100 %	100 %	0.20 %	75-125 %	<20 %
Nickel	%	102 %	102 %	0.10 %	75-125 %	<20 %
Selenium	%	98 %	98 %	0.31 %	75-125 %	<20 %
Silver	%	96 %	95 %	0.63 %	75-125 %	<20 %
Vanadium	%	99 %	98 %	0.61 %	75-125 %	<20 %
Antimony	%	93 %	93 %	0.00 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/16/04	08/16/04			
Prep Time		09:26	09:26			
Analysis Date		08/18/04	08/18/04			
Analysis Time		09:27	09:33			
Batch ID		40816I	40816I	40816I		

Zinc (6010)

Zinc	%	102 %	103 %	0.98 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/18/04	08/18/04			
Prep Time		11:00	11:00			
Analysis Date		08/18/04	08/18/04			
Analysis Time		15:00	15:06			
Batch ID		40818I	40818I	40818I		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23989-5	Lab Control Standard % Recovery	Liquid	08/09/04		
23989-6	Lab Control Standard Duplicate % Recovery	Liquid	08/09/04		
23989-7	Precision (%RPD) of LCS/LCSD	Liquid	08/09/04		
23989-8	LCS Accuracy Control Limit (%R)	Liquid	08/09/04		
23989-9	LCS Precision Control Limit (Advisory) %RPD	Liquid	08/09/04		

Parameter	Units	Lab Sample IDs				
		23989-5	23989-6	23989-7	23989-8	23989-9

Mercury (7470)

Mercury	%	100 %	101 %	1.5 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/16/04	08/16/04			
Prep Time		15:10	15:10			
Analysis Date		08/17/04	08/17/04			
Analysis Time		12:19	12:20			
Batch ID		40816U	40816U	40816U		

Iron (6010)

Iron	%	100 %	99 %	0.80 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/16/04	08/16/04			
Prep Time		09:26	09:26			
Analysis Date		08/18/04	08/18/04			
Analysis Time		09:27	09:33			
Batch ID		40816I	40816I	40816I		

Thallium (7841)

Thallium	%	118 %	116 %	1.7 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/12/04	08/12/04			
Prep Time		11:05	11:05			
Analysis Date		08/23/04	08/23/04			
Analysis Time		18:04	18:08			
Batch ID		0812I	0812I	0812I		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23989-5	Lab Control Standard % Recovery	Liquid	08/09/04		
23989-6	Lab Control Standard Duplicate % Recovery	Liquid	08/09/04		
23989-7	Precision (%RPD) of LCS/LCSD	Liquid	08/09/04		
23989-8	LCS Accuracy Control Limit (%R)	Liquid	08/09/04		
23989-9	LCS Precision Control Limit (Advisory) %RPD	Liquid	08/09/04		

Parameter	Units	Lab Sample IDs				
		23989-5	23989-6	23989-7	23989-8	23989-9

Ammonia-N (350.3)

Ammonia-N	%	99 %	100 %	1.0 %	85-115 %	<30 %
Dilution Factor		1	1			
Analysis Date		08/16/04	08/16/04			
Analysis Time		19:30	19:30			
Batch ID		0816Y	0816Y	0816Y		

Nitrate-N (353.2)

Nitrate-N	%	95 %	95 %	0.035 %	80-120 %	<30 %
Dilution Factor		1	1			
Analysis Date		08/11/04	08/11/04			
Analysis Time		08:17	08:17			
Batch ID		0811G	0811G	0811G		

Solids, Total Dissolved (160.1)

Solids, Total Dissolved	%	100 %	99 %	0.10 %	80-120 %	<25 %
Dilution Factor		1	1			
Analysis Date		08/16/04	08/16/04			
Analysis Time		16:30	16:30			
Batch ID		0816J	0816J	0816J		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23989-5	Lab Control Standard % Recovery	Liquid	08/09/04		
23989-6	Lab Control Standard Duplicate % Recovery	Liquid	08/09/04		
23989-7	Precision (%RPD) of LCS/LCSD	Liquid	08/09/04		
23989-8	LCS Accuracy Control Limit (%R)	Liquid	08/09/04		
23989-9	LCS Precision Control Limit (Advisory) %RPD	Liquid	08/09/04		

Parameter	Units	Lab Sample IDs			
		23989-5	23989-6	23989-7	23989-8

Suspended Solids (160.2)

Suspended Solids	%	96 %	104 %	8.0 %	80-120 %	<25 %
Dilution Factor		1	1			
Analysis Date		08/16/04	08/16/04			
Analysis Time		15:30	15:30			
Batch ID		0816K	0816K	0816K		

Biochemical Oxygen Demand (5 Day) (405.1/210B)

Biochemical Oxygen Demand (5 Day)	%	89 %	85 %	4.0 %	85-115 %	<30 %
Dilution Factor		50	50			
Prep Date		08/11/04	08/11/04			
Prep Time		11:10	11:10			
Analysis Date		08/16/04	08/16/04			
Analysis Time		09:45	09:45			
Batch ID		0811C	0811C	0811C		

Total Kjeldahl Nitrogen-N (351.3)

Total Kjeldahl Nitrogen-N	%	99 %	98 %	0.56	75-125 %	<40 %
Dilution Factor		1	1			
Analysis Date		08/16/04	08/18/04			
Batch ID		0816GG	0816GG	0816GG		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23989-5	Lab Control Standard % Recovery	Liquid	08/09/04		
23989-6	Lab Control Standard Duplicate % Recovery	Liquid	08/09/04		
23989-7	Precision (%RPD) of LCS/LCSD	Liquid	08/09/04		
23989-8	LCS Accuracy Control Limit (%R)	Liquid	08/09/04		
23989-9	LCS Precision Control Limit (Advisory) %RPD	Liquid	08/09/04		

Parameter	Units	Lab Sample IDs				
		23989-5	23989-6	23989-7	23989-8	23989-9

Total Nitrogen (351.2+353.2)

Total Nitrogen	mg/l	---	---	---		
----------------	------	-----	-----	-----	--	--

Total Organic Carbon (415.1)

Total Organic Carbon	%	106 %	105 %	0.69 %	80-120 %	<25 %
Dilution Factor		1.00	1.00			
Analysis Date		08/12/04	08/12/04			
Analysis Time		15:21	15:21			
Batch ID		0812YY	0812YY	0812YY		

Chemical Oxygen Demand (SM5220C)

Chemical Oxygen Demand	%	89 %	89 %	0 %	80-120 %	<40 %
Dilution Factor		1	1			
Prep Date		08/16/04	08/16/04			
Prep Time		09:45	09:45			
Analysis Date		08/17/04	08/17/04			
Analysis Time		13:10	13:10			
Batch ID		0816E	0816E	0816E		

Phosphorus, Total (365.2)

Phosphorus, Total	%	101 %	101 %	0.33 %	60-140 %	<40 %
Dilution Factor		1	1			
Analysis Date		08/17/04	08/17/04			
Analysis Time		14:00	14:00			
Batch ID		0817V	0817V	0817V		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23989-10	Matrix Spike % Recovery	Liquid	08/09/04		
23989-11	Matrix Spike Duplicate % Recovery	Liquid	08/09/04		
23989-12	Precision (%RPD) MS/MSD	Liquid	08/09/04		
23989-13	MS Accuracy Advisory Limit (%R)	Liquid	08/09/04		
23989-14	MS Precision Advisory Limit (%RPD)	Liquid	08/09/04		

Parameter	Units	Lab Sample IDs				
		23989-10	23989-11	23989-12	23989-13	23989-14

Appendix I - Organics (8260)

Benzene	%	82 %	78 %	5.0 %	62-135 %	<16 %
Chlorobenzene	%	78 %	80 %	2.5 %	72-127 %	<22 %
1,1-Dichloroethylene	%	86 %	80 %	7.2 %	46-147 %	<30 %
Toluene	%	84 %	82 %	2.4 %	68-131 %	<33 %
Trichloroethene	%	84 %	78 %	7.4 %	56-143 %	<35 %
Dilution Factor		1	1			
Analysis Date		08/19/04	08/19/04			
Analysis Time		13:06	13:25			
Batch ID		0818H	0818H	0818H		

Microextractables (504)

1,2-Dibromoethane (EDB)	%	106 %	110 %	3.7 %	70-130 %	<30 %
1,2-Dibromo-3-chloropropane	%	122 %	116 %	5.0 %	70-130 %	<30 %
Prep Date		08/18/04	08/18/04			
Prep Time		13:00	13:00			
Analysis Date		08/19/04	08/19/04			
Analysis Time		10:47	11:09			
Batch ID		0818EE	0818EE	0818EE		

Appendix I Metals by ICP (6010)

Arsenic	%	102 %	101 %	0.53 %	75-125 %	<20 %
Barium	%	100 %	100 %	0.03 %	75-125 %	<20 %
Beryllium	%	100 %	100 %	0.23 %	75-125 %	<20 %
Cadmium	%	100 %	100 %	0.18 %	75-125 %	<20 %

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23989-10	Matrix Spike % Recovery	Liquid	08/09/04		
23989-11	Matrix Spike Duplicate % Recovery	Liquid	08/09/04		
23989-12	Precision (%RPD) MS/MSD	Liquid	08/09/04		
23989-13	MS Accuracy Advisory Limit (%R)	Liquid	08/09/04		
23989-14	MS Precision Advisory Limit (%RPD)	Liquid	08/09/04		

Parameter	Units	Lab Sample IDs			
		23989-10	23989-11	23989-12	23989-13

Appendix I Metals by ICP (6010)

Chromium	%	99 %	99 %	0.14 %	75-125 %	<20 %
Cobalt	%	104 %	104 %	0.12 %	75-125 %	<20 %
Copper	%	106 %	106 %	0.57 %	75-125 %	<20 %
Lead	%	102 %	101 %	0.51 %	75-125 %	<20 %
Nickel	%	104 %	104 %	0.56 %	75-125 %	<20 %
Selenium	%	101 %	101 %	0.10 %	75-125 %	<20 %
Silver	%	99 %	99 %	0.20 %	75-125 %	<20 %
Vanadium	%	101 %	101 %	0.45 %	75-125 %	<20 %
Antimony	%	96 %	96 %	0.31 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/16/04	08/16/04			
Prep Time		09:26	09:26			
Analysis Date		08/18/04	08/18/04			
Analysis Time		10:03	10:09			
Batch ID		40816I	40816I	40816I		

Zinc (6010)

Zinc	%	103 %	102 %	1.1 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/18/04	08/18/04			
Prep Time		11:00	11:00			
Analysis Date		08/18/04	08/18/04			
Analysis Time		15:24	15:30			
Batch ID		40818I	40818I	40818I		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23989-10	Matrix Spike % Recovery	Liquid	08/09/04		
23989-11	Matrix Spike Duplicate % Recovery	Liquid	08/09/04		
23989-12	Precision (%RPD) MS/MSD	Liquid	08/09/04		
23989-13	MS Accuracy Advisory Limit (%R)	Liquid	08/09/04		
23989-14	MS Precision Advisory Limit (%RPD)	Liquid	08/09/04		

Parameter	Units	Lab Sample IDs				
		23989-10	23989-11	23989-12	23989-13	23989-14

Mercury (7470)

Mercury	%	102 %	101 %	0.99 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/16/04	08/16/04			
Prep Time		15:10	15:10			
Analysis Date		08/17/04	08/17/04			
Analysis Time		12:27	12:29			
Batch ID		40816U	40816U	40816U		

Iron (6010)

Iron	%	78 %	80 %	0.28 %	75-125 %	<20 %
Dilution Factor		1	1			
Prep Date		08/16/04	08/16/04			
Prep Time		09:26	09:26			
Analysis Date		08/18/04	08/18/04			
Analysis Time		10:03	10:09			
Batch ID		40816I	40816I	40816I		

Thallium (7841)

Thallium	%	109 %	109 %	0 %	80-120 %	<20 %
Dilution Factor		1	1			
Prep Date		08/12/04	08/12/04			
Prep Time		11:05	11:05			
Analysis Date		08/23/04	08/23/04			
Analysis Time		18:33	18:41			
Batch ID		0812I	0812I	0812I		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23989-10	Matrix Spike % Recovery	Liquid	08/09/04		
23989-11	Matrix Spike Duplicate % Recovery	Liquid	08/09/04		
23989-12	Precision (%RPD) MS/MSD	Liquid	08/09/04		
23989-13	MS Accuracy Advisory Limit (%R)	Liquid	08/09/04		
23989-14	MS Precision Advisory Limit (%RPD)	Liquid	08/09/04		

Parameter	Units	Lab Sample IDs				
		23989-10	23989-11	23989-12	23989-13	23989-14

Ammonia-N (350.3)

Ammonia-N	%	101 %	100 %	0.99 %	85-115 %	<30 %
Dilution Factor		1	1			
Analysis Date		08/16/04	08/16/04			
Analysis Time		19:30	19:30			
Batch ID		0816Y	0816Y	0816Y		

Nitrate-N (353.2)

Nitrate-N	%	113 %	114 %	0.44 %	80-120 %	<30 %
Dilution Factor		1	1			
Analysis Date		08/11/04	08/11/04			
Analysis Time		08:17	08:17			
Batch ID		0811G	0811G	0811G		

Solids, Total Dissolved (160.1)

Solids, Total Dissolved	mg/l	*F61	*F61	*F61	80-120 %	<25 %
Dilution Factor		1	1			
Analysis Date		08/16/04	08/16/04			
Analysis Time		16:30	16:30			
Batch ID		0816J	0816J	0816J		

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23989-10	Matrix Spike % Recovery	Liquid	08/09/04		
23989-11	Matrix Spike Duplicate % Recovery	Liquid	08/09/04		
23989-12	Precision (%RPD) MS/MSD	Liquid	08/09/04		
23989-13	MS Accuracy Advisory Limit (%R)	Liquid	08/09/04		
23989-14	MS Precision Advisory Limit (%RPD)	Liquid	08/09/04		

Parameter	Units	Lab Sample IDs				
		23989-10	23989-11	23989-12	23989-13	23989-14

Suspended Solids (160.2)

Suspended Solids	mg/l	---	---	---
------------------	------	-----	-----	-----

Biochemical Oxygen Demand (5 Day) (405.1/5210B)

Biochemical Oxygen Demand (5 Day)	mg/l	---	---	---
-----------------------------------	------	-----	-----	-----

Total Kjeldahl Nitrogen-N (351.3)

Total Kjeldahl Nitrogen-N	%	*F82	*F82			
---------------------------	---	------	------	--	--	--

Total Nitrogen (351.2+353.2)

Total Nitrogen	mg/l	---	---	---
----------------	------	-----	-----	-----

Total Organic Carbon (415.1)

Total Organic Carbon	%	96 %	100 %	4.1 %	80-120 %	<25 %
----------------------	---	------	-------	-------	----------	-------

Dilution Factor	1.00
-----------------	------

Analysis Date	08/12/04	08/12/04
---------------	----------	----------

Analysis Time	15:21	15:21
---------------	-------	-------

Batch ID	0812YY	0812YY	0812YY
----------	--------	--------	--------

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23989-10	Matrix Spike % Recovery	Liquid	08/09/04		
23989-11	Matrix Spike Duplicate % Recovery	Liquid	08/09/04		
23989-12	Precision (%RPD) MS/MSD	Liquid	08/09/04		
23989-13	MS Accuracy Advisory Limit (%R)	Liquid	08/09/04		
23989-14	MS Precision Advisory Limit (%RPD)	Liquid	08/09/04		

Parameter	Units	Lab Sample IDs				
		23989-10	23989-11	23989-12	23989-13	23989-14

Chemical Oxygen Demand (SM5220C)

Chemical Oxygen Demand	%	100 %	103 %	2.6 %	80-120 %	<40 %
Dilution Factor		1	1			
Prep Date		08/16/04	08/16/04			
Prep Time		09:45	09:45			
Analysis Date		08/17/04	08/17/04			
Analysis Time		13:10	13:10			
Batch ID		0816E	0816E	0816E		

Phosphorus, Total (365.2)

Phosphorus, Total	%	99 %	99 %	0 %	60-140 %	<40 %
Dilution Factor		1	1			
Analysis Date		08/17/04	08/17/04			
Analysis Time		14:00	14:00			
Batch ID		0817V	0817V	0817V		

Chlorophyll-a (SM10200H)

Chlorophyll-a		---	---	---	---	---
---------------	--	-----	-----	-----	-----	-----

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23989-15	Practical Quantitation Limit (PQL)	Liquid	08/09/04		
23989-16	Method Detection Limit (MDL)	Liquid	08/09/04		
Parameter		Units			
		Lab Sample IDs			
		23989-15	23989-16		

Appendix I - Organics (8260)

Parameter	Units	23989-15	23989-16
Acetone	ug/l	10	9.9
Acrylonitrile	ug/l	100	1.2
Benzene	ug/l	1.0	0.27
Bromochloromethane	ug/l	1.0	0.58
Bromodichloromethane	ug/l	1.0	0.35
Bromoform	ug/l	1.0	0.58
Carbon disulfide	ug/l	1.0	0.85
Carbon Tetrachloride	ug/l	1.0	0.42
Chlorobenzene	ug/l	1.0	0.63
Chloroethane	ug/l	1.0	0.80
Chloroform	ug/l	1.0	0.90
Dibromochloromethane	ug/l	1.0	0.34
1,2-Dichlorobenzene	ug/l	1.0	0.44
1,4-Dichlorobenzene	ug/l	1.0	0.52
Trans-1,4-Dichloro-2-butene	ug/l	10	2.5
1,1-Dichloroethane	ug/l	1.0	0.52
1,2-Dichloroethane	ug/l	1.0	0.57
1,1-Dichloroethylene	ug/l	1.0	0.45
cis-1,2-Dichloroethylene	ug/l	1.0	0.65
trans-1,2-Dichloroethylene	ug/l	1.0	0.44
1,2-Dichloropropane	ug/l	1.0	0.52
cis-1,3-Dichloropropene	ug/l	1.0	0.14
trans-1,3-Dichloropropene	ug/l	1.0	0.14
Ethylbenzene	ug/l	1.0	0.83
2-Hexanone	ug/l	10	4.4
Bromomethane	ug/l	1.0	0.66
Chloromethane	ug/l	1.0	0.64
Dibromomethane	ug/l	1.0	0.41
Methylene Chloride	ug/l	5.0	1.0

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23989-15	Practical Quantitation Limit (PQL)	Liquid	08/09/04		
23989-16	Method Detection Limit (MDL)	Liquid	08/09/04		
		Lab Sample IDs			
Parameter	Units	23989-15	23989-16		

Appendix I - Organics (8260)

2-Butanone (MEK)	ug/l	10	8.4
Iodomethane	ug/l	1.0	0.67
4-Methyl-2-pentanone (MIBK)	ug/l	10	3.8
Styrene	ug/l	1.0	0.98
1,1,1,2-Tetrachloroethane	ug/l	1.0	0.63
1,1,2,2-Tetrachloroethane	ug/l	1.0	0.14
Tetrachloroethene	ug/l	1.0	0.34
Toluene	ug/l	1.0	0.51
1,1,1-Trichloroethane	ug/l	1.0	0.46
1,1,2-Trichloroethane	ug/l	1.0	0.47
Trichloroethene	ug/l	1.0	0.28
Trichlorofluoromethane	ug/l	1.0	0.98
1,2,3-Trichloropropane	ug/l	1.0	0.15
Vinyl acetate	ug/l	10	1.5
Vinyl chloride	ug/l	1.0	0.50
Xylenes	ug/l	1.0	0.98

Microextractables (504)

1,2-Dibromoethane (EDB)	ug/l	0.020	0.0087
1,2-Dibromo-3-chloropropane	ug/l	0.020	0.0030

Appendix I Metals by ICP (6010)

Arsenic	mg/l	0.010	0.0038
Barium	mg/l	0.010	0.0012
Beryllium	mg/l	0.0040	0.00074
Cadmium	mg/l	0.0050	0.00071
Chromium	mg/l	0.010	0.0017

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23989-15	Practical Quantitation Limit (PQL)	Liquid	08/09/04		
23989-16	Method Detection Limit (MDL)	Liquid	08/09/04		

Lab Sample IDs

Parameter	Units	23989-15	23989-16
-----------	-------	----------	----------

Appendix I Metals by ICP (6010)

Cobalt	mg/l	0.010	0.0014
Copper	mg/l	0.020	0.0013
Lead	mg/l	0.0050	0.0015
Nickel	mg/l	0.040	0.0047
Selenium	mg/l	0.010	0.0048
Silver	mg/l	0.010	0.0019
Vanadium	mg/l	0.010	0.0025
Antimony	mg/l	0.0060	0.0029

Zinc (6010)

Zinc	mg/l	0.020	0.0059
------	------	-------	--------

Mercury (7470)

Mercury	mg/l	0.00020	0.000072
---------	------	---------	----------

Iron (6010)

Iron	mg/l	0.050	0.037
------	------	-------	-------

Thallium (7841)

Thallium	mg/l	0.0020	0.00070
----------	------	--------	---------

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23989-15	Practical Quantitation Limit (PQL)	Liquid	08/09/04		
23989-16	Method Detection Limit (MDL)	Liquid	08/09/04		

Parameter	Units	Lab Sample IDs	
		23989-15	23989-16
Ammonia-N (350.3)			
Ammonia-N	mg/l	0.050	0.040
Nitrate-N (353.2)			
Nitrate-N	mg/l	0.050	0.010
Solids, Total Dissolved (160.1)			
Solids, Total Dissolved	mg/l	5.0	5.0
Suspended Solids (160.2)			
Suspended Solids	mg/l	5.0	5.0
Biochemical Oxygen Demand (5 Day) (405.1/5210B)			
Biochemical Oxygen Demand (5 Day)	mg/l	2.0	2.0
Total Kjeldahl Nitrogen-N (351.3)			
Total Kjeldahl Nitrogen-N	mg/l	0.50	0.44
Total Nitrogen (351.2+353.2)			
Total Nitrogen	mg/l	0.45	0.45

Analytical Data Report

Lab Sample ID	Description	Matrix	Date Received	Date Sampled	SDG#
23989-15	Practical Quantitation Limit (PQL)	Liquid	08/09/04		
23989-16	Method Detection Limit (MDL)	Liquid	08/09/04		

Parameter	Units	Lab Sample IDs	
		23989-15	23989-16
Total Organic Carbon (415.1)			
Total Organic Carbon	mg/l	1.0	0.53
Chemical Oxygen Demand (SM5220C)			
Chemical Oxygen Demand	mg/l	20	20
Phosphorus, Total (365.2)			
Phosphorus, Total	mg/l	0.10	0.017
Chlorophyll-a (SM10200H)			
Chlorophyll-a	mg/m3	4.0	1.0

Order Number: B423989

These test results meet all the requirements of NELAP. All questions regarding this test report should be directed to the STL Project Manager who signed this test report.

The estimated uncertainty associated with these reported results is available upon request.

STL Savannah, 5102 LaRoche Ave., Savannah, GA 31404
Phone #912/354-7858. DOH Certification #E87052

I = The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.

U = Indicates that the compound was analyzed for but not detected.

Advanced Environmental Laboratories, Inc.
9610 Princess Palm Avenue
Tampa, FL 33619
Phone: 813/630-4327
DOH Certification #E84589

*F61 = The recoveries of the matrix spikes are outside advisory limits due to the abundance of the target analyte in the sample.

*F82 = Insufficient sample volume was available to perform a batch-specific matrix spike. However, an LCS analyzed with the sample batch met control criteria.

Remit To: SEVERN TRENT LABORATORIES, INC. P.O. Box 7777 W4305 Philadelphia, PA 19175-4305
 STL Tampa 6712 Benjamin Road, Suite 100 - Tampa FL 33634 Tel:813-885-7427 Fax:813-885-7049

INVOICE

Federal ID# 23-2919996

Mr. Kirk Wills
 Geosyntec
 14055 Riveredge Drive, Ste.300
 Tampa, FL 33637

Invoice CC:

DATE 08/26/04	TERMS Net 30 Days	CLIENT PO #	CLIENT PROJECT # FQ0638	PROJECT Oak Hammock Disposal La
------------------	----------------------	-------------	----------------------------	------------------------------------

INVOICE # 66018593	CONTRACT #	CODE MV*387007	
-----------------------	------------	-------------------	--

LOG # B423989	CREDIT / DEBIT	ORIGINATING LOG #	SDG #	REQUISITION #
------------------	----------------	-------------------	-------	---------------

QUANTITY	MATRIX	METHOD	DESCRIPTION	UNIT PRICE	EXTENDED AMOUNT
2	Liquid	8260	Appendix I - Organics	62.40	124.80
2	Liquid	504	Microextractables	33.15	66.30
2	Liquid	6010	Appendix I Metals by ICP	60.84	121.68
2	Liquid	6010	Zinc	4.68	9.36
2	Liquid	7470	Mercury	15.60	31.20
2	Liquid	6010	Iron	4.68	9.36
2	Liquid	7841	Thallium	12.00	24.00
2	Liquid	2340B	Hardness as CaCO3	11.70	23.40
2	Liquid	350.3	Ammonia-N	0.00	0.00
2	Liquid	353.2	Nitrate-N	9.75	19.50
2	Liquid	160.1	Solids, Total Dissolved	5.85	11.70
2	Liquid	160.2	Suspended Solids	5.85	11.70
2	Liquid	405.1/52	Biochemical Oxygen Demand (5 Day)	9.75	19.50
2	Liquid	351.3	Total Kjeldahl Nitrogen-N	0.00	0.00
2	Liquid	351.2+35	Total Nitrogen	23.40	46.80
2	Liquid	FL-DEP 1	Ammonia Unionized	7.80	15.60
2	Liquid	415.1	Total Organic Carbon	13.65	27.30
2	Liquid	SM5220C	Chemical Oxygen Demand	9.75	19.50
2	Liquid	365.2	Phosphorus, Total	11.70	23.40
2	Liquid	SM10200H	Chlorophyll-a	30.00	60.00
Total for this page					\$665.10
INVOICE TOTAL					\$665.10

REPORTED TO Mr. Kirk Wills	OFFICE Geosyntec	OFFICE PHONE (813) 558-0990
--------------------------------------	----------------------------	---------------------------------------

For proper credit, please show INVOICE NUMBER on your remittance.
 After 30 days, service charges of 1.5% per 30 days will be applied to unpaid balance.

Serial Number 14773

ANALYSIS REQUEST AND CHAIN OF CUSTODY RECORD

STL Tampa
 6712 Benjamin Road, Suite 100
 Tampa, FL 33634

Website: www.stlinc.com
 Phone: (813) 885-7427
 Fax: (813) 885-7049

8423989



Phone: _____
 Fax: _____

PROJECT REFERENCE: **OHAF**
 PROJECT NO.: **FR0638**
 PROJECT LOCATION (STATE): **FL**
 CONTRACT NO.: _____

SAMPLER'S SIGNATURE: *[Signature]*
 P.O. NUMBER: _____

CLIENT (SITE) PM: **Kirk Wills**
 CLIENT PHONE: **813-558-0990**
 CLIENT FAX: **813-558-9726**
 CLIENT E-MAIL: **Kwills@geosyntec.com**

CLIENT NAME: **Geosyntec**
 CLIENT ADDRESS: **14055 Sweetwater Dr Suite 300 Tampa, FL 33637**

COMPANY CONTRACTING THIS WORK (if applicable): _____

PAGE **1** OF **1**

STANDARD REPORT DELIVERY: **PH**

DATE DUE: _____

EXPEDITED REPORT DELIVERY (SURCHARGE):

DATE DUE: _____

NUMBER OF COOLERS SUBMITTED PER SHIPMENT: **1**

SAMPLE DATE	TIME	SAMPLE IDENTIFICATION	MATRIX TYPE						NUMBER OF CONTAINERS SUBMITTED	REMARKS
			COMPOSITE (C) OR GRAB (G) INDICATE	AQUEOUS (WATER)	SOLID OR SEMISOLID	NONAQUEOUS LIQUID (OIL, SOLVENT...)	REQUIRED ANALYSIS	RELINQUISHED BY: (SIGNATURE)		
8-9-04	1145	SW-3	9	X				2	Temp. C. PH	
8-9-04	1255	SW-4	9	X				2	27.65 3.99	
		TRIP BLANK	X					3	27.70 3.43	
		TRIP BLANK	X					3		

RELINQUISHED BY: (SIGNATURE) *[Signature]* DATE: **8-9-04** TIME: **1715**

RECEIVED BY: (SIGNATURE) *[Signature]* DATE: **8-9-04** TIME: **1715**

RECEIVED FOR LABORATORY BY: *[Signature]* DATE: **8-9-04** TIME: **1720**

CUSTODY SEAL NO. **N/S** STL TAMPA LOG NO. **8423989**

LABORATORY USE ONLY **40**

LABORATORY REMARKS: _____



Client: Severn Trent Laboratories
Project Name: B423989
Project Number:

Report No.: T048569
Date Sampled: 8/9/04
Date Received: 8/10/04 7:40
Date Reported: 8/26/04

Attention: Nancy Robertson
Phone Number: 8138857427
Address: 6712 Benjamin Rd., Suite 100

Tampa, FL 33634

Project Description

The analytical results for the samples contained in this report were submitted for analysis as outlined by the Chain of Custody.

Project Name: B423989

Approved By: _____

Michael Cammarata, Laboratory Manager

If you have any questions, the above named should be contacted.

Advanced Environmental Laboratories certifies that the test results in this report meet all requirements of the NELAC standards, unless notated otherwise in the body of the report.

Total Number of Pages = 7

Advanced Environmental Laboratories, Inc.

Analytical Report

Client: Severn Trent Laboratories

Report No.: T048569

Project Name: B423989

Date/Time Received: 8/10/04 7:40

Lab Code: T048569-01

Date/Time Sampled: 8/9/04 11:45

Client Sample ID: SW-3

Sample Type:

Site: Florida

Sampled By: Mike Valden

Matrix: Water

Sampling Method: G

Shipping Method: Client drop off

Miscellaneous Analytes

Analytes:	Dilution	Adjusted MDL	Adjusted PQL	Results	Units	Qualifier(s)	Method	Parameter Comment	Lab
Chlorophyll A	1	1.0	4.0	3.5	mg/m3		SM10200H		T
Corrected Chlorophyll A	1	1.0	4.0	1.0	mg/m3	U	SM10200H		T
Pheophytin A	1	1.0	4.0	3.6	mg/m3		SM10200H		T

U The compound was analyzed for but not detected.

T DOH certification #E84589 (AEL-Tampa) (FL NELAC Certification)

Advanced Environmental Laboratories, Inc.
Analytical Report

Client: Severn Trent Laboratories

Report No.: T048569

Project Name: B423989

Date/Time Received: 8/10/04 7:40

Lab Code: T048569-02

Date/Time Sampled: 8/9/04 12:55

Client Sample ID: SW-4

Sample Type:

Site: Florida

Sampled By: Mike Valden

Matrix: Water

Sampling Method: G

Shipping Method: Client drop off

Miscellaneous Analytes

Analytes:	Dilution	Adjusted MDL	Adjusted PQL	Results	Units	Qualifier(s)	Method	Parameter Comment	Lab
Chlorophyll A	1	1.0	4.0	1.1	mg/m3		SM10200H		T
Corrected Chlorophyll A	1	1.0	4.0	1.0	mg/m3	U	SM10200H		T
Pheophytin A	1	1.0	4.0	3.0	mg/m3		SM10200H		T

U The compound was analyzed for but not detected.
T DOH certification #E84589 (AEL-Tampa) (FL NELAC Certification)

Advanced Environmental Laboratories, Inc.

Analytical Report

Client: Severn Trent Laboratories

Report No.: T048569

Project Name: B423989

Date/Time Received: 8/10/04 7:40

Sample Cross Reference Information

Lab Code: T048569-01

Site: Florida

Client Sample Number: SW-3

Matrix: Water

Test Description	Analysis Method	Prep Method	Analytical Batch ID	Analysis Date/Time	Analyst	Prep Batch ID	Prep Date/Time
Chlorophyll A	SM10200H	NONE	wct082404chloro	8/24/04 17:15	SB		
Chlorophyll A	SM10200H	NONE	wct082404chloro	8/24/04	SB		
Corrected Chlorophyll A	SM10200H	NONE	wct082404chloro	8/24/04 17:15	SB		
Pheophytin A	SM10200H	NONE	wct082404chloro	8/24/04 17:15	SB		

If the Analytical Batch ID and Prep Batch ID is null, the analysis was not performed by AEL, and the original report from the subcontracted laboratory will be provided containing this information

Lab Code: T048569-02

Site: Florida

Client Sample Number: SW-4

Matrix: Water

Test Description	Analysis Method	Prep Method	Analytical Batch ID	Analysis Date/Time	Analyst	Prep Batch ID	Prep Date/Time
Chlorophyll A	SM10200H	NONE	wct082404chloro	8/24/04 17:15	SB		
Chlorophyll A	SM10200H	NONE	wct082404chloro	8/24/04	SB		
Corrected Chlorophyll A	SM10200H	NONE	wct082404chloro	8/24/04 17:15	SB		
Pheophytin A	SM10200H	NONE	wct082404chloro	8/24/04 17:15	SB		

If the Analytical Batch ID and Prep Batch ID is null, the analysis was not performed by AEL, and the original report from the subcontracted laboratory will be provided containing this information.

Definitions:

Water matrix refers to all aqueous matrices except drinking water, including but not limited to, wastewater, ground water, surface water, aqueous wastes

Soil matrix refers to all non-aqueous matrices, including soils, solids, sludges, semi-solids, and non-aqueous waste samples

All results in mg/kg or % are reported in dry weight basis, unless notated otherwise. All results in mg/L are reported in wet weight basis.

MDL Method Detection Limit, without correction for dilution or moisture content

Adjusted Reporting Limit is the MDL accounting for all dilutions and moisture content calculations.

PQL is defined to be 4 times the MDL, for all results qualified with an 'I' qualifier.

Sampling Methods; P=Pump, C=Composite, G=Grab

Advanced Environmental Laboratories, Inc.

Analytical Report

Client: Severn Trent Laboratories
Project Name: B423989

Report No.: T048569
Date/Time Received: 8/10/04 7:40

The estimated measurements of uncertainty can be provided upon request

This is the last page of the analytical report.

P.1



Advanced Environmental Labs
9610 Princess Palm Ave
Tampa, FL 33619

Date/Time Rcvd: 8/10/04 740

Log-in request number: TDA85108

Received by: JJ

Completed by: TD

Cooler/Shipping Information:

Courier: AEL Client UPS Pony Express FedEx Other (describe): _____

Type: Cooler Box Other (describe): _____

Cooler temperature: Identify the cooler and document the temperature blank or ice water measurement

Cooler ID					
Temp (°C)					
Temp taken from	<input type="checkbox"/> Temp blank <input type="checkbox"/> Cooler	<input type="checkbox"/> Temp blank <input type="checkbox"/> Cooler	<input type="checkbox"/> Temp blank <input type="checkbox"/> Cooler	<input type="checkbox"/> Temp blank <input type="checkbox"/> Cooler	<input type="checkbox"/> Temp blank <input type="checkbox"/> Cooler
Temp measured with	<input type="checkbox"/> IR gun <input type="checkbox"/> Thermometer (enter ID):	<input type="checkbox"/> IR gun <input type="checkbox"/> Thermometer (enter ID):	<input type="checkbox"/> IR gun <input type="checkbox"/> Thermometer (enter ID):	<input type="checkbox"/> IR gun <input type="checkbox"/> Thermometer (enter ID):	<input type="checkbox"/> IR gun <input type="checkbox"/> Thermometer (enter ID):

Other Information:

Any "NO" responses or discrepancies should be explained in the "Comments" section below.

CHECKLIST:

	YES	NO	NA
1. Were custody seals on shipping container(s) intact?			
2. Were custody papers properly included with samples?			
3. Were custody papers properly filled out (ink, signed, match labels)?			
4. Did all bottles arrive in good condition (unbroken)?			
5. Were all bottle labels complete (sample #, date, signed, analysis, preservatives)?			
6. Did the sample labels agree with the chain of custody?			
7. Were correct bottles used for the tests indicated?			
8. Were proper sample preservation techniques indicated on the label?			
9. Were samples received within holding times?			
10. Were all VOA vials checked for the presence of air bubbles?			
11. Were there air bubbles present in the VOA vials?			
12. Were samples in direct contact with wet ice? If "No," check one: <input type="checkbox"/> NO ICE <input type="checkbox"/> BLUE ICE			
13. Was the cooler temperature less than 6°C?			
14. Were sample pHs checked and recorded by Sample control? <i>NOTE: VOA samples are checked by laboratory analysts.</i>			
15. Were the sample containers provided by AEL?			
16. Were samples accepted into the laboratory?			

Comments:

Kit ID:

70 AEL

Serial Number

11655

7018569 P12

SEVERN TRENT STL

ANALYSIS REQUEST AND CHAIN OF CUSTODY RECORD

STL Tampa
6712 Benjamin Road, Suite 100
Tampa, FL 33634

Website: www.stlinc.com
Phone: (813) 885-7427
Fax: (813) 885-7049

Alternate Laboratory Name/Location

Phone:
Fax:

PROJECT REFERENCE		PROJECT NO. 8425989	PROJECT LOCATION (STATE) FL	MATRIX TYPE	REQUIRED ANALYSIS	PAGE	OF	
SAMPLER'S SIGNATURE		P.O. NUMBER 8423989	CONTRACT NO.	COMPOSITE (C) OR GRAB (G) INDICATE	STANDARD REPORT DELIVERY <input type="radio"/> EXPEDITED REPORT DELIVERY (SURCHARGE) <input type="radio"/> DATE DUE _____	NUMBER OF COOLERS SUBMITTED PER SHIPMENT:		
CLIENT (SITE) PM Mikel Valdez		CLIENT PHONE	CLIENT FAX	AQUEOUS (WATER)				
CLIENT NAME STL-Tampa		CLIENT E-MAIL		SOLID OR SEMISOLID				
CLIENT ADDRESS				AIR				
COMPANY CONTRACTING THIS WORK (if applicable)				NONAQUEOUS LIQUID (OIL, SOLVENT,...)				
SAMPLE	DATE	TIME	SAMPLE IDENTIFICATION	NUMBER OF CONTAINERS SUBMITTED	REMARKS			
	8-9-04	1145	500-3	1	OK			
	↓	1255	500-4	1	OK			
RELINQUISHED BY: (SIGNATURE)		DATE	TIME	RELINQUISHED BY: (SIGNATURE)	DATE	TIME		
RECEIVED BY: (SIGNATURE)		DATE	TIME	RECEIVED BY: (SIGNATURE)	DATE	TIME		
RECEIVED FOR LABORATORY BY: (SIGNATURE)		DATE	TIME	CUSTODY INTACT YES <input type="radio"/> NO <input type="radio"/>	CUSTODY SEAL NO.	STL TAMPA LOG NO.	LABORATORY REMARKS	

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/9/2004

WACS Well: 19945

Monitoring_Site_Num: SW-3

Permitted Well Type: CO

Ground water classification: SW-IIIF

**Well Purged prior to
Sample Collection? (Y/N)**

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
77103	2-Hexanone	E	NO	Y	8260	4.4	4.4	ug/l	U	8/18/2004
34030	Benzene	E	NO	Y	8260	0.27	0.27	ug/l	U	8/18/2004
73085	Bromochloromethane	E	NO	Y	8260	0.58	0.58	ug/l	U	8/18/2004
32101	Bromodichloromethane	E	NO	Y	8260	0.35	0.35	ug/l	U	8/18/2004
32104	Bromoform	E	NO	Y	8260	0.58	0.58	ug/l	U	8/18/2004
77041	Carbon disulfide	E	NO	Y	8260	0.85	0.85	ug/l	U	8/18/2004
32102	Carbon Tetrachloride	E	NO	Y	8260	0.42	0.42	ug/l	U	8/18/2004
34301	Chlorobenzene	E	NO	Y	8260	0.63	0.63	ug/l	U	8/18/2004
34311	Chloroethane	E	NO	Y	8260	0.8	0.8	ug/l	U	8/18/2004
32106	Chloroform	E	NO	Y	8260	0.9	0.9	ug/l	U	8/18/2004
1034	Chromium	E	NO	Y	6010	0.0017	0.0017	mg/l	U	8/18/2004
34536	1,2-Dichlorobenzene	E	NO	Y	8260	0.44	0.44	ug/l	U	8/18/2004
34010	Toluene	E	NO	Y	8260	0.51	0.51	ug/l	U	8/18/2004
49263	Trans-1,4-Dichloro-2-butene	E	NO	Y	8260	2.5	2.5	ug/l	U	8/18/2004
34496	1,1-Dichloroethane	E	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004
34531	1,2-Dichloroethane	E	NO	Y	8260	0.57	0.57	ug/l	U	8/18/2004
34501	1,1-Dichloroethylene	E	NO	Y	8260	0.45	0.45	ug/l	U	8/18/2004
77093	cis-1,2-Dichloroethylene	E	NO	Y	8260	0.65	0.65	ug/l	U	8/18/2004
34546	trans-1,2-Dichloroethylene	E	NO	Y	8260	0.44	0.44	ug/l	U	8/18/2004
34541	1,2-Dichloropropane	E	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004
34704	cis-1,3-Dichloropropene	E	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/9/2004

WACS Well: 19945

Monitoring_Site_Num: SW-3

Permitted Well Type: CO

Ground water classification: SW-IIIF

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

**Well Purged prior to
Sample Collection? (Y/N)**

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
34699	trans-1,3-Dichloropropene	E	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004
1045	Iron	E	NO	Y	6010	0.73	0.037	mg/l		8/18/2004
34413	Bromomethane	E	NO	Y	8260	0.66	0.66	ug/l	U	8/18/2004
39180	Trichloroethene	E	NO	Y	8260	0.28	0.28	ug/l	U	8/18/2004
34418	Chloromethane	E	NO	Y	8260	0.64	0.64	ug/l	U	8/18/2004
46361	Dibromomethane	E	NO	Y	8260	0.41	0.41	ug/l	U	8/18/2004
34423	Methylene Chloride	E	NO	Y	8260	1	1	ug/l	U	8/18/2004
81595	2-Butanone (MEK)	E	NO	Y	8260	8.4	8.4	ug/l	U	8/18/2004
77424	Iodomethane	E	NO	Y	8260	0.67	0.67	ug/l	U	8/18/2004
81596	4-Methyl-2-pentanone (MIBK)	E	NO	Y	8260	3.8	3.8	ug/l	U	8/18/2004
77128	Styrene	E	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
77562	1,1,1,2-Tetrachloroethane	E	NO	Y	8260	0.63	0.63	ug/l	U	8/18/2004
34516	1,1,2,2-Tetrachloroethane	E	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004
34475	Tetrachloroethene	E	NO	Y	8260	0.34	0.34	ug/l	U	8/18/2004
34215	Acrylonitrile	E	NO	Y	8260	1.2	1.2	ug/l	U	8/18/2004
34371	Ethylbenzene	E	NO	Y	8260	0.83	0.83	ug/l	U	8/18/2004
34571	1,4-Dichlorobenzene	E	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004
34488	Trichlorofluoromethane	E	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
77443	1,2,3-Trichloropropane	E	NO	Y	8260	0.15	0.15	ug/l	U	8/18/2004
77057	Vinyl acetate	E	NO	Y	8260	1.5	1.5	ug/l	U	8/18/2004
39175	Vinyl chloride	E	NO	Y	8260	0.5	0.5	ug/l	U	8/18/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/9/2004

WACS Well: 19945

Monitoring_Site_Num: SW-3

Permitted Well Type: CO

Ground water classification: SW-IIIF

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

**Well Purged prior to
 Sample Collection? (Y/N)**

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
34020	Xylenes	E	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
77651	1,2-Dibromoethane (EDB)	E	NO	Y	504	0.0087	0.0087	ug/l	U	8/19/2004
49146	1,2-Dibromo-3-chloropropane	E	NO	Y	504	0.003	0.003	ug/l	U	8/19/2004
1002	Arsenic	E	NO	Y	6010	0.0038	0.0038	mg/l	U	8/18/2004
1007	Barium	E	NO	Y	6010	0.0076	0.0012	mg/l	I	8/18/2004
32105	Dibromochloromethane	E	NO	Y	8260	0.34	0.34	ug/l	U	8/18/2004
34506	1,1,1-Trichloroethane	E	NO	Y	8260	0.46	0.46	ug/l	U	8/18/2004
665	Phosphorus, Total	E	NO	Y	365.2	0.038	0.017	mg/l	I	8/17/2004
1037	Cobalt	E	NO	Y	6010	0.0014	0.0014	mg/l	U	8/18/2004
1042	Copper	E	NO	Y	6010	0.0013	0.0013	mg/l	U	8/18/2004
1051	Lead	E	NO	Y	6010	0.0015	0.0015	mg/l	U	8/18/2004
1067	Nickel	E	NO	Y	6010	0.0047	0.0047	mg/l	U	8/18/2004
1147	Selenium	E	NO	Y	6010	0.0048	0.0048	mg/l	U	8/18/2004
1077	Silver	E	NO	Y	6010	0.0019	0.0019	mg/l	U	8/18/2004
1087	Vanadium	E	NO	Y	6010	0.0025	0.0025	mg/l	U	8/18/2004
1097	Antimony	E	NO	Y	6010	0.0029	0.0029	mg/l	U	8/18/2004
71900	Mercury	E	NO	Y	7470	0.000072	0.000072	mg/l	U	8/17/2004
81552	Acetone	E	NO	Y	8260	9.9	9.9	ug/l	U	8/18/2004
1059	Thallium	E	NO	Y	7841	0.0007	0.0007	mg/l	U	8/23/2004
900	Hardness as CaCO3	E	NO	Y	2340B	8.1	3.3	mg/l		8/18/2004
610	Ammonia-N	E	NO	Y	350.3	0.069	0.04	mg/l		8/16/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date **8/9/2004**

WACS Well: 19945

Monitoring_Site_Num: SW-3

Permitted Well Type: **CO**

Ground water classification: SW-IIIF

**Well Purged prior to
Sample Collection? (Y/N)**

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
620	Nitrate-N	E	NO	Y	353.2	0.01	0.01	mg/l	U	8/11/2004
70300	Solids, Total Dissolved	E	NO	Y	160.1	26	5	mg/l		8/16/2004
530	Suspended Solids	E	NO	Y	160.2	5	5	mg/l	U	8/16/2004
310	Biochemical Oxygen Demand (5 Day)	E	NO	Y	05.1/5210E	2	2	mg/l	U	8/16/2004
625	Total Kjeldahl Nitrogen-N	E	NO	Y	351.3	0.78	0.44	mg/l		8/16/2004
600	Total Nitrogen	E	NO	Y	51.2+353.1	0.78	0.45	mg/l		
612	Ammonia Unionized	E	NO	Y	DEP 10/8	0.01	0.01	mg/l	U	
680	Total Organic Carbon	E	NO	Y	415.1	25	0.53	mg/l		8/12/2004
1027	Cadmium	E	NO	Y	6010	0.00071	0.00071	mg/l	U	8/18/2004
62238	Chlorophyll-a	E	NO	Y	SM10200H	3.5	1	mg/m3		8/9/2004
430	Chemical Oxygen Demand	E	NO	Y	SM5220C	99	20	mg/l		8/17/2004
1092	Zinc	E	NO	Y	6010	0.0059	0.0059	mg/l	U	8/18/2004
1012	Beryllium	E	NO	Y	6010	0.00074	0.00074	mg/l	U	8/18/2004
34511	1,1,2-Trichloroethane	E	NO	Y	8260	0.47	0.47	ug/l	U	8/18/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/9/2004

WACS Well: 19946

Monitoring_Site_Num: SW-4

Permitted Well Type: BG

Ground water classification: SW-IIIF

**Well Purged prior to
Sample Collection? (Y/N)**

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
77093	cis-1,2-Dichloroethylene	E	NO	Y	8260	0.65	0.65	ug/l	U	8/18/2004
39180	Trichloroethene	E	NO	Y	8260	0.28	0.28	ug/l	U	8/18/2004
81552	Acetone	E	NO	Y	8260	9.9	9.9	ug/l	U	8/18/2004
34215	Acrylonitrile	E	NO	Y	8260	1.2	1.2	ug/l	U	8/18/2004
34030	Benzene	E	NO	Y	8260	0.27	0.27	ug/l	U	8/18/2004
73085	Bromochloromethane	E	NO	Y	8260	0.58	0.58	ug/l	U	8/18/2004
34571	1,4-Dichlorobenzene	E	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004
49263	Trans-1,4-Dichloro-2-butene	E	NO	Y	8260	2.5	2.5	ug/l	U	8/18/2004
34496	1,1-Dichloroethane	E	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004
34531	1,2-Dichloroethane	E	NO	Y	8260	0.57	0.57	ug/l	U	8/18/2004
34546	trans-1,2-Dichloroethylene	E	NO	Y	8260	0.44	0.44	ug/l	U	8/18/2004
1034	Chromium	E	NO	Y	6010	0.0017	0.0017	mg/l	U	8/18/2004
34506	1,1,1-Trichloroethane	E	NO	Y	8260	0.46	0.46	ug/l	U	8/18/2004
34541	1,2-Dichloropropane	E	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004
34511	1,1,2-Trichloroethane	E	NO	Y	8260	0.47	0.47	ug/l	U	8/18/2004
34704	cis-1,3-Dichloropropene	E	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004
81596	4-Methyl-2-pentanone (MIBK)	E	NO	Y	8260	3.8	3.8	ug/l	U	8/18/2004
77128	Styrene	E	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
77562	1,1,1,2-Tetrachloroethane	E	NO	Y	8260	0.63	0.63	ug/l	U	8/18/2004
34516	1,1,2,2-Tetrachloroethane	E	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004
34475	Tetrachloroethene	E	NO	Y	8260	0.34	0.34	ug/l	U	8/18/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/9/2004

WACS Well: 19946

Monitoring_Site_Num: SW-4

Permitted Well Type: **BG**

Ground water classification: SW-IIIF

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

**Well Purged prior to
 Sample Collection? (Y/N)**

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
34010	Toluene	E	NO	Y	8260	0.51	0.51	ug/l	U	8/18/2004
34501	1,1-Dichloroethylene	E	NO	Y	8260	0.45	0.45	ug/l	U	8/18/2004
32105	Dibromochloromethane	E	NO	Y	8260	0.34	0.34	ug/l	U	8/18/2004
430	Chemical Oxygen Demand	E	NO	Y	SM5220C	64	20	mg/l		8/17/2004
665	Phosphorus, Total	E	NO	Y	365.2	0.045	0.017	mg/l	I	8/17/2004
62238	Chlorophyll-a	E	NO	Y	SM10200H	1.1	1	mg/m3		8/9/2004
600	Total Nitrogen	E	NO	Y	51.2+353.:	0.78	0.45	mg/l		
1147	Selenium	E	NO	Y	6010	0.0048	0.0048	mg/l	U	8/18/2004
530	Suspended Solids	E	NO	Y	160.2	5	5	mg/l	U	8/16/2004
32104	Bromoform	E	NO	Y	8260	0.58	0.58	ug/l	U	8/18/2004
1067	Nickel	E	NO	Y	6010	0.0047	0.0047	mg/l	U	8/18/2004
32102	Carbon Tetrachloride	E	NO	Y	8260	0.42	0.42	ug/l	U	8/18/2004
34413	Bromomethane	E	NO	Y	8260	0.66	0.66	ug/l	U	8/18/2004
34301	Chlorobenzene	E	NO	Y	8260	0.63	0.63	ug/l	U	8/18/2004
1042	Copper	E	NO	Y	6010	0.0013	0.0013	mg/l	U	8/18/2004
32106	Chloroform	E	NO	Y	8260	0.9	0.9	ug/l	U	8/18/2004
1077	Silver	E	NO	Y	6010	0.0019	0.0019	mg/l	U	8/18/2004
34536	1,2-Dichlorobenzene	E	NO	Y	8260	0.44	0.44	ug/l	U	8/18/2004
34699	trans-1,3-Dichloropropene	E	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004
34371	Ethylbenzene	E	NO	Y	8260	0.83	0.83	ug/l	U	8/18/2004
77103	2-Hexanone	E	NO	Y	8260	4.4	4.4	ug/l	U	8/18/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/9/2004

WACS Well: 19946

Monitoring_Site_Num: SW-4

Permitted Well Type: **BG**

Ground water classification: SW-IIIF

**Well Purged prior to
Sample Collection? (Y/N)**

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
1027	Cadmium	E	NO	Y	6010	0.00071	0.00071	mg/l	U	8/18/2004
32101	Bromodichloromethane	E	NO	Y	8260	0.35	0.35	ug/l	U	8/18/2004
1012	Beryllium	E	NO	Y	6010	0.00074	0.00074	mg/l	U	8/18/2004
680	Total Organic Carbon	E	NO	Y	415.1	23	0.53	mg/l		8/12/2004
1002	Arsenic	E	NO	Y	6010	0.0038	0.0038	mg/l	U	8/18/2004
1051	Lead	E	NO	Y	6010	0.0015	0.0015	mg/l	U	8/18/2004
1037	Cobalt	E	NO	Y	6010	0.0014	0.0014	mg/l	U	8/18/2004
34311	Chloroethane	E	NO	Y	8260	0.8	0.8	ug/l	U	8/18/2004
49146	1,2-Dibromo-3-chloropropane	E	NO	Y	504	0.003	0.003	ug/l	U	8/19/2004
77041	Carbon disulfide	E	NO	Y	8260	0.85	0.85	ug/l	U	8/18/2004
1092	Zinc	E	NO	Y	6010	0.0059	0.0059	mg/l	U	8/18/2004
70300	Solids, Total Dissolved	E	NO	Y	160.1	5	5	mg/l	U	8/16/2004
620	Nitrate-N	E	NO	Y	353.2	0.01	0.01	mg/l	U	8/11/2004
610	Ammonia-N	E	NO	Y	350.3	0.062	0.04	mg/l		8/16/2004
900	Hardness as CaCO3	E	NO	Y	2340B	6.2	3.3	mg/l		8/18/2004
1059	Thallium	E	NO	Y	7841	0.0007	0.0007	mg/l	U	8/23/2004
1045	Iron	E	NO	Y	6010	0.59	0.037	mg/l		8/18/2004
71900	Mercury	E	NO	Y	7470	0.000072	0.000072	mg/l	U	8/17/2004
1097	Antimony	E	NO	Y	6010	0.0029	0.0029	mg/l	U	8/18/2004
34418	Chloromethane	E	NO	Y	8260	0.64	0.64	ug/l	U	8/18/2004
46361	Dibromomethane	E	NO	Y	8260	0.41	0.41	ug/l	U	8/18/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/9/2004

WACS Well: 19946

Monitoring_Site_Num: SW-4

Permitted Well Type: **BG**

Ground water classification: SW-IIIF

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

**Well Purged prior to
 Sample Collection? (Y/N)**

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
310	Biochemical Oxygen Demand (5 Day)	E	NO	Y	05.1/5210E	2	2	mg/l	U	8/16/2004
612	Ammonia Unionized	E	NO	Y	-DEP 10/8	0.01	0.01	mg/l	U	
77651	1,2-Dibromoethane (EDB)	E	NO	Y	504	0.0087	0.0087	ug/l	U	8/19/2004
34020	Xylenes	E	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
39175	Vinyl chloride	E	NO	Y	8260	0.5	0.5	ug/l	U	8/18/2004
77057	Vinyl acetate	E	NO	Y	8260	1.5	1.5	ug/l	U	8/18/2004
77443	1,2,3-Trichloropropane	E	NO	Y	8260	0.15	0.15	ug/l	U	8/18/2004
34488	Trichlorofluoromethane	E	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
77424	Iodomethane	E	NO	Y	8260	0.67	0.67	ug/l	U	8/18/2004
81595	2-Butanone (MEK)	E	NO	Y	8260	8.4	8.4	ug/l	U	8/18/2004
34423	Methylene Chloride	E	NO	Y	8260	1	1	ug/l	U	8/18/2004
1087	Vanadium	E	NO	Y	6010	0.0025	0.0025	mg/l	U	8/18/2004
625	Total Kjeldahl Nitrogen-N	E	NO	Y	351.3	0.78	0.44	mg/l		8/16/2004
1007	Barium	E	NO	Y	6010	0.0059	0.0012	mg/l	I	8/18/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/9/2004

WACS Well:

Monitoring_Site_Num: Trip Blank

Permitted Well Type:

Ground water classification: SW-IIIF

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

**Well Purged prior to
 Sample Collection? (Y/N)**

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
77651	1,2-Dibromoethane (EDB)	E	NO	Y	504	0.0087	0.0087	ug/l	U	8/19/2004
34020	Xylenes	E	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
34531	1,2-Dichloroethane	E	NO	Y	8260	0.57	0.57	ug/l	U	8/18/2004
49146	1,2-Dibromo-3-chloropropane	E	NO	Y	504	0.003	0.003	ug/l	U	8/19/2004
34475	Tetrachloroethene	E	NO	Y	8260	0.34	0.34	ug/l	U	8/18/2004
34516	1,1,2,2-Tetrachloroethane	E	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004
77562	1,1,1,2-Tetrachloroethane	E	NO	Y	8260	0.63	0.63	ug/l	U	8/18/2004
77128	Styrene	E	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
81596	4-Methyl-2-pentanone (MIBK)	E	NO	Y	8260	3.8	3.8	ug/l	U	8/18/2004
77424	Iodomethane	E	NO	Y	8260	0.67	0.67	ug/l	U	8/18/2004
81595	2-Butanone (MEK)	E	NO	Y	8260	8.4	8.4	ug/l	U	8/18/2004
34423	Methylene Chloride	E	NO	Y	8260	1	1	ug/l	U	8/18/2004
34501	1,1-Dichloroethylene	E	NO	Y	8260	0.45	0.45	ug/l	U	8/18/2004
34488	Trichlorofluoromethane	E	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
34496	1,1-Dichloroethane	E	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004
81552	Acetone	E	NO	Y	8260	9.9	9.9	ug/l	U	8/18/2004
34413	Bromomethane	E	NO	Y	8260	0.66	0.66	ug/l	U	8/18/2004
34418	Chloromethane	E	NO	Y	8260	0.64	0.64	ug/l	U	8/18/2004
34010	Toluene	E	NO	Y	8260	0.51	0.51	ug/l	U	8/18/2004
34506	1,1,1-Trichloroethane	E	NO	Y	8260	0.46	0.46	ug/l	U	8/18/2004
34704	cis-1,3-Dichloropropene	E	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/9/2004

WACS Well:

Monitoring_Site_Num: Trip Blank

Permitted Well Type:

Ground water classification: SW-IIIF

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

**Well Purged prior to
 Sample Collection? (Y/N)**

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
39180	Trichloroethene	E	NO	Y	8260	0.28	0.28	ug/l	U	8/18/2004
34541	1,2-Dichloropropane	E	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004
77443	1,2,3-Trichloropropane	E	NO	Y	8260	0.15	0.15	ug/l	U	8/18/2004
77057	Vinyl acetate	E	NO	Y	8260	1.5	1.5	ug/l	U	8/18/2004
39175	Vinyl chloride	E	NO	Y	8260	0.5	0.5	ug/l	U	8/18/2004
34699	trans-1,3-Dichloropropene	E	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004
34030	Benzene	E	NO	Y	8260	0.27	0.27	ug/l	U	8/18/2004
34215	Acrylonitrile	E	NO	Y	8260	1.2	1.2	ug/l	U	8/18/2004
34511	1,1,2-Trichloroethane	E	NO	Y	8260	0.47	0.47	ug/l	U	8/18/2004
32101	Bromodichloromethane	E	NO	Y	8260	0.35	0.35	ug/l	U	8/18/2004
34311	Chloroethane	E	NO	Y	8260	0.8	0.8	ug/l	U	8/18/2004
32106	Chloroform	E	NO	Y	8260	0.9	0.9	ug/l	U	8/18/2004
32105	Dibromochloromethane	E	NO	Y	8260	0.34	0.34	ug/l	U	8/18/2004
34536	1,2-Dichlorobenzene	E	NO	Y	8260	0.44	0.44	ug/l	U	8/18/2004
34571	1,4-Dichlorobenzene	E	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004
49263	Trans-1,4-Dichloro-2-butene	E	NO	Y	8260	2.5	2.5	ug/l	U	8/18/2004
34371	Ethylbenzene	E	NO	Y	8260	0.83	0.83	ug/l	U	8/18/2004
73085	Bromochloromethane	E	NO	Y	8260	0.58	0.58	ug/l	U	8/18/2004
46361	Dibromomethane	E	NO	Y	8260	0.41	0.41	ug/l	U	8/18/2004
32104	Bromoform	E	NO	Y	8260	0.58	0.58	ug/l	U	8/18/2004
77041	Carbon disulfide	E	NO	Y	8260	0.85	0.85	ug/l	U	8/18/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)

WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/9/2004

WACS Well:

Monitoring_Site_Num: Trip Blank

Permitted Well Type:

Ground water classification: SW-IIIF

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

**Well Purged prior to
 Sample Collection? (Y/N)**

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
32102	Carbon Tetrachloride	E	NO	Y	8260	0.42	0.42	ug/l	U	8/18/2004
34301	Chlorobenzene	E	NO	Y	8260	0.63	0.63	ug/l	U	8/18/2004
77093	cis-1,2-Dichloroethylene	E	NO	Y	8260	0.65	0.65	ug/l	U	8/18/2004
34546	trans-1,2-Dichloroethylene	E	NO	Y	8260	0.44	0.44	ug/l	U	8/18/2004
77103	2-Hexanone	E	NO	Y	8260	4.4	4.4	ug/l	U	8/18/2004