

**Minhaj, Ghousuddin**

**From:** Barbaccia, Phil  
**Sent:** Tuesday, December 03, 2002 10:00 AM  
**To:** Layne, David  
**Cc:** Minhaj, Ghousuddin; Blackburn, Ron; Blair, Lucy; Krumbholz, Bill; Gould, Jeffrey  
**Subject:** RE: Lee County WTE Facility, PA 90-30, Supplemental Application



David, attached are comments from Ghaus Minhaj, our Solid Waste engineer. I haven't received comments from any other program. If I receive any more comments by December 13th, I will forward them up to you. Thank you for giving us the opportunity to comment on this application.



LeeCoSWEnergyPAB.

doc

-----Original Message-----

**From:** Layne, David  
**Sent:** Tuesday, November 12, 2002 2:39 PM  
**To:** Barbaccia, Phil; Cantrell, Richard; Goorland, Scott; Linero, Alvaro; Mansfield, Geoffrey; Tedder, Richard  
**Cc:** Oven, Hamilton  
**Subject:** Lee County WTE Facility, PA 90-30, Supplemental Application

Attached is a memo regarding a supplemental application received by the SCO for this facility.

<< File: Lee Co PPS Review Memo 11-12-02.doc >>

## LEE COUNTY SOLID WASTE ENERGY RECOVERY FACILITY

### Supplemental Application For PPSC of 11/7/2002

The sections of the above application relevant to solid Waste Management were reviewed and the following are comments:

1. Section 3, 3.3.2, Page 3-9: 2<sup>nd</sup> line  
Please correct to "...approximately 3 days of storage capacity..."
2. , 3.4.1, Page 3-9: 3<sup>rd</sup> line, 2<sup>nd</sup> paragraph  
Please correct to "...Additional fuel..."
3. Section 5, 5.4.2, Page 5-8:
  - (i) Please clarify whether each load is inspected after unloading on the tipping floor.
  - (ii) Please elaborate on "Random inspection" and describe number of random inspections each day or each week.  
Please refer to the exact Section subsection of Florida Administrative Code (F.A.C.) Rule 62-701 for each of the above inspection plans.
  - (iii) Please add, "If hazardous waste is detected before or after unloading waste FDEP shall be immediately contacted and instructions from FDEP shall be followed, before moving, reloading, rejecting or redirecting the waste vehicle." F.A.C. Rule 62-701.500(6)(b) for landfills is applicable. Please note that Vol II Appendix 3.1, Materials Separation Plan addresses only the household hazardous waste. Please include the telephone numbers for FDEP, (239) 332-6975 (during normal business hours), (850) 413-9911 and toll free (800) 320-0519 (during other hours) in this section and in the list of emergency telephone numbers posted in the office at the facility.
  - (iv) Please address "Operator Training" and Spotter Training" requirements in accordance with F.A.C. Rule 62-701.320(15).

Sincerely,

---

cc: / /