



HARDEE COUNTY
BOARD OF COUNTY COMMISSIONERS
PUBLIC WORKS DEPARTMENT
74 Hanchey Road
Wauchula, Florida 33873-2867

Buildings & Grounds
Parks & Recreation
Purchasing
Road & Bridge
Solid Waste

SEP 1 1988

40612
4025C30001
3025-214306

August 29, 1988

AUG 31 1988

Department of Environmental Regulation
4520 Oak Fair Blvd.
Tampa, Florida 33610-7347

✓ ADJUTANT DISTRICT
TAMPA


Re: Water Sample Reports

Dear Mr. Ford,

Enclosed you will find, storm water discharge sample results, I received from Envirolab, for the Hardee County Sanitary Landfill. These samples were taken on July 27, 28, and 30, 1988, and are hereby submitted to you for your records.

4025A15352

Thank You,


J. R. Prestridge
Solid Waste Superintendent

JRP/jl

ENC.



envirolab

Drinking Water Certification
HRS # 83160

1042 U. S. Highway 1, North, P. O. Box 607
Ormond Beach, Florida 32074
Phone (904) 672-5668

Environmental Certification
HRS # E83079

HARDEE COUNTY
DEPARTMENT OF PUBLIC
412 W. ORANGE STREET
WAUCHULA FL 33873
ATTN: J.R. PRESTRIDGE

Description: WATER SAMPLES Sample received on 07/27/88
Sampled by: CLIENT Report Date: 08/09/88
Reference Number: 881375 - 0002

Client Sample ID: 7/26/88
Sample Description: 7:00 A.M.

PARAMETER	UNITS	RESULTS	ERROR
TOTAL ALKALINITY	MG/L	126	
BIOCHEMICAL OXYGEN DEMAND	MG/L	5	
CHLORIDE	MG/L	22	
CONDUCTIVITY	UMHOS	270	
DISSOLVED OXYGEN	MG/L	5.7	
PH LAB	UNITS	7.02	
TOTAL COLIFORM MPN	#/100	2400	
TOTAL DISSOLVED SOLIDS	MG/L	240	
TOTAL KJELDAHL NITROGEN	MG/L	4.1	
TOTAL ORGANIC CARBON	MG/L	32	
TOTAL SUSPENDED SOLIDS	MG/L	20	

All tests are conducted according to "Standard Methods For The Examination of Water and Wastewater," Latest Edition, and/or approved methods unless otherwise specified.

ALLG 22 1988

PURCHASING

RESPECTFULLY SUBMITTED:



Drinking Water Certification
HRS # 83160

1042 U. S. Highway 1, North, P. O. Box 607
Ormond Beach, Florida 32074
Phone (904) 672-5668

Environmental Certification
HRS # E83079

HARDEE COUNTY
DEPARTMENT OF PUBLIC
412 W. ORANGE STREET
WAUCHULA FL 33873
ATTN: J.R. PRESTRIDGE

Description: WATER SAMPLES

Sample received on 07/27/88

Sampled by: CLIENT

Report Date: 08/09/88

Reference Number: 881375

- 0001

Client Sample ID: 7/25/88

Sample Description: 5:00 P.M.

PARAMETER	UNITS	RESULTS	ERROR
TOTAL ALKALINITY	MG/L	116	
BIOCHEMICAL OXYGEN DEMAND	MG/L	4	
CHLORIDE	MG/L	19	
CONDUCTIVITY	UMHOS	275	
DISSOLVED OXYGEN	MG/L	2.7	
PH LAB	UNITS	6.98	
TOTAL COLIFORM MPN	#/100	> 16000	
TOTAL DISSOLVED SOLIDS	MG/L	244	
TOTAL KJELDAHL NITROGEN	MG/L	3.9	
TOTAL ORGANIC CARBON	MG/L	27	
TOTAL SUSPENDED SOLIDS	MG/L	27	

All tests are conducted according to "Standard Methods For The Examination of Water and Wastewater," Latest Edition, and/or approved methods unless otherwise specified.

RECEIVED

AUG 22 1988

PURCHASING

RESPECTFULLY SUBMITTED:



envirolab

Drinking Water Certification
HRS # 83160

1042 U. S. Highway 1, North, P. O. Box 607
Ormond Beach, Florida 32074
Phone (904) 672-5668

Environmental Certification
HRS # E83079

HARDEE COUNTY
DEPARTMENT OF PUBLIC
412 W. ORANGE STREET
WAUCHULA FL 33873
ATTN: J.R. PRESTRIDGE

Description: WATER SAMPLES

Sample received on 07/28/88

Sampled by: ENVIROLAB

Report Date: 08/09/88

Reference Number: 881393

- 0001

Client Sample ID: 07-26-88 5:30 PM
Sample Description:

PARAMETER	UNITS	RESULTS	ERROR
TOTAL ALKALINITY	MG/L	50	
BIOCHEMICAL OXYGEN DEMAND	MG/L	3	
CHLORIDE	MG/L	16	
CONDUCTIVITY	UMHOS	135	
DISSOLVED OXYGEN	MG/L	6.5	
PH LAB	UNITS	7.22	
TOTAL COLIFORM MPN	#/100	> 16000	
TOTAL DISSOLVED SOLIDS	MG/L	117	
TOTAL KJELDAHL NITROGEN	MG/L	1.2	
TOTAL ORGANIC CARBON	MG/L	7.6	
TOTAL SUSPENDED SOLIDS	MG/L	84	

All tests are conducted according to "Standard Methods For The Examination of Water and Wastewater," Latest Edition, and/or approved methods unless otherwise specified.

RECEIVED

AUG 22 1988

PURCHASING

RESPECTFULLY SUBMITTED:



Drinking Water Certification
HRS # 83160

1042 U. S. Highway 1, North, P. O. Box 607
Ormond Beach, Florida 32074
Phone (904) 672-5668

Environmental Certification
HRS # E83079

HARDEE COUNTY
DEPARTMENT OF PUBLIC
412 W. ORANGE STREET
WAUCHULA FL 33873
ATTN: J.R. PRESTRIDGE

Description: WATER SAMPLES Sample received on 07/28/88

Sampled by: ENVIROLAB Report Date: 08/09/88

Reference Number: 881293 - 0002

Client Sample ID: 07-27-88 1610
Sample Description:

PARAMETER	UNITS	RESULTS	ERROR
TOTAL ALKALINITY	MG/L	38	
BIOCHEMICAL OXYGEN DEMAND	MG/L	4	
CHLORIDE	MG/L	20	
CONDUCTIVITY	UMHOS	160	
DISSOLVED OXYGEN	MG/L	0.6	
PH LAB	UNITS	6.44	
TOTAL COLIFORM MPN	#/100	> 2400	
TOTAL DISSOLVED SOLIDS	MG/L	172	
TOTAL KJELDAHL NITROGEN	MG/L	2.2	
TOTAL ORGANIC CARBON	MG/L	34.9	
TOTAL SUSPENDED SOLIDS	MG/L	12	

All tests are conducted according to "Standard Methods For The Examination of Water and Wastewater," Latest Edition, and/or approved methods unless otherwise specified.

RECEIVED

AUG 22 1988

PURCHASING

RESPECTFULLY SUBMITTED:



Drinking Water Certification
HRS # 83160

1042 U. S. Highway 1, North, P. O. Box 607
Ormond Beach, Florida 32074
Phone (904) 672-5668

Environmental Certification
HRS # E83079

RECEIVED

AUG 25 1988

PURCHASING

HARDEE COUNTY
DEPARTMENT OF PUBLIC
412 W. ORANGE STREET
WAUCHULA FL 33873
ATTN: J.R. PRESTRIDGE

Description: WATER SAMPLES Sample received on 07/30/88

Sampled by: CLIENT

Report Date: 08/19/88

Reference Number: 881411 - 0001

Client Sample ID: 7/28/88 STORMWATER
Sample Description:

PARAMETER	UNITS	RESULTS	ERROR
TOTAL ALKALINITY	MG/L	71	
BIOCHEMICAL OXYGEN DEMAND	MG/L	4.0	
CHLORIDE	MG/L	6.2	
CONDUCTIVITY	UMHOS	160	
DISSOLVED OXYGEN	MG/L	5.1	
PH LAB	UNITS	6.81	
TOTAL COLIFORM MPN	#/100	> 16000	
TOTAL DISSOLVED SOLIDS	MG/L	169	
TOTAL KJELDAHL NITROGEN	MG/L	1.8	
TOTAL ORGANIC CARBON	MG/L	32.3	
TOTAL SUSPENDED SOLIDS	MG/L	8.5	

All tests are conducted according to "Standard Methods For The Examination of Water and Wastewater," Latest Edition, and/or approved methods unless otherwise specified.

RESPECTFULLY SUBMITTED:



Drinking Water Certification
HRS # 83160

1042 U. S. Highway 1, North, P. O. Box 607
Ormond Beach, Florida 32074
Phone (904) 672-5668

Environmental Certification
HRS # 88079

AUG 25 1988

PURCHASING

RECEIVED

AUG 3

PURCHASING

HARDEE COUNTY
DEPARTMENT OF PUBLIC
412 W. ORANGE STREET
WAUCHULA FL 33873
ATTN: J.R. PRESTRIDGE

Description: WATER SAMPLES

Sample received on 07/30/88

Sampled by: CLIENT

Report Date: 08/18/88

Reference Number: 881411

- 0002


Client Sample ID: 7/29/88

Sample Description: STORMWATER

PARAMETER	UNITS	RESULTS	ERROR
TOTAL ALKALINITY	MG/L	30	
BIOCHEMICAL OXYGEN DEMAND	MG/L	3.0	
CHLORIDE	MG/L	6.2	
CONDUCTIVITY	UMHOS	85	
DISSOLVED OXYGEN	MG/L	< 0.1	
PH LAB	UNITS	6.68	
TOTAL COLIFORM MPN	#/100	> 2400	
TOTAL DISSOLVED SOLIDS	MG/L	106	
TOTAL KJELDAHL NITROGEN	MG/L	1.3	
TOTAL ORGANIC CARBON	MG/L	15.5	
TOTAL SUSPENDED SOLIDS	MG/L	94	

All tests are conducted according to "Standard Methods For The Examination of Water and Wastewater," Latest Edition, and/or approved methods unless otherwise specified.

RESPECTFULLY SUBMITTED:



HARDEE COUNTY
BOARD OF COUNTY COMMISSIONERS
PUBLIC WORKS DEPARTMENT
74 Hanchey Road
Wauchula, Florida 33873-2867

Buildings & Grounds
Parks & Recreation
Purchasing
Road & Bridge
Solid Waste

83/60

4025A

July 12, 1988

Department of Environmental Regulation
4520 Oak Fair Blvd.
Tampa, Florida 33610-7347

✓
JUL 15 1988
RECEIVED

Re: Water Quality Analysis
Quarterly Reports

Dear Mr. Ford,

Enclosed you will find, water sample analysis reports, I received from Envirolab, for the Hardee County Sanitary Landfill. These samples were taken on June 8, 1988 and are hereby submitted to you, for your records.

Respectfully Yours,

J. R. Prestridge
Solid Waste Superintendent

JRP/jl

Enclosure

J. R.

JUL 14 1988

SOUTHWEST DISTRICT
DEPT. R



Drinking Water Certification
HRS # 83160

1042 U. S. Highway 1, North, P. O. Box 607
Ormond Beach, Florida 32074
Phone (904) 672-5668

Environmental Certification
HRS # E83079

RECEIVED

JUL 8 1988

HARDEE B.O.C.C.

BY

JUL 15 1988

HARDEE COUNTY
DEPARTMENT OF PUBLIC
412 W. ORANGE STREET
DAUCHULA FL 33873
ATTN: J.R. PRESTRIDGE

Description: WATER SAMPLES

Sample received on 06/08/88

Sampled by: ENVIROLAB

Report Date: 06/22/88

Reference Number: 881006-0001

Client Sample ID: SPRAY FIELD
Sample Description:

1535/

PARAMETER	UNITS	RESULTS	ERROR
CONDUCTIVITY 94	UMHOS	280	
DISSOLVED OXYGEN	MG/L	3.0	
IRON BY FLAME	MG/L	2.8	
LEAD BY FLAME	MG/L	< 0.02	
PH LAB	UNITS	7.77	
TOTAL COLIFORM	#/100	> 2700	
TOTAL ORGANIC CARBON	MG/L	16.0	
TURBIDITY	NTU	14.7	

All tests are conducted according to "Standard Methods For The Examination of Water and Wastewater," Latest Edition, and/or approved methods unless otherwise specified.

D. L. R.

JUL 14 1988

SLUTH W

RESPECTFULLY SUBMITTED:

Analyzed by Envirolab
Certification No. E83079

HARDEE COUNTY SPRAY FIELD
(Rule 17-3.402, 17-3.404 - 17-3.406)

Dyer

GMS# _____

Sample Date 6/8/88

Monitoring Well # _____

Well Name Spray field

Classification of Groundwater GII

RECEIVED

Well Type: ☐ Background
☐ Site Boundary
☐ Intermediate
☐ Compliance

JUL 8 1988

Well Developed Prior to
Sample Collection (Yes/No) N/A

Ground Water Elevation
(above MSL) _____

HARDEE B.O.C.C.

STORET Code	Parameter Monitored	Sampling Method	Analysis Method	Analysis Result	Units	Sample Filt/Unfilt	Preservatives Added
00094	Conductivity	Pump	120.1	280	umhos	Unfiltered	field
00299	Dissolved Oxygen	↓	360.1	3.0	mg/l	↓	field
900219	Iron	↓	236.1	2.8	mg/l	↓	pH<2HNO3
900212	Lead	↓	239.1	<0.02	mg/l	↓	pH<2HNO3
00400	pH	↓	150.1	7.77	units	↓	cool 4°C
31501	Total Coliform	↓	M.F.	>2700	#/100	↓	cool 4°C
00680	Total Organic Carbon	↓	415.1	16.0	mg/l	↓	pH<2HCL
00076	Turbidity	↓	180.1	14.7	NTU	↓	cool 4°C

Michael C. Pinner

Laboratory Contact

HARDEE COUNTY LANDFILL QUARTERLY REPORT
 (Rule 17-3.402, 17-3.404 - 17-3.406)

GMS# 4025C30001

Monitoring Well # 4025A14575

Well Name MW-7

Classification of Groundwater GII

Well Developed Prior to
 Sample Collection (Yes/No) Yes

RECEIVED

JUL 8 1988

HARDEE B.O.C.C.

BY _____

Sample Date 6/8/88

Well Type: ☐ Background
☐ Site Boundary
☐ Intermediate
☒ Compliance

Ground Water Elevation
 (above MSL) _____

STORET Code	Parameter Monitored	Sampling Method	Analysis Method	Analysis Result	Units	Sample Filt/Unfilt	Preservatives Added
00430	bicarb	pump	310.1	6	mg/l	Unfiltered	cool 4°C
00940	chloride		325.3	12.6	mg/l		cool 4°C
00094	conductivity		120.1	108	umhos		field
900219	iron		236.1	5.3	mg/l		pH<2HNO3
900220	manganese		243.1	<0.005	mg/l		pH<2HNC 3
00620	nitrate		353.2	<0.5	mg/l		pH<2H2SO4
00929	sodium		273.1	5.5	mg/l		pH<2HNO3
900212	lead		239.1	<0.02	mg/l		pH<2HNO3
00400	pH		150.1	4.9	St. un.		cool 4°C
00945	sulfate		375.2	14.7	°C		cool 4°C
90304	total diss. solids		160.1	78	mg/l		cool 4°C
00010	temperature		170.1	26	°C		Field
00680	total organic carbon		415.1	4.0	mg/l		pH<2HCL
00430	water level	tape	tape	78.09	ft NGVD		Field

[Signature]

Laboratory Contact

HARDEE COUNTY LANDFILL QUARTERLY REPORT
 (Rule 17-3.402, 17-3.404 - 17-3.406)

GMS# 4025C30001

Monitoring Well # 4025A14574

Well Name MW-6

Classification of Groundwater GII

Well Developed Prior to
 Sample Collection (Yes/No) Yes

RECEIVED

JUL 8 1988

HARDEE B.O.C.C.
 BY _____

Sample Date 6/8/88

Well Type: ☐ Background
☐ Site Boundary
☐ Intermediate
☒ Compliance

Ground Water Elevation
 (above MSL) _____

STORET Code	Parameter Monitored	Sampling Method	Analysis Method	Analysis Result	Units	Sample Filt/Unfilt	Preservatives Added
00430	bicarb	pump	310.1	33	mg/l	Unfiltered	cool 4°C
00940 ✓	chloride		325.3	19.9	mg/l		cool 4°C
00094 ✓	conductivity		120.1	150	umhos		field
900219	iron		236.1	3.2	mg/l		pH<2HNO3
900220	manganese		243.1	0.009	mg/l		pH<2HNO 3
00620 ✓	nitrate		353.2	<0.5	mg/l		pH<2H2SO4
00929 ✓	sodium		273.1	9.4	mg/l		pH<2HNO3
900222	lead		239.1	<0.02	mg/l		pH<2HNO3
00400	pH		150.1	5.7	St. un.		cool 4° c
00945 ✓	sulfate		375.2	3.8	°c		cool 4°C
90304 ✓	total diss. solids		160.1	87	mg/l		cool 4°C
00010 ✓	temperature		170.1	27	°C		Field
00680 ✓	total organic carbon		415.1	1.6	mg/l		pH<2HCL
00430	water level	tape	tape	78.36	ft NGVD		Field

D. E. R.

JUL 14 1988

WEST DISTRICT
 TAMPA

Michael C. P...

Laboratory Contact

HARDEE COUNTY LANDFILL QUARTERLY REPORT
 (Rule 17-3.402, 17-3.404 - 17-3.406)

GMS# 4025C30001

Monitoring Well # 4025A14573

Well Name MW-5

Classification of Groundwater GII

Well Developed Prior to
 Sample Collection (Yes/No) Yes

RECEIVED

JUL 8 1988


HARDEE B.O.C.C.
 BY

Sample Date 6/8/88

Well Type: ☐ Background
☐ Site Boundary
☐ Intermediate
☒ Compliance

Ground Water Elevation
 (above MSL)

STORET Code	Parameter Monitored	Sampling Method	Analysis Method	Analysis Result	Units	Sample Filt/Unfilt	Preservatives Added
00430	bicarb	pump	310.1	7	mg/l	Unfiltered	cool 4°C
00940 ✓	chloride		325.3	12.6	mg/l		cool 4°C
00094 ✓	conductivity		120.1	115	umhos		field
900219	iron		236.1	5.5	mg/l		pH<2HNO3
900220	manganese		243.1	0.007	mg/l		pH<2HNO 3
00620 ✓	nitrate		353.2	<0.5	mg/l		pH<2H2SO4
00929 ✓	sodium		273.1	6.6	mg/l		pH<2HNO3
900212	lead		239.1	<0.00	mg/l		pH<2HNO3
00400	pH		150.1	5.4	St. un.		cool 4° c
00945 ✓	sulfate		375.2	14.0	°c		cool 4°C
90304 ✓	total diss. solids		160.1	78	mg/l		cool 4°C
00010 ✓	temperature		170.1	27	°C		Field
00680 ✓	total organic carbon		415.1	15.4	mg/l		pH<2HCL
00430	water level	tape	tape	77.43	ft NGVD		Field


 Laboratory Contact

Analyzed by Envirolab
Certification No. E83079

HARDEE COUNTY LANDFILL QUARTERLY REPORT
(Rule 17-3.402, 17-3.404 - 17-3.406)

GMS# 4025C30001

Monitoring Well # 4025A14572

Well Name MW-4

Classification of Groundwater GII

Well Developed Prior to
Sample Collection (Yes/No) Yes

RECEIVED

JUL 8 1988

HARDEE B.O.C.C.
BY _____

Sample Date 6/8/88

Well Type: ☒ Background
☐ Site Boundary
☐ Intermediate
☐ Compliance

Ground Water Elevation
(above MSL) _____

STORET Code	Parameter Monitored	Sampling Method	Analysis Method	Analysis Result	Units	Sample Filt/Unfilt	Preservatives Added
00430	bicarb	pump	310.1	10	mg/l	Unfiltered	cool 4°C
00940 ✓	chloride		325.3	28.3	mg/l		cool 4°C
00094 ✓	conductivity		120.1	225	umhos		field
900219	iron		236.1	14.2	mg/l		pH<2HNO3
900220	manganese		243.1	0.006	mg/l		pH<2HNO3
00620 ✓	nitrate		353.2	<0.5	mg/l		pH<2H2SO4
00929 ✓	sodium		273.1	9.0	mg/l		pH<2HNO3
900212	lead		239.1	<0.02	mg/l		pH<2HNO3
00400	pH		150.1	5.5	St. un.		cool 4° c
00945 ✓	sulfate		375.2	7.3	°c		cool 4°C
90304 ✓	total diss. solids		160.1	187	mg/l		cool 4°C
00010 ✓	temperature		170.1	26	°C		Field
00680 ✓	total organic carbon		415.1	21.9	mg/l		pH<2HCL
00430	water level	tape	tape	79.66	ft NGVD		Field


Laboratory Contact

HARDEE COUNTY LANDFILL QUARTERLY REPORT
 (Rule 17-3.402, 17-3.404 - 17-3.406)

GMS# 4025C30001

Monitoring Well # 4025A14571

Well Name MW-3

Classification of Groundwater GII

Well Developed Prior to
 Sample Collection (Yes/No) Yes

RECEIVED

JUL 8 1988

HARDEE B.O.C.C.

BY

Sample Date 6/8/88

Well Type: ☐ Background
☐ Site Boundary
☐ Intermediate
☒ Compliance

Ground Water Elevation
 (above MSL) _____

STORET Code	Parameter Monitored	Sampling Method	Analysis Method	Analysis Result	Units	Sample Filt/Unfilt	Preservatives Added
00430	bicarb	pump	310.1	15	mg/l	Unfiltered	cool 4°C
00940	✓chloride		325.3	16.8	mg/l		cool 4°C
00094	✓conductivity		120.1	109	umhos		field
900219	iron		236.1	6.5	mg/l		pH<2HNO3
900220	manganese		243.1	<0.005	mg/l		pH<2HNO3
00620	✓nitrate		353.2	<0.5	mg/l		pH<2H2SO4
00929	✓sodium		273.1	5.0	mg/l		pH<2HNO3
900212	lead		239.1	<0.02	mg/l		pH<2HNO3
00400	pH		150.1	5.4	St. un.		cool 4° c
00945	✓sulfate		375.2	6.0	°C		cool 4°C
90304	✓total diss. solids		160.1	80	mg/l		cool 4°C
00010	✓temperature		170.1	28	°C		Field
00680	✓total organic carbon		415.1	1.9	mg/l		pH<2HCL
00430	water level	tape	tape	79.17	ft NGVD		Field


 Laboratory Contact

Certification No. E8307

JUL 8 1988

HARDEE COUNTY LANDFILL QUARTERLY REPORT

(Rule 17-3.402, 17-3.404 - 17-3.406)

HAMS# E E 4B25C30001

BY Monitoring Well # 4025A14570

Well Name MW-2

Classification of Groundwater GII

Well Developed Prior to
Sample Collection (Yes/No) N/A

Sample Date 6/8/88

Well Type:

☐	Background
☐	Site Boundary
☐	Intermediate
☒	Compliance

Ground Water Elevation
(above MSL) _____

STORET Code	Parameter Monitored	Sampling Method	Analysis Method	Analysis Result	Units	Sample Filt/Unfilt	Preservatives Added
82545	Water Level	tape	tape	78.65	ft NGVD	Unfiltered	Field

Michael C. Pence
Laboratory Contact

HARDEE COUNTY LANDFILL QUARTERLY REPORT
 (Rule 17-3.402, 17-3.404 - 17-3.406)

GMS# 4025C30001

Monitoring Well # 4025A14569

Well Name MW-1

Classification of Groundwater GII

Sample Date 6/8/88

Well Type: ☐ Background
☐ Site Boundary
☐ Intermediate
☒ Compliance

Well Developed Prior to
 Sample Collection (Yes/No) Yes

Ground Water Elevation
 (above MSL) _____

STORET Code	Parameter Monitored	Sampling Method	Analysis Method	Analysis Result	Units	Sample Filt/Unfilt	Preservatives Added
00430	bicarb	pump	310.1	28	mg/l	Unfiltered	cool 4°C
00940	chloride		325.3	46.2	mg/l		cool 4°C
00094	conductivity		120.1	238	umhos		field
900219	iron		236.1	18.5	mg/l		pH<2HNC3
900220	manganese		243.1	0.021	mg/l		pH<2HNO 3
00620	nitrate		353.2	<0.5	mg/l		pH<2H2SO4
00929	sodium		273.1	17.3	mg/l		pH<2HNC3
900212	lead		239.1	0.14	mg/l		pH<2HNO3
00400	pH		150.1	5.8	St. un.		cool 4° c
00945	sulfate		375.2	20.9	°c		cool 4°C
90304	total diss. solids		160.1	228	mg/l		cool 4°C
00010	temperature		170.1	26	°C		Field
00680	total organic carbon		415.1	50.8	mg/l		pH<2HCL
00430	water level	tape	tape	79.60	ft NGVD		Field


 Laboratory Contact