

HILLSBOROUGH COUNTY

Florida

4029C30075


Office of the County Administrator
Daniel A. Kleman

BOARD OF COUNTY COMMISSIONERS

Dottie Berger
Joe Chillura
Chris Hart
Jim Norman
Jan Platt
Thomas Scott
Ed Turanchik

41193

5029-256427 September 18, 1997



RECEIVED

SEP 24 1997

Solid Waste Section

Deputy County Administrator
Patricia Bean

Assistant County Administrators
Edwin Hunzeker
Jimmie Keel

Ms. Allison Amram, P.G.
Department of Environmental Protection
Waste Management Section
3804 Coconut Palm Drive
Tampa, Fl. 33619 8318

RE: Southeast County Sanitary Landfill Private Wells

Dear Ms. Amram:

Enclosed are the results of the routine water quality monitoring of the Southeast Landfill Private Wells, for quarter of May, 1997 through July, 1997. Samples were collected by the Solid Waste Management Department in May, 1997 and analyzed by Post, Buckley, Schuh and Jernigan, Inc.

If you have any questions or comments on this information, please call me at 276-2920.

Sincerely,

James G. Clayton

James G. Clayton,
Environmental Supervisor
Solid Waste Management Department

Enclosures

xc: Chongman Lee, Department of Environmental Protection
Paul Schipfer, EPC
Matt Mathews, Solid Waste Management Department
Irene Barnes, Southeast Hillsborough Civic Association
Thomas G. Smith, Solid Waste Management Department
Greg Walk, General Manager Southeast Landfill
Sheree Henninger, Waste Management Southeast Landfill
Sarah Hill, Solid Waste Management Department

Facility GMS #:

Sample Date/Time: 5/7/97 8:08:00 AM

Test Site ID #:

Report Period: 97/2

Well Name: WEEKS

970508001

Well Purged (Y/N): Y

Classification of Ground Water: G II

Well Type:

- Background
- Intermediate
- Compliance
- Other

Ground Water Elevation (NGVD):

Depth to Water (ft.):

3211

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
94	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	527 umhos/cm	Fld umhos/cm
406	pH IN FIELD	GRAB	N	EPA150.1	7.04 pH UNITS	Fld pH UNITS
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	240 mg/L	* mg/L
10	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	22.9 DEG C	Fld DEG C
82079	TURBIDITY	GRAB	N	EPA180.1	< .1 ntu	.1 ntu
940	CHLORIDE	GRAB	N	EPA325.2	19.3 mg/L	1 mg/L
610	AMMONIA NITROGEN	GRAB	N	EPA350.1	.1 mg/L	.05 mg/L
620	NITRATE	GRAB	N	EPA353.2	6.91 mg/L	.01 mg/L
300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	4.97 mg/L	Fld mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .01 ug/L	.01 ug/L
1097	Antimony	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
1002	Arsenic	GRAB	N	EPA6010	5 ug/L	5 ug/L
1007	Barium	GRAB	N	EPA6010	< 10 ug/L	10 ug/L
1012	Beryllium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
1027	Cadmium	GRAB	N	EPA6010	< 2 ug/L	2 ug/L
1034	Chromium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
1037	Cobalt	GRAB	N	EPA6010	< 10 ug/L	10 ug/L
1042	Copper	GRAB	N	EPA6010	3 ug/L	2 ug/L
1045	IRON-ICP METHOD	GRAB	N	EPA6010	466 ug/L	20 ug/L
1051	Lead	GRAB	N	EPA6010	< 4 ug/L	4 ug/L
1067	Nickel	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
1147	Selenium	GRAB	N	EPA6010	< 10 ug/L	10 ug/L
1077	Silver	GRAB	N	EPA6010	< 10 ug/L	10 ug/L
929	SODIUM-ICP METHOD	GRAB	N	EPA6010	8.05 mg/L	.2 mg/L
1059	Thallium	GRAB	N	EPA6010	< 2 ug/L	2 ug/L
985	Vanadium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
1092	Zinc	GRAB	N	EPA6010	202 ug/L	20 ug/L
71900	MERCURY	GRAB	N	EPA7470	< .2 ug/L	.2 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
34536	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	.1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	.1 ug/L
34571	1,4-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8 ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6 ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77093	cis 1,2-DICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
1501	ALPHA, TOTAL	GRAB	N	EPA900.0	19.8 pCi/L	.1 pCi/L
1502	ALPHA-counting error	GRAB	N	EPA900.0	4.4 pCi/L	pCi/L
9501	RADIUM 226 IN WATER	GRAB	N	EPA903.1	10.2 pCi/L	.1 pCi/L
9502	RADIUM 226-counting error	GRAB	N	EPA903.1	.3 pCi/L	pCi/L

Facility GMS #:

Sample Date/Time: 5/7/97 9:45:00 AM

Test Site ID #:

Report Period: 97/2

Well Name: MCBRIDE

970508006

Well Purged (Y/N): Y

Classification of Ground Water: G II

Well Type: Background

Ground Water Elevation (NGVD):

Intermediate

Depth to Water (ft.):

307.6

Compliance

Other

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
94	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	355 umhos/cm	Fld umhos/cm
406	pH IN FIELD	GRAB	N	EPA150.1	7.6 pH UNITS	Fld pH UNITS
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	156 mg/L	* mg/L
10	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	24.4 DEG C	Fld DEG C
82079	TURBIDITY	GRAB	N	EPA180.1	.14 ntu	.1 ntu
940	CHLORIDE	GRAB	N	EPA325.2	7.48 mg/L	1 mg/L
610	AMMONIA NITROGEN	GRAB	N	EPA350.1	< .05 mg/L	.05 mg/L
620	NITRATE	GRAB	N	EPA353.2	< .01 mg/L	.01 mg/L
300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	6.27 mg/L	Fld mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .01 ug/L	.01 ug/L
1097	Antimony	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
1002	Arsenic	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
1007	Barium	GRAB	N	EPA6010	< 10 ug/L	10 ug/L
1012	Beryllium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
1027	Cadmium	GRAB	N	EPA6010	< 2 ug/L	2 ug/L
1034	Chromium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
1037	Cobalt	GRAB	N	EPA6010	< 10 ug/L	10 ug/L
1042	Copper	GRAB	N	EPA6010	4 ug/L	2 ug/L
1045	IRON-ICP METHOD	GRAB	N	EPA6010	26 ug/L	20 ug/L
1051	Lead	GRAB	N	EPA6010	< 4 ug/L	4 ug/L
1067	Nickel	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
1147	Selenium	GRAB	N	EPA6010	< 10 ug/L	10 ug/L
1077	Silver	GRAB	N	EPA6010	< 10 ug/L	10 ug/L
929	SODIUM-ICP METHOD	GRAB	N	EPA6010	8.08 mg/L	.2 mg/L
1059	Thallium	GRAB	N	EPA6010	< 2 ug/L	2 ug/L
985	Vanadium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
1092	Zinc	GRAB	N	EPA6010	27 ug/L	20 ug/L
71900	MERCURY	GRAB	N	EPA7470	< .2 ug/L	.2 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8 ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6 ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77093	cis 1,2-DICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
1501	ALPHA, TOTAL	GRAB	N	EPA900.0	2.4 pCi/L	.1 pCi/L
1502	ALPHA-counting error	GRAB	N	EPA900.0	1.5 pCi/L	pCi/L

Facility GMS #:

Sample Date/Time: 5/7/97 9:05:00 AM

Test Site ID #:

Report Period: 97/2

Well Name: BARNES

970508004

Well Purged (Y/N): Y

Classification of Ground Water: G II

Well Type:

- Background
- Intermediate
- Compliance
- Other

Ground Water Elevation (NGVD):

3075

Depth to Water (ft.):

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
94	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	406	umhos/cm	Fld umhos/cm
406	pH IN FIELD	GRAB	N	EPA150.1	7.25	pH UNITS	Fld pH UNITS
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	164	mg/L	* mg/L
10	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	23.2	DEG C	Fld DEG C
82079	TURBIDITY	GRAB	N	EPA180.1	.27	ntu	.1 ntu
940	CHLORIDE	GRAB	N	EPA325.2	9.4	mg/L	1 mg/L
610	AMMONIA NITROGEN	GRAB	N	EPA350.1	.17	mg/L	.05 mg/L
620	NITRATE	GRAB	N	EPA353.2	.06	mg/L	.01 mg/L
300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	4.62	mg/L	Fld mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02	ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .01	ug/L	.01 ug/L
1097	Antimony	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
1002	Arsenic	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
1007	Barium	GRAB	N	EPA6010	< 10	ug/L	10 ug/L
1012	Beryllium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
1027	Cadmium	GRAB	N	EPA6010	< 2	ug/L	2 ug/L
1034	Chromium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
1037	Cobalt	GRAB	N	EPA6010	< 10	ug/L	10 ug/L
1042	Copper	GRAB	N	EPA6010	< 2	ug/L	2 ug/L
1045	IRON-ICP METHOD	GRAB	N	EPA6010	< 20	ug/L	20 ug/L
1051	Lead	GRAB	N	EPA6010	< 4	ug/L	4 ug/L
1067	Nickel	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
1147	Selenium	GRAB	N	EPA6010	< 10	ug/L	10 ug/L
1077	Silver	GRAB	N	EPA6010	< 10	ug/L	10 ug/L
929	SODIUM-ICP METHOD	GRAB	N	EPA6010	14.9	mg/L	.2 mg/L
1059	Thallium	GRAB	N	EPA6010	< 2	ug/L	2 ug/L
985	Vanadium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
1092	Zinc	GRAB	N	EPA6010	120	ug/L	20 ug/L
71900	MERCURY	GRAB	N	EPA7470	< .2	ug/L	.2 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2	ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8 ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6 ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34301	CHLOROENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
1501	ALPHA, TOTAL	GRAB	N	EPA900.0	3.6 pCi/L	.1 pCi/L
1502	ALPHA-counting error	GRAB	N	EPA900.0	2 pCi/L	pCi/L

Facility GMS #:

Sample Date/Time: 5/7/97 9:05:00 AM

Test Site ID #:

Report Period: 97/2

Well Name: BARNES DUP

970508005

Well Purged (Y/N): Y

Classification of Ground Water: G II

- Well Type:
- Background
 - Intermediate
 - Compliance
 - Other

Ground Water Elevation (NGVD):

Depth to Water (ft.):

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
94	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	406 umhos/cm	Fld umhos/cm
406	pH IN FIELD	GRAB	N	EPA150.1	7.25 pH UNITS	Fld pH UNITS
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	176 mg/L	* mg/L
10	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	23.2 DEG C	Fld DEG C
82079	TURBIDITY	GRAB	N	EPA180.1	.27 ntu	.1 ntu
940	CHLORIDE	GRAB	N	EPA325.2	9.5 mg/L	1 mg/L
610	AMMONIA NITROGEN	GRAB	N	EPA350.1	.22 mg/L	.05 mg/L
620	NITRATE	GRAB	N	EPA353.2	.07 mg/L	.01 mg/L
300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	4.62 mg/L	Fld mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .01 ug/L	.01 ug/L
1097	Antimony	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
1002	Arsenic	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
1007	Barium	GRAB	N	EPA6010	< 10 ug/L	10 ug/L
1012	Beryllium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
1027	Cadmium	GRAB	N	EPA6010	< 2 ug/L	2 ug/L
1034	Chromium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
1037	Cobalt	GRAB	N	EPA6010	< 10 ug/L	10 ug/L
1042	Copper	GRAB	N	EPA6010	< 2 ug/L	2 ug/L
1045	IRON-ICP METHOD	GRAB	N	EPA6010	< 20 ug/L	20 ug/L
1051	Lead	GRAB	N	EPA6010	< 4 ug/L	4 ug/L
1067	Nickel	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
1147	Selenium	GRAB	N	EPA6010	< 10 ug/L	10 ug/L
1077	Silver	GRAB	N	EPA6010	< 10 ug/L	10 ug/L
929	SODIUM-ICP METHOD	GRAB	N	EPA6010	14.9 mg/L	.2 mg/L
1059	Thallium	GRAB	N	EPA6010	< 2 ug/L	2 ug/L
985	Vanadium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
1092	Zinc	GRAB	N	EPA6010	118 ug/L	20 ug/L
71900	MERCURY	GRAB	N	EPA7470	< .2 ug/L	.2 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8 ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6 ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77093	cis 1,2-DICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
1501	ALPHA, TOTAL	GRAB	N	EPA900.0	4.1 pCi/L	.1 pCi/L
1502	ALPHA-counting error	GRAB	N	EPA900.0	2.2 pCi/L	pCi/L

Facility GMS #:

Sample Date/Time: 5/7/97 7:47:00 AM

Test Site ID #:

Report Period: 97/2

Well Name: TRAVEL BLANK

970508008

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type: Background

Ground Water Elevation (NGVD):

Intermediate

Depth to Water (ft.):

Compliance

Other

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
77562	1,1,1,2-TETRACHLORETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8 ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6 ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34301	CHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L

Well Name: TRAVEL BLANK

970508008

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L

Facility GMS #:

Sample Date/Time: 5/7/97 7:50:00 AM

Test Site ID #:

Report Period: 97/2

Well Name: EQIP BLANK

970508007

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type: Background

Ground Water Elevation (NGVD):

Intermediate

Depth to Water (ft.):

Compliance

Other

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	< 10 mg/L	* mg/L
82079	TURBIDITY	GRAB	N	EPA180.1	< .1 ntu	.1 ntu
940	CHLORIDE	GRAB	N	EPA325.2	< 1 mg/L	1 mg/L
610	AMMONIA NITROGEN	GRAB	N	EPA350.1	< .05 mg/L	.05 mg/L
620	NITRATE	GRAB	N	EPA353.2	< .01 mg/L	.01 mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .01 ug/L	.01 ug/L
1097	Antimony	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
1002	Arsenic	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
1007	Barium	GRAB	N	EPA6010	< 10 ug/L	10 ug/L
1012	Beryllium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
1027	Cadmium	GRAB	N	EPA6010	< 2 ug/L	2 ug/L
1034	Chromium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
1037	Cobalt	GRAB	N	EPA6010	< 10 ug/L	10 ug/L
1042	Copper	GRAB	N	EPA6010	< 2 ug/L	2 ug/L
1045	IRON-ICP METHOD	GRAB	N	EPA6010	< 20 ug/L	20 ug/L
1051	Lead	GRAB	N	EPA6010	< 4 ug/L	4 ug/L
1067	Nickel	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
1147	Selenium	GRAB	N	EPA6010	< 10 ug/L	10 ug/L
1077	Silver	GRAB	N	EPA6010	< 10 ug/L	10 ug/L
929	SODIUM-ICP METHOD	GRAB	N	EPA6010	< .2 mg/L	.2 mg/L
1059	Thallium	GRAB	N	EPA6010	< 2 ug/L	2 ug/L
985	Vanadium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
1092	Zinc	GRAB	N	EPA6010	< 20 ug/L	20 ug/L
71900	MERCURY	GRAB	N	EPA7470	< .2 ug/L	.2 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8 ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6 ug/L	.6 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
32104	BROMOFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77093	cis 1,2-DICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
1501	ALPHA, TOTAL	GRAB	N	EPA900.0	0 pCi/L	.1 pCi/L
1502	ALPHA-counting error	GRAB	N	EPA900.0	.5 pCi/L	pCi/L