


4029C30075
WAC 41193



BOARD OF COUNTY COMMISSIONERS

Pat Frank
Chris Hart
Jim Norman
Jan K. Platt
Thomas Scott
Ronda Storms
Ben Wacksman

Office of the County Administrator
Daniel A. Kleman

Deputy County Administrator
Patricia Bean

Assistant County Administrators
Edwin Hunzeker
Jimmie Keel
Anthony Shoemaker

July 11, 2000

Mr. John Morris, P.G.
Department of Environmental Protection
Waste Management Section
3804 Coconut Palm Drive
Tampa, Fl. 33619 8318

S029-256427

RE: Southeast County Sanitary Landfill-Private Wells


Dear Mr. Morris

The Hillsborough County Solid Waste Management Department (HCSWMD) is pleased to provide the analytical data for the routine water quality monitoring of four domestic supply wells in the vicinity of the Southeast County Landfill. Samples were collected on May 9, 2000 by the SWMD, and analyzed by Post, Buckley, Schuh and Jernigan, Inc. An analytical data summary table is enclosed for your review.

If you have any questions or comments on this information, please call me at 276-2944.

Sincerely,

David S. Adams, P.G.
Environmental Manager
Solid Waste Management Dep



Enclosures

- xc: Thomas G. Smith, Solid Waste Management Department
- Patricia Berry, Solid Waste Management Department
- Matt Mathews, Solid Waste Management Department
- ✓ Chongman Lee, Department of Environmental Protection
- Jay P. McMahan, P.E., General Manager, Waste Management, Southeast Landfill
- Sheree Henninger, Waste Management Southeast Landfill
- Irene Barnes, Southeast Hillsborough Civic Association
- Paul Schipfer, EPC
- Larry Ruiz, SCS Engineers

RECEIVED

JUL 13 2000

Solid Waste Section

**Chemical Constituents Detected in the Groundwater Samples Collected at the
Southeast Landfill Private Supply Wells
May 9, 2000**

GENERAL PARAMETERS	Private Wells				(MCL) STANDARD
	Weeks	Holland	McBride	Barnes	F.A.C. 62-550
conductivity (umhos/cm) (field)	518	398	347	410	NS
pH (field)	6.74	6.84	7.51	7.1	(6.5 - 8.5)**
total dissolved solids (mg/l)	320	250	260	280	500**
temperature (°C) (field)	23.4	24.1	24.8	24	NS
turbidity (NTU) (field)	2.4	9.6	0.6	0.4	NS
chloride (mg/l)	22	21	7	9	250**
ammonia nitrogen (mg/l as N)	BDL	BDL	BDL	BDL	NS
nitrate (mg/l as N)	0.04	0.03	0.04	0.06	10*
total alpha (pCi/l)	13.8	2.4	3.6	3.8	15*
radium 226 (pCi/l)	8.2	1.2	2.1	1.8	5*
Metals: (mg/l)	Private Wells				(MCL) STANDARD
	Weeks	Holland	McBride	Barnes	F.A.C. 62-550
iron	0.720	1.570	0.12	0.17	0.3**
copper	0.007	0.006	BDL	BDL	1**
barium	0.004	0.004	0.003	0.005	2*
selenium	BDL	BDL	BDL	BDL	0.05*
lead	BDL	BDL	BDL	BDL	0.015*
sodium	10.6	6.29	9.4	18.8	160*
zinc	0.171	0.173	0.048	0.080	5**
NOTE: All wells tested for EPA Test Method 8260, no parameters detected					
NOTE: Reference Groundwater Guidance Concentrations, FDEP June 1994					
NS= NO STANDARD					
MCL= MAXIMUM CONTAMINANT LEVEL					
BDL= BELOW DETECTION LIMIT					
*= DENOTES PRIMARY DRINKING WATER STANDARD					
**= DENOTES SECONDARY DRINKING WATER STANDARD					
13.8	: EXCEEDS PRIMARY OR SECONDARY DRINKING WATER STANDARDS, OR FLORIDA GUIDANCE CONCENTRATION MCL				
NTU= NEPHELOMETRIC TURBIDITY UNITS					
pCi/l= PICOCURIES PER LITER					
µg/l= MICROGRAMS PER LITER					
mg/l= MILLIGRAMS PER LITER					
NOTE: a dash entry (-) indicates that the sample was not analyzed for this parameter					

(CTRL-ALT-7)

SEMLF

w 914

Facility GMS #:
 Test Site ID #:
 Well Name: WEEKS
 Classification of Ground Water: GII
 Ground Water Elevation (NGVD):

Sample Number: 0005-313-01
 Sample Date/Time: 05/09/2000 8:17:00 AM
 Report Period: 00/Q2
 Well Purged(Y/N): Y
 Well Type: Other

Storet Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
00094	conductivity	Grab	N	Field	518 umhos/cm	umhos/cm
00299	dissolved oxygen	Grab	N	Field	1.47 mg/l	mg/l
00406	pH	Grab	N	Field	6.74 pH units	pH units
00010	temperature	Grab	N	Field	23.4 Deg. C	Deg. C
82078	turbidity	Grab	N	Field	2.4 NTU	NTU
09501	radium 226	Grab	N	EPA 903.1	8.2 pCi/l	pCi/l
09502	radium 226 counting error	Grab	N	EPA 903.1	0.4 pCi/l	pCi/l
77562	1,1,1,2-tetrachloroethane	Grab	N	EPA 8260	1 U ug/l	1 ug/l
34506	1,1,1-trichloroethane	Grab	N	EPA 8260	1 U ug/l	1 ug/l
34516	1,1,2,2-tetrachloroethane	Grab	N	EPA 8260	0.2 U ug/l	0.2 ug/l
34511	1,1,2-trichloroethane	Grab	N	EPA 8260	1 U ug/l	1 ug/l
34496	1,1-dichloroethane	Grab	N	EPA 8260	1 U ug/l	1 ug/l
34501	1,1-dichloroethene	Grab	N	EPA 8260	1 U ug/l	1 ug/l
77443	1,2,3-trichloropropane	Grab	N	EPA 8260	1 U ug/l	1 ug/l
34536	1,2-dichlorobenzene	Grab	N	EPA 8260	1 U ug/l	1 ug/l
34531	1,2-dichloroethane	Grab	N	EPA 8260	1 U ug/l	1 ug/l
34541	1,2-dichloropropane	Grab	N	EPA 8260	1 U ug/l	1 ug/l
34571	1,4-dichlorobenzene	Grab	N	EPA 8260	1 U ug/l	1 ug/l
77103	2-hexanone	Grab	N	EPA 8260	5 U ug/l	5 ug/l
78133	4-methyl-2-pentanone	Grab	N	EPA 8260	5 U ug/l	5 ug/l
81552	acetone	Grab	N	EPA 8260	5 U ug/l	5 ug/l
34215	acrylonitrile	Grab	N	EPA 8260	4 U ug/l	4 ug/l
78124	benzene	Grab	N	EPA 8260	1 U ug/l	1 ug/l
73085	bromochloromethane	Grab	N	EPA 8260	1 U ug/l	1 ug/l
32101	bromodichloromethane	Grab	N	EPA 8260	0.6 U ug/l	0.6 ug/l
32104	bromoform	Grab	N	EPA 8260	1 U ug/l	1 ug/l
77041	carbon disulfide	Grab	N	EPA 8260	1 U ug/l	1 ug/l
32102	carbon tetrachloride	Grab	N	EPA 8260	1 U ug/l	1 ug/l
34301	chlorobenzene	Grab	N	EPA 8260	1 U ug/l	1 ug/l
34311	chloroethane	Grab	N	EPA 8260	1 U ug/l	1 ug/l
32106	chloroform	Grab	N	EPA 8260	1 U ug/l	1 ug/l
77093	cis-1,2-dichloroethene	Grab	N	EPA 8260	1 U ug/l	1 ug/l
34704	cis-1,3-dichloropropene	Grab	N	EPA 8260	1 U ug/l	1 ug/l
32105	dibromochloromethane	Grab	N	EPA 8260	1 U ug/l	1 ug/l
34371	ethylbenzene	Grab	N	EPA 8260	1 U ug/l	1 ug/l
34413	methyl bromide	Grab	N	EPA 8260	1 U ug/l	1 ug/l
34418	methyl chloride	Grab	N	EPA 8260	1 U ug/l	1 ug/l
81595	methyl ethyl ketone	Grab	N	EPA 8260	5 U ug/l	5 ug/l
77424	methyl iodide	Grab	N	EPA 8260	1 U ug/l	1 ug/l
34423	methylene chloride	Grab	N	EPA 8260	1 U ug/l	1 ug/l

Storet Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units			Detection Limits/Units	
77128	styrene	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
34475	tetrachloroethene	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
78131	toluene	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
34546	trans-1,2-dichloroethene	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
34699	trans-1,3-dichloropropene	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
73547	trans-1,4-dichloro-2-butene	Grab	N	EPA 8260	4	U	ug/l	4	ug/l
39180	trichloroethene	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
34488	trichlorofluoromethane	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
77057	vinyl acetate	Grab	N	EPA 8260	5	U	ug/l	5	ug/l
39175	vinyl chloride	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
81551	xylenes	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
71900	mercury	Grab	N	EPA 7470	0.2	U	ug/l	0.2	ug/l
01097	antimony	Grab	N	EPA 6010	5	U	ug/l	5	ug/l
01002	arsenic	Grab	N	EPA 6010	5	U	ug/l	5	ug/l
01007	barium	Grab	N	EPA 6010	4	I	ug/l	1	ug/l
01012	beryllium	Grab	N	EPA 6010	1	U	ug/l	1	ug/l
01027	cadmium	Grab	N	EPA 6010	1	U	ug/l	1	ug/l
01034	chromium	Grab	N	EPA 6010	1	U	ug/l	1	ug/l
01037	cobalt	Grab	N	EPA 6010	5	U	ug/l	5	ug/l
01042	copper	Grab	N	EPA 6010	7	I	ug/l	5	ug/l
01045	iron	Grab	N	EPA 6010	720		ug/l	40	ug/l
01051	lead	Grab	N	EPA 6010	4	U	ug/l	4	ug/l
01067	nickel	Grab	N	EPA 6010	5	U	ug/l	5	ug/l
01147	selenium	Grab	N	EPA 6010	5	U	ug/l	5	ug/l
01077	silver	Grab	N	EPA 6010	5	U	ug/l	5	ug/l
00929	sodium	Grab	N	EPA 6010	10.6		mg/l	0.2	mg/l
01059	thallium	Grab	N	EPA 6010	2	U	ug/l	2	ug/l
01087	vanadium	Grab	N	EPA 6010	5	U	ug/l	5	ug/l
01092	zinc	Grab	N	EPA 6010	171		ug/l	25	ug/l
38437	1,2-dibromo-3-chloropropane	Grab	N	EPA 504.1	0.02	U	ug/l	0.02	ug/l
77651	1,2-dibromoethane	Grab	N	EPA 504.1	0.02	U	ug/l	0.02	ug/l
00620	nitrate	Grab	N	EPA 353.2	0.04	I	mg/l	0.01	mg/l
00610	ammonia	Grab	N	EPA 350.1	0.02	U	mg/l	0.02	mg/l
00940	chloride	Grab	N	EPA 325.2	22		mg/l	1	mg/l
70300	total dissolved solids	Grab	N	EPA 160.1	320		mg/l	10	mg/l
01501	gross alpha counting error	Grab	N	EPA 900.0	3.7		pCi/l		pCi/l
01501	gross alpha radiation	Grab	N	EPA 900.0	13.8		pCi/l		pCi/l

Facility GMS #:

Sample Number: 0005-313-02

Test Site ID #:

Sample Date/Time: 05/09/2000 8:56:00 AM

Well Name:

HOLLAND

Report Period : 00/Q2

Classification of Ground Water:

GII

Well Purged(Y/N): Y

Ground Water Elevation (NGVD) :

Well Type: Other

W 883

Storet Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
00094	conductivity	Grab	N	Field	398	umhos/cm	umhos/cm
00299	dissolved oxygen	Grab	N	Field	0.87	mg/l	mg/l
00406	pH	Grab	N	Field	6.84	pH units	pH units
00010	temperature	Grab	N	Field	24.1	Deg. C	Deg. C
82078	turbidity	Grab	N	Field	9.6	NTU	NTU
09501	radium 226	Grab	N	EPA 903.1	1.2	pCi/l	pCi/l
09502	radium 226 counting error	Grab	N	EPA 903.1	0.1	pCi/l	pCi/l
77562	1,1,1,2-tetrachloroethane	Grab	N	EPA 8260	1 U	ug/l	1 ug/l
34506	1,1,1-trichloroethane	Grab	N	EPA 8260	1 U	ug/l	1 ug/l
34516	1,1,2,2-tetrachloroethane	Grab	N	EPA 8260	0.2 U	ug/l	0.2 ug/l
34511	1,1,2-trichloroethane	Grab	N	EPA 8260	1 U	ug/l	1 ug/l
34496	1,1-dichloroethane	Grab	N	EPA 8260	1 U	ug/l	1 ug/l
34501	1,1-dichloroethene	Grab	N	EPA 8260	1 U	ug/l	1 ug/l
77443	1,2,3-trichloropropane	Grab	N	EPA 8260	1 U	ug/l	1 ug/l
34536	1,2-dichlorobenzene	Grab	N	EPA 8260	1 U	ug/l	1 ug/l
34531	1,2-dichloroethane	Grab	N	EPA 8260	1 U	ug/l	1 ug/l
34541	1,2-dichloropropane	Grab	N	EPA 8260	1 U	ug/l	1 ug/l
34571	1,4-dichlorobenzene	Grab	N	EPA 8260	1 U	ug/l	1 ug/l
77103	2-hexanone	Grab	N	EPA 8260	5 U	ug/l	5 ug/l
78133	4-methyl-2-pentanone	Grab	N	EPA 8260	5 U	ug/l	5 ug/l
81552	acetone	Grab	N	EPA 8260	5 U	ug/l	5 ug/l
34215	acrylonitrile	Grab	N	EPA 8260	4 U	ug/l	4 ug/l
78124	benzene	Grab	N	EPA 8260	1 U	ug/l	1 ug/l
73085	bromochloromethane	Grab	N	EPA 8260	1 U	ug/l	1 ug/l
32101	bromodichloromethane	Grab	N	EPA 8260	0.6 U	ug/l	0.6 ug/l
32104	bromoform	Grab	N	EPA 8260	1 U	ug/l	1 ug/l
77041	carbon disulfide	Grab	N	EPA 8260	1 U	ug/l	1 ug/l
32102	carbon tetrachloride	Grab	N	EPA 8260	1 U	ug/l	1 ug/l
34301	chlorobenzene	Grab	N	EPA 8260	1 U	ug/l	1 ug/l
34311	chloroethane	Grab	N	EPA 8260	1 U	ug/l	1 ug/l
32106	chloroform	Grab	N	EPA 8260	1 U	ug/l	1 ug/l
77093	cis-1,2-dichloroethene	Grab	N	EPA 8260	1 U	ug/l	1 ug/l
34704	cis-1,3-dichloropropene	Grab	N	EPA 8260	1 U	ug/l	1 ug/l
32105	dibromochloromethane	Grab	N	EPA 8260	1 U	ug/l	1 ug/l
34371	ethylbenzene	Grab	N	EPA 8260	1 U	ug/l	1 ug/l
34413	methyl bromide	Grab	N	EPA 8260	1 U	ug/l	1 ug/l
34418	methyl chloride	Grab	N	EPA 8260	1 U	ug/l	1 ug/l
81595	methyl ethyl ketone	Grab	N	EPA 8260	5 U	ug/l	5 ug/l
77424	methyl iodide	Grab	N	EPA 8260	1 U	ug/l	1 ug/l

Storet Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units			Detection Limits/Units	
34423	methylene chloride	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
77128	styrene	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
34475	tetrachloroethene	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
78131	toluene	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
34546	trans-1,2-dichloroethene	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
34699	trans-1,3-dichloropropene	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
73547	trans-1,4-dichloro-2-butene	Grab	N	EPA 8260	4	U	ug/l	4	ug/l
39180	trichloroethene	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
34488	trichlorofluoromethane	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
77057	vinyl acetate	Grab	N	EPA 8260	5	U	ug/l	5	ug/l
39175	vinyl chloride	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
81551	xylene	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
71900	mercury	Grab	N	EPA 7470	0.2	U	ug/l	0.2	ug/l
01097	antimony	Grab	N	EPA 6010	5	U	ug/l	5	ug/l
01002	arsenic	Grab	N	EPA 6010	5	U	ug/l	5	ug/l
01007	barium	Grab	N	EPA 6010	4	I	ug/l	1	ug/l
01012	beryllium	Grab	N	EPA 6010	1	U	ug/l	1	ug/l
01027	cadmium	Grab	N	EPA 6010	1	U	ug/l	1	ug/l
01034	chromium	Grab	N	EPA 6010	1	U	ug/l	1	ug/l
01037	cobalt	Grab	N	EPA 6010	5	U	ug/l	5	ug/l
01042	copper	Grab	N	EPA 6010	6	I	ug/l	5	ug/l
01045	iron	Grab	N	EPA 6010	1570		ug/l	40	ug/l
01051	lead	Grab	N	EPA 6010	4	U	ug/l	4	ug/l
01067	nickel	Grab	N	EPA 6010	5	U	ug/l	5	ug/l
01147	selenium	Grab	N	EPA 6010	5	U	ug/l	5	ug/l
01077	silver	Grab	N	EPA 6010	5	U	ug/l	5	ug/l
00929	sodium	Grab	N	EPA 6010	6.29		mg/l	0.2	mg/l
01059	thallium	Grab	N	EPA 6010	2	U	ug/l	2	ug/l
01087	vanadium	Grab	N	EPA 6010	5	U	ug/l	5	ug/l
01092	zinc	Grab	N	EPA 6010	173		ug/l	25	ug/l
38437	1,2-dibromo-3-chloropropane	Grab	N	EPA 504.1	0.02	U	ug/l	0.02	ug/l
77651	1,2-dibromoethane	Grab	N	EPA 504.1	0.02	U	ug/l	0.02	ug/l
00620	nitrate	Grab	N	EPA 353.2	0.03	I	mg/l	0.01	mg/l
00610	ammonia	Grab	N	EPA 350.1	0.02	U	mg/l	0.02	mg/l
00940	chloride	Grab	N	EPA 325.2	21		mg/l	1	mg/l
70300	total dissolved solids	Grab	N	EPA 160.1	250		mg/l	10	mg/l
01501	gross alpha counting error	Grab	N	EPA 900.0	1.6		pCi/l		pCi/l
01501	gross alpha radiation	Grab	N	EPA 900.0	2.4		pCi/l		pCi/l

Facility GMS #:

Sample Number: 0005-313-04

Test Site ID #:

Sample Date/Time: 05/09/2000 10:14:00 A

Well Name:

MCBRIDE

W 882

Report Period : 00/Q2

Classification of Ground Water:

GII

Well Purged(Y/N): Y

Ground Water Elevation (NGVD) :

Well Type: Other

Storet Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
00094	conductivity	Grab	N	Field	347	umhos/cm	umhos/cm
00299	dissolved oxygen	Grab	N	Field	4.85	mg/l	mg/l
00406	pH	Grab	N	Field	7.51	pH units	pH units
00010	temperature	Grab	N	Field	24.8	Deg. C	Deg. C
82078	turbidity	Grab	N	Field	0.6	NTU	NTU
09501	radium 226	Grab	N	EPA 903.1	2.1	pCi/l	pCi/l
09502	radium 226 counting error	Grab	N	EPA 903.1	0.2	pCi/l	pCi/l
77562	1,1,1,2-tetrachloroethane	Grab	N	EPA 8260	1 U	ug/l	1 ug/l
34506	1,1,1-trichloroethane	Grab	N	EPA 8260	1 U	ug/l	1 ug/l
34516	1,1,2,2-tetrachloroethane	Grab	N	EPA 8260	0.2 U	ug/l	0.2 ug/l
34511	1,1,2-trichloroethane	Grab	N	EPA 8260	1 U	ug/l	1 ug/l
34496	1,1-dichloroethane	Grab	N	EPA 8260	1 U	ug/l	1 ug/l
34501	1,1-dichloroethene	Grab	N	EPA 8260	1 U	ug/l	1 ug/l
77443	1,2,3-trichloropropane	Grab	N	EPA 8260	1 U	ug/l	1 ug/l
34536	1,2-dichlorobenzene	Grab	N	EPA 8260	1 U	ug/l	1 ug/l
34531	1,2-dichloroethane	Grab	N	EPA 8260	1 U	ug/l	1 ug/l
34541	1,2-dichloropropane	Grab	N	EPA 8260	1 U	ug/l	1 ug/l
34571	1,4-dichlorobenzene	Grab	N	EPA 8260	1 U	ug/l	1 ug/l
77103	2-hexanone	Grab	N	EPA 8260	5 U	ug/l	5 ug/l
78133	4-methyl-2-pentanone	Grab	N	EPA 8260	5 U	ug/l	5 ug/l
81552	acetone	Grab	N	EPA 8260	5 U	ug/l	5 ug/l
34215	acrylonitrile	Grab	N	EPA 8260	4 U	ug/l	4 ug/l
78124	benzene	Grab	N	EPA 8260	1 U	ug/l	1 ug/l
73085	bromochloromethane	Grab	N	EPA 8260	1 U	ug/l	1 ug/l
32101	bromodichloromethane	Grab	N	EPA 8260	0.6 U	ug/l	0.6 ug/l
32104	bromoform	Grab	N	EPA 8260	1 U	ug/l	1 ug/l
77041	carbon disulfide	Grab	N	EPA 8260	1 U	ug/l	1 ug/l
32102	carbon tetrachloride	Grab	N	EPA 8260	1 U	ug/l	1 ug/l
34301	chlorobenzene	Grab	N	EPA 8260	1 U	ug/l	1 ug/l
34311	chloroethane	Grab	N	EPA 8260	1 U	ug/l	1 ug/l
32106	chloroform	Grab	N	EPA 8260	1 U	ug/l	1 ug/l
77093	cis-1,2-dichloroethene	Grab	N	EPA 8260	1 U	ug/l	1 ug/l
34704	cis-1,3-dichloropropene	Grab	N	EPA 8260	1 U	ug/l	1 ug/l
32105	dibromochloromethane	Grab	N	EPA 8260	1 U	ug/l	1 ug/l
34371	ethylbenzene	Grab	N	EPA 8260	1 U	ug/l	1 ug/l
34413	methyl bromide	Grab	N	EPA 8260	1 U	ug/l	1 ug/l
34418	methyl chloride	Grab	N	EPA 8260	1 U	ug/l	1 ug/l
81595	methyl ethyl ketone	Grab	N	EPA 8260	5 U	ug/l	5 ug/l
77424	methyl iodide	Grab	N	EPA 8260	1 U	ug/l	1 ug/l

Storet Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units			Detection Limits/Units	
34423	methylene chloride	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
77128	styrene	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
34475	tetrachloroethene	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
78131	toluene	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
34546	trans-1,2-dichloroethene	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
34699	trans-1,3-dichloropropene	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
73547	trans-1,4-dichloro-2-butene	Grab	N	EPA 8260	4	U	ug/l	4	ug/l
39180	trichloroethene	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
34488	trichlorofluoromethane	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
77057	vinyl acetate	Grab	N	EPA 8260	5	U	ug/l	5	ug/l
39175	vinyl chloride	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
81551	xylenes	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
71900	mercury	Grab	N	EPA 7470	0.2	U	ug/l	0.2	ug/l
01097	antimony	Grab	N	EPA 6010	5	U	ug/l	5	ug/l
01002	arsenic	Grab	N	EPA 6010	5	U	ug/l	5	ug/l
01007	barium	Grab	N	EPA 6010	3	I	ug/l	1	ug/l
01012	beryllium	Grab	N	EPA 6010	1	U	ug/l	1	ug/l
01027	cadmium	Grab	N	EPA 6010	1	U	ug/l	1	ug/l
01034	chromium	Grab	N	EPA 6010	1	U	ug/l	1	ug/l
01037	cobalt	Grab	N	EPA 6010	5	U	ug/l	5	ug/l
01042	copper	Grab	N	EPA 6010	5	U	ug/l	5	ug/l
01045	iron	Grab	N	EPA 6010	120	I	ug/l	40	ug/l
01051	lead	Grab	N	EPA 6010	4	U	ug/l	4	ug/l
01067	nickel	Grab	N	EPA 6010	5	U	ug/l	5	ug/l
01147	selenium	Grab	N	EPA 6010	5	U	ug/l	5	ug/l
01077	silver	Grab	N	EPA 6010	5	U	ug/l	5	ug/l
00929	sodium	Grab	N	EPA 6010	9.4		mg/l	0.2	mg/l
01059	thallium	Grab	N	EPA 6010	2	U	ug/l	2	ug/l
01087	vanadium	Grab	N	EPA 6010	5	U	ug/l	5	ug/l
01092	zinc	Grab	N	EPA 6010	48	I	ug/l	25	ug/l
38437	1,2-dibromo-3-chloropropane	Grab	N	EPA 504.1	0.02	U	ug/l	0.02	ug/l
77651	1,2-dibromoethane	Grab	N	EPA 504.1	0.02	U	ug/l	0.02	ug/l
00620	nitrate	Grab	N	EPA 353.2	0.04	I	mg/l	0.01	mg/l
00610	ammonia	Grab	N	EPA 350.1	0.02	U	mg/l	0.02	mg/l
00940	chloride	Grab	N	EPA 325.2	7		mg/l	1	mg/l
70300	total dissolved solids	Grab	N	EPA 160.1	260		mg/l	10	mg/l
01501	gross alpha counting error	Grab	N	EPA 900.0	1.8		pCi/l		pCi/l
01501	gross alpha radiation	Grab	N	EPA 900.0	3.6		pCi/l		pCi/l

Facility GMS #:

Sample Number: 0005-313-03

Test Site ID #:

Sample Date/Time: 05/09/2000 9:35:00 AM

Well Name:

BARNES

W 881

Report Period : 00/Q2

Classification of Ground Water:

GII

Well Purged(Y/N): Y


Ground Water Elevation (NGVD) :

Well Type: Other

Storet Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
00094	conductivity	Grab	N	Field	410	umhos/cm	umhos/cm
00299	dissolved oxygen	Grab	N	Field	2.37	mg/l	mg/l
00406	pH	Grab	N	Field	7.1	pH units	pH units
00010	temperature	Grab	N	Field	24	Deg. C	Deg. C
82078	turbidity	Grab	N	Field	0.4	NTU	NTU
09501	radium 226	Grab	N	EPA 903.1	1.8	pCi/l	pCi/l
09502	radium 226 counting error	Grab	N	EPA 903.1	0.1	pCi/l	pCi/l
77562	1,1,1,2-tetrachloroethane	Grab	N	EPA 8260	1	U ug/l	1 ug/l
34506	1,1,1-trichloroethane	Grab	N	EPA 8260	1	U ug/l	1 ug/l
34516	1,1,2,2-tetrachloroethane	Grab	N	EPA 8260	0.2	U ug/l	0.2 ug/l
34511	1,1,2-trichloroethane	Grab	N	EPA 8260	1	U ug/l	1 ug/l
34496	1,1-dichloroethane	Grab	N	EPA 8260	1	U ug/l	1 ug/l
34501	1,1-dichloroethene	Grab	N	EPA 8260	1	U ug/l	1 ug/l
77443	1,2,3-trichloropropane	Grab	N	EPA 8260	1	U ug/l	1 ug/l
34536	1,2-dichlorobenzene	Grab	N	EPA 8260	1	U ug/l	1 ug/l
34531	1,2-dichloroethane	Grab	N	EPA 8260	1	U ug/l	1 ug/l
34541	1,2-dichloropropane	Grab	N	EPA 8260	1	U ug/l	1 ug/l
34571	1,4-dichlorobenzene	Grab	N	EPA 8260	1	U ug/l	1 ug/l
77103	2-hexanone	Grab	N	EPA 8260	5	U ug/l	5 ug/l
78133	4-methyl-2-pentanone	Grab	N	EPA 8260	5	U ug/l	5 ug/l
81552	acetone	Grab	N	EPA 8260	5	U ug/l	5 ug/l
34215	acrylonitrile	Grab	N	EPA 8260	4	U ug/l	4 ug/l
78124	benzene	Grab	N	EPA 8260	1	U ug/l	1 ug/l
73085	bromochloromethane	Grab	N	EPA 8260	1	U ug/l	1 ug/l
32101	bromodichloromethane	Grab	N	EPA 8260	0.6	U ug/l	0.6 ug/l
32104	bromoform	Grab	N	EPA 8260	1	U ug/l	1 ug/l
77041	carbon disulfide	Grab	N	EPA 8260	1	U ug/l	1 ug/l
32102	carbon tetrachloride	Grab	N	EPA 8260	1	U ug/l	1 ug/l
34301	chlorobenzene	Grab	N	EPA 8260	1	U ug/l	1 ug/l
34311	chloroethane	Grab	N	EPA 8260	1	U ug/l	1 ug/l
32106	chloroform	Grab	N	EPA 8260	1	U ug/l	1 ug/l
77093	cis-1,2-dichloroethene	Grab	N	EPA 8260	1	U ug/l	1 ug/l
34704	cis-1,3-dichloropropene	Grab	N	EPA 8260	1	U ug/l	1 ug/l
32105	dibromochloromethane	Grab	N	EPA 8260	1	U ug/l	1 ug/l
34371	ethylbenzene	Grab	N	EPA 8260	1	U ug/l	1 ug/l
34413	methyl bromide	Grab	N	EPA 8260	1	U ug/l	1 ug/l
34418	methyl chloride	Grab	N	EPA 8260	1	U ug/l	1 ug/l
81595	methyl ethyl ketone	Grab	N	EPA 8260	5	U ug/l	5 ug/l
77424	methyl iodide	Grab	N	EPA 8260	1	U ug/l	1 ug/l

Storet Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units			Detection Limits/Units
34423	methylene chloride	Grab	N	EPA 8260	1	U	ug/l	1 ug/l
77128	styrene	Grab	N	EPA 8260	1	U	ug/l	1 ug/l
34475	tetrachloroethene	Grab	N	EPA 8260	1	U	ug/l	1 ug/l
78131	toluene	Grab	N	EPA 8260	1	U	ug/l	1 ug/l
34546	trans-1,2-dichloroethene	Grab	N	EPA 8260	1	U	ug/l	1 ug/l
34699	trans-1,3-dichloropropene	Grab	N	EPA 8260	1	U	ug/l	1 ug/l
73547	trans-1,4-dichloro-2-butene	Grab	N	EPA 8260	4	U	ug/l	4 ug/l
39180	trichloroethene	Grab	N	EPA 8260	1	U	ug/l	1 ug/l
34488	trichlorofluoromethane	Grab	N	EPA 8260	1	U	ug/l	1 ug/l
77057	vinyl acetate	Grab	N	EPA 8260	5	U	ug/l	5 ug/l
39175	vinyl chloride	Grab	N	EPA 8260	1	U	ug/l	1 ug/l
81551	xylenes	Grab	N	EPA 8260	1	U	ug/l	1 ug/l
71900	mercury	Grab	N	EPA 7470	0.2	U	ug/l	0.2 ug/l
01097	antimony	Grab	N	EPA 6010	5	U	ug/l	5 ug/l
01002	arsenic	Grab	N	EPA 6010	5	U	ug/l	5 ug/l
01007	barium	Grab	N	EPA 6010	5		ug/l	1 ug/l
01012	beryllium	Grab	N	EPA 6010	1	U	ug/l	1 ug/l
01027	cadmium	Grab	N	EPA 6010	1	U	ug/l	1 ug/l
01034	chromium	Grab	N	EPA 6010	1	U	ug/l	1 ug/l
01037	cobalt	Grab	N	EPA 6010	5	U	ug/l	5 ug/l
01042	copper	Grab	N	EPA 6010	5	U	ug/l	5 ug/l
01045	iron	Grab	N	EPA 6010	170		ug/l	40 ug/l
01051	lead	Grab	N	EPA 6010	4	U	ug/l	4 ug/l
01067	nickel	Grab	N	EPA 6010	5	U	ug/l	5 ug/l
01147	selenium	Grab	N	EPA 6010	5	U	ug/l	5 ug/l
01077	silver	Grab	N	EPA 6010	5	U	ug/l	5 ug/l
00929	sodium	Grab	N	EPA 6010	18.8		mg/l	0.2 mg/l
01059	thallium	Grab	N	EPA 6010	2	U	ug/l	2 ug/l
01087	vanadium	Grab	N	EPA 6010	5	U	ug/l	5 ug/l
01092	zinc	Grab	N	EPA 6010	80	i	ug/l	25 ug/l
38437	1,2-dibromo-3-chloropropane	Grab	N	EPA 504.1	0.02	U	ug/l	0.02 ug/l
77651	1,2-dibromoethane	Grab	N	EPA 504.1	0.02	U	ug/l	0.02 ug/l
00620	nitrate	Grab	N	EPA 353.2	0.06		mg/l	0.01 mg/l
00610	ammonia	Grab	N	EPA 350.1	0.02	U	mg/l	0.02 mg/l
00940	chloride	Grab	N	EPA 325.2	9		mg/l	1 mg/l
70300	total dissolved solids	Grab	N	EPA 160.1	280		mg/l	10 mg/l
01501	gross alpha counting error	Grab	N	EPA 900.0	1.8		pCi/l	pCi/l
01501	gross alpha radiation	Grab	N	EPA 900.0	3.8		pCi/l	pCi/l

Facility GMS #:
 Test Site ID #:
 Well Name: DUP
 Classification of Ground Water: GII
 Ground Water Elevation (NGVD):



Sample Number: 0005-313-06
 Sample Date/Time: 05/09/2000
 Report Period: 00/Q2
 Well Purged(Y/N): Y
 Well Type: Other

Storet Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units			Detection Limits/Units
09501	radium 226	Grab	N	EPA 903.1	7.3		pCi/l	pCi/l
09502	radium 226 counting error	Grab	N	EPA 903.1	0.3		pCi/l	pCi/l
77562	1,1,1,2-tetrachloroethane	Grab	N	EPA 8260	1	U	ug/l	1 ug/l
34506	1,1,1-trichloroethane	Grab	N	EPA 8260	1	U	ug/l	1 ug/l
34516	1,1,2,2-tetrachloroethane	Grab	N	EPA 8260	0.2	U	ug/l	0.2 ug/l
34511	1,1,2-trichloroethane	Grab	N	EPA 8260	1	U	ug/l	1 ug/l
34496	1,1-dichloroethane	Grab	N	EPA 8260	1	U	ug/l	1 ug/l
34501	1,1-dichloroethene	Grab	N	EPA 8260	1	U	ug/l	1 ug/l
77443	1,2,3-trichloropropane	Grab	N	EPA 8260	1	U	ug/l	1 ug/l
34536	1,2-dichlorobenzene	Grab	N	EPA 8260	1	U	ug/l	1 ug/l
34531	1,2-dichloroethane	Grab	N	EPA 8260	1	U	ug/l	1 ug/l
34541	1,2-dichloropropane	Grab	N	EPA 8260	1	U	ug/l	1 ug/l
34571	1,4-dichlorobenzene	Grab	N	EPA 8260	1	U	ug/l	1 ug/l
77103	2-hexanone	Grab	N	EPA 8260	5	U	ug/l	5 ug/l
78133	4-methyl-2-pentanone	Grab	N	EPA 8260	5	U	ug/l	5 ug/l
81552	acetone	Grab	N	EPA 8260	5	U	ug/l	5 ug/l
34215	acrylonitrile	Grab	N	EPA 8260	4	U	ug/l	4 ug/l
78124	benzene	Grab	N	EPA 8260	1	U	ug/l	1 ug/l
73085	bromochloromethane	Grab	N	EPA 8260	1	U	ug/l	1 ug/l
32101	bromodichloromethane	Grab	N	EPA 8260	0.6	U	ug/l	0.6 ug/l
32104	bromoform	Grab	N	EPA 8260	1	U	ug/l	1 ug/l
77041	carbon disulfide	Grab	N	EPA 8260	1	U	ug/l	1 ug/l
32102	carbon tetrachloride	Grab	N	EPA 8260	1	U	ug/l	1 ug/l
34301	chlorobenzene	Grab	N	EPA 8260	1	U	ug/l	1 ug/l
34311	chloroethane	Grab	N	EPA 8260	1	U	ug/l	1 ug/l
32106	chloroform	Grab	N	EPA 8260	1	U	ug/l	1 ug/l
77093	cis-1,2-dichloroethene	Grab	N	EPA 8260	1	U	ug/l	1 ug/l
34704	cis-1,3-dichloropropene	Grab	N	EPA 8260	1	U	ug/l	1 ug/l
32105	dibromochloromethane	Grab	N	EPA 8260	1	U	ug/l	1 ug/l
34371	ethylbenzene	Grab	N	EPA 8260	1	U	ug/l	1 ug/l
34413	methyl bromide	Grab	N	EPA 8260	1	U	ug/l	1 ug/l
34418	methyl chloride	Grab	N	EPA 8260	1	U	ug/l	1 ug/l
81595	methyl ethyl ketone	Grab	N	EPA 8260	5	U	ug/l	5 ug/l
77424	methyl iodide	Grab	N	EPA 8260	1	U	ug/l	1 ug/l
34423	methylene chloride	Grab	N	EPA 8260	1	U	ug/l	1 ug/l
77128	styrene	Grab	N	EPA 8260	1	U	ug/l	1 ug/l
34475	tetrachloroethene	Grab	N	EPA 8260	1	U	ug/l	1 ug/l
78131	toluene	Grab	N	EPA 8260	1	U	ug/l	1 ug/l
34546	trans-1,2-dichloroethene	Grab	N	EPA 8260	1	U	ug/l	1 ug/l

Storet Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units			Detection Limits/Units	
34699	trans-1,3-dichloropropene	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
73547	trans-1,4-dichloro-2-butene	Grab	N	EPA 8260	4	U	ug/l	4	ug/l
39180	trichloroethene	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
34488	trichlorofluoromethane	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
77057	vinyl acetate	Grab	N	EPA 8260	5	U	ug/l	5	ug/l
39175	vinyl chloride	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
81551	xylene	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
71900	mercury	Grab	N	EPA 7470	0.2	U	ug/l	0.2	ug/l
01097	antimony	Grab	N	EPA 6010	5	U	ug/l	5	ug/l
01002	arsenic	Grab	N	EPA 6010	5	U	ug/l	5	ug/l
01007	barium	Grab	N	EPA 6010	4	I	ug/l	1	ug/l
01012	beryllium	Grab	N	EPA 6010	1	U	ug/l	1	ug/l
01027	cadmium	Grab	N	EPA 6010	1	U	ug/l	1	ug/l
01034	chromium	Grab	N	EPA 6010	1	U	ug/l	1	ug/l
01037	cobalt	Grab	N	EPA 6010	5	U	ug/l	5	ug/l
01042	copper	Grab	N	EPA 6010	5	U	ug/l	5	ug/l
01045	iron	Grab	N	EPA 6010	660		ug/l	40	ug/l
01051	lead	Grab	N	EPA 6010	4	U	ug/l	4	ug/l
01067	nickel	Grab	N	EPA 6010	5	U	ug/l	5	ug/l
01147	selenium	Grab	N	EPA 6010	5	U	ug/l	5	ug/l
01077	silver	Grab	N	EPA 6010	5	U	ug/l	5	ug/l
00929	sodium	Grab	N	EPA 6010	10.1		mg/l	0.2	mg/l
01059	thallium	Grab	N	EPA 6010	2	U	ug/l	2	ug/l
01087	vanadium	Grab	N	EPA 6010	5	U	ug/l	5	ug/l
01092	zinc	Grab	N	EPA 6010	164		ug/l	25	ug/l
38437	1,2-dibromo-3-chloropropane	Grab	N	EPA 504.1	0.02	U	ug/l	0.02	ug/l
77651	1,2-dibromoethane	Grab	N	EPA 504.1	0.02	U	ug/l	0.02	ug/l
00620	nitrate	Grab	N	EPA 353.2	0.05		mg/l	0.01	mg/l
00610	ammonia	Grab	N	EPA 350.1	0.02	U	mg/l	0.02	mg/l
00940	chloride	Grab	N	EPA 325.2	21		mg/l	1	mg/l
70300	total dissolved solids	Grab	N	EPA 160.1	300		mg/l	10	mg/l
01501	gross alpha counting error	Grab	N	EPA 900.0	2.3		pCi/l		pCi/l
01501	gross alpha radiation	Grab	N	EPA 900.0	4.4		pCi/l		pCi/l

Facility GMS #:

Sample Number: 0005-313-05

Test Site ID #:

Sample Date/Time: 05/09/2000 8:02:00 AM

Well Name:

EQIP BLANK

Report Period : 00/Q2

Classification of Ground Water:

Well Purged(Y/N): N

Ground Water Elevation (NGVD) :

Well Type: Other

Storet Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units	
09501	radium 226	Grab	N	EPA 903.1	0	pCi/l		pCi/l
09502	radium 226 counting error	Grab	N	EPA 903.1	0	pCi/l		pCi/l
77562	1,1,1,2-tetrachloroethane	Grab	N	EPA 8260	1	U ug/l	1	ug/l
34506	1,1,1-trichloroethane	Grab	N	EPA 8260	1	U ug/l	1	ug/l
34516	1,1,2,2-tetrachloroethane	Grab	N	EPA 8260	0.2	U ug/l	0.2	ug/l
34511	1,1,2-trichloroethane	Grab	N	EPA 8260	1	U ug/l	1	ug/l
34496	1,1-dichloroethane	Grab	N	EPA 8260	1	U ug/l	1	ug/l
34501	1,1-dichloroethene	Grab	N	EPA 8260	1	U ug/l	1	ug/l
77443	1,2,3-trichloropropane	Grab	N	EPA 8260	1	U ug/l	1	ug/l
34536	1,2-dichlorobenzene	Grab	N	EPA 8260	1	U ug/l	1	ug/l
34531	1,2-dichloroethane	Grab	N	EPA 8260	1	U ug/l	1	ug/l
34541	1,2-dichloropropane	Grab	N	EPA 8260	1	U ug/l	1	ug/l
34571	1,4-dichlorobenzene	Grab	N	EPA 8260	1	U ug/l	1	ug/l
77103	2-hexanone	Grab	N	EPA 8260	5	U ug/l	5	ug/l
78133	4-methyl-2-pentanone	Grab	N	EPA 8260	5	U ug/l	5	ug/l
81552	acetone	Grab	N	EPA 8260	5	U ug/l	5	ug/l
34215	acrylonitrile	Grab	N	EPA 8260	4	U ug/l	4	ug/l
78124	benzene	Grab	N	EPA 8260	1	U ug/l	1	ug/l
73085	bromochloromethane	Grab	N	EPA 8260	1	U ug/l	1	ug/l
32101	bromodichloromethane	Grab	N	EPA 8260	0.6	U ug/l	0.6	ug/l
32104	bromoform	Grab	N	EPA 8260	1	U ug/l	1	ug/l
77041	carbon disulfide	Grab	N	EPA 8260	1	U ug/l	1	ug/l
32102	carbon tetrachloride	Grab	N	EPA 8260	1	U ug/l	1	ug/l
34301	chlorobenzene	Grab	N	EPA 8260	1	U ug/l	1	ug/l
34311	chloroethane	Grab	N	EPA 8260	1	U ug/l	1	ug/l
32106	chloroform	Grab	N	EPA 8260	1	U ug/l	1	ug/l
77093	cis-1,2-dichloroethene	Grab	N	EPA 8260	1	U ug/l	1	ug/l
34704	cis-1,3-dichloropropene	Grab	N	EPA 8260	1	U ug/l	1	ug/l
32105	dibromochloromethane	Grab	N	EPA 8260	1	U ug/l	1	ug/l
34371	ethylbenzene	Grab	N	EPA 8260	1	U ug/l	1	ug/l
34413	methyl bromide	Grab	N	EPA 8260	1	U ug/l	1	ug/l
34418	methyl chloride	Grab	N	EPA 8260	1	U ug/l	1	ug/l
81595	methyl ethyl ketone	Grab	N	EPA 8260	5	U ug/l	5	ug/l
77424	methyl iodide	Grab	N	EPA 8260	1	U ug/l	1	ug/l
34423	methylene chloride	Grab	N	EPA 8260	1	U ug/l	1	ug/l
77128	styrene	Grab	N	EPA 8260	1	U ug/l	1	ug/l
34475	tetrachloroethene	Grab	N	EPA 8260	1	U ug/l	1	ug/l
78131	toluene	Grab	N	EPA 8260	1	U ug/l	1	ug/l
34546	trans-1,2-dichloroethene	Grab	N	EPA 8260	1	U ug/l	1	ug/l

Storet Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units			Detection Limits/Units	
34699	trans-1,3-dichloropropene	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
73547	trans-1,4-dichloro-2-butene	Grab	N	EPA 8260	4	U	ug/l	4	ug/l
39180	trichloroethene	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
34488	trichlorofluoromethane	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
77057	vinyl acetate	Grab	N	EPA 8260	5	U	ug/l	5	ug/l
39175	vinyl chloride	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
81551	xylenes	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
71900	mercury	Grab	N	EPA 7470	0.2	U	ug/l	0.2	ug/l
01097	antimony	Grab	N	EPA 6010	5	U	ug/l	5	ug/l
01002	arsenic	Grab	N	EPA 6010	5	U	ug/l	5	ug/l
01007	barium	Grab	N	EPA 6010	1	U	ug/l	1	ug/l
01012	beryllium	Grab	N	EPA 6010	1	U	ug/l	1	ug/l
01027	cadmium	Grab	N	EPA 6010	1	U	ug/l	1	ug/l
01034	chromium	Grab	N	EPA 6010	1	U	ug/l	1	ug/l
01037	cobalt	Grab	N	EPA 6010	5	U	ug/l	5	ug/l
01042	copper	Grab	N	EPA 6010	5	U	ug/l	5	ug/l
01045	iron	Grab	N	EPA 6010	40	U	ug/l	40	ug/l
01051	lead	Grab	N	EPA 6010	4	U	ug/l	4	ug/l
01067	nickel	Grab	N	EPA 6010	5	U	ug/l	5	ug/l
01147	selenium	Grab	N	EPA 6010	5	U	ug/l	5	ug/l
01077	silver	Grab	N	EPA 6010	5	U	ug/l	5	ug/l
00929	sodium	Grab	N	EPA 6010	0.2	U	mg/l	0.2	mg/l
01059	thallium	Grab	N	EPA 6010	2	U	ug/l	2	ug/l
01087	vanadium	Grab	N	EPA 6010	5	U	ug/l	5	ug/l
01092	zinc	Grab	N	EPA 6010	25	U	ug/l	25	ug/l
38437	1,2-dibromo-3-chloropropane	Grab	N	EPA 504.1	0.02	U	ug/l	0.02	ug/l
77651	1,2-dibromoethane	Grab	N	EPA 504.1	0.02	U	ug/l	0.02	ug/l
00620	nitrate	Grab	N	EPA 353.2	0.01	I	mg/l	0.01	mg/l
00610	ammonia	Grab	N	EPA 350.1	0.02	U	mg/l	0.02	mg/l
00940	chloride	Grab	N	EPA 325.2	1	U	mg/l	1	mg/l
70300	total dissolved solids	Grab	N	EPA 160.1	10	U	mg/l	10	mg/l
01501	gross alpha counting error	Grab	N	EPA 900.0	0.6		pCi/l		pCi/l
01501	gross alpha radiation	Grab	N	EPA 900.0	0.4		pCi/l		pCi/l

Facility GMS #:

Sample Number: 0005-313-07

Test Site ID #:

Sample Date/Time: 05/09/2000 8:00:00 AM

Well Name:

TRAVEL BLANK

Report Period : 00/Q2

Classification of Ground Water:

Well Purged(Y/N): N

Ground Water Elevation (NGVD) :

Well Type: Other

Storet Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units			Detection Limits/Units	
77562	1,1,1,2-tetrachloroethane	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
34506	1,1,1-trichloroethane	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
34516	1,1,2,2-tetrachloroethane	Grab	N	EPA 8260	0.2	U	ug/l	0.2	ug/l
34511	1,1,2-trichloroethane	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
34496	1,1-dichloroethane	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
34501	1,1-dichloroethene	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
77443	1,2,3-trichloropropane	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
34536	1,2-dichlorobenzene	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
34531	1,2-dichloroethane	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
34541	1,2-dichloropropane	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
34571	1,4-dichlorobenzene	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
77103	2-hexanone	Grab	N	EPA 8260	5	U	ug/l	5	ug/l
78133	4-methyl-2-pentanone	Grab	N	EPA 8260	5	U	ug/l	5	ug/l
81552	acetone	Grab	N	EPA 8260	5	U	ug/l	5	ug/l
34215	acrylonitrile	Grab	N	EPA 8260	4	U	ug/l	4	ug/l
78124	benzene	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
73085	bromochloromethane	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
32101	bromodichloromethane	Grab	N	EPA 8260	0.6	U	ug/l	0.6	ug/l
32104	bromoform	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
77041	carbon disulfide	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
32102	carbon tetrachloride	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
34301	chlorobenzene	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
34311	chloroethane	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
32106	chloroform	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
77093	cis-1,2-dichloroethene	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
34704	cis-1,3-dichloropropene	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
32105	dibromochloromethane	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
34371	ethylbenzene	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
34413	methyl bromide	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
34418	methyl chloride	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
81595	methyl ethyl ketone	Grab	N	EPA 8260	5	U	ug/l	5	ug/l
77424	methyl iodide	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
34423	methylene chloride	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
77128	styrene	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
34475	tetrachloroethene	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
78131	toluene	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
34546	trans-1,2-dichloroethene	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
34699	trans-1,3-dichloropropene	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
73547	trans-1,4-dichloro-2-butene	Grab	N	EPA 8260	4	U	ug/l	4	ug/l

Well Name: TRAVEL BLANK

Sample Number: 0005-313-07

Storet Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units			Detection Limits/Units	
39180	trichloroethene	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
34488	trichlorofluoromethane	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
77057	vinyl acetate	Grab	N	EPA 8260	5	U	ug/l	5	ug/l
39175	vinyl chloride	Grab	N	EPA 8260	1	U	ug/l	1	ug/l
81551	xylene	Grab	N	EPA 8260	1	U	ug/l	1	ug/l