



38414

685 AIRPORT ROAD
WAUCHULA, FL 33873-8663
PHONE: (863) 773-5089
FAX: (863) 773-3907
e-mail: teresa.carver@hardeecounty.net

Hardee County Solid Waste Department



January 26, 2004

Department of Environmental Protections
Attention: Allison Amram, Environmental Specialist III
Waste Management Section
3804 Coconut Palm Drive
Tampa, FL 33619-8318

Dear Allison:

Submitted for your review are the following:

- ❖ Semi-annual groundwater monitoring
- ❖ Annual **leachate** analysis

Please contact me should you have any questions or comments

Sincerely,

Janice Williamson
Solid Waste Superintendent

Cc: Chongman Lee-DEP, Tallahassee; Andy Maddox – City of Wauchula

Printed on Recycled Paper

DEC 2003
SAMPLING
EVENT


Florida Department of Environmental Protection
Two Towers Office Bldg. 2600 Blair Stone Road Tallahassee, Florida 32399-2400

DEP Form # 62-522.600(11)
Form Title GROUND WATER MONITORING
REPORT
Effective Date _____
DEP Application No. _____

GROUND WATER MONITORING REPORT
Rule 62-522.600(11)

PART I GENERAL INFORMATION

1 Facility Name Hardee County Solid Waste Disposal Facility
Address 685 Airport Road
City Wauchula, FL
Telephone Number (863) 773-5089
2 The GMS Identification Number 4025C30001
3 DEP Permit Number S025-214306
4 Authorized Representative Name Bruce Cummings
Address 10405 US 27 South
City Sebring, FL Zip 33876
Telephone Number (863) 655-4022
5 Type of Discharge _____
6 Method of Discharge _____



Certification

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this report and attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.
Signature: [Signature] for Hardee County BOCC
Signature of Owner or Authorized Representative

PART II QUALITY ASSURANCE REQUIREMENTS

Sample Organization Comp QAP # 880516
Analytical Lab Comp QAP #/HRS Certification # 880516, E85458
Comp QAP #/HRS Certification # 870072, E84098
Lab Name Short Environmental Laboratories, Inc.
Address 10405 US 27 South, Sebring, FL 3387
Phone Number (863) 655-4022

SHORT ENVIRONMENTAL LABORATORIES, INC.

10405 US 27 South
 Sebring, Florida 33876
 (800) 833-4022 FDOH# E85458, FDEP QAP# 880516 (863) 655-4022

For: Hardee County
 Solid Waste Department
 685 Airport Road
 Wauchula, FL 33873-
 Attn: J.R. Prestridge

01/20/2004
 Page 1 of 13

Laboratory Number: 201387

Project: Hardee County
 Location: Landfill
 Sample ID: Manhole #1
 Sampled By: E. McCarta on 12/11/2003 @ 1500
 Received: 12/11/2003 @ 1605

REPORT OF ANALYSIS

FIELD DATA


Temperature	25.0	deg. C
pH	6.26	S.U.
Conductivity	1087.	umho/cm
Dissolved Oxygen	1.48	mg/L
Color & Sheen	Color	

LABORATORY DATA

Parameter	Result	Units	Method	Analyst	Date/Time of Analysis	MDL
Total Dissolved Solids	590. ✓	mg/L	EPA 160.1	O. Martinez	12/12/2003 @ 0858	10.
Alkalinity	331.	mg/L	EPA 310.1	T. Heath	12/12/2003 @ 0921	0.5
Chloride	134. ✓	mg/L	EPA 325.3	T. Heath	12/12/2003 @ 1007	0.5
Cyanide	0.005u	mg/L	EPA 335.3	J. Cosgrave	12/22/2003 @ 0906	0.005
Sulfide	1.34	mg/L	EPA 376.1	T. Heath	12/16/2003 @ 1138	0.05
Ammonia Nitrogen (NH3-N)	18.9 ✓	mg/L	EPA 350.1	J. Cosgrave	12/22/2003 @ 1652	0.04
Nitrite Nitrogen (NO2-N)	0.01u	mg/L	EPA 353.2	J. Cosgrave	12/11/2003 @ 1900	0.01
Nitrate Nitrogen (NO3-N)	0.02 ✓	mg/L	Calc.	J. Cosgrave	12/16/2003 @ 1626	0.02
Nitrate + Nitrite N (NO2+NO3)	0.02	mg/L	EPA 353.2	J. Cosgrave	12/16/2003 @ 1626	0.02
Antimony	0.003u	mg/L	EPA 204.2	D. Morton	12/22/2003 @ 1019	0.003
Arsenic	0.005u	mg/L	EPA 206.3	J. Mansell	01/09/2004 @ 1307	0.005
Barium	2 ^{NS/L} 0.06	mg/L	EPA 208.1	J. Mansell	12/31/2003 @ 1127	0.02

u = Parameter was analyzed for but not detected

Respectfully Submitted,



Bruce Cummings
 Laboratory Director

SHORT ENVIRONMENTAL LABORATORIES, INC.

10405 US 27 South
Sebring, Florida 33876

(800) 833-4022 FDOH# E85458, FDEP QAP# 880516 (863) 655-4022

For: Hardee County
Solid Waste Department
685 Airport Road
Wauchula, FL 33873-
Attn: J.R. Prestridge

01/20/2004
Page 2 of 13

Laboratory Number: 201387

Project: Hardee County
Location: Landfill
Sample ID: Manhole #1
Sampled By: E. McCarta on 12/11/2003 @ 1500
Received: 12/11/2003 @ 1605


REPORT OF ANALYSIS

LABORATORY DATA

Parameter	Result	Units	Method	Analyst	Date/Time of Analysis	MDL
Beryllium	0.001u	mg/L	EPA 210.2	D. Morton	12/23/2003 @ 0910	0.001
Cadmium	0.004	mg/L	EPA 213.1	J. Mansell	01/07/2004 @ 1001	0.002
Chromium	0.005u	mg/L	EPA 218.2	D. Morton	12/30/2003 @ 1416	0.005
Cobalt	0.05u	mg/L	EPA 6010	E84098	12/18/2003 @ 1120	0.05
Copper	0.01u	mg/L	EPA 220.1	J. Mansell	12/22/2003 @ 1256	0.01
Iron	15.0	mg/L	EPA 236.1	J. Mansell	01/05/2004 @ 1001	0.02
Lead	0.001u	mg/L	EPA 239.2	D. Morton	12/29/2003 @ 1108	0.001
Mercury	0.001u	mg/L	EPA 245.1	J. Mansell	12/23/2003 @ 0814	0.001
Nickel	0.03	mg/L	EPA 249.1	J. Mansell	01/07/2004 @ 1221	0.01
Selenium	0.005u	mg/L	EPA 270.2	D. Morton	12/15/2003 @ 1410	0.005
Silver	0.001u	mg/L	EPA 272.2	D. Morton	12/24/2003 @ 0937	0.001
Sodium	74.	mg/L	EPA 273.1	J. Mansell	12/18/2003 @ 0908	1.0
Thallium	0.002u	mg/L	EPA 279.2	D. Morton	01/07/2004 @ 1034	0.002
Tin	0.10u	mg/L	EPA 6010	E84098	01/13/2004 @ 1557	0.10
Vanadium	0.10u	mg/L	EPA 6010	E84098	12/18/2003 @ 1120	0.10
Zinc	0.014	mg/L	EPA 289.1	J. Mansell	01/07/2004 @ 1354	0.002
Aldrin	0.004u	ug/L	EPA 608	E84098	12/31/2003 @ 0000	0.004
Chlordane	0.02u	ug/L	EPA 608	E84098	12/31/2003 @ 0000	0.02
Dieldrin	0.004u	ug/L	EPA 608	E84098	12/31/2003 @ 0000	0.004

u = Parameter was analyzed for but not detected

Respectfully Submitted,



Bruce Cummings
Laboratory Director

SHORT ENVIRONMENTAL LABORATORIES, INC.

10405 US 27 South
Sebring, Florida 33876

(800) 833-4022 FDOH# E85458, FDEP QAP# 880516 (863) 655-4022

For: Hardee County
Solid Waste Department
685 Airport Road
Wauchula, FL 33873-
Attn: J.R. Prestridge

01/20/2004
Page 3 of 13

Laboratory Number: 201387

Project: Hardee County
Location: Landfill
Sample ID: Manhole #1
Sampled By: E. McCarta on 12/11/2003 @ 1500
Received: 12/11/2003 @ 1605


REPORT OF ANALYSIS

LABORATORY DATA

Parameter	Result	Units	Method	Analyst	Date/Time of Analysis	MDL
Endosulfan I	0.014u	ug/L	EPA 608	E84098	12/31/2003 @ 0000	0.014
Endosulfan II	0.004u	ug/L	EPA 608	E84098	12/31/2003 @ 0000	0.004
Endosulfan sulfate	0.03u	ug/L	EPA 608	E84098	12/31/2003 @ 0000	0.03
Endrin	0.006u	ug/L	EPA 608	E84098	12/31/2003 @ 0000	0.006
Endrin aldehyde	0.023u	ug/L	EPA 608	E84098	12/31/2003 @ 0000	0.023
Heptachlor	0.003u	ug/L	EPA 608	E84098	12/31/2003 @ 0000	0.003
Heptachlor epoxide	0.010u	ug/L	EPA 608	E84098	12/31/2003 @ 0000	0.010
Methoxychlor	0.050u	ug/L	EPA 608	E84098	12/31/2003 @ 0000	0.050
PCBs	0.50u	ug/L	EPA 608	E84098	12/31/2003 @ 0000	0.50
Toxaphene	0.20u	ug/L	EPA 608	E84098	12/31/2003 @ 0000	0.20
A-BHC	0.003u	ug/L	EPA 608	E84098	12/31/2003 @ 0000	0.003
B-BHC	0.006u	ug/L	EPA 608	E84098	12/31/2003 @ 0000	0.006
D-BHC	0.009u	ug/L	EPA 608	E84098	12/31/2003 @ 0000	0.009
G-BHC (Lindane)	0.004u	ug/L	EPA 608	E84098	12/31/2003 @ 0000	0.004
4,4-DDD	0.011u	ug/L	EPA 608	E84098	12/31/2003 @ 0000	0.011
4,4-DDE	0.004u	ug/L	EPA 608	E84098	12/31/2003 @ 0000	0.004
4,4-DDT	0.012u	ug/L	EPA 608	E84098	12/31/2003 @ 0000	0.012
Dinoseb	0.20u	ug/L	EPA 8150	E84098	01/06/2004 @ 0000	0.20
2,4-D	0.20u	ug/L	EPA 8150	E84098	01/06/2004 @ 0000	0.20

u = Parameter was analyzed for but not detected

Respectfully Submitted,



Bruce Cummings
Laboratory Director

SHORT ENVIRONMENTAL LABORATORIES, INC.

10405 US 27 South
Sebring, Florida 33876

(800) 833-4022 FDOH# E85458, FDEP QAP# 880516 (863) 655-4022

For: Hardee County
Solid Waste Department
685 Airport Road
Wauchula, FL 33873-
Attn: J.R. Prestridge

01/20/2004
Page 4 of 13

Laboratory Number: 201387

Project: Hardee County
Location: Landfill
Sample ID: Manhole #1
Sampled By: E. McCarta on 12/11/2003 @ 1500
Received: 12/11/2003 @ 1605


REPORT OF ANALYSIS

LABORATORY DATA

Parameter	Result	Units	Method	Analyst	Date/Time of Analysis	MDL
Silvex (2,4,5-TP)	0.10u	ug/L	EPA 8150	E84098	01/06/2004 @ 0000	0.10
2,4,5-T	0.20u	ug/L	EPA 8150	E84098	01/06/2004 @ 0000	0.20
Acetone	2.5u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	2.5
Acetonitrile	10.u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	10.
Acrolein	1.70u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	1.70
Acrylonitrile	1.50u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	1.50
Allyl chloride	0.50u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	0.50
Benzene	1.45 ✓	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	0.04
Bromochloromethane	0.50u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	0.50
Bromodichloromethane	0.08u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	0.08
Bromoform	0.12u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	0.12
Carbon disulfide	4.1u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	4.1
Carbon tetrachloride	0.21u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	0.21
Chlorobenzene	1.20 ✓	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	0.04
Chloroethane	0.10u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	0.10
Chloroform	0.03u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	0.03
Chloroprene	0.03u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	0.03
Dibromochloromethane	0.05u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	0.05
1,2-Dibromo-3-chloropropane	0.50u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	0.50

u = Parameter was analyzed for but not detected

Respectfully Submitted,



Bruce Cummings
Laboratory Director

SHORT ENVIRONMENTAL LABORATORIES, INC.

10405 US 27 South

Sebring, Florida 33876

(800) 833-4022 FDOH# E85458, FDEP QAP# 880516 (863) 655-4022

For: Hardee County
 Solid Waste Department
 685 Airport Road
 Wauchula, FL 33873-
 Attn: J.R. Prestridge

01/20/2004
 Page 5 of 13

Laboratory Number: 201387

Project: Hardee County
 Location: Landfill
 Sample ID: Manhole #1
 Sampled By: E. McCarta on 12/11/2003 @ 1500
 Received: 12/11/2003 @ 1605

REPORT OF ANALYSIS

LABORATORY DATA

Parameter	Result	Units	Method	Analyst	Date/Time of Analysis	MDL
1,2-Dibromomethane	0.50u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	0.50
1,2-Dichlorobenzene	0.03u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	0.03
1,3-Dichlorobenzene	0.12u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	0.12
1,4-Dichlorobenzene	1.09	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	0.03
trans-1,4-Dichloro-2-butene	10.u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	10.
Dichlorodifluoromethane	0.10u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	0.10
1,1-Dichloroethane	0.03u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	0.03
1,2-Dichloroethane	0.02u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	0.02
1,1-Dichloroethene	0.12u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	0.12
cis-1,2-Dichloroethene	0.10u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	0.10
trans-1,2-Dichloroethene	0.06u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	0.06
1,2-Dichloropropane	0.04u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	0.04
1,3-Dichloropropane	1.0u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	1.0
2,2-Dichloropropane	1.0u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	1.0
1,1-Dichloropropene	1.0u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	1.0
cis-1,3-Dichloropropene	0.05u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	0.05
trans-1,3-Dichloropropene	0.04u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	0.04
Ethylbenzene	1.64	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	0.06
Ethyl methacrylate	0.50u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	0.50

u = Parameter was analyzed for but not detected

Respectfully Submitted,



Bruce Cummings
 Laboratory Director

SHORT ENVIRONMENTAL LABORATORIES, INC.

10405 US 27 South

Sebring, Florida 33876

(800) 833-4022

FDOH# E85458, FDEP QAP# 880516

(863) 655-4022

For: Hardee County
Solid Waste Department
685 Airport Road
Wauchula, FL 33873-
Attn: J.R. Prestridge

01/20/2004
Page 6 of 13

Laboratory Number: 201387

Project: Hardee County
Location: Landfill
Sample ID: Manhole #1
Sampled By: E. McCarta on 12/11/2003 @ 1500
Received: 12/11/2003 @ 1605


REPORT OF ANALYSIS

LABORATORY DATA

Parameter	Result	Units	Method	Analyst	Date/Time of Analysis	MDL
2-Hexanone	5.0u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	5.0
Isobutyl alcohol	10.u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	10.
Methacrylonitrile	10.u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	10.
Methyl bromide	0.11u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	0.11
Methyl Chloride	0.13u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	0.13
Methyl ethyl ketone	5.0u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	5.0
Methyl iodide	0.50u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	0.50
Methyl methacrylate	0.50u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	0.50
4-Methyl-2-pentanone	5.0u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	5.0
Methylene bromide	0.30u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	0.30
Methylene chloride	0.03u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	0.03
Propionitrile	10.u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	10.
Styrene	1.0u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	1.0
1,1,1,2-Tetrachloroethane	0.10u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	0.10
1,1,2,2-Tetrachloroethane	0.04u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	0.04
Tetrachloroethene	0.14u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	0.14
Toluene	0.94	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	0.11
1,1,1-Trichloroethane	0.04u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	0.04
1,1,2-Trichloroethane	0.10u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	0.10

u = Parameter was analyzed for but not detected

Respectfully Submitted,



Bruce Cummings
Laboratory Director

SHORT ENVIRONMENTAL LABORATORIES, INC.

10405 US 27 South
Sebring, Florida 33876

(800) 833-4022 FDOH# E85458, FDEP QAP# 880516 (863) 655-4022

For: Hardee County
Solid Waste Department
685 Airport Road
Wauchula, FL 33873-
Attn: J.R. Prestridge

01/20/2004
Page 7 of 13

Laboratory Number: 201387

Project: Hardee County
Location: Landfill
Sample ID: Manhole #1
Sampled By: E. McCarta on 12/11/2003 @ 1500
Received: 12/11/2003 @ 1605

REPORT OF ANALYSIS

LABORATORY DATA

Parameter	Result	Units	Method	Analyst	Date/Time of Analysis	MDL
Trichloroethene	0.19u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	0.19
Trichlorofluoromethane	0.08u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	0.08
1,2,3-Trichloropropane	0.30u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	0.30
Vinyl acetate	10.u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	10.
Vinyl chloride	0.17u	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	0.17
Xylene (total)	4.11	ug/L	EPA 8260	E84098	12/22/2003 @ 0000	0.11
4-Chloro-3-methylphenol	3.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	3.0
2-Chlorophenol	3.3u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	3.3
(3+4)-Methylphenol	3.5u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	3.5
2-Methylphenol	3.5u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	3.5
Benzoic Acid	10.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	10.0
2,4-Dichlorophenol	2.7u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	2.7
2,6-Dichlorophenol	5.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	5.0
2,4-Dimethylphenol	2.7u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	2.7
4,6-Dinitro-o-cresol	9.5u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	9.5
2,4-Dinitrophenol	5.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	5.0
2-Nitrophenol	3.6u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	3.6
4-Nitrophenol	2.4u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	2.4
Pentachlorophenol	1.5u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	1.5

u = Parameter was analyzed for but not detected

Respectfully Submitted,



Bruce Cummings
Laboratory Director

SHORT ENVIRONMENTAL LABORATORIES, INC.

10405 US 27 South

Sebring, Florida 33876

(800) 833-4022

FDOH# E85458, FDEP QAP# 880516

(863) 655-4022

For: Hardee County
Solid Waste Department
685 Airport Road
Wauchula, FL 33873-
Attn: J.R. Prestridge

01/20/2004
Page 8 of 13

Laboratory Number: 201387

Project: Hardee County
Location: Landfill
Sample ID: Manhole #1
Sampled By: E. McCarta on 12/11/2003 @ 1500
Received: 12/11/2003 @ 1605


REPORT OF ANALYSIS

LABORATORY DATA

Parameter	Result	Units	Method	Analyst	Date/Time of Analysis	MDL
Phenol	1.5u	ug/L	EPA 827D	E84098	01/09/2004 @ 0000	1.5
2,3,4,6-Tetrachlorophenol	5.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	5.0
2,4,5-Trichlorophenol	3.9u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	3.9
2,4,6-Trichlorophenol	2.7u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	2.7
Acenaphthene	1.9u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	1.9
Acenaphthylene	2.5u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	2.5
Acetophenone	5.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	5.0
2-Acetylaminofluorene	7.5u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	7.5
4-Aminobiphenyl	5.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	5.0
Anthracene	1.9u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	1.9
Benzo (A) anthracene	3.1u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	3.1
Benzo (B) fluoranthene	2.5u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	2.5
Benzo (K) fluoranthene	2.5u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	2.5
Benzo (GHI) perylene	4.1u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	4.1
Benzo (A) pyrene	0.1u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	0.1
Benzyl alcohol	5.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	5.0
Bis (2-chloroethoxy) methane	2.5u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	2.5
Bis (2-chloroethyl) ether	2.5u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	2.5
Bis (2-chloroisopropyl) ether	5.7u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	5.7

u = Parameter was analyzed for but not detected

Respectfully Submitted,



Bruce Cummings
Laboratory Director

SHORT ENVIRONMENTAL LABORATORIES, INC.

10405 US 27 South
Sebring, Florida 33876

(800) 833-4022 FDOH# E85458, FDEP QAP# 880516 (863) 655-4022

For: Hardee County
Solid Waste Department
685 Airport Road
Wauchula, FL 33873-
Attn: J.R. Prestridge

01/20/2004
Page 9 of 13

Laboratory Number: 201387

Project: Hardee County
Location: Landfill
Sample ID: Manhole #1
Sampled By: E. McCarta on 12/11/2003 @ 1500
Received: 12/11/2003 @ 1605


REPORT OF ANALYSIS

LABORATORY DATA

Parameter	Result	Units	Method	Analyst	Date/Time of Analysis	MDL
Bis (2-ethylhexyl) phthalate	2.5u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	2.5
4-Bromophenyl phenyl ether	1.9u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	1.9
Butyl benzyl phthalate	2.5u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	2.5
p-Chloroaniline	6.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	6.0
Chlorobenzilate	10.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	10.0
2-Chloronaphthalene	1.9u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	1.9
4-Chlorophenyl phenyl ether	4.2u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	4.2
Chrysene	2.5u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	2.5
Diallate	5.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	5.0
Dibenz (A,H) anthracene	2.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	2.0
Dibenzofuran	5.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	5.0
Di-n-butyl phthalate	2.5u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	2.5
3,3-Dichlorobenzidine	3.2u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	3.2
Diethyl phthalate	1.9u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	1.9
Thionazin	10.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	10.0
Dimethoate	5.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	5.0
p-(Dimethylamino) azobenzene	6.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	6.0
7,12-Dimethylbenz(A)anthracene	5.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	5.0
3,3-Dimethylbenzidine	5.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	5.0

u = Parameter was analyzed for but not detected

Respectfully Submitted,



Bruce Cummings
Laboratory Director

SHORT ENVIRONMENTAL LABORATORIES, INC.

10405 US 27 South

Sebring, Florida 33876

(800) 833-4022

FDOH# E85458, FDEP QAP# 880516

(863) 655-4022

For: Hardee County
Solid Waste Department
685 Airport Road
Wauchula, FL 33873-
Attn: J.R. Prestridge

01/20/2004
Page 10 of 13

Laboratory Number: 201387

Project: Hardee County
Location: Landfill
Sample ID: Manhole #1
Sampled By: E. McCarta on 12/11/2003 @ 1500
Received: 12/11/2003 @ 1605

REPORT OF ANALYSIS

LABORATORY DATA

Parameter	Result	Units	Method	Analyst	Date/Time of Analysis	MDL
Dimethyl phthalate	1.6u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	1.6
1,3-Dinitrobenzene	10.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	10.0
2,4-Dinitrotoluene	2.2u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	2.2
2,6-Dinitrotoluene	1.9u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	1.9
Di-n-octyl phthalate	2.5u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	2.5
Diphenylamine	5.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	5.0
Disulfoton	5.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	5.0
Ethyl methanesulfonate	10.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	10.0
Famphor	20.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	20.0
Fluoranthene	2.2u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	2.2
Fluorene	1.9u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	1.9
Hexachlorobenzene	1.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	1.0
Hexachlorobutadiene	0.9u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	0.9
Hexachlorocyclopentadiene	5.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	5.0
Hexachloroethane	1.6u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	1.6
Hexachloropropene	5.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	5.0
Indeno (1,2,3-CD) pyrene	3.7u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	3.7
Isodrin	6.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	6.0
Isophorone	2.2u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	2.2

u = Parameter was analyzed for but not detected

Respectfully Submitted,



Bruce Cummings
Laboratory Director

SHORT ENVIRONMENTAL LABORATORIES, INC.

10405 US 27 South

Sebring, Florida 33876

(800) 833-4022

FDOH# E85458, FDEP QAP# 880516

(863) 655-4022

For: Hardee County
Solid Waste Department
685 Airport Road
Wauchula, FL 33873-
Attn: J.R. Prestridge

01/20/2004

Page 11 of 13

Laboratory Number: 201387

Project: Hardee County
Location: Landfill
Sample ID: Manhole #1
Sampled By: E. McCarta on 12/11/2003 @ 1500
Received: 12/11/2003 @ 1605

REPORT OF ANALYSIS

LABORATORY DATA

Parameter	Result	Units	Method	Analyst	Date/Time of Analysis	MDL
Isosafrole	5.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	5.0
Kepon	30.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	30.0
Methapyrilene	30.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	30.0
3-Methylchloranthrene	5.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	5.0
Ethyl methanesulfonate	10.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	10.0
2-Methylnaphthalene	2.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	2.0
Methyl parathion	15.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	15.0
Naphthalene	1.6u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	1.6
1,4-Naphthoquinone	7.5u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	7.5
1-Naphthylamine	10.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	10.0
2-Naphthylamine	10.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	10.0
2-Nitroaniline	20.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	20.0
3-Nitroaniline	20.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	20.0
4-Nitroaniline	20.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	20.0
Nitrobenzene	1.9u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	1.9
n-Nitrosodi-n-butylamine	10.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	10.0
n-Nitrosodimethylamine	10.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	10.0
n-Nitrosodimethylamine	10.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	10.0
n-Nitrosodiphenylamine	1.9u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	1.9

u = Parameter was analyzed for but not detected

Respectfully Submitted,



Bruce Cummings
Laboratory Director

SHORT ENVIRONMENTAL LABORATORIES, INC.

10405 US 27 South

Sebring, Florida 33876

(800) 833-4022

FDOH# E85458, FDEP QAP# 880516

(863) 655-4022

For: Hardee County
Solid Waste Department
685 Airport Road
Wauchula, FL 33873-
Attn: J.R. Prestridge

01/20/2004
Page 12 of 13

Laboratory Number: 201387

Project: Hardee County
Location: Landfill
Sample ID: Manhole #1
Sampled By: E. McCarta on 12/11/2003 @ 1500
Received: 12/11/2003 @ 1605


REPORT OF ANALYSIS

LABORATORY DATA

Parameter	Result	Units	Method	Analyst	Date/Time of Analysis	MDL
n-Nitrosodi-n-propylamine	10.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	10.0
n-Nitrosoethylmethylamine	10.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	10.0
n-Nitrosopiperidine	10.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	10.0
n-Nitrosopyrrolidine	15.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	15.0
5-Nitro-o-toluidine	10.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	10.0
Parathion	15.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	15.0
Pentachlorobenzene	5.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	5.0
Pentachloronitrobenzene	10.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	10.0
Phenacetin	10.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	10.0
Phenanthrene	2.5u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	2.5
p-Phenylenediamine	10.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	10.0
Phorate	3.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	3.0
Pronamide	10.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	10.0
Pyrene	1.9u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	1.9
Safrole	7.5u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	7.5
1,2,4,5-Tetrachlorobenzene	5.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	5.0
o-Toluidine	10.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	10.0
1,2,4-Trichlorobenzene	1.9u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	1.9
o,o,o-Triethylphosphorothioate	30.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	30.0

u = Parameter was analyzed for but not detected

Respectfully Submitted,



Bruce Cummings
Laboratory Director

SHORT ENVIRONMENTAL LABORATORIES, INC.

10405 US 27 South
Sebring, Florida 33876

(800) 833-4022 FDOH# E85458, FDEP QAP# 880516 (863) 655-4022

For: Hardee County
Solid Waste Department
685 Airport Road
Wauchula, FL 33873-
Attn: J.R. Prestridge

01/20/2004
Page 13 of 13

Laboratory Number: 201387

Project: Hardee County
Location: Landfill
Sample ID: Manhole #1
Sampled By: E. McCarta on 12/11/2003 @ 1500
Received: 12/11/2003 @ 1605


REPORT OF ANALYSIS

LABORATORY DATA

Parameter	Result	Units	Method	Analyst	Date/Time of Analysis	MDL
1,3,5-Trinitrobenzene	10.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	10.0
cis-Diallate	5.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	5.0
trans-Diallate	5.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	5.0
a,a-Dimethylphenylamine	15.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	15.0
1,2 DiChloroBenzene	1.9u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	1.9
1,3-DiChloroBenzene	1.9u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	1.9
1,4-DiChloroBenzene	4.4u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	4.4
Aniline	10.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	10.0
2-Picoline	15.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	15.0
Benzidine	30.0u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	30.0
DiBenz(AJ)Acridine	3.5u	ug/L	EPA 8270	E84098	01/09/2004 @ 0000	3.5

u = Parameter was analyzed for but not detected

Respectfully Submitted,



Bruce Cummings
Laboratory Director

PART III ANALYTICAL RESULTS

Facility GMS #: 4025C30001

Sampling Date/Time: 12/11/03 @ 1500

Test Site ID #: 4025A

Report Period: 07/01/03 to 12/31/03

Well Name: Leachate Well Purged (Y/N)

Classification of Groundwater

Well Type: [] Background
 [] Intermediate
 [] Compliance
 [x] Other

Groundwater Elevation (MSL): ft.

STORET Code	Parameter Monitored	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Date/Time	Analysis Results/Units	Detection Limits/Units
000094	Specific Conductivity (field)	Scoop	No	EPA 120.1	12/11/03 @ 1200	1087. umhos/cm	1. umhos/cm
004060	pH (Field)	Scoop	No	EPA 150.1	12/11/03 @ 1200	6.26 S.U.	S.U.
000299	Dissolved Oxygen (field)	Scoop	No	EPA 360.1	12/11/03 @ 1200	1.48 mg/L	0.1 mg/L
000010	Temperature (field)	Scoop	No	EPA 170.1	12/11/03 @ 1200	25.0 C	C
085326	Colors & Sheens (by observation)	Scoop	No	EPA	12/11/03 @ 1200	Color	
000610	Total Ammonia - N	Scoop	No	EPA 350.1	12/22/03 @ 1652	18.9 mg/L	0.04 mg/L
000410	Bicarbonate	Scoop	No	EPA 310.1	12/12/03 @ 0921	331. mg/L	1.0 mg/L
000940	Chlorides	Scoop	No	EPA 325.3	12/12/03 @ 1007	134. mg/L	0.5 mg/L
001045	Iron	Scoop	No	EPA 236.1	01/05/04 @ 1001	15.0 mg/L	0.01 mg/L
071900	Mercury	Scoop	No	EPA 245.1	12/23/03 @ 0814	< 0.001 mg/L	0.001 mg/L
000620	Nitrate	Scoop	No	EPA 353.2	12/16/03 @ 1626	0.02 mg/L	0.02 mg/L
000929	Sodium	Scoop	No	EPA 273.1	12/18/03 @ 0908	74. mg/L	0.1 mg/L
070300	Total dissolved solids (TDS)	Scoop	No	EPA 160.1	12/12/03 @ 0858	590. mg/L	1. mg/L

Appendix I - Inorganic

001097	Antimony	Scoop	No	EPA 204.2	12/22/03 @ 1019	< 0.003 mg/L	0.003 mg/L
001002	Arsenic	Scoop	No	EPA 206.3	01/09/04 @ 1307	< 0.005 mg/L	0.005 mg/L
001007	Barium	Scoop	No	EPA 208.1	12/31/03 @ 1127	0.06 mg/L	0.02 mg/L
001012	Beryllium	Scoop	No	EPA 210.2	12/23/03 @ 0910	< 0.001 mg/L	0.001 mg/L
001027	Cadmium	Scoop	No	EPA 213.1	01/07/04 @ 1001	0.004 mg/L	0.002 mg/L
001034	Chromium	Scoop	No	EPA 218.2	12/30/03 @ 1416	< 0.005 mg/L	0.005 mg/L
001037	Cobalt	Scoop	No	EPA 6010	12/18/03 @ 1120	< 0.05 mg/L	0.05 mg/L
001042	Copper	Scoop	No	EPA 220.1	12/22/03 @ 1256	< 0.01 mg/L	0.01 mg/L
001051	Lead	Scoop	No	EPA 239.2	12/29/03 @ 1108	< 0.001 mg/L	0.001 mg/L
001067	Nickel	Scoop	No	EPA 249.1	01/07/04 @ 1221	0.03 mg/L	0.01 mg/L
001147	Selenium	Scoop	No	EPA 270.2	12/16/03 @ 1410	< 0.005 mg/L	0.005 mg/L
001077	Silver	Scoop	No	EPA 272.2	12/24/03 @ 0937	< 0.001 mg/L	0.001 mg/L
001059	Thallium	Scoop	No	EPA 279.2	01/07/04 @ 1034	< 0.002 mg/L	0.002 mg/L
001087	Vanadium	Scoop	No	EPA 6010	12/18/03 @ 1120	< 0.10 mg/L	0.10 mg/L
001092	Zinc	Scoop	No	EPA 289.1	01/07/04 @ 1354	0.014 mg/L	0.002 mg/L

Appendix I - Organic

081552	Acetone	Scoop	No	EPA 8260	12/22/03	< 2.5 ug/L	2.5 ug/L
034215	Acrylonitrile	Scoop	No	EPA 8260	12/22/03	< 1.50 ug/L	1.50 ug/L

PART III ANALYTICAL RESULTS

Facility GMS #: 4025C30001

Sampling Date/Time: 12/11/03 @ 1500

Test Site ID #: 4025A

Report Period: 07/01/03 to 12/31/03

Well Name: Leachate Well Purged (Y/N)

Classification of Groundwater

Well Type: Background
 Intermediate
 Compliance
 Other

Groundwater Elevation (MSL): ft.

STORET Code	Parameter Monitored	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Date/Time	Analysis Results/Units	Detection Limits/Units
034030	Benzene	Scoop	No	EPA 8260	12/22/03	1.45 ug/L	0.04 ug/L
073085	Bromochloromethane	Scoop	No	EPA 8260	12/22/03	< 0.5 ug/L	0.5 ug/L
032101	Bromodichloromethane	Scoop	No	EPA 8260	12/22/03	< 0.08 ug/L	0.08 ug/L
032104	Bromoform	Scoop	No	EPA 8260	12/22/03	< 0.12 ug/L	0.12 ug/L
046372	Carbon disulfide	Scoop	No	EPA 8260	12/22/03	< 4.1 ug/L	4.1 ug/L
032102	Carbon tetrachloride	Scoop	No	EPA 8260	12/22/03	< 0.21 ug/L	0.21 ug/L
034301	Chlorobenzene	Scoop	No	EPA 8260	12/22/03	1.20 ug/L	0.04 ug/L
034311	Chloroethane	Scoop	No	EPA 8260	12/22/03	< 0.10 ug/L	0.10 ug/L
032106	Chloroform	Scoop	No	EPA 8260	12/22/03	< 0.03 ug/L	0.03 ug/L
032105	Dibromochloromethane	Scoop	No	EPA 8260	12/22/03	< 0.05 ug/L	0.05 ug/L
037860	1,2-Dibromo-3-chloropropane (DBCP)	Scoop	No	EPA 8260	12/22/03	< 0.5 ug/L	0.5 ug/L
046369	1,2-Dibromoethane	Scoop	No	EPA 8260	12/22/03	< 0.5 ug/L	0.5 ug/L
034536	o-Dichlorobenzene	Scoop	No	EPA 8260	12/22/03	< 0.03 ug/L	0.03 ug/L
034571	p-Dichlorobenzene	Scoop	No	EPA 8260	12/22/03	1.09 ug/L	0.03 ug/L
077268	trans-1,4-Dichloro-2-butene	Scoop	No	EPA 8260	12/22/03	< 10.0 ug/L	10.0 ug/L
034496	1,1-Dichloroethane	Scoop	No	EPA 8260	12/22/03	< 0.03 ug/L	0.03 ug/L
034531	1,2-Dichloroethane	Scoop	No	EPA 8260	12/22/03	< 0.02 ug/L	0.02 ug/L
034501	1,1-Dichloroethylene	Scoop	No	EPA 8260	12/22/03	< 0.12 ug/L	0.12 ug/L
077093	cis-1,2-Dichloroethylene	Scoop	No	EPA 8260	12/22/03	< 0.10 ug/L	0.10 ug/L
034546	trans-1,2-Dichloroethylene	Scoop	No	EPA 8260	12/22/03	< 0.06 ug/L	0.06 ug/L
034541	1,2-Dichloropropane	Scoop	No	EPA 8260	12/22/03	< 0.04 ug/L	0.04 ug/L
034704	cis-1,3-Dichloropropene	Scoop	No	EPA 8260	12/22/03	< 0.05 ug/L	0.05 ug/L
034699	trans-1,3-Dichloropropene	Scoop	No	EPA 8260	12/22/03	< 0.04 ug/L	0.04 ug/L
034371	Ethylbenzene	Scoop	No	EPA 8260	12/22/03	1.64 ug/L	0.06 ug/L
077103	2-Hexanone	Scoop	No	EPA 8260	12/22/03	< 5.0 ug/L	5.0 ug/L
034413	Methyl bromide	Scoop	No	EPA 8260	12/22/03	< 0.11 ug/L	0.11 ug/L
034418	Methyl chloride	Scoop	No	EPA 8260	12/22/03	< 0.13 ug/L	0.13 ug/L
046361	Methylene bromide	Scoop	No	EPA 8260	12/22/03	< 0.3 ug/L	0.3 ug/L
034423	Methylene chloride	Scoop	No	EPA 8260	12/22/03	< 0.03 ug/L	0.03 ug/L
081595	Methyl ethyl ketone	Scoop	No	EPA 8260	12/22/03	< 5.0 ug/L	5.0 ug/L
077424	Methyl iodide	Scoop	No	EPA 8260	12/22/03	< 0.5 ug/L	0.5 ug/L
078133	4-Methyl-2-pentanone	Scoop	No	EPA 8260	12/22/03	< 5.0 ug/L	5.0 ug/L
077128	Styrene	Scoop	No	EPA 8260	12/22/03	< 1.0 ug/L	1.0 ug/L
077562	1,1,1,2-Tetrachloroethane	Scoop	No	EPA 8260	12/22/03	< 0.1 ug/L	0.1 ug/L
034516	1,1,2,2-Tetrachloroethane	Scoop	No	EPA 8260	12/22/03	< 0.04 ug/L	0.04 ug/L
034475	Tetrachloroethylene	Scoop	No	EPA 8260	12/22/03	< 0.14 ug/L	0.14 ug/L

PART III ANALYTICAL RESULTS

Facility GMS #: 4025C30001

Sampling Date/Time: 12/11/03 @ 1500

Test Site ID #: 4025A

Report Period: 07/01/03 to 12/31/03

Well Name: Leachate Well Purged (Y/N)

Classification of Groundwater

Well Type: Background
 Intermediate
 Compliance
 Other

Groundwater Elevation (MSL): ft.

STORET Code	Parameter Monitored	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Date/Time	Analysis Results/Units	Detection Limits/Units
034010	Toluene	Scoop	No	EPA 8260	12/22/03	0.094 ug/L	0.11 ug/L
034506	1,1,1-Trichloroethane	Scoop	No	EPA 8260	12/22/03	< 0.04 ug/L	0.04 ug/L
034511	1,1,2-Trichloroethane	Scoop	No	EPA 8260	12/22/03	< 0.10 ug/L	0.10 ug/L
039180	Trichloroethylene	Scoop	No	EPA 8260	12/22/03	< 0.19 ug/L	0.19 ug/L
034488	Trichlorofluoromethane	Scoop	No	EPA 8260	12/22/03	< 0.08 ug/L	0.08 ug/L
077443	1,2,3-Trichloropropane	Scoop	No	EPA 8260	12/22/03	< 0.3 ug/L	0.3 ug/L
077057	Vinyl acetate	Scoop	No	EPA 8260	12/22/03	< 10.0 ug/L	10.0 ug/L
039175	Vinyl chloride	Scoop	No	EPA 8260	12/22/03	< 0.17 ug/L	0.17 ug/L
034020	Xylenes	Scoop	No	EPA 8260	12/22/03	4.11 ug/L	0.11 ug/L