


38414
GWMR
LA
JTM
12/7/05
Hardee County Solid Waste Department
685 Airport Road
Wauchula, Florida 33873
Phone: 863-773-5089 Fax: 863-773-3907
Teresa.carver@hardeecounty.net

.....

Hardee County Solid Waste

February 4, 2005

John Morris, environmental Specialist III
Department of Environmental Regulation
Waste Management Section
3804 Coconut Palm Drive
Tampa, Fl 33619-8318



Dear Mr. Morris,
Submitted for your review is a copy of the Semi- annual groundwater monitoring
and annual leachate analysis.
Should you have any questions feel free to contact me.

Thank you,

A handwritten signature in cursive script that reads "Teresa Carver".

Teresa Carver
Hardee County Solid Waste Director

Cc: Chongman Lee
Andy Maddox

.....

DEC 2004
SAMPLING
EVENT

SHORT ENVIRONMENTAL LABORATORIES, INC.

10405 US 27 South
Sebring, Florida 33876

(800) 833-4022 FDOH# E85458, FDEP QAP# 880516 (863) 655-4022

For: Hardee County
Solid Waste Department
685 Airport Road
Wauchula, FL 33873-
Attn: J.R. Prestridge

02/03/2005
Page 1 of 2

Laboratory Number: 225645

Project: Hardee County
Location: Landfill
Sample ID: Manhole #1
Sampled By: K. Hayes on 12/13/2004 @ 1250
Received: 12/13/2004 @ 1515

REPORT OF ANALYSIS

FIELD DATA

Temperature 25.6 deg. C
pH 6.63 S.U.
Conductivity 1180. umho/cm
Dissolved Oxygen 2.54 mg/L
Color & Sheen Color

LABORATORY DATA

Parameter	Result	Units	Method	Analyst	Date/Time of Analysis	MDL
Total Dissolved Solids	628.	mg/L	EPA 160.1	R. Capone	12/14/2004 @ 0918	10.
Alkalinity	368.	mg/L	EPA 310.1	T. Heath	12/15/2004 @ 0948	0.5
Chloride	193.	mg/L	EPA 325.3	T. Heath	12/20/2004 @ 0937	0.5
Cyanide	0.005u	mg/L	EPA 335.3	J. Cosgrave	12/27/2004 @ 0700	0.005
Sulfide	2.57	mg/L	EPA 376.1	T. Heath	12/14/2004 @ 0852	0.05
Ammonia Nitrogen (NH3-N)	35.5	mg/L	EPA 350.1	J. Cosgrave	12/19/2004 @ 1808	0.04
Nitrite Nitrogen (NO2-N)	0.01u	mg/L	EPA 353.2	J. Cosgrave	12/14/2004 @ 1825	0.01
Nitrate Nitrogen (NO3-N)	0.03	mg/L	Calc.	J. Cosgrave	12/17/2004 @ 1457	0.02
Nitrate + Nitrite N (NO2+NO3)	0.03	mg/L	EPA 353.2	J. Cosgrave	12/17/2004 @ 1457	0.02
Antimony	0.003u	mg/L	EPA 204.2	D. Morton	01/04/2005 @ 1010	0.003
Arsenic	0.005	mg/L	EPA 206.3	J. Mansell	01/14/2005 @ 0829	0.005
Barium	0.06	mg/L	EPA 208.1	J. Mansell	01/17/2005 @ 1730	0.02

u = Parameter was analyzed for but not detected

Respectfully Submitted,



Bruce Cummings
Laboratory Director

SHORT ENVIRONMENTAL LABORATORIES, INC.

10405 US 27 South

Sebring, Florida 33876

(800) 833-4022

FDOH# E85458, FDEP QAP# 880516

(863) 655-4022

For: Hardee County
Solid Waste Department
685 Airport Road
Wauchula, FL 33873-
Attn: J.R. Prestridge

02/03/2005
Page 2 of 2

Laboratory Number: 225645

Project: Hardee County
Location: Landfill
Sample ID: Manhole #1
Sampled By: K. Hayes on 12/13/2004 @ 1250
Received: 12/13/2004 @ 1515

REPORT OF ANALYSIS

LABORATORY DATA

Parameter	Result	Units	Method	Analyst	Date/Time of Analysis	MDL
Beryllium	0.001u	mg/L	EPA 210.2	D. Morton	12/16/2004 @ 1027	0.001
Cadmium	0.005	mg/L	EPA 213.1	D. Morton	01/05/2005 @ 1058	0.002
Chromium	0.005u	mg/L	EPA 218.2	D. Morton	12/27/2004 @ 1122	0.005
Cobalt	0.05u	mg/L	EPA 6010	E84098	12/17/2004 @ 1540	0.05
Copper	0.01u	mg/L	EPA 220.1	J. Mansell	01/04/2005 @ 1314	0.01
Iron	19.3	mg/L	EPA 236.1	J. Mansell	01/06/2005 @ 0828	0.02
Lead	0.001u	mg/L	EPA 239.2	D. Morton	12/23/2004 @ 0937	0.001
Mercury	0.001u	mg/L	EPA 245.1	J. Mansell	01/10/2005 @ 0955	0.001
Nickel	0.03	mg/L	EPA 249.1	D. Murto	12/30/2004 @ 1100	0.01
Selenium	0.005u	mg/L	EPA 270.2	D. Morton	01/04/2005 @ 1506	0.005
Silver	0.001u	mg/L	EPA 272.2	D. Morton	12/28/2004 @ 1052	0.001
Sodium	94.	mg/L	EPA 273.1	J. Mansell	01/05/2005 @ 1409	1.0
Thallium	0.001	mg/L	EPA 279.2	D. Morton	12/30/2004 @ 0952	0.001
Tin	0.10u	mg/L	EPA 6010	E84098	01/03/2005 @ 1440	0.10
Vanadium	0.01u	mg/L	EPA 6010	E84098	12/17/2004 @ 1540	0.01
Zinc	0.020	mg/L	EPA 289.1	D. Murto	12/22/2004 @ 1100	0.002

u = Parameter was analyzed for but not detected

Respectfully Submitted,



Bruce Cummings
Laboratory Director

SHORT ENVIRONMENTAL LABORATORIES, INC.

10405 US 27 South
Sebring, Florida 33876
(800) 833-4022 FDOH# E85458, FDEP QAP# 880516 (863) 655-4022

For: Hardee County
Solid Waste Department
685 Airport Road
Wauchula, FL 33873-
Attn: J.R. Prestridge

02/03/2005
Page 1 of 11

Laboratory Number: 225733

Project: Hardee County
Location: Landfill
Sample ID: Manhole #1
Sampled By: E. McCarta on 12/14/2004 @ 1410
Received: 12/14/2004 @ 1515


REPORT OF ANALYSIS

LABORATORY DATA

Parameter	Result	Units	Method	Analyst	Date/Time of Analysis	MDL
Aldrin	0.004u	ug/L	EPA 608	E84098	12/22/2004 @ 0000	0.004
Chlordane	0.02u	ug/L	EPA 608	E84098	12/22/2004 @ 0000	0.02
Dieldrin	0.004u	ug/L	EPA 608	E84098	12/22/2004 @ 0000	0.004
Endosulfan I	0.014u	ug/L	EPA 608	E84098	12/22/2004 @ 0000	0.014
Endosulfan II	0.004u	ug/L	EPA 608	E84098	12/22/2004 @ 0000	0.004
Endosulfan sulfate	0.03u	ug/L	EPA 608	E84098	12/22/2004 @ 0000	0.03
Endrin	0.006u	ug/L	EPA 608	E84098	12/22/2004 @ 0000	0.006
Endrin aldehyde	0.023u	ug/L	EPA 608	E84098	12/22/2004 @ 0000	0.023
Heptachlor	0.003u	ug/L	EPA 608	E84098	12/22/2004 @ 0000	0.003
Heptachlor epoxide	0.010u	ug/L	EPA 608	E84098	12/22/2004 @ 0000	0.010
Methoxychlor	0.050u	ug/L	EPA 608	E84098	12/22/2004 @ 0000	0.050
PCBs	0.50u	ug/L	EPA 608	E84098	12/22/2004 @ 0000	0.50
Toxaphene	0.20u	ug/L	EPA 608	E84098	12/22/2004 @ 0000	0.20
A-BHC	0.003u	ug/L	EPA 608	E84098	12/22/2004 @ 0000	0.003
B-BHC	0.006u	ug/L	EPA 608	E84098	12/22/2004 @ 0000	0.006
D-BHC	0.009u	ug/L	EPA 608	E84098	12/22/2004 @ 0000	0.009
G-BHC (Lindane)	0.004u	ug/L	EPA 608	E84098	12/22/2004 @ 0000	0.004
4,4-DDD	0.011u	ug/L	EPA 608	E84098	12/22/2004 @ 0000	0.011
4,4-DDE	0.004u	ug/L	EPA 608	E84098	12/22/2004 @ 0000	0.004

u = Parameter was analyzed for but not detected

Respectfully Submitted,



Bruce Cummings
Laboratory Director

SHORT ENVIRONMENTAL LABORATORIES, INC.

10405 US 27 South
Sebring, Florida 33876
(800) 833-4022 FDOH# E85458, FDEP QAP# 880516 (863) 655-4022

For: Hardee County
Solid Waste Department
685 Airport Road
Wauchula, FL 33873-
Attn: J.R. Prestridge

02/03/2005
Page 2 of 11

Laboratory Number: 225733

Project: Hardee County
Location: Landfill
Sample ID: Manhole #1
Sampled By: E. McCarta on 12/14/2004 @ 1410
Received: 12/14/2004 @ 1515


REPORT OF ANALYSIS

LABORATORY DATA

Parameter	Result	Units	Method	Analyst	Date/Time of Analysis	MDL
4,4-DDT	0.012u	ug/L	EPA 608	E84098	12/22/2004 @ 0000	0.012
Dinoseb	0.20u	ug/L	EPA 8151	E84098	01/05/2005 @ 0000	0.20
2,4-D	0.20u	ug/L	EPA 8151	E84098	01/05/2005 @ 0000	0.20
Silvex (2,4,5-TP)	0.10u	ug/L	EPA 8151	E84098	01/05/2005 @ 0000	0.10
2,4,5-T	0.20u	ug/L	EPA 8151	E84098	01/05/2005 @ 0000	0.20
Acetone	2.5u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	2.5
Acetonitrile	10.u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	10.
Acrolein	1.70u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	1.70
Acrylonitrile	1.50u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	1.50
Allyl chloride	0.50u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	0.50
Benzene	1.21	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	0.04
Bromochloromethane	0.50u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	0.50
Bromodichloromethane	0.08u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	0.08
Bromoform	0.12u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	0.12
Carbon disulfide	4.1u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	4.1
Carbon tetrachloride	0.21u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	0.21
Chlorobenzene	1.08	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	0.04
Chloroethane	0.10u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	0.10
Chloroform	0.03u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	0.03

u = Parameter was analyzed for but not detected

Respectfully Submitted,



Bruce Cummings
Laboratory Director

SHORT ENVIRONMENTAL LABORATORIES, INC.

10405 US 27 South

Sebring, Florida 33876

(800) 833-4022 FDOH# E85458, FDEP QAP# 880516 (863) 655-4022

For: Hardee County
 Solid Waste Department
 685 Airport Road
 Wauchula, FL 33873-
 Attn: J.R. Prestridge

02/03/2005
 Page 3 of 11

Laboratory Number: 225733

Project: Hardee County
 Location: Landfill
 Sample ID: Manhole #1
 Sampled By: E. McCarta on 12/14/2004 @ 1410
 Received: 12/14/2004 @ 1515


REPORT OF ANALYSIS

LABORATORY DATA

Parameter	Result	Units	Method	Analyst	Date/Time of Analysis	MDL
Chloroprene	0.03u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	0.03
Dibromochloromethane	0.05u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	0.05
1,2-Dibromo-2-chloropropane	0.50u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	0.50
1,2-Dibromomethane	0.50u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	0.50
1,2-Dichlorobenzene	0.03u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	0.03
1,3-Dichlorobenzene	0.12u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	0.12
1,4-Dichlorobenzene	0.88	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	0.03
trans-1,4-Dichloro-2-butene	10.u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	10.
Dichlorodifluoromethane	0.10u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	0.10
1,1-Dichloroethane	0.03u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	0.03
1,2-Dichloroethane	0.02u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	0.02
1,1-Dichloroethene	0.12u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	0.12
cis-1,2-Dichloroethene	0.10u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	0.10
trans-1,2-Dichloroethene	0.06u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	0.06
1,2-Dichloropropane	0.04u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	0.04
1,3-Dichloropropane	1.0u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	1.0
2,2-Dichloropropane	1.0u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	1.0
1,1-Dichloropropene	1.0u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	1.0
cis-1,3-Dichloropropene	0.05u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	0.05

u = Parameter was analyzed for but not detected

Respectfully Submitted,



Bruce Cummings
 Laboratory Director

SHORT ENVIRONMENTAL LABORATORIES, INC.

10405 US 27 South

Sebring, Florida 33876

(800) 833-4022

FDOH# E85458, FDEP QAP# 880516

(863) 655-4022

For: Hardee County
Solid Waste Department
685 Airport Road
Wauchula, FL 33873-
Attn: J.R. Prestridge

02/03/2005
Page 4 of 11

Laboratory Number: 225733

Project: Hardee County
Location: Landfill
Sample ID: Manhole #1
Sampled By: E. McCarta on 12/14/2004 @ 1410
Received: 12/14/2004 @ 1515

REPORT OF ANALYSIS

LABORATORY DATA

Parameter	Result	Units	Method	Analyst	Date/Time of Analysis	MDL
trans-1,3-Dichloropropene	0.04u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	0.04
Ethylbenzene	0.28	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	0.06
Ethyl methacrylate	0.50u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	0.50
2-Hexanone	2.5u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	2.5
Isobutyl alcohol	10.u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	10.
Methacrylonitrile	10.u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	10.
Methyl bromide	0.11u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	0.11
Methyl Chloride	0.13u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	0.13
Methyl ethyl ketone	2.5u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	2.5
Methyl iodide	0.50u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	0.50
Methyl methacrylate	0.50u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	0.50
4-Methyl-2-pentanone	2.5u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	2.5
Methylene bromide	0.30u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	0.30
Methylene chloride	0.03u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	0.03
Propionitrile	10.u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	10.
Styrene	1.0u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	1.0
1,1,1,2-Tetrachloroethane	0.10u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	0.10
1,1,2,2-Tetrachloroethane	0.04u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	0.04
Tetrachloroethene	0.14u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	0.14

u = Parameter was analyzed for but not detected

Respectfully Submitted,



Bruce Cummings
Laboratory Director

SHORT ENVIRONMENTAL LABORATORIES, INC.

10405 US 27 South

Sebring, Florida 33876

(800) 833-4022 FDOH# E85458, FDEP QAP# 880516 (863) 655-4022

For: Hardee County
 Solid Waste Department
 685 Airport Road
 Wauchula, FL 33873-
 Attn: J.R. Prestridge

02/03/2005
 Page 5 of 11

Laboratory Number: 225733

Project: Hardee County
 Location: Landfill
 Sample ID: Manhole #1
 Sampled By: E. McCarta on 12/14/2004 @ 1410
 Received: 12/14/2004 @ 1515

REPORT OF ANALYSIS

LABORATORY DATA

Parameter	Result	Units	Method	Analyst	Date/Time of Analysis	MDL
Toluene	0.32	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	0.11
1,1,1-Trichloroethane	0.04u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	0.04
1,1,2-Trichloroethane	0.10u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	0.10
Trichloroethane	0.19u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	0.19
Trichlorofluoromethane	0.08u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	0.08
1,2,3-Trichloropropane	0.30u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	0.30
Vinyl acetate	10.u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	10.
Vinyl chloride	0.17u	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	0.17
Xylene (total)	2.03	ug/L	EPA 8260	E84098	12/22/2004 @ 0000	0.11
4-Chloro-3-methylphenol	3.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	3.0
2-Chlorophenol	3.3u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	3.3
(3+4)-Methylphenol	3.5u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	3.5
2-Methylphenol	3.5u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	3.5
Benzoic Acid	10.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	10.0
2,4-Dichlorophenol	2.7u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	2.7
2,6-Dichlorophenol	5.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	5.0
2,4-Dimethylphenol	2.7u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	2.7
4,6-Dinitro-o-cresol	9.5u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	9.5
2,4-Dinitrophenol	5.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	5.0

u = Parameter was analyzed for but not detected

Respectfully Submitted,



Bruce Cummings
 Laboratory Director

SHORT ENVIRONMENTAL LABORATORIES, INC.

10405 US 27 South

Sebring, Florida 33876

(800) 833-4022

FDOH# E85458, FDEP QAP# 880516

(863) 655-4022

For: Hardee County
Solid Waste Department
685 Airport Road
Wauchula, FL 33873-
Attn: J.R. Prestridge

02/03/2005
Page 6 of 11

Laboratory Number: 225733

Project: Hardee County
Location: Landfill
Sample ID: Manhole #1
Sampled By: E. McCarta on 12/14/2004 @ 1410
Received: 12/14/2004 @ 1515

REPORT OF ANALYSIS

LABORATORY DATA

Parameter	Result	Units	Method	Analyst	Date/Time of Analysis	MDL
2-Nitrophenol	3.6u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	3.6
4-Nitrophenol	2.4u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	2.4
Pentachlorophenol	1.5u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	1.5
Phenol	1.5u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	1.5
2,3,4,6-Tetrachlorophenol	5.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	5.0
2,4,5-Trichlorophenol	3.9u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	3.9
2,4,6-Trichlorophenol	2.7u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	2.7
Acenaphthene	1.9u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	1.9
Acenaphthylene	2.5u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	2.5
Acetophenone	5.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	5.0
2-Acetylaminofluorene	7.5u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	7.5
4-Aminobiphenyl	5.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	5.0
Anthracene	1.9u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	1.9
Benzo (A) anthracene	3.1u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	3.1
Benzo (B) fluoranthene	2.5u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	2.5
Benzo (K) fluoranthene	2.5u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	2.5
Benzo (GHI) perylene	4.1u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	4.1
Benzo (A) pyrene	0.1u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	0.1
Benzyl alcohol	5.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	5.0

u = Parameter was analyzed for but not detected

Respectfully Submitted,



Bruce Cummings
Laboratory Director

SHORT ENVIRONMENTAL LABORATORIES, INC.

10405 US 27 South

Sebring, Florida 33876

(800) 833-4022

FDOH# E85458, FDEP QAP# 880516

(863) 655-4022

For: Hardee County
Solid Waste Department
685 Airport Road
Wauchula, FL 33873-
Attn: J.R. Prestridge

02/03/2005
Page 7 of 11

Laboratory Number: 225733

Project: Hardee County
Location: Landfill
Sample ID: Manhole #1
Sampled By: E. McCarta on 12/14/2004 @ 1410
Received: 12/14/2004 @ 1515

REPORT OF ANALYSIS

LABORATORY DATA

Parameter	Result	Units	Method	Analyst	Date/Time of Analysis	MDL
Bis (2-chloroethoxy) methane	2.5u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	2.5
Bis (2-chloroethyl) ether	2.5u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	2.5
Bis (2-chloroisopropyl) ether	5.7u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	5.7
Bis (2-ethylhexyl) phthalate	2.5u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	2.5
4-Bromophenyl phenyl ether	1.9u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	1.9
Butyl benzyl phthalate	2.5u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	2.5
4-Chloroaniline	6.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	6.0
Chlorobenzilate	10.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	10.0
2-Chloronaphthalene	1.9u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	1.9
4-Chlorophenyl phenyl ether	4.2u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	4.2
Chrysene	2.5u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	2.5
Diallate	5.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	5.0
Dibenz (A,H) anthracene	2.5u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	2.5
Dibenzofuran	5.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	5.0
Di-n-butyl phthalate	2.5u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	2.5
3,3-Dichlorobenzidine	3.2u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	3.2
Diethyl phthalate	1.9u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	1.9
Thionazin	10.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	10.0
Dimethoate	5.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	5.0

u = Parameter was analyzed for but not detected

Respectfully Submitted,



Bruce Cummings
Laboratory Director

SHORT ENVIRONMENTAL LABORATORIES, INC.

10405 US 27 South

Sebring, Florida 33876

(800) 833-4022

FDOH# E85458, FDEP QAP# 880516

(863) 655-4022

For: Hardee County
Solid Waste Department
685 Airport Road
Wauchula, FL 33873-
Attn: J.R. Prestridge

02/03/2005

Page 8 of 11

Laboratory Number: 225733

Project: Hardee County
Location: Landfill
Sample ID: Manhole #1
Sampled By: E. McCarta on 12/14/2004 @ 1410
Received: 12/14/2004 @ 1515


REPORT OF ANALYSIS

LABORATORY DATA

Parameter	Result	Units	Method	Analyst	Date/Time of Analysis	MDL
p-(Dimethylamino) azobenzene	6.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	6.0
7,12-Dimethylbenz (A)anthracene	5.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	5.0
3,3-Dimethylbenzidine	5.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	5.0
Dimethyl phthalate	1.6u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	1.6
1,3-Dinitrobenzene	10.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	10.0
2,4-Dinitrotoluene	2.2u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	2.2
2,6-Dinitrotoluene	1.9u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	1.9
Di-n-octyl phthalate	2.5u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	2.5
Diphenylamine	5.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	5.0
Disulfoton	5.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	5.0
Ethylmethanesulfonate	10.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	10.0
Famphor	20.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	20.0
Fluoranthene	2.2u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	2.2
Fluorene	1.9u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	1.9
Hexachlorobenzene	1.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	1.0
Hexachlorobutadiene	0.9u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	0.9
Hexachlorocyclopentadiene	5.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	5.0
Hexachloroethane	1.6u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	1.6
Hexachloropropene	5.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	5.0

u = Parameter was analyzed for but not detected

Respectfully Submitted,



Bruce Cummings
Laboratory Director

SHORT ENVIRONMENTAL LABORATORIES, INC.

10405 US 27 South

Sebring, Florida 33876

(800) 833-4022 FDOH# E85458, FDEP QAP# 880516 (863) 655-4022

For: Hardee County
 Solid Waste Department
 685 Airport Road
 Wauchula, FL 33873-
 Attn: J.R. Prestridge

02/03/2005
 Page 9 of 11

Laboratory Number: 225733

Project: Hardee County
 Location: Landfill
 Sample ID: Manhole #1
 Sampled By: E. McCarta on 12/14/2004 @ 1410
 Received: 12/14/2004 @ 1515


REPORT OF ANALYSIS

LABORATORY DATA

Parameter	Result	Units	Method	Analyst	Date/Time of Analysis	MDL
Indeno (1,2,3-CD) pyrene	3.7u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	3.7
Isodrin	6.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	6.0
Isophorone	2.2u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	2.2
Isosafrole	5.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	5.0
Kepone	30.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	30.0
Methapyrilene	30.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	30.0
3-Methylchloranthrene	5.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	5.0
Methylmethanesulfonate	10.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	10.0
2-Methylnaphthalene	2.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	2.0
Methyl parathion	15.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	15.0
Naphthalene	1.6u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	1.6
1,4-Naphthoquinone	7.5u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	7.5
1-Naphthylamine	10.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	10.0
2-Naphthylamine	10.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	10.0
2-Nitroaniline	20.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	20.0
3-Nitroaniline	20.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	20.0
4-Nitroaniline	20.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	20.0
Nitrobenzene	1.9u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	1.9
n-Nitrosodi-n-butylamine	10.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	10.0

u = Parameter was analyzed for but not detected

Respectfully Submitted,



Bruce Cummings
 Laboratory Director

SHORT ENVIRONMENTAL LABORATORIES, INC.

10405 US 27 South

Sebring, Florida 33876

(800) 833-4022 FDOH# E85458, FDEP QAP# 880516 (863) 655-4022

For: Hardee County
Solid Waste Department
685 Airport Road
Wauchula, FL 33873-
Attn: J.R. Prestridge

02/03/2005
Page 10 of 11

Laboratory Number: 225733

Project: Hardee County
Location: Landfill
Sample ID: Manhole #1
Sampled By: E. McCarta on 12/14/2004 @ 1410
Received: 12/14/2004 @ 1515

REPORT OF ANALYSIS

LABORATORY DATA

Parameter	Result	Units	Method	Analyst	Date/Time of Analysis	MDL
n-Nitrosodiethylamine	10.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	10.0
n-Nitrosodimethylamine	10.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	10.0
n-Nitrosodiphenylamine	1.9u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	1.9
n-Nitrosodi-n-propylamine	10.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	10.0
n-Nitrosoethylmethylamine	10.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	10.0
n-Nitrosopiperidine	10.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	10.0
n-Nitrosopyrrolidine	15.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	15.0
5-Nitro-o-toluidine	10.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	10.0
Parathion	15.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	15.0
Pentachlorobenzene	5.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	5.0
Pentachloronitrobenzene	10.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	10.0
Phenacetin	10.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	10.0
Phenanthrene	2.5u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	2.5
p-Phenylenediamine	10.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	10.0
Phorate	3.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	3.0
Pronamide	10.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	10.0
Pyrene	1.9u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	1.9
Safrole	7.5u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	7.5
1,2,4,5-Tetrachlorobenzene	5.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	5.0

u = Parameter was analyzed for but not detected

Respectfully Submitted,



Bruce Cummings
Laboratory Director

SHORT ENVIRONMENTAL LABORATORIES, INC.

10405 US 27 South

Sebring, Florida 33876

(800) 833-4022

FDOH# E85458, FDEP QAP# 880516

(863) 655-4022

For: Hardee County
Solid Waste Department
685 Airport Road
Wauchula, FL 33873-
Attn: J.R. Prestridge

02/03/2005

Page 11 of 11

Laboratory Number: 225733

Project: Hardee County
Location: Landfill
Sample ID: Manhole #1
Sampled By: E. McCarta on 12/14/2004 @ 1410
Received: 12/14/2004 @ 1515


REPORT OF ANALYSIS

LABORATORY DATA

Parameter	Result	Units	Method	Analyst	Date/Time of Analysis	MDL
o-Toluidine	10.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	10.0
1,2,4-Trichlorobenzene	1.9u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	1.9
o,o,o-Triethylphosphorothic acid	30.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	30.0
1,3,5-Trinitrobenzene	10.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	10.0
cis-Diallate	5.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	5.0
trans-Diallate	5.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	5.0
a,a-Dimethylphenylamine	15.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	15.0
1,2 DiChloroBenzene	1.9u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	1.9
1,3-DiChloroBenzene	1.9u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	1.9
1,4-DiChloroBenzene	4.4u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	4.4
Aniline	10.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	10.0
2-Picoline	15.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	15.0
Benzidine	30.0u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	30.0
DiBenz (AJ) Acridine	3.5u	ug/L	EPA 8270	E84098	01/17/2005 @ 0000	3.5

u = Parameter was analyzed for but not detected

Respectfully Submitted,



Bruce Cummings
Laboratory Director

PART I | ANALYTICAL RESULTS

Facility GMS #: 4025C30001

Sampling Date/Time: 12/13/04 @ 1240, 12/14/04 @ 1410

Test Site ID #: 4025A

Report Period: 07/01/04 to 12/31/04

Well Name: Leachate

Well Purged (Y/N):

Well Type:

Background

Classification of Groundwater: G-II

Intermediate

Compliance

Groundwater Elevation (MSL): ft.

x Other

STORET Code	Parameter Monitored	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Date/Time	Analysis Results/Units		Detection Limits/Units
000094	Temperature (field)	Pump	No	EPA 170.1	12/13/04 @ 1250	25.6	C	NA
004060	pH (field)	Pump	No	EPA 150.1	12/13/04 @ 1250	6.63	S.U.	NA
000299	Specific Conductivity (field)	Pump	No	EPA 120.1	12/13/04 @ 1250	1180.	umhos/cm	1. umhos/cm
082078	Dissolved Oxygen (field)	Pump	No	EPA 360.1	12/13/04 @ 1250	2.54	mg/L	0.1 mg/L
085328	Colors & Sheens (by observation)	Pump	No	EPA	12/13/04 @ 1250	Color	NA	NA
000610	Total Ammonia -N	Pump	No	EPA 350.1	12/19/04 @ 1808	35.5	mg/L	0.04 mg/L
000410	Bicarbonate	Pump	No	EPA 310.1	12/15/04 @ 0948	368.	mg/L	0.5 mg/L
000940	Chlorides	Pump	No	EPA 325.3	12/20/04 @ 0937	193.	mg/L	0.5 mg/L
001045	Iron	Pump	No	EPA 236.1	01/06/05 @ 0828	19.3	mg/L	0.02 mg/L
071900	Mercury	Pump	No	EPA 245.1	01/10/05 @ 0955	< 0.001	mg/L	0.001 mg/L
000620	Nitrate	Pump	No	EPA 353.2	12/17/04 @ 1457	0.03	mg/L	0.02 mg/L
000929	Sodium	Pump	No	EPA 273.1	01/05/05 @ 1409	94.	mg/L	1.0 mg/L
070300	Total Dissolved Solids (TDS)	Pump	No	EPA 160.1	12/14/04 @ 0918	628.	mg/L	10. mg/L

Appendix I - Inorganic

001097	Antimony	Pump	No	EPA 204.2	01/04/05 @ 1010	< 0.003	mg/L	0.003 mg/L
001002	Arsenic	Pump	No	EPA 206.3	01/14/05 @ 0928	0.005	mg/L	0.005 mg/L
001007	Barium	Pump	No	EPA 208.1	01/17/05 @ 1730	0.06	mg/L	0.02 mg/L
001012	Beryllium	Pump	No	EPA 210.2	12/16/04 @ 1027	< 0.001	mg/L	0.001 mg/L
001027	Cadmium	Pump	No	EPA 213.1	01/05/05 @ 1058	0.005	mg/L	0.002 mg/L
001034	Chromium	Pump	No	EPA 218.2	12/27/04 @ 1122	< 0.005	mg/L	0.005 mg/L
001037	Cobalt	Pump	No	EPA 6010	12/17/04 @ 1540	< 0.05	mg/L	0.05 mg/L
001042	Copper	Pump	No	EPA 220.1	01/04/05 @ 1314	< 0.01	mg/L	0.01 mg/L
001051	Lead	Pump	No	EPA 239.2	12/23/04 @ 0937	< 0.001	mg/L	0.001 mg/L
001087	Nickel	Pump	No	EPA 249.1	12/30/04 @ 1100	0.03	mg/L	0.01 mg/L
001147	Selenium	Pump	No	EPA 270.2	01/04/05 @ 1506	< 0.005	mg/L	0.005 mg/L
001077	Silver	Pump	No	EPA 272.2	12/28/04 @ 1052	< 0.001	mg/L	0.001 mg/L
001059	Thallium	Pump	No	EPA 279.2	12/30/04 @ 0952	0.001	mg/L	0.001 mg/L
001087	Vanadium	Pump	No	EPA 6010	12/17/04 @ 1540	< 0.01	mg/L	0.01 mg/L
001092	Zinc	Pump	No	EPA 289.1	12/22/04 @ 1100	0.020	mg/L	0.002 mg/L

Appendix I - Organic

081552	Acetone	Pump	No	EPA 8260	12/22/04	< 2.5	ug/L	2.5 ug/L
034215	Acrylonitrile	Pump	No	EPA 8260	12/22/04	< 1.50	ug/L	1.50 ug/L
034030	Benzene	Pump	No	EPA 8260	12/22/04	1.21	ug/L	0.04 ug/L

PART I | ANALYTICAL RESULTS

Facility GMS #: 4025C30001

Sampling Date/Time: 12/13/04 @ 1240, 12/14/04 @ 1410

Test Site ID #: 4025A

Report Period: 07/01/04 to 12/31/04

Well Name: Leachate

Well Purged (Y/N):

Well Type:

Classification of Groundwater: G-II

Background
Intermediate
Compliance
Other

Groundwater Elevation (MSL):

ft.

x

STORET Code	Parameter Monitored	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Date/Time	Analysis Results/Units		Detection Limits/Units
073085	Bromochloromethane	Pump	No	EPA 8260	12/22/04	< 0.5	ug/L	0.5 ug/L
032101	Bromodichloromethane	Pump	No	EPA 8260	12/22/04	< 0.08	ug/L	0.08 ug/L
032104	Bromoform	Pump	No	EPA 8260	12/22/04	< 0.12	ug/L	0.12 ug/L
046372	Carbon disulfide	Pump	No	EPA 8260	12/22/04	< 4.1	ug/L	4.1 ug/L
032102	Carbon tetrachloride	Pump	No	EPA 8260	12/22/04	< 0.21	ug/L	0.21 ug/L
034301	Chlorobenzene	Pump	No	EPA 8260	12/22/04	1.08	ug/L	0.04 ug/L
034311	Chloroethane	Pump	No	EPA 8260	12/22/04	< 0.10	ug/L	0.10 ug/L
032106	Chloroform	Pump	No	EPA 8260	12/22/04	< 0.03	ug/L	0.03 ug/L
032105	Dibromochloromethane	Pump	No	EPA 8260	12/22/04	< 0.05	ug/L	0.05 ug/L
037860	1,2-Dibromo-3-chloropropane (DBCP)	Pump	No	EPA 8260	12/22/04	< 0.5	ug/L	0.5 ug/L
046369	1,2-Dibromoethane	Pump	No	EPA 8260	12/22/04	< 0.5	ug/L	0.5 ug/L
034536	o-Dichlorobenzene	Pump	No	EPA 8260	12/22/04	< 0.03	ug/L	0.03 ug/L
034571	p-Dichlorobenzene	Pump	No	EPA 8260	12/22/04	0.88	ug/L	0.03 ug/L
077268	trans-1,4-Dichloro-2-butene	Pump	No	EPA 8260	12/22/04	< 10.0	ug/L	10.0 ug/L
034496	1,1-Dichloroethane	Pump	No	EPA 8260	12/22/04	< 0.03	ug/L	0.03 ug/L
034531	1,2-Dichloroethane	Pump	No	EPA 8260	12/22/04	< 0.02	ug/L	0.02 ug/L
034501	1,1-dichloroethylene	Pump	No	EPA 8260	12/22/04	< 0.12	ug/L	0.12 ug/L
077093	cis-1,2-Dichloroethylene	Pump	No	EPA 8260	12/22/04	< 0.10	ug/L	0.10 ug/L
034546	trans-1,2-Dichloroethylene	Pump	No	EPA 8260	12/22/04	< 0.06	ug/L	0.06 ug/L
034541	1,2-Dichloropropane	Pump	No	EPA 8260	12/22/04	< 0.04	ug/L	0.04 ug/L
034704	cis-1,3-Dichloropropene	Pump	No	EPA 8260	12/22/04	< 0.05	ug/L	0.05 ug/L
034689	trans-1,3-Dichloropropane	Pump	No	EPA 8260	12/22/04	< 0.04	ug/L	0.04 ug/L
034371	Ethylbenzene	Pump	No	EPA 8260	12/22/04	0.28	ug/L	0.06 ug/L
077103	2-Hexanone	Pump	No	EPA 8260	12/22/04	< 5.0	ug/L	5.0 ug/L
034413	Methyl bromide	Pump	No	EPA 8260	12/22/04	< 0.11	ug/L	0.11 ug/L
034418	Methyl chloride	Pump	No	EPA 8260	12/22/04	< 0.13	ug/L	0.13 ug/L
046361	Methylene bromide	Pump	No	EPA 8260	12/22/04	< 0.3	ug/L	0.3 ug/L
034423	Methylene chloride	Pump	No	EPA 8260	12/22/04	< 0.03	ug/L	0.03 ug/L
081595	Methyl ethyl ketone	Pump	No	EPA 8260	12/22/04	< 5.0	ug/L	5.0 ug/L
077424	Methyl iodide	Pump	No	EPA 8260	12/22/04	< 0.5	ug/L	0.5 ug/L
078133	2-Methyl-2-pentanone	Pump	No	EPA 8260	12/22/04	< 5.0	ug/L	5.0 ug/L
077128	Styrene	Pump	No	EPA 8260	12/22/04	< 1.0	ug/L	1.0 ug/L
077562	1,1,1,2-Tetrachloroethane	Pump	No	EPA 8260	12/22/04	< 0.1	ug/L	0.1 ug/L
034516	1,1,2,2-Tetrachloroethane	Pump	No	EPA 8260	12/22/04	< 0.04	ug/L	0.04 ug/L
034475	Tetrachloroethylene	Pump	No	EPA 8260	12/22/04	< 0.14	ug/L	0.14 ug/L
034010	Toluene	Pump	No	EPA 8260	12/22/04	< 0.11	ug/L	0.11 ug/L
034506	1,1,1-Trichloroethane	Pump	No	EPA 8260	12/22/04	< 0.04	ug/L	0.04 ug/L

PART III ANALYTICAL RESULTS

Facility GMS #: 4025C30001

Sampling Date/Time: 12/13/04 @ 1240, 12/14/04 @ 1410

Test Site ID #: 4025A

Report Period: 07/01/04 to 12/31/04

Well Name: Leachate

Well Purged (Y/N):

Well Type:

Background

Classification of Groundwater: G-II

Intermediate

Compliance

Groundwater Elevation (MSL): ft.

x

Other

STORET Code	Parameter Monitored	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Date/Time	Analysis Results/Units		Detection Limits/Units
034511	1,1,2-Trichloroethane	Pump	No	EPA 8260	08/01/04	< 0.10	ug/L	0.10 ug/L
039180	Trichloroethylene	Pump	No	EPA 8260	08/01/04	< 0.19	ug/L	0.19 ug/L
034488	Trichlorofluoromethane	Pump	No	EPA 8260	08/01/04	< 0.08	ug/L	0.08 ug/L
077443	1,2,3-Trichloropropane	Pump	No	EPA 8260	08/01/04	< 0.3	ug/L	0.3 ug/L
077057	Vinyl acetate	Pump	No	EPA 8260	08/01/04	< 10.0	ug/L	10.0 ug/L
039175	Vinyl chloride	Pump	No	EPA 8260	08/01/04	< 0.17	ug/L	0.17 ug/L
034020	Xylenes	Pump	No	EPA 8260	08/01/04	2.03	ug/L	0.11 ug/L