

CONVERSATION RECORD

DATE 10/8/92 TIME AM

M.R. Michael Vanderheijden

OF Malcolm Pirnie

ADDRESS New Jersey PHONE (201) 529-4700

TELEPHONED WAS CALLED RETURNED CALL CAME IN

FILE NO. PPSC PA-90 COUNTY Lee

RE: Lee Co. Wants to Engergy Facility, Ground Water Monitoring Plan Review Comments.

CONVERSATION:

1) Wanted to discuss letter of 10/2/92, items 9 + 10.

2) Item # 9: Do they need to add all of these additional organics to the monitoring? I indicated that a number of these VOC's would already be included in the analytical test methods need to run the proposed VOC list. If a few did not fall into the current VOC analysis - I did not feel it would be warranted to run an additional method for 1 or 2 analytes. All metals however should be included.

3) Item # 10: Discussed in general reduced parameters, as opposed to running the proposed "annual" on a quarterly basis.

NO FURTHER ACTION REQUIRED X FOLLOW UP Do the 17-550 Standards

Check w/ Raul Clark SC 278-0300

apply 1/1/93 or after 2 year compliance date due to conditions of Certification being issued. Professional Geologist

No Jeff Saulp called Mr. Vanderheijden 10/13/92 and let him know.

CONVERSATION RECORD

DATE 11/4/92 TIME Am (later ^{also} Pm)

Mr. Michael van der Heijden

OF Malcolm Pirnie

ADDRESS One International Blvd, Mahwah NJ 07495 PHONE (201) 529-4700

TELEPHONED WAS CALLED RETURNED CALL CAME IN

FILE NO. PPSC PA 90-30 COUNTY

RE: Ground Water monitoring

CONVERSATION:

① Wanted to know if we looked at their response of 10/15/92. I indicated review was almost complete and would call back later today.

PM - called Mr. van der Heijden back. We discussed utilizing where MW 5 was put recently for well nest # 4 on Figure 13 of Aug 1992 GWMF submittal. This appeared to be a benefit to the original well location design and we agreed. He will send a revised Fig 13 to reflect relocation of well nest # 4.

NO FURTHER ACTION REQUIRED

X FOLLOW UP Receipt of Figure 13

[Signature]
Professional Geologist

CONVERSATION RECORD

HIS CALL OF 10/20/93

DATE 10/25/93 TIME

Mr. Jeff Kowal

OF Ogden Martin

ADDRESS

PHONE 337-2200

TELEPHONED

WAS CALLED

RETURNED CALL

CAME IN

FILE NO.

COUNTY

RE Waste to Energy Facility

CONVERSATION:

① Last Thursday evening and Friday there were very heavy rains (4") which caused some sediment to come off of their banks. Silt went over the berm. However, no silt went into the wetlands although a potential existed.

② They are planning to put more hay bails on site.

③ He asked if I wanted to look at the site. I said it would be more appropriate for the Water Mgt. District to look at it. He said SEWMD was told and Ron Circie^(SP??) would be out there to look around. I thought that would be sufficient.

* Mr. Kowal also asked what they could do with 26,000 + 300,000 gallons of water to be used for steel tank tests

NO FURTHER ACTION REQUIRED FOLLOW UP "Coordinate"

management of test water disposal.

Jeff Gould
Professional Geologist

CONVERSATION RECORD

DATE 6/15/95 TIME P.m.

Mr. Michael van der Heijden

OF Malcolm Pirnie

ADDRESS New Jersey

PHONE (201) 529-4700

TELEPHONED

WAS CALLED

RETURNED CALL

CAME IN

FILE NO.

COUNTY Lee

RE: Ground Water Monitoring @ Lee Co. Waste to Energy Facility.

CONVERSATION:

- 1) Asked us whether a modification to the GW Plan could be possible based on data thus far. The intent is to reduce costs not necessarily deleting wells or methods/parameters. Perhaps frequency change and alternating wells could achieve their interest.
- 2) I indicated that I would discuss this issue with staff, Buck Over in particular and then let him know.

7/24/95 Spoke again about issue. Asked whether a TOX test (organic halides) could be used. I would check with QA about it.
 ~ 7/28/95 Called Mike + said possibly but not as a total substitute for all VOC's.

NO FURTHER ACTION REQUIRED FOLLOW UP

Optional: { Mike is going to put together justification proposal with recommended sampling plan in a couple weeks

Professional Geologist ST

CONVERSATION RECORD

DATE 5/16/96 TIME 1:05

Mr. Michael vander Heyden

OF Malcolm Pirnie

ADDRESS N. J.

PHONE (201) 529-4700

TELEPHONED WAS CALLED RETURNED CALL CAME IN

FILE NO. _____ COUNTY _____

RE: Request to modify ground water monitoring at W to E facility in Lee County

CONVERSATION:

1) Told him I reviewed the request and our office has no objections to the proposed changes, and have sent Buck Owen e-mail on the issue.

2) He said they received a letter of no objection from SEWMD and is sending me a copy.

3) Our office is waiting to hear from Buck on how to proceed.

5/17/96 10:50 - left voice message for Michael about need to modify Conditions of Certification per e-mail from Buck.

NO FURTHER ACTION REQUIRED FOLLOW UP After hearing from Buck.

[Signature]
Professional Geologist