


Florida Department of Environmental Protection

1000 Tower Office Bldg. 2600 Blair Stone Road Tallahassee, Florida 32399 2400

GROUND WATER MONITORING REPORT

Rule 02-522.600(11)



PART I GENERAL INFORMATION

1 Facility Name Hardee County Solid Waste Disposal Facility  
 Address 685 Airport Road  
 City Wauchula, FL Zip 33871  
 Telephone Number ( 863 ) 773-5009

2 The GMS Identification Number 4025C30001

3 DEP Permit Number S025-214306

4 Authorized Representative Name Bruce Cummings  
 Address 10405 US 27 South  
 City Sebring, FL Zip 33876  
 Telephone Number ( 863 ) 655-4022

5 Type of Discharge \_\_\_\_\_

6 Method of Discharge \_\_\_\_\_

Certification

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this report and its attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Date: 11/8/04 Bruce Cummings for Hardee County BOCC  
Signature of Owner or Authorized Representative

PART II QUALITY ASSURANCE REQUIREMENTS

Sample Organization Comp QAP # 880516

Analytical Lab Comp QAP #/HRS Certification # 880516, E85458  
 Comp QAP #/HRS Certification # E84090

Lab Name Short Environmental Laboratories, Inc.  
 Address 10405 US 27 South, Sebring, FL 33876  
 Phone Number ( 863 ) 655-4022

SHORT ENVIRONMENTAL LABORATORIES, INC.

10405 US 27 South  
Sebring, Florida 33876

(800) 833-4022 FDOH# E85458, FDEP QAP# 880516 (863) 655-4022

For: Hardee County  
Solid Waste Department  
685 Airport Road  
Wauchula, FL 33873-  
Attn: J.R. Prestridge

11/08/2004  
Page 1 of 5

Laboratory Number: 216648

Project: Hardee County  
Location: Landfill  
Sample ID: SW-1  
Sampled By: E. McCarta on 08/12/2004 @ 1440  
Received: 08/12/2004 @ 1630

REPORT OF ANALYSIS

FIELD DATA


Temperature 29.9 deg. C  
pH 6.83 S.U.  
Conductivity 222. umho/cm  
Dissolved Oxygen 1.02 mg/L  
Turbidity 10.6 NTU  
Color & Sheen Color

LABORATORY DATA

Parameter	Result	Units	Method	Analyst	Date/Time of Analysis	MDL
Biochemical Oxygen Demand	6.0	mg/L	EPA 405.1	D. Gillis	08/12/2004 @ 1700	2.
Chemical Oxygen Demand	125.	mg/L	HACH 8000	J. Cosgrave	09/09/2004 @ 1036	10.
Total Dissolved Solids	206.	mg/L	EPA 160.1	T. Heath	08/18/2004 @ 1158	10.
Total Suspended Solids	12.	mg/L	EPA 160.2	O. Martinez	08/16/2004 @ 1055	1.
Fecal Coliform (MF)	> 600	#/100ml	SM 9222 D	J. Jestes	08/12/2004 @ 1635	1
Total Hardness	74.	mg/L	EPA 130.2	T. Heath	08/12/2004 @ 1600	1.0
Ammonia Nitrogen (NH3-N)	0.11	mg/L	EPA 350.1	J. Cosgrave	08/27/2004 @ 1005	0.04
Un-Ionized Ammonia (N)	0.005u	mg/L	Calc.	B. Cummings	08/27/2004 @ 1005	0.005
Nitrite Nitrogen (NO2-N)	0.01u	mg/L	EPA 353.2	J. Cosgrave	08/12/2004 @ 1828	0.01
Nitrate Nitrogen (NO3-N)	0.02	mg/L	Calc.	J. Cosgrave	08/21/2004 @ 0900	0.02
Nitrate + Nitrite N (NO2+NO3)	0.02	mg/L	EPA 353.2	J. Cosgrave	08/21/2004 @ 0900	0.02

u = Parameter was analyzed for but not detected

Respectfully Submitted,



Bruce Cummings  
Laboratory Director

SHORT ENVIRONMENTAL LABORATORIES, INC.

10405 US 27 South  
Sebring, Florida 33876

(800) 833-4022 FDOH# E85458, FDEP QAP# 880516 (863) 655-4022

For: Hardee County  
Solid Waste Department  
685 Airport Road  
Wauchula, FL 33873-  
Attn: J.R. Prestridge

11/08/2004  
Page 2 of 5

Laboratory Number: 216648

Project: Hardee County  
Location: Landfill  
Sample ID: SW-1  
Sampled By: E. McCarta on 08/12/2004 @ 1440  
Received: 08/12/2004 @ 1630

REPORT OF ANALYSIS

LABORATORY DATA

Parameter	Result	Units	Method	Analyst	Date/Time of Analysis	MDL
Total Nitrogen	2.72	mg/L	Calc.	B. Cummings	08/24/2004 @ 1932	0.5
Total Phosphorus (P)	1.238	mg/L	EPA 365.1	O. Martinez	08/23/2004 @ 0750	0.005
Total Kjeldahl Nitrogen (N)	2.70	mg/L	EPA 351.2	J. Cosgrave	08/24/2004 @ 1932	0.5
Total Organic Carbon	50.5	mg/L	EPA 415.1	E84098	09/09/2004 @ 1647	0.1
Antimony	0.003u	mg/L	EPA 204.2	D. Morton	09/29/2004 @ 1530	0.003
Arsenic	0.005u	mg/L	EPA 206.3	J. Mansell	09/17/2004 @ 0819	0.005
Barium	0.02u	mg/L	EPA 208.1	J. Mansell	09/30/2004 @ 1122	0.02
Beryllium	0.001u	mg/L	EPA 210.2	D. Morton	10/05/2004 @ 1029	0.001
Cadmium	0.003	mg/L	EPA 213.1	J. Mansell	09/07/2004 @ 1436	0.002
Chromium	0.005	mg/L	EPA 218.2	D. Morton	09/08/2004 @ 1516	0.005
Cobalt	0.05u	mg/L	EPA 6010	E84098	08/30/2004 @ 1226	0.05
Copper	0.003	mg/L	EPA 220.2	D. Morton	09/07/2004 @ 1157	0.002
Iron	0.96	mg/L	EPA 236.1	J. Mansell	09/09/2004 @ 0843	0.02
Lead	0.001	mg/L	EPA 239.2	D. Morton	09/02/2004 @ 1606	0.001
Mercury	0.001u	mg/L	EPA 245.1	J. Mansell	08/30/2004 @ 0828	0.001
Nickel	0.01u	mg/L	EPA 249.1	J. Mansell	09/08/2004 @ 1404	0.01
Selenium	0.005u	mg/L	EPA 270.2	D. Morton	09/21/2004 @ 1337	0.005
Silver	0.00007u	mg/L	EPA 272.2	D. Morton	09/09/2004 @ 0932	.00007
Thallium	0.001u	mg/L	EPA 279.2	D. Morton	08/30/2004 @ 0833	0.001

u = Parameter was analyzed for but not detected

Respectfully Submitted,



Bruce Cummings  
Laboratory Director

**SHORT ENVIRONMENTAL LABORATORIES, INC.**

10405 US 27 South  
Sebring, Florida 33876

(800) 833-4022    FDOH# E85458, FDEP QAP# 880516    (863) 655-4022

For: Hardee County  
Solid Waste Department  
685 Airport Road  
Wauchula, FL 33873-  
Attn: J.R. Prestridge

11/08/2004  
Page 3 of 5

Laboratory Number:    216648

Project:            Hardee County  
Location:          Landfill  
Sample ID:        SW-1  
Sampled By:      E. McCarta on 08/12/2004 @ 1440  
Received:        08/12/2004 @ 1630

REPORT OF ANALYSIS

LABORATORY DATA

Parameter	Result	Units	Method	Analyst	Date/Time of Analysis	MDL
Vanadium	0.01u	mg/L	EPA 6010	E84098	08/30/2004 @ 1226	0.10
Zinc	0.015	mg/L	EPA 289.1	J. Mansell	09/08/2004 @ 1526	0.002
Chlorophyll A	5.0	mg/m3	SM 10200 H	E84100	08/26/2004 @ 0000	1.0
Acetone	2.5u	ug/L	EPA 8260	E84098	08/25/2004 @ 0000	2.5
Acrylonitrile	1.50u	ug/L	EPA 8260	E84098	08/25/2004 @ 0000	1.50
Benzene	0.04u	ug/L	EPA 8260	E84098	08/25/2004 @ 0000	0.04
Bromochloromethane	0.5u	ug/L	EPA 8260	E84098	08/25/2004 @ 0000	0.5
Bromodichloromethane	0.08u	ug/L	EPA 8260	E84098	08/25/2004 @ 0000	0.08
Tribromomethane	0.12u	ug/L	EPA 8260	E84098	08/25/2004 @ 0000	0.12
Carbon Disulfide	4.1u	ug/L	EPA 8260	E84098	08/25/2004 @ 0000	4.1
Carbon Tetrachloride	0.21u	ug/L	EPA 8260	E84098	08/25/2004 @ 0000	0.21
Chlorobenzene	0.04u	ug/L	EPA 8260	E84098	08/25/2004 @ 0000	0.04
Chloroethane	0.10u	ug/L	EPA 8260	E84098	08/25/2004 @ 0000	0.10
Trichloromethane	0.03u	ug/L	EPA 8260	E84098	08/25/2004 @ 0000	0.03
Dibromochloromethane	0.05u	ug/L	EPA 8260	E84098	08/25/2004 @ 0000	0.05
1,2-Dibromo-3-Chloropropane	0.5u	ug/L	EPA 8260	E84098	08/25/2004 @ 0000	0.5
1,2-Dibromoethane	0.5u	ug/L	EPA 8260	E84098	08/25/2004 @ 0000	0.5
1,2-Dichlorobenzene	0.03u	ug/L	EPA 8260	E84098	08/25/2004 @ 0000	0.03
1,4-Dichlorobenzene	0.03u	ug/L	EPA 8260	E84098	08/25/2004 @ 0000	0.03

u = Parameter was analyzed for but not detected

Respectfully Submitted,



Bruce Cummings  
Laboratory Director

SHORT ENVIRONMENTAL LABORATORIES, INC.

10405 US 27 South  
Sebring, Florida 33876

(800) 833-4022 FDOH# E85458, FDEP QAP# 880516 (863) 655-4022

For: Hardee County  
Solid Waste Department  
685 Airport Road  
Wauchula, FL 33873-  
Attn: J.R. Prestridge

11/08/2004  
Page 4 of 5

Laboratory Number: 216648

Project: Hardee County  
Location: Landfill  
Sample ID: SW-1  
Sampled By: E. McCarta on 08/12/2004 @ 1440  
Received: 08/12/2004 @ 1630


REPORT OF ANALYSIS

LABORATORY DATA

Parameter	Result	Units	Method	Analyst	Date/Time of Analysis	MDL
t-1,4-Dichloro-2-Butene	10.0u	ug/L	EPA 8260	E84098	08/25/2004 @ 0000	10.0
1,1-Dichloroethane	0.03u	ug/L	EPA 8260	E84098	08/25/2004 @ 0000	0.03
1,2-Dichloroethane	0.02u	ug/L	EPA 8260	E84098	08/25/2004 @ 0000	0.02
1,1-Dichloroethene	0.12u	ug/L	EPA 8260	E84098	08/25/2004 @ 0000	0.12
cis-1,2-Dichloroethene	0.10u	ug/L	EPA 8260	E84098	08/25/2004 @ 0000	0.10
trans-1,2-Dichloroethene	0.06u	ug/L	EPA 8260	E84098	08/25/2004 @ 0000	0.06
1,2-Dichloropropane	0.04u	ug/L	EPA 8260	E84098	08/25/2004 @ 0000	0.04
cis-1,3-Dichloropropene	0.05u	ug/L	EPA 8260	E84098	08/25/2004 @ 0000	0.05
trans-1,3-Dichloropropene	0.04u	ug/L	EPA 8260	E84098	08/25/2004 @ 0000	0.04
Ethylbenzene	0.06u	ug/L	EPA 8260	E84098	08/25/2004 @ 0000	0.06
2-Hexanone	5.0u	ug/L	EPA 8260	E84098	08/25/2004 @ 0000	5.0
Bromomethane	0.11u	ug/L	EPA 8260	E84098	08/25/2004 @ 0000	0.11
Chloromethane	0.13u	ug/L	EPA 8260	E84098	08/25/2004 @ 0000	0.13
Dibromomethane	0.3u	ug/L	EPA 8260	E84098	08/25/2004 @ 0000	0.3
Dichloromethane	0.03u	ug/L	EPA 8260	E84098	08/25/2004 @ 0000	0.03
2-Butanone	5.0u	ug/L	EPA 8260	E84098	08/25/2004 @ 0000	5.0
Iodomethane	0.5u	ug/L	EPA 8260	E84098	08/25/2004 @ 0000	0.5
4-Methyl-2-Pentanone	5.0u	ug/L	EPA 8260	E84098	08/25/2004 @ 0000	5.0
Styrene	1.0u	ug/L	EPA 8260	E84098	08/25/2004 @ 0000	1.0

u = Parameter was analyzed for but not detected

Respectfully Submitted,



Bruce Cummings  
Laboratory Director

SHORT ENVIRONMENTAL LABORATORIES, INC.

10405 US 27 South  
Sebring, Florida 33876

(800) 833-4022 FDOH# E85458, FDEP QAP# 880516 (863) 655-4022

For: Hardee County  
Solid Waste Department  
685 Airport Road  
Wauchula, FL 33873-  
Attn: J.R. Prestridge

11/08/2004  
Page 5 of 5

Laboratory Number: 216648

Project: Hardee County  
Location: Landfill  
Sample ID: SW-1  
Sampled By: E. McCarta on 08/12/2004 @ 1440  
Received: 08/12/2004 @ 1630

REPORT OF ANALYSIS

LABORATORY DATA

Parameter	Result	Units	Method	Analyst	Date/Time of Analysis	MDL
1,1,1,2-Tetrachloroethane	0.1u	ug/L	EPA 8260	E84098	08/25/2004 @ 0000	0.1
1,1,2,2-Tetrachloroethane	0.04u	ug/L	EPA 8260	E84098	08/25/2004 @ 0000	0.04
Tetrachloroethene	0.14u	ug/L	EPA 8260	E84098	08/25/2004 @ 0000	0.14
Toluene	0.11u	ug/L	EPA 8260	E84098	08/25/2004 @ 0000	0.11
1,1,1-Trichloroethane	0.04u	ug/L	EPA 8260	E84098	08/25/2004 @ 0000	0.04
1,1,2-Trichloroethane	0.10u	ug/L	EPA 8260	E84098	08/25/2004 @ 0000	0.10
Trichloroethene	0.19u	ug/L	EPA 8260	E84098	08/25/2004 @ 0000	0.19
Trichlorofluoromethane	0.08u	ug/L	EPA 8260	E84098	08/25/2004 @ 0000	0.08
1,2,3-Trichloropropane	0.3u	ug/L	EPA 8260	E84098	08/25/2004 @ 0000	0.3
Vinyl Acetate	10.0u	ug/L	EPA 8260	E84098	08/25/2004 @ 0000	10.0
Vinyl Chloride	0.17u	ug/L	EPA 8260	E84098	08/25/2004 @ 0000	0.17
Xylenes	0.11u	ug/L	EPA 8260	E84098	08/25/2004 @ 0000	0.11

u = Parameter was analyzed for but not detected

Respectfully Submitted,



Bruce Cummings  
Laboratory Director

PART III ANALYTICAL RESULTS

Facility GMS #: 4025C30001

Sampling Date/Time: 08/12/04 @ 1440

Test Site ID #: Surface water

Report Period: 07/01/04 to 12/31/04

Well Name: SW-1

Well Purged (Y/N):

Well Type:

Background

Classification of Groundwater:

Intermediate

Groundwater Elevation (MSL):

ft.

x

Compliance

Other

STORET Code	Parameter Monitored	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Date/Time	Analysis Results/Units		Detection Limits/Units
000094	Temperature (field)	Scoop	No	EPA 170.1	08/12/04 @ 1440	29.9	C	NA
004060	pH (field)	Scoop	No	EPA 150.1	08/12/04 @ 1440	6.83	S.U.	NA
000299	Specific Conductivity (field)	Scoop	No	EPA 120.1	08/12/04 @ 1440	222.	umhos/cm	1. umhos/cm
082078	Dissolved Oxygen (field)	Scoop	No	EPA 360.1	08/12/04 @ 1440	1.02	mg/L	0.1 mg/L
000010	Turbidity (field)	Scoop	No	EPA 180.1	08/12/04 @ 1440	10.6	NTU	0.1 NTU
085326	Colors & Sheens (by observation)	Scoop	No	EPA	08/12/04 @ 1440	Color	NA	NA
000310	Biochemical Oxygen Demand	Scoop	No	EPA 405.1	08/12/04 @ 1700	6.0	mg/L	1 mg/L
000340	Chemical Oxygen Demand	Scoop	No	HACH 8000	09/09/04 @ 1036	125.	mg/L	10. mg/L
070300	Total Dissolved Solids (TDS)	Scoop	No	EPA 160.1	08/18/04 @ 1158	206.	mg/L	10. mg/L
000530	Total Suspended Solids	Scoop	No	EPA 160.2	08/16/04 @ 1055	12.	mg/L	1. mg/L
031616	Fecal Coliform	Scoop	No	SM 9222 D	08/12/04 @ 1635	> 600	#/100 ml	1 #/100ml
000310	Total Hardness	Scoop	No	EPA 130.2	08/12/04 @ 1600	74.	mg/L	1.0 mg/L
000610	Total Ammonia -N	Scoop	No	EPA 350.1	08/27/04 @ 1005	0.11	mg/L	0.04 mg/L
000619	Unionized Ammonia-N	Scoop	No	DEP SOP	08/27/04 @ 1005	< 0.005	mg/L	0.005 mg/L
001045	Iron	Scoop	No	EPA 236.1	09/09/04 @ 0843	0.96	mg/L	0.02 mg/L
000310	Mercury	Scoop	No	EPA 245.1	08/30/04 @ 0828	< 0.001	mg/L	0.001 mg/L
000620	Nitrate	Scoop	No	EPA 353.2	08/21/04 @ 0900	0.02	mg/L	0.02 mg/L
000600	Total Nitrogen-N	Scoop	No	Calc	08/24/04 @ 1932	2.72	mg/L	0.50 mg/L
000665	Total Phosphorus	Scoop	No	EPA 365.1	08/23/04 @ 0750	1.238	mg/L	0.005 mg/L
000625	Total Kjeldahl Nitrogen	Scoop	No	EPA 351.2	08/24/04 @ 1932	2.70	mg/l	0.50 mg/L
000300	Total Organic Carbon	Scoop	No	EPA 415.1	09/09/04 @ 1647	50.5	mg/L	0.1 mg/L
001097	Antimony	Scoop	No	EPA 204.2	09/29/04 @ 1530	< 0.003	mg/L	0.003 mg/L
001002	Arsenic	Scoop	No	EPA 206.3	09/17/04 @ 0819	< 0.005	mg/L	0.005 mg/L
001007	Barium	Scoop	No	EPA 208.1	09/30/04 @ 1122	< 0.02	mg/L	0.02 mg/L
001012	Beryllium	Scoop	No	EPA 210.2	10/05/04 @ 1029	< 0.001	mg/L	0.001 mg/L
001027	Cadmium	Scoop	No	EPA 213.1	09/07/04 @ 1436	0.003	mg/L	0.002 mg/L
001034	Chromium	Scoop	No	EPA 218.2	09/08/04 @ 1516	0.005	mg/L	0.005 mg/L
001037	Cobalt	Scoop	No	EPA 6010	08/30/04 @ 1226	< 0.05	mg/L	0.05 mg/L
001042	Copper	Scoop	No	EPA 220.1	09/07/04 @ 1157	0.003	mg/L	0.01 mg/L
001051	Lead	Scoop	No	EPA 239.2	09/02/04 @ 1606	0.001	mg/L	0.001 mg/L
001067	Nickel	Scoop	No	EPA 249.1	09/08/04 @ 1404	< 0.01	mg/L	0.01 mg/L
001147	Selenium	Scoop	No	EPA 270.2	09/21/04 @ 1337	< 0.005	mg/L	0.005 mg/L
001077	Silver	Scoop	No	EPA 272.2	09/09/04 @ 0932	< 0.07	ug/L	0.07 ug/L
001059	Thallium	Scoop	No	EPA 279.2	08/30/04 @ 0833	< 0.001	mg/L	0.001 mg/L
001087	Vanadium	Scoop	No	EPA 6010	08/30/04 @ 1226	< 0.01	mg/L	0.01 mg/L
001092	Zinc	Scoop	No	EPA 289.1	09/08/04 @ 1526	0.015	mg/L	0.002 mg/L

PART I | ANALYTICAL RESULTS

Facility GMS #: 4025C30001

Sampling Date/Time: 08/12/04 @ 1440

Test Site ID #: Surface water

Report Period: 07/01/04 to 12/31/04

Well Name: SW-1

Well Purged (Y/N):

Well Type:

Background

Classification of Groundwater:

Intermediate

Compliance

Groundwater Elevation (MSL):

ft.

x

Other

STORET Code	Parameter Monitored	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Date/Time	Analysis Results/Units		Detection Limits/Units
081552	Acetone	Scoop	No	EPA 8260	08/25/04	< 2.5	ug/L	2.5 ug/L
034215	Acrylonitrile	Scoop	No	EPA 8260	08/25/04	< 1.50	ug/L	1.50 ug/L
034030	Benzene	Scoop	No	EPA 8260	08/25/04	< 0.04	ug/L	0.04 ug/L
073085	Bromochloromethane	Scoop	No	EPA 8260	08/25/04	< 0.5	ug/L	0.5 ug/L
032101	Bromodichloromethane	Scoop	No	EPA 8260	08/25/04	< 0.08	ug/L	0.08 ug/L
032104	Bromoform	Scoop	No	EPA 8260	08/25/04	< 0.12	ug/L	0.12 ug/L
046372	Carbon disulfide	Scoop	No	EPA 8260	08/25/04	< 4.1	ug/L	4.1 ug/L
032102	Carbon tetrachloride	Scoop	No	EPA 8260	08/25/04	< 0.21	ug/L	0.21 ug/L
034301	Chlorobenzene	Scoop	No	EPA 8260	08/25/04	< 0.04	ug/L	0.04 ug/L
034311	Chloroethane	Scoop	No	EPA 8260	08/25/04	< 0.10	ug/L	0.10 ug/L
032106	Chloroform	Scoop	No	EPA 8260	08/25/04	< 0.03	ug/L	0.03 ug/L
032105	Dibromochloromethane	Scoop	No	EPA 8260	08/25/04	< 0.05	ug/L	0.05 ug/L
037860	1,2-Dibromo-3-chloropropane (DBCP)	Scoop	No	EPA 8260	08/25/04	< 0.5	ug/L	0.5 ug/L
046369	1,2-Dibromoethane	Scoop	No	EPA 8260	08/25/04	< 0.5	ug/L	0.5 ug/L
034536	o-Dichlorobenzene	Scoop	No	EPA 8260	08/25/04	< 0.03	ug/L	0.03 ug/L
034571	p-Dichlorobenzene	Scoop	No	EPA 8260	08/25/04	< 0.03	ug/L	0.03 ug/L
077268	trans-1,4-Dichloro-2-butene	Scoop	No	EPA 8260	08/25/04	< 10.0	ug/L	10.0 ug/L
034496	1,1-Dichloroethane	Scoop	No	EPA 8260	08/25/04	< 0.03	ug/L	0.03 ug/L
034531	1,2-Dichloroethane	Scoop	No	EPA 8260	08/25/04	< 0.02	ug/L	0.02 ug/L
034501	1,1-dichloroethylene	Scoop	No	EPA 8260	08/25/04	< 0.12	ug/L	0.12 ug/L
077093	cis-1,2-Dichloroethylene	Scoop	No	EPA 8260	08/25/04	< 0.10	ug/L	0.10 ug/L
034546	trans-1,2-Dichloroethylene	Scoop	No	EPA 8260	08/25/04	< 0.06	ug/L	0.06 ug/L
034541	1,2-Dichloropropane	Scoop	No	EPA 8260	08/25/04	< 0.04	ug/L	0.04 ug/L
034704	cis-1,3-Dichloropropane	Scoop	No	EPA 8260	08/25/04	< 0.05	ug/L	0.05 ug/L
034699	trans-1,3-Dichloropropane	Scoop	No	EPA 8260	08/25/04	< 0.04	ug/L	0.04 ug/L
034371	Ethylbenzene	Scoop	No	EPA 8260	08/25/04	< 0.06	ug/L	0.06 ug/L
077103	2-Hexanone	Scoop	No	EPA 8260	08/25/04	< 5.0	ug/L	5.0 ug/L
034413	Methyl bromide	Scoop	No	EPA 8260	08/25/04	< 0.11	ug/L	0.11 ug/L
034418	Methyl chloride	Scoop	No	EPA 8260	08/25/04	< 0.13	ug/L	0.13 ug/L
046361	Methylene bromide	Scoop	No	EPA 8260	08/25/04	< 0.3	ug/L	0.3 ug/L
034423	Methylene chloride	Scoop	No	EPA 8260	08/25/04	< 0.03	ug/L	0.03 ug/L
081595	Methyl ethyl ketone	Scoop	No	EPA 8260	08/25/04	< 5.0	ug/L	5.0 ug/L
077424	Methyl iodide	Scoop	No	EPA 8260	08/25/04	< 0.5	ug/L	0.5 ug/L
078133	2-Methyl-2-pentanone	Scoop	No	EPA 8260	08/25/04	< 5.0	ug/L	5.0 ug/L
077128	Styrene	Scoop	No	EPA 8260	08/25/04	< 1.0	ug/L	1.0 ug/L
077562	1,1,1,2-Tetrachloroethane	Scoop	No	EPA 8260	08/25/04	< 0.1	ug/L	0.1 ug/L
034516	1,1,2,2-Tetrachloroethane	Scoop	No	EPA 8260	08/25/04	< 0.04	ug/L	0.04 ug/L



PART III ANALYTICAL RESULTS

Facility GMS #: 4025C30001

Sampling Date/Time: 08/12/04 @ 1440

Test Site ID #: Surface water

Report Period: 07/01/04 to 12/31/04

Well Name: SW-1

Well Purged (Y/N):

Well Type:

Background

Classification of Groundwater:

Intermediate

Groundwater Elevation (MSL):

ft.

x

Other

STORET Code	Parameter Monitored	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Date/Time	Analysis Results/Units		Detection Limits/Units
034475	Tetrachloroethylene	Scoop	No	EPA 8260	08/25/04	< 0.14	ug/L	0.14 ug/L
034010	Toluene	Scoop	No	EPA 8260	08/25/04	< 0.11	ug/L	0.11 ug/L
034506	1,1,1-Trichloroethane	Scoop	No	EPA 8260	08/25/04	< 0.04	ug/L	0.04 ug/L
034511	1,1,2-Trichloroethane	Scoop	No	EPA 8260	08/25/04	< 0.10	ug/L	0.10 ug/L
039180	Trichloroethylene	Scoop	No	EPA 8260	08/25/04	< 0.19	ug/L	0.19 ug/L
034488	Trichlorofluoromethane	Scoop	No	EPA 8260	08/25/04	< 0.08	ug/L	0.08 ug/L
077443	1,2,3-Trichloropropane	Scoop	No	EPA 8260	08/25/04	< 0.3	ug/L	0.3 ug/L
077057	Vinyl acetate	Scoop	No	EPA 8260	08/25/04	< 10.0	ug/L	10.0 ug/L
039175	Vinyl chloride	Scoop	No	EPA 8260	08/25/04	< 0.17	ug/L	0.17 ug/L
034020	Xylenes	Scoop	No	EPA 8260	08/25/04	< 0.11	ug/L	0.11 ug/L