From: Victor Damasceno
To: Rush, Kim; "Michael Kaiser";
Subject: RE: JED closing cost estimate
Date: Thursday, December 13, 2012 2:47:40 PM
Attachments: 62-701.900(28) - Cells 1 - 8 (post-closure).pdf

Kim,

Please find attached an updated copy of FDEP Form (28) with the revised closure cost estimate for JED.

Let me know if you have any additional questions/comments.

Thanks,
Victor

Victor M. Damasceno, Ph.D., P.E.
Project Engineer

13101 Telecom Drive, Suite 120
Temple Terrace, FL 33637
Direct: 813.379.4394
Mobile: 813.313.7156
Main: 813.558.0990
Fax: 813.558.9726
www.Geosyntec.com

From: Rush, Kim [mailto:Kim.Rush@dep.state.fl.us]
Sent: Wednesday, December 12, 2012 4:23 PM
To: 'Michael Kaiser'; Victor Damasceno
Subject: JED closing cost estimate

Mike and Victor,

I am in the process of reviewing the revised closure cost estimate for JED. In order to use this estimate for the 2013 and not require an adjustment for 2013, the LTC cost of $9,099,143.79 needs to be inflation adjusted. You can do a detailed cost estimate for only the closing costs and an inflation adjustment on the LTC costs by putting the LTC inflation adjustment on page 2 of the DEP form. Can you please resubmit just the entire DEP form (28) with this adjustment on page 2 (leave pages 6-8 blank)? Only one copy is needed (or just email it) and no need to resubmit the rest of the supporting documents.

Please call me if this doesn't make sense…

Kimberly Rush, P.E.
Solid Waste
Florida Department of Environmental Protection
3319 Maguire Blvd. Ste 232
Orlando, FL 32803-3767
Phone: (407) 897-4314

Please take a few minutes to share your comments on the service you received from the department by clicking on this link. DEP Customer Survey.