




NOT IN OCAUS

Central Testing Laboratory

Engineering and Materials Testing

LEESBURG • FLORAL CITY • OCALA



QUARTERLY REPORT ON GROUNDWATER
MONITORING

SUMTER COUNTY SOLID WASTE
MANAGEMENT FACILITY


SUMTERVILLE, SUMTER COUNTY, FLORIDA

4060C00092

RECEIVED

AUG 30 1995

Solid Waste Section




CENTRAL TESTING LABORATORY

STATE OF FLORIDA
DEPARTMENT OF ENVIRONMENTAL REGULATION

SOUTHWEST DISTRICT

4520 OAK FAIR BLVD.
TAMPA, FLORIDA 33610-7347

813-623-5561
Suncom--552-7612



BOB MARTINEZ
GOVERNOR

DALE TWACHTMANN
SECRETARY

DR. RICHARD D. GARRITY
DISTRICT MANAGER

QUARTERLY REPORT ON GROUND WATER MONITORING
RULE 17-4.245(6)(K)2.

GMS# 4060C00092

DATE August 28, 1995

DER PERMIT SF60-146475

Sumter County Class I Landfill
Installation Name

222 E. McCollum Avenue	Bushnell	FL	33513	Sumter
Address	City	State	Zip	County

Garry Breedon	Director of Public Works
Owner or Authorized Representative's Name	Title

Method of Discharge Groundwater Slow Rate Infiltration

Type of Industry Landfill


Report for Period July 1, 1995 to September 30, 1995
date date

Attach monitoring data as approved in monitoring plan using parameter monitoring report forms. When applicable, attach additional sheets describing any changes in the background water quality and the discharge plume since the last reported description. Include any changes in size, direction of movement, rate of movement, and concentration changes of plume constituents in violation of the applicable standards.

NOTE: Pursuant to Rule 17-4.245(6)(k)3., at any time there is a change in the permitted volume, location or chemical, physical or microbiological composition of the discharge plume, the permittee shall notify the department and, if required by the department, submit a new report stating the volume and chemical, physical and microbiological compositions of the discharge at the point of release or contact with the ground water at the site boundary.

CERTIFICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.


Owner or Authorized Representative's Signature

August 28, 1995

Date

Protecting Florida and Your Quality of Life

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404 - 17-3.406)

GMS# 4060C00092
Monitoring Well 4060A12054
Well Name MONITOR WELL 1
Classification of Groundwater G-II

Sample Date 07-19-95
Well Type () Background
() Site Boundary
(x) Intermediate
() Compliance

Well Developed* Prior to
Sample Collection (Yes/No) YES

Groundwater Elevation
(above MSL) 45.09 ft.

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	ANALYSIS METHOD	ANALYSIS RESULTS	UNITS	SAMPLE FILTERED/ UNFILTERED	PRESERVATIVES ADDED
000010	^{40.0} TEMPERATURE	GRAB	EPA 170.1	^{61.99} 25.8	°C	UNFILTERED	NONE
000095	SPECIFIC CONDUCTANCE	GRAB	EPA 120.1	61	umhos	UNFILTERED	NONE
	ANTIMONY	GRAB	EPA 204.2	<0.003	mg/l	UNFILTERED	HNO ₃
	ARSENIC	GRAB	EPA 206.3	<0.0005	mg/l	UNFILTERED	HNO ₃
	BARIUM	GRAB	EPA 200.7	0.00600	mg/l	UNFILTERED	HNO ₃
	BERYLLIUM	GRAB	EPA 210.1	0.000370	mg/l	UNFILTERED	HNO ₃
001027	CADMIUM	GRAB	EPA 200.7	0.000600	µg/l	UNFILTERED	HNO ₃
001034	CHROMIUM	GRAB	EPA 200.7	0.00160	µg/l	UNFILTERED	HNO ₃
	CYANIDE	GRAB	EPA 335.2	<0.005	mg/l	UNFILTERED	NaOH
	FLUORIDE	GRAB	EPA 340.2	0.05	mg/l	UNFILTERED	NONE
	LEAD	GRAB	EPA 239.1	<0.001	mg/l	UNFILTERED	HNO ₃
	MERCURY	GRAB	EPA 245.1	<0.0002	mg/l	UNFILTERED	HNO ₃
	NICKEL	GRAB	EPA 200.7	<0.0004	mg/l	UNFILTERED	HNO ₃
000620	NITRATE	GRAB	EPA 353.1	66.2	mg/l	UNFILTERED	H ₂ SO ₄
	NITRITE	GRAB	EPA 354.1	0.174	mg/l	UNFILTERED	H ₂ SO ₄
	TOTAL NITRATE AND NITRITE	GRAB	EPA 343.1	66.37	mg/l	UNFILTERED	H ₂ SO ₄
	SELENIUM	GRAB	EPA 270.3	<0.0005	mg/l	UNFILTERED	HNO ₃
000929	SODIUM	GRAB	EPA 200.7	5.71	mg/l	UNFILTERED	NONE
	THALLIUM	GRAB	EPA 279.2	<0.001	mg/l	UNFILTERED	HNO ₃
039715	VINYL CHLORIDE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
034030	BENZENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
032101	CARBON TETRACHLORIDE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
034531	1,2-DICHLOROETHANE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
039180	TRICHLOROETHYLENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE

*Well development is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404 - 17-3.406)

GMS# 4060C00092
Monitoring Well 4060A12054
Well Name MONITOR WELL 1
Classification of Groundwater G-II

Sample Date 07-19-95
Well Type () Background
() Site Boundary
(x) Intermediate
() Compliance
Groundwater Elevation
(above MSL) 45.09 ft.

Well Developed* Prior to
Sample Collection (Yes/No) YES

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	ANALYSIS METHOD	ANALYSIS RESULTS	UNITS	SAMPLE FILTERED/ UNFILTERED	PRESERVATIVES ADDED
34571	PARA-DICHLORO- BENZENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
34501	1,1-DICHLORO- ETHYLENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
034506	1,1,1-TRI- CHLOROETHANE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
	CIS-1,2- DICHLORO- ETHYLENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
34541	1,2-DICHLORO- PROPANE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
34371	ETHYLBENZENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
34301	MONOCHLORO- BENZENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
34536	o-DICHLORO- BENZENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
	STYRENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
034475	TETRACHLORO- ETHYLENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
34010	TOLUENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
	TRANS-1,2- DICHLORO- ETHYLENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
	XYLENES (TOTAL)	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
34423	DICHLORO- METHANE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
	1,2,4-TRI- CHLOROBENZENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
	1,1,2-TRI- CHLOROETHANE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
	ALACHLOR	GRAB	EPA 505	<0.2	µg/l	UNFILTERED	NONE
	ATRAZINE	GRAB	EPA 505	<0.1	µg/l	UNFILTERED	NONE
	CARBOFURAN	GRAB	EPA 531	<0.9	µg/l	UNFILTERED	NONE
39350	CHLORDANE	GRAB	EPA 508	<0.01	µg/l	UNFILTERED	NONE

*Well development is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404 - 17-3.406)

GMS# 4060C00092
Monitoring Well 4060A12054
Well Name MONITOR WELL 1
Classification of Groundwater G-II

Sample Date 07-19-95
Well Type () Background
() Site Boundary
(x) Intermediate
() Compliance
Groundwater Elevation
(above MSL) 45.09 ft.

Well Developed* Prior to
Sample Collection (Yes/No) YES

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	ANALYSIS METHOD	ANALYSIS RESULTS	UNITS	SAMPLE FILTERED/ UNFILTERED	PRESERVATIVES ADDED
	DIBROMOCHLOROPROPANE	GRAB	EPA 504	<0.02	µg/l	UNFILTERED	NONE
	2,4-D	GRAB	EPA 515	<0.05	µg/l	UNFILTERED	NONE
39390	ENDRIN	GRAB	EPA 508	<0.001	µg/l	UNFILTERED	NONE
	ETHYLENE DIBROMIDE	GRAB	EPA 504	<0.005	µg/l	UNFILTERED	NONE
39410	HEPTACHLOR	GRAB	EPA 508	<0.005	µg/l	UNFILTERED	NONE
39420	HEPTACHLOR EPOXIDE	GRAB	EPA 508	<0.005	µg/l	UNFILTERED	NONE
	LINDANE	GRAB	EPA 508	<0.001	µg/l	UNFILTERED	NONE
	METHOXYCHLOR	GRAB	EPA 508	<0.01	µg/l	UNFILTERED	NONE
34671	POLYCHLORINATED	GRAB	EPA 508	<0.1	µg/l	UNFILTERED	NONE
39488	BIPHENYL						
39492	(PCB)						
39496							
39500							
39504							
39508							
	PENTACHLOROPHENOL	GRAB	EPA 515	<0.04	µg/l	UNFILTERED	NONE
39400	TOXAPHENE	GRAB	EPA 508	<0.1	µg/l	UNFILTERED	NONE
	2,4,5-TP (SILVEX)	GRAB	EPA 515	<0.02	µg/l	UNFILTERED	NONE
	DALAPON	GRAB	EPA 515	<0.001	µg/l	UNFILTERED	NONE
	DI(2-ETHYL-HEXYL) PHTHALATE	GRAB	EPA 606	<0.6	µg/l	UNFILTERED	NONE
	DI(2-ETHYL-HEXYL) ADIPATE	GRAB	EPA 506	<0.6	µg/l	UNFILTERED	NONE
	DINOSEB	GRAB	EPA 515	<0.01	µg/l	UNFILTERED	NONE
	DIQUAT	GRAB	EPA 549	<0.4	µg/l	UNFILTERED	NONE
	ENDOTHALL	GRAB	EPA 548	<9	µg/l	UNFILTERED	NONE
	GLYPHOSATE	GRAB	EPA 547	<0.6	µg/l	UNFILTERED	NONE
	HEXACHLOROBENZENE	GRAB	EPA 508	<0.1	µg/l	UNFILTERED	NONE

*Well development is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404 - 17-3.406)

GMS# 4060C00092
Monitoring Well 4060A12054
Well Name MONITOR WELL 1
Classification of Groundwater G-II

Sample Date 07-19-95
Well Type () Background
() Site Boundary
(x) Intermediate
() Compliance
Groundwater Elevation
(above MSL) 45.09 ft.

Well Developed* Prior to
Sample Collection (Yes/No) YES

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	ANALYSIS METHOD	ANALYSIS RESULTS	UNITS	SAMPLE FILTERED/ UNFILTERED	PRESERV ATIVES ADDED
	HEXACHLORO- CYCLO- PENTADIENE	GRAB	EPA 508	<0.1	µg/l	UNFILTERED	NONE
	OXAMYL (VYDATE)	GRAB	EPA 531	<2	µg/l	UNFILTERED	NONE
	BENZO(a) PYRENE	GRAB	EPA 550	<0.02	µg/l	UNFILTERED	NONE
	PICLORAM	GRAB	EPA 515	<0.07	µg/l	UNFILTERED	NONE
	SIMAZINE	GRAB	EPA 505	<0.07	µg/l	UNFILTERED	NONE
	ALUMINUM	GRAB	EPA 200.7	0.476	mg/l	UNFILTERED	HNO ₃
	CHLORIDE	GRAB	EPA 325.3	6.69	mg/l	UNFILTERED	NONE
000080	COLOR	GRAB	EPA 110.1	20.0	PTU	UNFILTERED	NONE
	COPPER	GRAB	EPA 220.1	0.0115	mg/l	UNFILTERED	HNO ₃
	FLUORIDE	GRAB	EPA 340.1	<0.05	mg/l	UNFILTERED	NONE
	FOAMING AGENTS	GRAB	EPA 425.1	<0.1	mg/l	UNFILTERED	NONE
900219	IRON	GRAB	EPA 236.1	0.0815	mg/l	UNFILTERED	HNO ₃
	ODOR	GRAB	EPA 140.1	<1	TON	UNFILTERED	NONE
000400	Ph	GRAB	EPA 150.1	6.99	ST.UN.	UNFILTERED	HNO ₃
	SILVER	GRAB	EPA 200.7	<0.0002	mg/l	UNFILTERED	NONE
000945	SULFATE	GRAB	EPA 300.0	1.39	mg/l	UNFILTERED	HNO ₃
070300	TOTAL DISSOLVED SOLIDS	GRAB	EPA 160.1	100	mg/l	UNFILTERED	NONE
082079	TURBIDITY	GRAB	EPA 180.1	<0.0500	NTU	UNFILTERED	NONE
900221	ZINC	GRAB	EPA 289.1	0.00700	mg/l	UNFILTERED	HNO ₃
	AMMONIUM	GRAB	EPA 350.1	<0.0100	mg/l	UNFILTERED	H ₂ SO ₄
	GROSS ALPHA Excl. Ra & U	GRAB	EPA 900	9.10	pCi/l	UNFILTERED	HNO ₃

*Well development is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404 - 17-3.406)

GMS# 406000092
Monitoring Well 4060A12055
Well Name MONITOR WELL 2
Classification of Groundwater G-II

Sample Date 07-19-95
Well Type (x) Background
() Site Boundary
() Intermediate
() Compliance

Well Developed* Prior to
Sample Collection (Yes/No) YES

Groundwater Elevation
(above MSL) 45.56 ft.

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	ANALYSIS METHOD	ANALYSIS RESULTS	UNITS	SAMPLE FILTERED/ UNFILTERED	PRESERVATIVES ADDED
000010	TEMPERATURE	GRAB	EPA 170.1	^{6.5} 25.9	°C	UNFILTERED	NONE
000095	SPECIFIC CONDUCTANCE	GRAB	EPA 120.1	413	umhos	UNFILTERED	NONE
	ANTIMONY	GRAB	EPA 204.2	<0.003	mg/l	UNFILTERED	HNO ₃
	ARSENIC	GRAB	EPA 206.3	<0.0005	mg/l	UNFILTERED	HNO ₃
	BARIUM	GRAB	EPA 200.7	0.0149	mg/l	UNFILTERED	HNO ₃
	BERYLLIUM	GRAB	EPA 210.1	0.000270	mg/l	UNFILTERED	HNO ₃
001027	CADMIUM	GRAB	EPA 200.7	0.000300	µg/l	UNFILTERED	HNO ₃
001034	CHROMIUM	GRAB	EPA 200.7	0.00170	µg/l	UNFILTERED	HNO ₃
	CYANIDE	GRAB	EPA 335.2	<0.005	mg/l	UNFILTERED	NaOH
	FLUORIDE	GRAB	EPA 340.2	<0.05	mg/l	UNFILTERED	NONE
	LEAD	GRAB	EPA 239.1	<0.001	mg/l	UNFILTERED	HNO ₃
	MERCURY	GRAB	EPA 245.1	<0.0002	mg/l	UNFILTERED	HNO ₃
	NICKEL	GRAB	EPA 200.7	0.00220	mg/l	UNFILTERED	HNO ₃
000620	NITRATE	GRAB	EPA 353.1	99.7	mg/l	UNFILTERED	H ₂ SO ₄
	NITRITE	GRAB	EPA 354.1	<0.01	mg/l	UNFILTERED	H ₂ SO ₄
	TOTAL NITRATE AND NITRITE	GRAB	EPA 343.1	99.7	mg/l	UNFILTERED	H ₂ SO ₄
	SELENIUM	GRAB	EPA 270.3	<0.0005	mg/l	UNFILTERED	HNO ₃
000929	SODIUM	GRAB	EPA 200.7	31.7	mg/l	UNFILTERED	NONE
	THALLIUM	GRAB	EPA 279.2	<0.001	mg/l	UNFILTERED	HNO ₃
039715	VINYL CHLORIDE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
034030	BENZENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
032101	CARBON TETRACHLORIDE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
034531	1,2-DICHLORO- ETHANE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
039180	TRICHLORO- ETHYLENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE

*Well development is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404 - 17-3.406)

GMS# 406000092
Monitoring Well 4060A12055
Well Name MONITOR WELL 2
Classification of Groundwater G-II

Sample Date 07-19-95
Well Type (x) Background
() Site Boundary
() Intermediate
() Compliance
Groundwater Elevation
(above MSL) 45.56 ft.

Well Developed* Prior to
Sample Collection (Yes/No) YES

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	ANALYSIS METHOD	ANALYSIS RESULTS	UNITS	SAMPLE FILTERED/ UNFILTERED	PRESERVATIVES ADDED
34571	PARA-DICHLORO- ROBENZENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
34501	1,1-DICHLORO- ETHYLENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
034506	1,1,1-TRI- CHLOROETHANE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
	CIS-1,2- DICHLORO- ETHYLENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
34541	1,2-DICHLORO- PROPANE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
34371	ETHYLBENZENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
34301	MONOCHLORO- BENZENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
34536	o-DICHLORO- BENZENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
	STYRENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
034475	TETRACHLORO- ETHYLENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
34010	TOLUENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
	TRANS-1,2- DICHLORO- ETHYLENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
	XYLENES (TOTAL)	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
34423	DICHLORO- METHANE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
	1,2,4-TRI- CHLOROBENZENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
	1,1,2-TRI- CHLOROETHANE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
	ALACHLOR	GRAB	EPA 505	<0.2	µg/l	UNFILTERED	NONE
	ATRAZINE	GRAB	EPA 505	<0.1	µg/l	UNFILTERED	NONE
	CARBOFURAN	GRAB	EPA 531	<0.9	µg/l	UNFILTERED	NONE
39350	CHLORDANE	GRAB	EPA 508	<0.01	µg/l	UNFILTERED	NONE

*Well development is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404 - 17-3.406)

GMS# 406000092
Monitoring Well 4060A12055
Well Name MONITOR WELL 2
Classification of Groundwater G-II

Sample Date 07-19-95
Well Type (x) Background
() Site Boundary
() Intermediate
() Compliance
Groundwater Elevation
(above MSL) 45.56 ft.

Well Developed* Prior to
Sample Collection (Yes/No) YES

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	ANALYSIS METHOD	ANALYSIS RESULTS	UNITS	SAMPLE FILTERED/ UNFILTERED	PRESERV ATIVES ADDED
	DIBROMOCHLO- ROPROPANE	GRAB	EPA 504	<0.02	µg/l	UNFILTERED	NONE
	2,4-D	GRAB	EPA 515	<0.05	µg/l	UNFILTERED	NONE
39390	ENDRIN	GRAB	EPA 508	<0.001	µg/l	UNFILTERED	NONE
	ETHYLENE DIBROMIDE	GRAB	EPA 504	<0.005	µg/l	UNFILTERED	NONE
39410	HEPTACHLOR	GRAB	EPA 508	<0.005	µg/l	UNFILTERED	NONE
39420	HEPTACHLOR EPOXIDE	GRAB	EPA 508	<0.005	µg/l	UNFILTERED	NONE
	LINDANE	GRAB	EPA 508	<0.001	µg/l	UNFILTERED	NONE
	METHOXYCHLOR	GRAB	EPA 508	<0.01	µg/l	UNFILTERED	NONE
34671 39488 39492 39496 39500 39504 39508	POLYCHLOR- INATED BIPHENYL (PCB)	GRAB	EPA 508	<0.1	µg/l	UNFILTERED	NONE
	PENTACHLORO- PHENOL	GRAB	EPA 515	<0.04	µg/l	UNFILTERED	NONE
39400	TOXAPHENE	GRAB	EPA 508	<0.1	µg/l	UNFILTERED	NONE
	2,4,5-TP (SILVEX)	GRAB	EPA 515	<0.02	µg/l	UNFILTERED	NONE
	DALAPON	GRAB	EPA 515	<0.001	µg/l	UNFILTERED	NONE
	DI (2-ETHYL- HEXYL) PHTHA- LATE	GRAB	EPA 606	<0.6	µg/l	UNFILTERED	NONE
	DI (2-ETHYL- HEXYL) ADIPATE	GRAB	EPA 506	<0.6	µg/l	UNFILTERED	NONE
	DINOSEB	GRAB	EPA 515	<0.01	µg/l	UNFILTERED	NONE
	DIQUAT	GRAB	EPA 549	<0.4	µg/l	UNFILTERED	NONE
	ENDOTHALL	GRAB	EPA 548	<9	µg/l	UNFILTERED	NONE
	GLYPHOSATE	GRAB	EPA 547	<0.6	µg/l	UNFILTERED	NONE
	HEXACHLORO- BENZENE	GRAB	EPA 508	<0.1	µg/l	UNFILTERED	NONE

*Well development is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404 - 17-3.406)

GMS# 406000092
Monitoring Well 4060A12055
Well Name MONITOR WELL 2
Classification of Groundwater G-II

Well Developed* Prior to
Sample Collection (Yes/No) YES

Sample Date 07-19-95
Well Type (x) Background
() Site Boundary
() Intermediate
() Compliance
Groundwater Elevation
(above MSL) 45.56 ft.

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	ANALYSIS METHOD	ANALYSIS RESULTS	UNITS	SAMPLE FILTERED/ UNFILTERED	PRESERVATIVES ADDED
	HEXACHLORO-CYCLO-PENTADIENE	GRAB	EPA 508	<0.1	µg/l	UNFILTERED	NONE
	OXAMYL (VYDATE)	GRAB	EPA 531	<2	µg/l	UNFILTERED	NONE
	BENZO(a) PYRENE	GRAB	EPA 550	<0.02	µg/l	UNFILTERED	NONE
	PICLORAM	GRAB	EPA 515	<0.07	µg/l	UNFILTERED	NONE
	SIMAZINE	GRAB	EPA 505	<0.07	µg/l	UNFILTERED	NONE
	ALUMINUM	GRAB	EPA 200.7	0.227	mg/l	UNFILTERED	HNO ₃
	CHLORIDE	GRAB	EPA 325.3	38.6	mg/l	UNFILTERED	NONE
000080	COLOR	GRAB	EPA 110.1	15.0	PTU	UNFILTERED	NONE
	COPPER	GRAB	EPA 220.1	0.00370	mg/l	UNFILTERED	HNO ₃
	FLUORIDE	GRAB	EPA 340.1	<0.05	mg/l	UNFILTERED	NONE
	FOAMING AGENTS	GRAB	EPA 425.1	<0.1	mg/l	UNFILTERED	NONE
900219	IRON	GRAB	EPA 236.1	0.0716	mg/l	UNFILTERED	HNO ₃
	ODOR	GRAB	EPA 140.1	<1	TON	UNFILTERED	NONE
000400	Ph	GRAB	EPA 150.1	6.51	ST.UN.	UNFILTERED	HNO ₃
	SILVER	GRAB	EPA 200.7	<0.0002	mg/l	UNFILTERED	NONE
000945	SULFATE	GRAB	EPA 300.0	13.5	mg/l	UNFILTERED	HNO ₃
070300	TOTAL DISSOLVED SOLIDS	GRAB	EPA 160.1	254	mg/l	UNFILTERED	NONE
082079	TURBIDITY	GRAB	EPA 180.1	2.70	NTU	UNFILTERED	NONE
900221	ZINC	GRAB	EPA 289.1	0.00190	mg/l	UNFILTERED	HNO ₃
	AMMONIUM	GRAB	EPA 350.1	<0.0100	mg/l	UNFILTERED	H ₂ SO ₄
	GROSS ALPHA Excl. Ra & U	GRAB	EPA 900	5.70	pCi/l	UNFILTERED	HNO ₃

*Well development is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404 - 17-3.406)

GMS# 4060C00092
Monitoring Well 4060A12057
Well Name MONITOR WELL 4
Classification of Groundwater G-II

Sample Date 07-19-95
Well Type () Background
(x) Site Boundary
() Intermediate
() Compliance
Groundwater Elevation
(above MSL) 44.94 ft.

Well Developed* Prior to
Sample Collection (Yes/No) YES

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	ANALYSIS METHOD	ANALYSIS RESULTS	UNITS	SAMPLE FILTERED/ UNFILTERED	PRESERVATIVES ADDED
000010	TEMPERATURE	GRAB	EPA 170.1	^{66.8} 27.0	°C	UNFILTERED	NONE
000095	SPECIFIC CONDUCTANCE	GRAB	EPA 120.1	454	umhos	UNFILTERED	NONE
	ANTIMONY	GRAB	EPA 204.2	<0.003	mg/l	UNFILTERED	HNO ₃
	ARSENIC	GRAB	EPA 206.3	<0.0005	mg/l	UNFILTERED	HNO ₃
	BARIUM	GRAB	EPA 200.7	0.0176	mg/l	UNFILTERED	HNO ₃
	BERYLLIUM	GRAB	EPA 210.1	0.00169	mg/l	UNFILTERED	HNO ₃
001027	CADMIUM	GRAB	EPA 200.7	0.00610	µg/l	UNFILTERED	HNO ₃
001034	CHROMIUM	GRAB	EPA 200.7	0.0102	µg/l	UNFILTERED	HNO ₃
	CYANIDE	GRAB	EPA 335.2	0.00650	mg/l	UNFILTERED	NaOH
	FLUORIDE	GRAB	EPA 340.2	0.359	mg/l	UNFILTERED	NONE
	LEAD	GRAB	EPA 239.1	<0.001	mg/l	UNFILTERED	HNO ₃
	MERCURY	GRAB	EPA 245.1	<0.0002	mg/l	UNFILTERED	HNO ₃
	NICKEL	GRAB	EPA 200.7	0.00650	mg/l	UNFILTERED	HNO ₃
000620	NITRATE	GRAB	EPA 353.1	62.0	mg/l	UNFILTERED	H ₂ SO ₄
	NITRITE	GRAB	EPA 354.1	0.820	mg/l	UNFILTERED	H ₂ SO ₄
	TOTAL NITRATE AND NITRITE	GRAB	EPA 343.1	62.82	mg/l	UNFILTERED	H ₂ SO ₄
	SELENIUM	GRAB	EPA 270.3	<0.0005	mg/l	UNFILTERED	HNO ₃
000929	SODIUM	GRAB	EPA 200.7	24.0	mg/l	UNFILTERED	NONE
	THALLIUM	GRAB	EPA 279.2	<0.001	mg/l	UNFILTERED	HNO ₃
039715	VINYL CHLORIDE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
034030	BENZENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
032101	CARBON TETRACHLORIDE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
034531	1,2-DICHLORO- ETHANE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
039180	TRICHLORO- ETHYLENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE

*Well development is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404 - 17-3.406)

GMS# 4060C00092
Monitoring Well 4060A12057
Well Name MONITOR WELL 4
Classification of Groundwater G-II

Sample Date 07-19-95
Well Type () Background
(x) Site Boundary
() Intermediate
() Compliance
Groundwater Elevation
(above MSL) 44.94 ft.

Well Developed* Prior to
Sample Collection (Yes/No) YES

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	ANALYSIS METHOD	ANALYSIS RESULTS	UNITS	SAMPLE FILTERED/ UNFILTERED	PRESERVATIVES ADDED
34571	PARA-DICHLORO- BENZENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
34501	1,1-DICHLORO- ETHYLENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
034506	1,1,1-TRI- CHLOROETHANE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
	CIS-1,2- DICHLORO- ETHYLENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
34541	1,2-DICHLORO- PROPANE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
34371	ETHYLBENZENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
34301	MONOCHLORO- BENZENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
34536	o-DICHLORO- BENZENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
	STYRENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
034475	TETRACHLORO- ETHYLENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
34010	TOLUENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
	TRANS-1,2- DICHLORO- ETHYLENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
	XYLENES (TOTAL)	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
34423	DICHLORO- METHANE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
	1,2,4-TRI- CHLOROBENZENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
	1,1,2-TRI- CHLOROETHANE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
	ALACHLOR	GRAB	EPA 505	<0.2	µg/l	UNFILTERED	NONE
	ATRAZINE	GRAB	EPA 505	<0.1	µg/l	UNFILTERED	NONE
	CARBOFURAN	GRAB	EPA 531	<0.9	µg/l	UNFILTERED	NONE
39350	CHLORDANE	GRAB	EPA 508	<0.01	µg/l	UNFILTERED	NONE

*Well development is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404 - 17-3.406)

GMS# 4060C00092
Monitoring Well 4060A12057
Well Name MONITOR WELL 4
Classification of Groundwater G-II

Sample Date 07-19-95
Well Type () Background
(x) Site Boundary
() Intermediate
() Compliance
Groundwater Elevation
(above MSL) 44.94 ft.

Well Developed* Prior to
Sample Collection (Yes/No) YES

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	ANALYSIS METHOD	ANALYSIS RESULTS	UNITS	SAMPLE FILTERED/ UNFILTERED	PRESERVATIVES ADDED
	DIBROMOCHLOROPROPANE	GRAB	EPA 504	<0.02	µg/l	UNFILTERED	NONE
	2,4-D	GRAB	EPA 515	<0.05	µg/l	UNFILTERED	NONE
39390	ENDRIN	GRAB	EPA 508	<0.001	µg/l	UNFILTERED	NONE
	ETHYLENE DIBROMIDE	GRAB	EPA 504	<0.005	µg/l	UNFILTERED	NONE
39410	HEPTACHLOR	GRAB	EPA 508	<0.005	µg/l	UNFILTERED	NONE
39420	HEPTACHLOR EPOXIDE	GRAB	EPA 508	<0.005	µg/l	UNFILTERED	NONE
	LINDANE	GRAB	EPA 508	<0.001	µg/l	UNFILTERED	NONE
	METHOXYCHLOR	GRAB	EPA 508	<0.01	µg/l	UNFILTERED	NONE
34671 39488 39492 39496 39500 39504 39508	POLYCHLORINATED BIPHENYL (PCB)	GRAB	EPA 508	<0.1	µg/l	UNFILTERED	NONE
	PENTACHLOROPHENOL	GRAB	EPA 515	<0.04	µg/l	UNFILTERED	NONE
39400	TOXAPHENE	GRAB	EPA 508	<0.1	µg/l	UNFILTERED	NONE
	2,4,5-TP (SILVEX)	GRAB	EPA 515	<0.02	µg/l	UNFILTERED	NONE
	DALAPON	GRAB	EPA 515	<0.001	µg/l	UNFILTERED	NONE
	DI(2-ETHYLHEXYL) PHTHALATE	GRAB	EPA 606	<0.6	µg/l	UNFILTERED	NONE
	DI(2-ETHYLHEXYL) ADIPATE	GRAB	EPA 506	<0.6	µg/l	UNFILTERED	NONE
	DINOSEB	GRAB	EPA 515	<0.01	µg/l	UNFILTERED	NONE
	DIQUAT	GRAB	EPA 549	<0.4	µg/l	UNFILTERED	NONE
	ENDOTHALL	GRAB	EPA 548	<9	µg/l	UNFILTERED	NONE
	GLYPHOSATE	GRAB	EPA 547	<0.6	µg/l	UNFILTERED	NONE
	HEXACHLOROBENZENE	GRAB	EPA 508	<0.1	µg/l	UNFILTERED	NONE

*Well development is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404 - 17-3.406)

GMS# 4060C00092
Monitoring Well 4060A12057
Well Name MONITOR WELL 4
Classification of Groundwater G-II

Sample Date 07-19-95
Well Type () Background
(x) Site Boundary
() Intermediate
() Compliance
Groundwater Elevation
(above MSL) 44.94 ft.

Well Developed* Prior to
Sample Collection (Yes/No) YES

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	ANALYSIS METHOD	ANALYSIS RESULTS	UNITS	SAMPLE FILTERED/ UNFILTERED	PRESERVATIVES ADDED
	HEXACHLORO-CYCLO-PENTADIENE	GRAB	EPA 508	<0.1	µg/l	UNFILTERED	NONE
	OXAMYL (VYDATE)	GRAB	EPA 531	<2	µg/l	UNFILTERED	NONE
	BENZO(a) PYRENE	GRAB	EPA 550	<0.02	µg/l	UNFILTERED	NONE
	PICLORAM	GRAB	EPA 515	<0.07	µg/l	UNFILTERED	NONE
	SIMAZINE	GRAB	EPA 505	<0.07	µg/l	UNFILTERED	NONE
	ALUMINUM	GRAB	EPA 200.7	2.83	mg/l	UNFILTERED	HNO ₃
	CHLORIDE	GRAB	EPA 325.3	62.5	mg/l	UNFILTERED	NONE
000080	COLOR	GRAB	EPA 110.1	170	PTU	UNFILTERED	NONE
	COPPER	GRAB	EPA 220.1	0.0130	mg/l	UNFILTERED	HNO ₃
	FLUORIDE	GRAB	EPA 340.1	0.359	mg/l	UNFILTERED	NONE
	FOAMING AGENTS	GRAB	EPA 425.1	<.1	mg/l	UNFILTERED	NONE
900219	IRON	GRAB	EPA 236.1	1.52	mg/l	UNFILTERED	HNO ₃
	ODOR	GRAB	EPA 140.1	2.00	TON	UNFILTERED	NONE
000400	Ph	GRAB	EPA 150.1	6.68	ST.UN.	UNFILTERED	HNO ₃
	SILVER	GRAB	EPA 200.7	<0.0002	mg/l	UNFILTERED	NONE
000945	SULFATE	GRAB	EPA 300.0	3.29	mg/l	UNFILTERED	HNO ₃
070300	TOTAL DISSOLVED SOLIDS	GRAB	EPA 160.1	384	mg/l	UNFILTERED	NONE
082079	TURBIDITY	GRAB	EPA 180.1	225.0	NTU	UNFILTERED	NONE
900221	ZINC	GRAB	EPA 289.1	0.0338	mg/l	UNFILTERED	HNO ₃
	AMMONIUM	GRAB	EPA 350.1	0.136	mg/l	UNFILTERED	H ₂ SO ₄
	GROSS ALPHA Excl. Ra & U	GRAB	EPA 900	97.0	pCi/l	UNFILTERED	HNO ₃

*Well development is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404 - 17-3.406)

GMS# 4060C00092
Monitoring Well 4060A12057
Well Name MONITOR WELL 6A
Classification of Groundwater G-II

Well Developed* Prior to
Sample Collection (Yes/No) YES

Sample Date 07-19-95
Well Type () Background
() Site Boundary
() Intermediate
(x) Compliance
Groundwater Elevation
(above MSL) 45.62 ft.

3955

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	ANALYSIS METHOD	ANALYSIS RESULTS	UNITS	SAMPLE FILTERED/ UNFILTERED	PRESERVATIVES ADDED
000010	TEMPERATURE	GRAB	EPA 170.1	26.0 ⁷¹²⁴	°C	UNFILTERED	NONE
000095	SPECIFIC CONDUCTANCE	GRAB	EPA 120.1	216	umhos	UNFILTERED	NONE
	ANTIMONY	GRAB	EPA 204.2	<0.003	mg/l	UNFILTERED	HNO ₃
	ARSENIC	GRAB	EPA 206.3	<0.0005	mg/l	UNFILTERED	HNO ₃
	BARIUM	GRAB	EPA 200.7	0.00610	mg/l	UNFILTERED	HNO ₃
	BERYLLIUM	GRAB	EPA 210.1	0.000230	mg/l	UNFILTERED	HNO ₃
001027	CADMIUM	GRAB	EPA 200.7	0.00110	µg/l	UNFILTERED	HNO ₃
001034	CHROMIUM	GRAB	EPA 200.7	0.00610	µg/l	UNFILTERED	HNO ₃
	CYANIDE	GRAB	EPA 335.2	0.00819	mg/l	UNFILTERED	NaOH
	FLUORIDE	GRAB	EPA 340.2	0.113	mg/l	UNFILTERED	NONE
	LEAD	GRAB	EPA 239.1	<0.001	mg/l	UNFILTERED	HNO ₃
	MERCURY	GRAB	EPA 245.1	<0.0002	mg/l	UNFILTERED	HNO ₃
	NICKEL	GRAB	EPA 200.7	0.00300	mg/l	UNFILTERED	HNO ₃
000620	NITRATE	GRAB	EPA 353.1	55.3	mg/l	UNFILTERED	H ₂ SO ₄
	NITRITE	GRAB	EPA 354.1	0.0737	mg/l	UNFILTERED	H ₂ SO ₄
	TOTAL NITRATE AND NITRITE	GRAB	EPA 343.1	55.37	mg/l	UNFILTERED	H ₂ SO ₄
	SELENIUM	GRAB	EPA 270.3	<0.0005	mg/l	UNFILTERED	HNO ₃
000929	SODIUM	GRAB	EPA 200.7	4.97	mg/l	UNFILTERED	NONE
	THALLIUM	GRAB	EPA 279.2	<0.001	mg/l	UNFILTERED	HNO ₃
039715	VINYL CHLORIDE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
034030	BENZENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
032101	CARBON TETRACHLORIDE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
034531	1,2-DICHLORO-ETHANE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
039180	TRICHLORO-ETHYLENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE

*Well development is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404 - 17-3.406)

GMS# 4060C00092

Monitoring Well 4060A12057

Well Name MONITOR WELL 6A

Classification of Groundwater G-II

Well Developed* Prior to

Sample Collection (Yes/No) YES

Sample Date 07-19-95

Well Type () Background

() Site Boundary

() Intermediate

(x) Compliance

Groundwater Elevation

(above MSL) 45.62 ft.

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	ANALYSIS METHOD	ANALYSIS RESULTS	UNITS	SAMPLE FILTERED/ UNFILTERED	PRESERVATIVES ADDED
34571	PARA-DICHLORO- BENZENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
34501	1,1-DICHLORO- ETHYLENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
034506	1,1,1-TRI- CHLOROETHANE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
	CIS-1,2- DICHLORO- ETHYLENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
34541	1,2-DICHLORO- PROPANE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
34371	ETHYLBENZENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
34301	MONOCHLORO- BENZENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
34536	o-DICHLORO- BENZENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
	STYRENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
034475	TETRACHLORO- ETHYLENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
34010	TOLUENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
	TRANS-1,2- DICHLORO- ETHYLENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
	XYLENES (TOTAL)	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
34423	DICHLORO- METHANE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
	1,2,4-TRI- CHLOROBENZENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
	1,1,2-TRI- CHLOROETHANE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
	ALACHLOR	GRAB	EPA 505	<0.2	µg/l	UNFILTERED	NONE
	ATRAZINE	GRAB	EPA 505	<0.1	µg/l	UNFILTERED	NONE
	CARBOFURAN	GRAB	EPA 531	<0.9	µg/l	UNFILTERED	NONE
39350	CHLORDANE	GRAB	EPA 508	<0.01	µg/l	UNFILTERED	NONE

*Well development is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

DER Form 17-1.216(2)

Effective January 1, 1983

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404 - 17-3.406)

GMS# 4060C00092
Monitoring Well 4060A12057
Well Name MONITOR WELL 6A
Classification of Groundwater G-II

Sample Date 07-19-95
Well Type () Background
() Site Boundary
() Intermediate
(x) Compliance

Well Developed* Prior to
Sample Collection (Yes/No) YES

Groundwater Elevation
(above MSL) 45.62 ft.

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	ANALYSIS METHOD	ANALYSIS RESULTS	UNITS	SAMPLE FILTERED/ UNFILTERED	PRESERVATIVES ADDED
39390	DIBROMOCHLOROPROPANE	GRAB	EPA 504	<0.02	µg/l	UNFILTERED	NONE
	2,4-D	GRAB	EPA 515	<0.05	µg/l	UNFILTERED	NONE
	ENDRIN	GRAB	EPA 508	<0.001	µg/l	UNFILTERED	NONE
	ETHYLENE DIBROMIDE	GRAB	EPA 504	<0.005	µg/l	UNFILTERED	NONE
39410	HEPTACHLOR	GRAB	EPA 508	<0.005	µg/l	UNFILTERED	NONE
39420	HEPTACHLOR EPOXIDE	GRAB	EPA 508	<0.005	µg/l	UNFILTERED	NONE
34671 39488 39492 39496 39500 39504 39508	LINDANE	GRAB	EPA 508	<0.001	µg/l	UNFILTERED	NONE
	METHOXYCHLOR	GRAB	EPA 508	<0.01	µg/l	UNFILTERED	NONE
	POLYCHLORINATED BIPHENYL (PCB)	GRAB	EPA 508	<0.1	µg/l	UNFILTERED	NONE
	PENTACHLOROPHENOL	GRAB	EPA 515	<0.04	µg/l	UNFILTERED	NONE
39400	TOXAPHENE	GRAB	EPA 508	<0.1	µg/l	UNFILTERED	NONE
	2,4,5-TP (SILVEX)	GRAB	EPA 515	<0.02	µg/l	UNFILTERED	NONE
	DALAPON	GRAB	EPA 515	<0.001	µg/l	UNFILTERED	NONE
	DI(2-ETHYL-HEXYL) PHTHALATE	GRAB	EPA 606	1.61	µg/l	UNFILTERED	NONE
	DI(2-ETHYL-HEXYL) ADIPATE	GRAB	EPA 506	<0.6	µg/l	UNFILTERED	NONE
	DINOSEB	GRAB	EPA 515	<0.01	µg/l	UNFILTERED	NONE
	DIQUAT	GRAB	EPA 549	<0.4	µg/l	UNFILTERED	NONE
	ENDOTHALL	GRAB	EPA 548	<9	µg/l	UNFILTERED	NONE
	GLYPHOSATE	GRAB	EPA 547	<0.6	µg/l	UNFILTERED	NONE
	HEXACHLOROBENZENE	GRAB	EPA 508	<0.1	µg/l	UNFILTERED	NONE

*Well development is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404 - 17-3.406)

GMS# 4060C00092
Monitoring Well 4060A12057
Well Name MONITOR WELL 6A
Classification of Groundwater G-II

Sample Date 07-19-95
Well Type () Background
() Site Boundary
() Intermediate
(x) Compliance
Groundwater Elevation
(above MSL) 45.62 ft.

Well Developed* Prior to
Sample Collection (Yes/No) YES

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	ANALYSIS METHOD	ANALYSIS RESULTS	UNITS	SAMPLE FILTERED/ UNFILTERED	PRESERVATIVES ADDED
	HEXACHLORO-CYCLO-PENTADIENE	GRAB	EPA 508	<0.1	µg/l	UNFILTERED	NONE
	OXAMYL (VYDATE)	GRAB	EPA 531	<2	µg/l	UNFILTERED	NONE
	BENZO(a) PYRENE	GRAB	EPA 550	<0.02	µg/l	UNFILTERED	NONE
	PICLORAM	GRAB	EPA 515	<0.07	µg/l	UNFILTERED	NONE
	SIMAZINE	GRAB	EPA 505	<0.07	µg/l	UNFILTERED	NONE
	ALUMINUM	GRAB	EPA 200.7	0.710	mg/l	UNFILTERED	HNO ₃
	CHLORIDE	GRAB	EPA 325.3	10.4	mg/l	UNFILTERED	NONE
000080	COLOR	GRAB	EPA 110.1	150.0	PTU	UNFILTERED	NONE
	COPPER	GRAB	EPA 220.1	0.00430	mg/l	UNFILTERED	HNO ₃
	FLUORIDE	GRAB	EPA 340.1	0.113	mg/l	UNFILTERED	NONE
	FOAMING AGENTS	GRAB	EPA 425.1	<0.1	mg/l	UNFILTERED	NONE
900219	IRON	GRAB	EPA 236.1	0.105	mg/l	UNFILTERED	HNO ₃
	ODOR	GRAB	EPA 140.1	<1	TON	UNFILTERED	NONE
000400	Ph	GRAB	EPA 150.1	7.24	ST.UN.	UNFILTERED	HNO ₃
	SILVER	GRAB	EPA 200.7	0.000200	mg/l	UNFILTERED	NONE
000945	SULFATE	GRAB	EPA 300.0	1.39	mg/l	UNFILTERED	HNO ₃
070300	TOTAL DISSOLVED SOLIDS	GRAB	EPA 160.1	176	mg/l	UNFILTERED	NONE
082079	TURBIDITY	GRAB	EPA 180.1	115.0	NTU	UNFILTERED	NONE
900221	ZINC	GRAB	EPA 289.1	0.00810	mg/l	UNFILTERED	HNO ₃
	AMMONIUM	GRAB	EPA 350.1	0.0134	mg/l	UNFILTERED	H ₂ SO ₄
	GROSS ALPHA Excl. Ra & U	GRAB	EPA 900	16.1	pCi/l	UNFILTERED	HNO ₃

*Well development is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404 - 17-3.406)

GMS# 4060C00092
Monitoring Well 4060A14304
Well Name MONITOR WELL (7)
Classification of Groundwater G-II

Well Developed* Prior to
Sample Collection (Yes/No) YES

Sample Date 07-19-95
Well Type ☒ Background
☐ Site Boundary
☐ Intermediate
☒ Compliance
Groundwater Elevation
(above MSL) 45.43 ft.

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	ANALYSIS METHOD	ANALYSIS RESULTS	UNITS	SAMPLE FILTERED/ UNFILTERED	PRESERVATIVES ADDED
000010	TEMPERATURE	GRAB	EPA 170.1	24.5 ⁷¹⁰²	°C	UNFILTERED	NONE
000095	SPECIFIC CONDUCTANCE	GRAB	EPA 120.1	216	umhos	UNFILTERED	NONE
	ANTIMONY	GRAB	EPA 204.2	<0.003	mg/l	UNFILTERED	HNO ₃
	ARSENIC	GRAB	EPA 206.3	<0.0005	mg/l	UNFILTERED	HNO ₃
	BARIUM	GRAB	EPA 200.7	0.00620	mg/l	UNFILTERED	HNO ₃
	BERYLLIUM	GRAB	EPA 210.1	0.000320	mg/l	UNFILTERED	HNO ₃
001027	CADMIUM	GRAB	EPA 200.7	0.00190	µg/l	UNFILTERED	HNO ₃
001034	CHROMIUM	GRAB	EPA 200.7	0.00810	µg/l	UNFILTERED	HNO ₃
	CYANIDE	GRAB	EPA 335.2	<0.005	mg/l	UNFILTERED	NaOH
	FLUORIDE	GRAB	EPA 340.2	0.0793	mg/l	UNFILTERED	NONE
	LEAD	GRAB	EPA 239.1	<0.001	mg/l	UNFILTERED	HNO ₃
	MERCURY	GRAB	EPA 245.1	<0.0002	mg/l	UNFILTERED	HNO ₃
	NICKEL	GRAB	EPA 200.7	0.00380	mg/l	UNFILTERED	HNO ₃
000620	NITRATE	GRAB	EPA 353.1	81.6	mg/l	UNFILTERED	H ₂ SO ₄
	NITRITE	GRAB	EPA 354.1	0.0514	mg/l	UNFILTERED	H ₂ SO ₄
	TOTAL NITRATE AND NITRITE	GRAB	EPA 343.1	81.65	mg/l	UNFILTERED	H ₂ SO ₄
	SELENIUM	GRAB	EPA 270.3	<0.0005	mg/l	UNFILTERED	HNO ₃
000929	SODIUM	GRAB	EPA 200.7	5.97	mg/l	UNFILTERED	NONE
	THALLIUM	GRAB	EPA 279.2	<0.001	mg/l	UNFILTERED	HNO ₃
039715	VINYL CHLORIDE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
034030	BENZENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
032101	CARBON TETRACHLORIDE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
034531	1,2-DICHLORO- ETHANE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
039180	TRICHLORO- ETHYLENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE

*Well development is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

DER Form 17-1.216(2)

Effective January 1, 1983

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404 - 17-3.406)

GMS# 4060C00092
Monitoring Well 4060A14304
Well Name MONITOR WELL 7
Classification of Groundwater G-II

Sample Date 07-19-95
Well Type () Background
() Site Boundary
() Intermediate
(x) Compliance
Groundwater Elevation
(above MSL) 45.43 ft.

Well Developed* Prior to
Sample Collection (Yes/No) YES

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	ANALYSIS METHOD	ANALYSIS RESULTS	UNITS	SAMPLE FILTERED/ UNFILTERED	PRESERVATIVES ADDED
34571	PARA-DICHLORO- BENZENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
34501	1,1-DICHLORO- ETHYLENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
034506	1,1,1-TRI- CHLOROETHANE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
	CIS-1,2- DICHLORO- ETHYLENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
34541	1,2-DICHLORO- PROPANE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
34371	ETHYLBENZENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
34301	MONOCHLORO- BENZENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
34536	o-DICHLORO- BENZENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
	STYRENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
034475	TETRACHLORO- ETHYLENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
34010	TOLUENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
	TRANS-1,2- DICHLORO- ETHYLENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
	XYLENES (TOTAL)	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
34423	DICHLORO- METHANE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
	1,2,4-TRI- CHLOROBENZENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
	1,1,2-TRI- CHLOROETHANE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
	ALACHLOR	GRAB	EPA 505	<0.2	µg/l	UNFILTERED	NONE
	ATRAZINE	GRAB	EPA 505	<0.1	µg/l	UNFILTERED	NONE
	CARBOFURAN	GRAB	EPA 531	<0.9	µg/l	UNFILTERED	NONE
39350	CHLORDANE	GRAB	EPA 508	<0.01	µg/l	UNFILTERED	NONE

*Well development is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404 - 17-3.406)

GMS# 4060C00092
Monitoring Well 4060A14304
Well Name MONITOR WELL 7
Classification of Groundwater G-II

Sample Date 07-19-95
Well Type () Background
() Site Boundary
() Intermediate
(x) Compliance
Groundwater Elevation
(above MSL) 45.43 ft.

Well Developed* Prior to
Sample Collection (Yes/No) YES

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	ANALYSIS METHOD	ANALYSIS RESULTS	UNITS	SAMPLE FILTERED/ UNFILTERED	PRESERVATIVES ADDED
39390	DIBROMOCHLOROPROPANE	GRAB	EPA 504	<0.02	µg/l	UNFILTERED	NONE
	2,4-D	GRAB	EPA 515	<0.05	µg/l	UNFILTERED	NONE
	ENDRIN	GRAB	EPA 508	<0.001	µg/l	UNFILTERED	NONE
	ETHYLENE DIBROMIDE	GRAB	EPA 504	<0.005	µg/l	UNFILTERED	NONE
39410	HEPTACHLOR	GRAB	EPA 508	<0.005	µg/l	UNFILTERED	NONE
39420	HEPTACHLOR EPOXIDE	GRAB	EPA 508	<0.005	µg/l	UNFILTERED	NONE
34671 39488 39492 39496 39500 39504 39508	LINDANE	GRAB	EPA 508	<0.001	µg/l	UNFILTERED	NONE
	METHOXYCHLOR	GRAB	EPA 508	<0.01	µg/l	UNFILTERED	NONE
	POLYCHLORINATED BIPHENYL (PCB)	GRAB	EPA 508	<0.1	µg/l	UNFILTERED	NONE
	PENTACHLOROPHENOL	GRAB	EPA 515	<0.04	µg/l	UNFILTERED	NONE
39400	TOXAPHENE	GRAB	EPA 508	<0.1	µg/l	UNFILTERED	NONE
	2,4,5-TP (SILVEX)	GRAB	EPA 515	<0.02	µg/l	UNFILTERED	NONE
	DALAPON	GRAB	EPA 515	<0.001	µg/l	UNFILTERED	NONE
	DI(2-ETHYLHEXYL) PHTHALATE	GRAB	EPA 606	<0.6	µg/l	UNFILTERED	NONE
	DI(2-ETHYLHEXYL) ADIPATE	GRAB	EPA 506	<0.6	µg/l	UNFILTERED	NONE
	DINOSEB	GRAB	EPA 515	<0.01	µg/l	UNFILTERED	NONE
	DIQUAT	GRAB	EPA 549	<0.4	µg/l	UNFILTERED	NONE
	ENDOTHALL	GRAB	EPA 548	<9	µg/l	UNFILTERED	NONE
	GLYPHOSATE	GRAB	EPA 547	<0.6	µg/l	UNFILTERED	NONE
	HEXACHLOROBENZENE	GRAB	EPA 508	<0.1	µg/l	UNFILTERED	NONE

*Well development is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404 - 17-3.406)

GMS# 4060C00092
Monitoring Well 4060A14304
Well Name MONITOR WELL 7
Classification of Groundwater G-II

Sample Date 07-19-95
Well Type () Background
() Site Boundary
() Intermediate
(x) Compliance
Groundwater Elevation
(above MSL) 45.43 ft.

Well Developed* Prior to
Sample Collection (Yes/No) YES

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	ANALYSIS METHOD	ANALYSIS RESULTS	UNITS	SAMPLE FILTERED/ UNFILTERED	PRESERVATIVES ADDED
	HEXACHLORO-CYCLO-PENTADIENE	GRAB	EPA 508	<0.1	µg/l	UNFILTERED	NONE
	OXAMYL (VYDATE)	GRAB	EPA 531	<2	µg/l	UNFILTERED	NONE
	BENZO (a) PYRENE	GRAB	EPA 550	<0.02	µg/l	UNFILTERED	NONE
	PICLORAM	GRAB	EPA 515	<0.07	µg/l	UNFILTERED	NONE
	SIMAZINE	GRAB	EPA 505	<0.07	µg/l	UNFILTERED	NONE
	ALUMINUM	GRAB	EPA 200.7	0.767	mg/l	UNFILTERED	HNO ₃
	CHLORIDE	GRAB	EPA 325.3	10.3	mg/l	UNFILTERED	NONE
000080	COLOR	GRAB	EPA 110.1	50.0	PTU	UNFILTERED	NONE
	COPPER	GRAB	EPA 220.1	0.00260	mg/l	UNFILTERED	HNO ₃
	FLUORIDE	GRAB	EPA 340.1	0.0793	mg/l	UNFILTERED	NONE
	FOAMING AGENTS	GRAB	EPA 425.1	<0.1	mg/l	UNFILTERED	NONE
900219	IRON	GRAB	EPA 236.1	0.173	mg/l	UNFILTERED	HNO ₃
	ODOR	GRAB	EPA 140.1	<1	TON	UNFILTERED	NONE
000400	Ph	GRAB	EPA 150.1	7.02	ST.UN.	UNFILTERED	HNO ₃
	SILVER	GRAB	EPA 200.7	<0.0002	mg/l	UNFILTERED	NONE
000945	SULFATE	GRAB	EPA 300.0	2.01	mg/l	UNFILTERED	HNO ₃
070300	TOTAL DISSOLVED SOLIDS	GRAB	EPA 160.1	224	mg/l	UNFILTERED	NONE
082079	TURBIDITY	GRAB	EPA 180.1	41.0	NTU	UNFILTERED	NONE
900221	ZINC	GRAB	EPA 289.1	0.0118	mg/l	UNFILTERED	HNO ₃
	AMMONIUM	GRAB	EPA 350.1	0.0301	mg/l	UNFILTERED	H ₂ SO ₄
	GROSS ALPHA Excl. Ra & U	GRAB	EPA 900	9.90	pCi/l	UNFILTERED	HNO ₃

*Well development is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404 - 17-3.406)

GMS# 4060C00092
Monitoring Well 4060A17008
Well Name MONITOR WELL 8
Classification of Groundwater G-II

Well Developed* Prior to
Sample Collection (Yes/No) YES

Sample Date 07-19-95
Well Type (x) Background
() Site Boundary
() Intermediate
() Compliance
Groundwater Elevation
(above MSL) 46.18 ft.

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	ANALYSIS METHOD	ANALYSIS RESULTS	UNITS	SAMPLE FILTERED/ UNFILTERED	PRESERVATIVES ADDED
000010	TEMPERATURE	GRAB	EPA 170.1	24.5 ^{61.86}	°C	UNFILTERED	NONE
000095	SPECIFIC CONDUCTANCE	GRAB	EPA 120.1	488	umhos	UNFILTERED	NONE
	ANTIMONY	GRAB	EPA 204.2	0.00407	mg/l	UNFILTERED	HNO ₃
	ARSENIC	GRAB	EPA 206.3	<0.0005	mg/l	UNFILTERED	HNO ₃
	BARIUM	GRAB	EPA 200.7	0.00600	mg/l	UNFILTERED	HNO ₃
	BERYLLIUM	GRAB	EPA 210.1	<0.0002	mg/l	UNFILTERED	HNO ₃
001027	CADMIUM	GRAB	EPA 200.7	<0.0001	µg/l	UNFILTERED	HNO ₃
001034	CHROMIUM	GRAB	EPA 200.7	0.00220	µg/l	UNFILTERED	HNO ₃
	CYANIDE	GRAB	EPA 335.2	<0.005	mg/l	UNFILTERED	NaOH
	FLUORIDE	GRAB	EPA 340.2	<0.05	mg/l	UNFILTERED	NONE
	LEAD	GRAB	EPA 239.1	<0.001	mg/l	UNFILTERED	HNO ₃
	MERCURY	GRAB	EPA 245.1	<0.0002	mg/l	UNFILTERED	HNO ₃
	NICKEL	GRAB	EPA 200.7	0.00320	mg/l	UNFILTERED	HNO ₃
000620	NITRATE	GRAB	EPA 353.1	14.3	mg/l	UNFILTERED	H ₂ SO ₄
	NITRITE	GRAB	EPA 354.1	0.174	mg/l	UNFILTERED	H ₂ SO ₄
	TOTAL NITRATE AND NITRITE	GRAB	EPA 343.1	14.47	mg/l	UNFILTERED	H ₂ SO ₄
	SELENIUM	GRAB	EPA 270.3	<0.0005	mg/l	UNFILTERED	HNO ₃
000929	SODIUM	GRAB	EPA 200.7	10.2	mg/l	UNFILTERED	NONE
	THALLIUM	GRAB	EPA 279.2	0.00117	mg/l	UNFILTERED	HNO ₃
039715	VINYL CHLORIDE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
034030	BENZENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
032101	CARBON TETRACHLORIDE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
034531	1,2-DICHLOROETHANE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
039180	TRICHLOROETHYLENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE

*Well development is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404 - 17-3.406)

GMS# 4060C00092

Monitoring Well 4060A17008

Well Name MONITOR WELL 8

Classification of Groundwater G-II

Well Developed* Prior to
Sample Collection (Yes/No) YES

Sample Date 07-19-95

Well Type (x) Background

() Site Boundary

() Intermediate

() Compliance

Groundwater Elevation
(above MSL) 46.18 ft.

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	ANALYSIS METHOD	ANALYSIS RESULTS	UNITS	SAMPLE FILTERED/ UNFILTERED	PRESERVATIVES ADDED
34571	PARA-DICHLORO- BENZENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
34501	1,1-DICHLORO- ETHYLENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
034506	1,1,1-TRI- CHLOROETHANE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
	CIS-1,2- DICHLORO- ETHYLENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
34541	1,2-DICHLORO- PROPANE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
34371	ETHYLBENZENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
34301	MONOCHLORO- BENZENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
34536	o-DICHLORO- BENZENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
	STYRENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
034475	TETRACHLORO- ETHYLENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
34010	TOLUENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
	TRANS-1,2- DICHLORO- ETHYLENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
	XYLENES (TOTAL)	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
34423	DICHLORO- METHANE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
	1,2,4-TRI- CHLOROBENZENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
	1,1,2-TRI- CHLOROETHANE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
	ALACHLOR	GRAB	EPA 505	<0.2	µg/l	UNFILTERED	NONE
	ATRAZINE	GRAB	EPA 505	<0.1	µg/l	UNFILTERED	NONE
	CARBOFURAN	GRAB	EPA 531	<0.9	µg/l	UNFILTERED	NONE
39350	CHLORDANE	GRAB	EPA 508	<0.01	µg/l	UNFILTERED	NONE

*Well development is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

DER Form 17-1.216(2)

Effective January 1, 1983

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404 - 17-3.406)

GMS# 4060C00092

Monitoring Well 4060A17008

Well Name MONITOR WELL 8

Classification of Groundwater G-II

Well Developed* Prior to

Sample Collection (Yes/No) YES

Sample Date 07-19-95

Well Type (x) Background

() Site Boundary

() Intermediate

() Compliance

Groundwater Elevation

(above MSL) 46.18 ft.

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	ANALYSIS METHOD	ANALYSIS RESULTS	UNITS	SAMPLE FILTERED/ UNFILTERED	PRESERVATIVES ADDED
	DIBROMOCHLOROPROPANE	GRAB	EPA 504	<0.02	µg/l	UNFILTERED	NONE
	2,4-D	GRAB	EPA 515	<0.05	µg/l	UNFILTERED	NONE
39390	ENDRIN	GRAB	EPA 508	<0.001	µg/l	UNFILTERED	NONE
	ETHYLENE DIBROMIDE	GRAB	EPA 504	<0.005	µg/l	UNFILTERED	NONE
39410	HEPTACHLOR	GRAB	EPA 508	<0.005	µg/l	UNFILTERED	NONE
39420	HEPTACHLOR EPOXIDE	GRAB	EPA 508	<0.005	µg/l	UNFILTERED	NONE
	LINDANE	GRAB	EPA 508	<0.001	µg/l	UNFILTERED	NONE
	METHOXYCHLOR	GRAB	EPA 508	<0.01	µg/l	UNFILTERED	NONE
34671	POLYCHLORINATED	GRAB	EPA 508	<0.1	µg/l	UNFILTERED	NONE
39488	BIPHENYL (PCB)						
39492							
39496							
39500							
39504							
39508							
	PENTACHLOROPHENOL	GRAB	EPA 515	<0.04	µg/l	UNFILTERED	NONE
39400	TOXAPHENE	GRAB	EPA 508	<0.1	µg/l	UNFILTERED	NONE
	2,4,5-TP (SILVEX)	GRAB	EPA 515	<0.02	µg/l	UNFILTERED	NONE
	DALAPON	GRAB	EPA 515	<0.001	µg/l	UNFILTERED	NONE
	DI(2-ETHYLHEXYL) PHTHALATE	GRAB	EPA 606	<0.6	µg/l	UNFILTERED	NONE
	DI(2-ETHYLHEXYL) ADIPATE	GRAB	EPA 506	<0.6	µg/l	UNFILTERED	NONE
	DINOSEB	GRAB	EPA 515	<0.01	µg/l	UNFILTERED	NONE
	DIQUAT	GRAB	EPA 549	<0.4	µg/l	UNFILTERED	NONE
	ENDOTHALL	GRAB	EPA 548	<9	µg/l	UNFILTERED	NONE
	GLYPHOSATE	GRAB	EPA 547	<0.6	µg/l	UNFILTERED	NONE
	HEXACHLOROBENZENE	GRAB	EPA 508	<0.1	µg/l	UNFILTERED	NONE

*Well development is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

DER Form 17-1.216(2)

Effective January 1, 1983

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404 - 17-3.406)

GMS# 4060C00092

Monitoring Well 4060A17008

Well Name MONITOR WELL 8

Classification of Groundwater G-II

Well Developed* Prior to

Sample Collection (Yes/No) YES

Sample Date 07-19-95

Well Type (x) Background

() Site Boundary

() Intermediate

() Compliance

Groundwater Elevation

(above MSL) 46.18 ft.

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	ANALYSIS METHOD	ANALYSIS RESULTS	UNITS	SAMPLE FILTERED/ UNFILTERED	PRESERVATIVES ADDED
	HEXACHLORO-CYCLO-PENTADIENE	GRAB	EPA 508	<0.1	µg/l	UNFILTERED	NONE
	OXAMYL (VYDATE)	GRAB	EPA 531	<2	µg/l	UNFILTERED	NONE
	BENZO(a) PYRENE	GRAB	EPA 550	<0.02	µg/l	UNFILTERED	NONE
	PICLORAM	GRAB	EPA 515	<0.07	µg/l	UNFILTERED	NONE
	SIMAZINE	GRAB	EPA 505	<0.07	µg/l	UNFILTERED	NONE
	ALUMINUM	GRAB	EPA 200.7	0.263	mg/l	UNFILTERED	HNO ₃
	CHLORIDE	GRAB	EPA 325.3	13.7	mg/l	UNFILTERED	NONE
000080	COLOR	GRAB	EPA 110.1	10.0	PTU	UNFILTERED	NONE
	COPPER	GRAB	EPA 220.1	0.000600	mg/l	UNFILTERED	HNO ₃
	FLUORIDE	GRAB	EPA 340.1	<0.05	mg/l	UNFILTERED	NONE
	FOAMING AGENTS	GRAB	EPA 425.1	<0.1	mg/l	UNFILTERED	NONE
900219	IRON	GRAB	EPA 236.1	0.258	mg/l	UNFILTERED	HNO ₃
	ODOR	GRAB	EPA 140.1	<1	TON	UNFILTERED	NONE
000400	Ph	GRAB	EPA 150.1	6.86	ST.UN.	UNFILTERED	HNO ₃
	SILVER	GRAB	EPA 200.7	<0.0002	mg/l	UNFILTERED	NONE
000945	SULFATE	GRAB	EPA 300.0	4.35	mg/l	UNFILTERED	HNO ₃
070300	TOTAL DISSOLVED SOLIDS	GRAB	EPA 160.1	320	mg/l	UNFILTERED	NONE
082079	TURBIDITY	GRAB	EPA 180.1	2.25	NTU	UNFILTERED	NONE
900221	ZINC	GRAB	EPA 289.1	0.00130	mg/l	UNFILTERED	HNO ₃
	AMMONIUM	GRAB	EPA 350.1	0.136	mg/l	UNFILTERED	H ₂ SO ₄
	GROSS ALPHA Excl. Ra & U	GRAB	EPA 900	2.70	pCi/l	UNFILTERED	HNO ₃

*Well development is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

DER Form 17-1.216(2)

Effective January 1, 1983

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404 - 17-3.406)

GMS# 4060C00092
Monitoring Well 4060A17009
Well Name MONITOR WELL 9
Classification of Groundwater G-II

Well Developed* Prior to
Sample Collection (Yes/No) YES

Sample Date 07-19-95
Well Type (x) Background
() Site Boundary
() Intermediate
() Compliance
Groundwater Elevation
(above MSL) 45.45 ft.

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	ANALYSIS METHOD	ANALYSIS RESULTS	UNITS	SAMPLE FILTERED/ UNFILTERED	PRESERVATIVES ADDED
000010	TEMPERATURE	GRAB	EPA 170.1	27.6 ^{6.65}	°C	UNFILTERED	NONE
000095	SPECIFIC CONDUCTANCE	GRAB	EPA 120.1	607	umhos	UNFILTERED	NONE
	ANTIMONY	GRAB	EPA 204.2	<0.003	mg/l	UNFILTERED	HNO ₃
	ARSENIC	GRAB	EPA 206.3	<0.0005	mg/l	UNFILTERED	HNO ₃
	BARIUM	GRAB	EPA 200.7	0.0142	mg/l	UNFILTERED	HNO ₃
	BERYLLIUM	GRAB	EPA 210.1	<0.0002	mg/l	UNFILTERED	HNO ₃
001027	CADMIUM	GRAB	EPA 200.7	0.00440	µg/l	UNFILTERED	HNO ₃
001034	CHROMIUM	GRAB	EPA 200.7	0.00220	µg/l	UNFILTERED	HNO ₃
	CYANIDE	GRAB	EPA 335.2	<0.005	mg/l	UNFILTERED	NaOH
	FLUORIDE	GRAB	EPA 340.2	0.143	mg/l	UNFILTERED	NONE
	LEAD	GRAB	EPA 239.1	<0.001	mg/l	UNFILTERED	HNO ₃
	MERCURY	GRAB	EPA 245.1	<0.0002	mg/l	UNFILTERED	HNO ₃
	NICKEL	GRAB	EPA 200.7	0.00550	mg/l	UNFILTERED	HNO ₃
000620	NITRATE	GRAB	EPA 353.1	0.0855	mg/l	UNFILTERED	H ₂ SO ₄
	NITRITE	GRAB	EPA 354.1	<0.01	mg/l	UNFILTERED	H ₂ SO ₄
	TOTAL NITRATE AND NITRITE	GRAB	EPA 343.1	0.09	mg/l	UNFILTERED	H ₂ SO ₄
	SELENIUM	GRAB	EPA 270.3	<0.0005	mg/l	UNFILTERED	HNO ₃
000929	SODIUM	GRAB	EPA 200.7	31.8	mg/l	UNFILTERED	NONE
	THALLIUM	GRAB	EPA 279.2	0.00119	mg/l	UNFILTERED	HNO ₃
039715	VINYL CHLORIDE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
034030	BENZENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
032101	CARBON TETRACHLORIDE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
034531	1,2-DICHLORO-ETHANE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
039180	TRICHLORO-ETHYLENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE

*Well development is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404 - 17-3.406)

GMS# 4060C00092
Monitoring Well 4060A17009
Well Name MONITOR WELL 9
Classification of Groundwater G-II

Sample Date 07-19-95
Well Type ☒ Background
☐ Site Boundary
☐ Intermediate
☐ Compliance
Groundwater Elevation
(above MSL) 45.45 ft.

Well Developed* Prior to
Sample Collection (Yes/No) YES

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	ANALYSIS METHOD	ANALYSIS RESULTS	UNITS	SAMPLE FILTERED/ UNFILTERED	PRESERVATIVES ADDED
34571	PARA-DICHLORO- BENZENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
34501	1,1-DICHLORO- ETHYLENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
034506	1,1,1-TRI- CHLOROETHANE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
	CIS-1,2- DICHLORO- ETHYLENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
34541	1,2-DICHLORO- PROPANE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
34371	ETHYLBENZENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
34301	MONOCHLORO- BENZENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
34536	o-DICHLORO- BENZENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
	STYRENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
034475	TETRACHLORO- ETHYLENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
34010	TOLUENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
	TRANS-1,2- DICHLORO- ETHYLENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
	XYLENES (TOTAL)	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
34423	DICHLORO- METHANE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
	1,2,4-TRI- CHLOROBENZENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
	1,1,2-TRI- CHLOROETHANE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
	ALACHLOR	GRAB	EPA 505	<0.2	µg/l	UNFILTERED	NONE
	ATRAZINE	GRAB	EPA 505	<0.1	µg/l	UNFILTERED	NONE
	CARBOFURAN	GRAB	EPA 531	<0.9	µg/l	UNFILTERED	NONE
39350	CHLORDANE	GRAB	EPA 508	<0.01	µg/l	UNFILTERED	NONE

*Well development is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

DER Form 17-1.216(2)
Effective January 1, 1983

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404 - 17-3.406)

GMS# 4060C00092
Monitoring Well 4060A17009
Well Name MONITOR WELL 9
Classification of Groundwater G-II

Sample Date 07-19-95
Well Type (x) Background
() Site Boundary
() Intermediate
() Compliance
Groundwater Elevation
(above MSL) 45.45 ft.

Well Developed* Prior to
Sample Collection (Yes/No) YES

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	ANALYSIS METHOD	ANALYSIS RESULTS	UNITS	SAMPLE FILTERED/ UNFILTERED	PRESERVATIVES ADDED
	DIBROMOCHLOROPROPANE	GRAB	EPA 504	<0.02	µg/l	UNFILTERED	NONE
	2,4-D	GRAB	EPA 515	<0.05	µg/l	UNFILTERED	NONE
39390	ENDRIN	GRAB	EPA 508	<0.001	µg/l	UNFILTERED	NONE
	ETHYLENE DIBROMIDE	GRAB	EPA 504	<0.005	µg/l	UNFILTERED	NONE
39410	HEPTACHLOR	GRAB	EPA 508	<0.005	µg/l	UNFILTERED	NONE
39420	HEPTACHLOR EPOXIDE	GRAB	EPA 508	<0.005	µg/l	UNFILTERED	NONE
	LINDANE	GRAB	EPA 508	<0.001	µg/l	UNFILTERED	NONE
	METHOXYCHLOR	GRAB	EPA 508	<0.01	µg/l	UNFILTERED	NONE
34671	POLYCHLORINATED	GRAB	EPA 508	<0.1	µg/l	UNFILTERED	NONE
39488	BIPHENYL						
39492	(PCB)						
39496							
39500							
39504							
39508							
	PENTACHLOROPHENOL	GRAB	EPA 515	<0.04	µg/l	UNFILTERED	NONE
39400	TOXAPHENE	GRAB	EPA 508	<0.1	µg/l	UNFILTERED	NONE
	2,4,5-TP (SILVEX)	GRAB	EPA 515	<0.02	µg/l	UNFILTERED	NONE
	DALAPON	GRAB	EPA 515	<0.001	µg/l	UNFILTERED	NONE
	DI(2-ETHYLHEXYL) PHTHALATE	GRAB	EPA 606	<0.6	µg/l	UNFILTERED	NONE
	DI(2-ETHYLHEXYL) ADIPATE	GRAB	EPA 506	<0.6	µg/l	UNFILTERED	NONE
	DINOSEB	GRAB	EPA 515	<0.01	µg/l	UNFILTERED	NONE
	DIQUAT	GRAB	EPA 549	<0.4	µg/l	UNFILTERED	NONE
	ENDOTHALL	GRAB	EPA 548	<9	µg/l	UNFILTERED	NONE
	GLYPHOSATE	GRAB	EPA 547	<0.6	µg/l	UNFILTERED	NONE
	HEXACHLOROBENZENE	GRAB	EPA 508	<0.1	µg/l	UNFILTERED	NONE

*Well development is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404 - 17-3.406)

GMS# 4060C00092
Monitoring Well 4060A17009
Well Name MONITOR WELL 9
Classification of Groundwater G-II

Sample Date 07-19-95
Well Type (x) Background
() Site Boundary
() Intermediate
() Compliance
Groundwater Elevation
(above MSL) 45.45 ft.

Well Developed* Prior to
Sample Collection (Yes/No) YES

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	ANALYSIS METHOD	ANALYSIS RESULTS	UNITS	SAMPLE FILTERED/ UNFILTERED	PRESERVATIVES ADDED
	HEXACHLORO-CYCLO-PENTADIENE	GRAB	EPA 508	<0.1	µg/l	UNFILTERED	NONE
	OXAMYL (VYDATE)	GRAB	EPA 531	<2	µg/l	UNFILTERED	NONE
	BENZO(a) PYRENE	GRAB	EPA 550	<0.02	µg/l	UNFILTERED	NONE
	PICLORAM	GRAB	EPA 515	<0.07	µg/l	UNFILTERED	NONE
	SIMAZINE	GRAB	EPA 505	<0.07	µg/l	UNFILTERED	NONE
	ALUMINUM	GRAB	EPA 200.7	0.410	mg/l	UNFILTERED	HNO ₃
	CHLORIDE	GRAB	EPA 325.3	17.1	mg/l	UNFILTERED	NONE
000080	COLOR	GRAB	EPA 110.1	20.0	PTU	UNFILTERED	NONE
	COPPER	GRAB	EPA 220.1	0.00120	mg/l	UNFILTERED	HNO ₃
	FLUORIDE	GRAB	EPA 340.1	0.143	mg/l	UNFILTERED	NONE
	FOAMING AGENTS	GRAB	EPA 425.1	<0.1	mg/l	UNFILTERED	NONE
900219	IRON	GRAB	EPA 236.1	0.556	mg/l	UNFILTERED	HNO ₃
	ODOR	GRAB	EPA 140.1	<1	TON	UNFILTERED	NONE
000400	Ph	GRAB	EPA 150.1	6.65	ST.UN.	UNFILTERED	HNO ₃
	SILVER	GRAB	EPA 200.7	<0.0002	mg/l	UNFILTERED	NONE
000945	SULFATE	GRAB	EPA 300.0	7.01	mg/l	UNFILTERED	HNO ₃
070300	TOTAL DISSOLVED SOLIDS	GRAB	EPA 160.1	500	mg/l	UNFILTERED	NONE
082079	TURBIDITY	GRAB	EPA 180.1	11.0	NTU	UNFILTERED	NONE
900221	ZINC	GRAB	EPA 289.1	0.00310	mg/l	UNFILTERED	HNO ₃
	AMMONIUM	GRAB	EPA 350.1	<0.0100	mg/l	UNFILTERED	H ₂ SO ₄
	GROSS ALPHA Excl. Ra & U	GRAB	EPA 900	8.30	pCi/l	UNFILTERED	HNO ₃

*Well development is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404 - 17-3.406)

GMS# 406000092
Monitoring Well 4060A12057
Well Name MONITOR WELL 4
Classification of Groundwater G-II

Sample Date 07-19-95
Well Type () Background
(x) Site Boundary
() Intermediate
() Compliance
Groundwater Elevation
(above MSL) 44.94 ft.

Well Developed* Prior to
Sample Collection (Yes/No) YES

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	ANALYSIS METHOD	ANALYSIS RESULTS	UNITS	SAMPLE FILTERED/ UNFILTERED	PRESERVATIVES ADDED
000010	TEMPERATURE	GRAB	EPA 170.1	27.0	°C	UNFILTERED	NONE
000095	SPECIFIC CONDUCTANCE	GRAB	EPA 120.1	454	umhos	UNFILTERED	NONE
	ANTIMONY	GRAB	EPA 204.2	<0.003	mg/l	UNFILTERED	HNO ₃
	ARSENIC	GRAB	EPA 206.3	<0.0005	mg/l	UNFILTERED	HNO ₃
	BARIUM	GRAB	EPA 200.7	0.0176	mg/l	UNFILTERED	HNO ₃
	BERYLLIUM	GRAB	EPA 210.1	0.00169	mg/l	UNFILTERED	HNO ₃
001027	CADMIUM	GRAB	EPA 200.7	0.00610	µg/l	UNFILTERED	HNO ₃
001034	CHROMIUM	GRAB	EPA 200.7	0.0102	µg/l	UNFILTERED	HNO ₃
	CYANIDE	GRAB	EPA 335.2	0.00650	mg/l	UNFILTERED	NaOH
	FLUORIDE	GRAB	EPA 340.2	0.359	mg/l	UNFILTERED	NONE
	LEAD	GRAB	EPA 239.1	<0.001	mg/l	UNFILTERED	HNO ₃
	MERCURY	GRAB	EPA 245.1	<0.0002	mg/l	UNFILTERED	HNO ₃
	NICKEL	GRAB	EPA 200.7	0.00650	mg/l	UNFILTERED	HNO ₃
000620	NITRATE	GRAB	EPA 353.1	62.0	mg/l	UNFILTERED	H ₂ SO ₄
	NITRITE	GRAB	EPA 354.1	0.820	mg/l	UNFILTERED	H ₂ SO ₄
	TOTAL NITRATE AND NITRITE	GRAB	EPA 343.1	67.82	mg/l	UNFILTERED	H ₂ SO ₄
	SELENIUM	GRAB	EPA 270.3	<0.0005	mg/l	UNFILTERED	HNO ₃
000929	SODIUM	GRAB	EPA 200.7	24.0	mg/l	UNFILTERED	NONE
	THALLIUM	GRAB	EPA 279.2	<0.001	mg/l	UNFILTERED	HNO ₃
039715	VINYL CHLORIDE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
034030	BENZENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
032101	CARBON TETRACHLORIDE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
034531	1,2-DICHLOROETHANE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE
039180	TRICHLOROETHYLENE	GRAB	EPA 502.2	<0.500	µg/l	UNFILTERED	NONE

*Well development is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

D

SUMTER COUNTY SOLID WASTE MANAGEMENT FACILITY

SAMPLE DATE: JULY 19, 1995

	DEPTH TO WATER	WATER ELEVATION	pH	SPEC COND	TEMP	TIME
MW-1	25.08	45.09	6.99	61	25.8	9:30 AM
MW-2	28.58	45.56	6.51	413	25.9	10:40 AM
MW-4	25.42	44.94	6.68	454	27.0	8:10 AM
MW-6A	31.92	45.62	7.24	216	26.0	9:05 AM
MW-7	27.71	45.43	7.02	216	24.5	8:45 AM
MW-8	23.08	46.18	6.86	488	24.5	9:55 AM
MW-9	26.50	45.45	6.65	607	27.6	10:15 AM



CHEMICAL
LABORATORIES
INCORPORATED

Received From:

Cent. Testing Lab
PO Box 883
Floral City, FL 34436

Date Reported : Aug 17 1995

Project Number : Sumt. Co. Indfl.

PO Number : N/A

FDHRS DW Number : 83139

FHRS ENV Number : E83018

FDER COMQAP Num : 86-0008G

A2LA Number : 0312-01

NCDEHNR Number : 296

SCDHEC Number : 96019

For: SL1

Date Sampled: Jul 19 1995 Date Received: Jul 19 1995 Lab Numbers: 18265-18271

REPORT OF ANALYSIS


					18265
Parameter	Unit	Method	%ACC	%PRC	
		Detection			
		Limit			
Arsenic	mg/L	0.000500	96.1	3.62	<0.000500
Barium	mg/L	0.0000600	103.	.320	0.00600
Cadmium	mg/L	0.000100	102.	.340	0.000600
Chromium	mg/L	0.000200	94.8	2.41	0.00160
Cyanide	mg/L	0.00500	104.	.010	<0.00500
Fluoride	mg/L	0.0100			0.0500
Lead	mg/L	0.00100	110.	5.15	<0.00100
Mercury	mg/L	0.000200	96.0	.000	<0.000200
Nickel	mg/L	0.000400	89.6	4.66	<0.000400
Nitrate (as N)	mg/L	0.0100	111.	.310	66.2
Nitrite (as N)	mg/L	0.0100	103.	1.39	0.174
Selenium	mg/L	0.000500	101.	.000	<0.000500
Sodium	mg/L	0.00100	109.	3.94	5.71
Antimony	mg/L	0.00300	109.	.000	<0.00300
Beryllium	mg/L	0.000200	98.1	5.00	0.000370
Thallium	mg/L	0.00100	108.	8.85	<0.00100
Asbestos	MF/L	1.00			-
TTHM	mg/L	0.00100	95.2	3.39	<0.00100
1,2,4-trichlorobenze	ug/L	0.500			<0.500
cis-1,2-dichloroethe	ug/L	0.500			<0.500
Xylene	ug/L	0.500	89.2	2.85	<0.500
Methylene chloride	ug/L	0.500	96.5	5.25	<0.500
o-dichlorobenzene	ug/L	0.500	92.1	4.36	<0.500
Para-dichlorobenzene	ug/L	0.500	100.	3.15	<0.500
Vinyl chloride	ug/L	0.500			<0.500
1,1-dichloroethene	ug/L	0.500	116.	4.00	<0.500

Data Release Authorization

Sample integrity and reliability certified by Lab personnel prior to analysis.

Methods of analysis in accordance with FCL QA and EPA approved methodology.

This Report of Analysis may not be reproduced in part.


 Jefferson S. Flowers, Ph.D.

Serving Your Analytical and Environmental Needs Since 1957

Jefferson L. Flower, Ph.D.
 Jefferson S. Flowers, Ph.D.
 481 NEWBURYPORT
 P.O. BOX 150-597
 ALTAMONTE SPRINGS
 FLORIDA 32715-0597
 BUS: (407) 339-5984
 FAX: (407) 260-6110



CHEMICAL
LABORATORIES
INCORPORATED

Received From:
Cent. Testing Lab
PO Box 883
Floral City, FL 34436

Date Reported : Aug17 1995
Project Number : Sumt. Co. Indfl.
PO Number : N/A
FDHRS DW Number : 83139
FHRS ENV Number : E83018
FDER COMQAP Num : 86-0008G
A2LA Number : 0312-01
NCDEHNR Number : 296
SCDHEC Number : 96019

For: SL2

Date Sampled: Jul19 1995 Date Received: Jul19 1995 Lab Numbers: 18265-18271

REPORT OF ANALYSIS

					18266
Parameter	Unit	Method	%ACC	%PRC	
		Detection			
		Limit			
Arsenic	mg/L	0.000500	96.1	3.62	<0.000500
Barium	mg/L	0.0000600	103.	.320	0.0149
Cadmium	mg/L	0.000100	102.	.340	0.000300
Chromium	mg/L	0.000200	94.8	2.41	0.00170
Cyanide	mg/L	0.00500	104.	.010	<0.00500
Fluoride	mg/L	0.0100			0.0500
Lead	mg/L	0.00100	110.	5.15	<0.00100
Mercury	mg/L	0.000200	96.0	.000	<0.000200
Nickel	mg/L	0.000400	89.6	4.66	0.00220
Nitrate(as N)	mg/L	0.0100	111.	.310	99.7
Nitrite(as N)	mg/L	0.0100	103.	1.39	<0.0100
Selenium	mg/L	0.000500	101.	.000	<0.000500
Sodium	mg/L	0.00100	109.	3.94	31.7
Antimony	mg/L	0.00300	109.	.000	<0.00300
Beryllium	mg/L	0.000200	98.1	5.00	0.000270
Thallium	mg/L	0.00100	108.	8.85	<0.00100
Asbestos	MF/L	1.00			-
TTHM	mg/L	0.00100	95.2	3.39	<0.00100
1,2,4-trichlorobenze	ug/L	0.500			<0.500
cis-1,2-dichloroethe	ug/L	0.500			<0.500
Xylene	ug/L	0.500	89.2	2.85	<0.500
Methylene chloride	ug/L	0.500	96.5	5.25	<0.500
o-dichlorobenzene	ug/L	0.500	92.1	4.36	<0.500
Para-dichlorobenzene	ug/L	0.500	100.	3.15	<0.500
Vinyl chloride	ug/L	0.500			<0.500
1,1-dichloroethene	ug/L	0.500	116.	4.00	<0.500


Data Release Authorization

Sample integrity and reliability certified by Lab personnel prior to analysis.
Methods of analysis in accordance with FCL QA and EPA approved methodology.
This Report of Analysis may not be reproduced in part.

Jefferson S. Flowers, Ph.D.

Serving Your Analytical and Environmental Needs Since 1957

Jefferson L. Flower, Ph.D.
Jefferson S. Flowers, Ph.D.
481 NEWBURYPORT
P.O. BOX 150-597
ALTAMONTE SPRINGS
FLORIDA 32715-0597
BUS: (407) 339-5984
FAX: (407) 260-6110



CHEMICAL
LABORATORIES
INCORPORATED

Received From:
Cent. Testing Lab
PO Box 883
Floral City, FL 34436

Date Reported : Aug17 1995
Project Number : Sumt. Co. Indfl.
PO Number : N/A
FDHRSDW Number : 83139
FHRS ENVNumber : E83018
FDER COMQAPNum : 86-0008G
A2LA Number : 0312-01
NCDEHNR Number : 296
SCDHEC Number : 96019

For: SL4

Date Sampled: Jul19 1995 Date Received: Jul19 1995 Lab Numbers: 18265-18271

REPORT OF ANALYSIS

					18267
Parameter	Unit	Method	%ACC	%PRC	
		Detection			
		Limit			
Arsenic	mg/L	0.000500	96.1	3.62	<0.000500
Barium	mg/L	0.0000600	103.	.320	0.0176
Cadmium	mg/L	0.000100	102.	.340	0.00610
Chromium	mg/L	0.000200	94.8	2.41	0.0102
Cyanide	mg/L	0.00500	104.	.010	0.00650
Fluoride	mg/L	0.0100			0.359
Lead	mg/L	0.00100	110.	5.15	<0.00100
Mercury	mg/L	0.000200	96.0	.000	<0.000200
Nickel	mg/L	0.000400	89.6	4.66	0.00650
Nitrate(as N)	mg/L	0.0100	111.	.310	62.0
Nitrite(as N)	mg/L	0.0100	103.	1.39	0.820
Selenium	mg/L	0.000500	101.	.000	<0.000500
Sodium	mg/L	0.00100	109.	3.94	24.0
Antimony	mg/L	0.00300	109.	.000	<0.00300
Beryllium	mg/L	0.000200	98.1	5.00	0.00169
Thallium	mg/L	0.00100	108.	8.85	<0.00100
Asbestos	MF/L	1.00			-
TTHM	mg/L	0.00100	95.2	3.39	<0.00100
1,2,4-trichlorobenze	ug/L	0.500			<0.500
cis-1,2-dichloroethe	ug/L	0.500			<0.500
Xylene	ug/L	0.500	89.2	2.85	<0.500
Methylene chloride	ug/L	0.500	96.5	5.25	<0.500
o-dichlorobenzene	ug/L	0.500	92.1	4.36	<0.500
Para-dichlorobenzene	ug/L	0.500	100.	3.15	<0.500
Vinyl chloride	ug/L	0.500			<0.500
1,1-dichloroethene	ug/L	0.500	116.	4.00	<0.500

Data Release Authorization

Sample integrity and reliability certified by Lab personnel prior to analysis.
Methods of analysis in accordance with FCL QA and EPA approved methodology.
This Report of Analysis may not be reproduced in part.

Jefferson S. Flowers, Ph.D.

Serving Your Analytical and Environmental Needs Since 1957

Jefferson L. Flower, Ph.D.
Jefferson S. Flowers, Ph.D.
481 NEWBURYPORT
P.O. BOX 150-597
ALTAMONTE SPRINGS
FLORIDA 32715-0597
BUS: (407) 339-5984
FAX: (407) 260-6110



CHEMICAL
LABORATORIES
INCORPORATED

Received From:
Cent. Testing Lab
PO Box 883
Floral City, FL 34436

Date Reported : Aug17 1995
Project Number : Sumt. Co. Indfl.
PO Number : N/A
FDHRS DW Number : 83139
FHRS ENV Number : E83018
FDER COMQAP Num : 86-0008G
A2LA Number : 0312-01
NCDEHNR Number : 296
SCDHEC Number : 96019

For: SL6A

Date Sampled: Jul19 1995 Date Received: Jul19 1995 Lab Numbers: 18265-18271

REPORT OF ANALYSIS

					18268
Parameter	Unit	Method	%ACC	%PRC	
		Detection			
		Limit			
Arsenic	mg/L	0.000500	96.1	3.62	<0.000500
Barium	mg/L	0.0000600	103.	.320	0.00610
Cadmium	mg/L	0.000100	102.	.340	0.00110
Chromium	mg/L	0.000200	94.8	2.41	0.00610
Cyanide	mg/L	0.00500	104.	.010	0.00819
Fluoride	mg/L	0.0100			0.113
Lead	mg/L	0.00100	110.	5.15	<0.00100
Mercury	mg/L	0.000200	96.0	.000	<0.000200
Nickel	mg/L	0.000400	89.6	4.66	0.00300
Nitrate(as N)	mg/L	0.0100	111.	.310	55.3
Nitrite(as N)	mg/L	0.0100	103.	1.39	0.0737
Selenium	mg/L	0.000500	101.	.000	<0.000500
Sodium	mg/L	0.00100	109.	3.94	4.97
Antimony	mg/L	0.00300	109.	.000	<0.00300
Beryllium	mg/L	0.000200	98.1	5.00	0.000230
Thallium	mg/L	0.00100	108.	8.85	<0.00100
Asbestos	MF/L	1.00			-
TTHM	mg/L	0.00100	95.2	3.39	<0.00100
1,2,4-trichlorobenze	ug/L	0.500			<0.500
cis-1,2-dichloroethe	ug/L	0.500			<0.500
Xylene	ug/L	0.500	89.2	2.85	<0.500
Methylene chloride	ug/L	0.500	96.5	5.25	<0.500
o-dichlorobenzene	ug/L	0.500	92.1	4.36	<0.500
Para-dichlorobenzene	ug/L	0.500	100.	3.15	<0.500
Vinyl chloride	ug/L	0.500			<0.500
1,1-dichloroethene	ug/L	0.500	116.	4.00	<0.500


Data Release Authorization

Sample integrity and reliability certified by Lab personnel prior to analysis.
Methods of analysis in accordance with FCL QA and EPA approved methodology.
This Report of Analysis may not be reproduced in part.

Jefferson S. Flowers, Ph.D.

Serving Your Analytical and Environmental Needs Since 1957

Jefferson L. Flower, Ph.D.
Jefferson S. Flowers, Ph.D.
481 NEWBURYPORT
P.O. BOX 150-597
ALTAMONTE SPRINGS
FLORIDA 32715-0597
BUS: (407) 339-5984
FAX: (407) 260-6110



Received From:

Cent. Testing Lab
PO Box 883
Floral City, FL 34436

Date Reported : Aug17 1995
Project Number : Sumt. Co. Indfl.
PO Number : N/A
FDHRSW Number : 83139
FHRS ENVNumber : E83018
FDER COMQAPNum : 86-0008G
A2LA Number : 0312-01
NCDEHNR Number : 296
SCDHEC Number : 96019

For: SL7

Date Sampled: Jul19 1995 Date Received: Jul19 1995 Lab Numbers: 18265-18271

REPORT OF ANALYSIS

					18269
Parameter	Unit	Method	%ACC	%PRC	
		Detection			
		Limit			
Arsenic	mg/L	0.000500	96.1	3.62	<0.000500
Barium	mg/L	0.0000600	103.	.320	0.00620
Cadmium	mg/L	0.000100	102.	.340	0.00190
Chromium	mg/L	0.000200	94.8	2.41	0.00810
Cyanide	mg/L	0.00500	104.	.010	<0.00500
Fluoride	mg/L	0.0100			0.0793
Lead	mg/L	0.00100	110.	5.15	<0.00100
Mercury	mg/L	0.000200	96.0	.000	<0.000200
Nickel	mg/L	0.000400	89.6	4.66	0.00380
Nitrate(as N)	mg/L	0.0100	111.	.310	81.6
Nitrite(as N)	mg/L	0.0100	103.	1.39	0.0514
Selenium	mg/L	0.000500	101.	.000	<0.000500
Sodium	mg/L	0.00100	109.	3.94	5.97
Antimony	mg/L	0.00300	109.	.000	<0.00300
Beryllium	mg/L	0.000200	98.1	5.00	0.000320
Thallium	mg/L	0.00100	108.	8.85	<0.00100
Asbestos	MF/L	1.00			-
TTHM	mg/L	0.00100	95.2	3.39	<0.00100
1,2,4-trichlorobenze	ug/L	0.500			<0.500
cis-1,2-dichloroethe	ug/L	0.500			<0.500
Xylene	ug/L	0.500	89.2	2.85	<0.500
Methylene chloride	ug/L	0.500	96.5	5.25	<0.500
o-dichlorobenzene	ug/L	0.500	92.1	4.36	<0.500
Para-dichlorobenzene	ug/L	0.500	100.	3.15	<0.500
Vinyl chloride	ug/L	0.500			<0.500
1,1-dichloroethene	ug/L	0.500	116.	4.00	<0.500


Data Release Authorization

Sample integrity and reliability certified by Lab personnel prior to analysis.
Methods of analysis in accordance with FCL QA and EPA approved methodology.
This Report of Analysis may not be reproduced in part.

Jefferson S. Flowers, Ph.D.

Serving Your Analytical and Environmental Needs Since 1957

Jefferson L. Flower, Ph.D.
Jefferson S. Flowers, Ph.D.
481 NEWBURYPORT
P.O. BOX 150-597
ALTAMONTE SPRINGS
FLORIDA 32715-0597
BUS: (407) 339-5984
FAX: (407) 260-6110



CHEMICAL
LABORATORIES
INCORPORATED

Received From:

Cent. Testing Lab
PO Box 883
Floral City, FL 34436

Date Reported : Aug 17 1995
Project Number : Sumt. Co. Indfl.
PO Number : N/A
FDHRS DW Number : 83139
FHRS ENV Number : E83018
FDER COMQAP Num : 86-0008G
A2LA Number : 0312-01
NCDEHNR Number : 296
SCDHEC Number : 96019

For: SL8


Date Sampled: Jul 19 1995 Date Received: Jul 19 1995 Lab Numbers: 18265-18271

REPORT OF ANALYSIS

Parameter	Unit	Method	%ACC	%PRC	18270
		Detection			
		Limit			
Arsenic	mg/L	0.000500	96.1	3.62	<0.000500
Barium	mg/L	0.0000600	103.	.320	0.00600
Cadmium	mg/L	0.000100	102.	.340	<0.000100
Chromium	mg/L	0.000200	94.8	2.41	0.00220
Cyanide	mg/L	0.00500	104.	.010	<0.00500
Fluoride	mg/L	0.0100			0.0500
Lead	mg/L	0.00100	110.	5.15	<0.00100
Mercury	mg/L	0.000200	96.0	.000	<0.000200
Nickel	mg/L	0.000400	89.6	4.66	0.00320
Nitrate (as N)	mg/L	0.0100	111.	.310	14.3
Nitrite (as N)	mg/L	0.0100	103.	1.39	0.174
Selenium	mg/L	0.000500	101.	.000	<0.000500
Sodium	mg/L	0.00100	109.	3.94	10.2
Antimony	mg/L	0.00300	109.	.000	0.00407
Beryllium	mg/L	0.000200	98.1	5.00	<0.000200
Thallium	mg/L	0.00100	108.	8.85	0.00117
Asbestos	MF/L	1.00			-
TTHM	mg/L	0.00100	95.2	3.39	<0.00100
1,2,4-trichlorobenzene	ug/L	0.500			<0.500
cis-1,2-dichloroethene	ug/L	0.500			<0.500
Xylene	ug/L	0.500	89.2	2.85	<0.500
Methylene chloride	ug/L	0.500	96.5	5.25	<0.500
o-dichlorobenzene	ug/L	0.500	92.1	4.36	<0.500
Para-dichlorobenzene	ug/L	0.500	100.	3.15	<0.500
Vinyl chloride	ug/L	0.500			<0.500
1,1-dichloroethene	ug/L	0.500	116.	4.00	<0.500

Data Release Authorization

Sample integrity and reliability certified by Lab personnel prior to analysis.
Methods of analysis in accordance with FCL QA and EPA approved methodology.
This Report of Analysis may not be reproduced in part.


Jefferson S. Flowers, Ph.D.

President, Technical Director
Serving Your Analytical and Environmental Needs Since 1957

Jefferson L. Flower, Ph.D.
Jefferson S. Flowers, Ph.D.
481 NEWBURYPORT
P.O. BOX 150-597
ALTAMONTE SPRINGS
FLORIDA 32715-0597
BUS: (407) 339-5984
FAX: (407) 260-6110



CHEMICAL
LABORATORIES
INCORPORATED

Received From:
Cent. Testing Lab
PO Box 883
Floral City, FL 34436

Date Reported : Aug17 1995
Project Number : Sumt. Co. lndfl.
PO Number : N/A
FDHRS DW Number : 83139
FHRS ENV Number : E83018
FDER COMQAP Num : 86-0008G
A2LA Number : 0312-01
NCDEHNR Number : 296
SCDHEC Number : 96019

For: SL9

Date Sampled: Jul19 1995 Date Received: Jul19 1995 Lab Numbers: 18265-18271

REPORT OF ANALYSIS

					18271
Parameter	Unit	Method	%ACC	%PRC	
		Detection			
		Limit			
Arsenic	mg/L	0.000500	96.1	3.62	<0.000500
Barium	mg/L	0.0000600	103.	.320	0.0142
Cadmium	mg/L	0.000100	102.	.340	0.00440
Chromium	mg/L	0.000200	94.8	2.41	0.00220
Cyanide	mg/L	0.00500	104.	.010	<0.00500
Fluoride	mg/L	0.0100			0.143
Lead	mg/L	0.00100	110.	5.15	<0.00100
Mercury	mg/L	0.000200	96.0	.000	<0.000200
Nickel	mg/L	0.000400	89.6	4.66	0.00550
Nitrate(as N)	mg/L	0.0100	111.	.310	0.0855
Nitrite(as N)	mg/L	0.0100	103.	1.39	<0.0100
Selenium	mg/L	0.000500	101.	.000	<0.000500
Sodium	mg/L	0.00100	109.	3.94	31.8
Antimony	mg/L	0.00300	109.	.000	<0.00300
Beryllium	mg/L	0.000200	98.1	5.00	<0.000200
Thallium	mg/L	0.00100	108.	8.85	0.00119
Asbestos	MF/L	1.00			-
TTHM	mg/L	0.00100	95.2	3.39	<0.00100
1,2,4-trichlorobenze	ug/L	0.500			<0.500
cis-1,2-dichloroethe	ug/L	0.500			<0.500
Xylene	ug/L	0.500	89.2	2.85	<0.500
Methylene chloride	ug/L	0.500	96.5	5.25	<0.500
o-dichlorobenzene	ug/L	0.500	92.1	4.36	<0.500
Para-dichlorobenzene	ug/L	0.500	100.	3.15	<0.500
Vinyl chloride	ug/L	0.500			<0.500
1,1-dichloroethene	ug/L	0.500	116.	4.00	<0.500

Data Release Authorization

Sample integrity and reliability certified by Lab personnel prior to analysis.
Methods of analysis in accordance with FCL QA and EPA approved methodology.
This Report of Analysis may not be reproduced in part.

Jefferson S. Flowers, Ph.D.

Serving Your Analytical and Environmental Needs Since 1957

Jefferson L. Flower, Ph.D.
Jefferson S. Flowers, Ph.D.
481 NEWBURYPORT
P.O. BOX 150-597
ALTAMONTE SPRINGS
FLORIDA 32715-0597
BUS: (407) 339-5984
FAX: (407) 260-6110



CHEMICAL
LABORATORIES
INCORPORATED

Received From:

Cent. Testing Lab
PO Box 883
Floral City, FL 34436

Date Reported : Aug17 1995
Project Number : Sumt. Co. Indfl.
PO Number : N/A
FDHRS DW Number : 83139
FHRS ENV Number : E83018
FDER COMQAP Num : 86-0008G
A2LA Number : 0312-01
NCDEHNR Number : 296
SCDHEC Number : 96019

For: SL1


Date Sampled: Jul19 1995 Date Received: Jul19 1995 Lab Numbers: 18265-18271

REPORT OF ANALYSIS

					18265
Parameter	Unit	Method Detection Limit	%ACC	%PRC	
t-1,2-dichloroethene	ug/L	0.500	107.	3.53	<0.500
1,2-dichloroethane	ug/L	0.500	96.2	4.18	<0.500
1,1,1-trichloroethane	ug/L	0.500	112.	.570	<0.500
Carbon tetrachloride	ug/L	0.500	105.	.460	<0.500
1,2-dichloropropane	ug/L	0.500	91.9	6.45	<0.500
Trichloroethene	ug/L	0.500	83.6	3.98	<0.500
1,1,2-trichloroethane	ug/L	0.500	92.1	3.25	<0.500
Tetrachloroethene	ug/L	0.500	89.9	3.71	<0.500
Chlorobenzene	ug/L	0.500	95.2	.530	<0.500
Benzene	ug/L	0.500	85.3	3.52	<0.500
Toluene	ug/L	0.500	85.7	4.91	<0.500
Ethylbenzene	ug/L	0.500	98.6	6.37	<0.500
Styrene	ug/L	0.500			<0.500
Endrin	ug/L	0.00100			<0.00100
Lindane	ug/L	0.00100			<0.00100
Methoxychlor	ug/L	0.0100			<0.0100
Toxaphene	ug/L	0.100			<0.100
Dalapon	ug/L	0.00100	83.1	.250	<0.00100
Diquat	ug/L	0.400	105.	8.06	<0.400
Endothall	ug/L	9.00	120.	21.3	<9.00
Glyphosate	ug/L	0.600	98.6	5.63	<0.600
Di(2-ethylhexyl) adi	ug/L	0.600			<0.600
Oxamyl (Vydate)	ug/L	2.00	98.5	3.88	<2.00
Simazine	ug/L	0.0700	101.	.880	<0.0700
Bis(2-ethylhexyl)pht	ug/L	0.600			<0.600
Picloram	ug/L	0.0700	87.4	.320	<0.0700

Data Release Authorization

Sample integrity and reliability certified by Lab personnel prior to analysis.
Methods of analysis in accordance with FCL QA and EPA approved methodology.
This Report of Analysis may not be reproduced in part.


Jefferson S. Flowers, Ph.D.

Serving Your Analytical and Environmental Needs Since 1957

Jefferson L. Flower, Ph.D.
Jefferson S. Flowers, Ph.D.
481 NEWBURYPORT
P.O. BOX 150-597
ALTAMONTE SPRINGS
FLORIDA 32715-0597
BUS: (407) 339-5984
FAX: (407) 260-6110



**CHEMICAL
LABORATORIES**
INCORPORATED

Received From:

Cent. Testing Lab
PO Box 883
Floral City, FL 34436

Date Reported : Aug17 1995

Project Number : Sumt. Co. Indfl.

PO Number : N/A

FDHRS DW Number : 83139

FHRS ENV Number : E83018

FDER COMQAP Num : 86-0008G

A2LA Number : 0312-01

NCDEHNR Number : 296

SCDHEC Number : 96019

For: SL2

Date Sampled: Jul19 1995 Date Received: Jul19 1995 Lab Numbers: 18265-18271


REPORT OF ANALYSIS

18266

Parameter	Unit	Method Detection Limit	%ACC	%PRC	
t-1,2-dichloroethene	ug/L	0.500	107.	3.53	<0.500
1,2-dichloroethane	ug/L	0.500	96.2	4.18	<0.500
1,1,1-trichloroethane	ug/L	0.500	112.	.570	<0.500
Carbon tetrachloride	ug/L	0.500	105.	.460	<0.500
1,2-dichloropropane	ug/L	0.500	91.9	6.45	<0.500
Trichloroethene	ug/L	0.500	83.6	3.98	<0.500
1,1,2-trichloroethane	ug/L	0.500	92.1	3.25	<0.500
Tetrachloroethene	ug/L	0.500	89.9	3.71	<0.500
Chlorobenzene	ug/L	0.500	95.2	.530	<0.500
Benzene	ug/L	0.500	85.3	3.52	<0.500
Toluene	ug/L	0.500	85.7	4.91	<0.500
Ethylbenzene	ug/L	0.500	98.6	6.37	<0.500
Styrene	ug/L	0.500			<0.500
Endrin	ug/L	0.00100			<0.00100
Lindane	ug/L	0.00100			<0.00100
Methoxychlor	ug/L	0.0100			<0.0100
Toxaphene	ug/L	0.100			<0.100
Dalapon	ug/L	0.00100	83.1	.250	<0.00100
Diquat	ug/L	0.400	105.	8.06	<0.400
Endothall	ug/L	9.00	120.	21.3	<9.00
Glyphosate	ug/L	0.600	98.6	5.63	<0.600
Di(2-ethylhexyl) adi	ug/L	0.600			<0.600
Oxamyl (Vydate)	ug/L	2.00	98.5	3.88	<2.00
Simazine	ug/L	0.0700	101.	.880	<0.0700
Bis(2-ethylhexyl)pht	ug/L	0.600			<0.600
Picloram	ug/L	0.0700	87.4	.320	<0.0700


Data Release Authorization

Sample integrity and reliability certified by Lab personnel prior to analysis.
Methods of analysis in accordance with FCL QA and EPA approved methodology.
This Report of Analysis may not be reproduced in part.


Jefferson S. Flowers, Ph.D.

Serving Your Analytical and Environmental Needs Since 1957

Jefferson L. Flower, Ph.D.
Jefferson S. Flowers, Ph.D.
481 NEWBURYPORT
P.O. BOX 150-597
ALTAMONTE SPRINGS
FLORIDA 32715-0597
BUS: (407) 339-5984
FAX: (407) 260-6110



CHEMICAL
LABORATORIES
INCORPORATED

Received From:

Cent. Testing Lab
PO Box 883
Floral City, FL 34436

Date Reported : Aug 17 1995

Project Number : Sumt. Co. Indfl.

PO Number : N/A

FDHRS DW Number : 83139

FHRS ENV Number : E83018

FDER COMQAP Num : 86-0008G

A2LA Number : 0312-01

NCDEHNR Number : 296

SCDHEC Number : 96019

For: SL4

Date Sampled: Jul 19 1995 Date Received: Jul 19 1995 Lab Numbers: 18265-18271

REPORT OF ANALYSIS


18267				
Parameter	Unit	Method	%ACC	%PRC
		Detection		
		Limit		
t-1,2-dichloroethene	ug/L	0.500	107.3	53.3
1,2-dichloroethane	ug/L	0.500	96.2	4.18
1,1,1-trichloroethane	ug/L	0.500	112.	.570
Carbon tetrachloride	ug/L	0.500	105.	.460
1,2-dichloropropane	ug/L	0.500	91.9	6.45
Trichloroethene	ug/L	0.500	83.6	3.98
1,1,2-trichloroethane	ug/L	0.500	92.1	3.25
Tetrachloroethene	ug/L	0.500	89.9	3.71
Chlorobenzene	ug/L	0.500	95.2	.530
Benzene	ug/L	0.500	85.3	3.52
Toluene	ug/L	0.500	85.7	4.91
Ethylbenzene	ug/L	0.500	98.6	6.37
Styrene	ug/L	0.500		
Endrin	ug/L	0.00100		
Lindane	ug/L	0.00100		
Methoxychlor	ug/L	0.0100		
Toxaphene	ug/L	0.100		
Dalapon	ug/L	0.00100	83.1	.250
Diquat	ug/L	0.400	105.	8.06
Endothall	ug/L	9.00	120.	21.3
Glyphosate	ug/L	0.600	98.6	5.63
Di(2-ethylhexyl) adi	ug/L	0.600		
Oxamyl (Vydate)	ug/L	2.00	98.5	3.88
Simazine	ug/L	0.0700	101.	.880
Bis(2-ethylhexyl)pht	ug/L	0.600		
Picloram	ug/L	0.0700	87.4	.320

Data Release Authorization

Sample integrity and reliability certified by Lab personnel prior to analysis.


Methods of analysis in accordance with FCL QA and EPA approved methodology.

This Report of Analysis may not be reproduced in part.


 Jefferson S. Flowers, Ph.D.

Serving Your Analytical and Environmental Needs Since 1957

Jefferson L. Flower, Ph.D.
Jefferson S. Flowers, Ph.D.
481 NEWBURYPORT
P.O. BOX 150-597
ALTAMONTE SPRINGS
FLORIDA 32715-0597
BUS: (407) 339-5984
FAX: (407) 260-6110



CHEMICAL
LABORATORIES
INCORPORATED

Received From:
Cent. Testing Lab
PO Box 883
Floral City, FL 34436

Date Reported : Aug17 1995
Project Number : Sumt. Co. Indfl.
PO Number : N/A
FDHRS DW Number : 83139
FHRS ENV Number : E83018
FDER COMQAP Num : 86-0008G
A2LA Number : 0312-01
NCDEHNR Number : 296
SCDHEC Number : 96019

For: SL6A

Date Sampled: Jul19 1995 Date Received: Jul19 1995 Lab Numbers: 18265-18271

REPORT OF ANALYSIS

					18268
Parameter	Unit	Method %ACC %PRC			
		Detection			
		Limit			
t-1,2-dichloroethene	ug/L	0.500	107.3	3.53	<0.500
1,2-dichloroethane	ug/L	0.500	96.2	4.18	<0.500
1,1,1-trichloroethane	ug/L	0.500	112.	.570	<0.500
Carbon tetrachloride	ug/L	0.500	105.	.460	<0.500
1,2-dichloropropane	ug/L	0.500	91.9	6.45	<0.500
Trichloroethene	ug/L	0.500	83.6	3.98	<0.500
1,1,2-trichloroethane	ug/L	0.500	92.1	3.25	<0.500
Tetrachloroethene	ug/L	0.500	89.9	3.71	<0.500
Chlorobenzene	ug/L	0.500	95.2	.530	<0.500
Benzene	ug/L	0.500	85.3	3.52	<0.500
Toluene	ug/L	0.500	85.7	4.91	<0.500
Ethylbenzene	ug/L	0.500	98.6	6.37	<0.500
Styrene	ug/L	0.500			<0.500
Endrin	ug/L	0.00100			<0.00100
Lindane	ug/L	0.00100			<0.00100
Methoxychlor	ug/L	0.0100			<0.0100
Toxaphene	ug/L	0.100			<0.100
Dalapon	ug/L	0.00100	83.1	.250	<0.00100
Diquat	ug/L	0.400	105.	8.06	<0.400
Endothall	ug/L	9.00	120.	21.3	<9.00
Glyphosate	ug/L	0.600	98.6	5.63	<0.600
Di(2-ethylhexyl) adi	ug/L	0.600			<0.600
Oxamyl (Vydate)	ug/L	2.00	98.5	3.88	<2.00
Simazine	ug/L	0.0700	101.	.880	<0.0700
Bis(2-ethylhexyl)pht	ug/L	0.600			1.61
Picloram	ug/L	0.0700	87.4	.320	<0.0700


Data Release Authorization

Sample integrity and reliability certified by Lab personnel prior to analysis.
Methods of analysis in accordance with FCL QA and EPA approved methodology.
This Report of Analysis may not be reproduced in part.

Jefferson S. Flowers, Ph.D.

Serving Your Analytical and Environmental Needs Since 1957

Jefferson L. Flower, Ph.D.
Jefferson S. Flowers, Ph.D.
481 NEWBURYPORT
P.O. BOX 150-597
ALTAMONTE SPRINGS
FLORIDA 32715-0597
BUS: (407) 339-5984
FAX: (407) 260-6110



CHEMICAL
LABORATORIES
INCORPORATED

Received From:
Cent. Testing Lab
PO Box 883
Floral City, FL 34436

Date Reported : Aug17 1995
Project Number : Sumt. Co. Indfl.
PO Number : N/A
FDHRSDW Number : 83139
FHRS ENVNumber : E83018
FDER COMQAPNum : 86-0008G
A2LA Number : 0312-01
NCDEHNR Number : 296
SCDHEC Number : 96019

For: SL7

Date Sampled: Jul19 1995 Date Received: Jul19 1995 Lab Numbers: 18265-18271

REPORT OF ANALYSIS

					18269
Parameter	Unit	Method	%ACC	%PRC	
		Detection			
		Limit			
t-1,2-dichloroethene	ug/L	0.500	107.	3.53	<0.500
1,2-dichloroethane	ug/L	0.500	96.2	4.18	<0.500
1,1,1-trichloroethane	ug/L	0.500	112.	.570	<0.500
Carbon tetrachloride	ug/L	0.500	105.	.460	<0.500
1,2-dichloropropane	ug/L	0.500	91.9	6.45	<0.500
Trichloroethene	ug/L	0.500	83.6	3.98	<0.500
1,1,2-trichloroethane	ug/L	0.500	92.1	3.25	<0.500
Tetrachloroethene	ug/L	0.500	89.9	3.71	<0.500
Chlorobenzene	ug/L	0.500	95.2	.530	<0.500
Benzene	ug/L	0.500	85.3	3.52	<0.500
Toluene	ug/L	0.500	85.7	4.91	<0.500
Ethylbenzene	ug/L	0.500	98.6	6.37	<0.500
Styrene	ug/L	0.500			<0.500
Endrin	ug/L	0.00100			<0.00100
Lindane	ug/L	0.00100			<0.00100
Methoxychlor	ug/L	0.0100			<0.0100
Toxaphene	ug/L	0.100			<0.100
Dalapon	ug/L	0.00100	83.1	.250	<0.00100
Diquat	ug/L	0.400	105.	8.06	<0.400
Endothall	ug/L	9.00	120.	21.3	<9.00
Glyphosate	ug/L	0.600	98.6	5.63	<0.600
Di(2-ethylhexyl) adi	ug/L	0.600			<0.600
Oxamyl (Vydate)	ug/L	2.00	98.5	3.88	<2.00
Simazine	ug/L	0.0700	101.	.880	<0.0700
Bis(2-ethylhexyl)pht	ug/L	0.600			<0.600
Picloram	ug/L	0.0700	87.4	.320	<0.0700

Data Release Authorization

Sample integrity and reliability certified by Lab personnel prior to analysis.
Methods of analysis in accordance with FCL QA and EPA approved methodology.
This Report of Analysis may not be reproduced in part.

Jefferson S. Flowers, Ph.D.

Serving Your Analytical and Environmental Needs Since 1957

Jefferson L. Flower, Ph.D.
Jefferson S. Flowers, Ph.D.
481 NEWBURYPORT
P.O. BOX 150-597
ALTAMONTE SPRINGS
FLORIDA 32715-0597
BUS: (407) 339-5984
FAX: (407) 260-6110



CHEMICAL
LABORATORIES
INCORPORATED

Received From:
Cent. Testing Lab
PO Box 883
Floral City, FL 34436

Date Reported : Aug17 1995
Project Number : Sumt. Co. Indfl.
PO Number : N/A
FDHRS DW Number : 83139
FHRS ENV Number : E83018
FDER COMQAP Num : 86-0008G
A2LA Number : 0312-01
NCDEHNR Number : 296
SCDHEC Number : 96019

For: SL8

Date Sampled: Jul19 1995 Date Received: Jul19 1995 Lab Numbers: 18265-18271

REPORT OF ANALYSIS

					18270
Parameter	Unit	Method	%ACC	%PRC	
		Detection			
		Limit			
t-1,2-dichloroethene	ug/L	0.500	107.	3.53	<0.500
1,2-dichloroethane	ug/L	0.500	96.2	4.18	<0.500
1,1,1-trichloroethane	ug/L	0.500	112.	.570	<0.500
Carbon tetrachloride	ug/L	0.500	105.	.460	<0.500
1,2-dichloropropane	ug/L	0.500	91.9	6.45	<0.500
Trichloroethene	ug/L	0.500	83.6	3.98	<0.500
1,1,2-trichloroethane	ug/L	0.500	92.1	3.25	<0.500
Tetrachloroethene	ug/L	0.500	89.9	3.71	<0.500
Chlorobenzene	ug/L	0.500	95.2	.530	<0.500
Benzene	ug/L	0.500	85.3	3.52	<0.500
Toluene	ug/L	0.500	85.7	4.91	<0.500
Ethylbenzene	ug/L	0.500	98.6	6.37	<0.500
Styrene	ug/L	0.500			<0.500
Endrin	ug/L	0.00100			<0.00100
Lindane	ug/L	0.00100			<0.00100
Methoxychlor	ug/L	0.0100			<0.0100
Toxaphene	ug/L	0.100			<0.100
Dalapon	ug/L	0.00100	83.1	.250	<0.00100
Diquat	ug/L	0.400	105.	8.06	<0.400
Endothall	ug/L	9.00	120.	21.3	<9.00
Glyphosate	ug/L	0.600	98.6	5.63	<0.600
Di(2-ethylhexyl) adi	ug/L	0.600			<0.600
Oxamyl (Vydate)	ug/L	2.00	98.5	3.88	<2.00
Simazine	ug/L	0.0700	101.	.880	<0.0700
Bis(2-ethylhexyl)pht	ug/L	0.600			<0.600
Picloram	ug/L	0.0700	87.4	.320	<0.0700

Data Release Authorization

Sample integrity and reliability certified by Lab personnel prior to analysis.
Methods of analysis in accordance with FCL QA and EPA approved methodology.
This Report of Analysis may not be reproduced in part.

Jefferson S. Flowers, Ph.D.

Serving Your Analytical and Environmental Needs Since 1957

Jefferson L. Flower, Ph.D.
Jefferson S. Flowers, Ph.D.
481 NEWBURYPORT
P.O. BOX 150-597
ALTAMONTE SPRINGS
FLORIDA 32715-0597
BUS: (407) 339-5984
FAX: (407) 260-6110



CHEMICAL
LABORATORIES
INCORPORATED

Received From:
Cent. Testing Lab
PO Box 883
Floral City, FL 34436

Date Reported : Aug17 1995
Project Number : Sumt. Co. Indfl.
PO Number : N/A
FDHRSW Number : 83139
FHRS ENVNumber : E83018
FDER COMQAPNum : 86-0008G
A2LA Number : 0312-01
NCDEHNR Number : 296
SCDHEC Number : 96019

For: SL9

Date Sampled: Jul19 1995 Date Received: Jul19 1995 Lab Numbers: 18265-18271

REPORT OF ANALYSIS

18271

Parameter	Unit	Method	%ACC	%PRC	
		Detection			
		Limit			
t-1,2-dichloroethene	ug/L	0.500	107.	3.53	<0.500
1,2-dichloroethane	ug/L	0.500	96.2	4.18	<0.500
1,1,1-trichloroethane	ug/L	0.500	112.	.570	<0.500
Carbon tetrachloride	ug/L	0.500	105.	.460	<0.500
1,2-dichloropropane	ug/L	0.500	91.9	6.45	<0.500
Trichloroethene	ug/L	0.500	83.6	3.98	<0.500
1,1,2-trichloroethane	ug/L	0.500	92.1	3.25	<0.500
Tetrachloroethene	ug/L	0.500	89.9	3.71	<0.500
Chlorobenzene	ug/L	0.500	95.2	.530	<0.500
Benzene	ug/L	0.500	85.3	3.52	<0.500
Toluene	ug/L	0.500	85.7	4.91	<0.500
Ethylbenzene	ug/L	0.500	98.6	6.37	<0.500
Styrene	ug/L	0.500			<0.500
Endrin	ug/L	0.00100			<0.00100
Lindane	ug/L	0.00100			<0.00100
Methoxychlor	ug/L	0.0100			<0.0100
Toxaphene	ug/L	0.100			<0.100
Dalapon	ug/L	0.00100	83.1	.250	<0.00100
Diquat	ug/L	0.400	105.	8.06	<0.400
Endothall	ug/L	9.00	120.	21.3	<9.00
Glyphosate	ug/L	0.600	98.6	5.63	<0.600
Di(2-ethylhexyl) adi	ug/L	0.600			<0.600
Oxamyl (Vydate)	ug/L	2.00	98.5	3.88	<2.00
Simazine	ug/L	0.0700	101.	.880	<0.0700
Bis(2-ethylhexyl)pht	ug/L	0.600			<0.600
Picloram	ug/L	0.0700	87.4	.320	<0.0700


Data Release Authorization

Sample integrity and reliability certified by Lab personnel prior to analysis.
Methods of analysis in accordance with FCL QA and EPA approved methodology.
This Report of Analysis may not be reproduced in part.

Jefferson S. Flowers, Ph.D.

Serving Your Analytical and Environmental Needs Since 1957

Jefferson L. Flower, Ph.D.
Jefferson S. Flowers, Ph.D.
481 NEWBURYPORT
P.O. BOX 150-597
ALTAMONTE SPRINGS
FLORIDA 32715-0597
BUS: (407) 339-5984
FAX: (407) 260-6110



CHEMICAL
LABORATORIES
INCORPORATED

Received From:
Cent. Testing Lab
PO Box 883
Floral City, FL 34436

Date Reported : Aug17 1995
Project Number : Sumt. Co. Indfl.
PO Number : N/A
FDHRS DW Number : 83139
FHRS ENV Number : E83018
FDER COMQAP Num : 86-0008G
A2LA Number : 0312-01
NCDEHNR Number : 296
SCDHEC Number : 96019

For: SL1

Date Sampled: Jul19 1995 Date Received: Jul19 1995 Lab Numbers: 18265-18271

REPORT OF ANALYSIS

18265				
Parameter	Unit	Method	%ACC	%PRC
Detection Limit				
Dinoseb	ug/L	0.0100		<0.0100
Hexachlorocyclopenta	ug/L	0.100	75.6	17.7
Carbofuran	ug/L	0.900	99.6	9.59
Atrazine	ug/L	0.100	88.4	33.2
Alachlor (Lasso)	ug/L	0.200		<0.200
Dioxin	ug/L	0.0100		-
Heptachlor	ug/L	0.00500		<0.00500
Heptachlor_Epoxide	ug/L	0.00500		<0.00500
2,4-D	ug/L	0.0500	111.	.750
2,4,5-TP (Silvex)	ug/L	0.0200	91.8	.920
Hexachlorobenzene	ug/L	0.100		<0.100
Benzo(a)pyrene	ug/L	0.0200	94.6	2.56
Pentachlorophenol	ug/L	0.0400	96.8	.360
Total_PCB	ug/L	0.100		<0.100
Dibromochloropropane	ug/L	0.0200	106.	9.37
Ethylene dibromide	ug/L	0.0100	99.0	.620
Chlordane	ug/L	0.0100		<0.0100
Gross alpha	pCi/L	0.100		9.10
Analysis Error	pCi/L	0.100		0.600
Photon emitters	pCi/L	0.100		-
Analysis_Error (Photo)	pCi/L	0.100		-
Radium 226	pCi/L	0.100		-
Analysis_Error (226)	pCi/L	0.100		-
Radium 228	pCi/L	0.300		-
Analysis_Error (228)	pCi/L	0.300		-
Man-made beta & phot	pCi/L	0.100		-


Data Release Authorization

Sample integrity and reliability certified by Lab personnel prior to analysis.
Methods of analysis in accordance with FCL QA and EPA approved methodology.
This Report of Analysis may not be reproduced in part.

Jefferson S. Flowers, Ph.D.

Serving Your Analytical and Environmental Needs Since 1957

Jefferson L. Flower, Ph.D.
Jefferson S. Flowers, Ph.D.
481 NEWBURYPORT
P.O. BOX 150-597
ALTAMONTE SPRINGS
FLORIDA 32715-0597
BUS: (407) 339-5984
FAX: (407) 260-6110



CHEMICAL
LABORATORIES
INCORPORATED

Received From:
Cent. Testing Lab
PO Box 883
Floral City, FL 34436

Date Reported : Aug17 1995
Project Number : Sumt. Co. Indfl.
PO Number : N/A
FDHRSDW Number : 83139
FHRS ENVNumber : E83018
FDER COMQAPNum : 86-0008G
A2LA Number : 0312-01
NCDEHNR Number : 296
SCDHEC Number : 96019

For: SL2

Date Sampled: Jul19 1995 Date Received: Jul19 1995 Lab Numbers: 18265-18271

REPORT OF ANALYSIS

18266				
Parameter	Unit	Method	%ACC	%PRC
		Detection		
		Limit		
Dinoseb	ug/L	0.0100		<0.0100
Hexachlorocyclopenta	ug/L	0.100	75.6	17.7
Carbofuran	ug/L	0.900	99.6	9.59
Atrazine	ug/L	0.100	88.4	33.2
Alachlor (Lasso)	ug/L	0.200		<0.200
Dioxin	ug/L	0.0100		-
Heptachlor	ug/L	0.00500		<0.00500
Heptachlor_Epoxide	ug/L	0.00500		<0.00500
2,4-D	ug/L	0.0500	111.	.750
2,4,5-TP(Silvex)	ug/L	0.0200	91.8	.920
Hexachlorobenzene	ug/L	0.100		<0.100
Benzo(a)pyrene	ug/L	0.0200	94.6	2.56
Pentachlorophenol	ug/L	0.0400	96.8	.360
Total_PCB	ug/L	0.100		<0.100
Dibromochloropropane	ug/L	0.0200	106.	9.37
Ethylene dibromide	ug/L	0.0100	99.0	.620
Chlordane	ug/L	0.0100		<0.0100
Gross alpha	pCi/L	0.100		5.70
Analysis Error	pCi/L	0.100		0.900
Photon emitters	pCi/L	0.100		-
Analysis_Error(Photo	pCi/L	0.100		-
Radium 226	pCi/L	0.100		-
Analysis_Error(226)	pCi/L	0.100		-
Radium 228	pCi/L	0.300		-
Analysis_Error(228)	pCi/L	0.300		-
Man-made beta & phot	pCi/L	0.100		-

Data Release Authorization

Sample integrity and reliability certified by Lab personnel prior to analysis.
Methods of analysis in accordance with FCL QA and EPA approved methodology.
This Report of Analysis may not be reproduced in part.

Jefferson S. Flowers, Ph.D.

Serving Your Analytical and Environmental Needs Since 1957

Jefferson L. Flower, Ph.D.
Jefferson S. Flowers, Ph.D.
481 NEWBURYPORT
P.O. BOX 150-597
ALTAMONTE SPRINGS
FLORIDA 32715-0597
BUS: (407) 339-5984
FAX: (407) 260-6110



CHEMICAL
LABORATORIES
INCORPORATED

Received From:
Cent. Testing Lab
PO Box 883
Floral City, FL 34436

Date Reported : Aug17 1995
Project Number : Sumt. Co. Indfl.
PO Number : N/A
FDHRS DW Number : 83139
FHRS ENV Number : E83018
FDER COMQAP Num : 86-0008G
A2LA Number : 0312-01
NCDEHNR Number : 296
SCDHEC Number : 96019

For: SL4

Date Sampled: Jul19 1995 Date Received: Jul19 1995 Lab Numbers: 18265-18271

REPORT OF ANALYSIS

18267				
Parameter	Unit	Method	%ACC	%PRC
		Detection		
		Limit		
Dinoseb	ug/L	0.0100		<0.0100
Hexachlorocyclopenta	ug/L	0.100	75.6	17.7
Carbofuran	ug/L	0.900	99.6	9.59
Atrazine	ug/L	0.100	88.4	33.2
Alachlor (Lasso)	ug/L	0.200		<0.200
Dioxin	ug/L	0.0100		-
Heptachlor	ug/L	0.00500		<0.00500
Heptachlor_Epoxide	ug/L	0.00500		<0.00500
2,4-D	ug/L	0.0500	111.	.750
2,4,5-TP (Silvex)	ug/L	0.0200	91.8	.920
Hexachlorobenzene	ug/L	0.100		<0.100
Benzo(a)pyrene	ug/L	0.0200	94.6	2.56
Pentachlorophenol	ug/L	0.0400	96.8	.360
Total_PCB	ug/L	0.100		<0.100
Dibromochloropropane	ug/L	0.0200	106.	9.37
Ethylene dibromide	ug/L	0.0100	99.0	.620
Chlordane	ug/L	0.0100		<0.0100
Gross alpha	pCi/L	0.100		97.0
Analysis Error	pCi/L	0.100		6.00
Photon emitters	pCi/L	0.100		-
Analysis_Error (Photo	pCi/L	0.100		-
Radium 226	pCi/L	0.100		-
Analysis_Error (226)	pCi/L	0.100		-
Radium 228	pCi/L	0.300		-
Analysis_Error (228)	pCi/L	0.300		-
Man-made beta & phot	pCi/L	0.100		-


Data Release Authorization

Sample integrity and reliability certified by Lab personnel prior to analysis.
Methods of analysis in accordance with FCL QA and EPA approved methodology.
This Report of Analysis may not be reproduced in part.

Jefferson S. Flowers, Ph.D.

Serving Your Analytical and Environmental Needs Since 1957

Jefferson L. Flower, Ph.D.
Jefferson S. Flowers, Ph.D.
481 NEWBURYPORT
P.O. BOX 150-597
ALTAMONTE SPRINGS
FLORIDA 32715-0597
BUS: (407) 339-5984
FAX: (407) 260-6110



CHEMICAL
LABORATORIES
INCORPORATED

Received From:
Cent. Testing Lab
PO Box 883
Floral City, FL 34436

Date Reported : Aug17 1995
Project Number : Sumt. Co. Indfl.
PO Number : N/A
FDHRSDW Number : 83139
FHRS ENVNumber : E83018
FDER COMQAPNum : 86-0008G
A2LA Number : 0312-01
NCDEHNR Number : 296
SCDHEC Number : 96019

For: SL6A

Date Sampled: Jul19 1995 Date Received: Jul19 1995 Lab Numbers: 18265-18271

REPORT OF ANALYSIS

18268				
Parameter	Unit	Method	%ACC	%PRC
Detection Limit				
Dinoseb	ug/L	0.0100		<0.0100
Hexachlorocyclopenta	ug/L	0.100	75.6	17.7
Carbofuran	ug/L	0.900	99.6	9.59
Atrazine	ug/L	0.100	88.4	33.2
Alachlor (Lasso)	ug/L	0.200		<0.200
Dioxin	ug/L	0.0100		-
Heptachlor	ug/L	0.00500		<0.00500
Heptachlor_Epoxide	ug/L	0.00500		<0.00500
2,4-D	ug/L	0.0500	111.	.750
2,4,5-TP (Silvex)	ug/L	0.0200	91.8	.920
Hexachlorobenzene	ug/L	0.100		<0.100
Benzo(a)pyrene	ug/L	0.0200	94.6	2.56
Pentachlorophenol	ug/L	0.0400	96.8	.360
Total_PCB	ug/L	0.100		<0.100
Dibromochloropropane	ug/L	0.0200	106.	9.37
Ethylene dibromide	ug/L	0.0100	99.0	.620
Chlordane	ug/L	0.0100		<0.0100
Gross alpha	pCi/L	0.100		16.1
Analysis Error	pCi/L	0.100		1.30
Photon emitters	pCi/L	0.100		-
Analysis_Error (Photo	pCi/L	0.100		-
Radium 226	pCi/L	0.100		-
Analysis_Error (226)	pCi/L	0.100		-
Radium 228	pCi/L	0.300		-
Analysis_Error (228)	pCi/L	0.300		-
Man-made beta & phot	pCi/L	0.100		-


Data Release Authorization

Sample integrity and reliability certified by Lab personnel prior to analysis.
Methods of analysis in accordance with FCL QA and EPA approved methodology.
This Report of Analysis may not be reproduced in part.

Jefferson S. Flowers, Ph.D.

Serving Your Analytical and Environmental Needs Since 1957

Jefferson L. Flower, Ph.D.
Jefferson S. Flowers, Ph.D.
481 NEWBURYPORT
P.O. BOX 150-597
ALTAMONTE SPRINGS
FLORIDA 32715-0597
BUS: (407) 339-5984
FAX: (407) 260-6110



CHEMICAL
LABORATORIES
INCORPORATED

Received From:
Cent. Testing Lab
PO Box 883
Floral City, FL 34436

Date Reported : Aug17 1995
Project Number : Sumt. Co. Indfl.
PO Number : N/A
FDHRS DW Number : 83139
FHRS ENV Number : E83018
FDER COMQAP Num : 86-0008G
A2LA Number : 0312-01
NCDEHNR Number : 296
SCDHEC Number : 96019

For: SL7

Date Sampled: Jul19 1995 Date Received: Jul19 1995 Lab Numbers: 18265-18271

REPORT OF ANALYSIS

18269				
Parameter	Unit	Method	%ACC	%PRC
		Detection		
		Limit		
Dinoseb	ug/L	0.0100		<0.0100
Hexachlorocyclopenta	ug/L	0.100	75.6	17.7
Carbofuran	ug/L	0.900	99.6	9.59
Atrazine	ug/L	0.100	88.4	33.2
Alachlor (Lasso)	ug/L	0.200		<0.200
Dioxin	ug/L	0.0100		-
Heptachlor	ug/L	0.00500		<0.00500
Heptachlor_Epoxide	ug/L	0.00500		<0.00500
2,4-D	ug/L	0.0500	111.	.750
2,4,5-TP (Silvex)	ug/L	0.0200	91.8	.920
Hexachlorobenzene	ug/L	0.100		<0.100
Benzo(a)pyrene	ug/L	0.0200	94.6	2.56
Pentachlorophenol	ug/L	0.0400	96.8	.360
Total_PCB	ug/L	0.100		<0.100
Dibromochloropropane	ug/L	0.0200	106.	9.37
Ethylene dibromide	ug/L	0.0100	99.0	.620
Chlordane	ug/L	0.0100		<0.0100
Gross alpha	pCi/L	0.100		9.90
Analysis Error	pCi/L	0.100		1.10
Photon emitters	pCi/L	0.100		-
Analysis_Error (Photo	pCi/L	0.100		-
Radium 226	pCi/L	0.100		-
Analysis_Error (226)	pCi/L	0.100		-
Radium 228	pCi/L	0.300		-
Analysis_Error (228)	pCi/L	0.300		-
Man-made beta & phot	pCi/L	0.100		-


Data Release Authorization

Sample integrity and reliability certified by Lab personnel prior to analysis.
Methods of analysis in accordance with FCL QA and EPA approved methodology.
This Report of Analysis may not be reproduced in part.

Jefferson S. Flowers, Ph.D.

Serving Your Analytical and Environmental Needs Since 1957

Jefferson L. Flower, Ph.D.
Jefferson S. Flowers, Ph.D.
481 NEWBURYPORT
P.O. BOX 150-597
ALTAMONTE SPRINGS
FLORIDA 32715-0597
BUS: (407) 339-5984
FAX: (407) 260-6110



CHEMICAL
LABORATORIES
INCORPORATED

Received From:
Cent. Testing Lab
PO Box 883
Floral City, FL 34436

Date Reported : Aug 17 1995
Project Number : Sumt. Co. Indfl.
PO Number : N/A
FDHRS DW Number : 83139
FHRS ENV Number : E83018
FDER COMQAP Num : 86-0008G
A2LA Number : 0312-01
NCDEHNR Number : 296
SCDHEC Number : 96019

For: SL8

Date Sampled: Jul 19 1995 Date Received: Jul 19 1995 Lab Numbers: 18265-18271

REPORT OF ANALYSIS

		18270		
Parameter	Unit	Method	%ACC	%PRC
		Detection		
		Limit		
Dinoseb	ug/L	0.0100		<0.0100
Hexachlorocyclopenta	ug/L	0.100	75.6	17.7
Carbofuran	ug/L	0.900	99.6	9.59
Atrazine	ug/L	0.100	88.4	33.2
Alachlor (Lasso)	ug/L	0.200		<0.200
Dioxin	ug/L	0.0100		-
Heptachlor	ug/L	0.00500		<0.00500
Heptachlor_Epoxide	ug/L	0.00500		<0.00500
2,4-D	ug/L	0.0500	111.	.750
2,4,5-TP (Silvex)	ug/L	0.0200	91.8	.920
Hexachlorobenzene	ug/L	0.100		<0.100
Benzo(a)pyrene	ug/L	0.0200	94.6	2.56
Pentachlorophenol	ug/L	0.0400	96.8	.360
Total_PCB	ug/L	0.100		<0.100
Dibromochloropropane	ug/L	0.0200	106.	9.37
Ethylene dibromide	ug/L	0.0100	99.0	.620
Chlordane	ug/L	0.0100		<0.0100
Gross alpha	pCi/L	0.100		2.70
Analysis Error	pCi/L	0.100		0.400
Photon emitters	pCi/L	0.100		-
Analysis_Error(Photo	pCi/L	0.100		-
Radium 226	pCi/L	0.100		-
Analysis_Error(226)	pCi/L	0.100		-
Radium 228	pCi/L	0.300		-
Analysis_Error(228)	pCi/L	0.300		-
Man-made beta & phot	pCi/L	0.100		-


Data Release Authorization

Sample integrity and reliability certified by Lab personnel prior to analysis.
Methods of analysis in accordance with FCL QA and EPA approved methodology.
This Report of Analysis may not be reproduced in part.

Jefferson S. Flowers, Ph.D.

Serving Your Analytical and Environmental Needs Since 1957

Jefferson L. Flower, Ph.D.
Jefferson S. Flowers, Ph.D.
481 NEWBURYPORT
P.O. BOX 150-597
ALTAMONTE SPRINGS
FLORIDA 32715-0597
BUS: (407) 339-5984
FAX: (407) 260-6110



CHEMICAL
LABORATORIES
INCORPORATED

Received From:
Cent. Testing Lab
PO Box 883
Floral City, FL 34436

Date Reported : Aug17 1995
Project Number : Sumt. Co. Indfl.
PO Number : N/A
FDHRSW Number : 83139
FHRS ENVNumber : E83018
FDER COMQAPNum : 86-0008G
A2LA Number : 0312-01
NCDEHNR Number : 296
SCDHEC Number : 96019

For: SL9

Date Sampled: Jul19 1995 Date Received: Jul19 1995 Lab Numbers: 18265-18271

REPORT OF ANALYSIS

					18271
Parameter	Unit	Method	%ACC	%PRC	
		Detection			
		Limit			
Dinoseb	ug/L	0.0100			<0.0100
Hexachlorocyclopenta	ug/L	0.100	75.6	17.7	<0.100
Carbofuran	ug/L	0.900	99.6	9.59	<0.900
Atrazine	ug/L	0.100	88.4	33.2	<0.100
Alachlor (Lasso)	ug/L	0.200			<0.200
Dioxin	ug/L	0.0100			-
Heptachlor	ug/L	0.00500			<0.00500
Heptachlor_Epoxide	ug/L	0.00500			<0.00500
2,4-D	ug/L	0.0500	111.	.750	<0.0500
2,4,5-TP (Silvex)	ug/L	0.0200	91.8	.920	<0.0200
Hexachlorobenzene	ug/L	0.100			<0.100
Benzo(a)pyrene	ug/L	0.0200	94.6	2.56	<0.0200
Pentachlorophenol	ug/L	0.0400	96.8	.360	<0.0400
Total_PCB	ug/L	0.100			<0.100
Dibromochloropropane	ug/L	0.0200	106.	9.37	<0.0200
Ethylene dibromide	ug/L	0.0100	99.0	.620	<0.0100
Chlordane	ug/L	0.0100			<0.0100
Gross alpha	pCi/L	0.100			8.30
Analysis Error	pCi/L	0.100			1.10
Photon emitters	pCi/L	0.100			-
Analysis_Error(Photo	pCi/L	0.100			-
Radium 226	pCi/L	0.100			-
Analysis_Error(226)	pCi/L	0.100			-
Radium 228	pCi/L	0.300			-
Analysis_Error(228)	pCi/L	0.300			-
Man-made beta & phot	pCi/L	0.100			-


Data Release Authorization

Sample integrity and reliability certified by Lab personnel prior to analysis.
Methods of analysis in accordance with FCL QA and EPA approved methodology.
This Report of Analysis may not be reproduced in part.

Jefferson S. Flowers, Ph.D.

Serving Your Analytical and Environmental Needs Since 1957

Jefferson L. Flower, Ph.D.
Jefferson S. Flowers, Ph.D.
481 NEWBURYPORT
P.O. BOX 150-597
ALTAMONTE SPRINGS
FLORIDA 32715-0597
BUS: (407) 339-5984
FAX: (407) 260-6110



CHEMICAL
LABORATORIES
INCORPORATED

Received From:
Cent. Testing Lab
PO Box 883
Floral City, FL 34436

Date Reported : Aug17 1995
Project Number : Sumt. Co. Indfl.
PO Number : N/A
FDHRS DW Number : 83139
FHRS ENV Number : E83018
FDER COMQAP Num : 86-0008G
A2LA Number : 0312-01
NCDEHNR Number : 296
SCDHEC Number : 96019

For: SL1

Date Sampled: Jul19 1995 Date Received: Jul19 1995 Lab Numbers: 18265-18271

REPORT OF ANALYSIS

18265				
Parameter	Unit	Method	%ACC	%PRC
		Detection		
		Limit		
Analysis_Error(beta	pCi/L	0.100		-
Aluminum	mg/L	0.00200	92.2	.460 0.476
Chloride	mg/L	0.0100	91.5	2.94 6.69
Copper	mg/L	0.000200	103.	.300 0.0115
Fluoride	mg/L	0.0100		0.0500
Iron	mg/L	0.000200	105.	.840 0.0815
Manganese	mg/L	0.0000400	104.	.670 0.00830
Silver	mg/L	0.000200	106.	.100 <0.000200
Sulfate	mg/L	1.00	90.1	2.82 1.39
Zinc	mg/L	0.000100	103.	.470 0.00700
Color (color units)	PCU	5.00		20.0
Odor (total odor num	TON	1.00		<1.00
pH	pH	0.0100	101.	.440 6.41
TDS	mg/L	2.50	99.0	1.09 100.
Foaming_Agents	mg/L	0.100	103.	7.73 <0.100

Data Release Authorization

Sample integrity and reliability certified by Lab personnel prior to analysis.
Methods of analysis in accordance with FCL QA and EPA approved methodology.
This Report of Analysis may not be reproduced in part.

Jefferson S. Flowers, Ph.d.
President/Technical Director



Received From:
Cent. Testing Lab
PO Box 883
Floral City, FL 34436

Date Reported : Aug 17 1995
Project Number : Sumt. Co. Indfl.
PO Number : N/A
FDHRS DW Number : 83139
FHRS ENV Number : E83018
FDER COMQAP Num : 86-0008G
A2LA Number : 0312-01
NCDEHNR Number : 296
SCDHEC Number : 96019

For: SL2


Date Sampled: Jul 19 1995 Date Received: Jul 19 1995 Lab Numbers: 18265-18271

REPORT OF ANALYSIS

18266				
Parameter	Unit	Method	%ACC	%PRC
		Detection		
		Limit		
Analysis_Error (beta pCi/L)		0.100		-
Aluminum mg/L		0.00200	92.2	.460 0.227
Chloride mg/L		0.0100	91.5	2.94 38.6
Copper mg/L		0.000200	103.	.300 0.00370
Fluoride mg/L		0.0100		0.0500
Iron mg/L		0.000200	105.	.840 0.0716
Manganese mg/L		0.0000400	104.	.670 0.0697
Silver mg/L		0.000200	106.	.100 <0.000200
Sulfate mg/L		1.00	90.1	2.82 13.5
Zinc mg/L		0.000100	103.	.470 0.00190
Color (color units) PCU		5.00		15.0
Odor (total odor num TON)		1.00		<1.00
pH pH		0.0100	101.	.440 6.39
TDS mg/L		2.50	99.0	1.09 254.
Foaming_Agents mg/L		0.100	103.	7.73 <0.100

Data Release Authorization

Sample integrity and reliability certified by Lab personnel prior to analysis.
Methods of analysis in accordance with FCL QA and EPA approved methodology.
This Report of Analysis may not be reproduced in part.


Jefferson S. Flowers, Ph.D.
President/Technical Director



CHEMICAL
LABORATORIES
INCORPORATED

Received From:
Cent. Testing Lab
PO Box 883
Floral City, FL 34436

Date Reported : Aug 17 1995
Project Number : Sumt. Co. Indfl.
PO Number : N/A
FDHRS DW Number : 83139
FHRS ENV Number : E83018
FDER COMQAP Num : 86-0008G
A2LA Number : 0312-01
NCDEHNR Number : 296
SCDHEC Number : 96019

For: SL4

Date Sampled: Jul 19 1995 Date Received: Jul 19 1995 Lab Numbers: 18265-18271

REPORT OF ANALYSIS

Parameter	Unit	Method	%ACC	%PRC	18267
Analysis_Error (beta pCi/L)		Detection Limit			-
Aluminum	mg/L	0.00200	92.2	.460	2.83
Chloride	mg/L	0.0100	91.5	2.94	62.5
Copper	mg/L	0.000200	103.	.300	0.0130
Fluoride	mg/L	0.0100			0.359
Iron	mg/L	0.000200	105.	.840	1.52
Manganese	mg/L	0.0000400	104.	.670	0.0378
Silver	mg/L	0.000200	106.	.100	<0.000200
Sulfate	mg/L	1.00	90.1	2.82	3.29
Zinc	mg/L	0.000100	103.	.470	0.0338
Color (color units)	PCU	5.00			170.
Odor (total odor num)	TON	1.00			2.00
pH	pH	0.0100	101.	.440	7.12
TDS	mg/L	2.50	99.0	1.09	384.
Foaming_Agents	mg/L	0.100	103.	7.73	<0.100

Data Release Authorization

Sample integrity and reliability certified by Lab personnel prior to analysis.
Methods of analysis in accordance with FCL QA and EPA approved methodology.
This Report of Analysis may not be reproduced in part.

Jefferson S. Flowers, Ph.D.
President/Technical Director



Received From:

Cent. Testing Lab
PO Box 883
Floral City, FL 34436

Date Reported : Aug 17 1995
Project Number : Sumt. Co. Indfl.
PO Number : N/A
FDHRS DW Number : 83139
FHRS ENV Number : E83018
FDER COMQAP Num : 86-0008G
A2LA Number : 0312-01
NCDEHNR Number : 296
SCDHEC Number : 96019

For: SL6A

Date Sampled: Jul 19 1995 Date Received: Jul 19 1995 Lab Numbers: 18265-18271

REPORT OF ANALYSIS

					18268
Parameter	Unit	Method	%ACC	%PRC	
		Detection			
		Limit			
Analysis_Error(beta	pCi/L	0.100			-
Aluminum	mg/L	0.00200	92.2	.460	0.710
Chloride	mg/L	0.0100	91.5	2.94	10.4
Copper	mg/L	0.000200	103.	.300	0.00430
Fluoride	mg/L	0.0100			0.113
Iron	mg/L	0.000200	105.	.840	0.105
Manganese	mg/L	0.0000400	104.	.670	0.00670
Silver	mg/L	0.000200	106.	.100	0.000200
Sulfate	mg/L	1.00	90.1	2.82	1.39
Zinc	mg/L	0.000100	103.	.470	0.00810
Color (color units)	PCU	5.00			150.
Odor (total odor num	TON	1.00			<1.00
pH	pH	0.0100	101.	.440	7.98
TDS	mg/L	2.50	99.0	1.09	176.
Foaming_Agents	mg/L	0.100	103.	7.73	<0.100

Data Release Authorization

Sample integrity and reliability certified by Lab personnel prior to analysis.
Methods of analysis in accordance with FCL QA and EPA approved methodology.
This Report of Analysis may not be reproduced in part.

Jefferson S. Flowers, Ph.D.
President/Technical Director



CHEMICAL
LABORATORIES
INCORPORATED

Received From:
Cent. Testing Lab
PO Box 883
Floral City, FL 34436

Date Reported : Aug17 1995
Project Number : Sumt. Co. Indfl.
PO Number : N/A
FDHRS DW Number : 83139
FHRS ENV Number : E83018
FDER COMQAP Num : 86-0008G
A2LA Number : 0312-01
NCDEHNR Number : 296
SCDHEC Number : 96019

For: SL7

Date Sampled: Jul19 1995 Date Received: Jul19 1995 Lab Numbers: 18265-18271

REPORT OF ANALYSIS

					18269
Parameter	Unit	Method	%ACC	%PRC	
		Detection			
		Limit			
Analysis_Error(beta	pCi/L	0.100			-
Aluminum	mg/L	0.00200	92.2	.460	0.767
Chloride	mg/L	0.0100	91.5	2.94	10.3
Copper	mg/L	0.000200	103.	.300	0.00260
Fluoride	mg/L	0.0100			0.0793
Iron	mg/L	0.000200	105.	.840	0.173
Manganese	mg/L	0.0000400	104.	.670	0.0112
Silver	mg/L	0.000200	106.	.100	<0.000200
Sulfate	mg/L	1.00	90.1	2.82	2.01
Zinc	mg/L	0.000100	103.	.470	0.0118
Color (color units)	PCU	5.00			50.0
Odor (total odor num	TON	1.00			<1.00
pH	pH	0.0100	101.	.440	7.79
TDS	mg/L	2.50	99.0	1.09	224.
Foaming_Agents	mg/L	0.100	103.	7.73	<0.100

Data Release Authorization

Sample integrity and reliability certified by Lab personnel prior to analysis.
Methods of analysis in accordance with FCL QA and EPA approved methodology.
This Report of Analysis may not be reproduced in part.

Jefferson S. Flowers, Ph.d.
President/Technical Director



CHEMICAL
LABORATORIES
INCORPORATED

Received From:
Cent. Testing Lab
PO Box 883
Floral City, FL 34436

Date Reported : Aug17 1995
Project Number : Sumt. Co. Indfl.
PO Number : N/A
FDHRSW Number : 83139
FHRS ENVNumber : E83018
FDER COMQAPNum : 86-0008G
A2LA Number : 0312-01
NCDEHNR Number : 296
SCDHEC Number : 96019

For: SL8

Date Sampled: Jul19 1995 Date Received: Jul19 1995 Lab Numbers: 18265-18271


REPORT OF ANALYSIS

					18270
Parameter	Unit	Method	%ACC	%PRC	
		Detection			
		Limit			
Analysis_Error(beta	pCi/L	0.100			-
Aluminum	mg/L	0.00200	92.2	.460	0.263
Chloride	mg/L	0.0100	91.5	2.94	13.7
Copper	mg/L	0.000200	103.	.300	0.000600
Fluoride	mg/L	0.0100			0.0500
Iron	mg/L	0.000200	105.	.840	0.258
Manganese	mg/L	0.0000400	104.	.670	0.0289
Silver	mg/L	0.000200	106.	.100	<0.000200
Sulfate	mg/L	1.00	90.1	2.82	4.35
Zinc	mg/L	0.000100	103.	.470	0.00130
Color (color units)	PCU	5.00			10.0
Odor (total odor num	TON	1.00			<1.00
pH	pH	0.0100	101.	.440	7.03
TDS	mg/L	2.50	99.0	1.09	320.
Foaming_Agents	mg/L	0.100	103.	7.73	<0.100

Data Release Authorization

Sample integrity and reliability certified by Lab personnel prior to analysis.
Methods of analysis in accordance with FCL QA and EPA approved methodology.
This Report of Analysis may not be reproduced in part.

Jefferson S. Flowers, Ph.d.
President/Technical Director



Received From:
Cent. Testing Lab
PO Box 883
Floral City, FL 34436

Date Reported : Aug 17 1995
Project Number : Sumt. Co. Indfl.
PO Number : N/A
FDHRS DW Number : 83139
FHRS ENV Number : E83018
FDER COMQAP Num : 86-0008G
A2LA Number : 0312-01
NCDEHNR Number : 296
SCDHEC Number : 96019

For: SL9


Date Sampled: Jul 19 1995 Date Received: Jul 19 1995 Lab Numbers: 18265-18271


REPORT OF ANALYSIS

					18271
Parameter	Unit	Method	%ACC	%PRC	
		Detection			
		Limit			
Analysis_Error (beta pCi/L		0.100			-
Aluminum	mg/L	0.00200	92.2	.460	0.410
Chloride	mg/L	0.0100	91.5	2.94	17.1
Copper	mg/L	0.000200	103.	.300	0.00120
Fluoride	mg/L	0.0100			0.143
Iron	mg/L	0.000200	105.	.840	0.556
Manganese	mg/L	0.0000400	104.	.670	0.0471
Silver	mg/L	0.000200	106.	.100	<0.000200
Sulfate	mg/L	1.00	90.1	2.82	7.01
Zinc	mg/L	0.000100	103.	.470	0.00310
Color (color units)	PCU	5.00			20.0
Odor (total odor num	TON	1.00			<1.00
pH	pH	0.0100	101.	.440	6.74
TDS	mg/L	2.50	99.0	1.09	500.
Foaming_Agents	mg/L	0.100	103.	7.73	<0.100

Data Release Authorization

Sample integrity and reliability certified by Lab personnel prior to analysis.
Methods of analysis in accordance with FCL QA and EPA approved methodology.
This Report of Analysis may not be reproduced in part.


Jefferson S. Flowers, Ph.d.
President/Technical Director



CHEMICAL
LABORATORIES
INCORPORATED

Received From:
Cent. Testing Lab
PO Box 883
Floral City, FL 34436

Date Reported : Aug15 1995
Project Number : Sumt. Co. Indfl.
PO Number : N/A
FDHRSDW Number : 83139
FHRS ENVNumber : E83018
FDER COMQAPNum : 86-0008G
A2LA Number : 0312-01
NCDEHNR Number : 296
SCDHEC Number : 96019

For: EPA601602 NH4 TB

Date Sampled: Jul19 1995 Date Received: Jul19 1995 Lab Numbers: 7297-7303

REPORT OF ANALYSIS

Parameter	Unit	Method	%ACC	%PRC	7297 SL1	7298 SL2	7299 SL4	7300 SL6A	7301 SL7
		Detection Limit							
Turbidity	NTU	0.0500	102.	.460	<.0500	2.70	225.	115.	41.0
Ammonia(as N)	mg/L	0.0100	105.	.120	<.0100	<.0100	0.136	0.0134	0.0301
Dilution_Factor		-	-	-	1.00	1.00	1.00	1.00	1.00
1,1,1-trichloroethan	ug/L	1.00	87.4	2.38	<1.00	<1.00	<1.00	<1.00	<1.00
1,1,2,2-tetrachloroe	ug/L	1.00	91.9	1.67	<1.00	<1.00	<1.00	<1.00	<1.00
1,1,2-trichloroethan	ug/L	1.00	93.1	.590	<1.00	<1.00	<1.00	<1.00	<1.00
1,1-dichloroethane	ug/L	1.00	90.5	4.26	<1.00	<1.00	<1.00	<1.00	<1.00
1,1-dichloroethene	ug/L	1.00	92.7	.960	<1.00	<1.00	<1.00	<1.00	<1.00
1,2-dichloroethane	ug/L	1.00	92.2	.830	<1.00	<1.00	<1.00	<1.00	<1.00
1,2-dichloropropane	ug/L	1.00	91.6	.390	<1.00	<1.00	<1.00	<1.00	<1.00
2-chloroethylvinylet	ug/L	1.00			<1.00	<1.00	<1.00	<1.00	<1.00
Bromodichloromethane	ug/L	1.00	90.9	1.24	<1.00	<1.00	<1.00	<1.00	<1.00
Bromoform	ug/L	1.00	89.4	.830	<1.00	<1.00	<1.00	<1.00	<1.00
cis-1,3-dichloroprop	ug/L	1.00	89.7	1.15	<1.00	<1.00	<1.00	<1.00	<1.00
Carbon tetrachloride	ug/L	1.00	89.0	.700	<1.00	<1.00	<1.00	<1.00	<1.00
Chloroform	ug/L	1.00	89.9	.750	<1.00	<1.00	<1.00	<1.00	<1.00
Dibromochloromethane	ug/L	1.00	88.7	3.53	<1.00	<1.00	<1.00	<1.00	<1.00
Methylene chloride	ug/L	1.00	93.9	.880	<1.00	<1.00	<1.00	<1.00	<1.00
trans-1,3,-dichlorop	ug/L	1.00	89.8	.240	<1.00	<1.00	<1.00	<1.00	<1.00
Trichlorofluorometha	ug/L	2.00	93.0	5.58	<2.00	<2.00	<2.00	<2.00	<2.00
t-1,2-dichloroethene	ug/L	1.00	94.6	1.68	<1.00	<1.00	<1.00	<1.00	<1.00
Trichloroethene	ug/L	1.00	93.1	1.23	<1.00	<1.00	<1.00	<1.00	<1.00
Tetrachloroethene	ug/L	1.00	91.5	1.17	<1.00	<1.00	<1.00	<1.00	<1.00
1,2-dibromo-3-chloro	ug/L	1.00	101.	.380	<1.00	<1.00	<1.00	<1.00	<1.00
Bromomethane	ug/L	5.00			<5.00	<5.00	<5.00	<5.00	<5.00
Chloroethane	ug/L	3.00	93.8	.340	<3.00	<3.00	<3.00	<3.00	<3.00

Data Release Authorization

Sample integrity and reliability certified by Lab personnel prior to analysis.
Methods of analysis in accordance with FCL QA and EPA approved methodology.
This Report of Analysis may not be reproduced in part.

Jefferson S. Flowers, Ph.D.

Serving Your Analytical and Environmental Needs Since 1957

Jefferson L. Flower, Ph.D.
Jefferson S. Flowers, Ph.D.
481 NEWBURYPORT
P.O. BOX 150-597
ALTAMONTE SPRINGS
FLORIDA 32715-0597
BUS: (407) 339-5984
FAX: (407) 260-6110



**CHEMICAL
LABORATORIES**
INCORPORATED

Received From:
Cent. Testing Lab
PO Box 883
Floral City, FL 34436

Date Reported : Aug15 1995
Project Number : Sumt. Co. Indfl.
PO Number : N/A
FDHRS DW Number : 83139
FHRS ENV Number : E83018
FDER COMQAP Num : 86-0008G
A2LA Number : 0312-01
NCDEHNR Number : 296
SCDHEC Number : 96019

For: EPA601602 NH4 TB

Date Sampled: Jul19 1995 Date Received: Jul19 1995 Lab Numbers: 7297-7303

REPORT OF ANALYSIS

Parameter	Unit	Method	%ACC	%PRC	7302 SL8	7303 SL9
		Detection Limit				
Turbidity	NTU	0.0500	102.	.460	2.25	11.0
Ammonia (as N)	mg/L	0.0100	105.	.120	0.136	<.0100
Dilution Factor		-	-	-	1.00	1.00
1,1,1-trichloroethane	ug/L	1.00	87.4	2.38	<1.00	<1.00
1,1,2,2-tetrachloroethane	ug/L	1.00	91.9	1.67	<1.00	<1.00
1,1,2-trichloroethane	ug/L	1.00	93.1	.590	<1.00	<1.00
1,1-dichloroethane	ug/L	1.00	90.5	4.26	<1.00	<1.00
1,1-dichloroethene	ug/L	1.00	92.7	.960	<1.00	<1.00
1,2-dichloroethane	ug/L	1.00	92.2	.830	<1.00	<1.00
1,2-dichloropropane	ug/L	1.00	91.6	.390	<1.00	<1.00
2-chloroethylvinylet	ug/L	1.00			<1.00	<1.00
Bromodichloromethane	ug/L	1.00	90.9	1.24	<1.00	<1.00
Bromoform	ug/L	1.00	89.4	.830	<1.00	<1.00
cis-1,3-dichloroprop	ug/L	1.00	89.7	1.15	<1.00	<1.00
Carbon tetrachloride	ug/L	1.00	89.0	.700	<1.00	<1.00
Chloroform	ug/L	1.00	89.9	.750	<1.00	<1.00
Dibromochloromethane	ug/L	1.00	88.7	3.53	<1.00	<1.00
Methylene chloride	ug/L	1.00	93.9	.880	<1.00	<1.00
trans-1,3,-dichloroprop	ug/L	1.00	89.8	.240	<1.00	<1.00
Trichlorofluoromethane	ug/L	2.00	93.0	5.58	<2.00	<2.00
t-1,2-dichloroethene	ug/L	1.00	94.6	1.68	<1.00	<1.00
Trichloroethene	ug/L	1.00	93.1	1.23	<1.00	<1.00
Tetrachloroethene	ug/L	1.00	91.5	1.17	<1.00	<1.00
1,2-dibromo-3-chloro	ug/L	1.00	101.	.380	<1.00	<1.00
Bromomethane	ug/L	5.00			<5.00	<5.00
Chloroethane	ug/L	3.00	93.8	.340	<3.00	<3.00


Data Release Authorization

Sample integrity and reliability certified by Lab personnel prior to analysis.
Methods of analysis in accordance with FCL QA and EPA approved methodology.
This Report of Analysis may not be reproduced in part.

Jefferson S. Flowers, Ph.D.

Serving Your Analytical and Environmental Needs Since 1957

Jefferson L. Flower, Ph.D.
Jefferson S. Flowers, Ph.D.
481 NEWBURYPORT
P.O. BOX 150-597
ALTAMONTE SPRINGS
FLORIDA 32715-0597
BUS: (407) 339-5984
FAX: (407) 260-6110



**CHEMICAL
LABORATORIES**
INCORPORATED

Received From:
Cent. Testing Lab
PO Box 883
FloralCity, FL 34436

Date Reported : Aug15 1995
Project Number : Sumt. Co. Indfl.
PO Number : N/A
FDHRSDW Number : 83139
FHRS ENVNumber : E83018
FDER COMQAPNum : 86-0008G
A2LA Number : 0312-01
NCDEHNR Number : 296
SCDHEC Number : 96019

For: EPA601602 NH4 TB

Date Sampled: Jul19 1995 Date Received: Jul19 1995 Lab Numbers: 7297-7303

REPORT OF ANALYSIS

Parameter	Unit	Method	%ACC	%PRC	7297 SL1	7298 SL2	7299 SL4	7300 SL6A	7301 SL7
		Detection Limit							
Chloromethane	ug/L	5.00			<5.00	<5.00	<5.00	<5.00	<5.00
Dichlorodifluorometh	ug/L	2.00			<2.00	<2.00	<2.00	<2.00	<2.00
Vinyl chloride	ug/L	0.500			<0.500	<0.500	<0.500	<0.500	<0.500
Hall_Spike	ug/L	0.500	100.	.590	99.5	98.6	96.9	98.9	97.7
o-dichlorobenzene	ug/L	0.500	87.6	1.91	<0.500	<0.500	<0.500	<0.500	<0.500
m-dichlorobenzene	ug/L	0.500	87.1	2.21	<0.500	<0.500	<0.500	<0.500	<0.500
Para-dichlorobenzene	ug/L	0.500	87.8	1.85	<0.500	<0.500	<0.500	<0.500	<0.500
Benzene	ug/L	0.500	92.5	.980	<0.500	<0.500	<0.500	<0.500	<0.500
Chlorobenzene	ug/L	0.500	89.7	.150	<0.500	<0.500	<0.500	<0.500	<0.500
Ethylbenzene	ug/L	0.500	89.1	.940	<0.500	<0.500	<0.500	<0.500	<0.500
Toluene	ug/L	0.500	91.3	.780	<0.500	<0.500	<0.500	0.549	<0.500
Xylene	ug/L	0.500	84.7	.690	<0.500	<0.500	<0.500	<0.500	<0.500
Methyl-tert-butyleth	ug/L	0.500	83.5	4.05	<0.500	<0.500	<0.500	<0.500	<0.500
Total_BTEX	ug/L	0.500	87.8	.800	<0.500	<0.500	<0.500	0.549	<0.500
PID_Spike	ug/L	0.500	102.	1.08	101.	101.	101.	102.	102.

Data Release Authorization

Sample integrity and reliability certified by Lab personnel prior to analysis.
Methods of analysis in accordance with FCL QA and EPA approved methodology.
This Report of Analysis may not be reproduced in part.

Jefferson S. Flowers, Ph.d.
President/Technical Director



CHEMICAL
LABORATORIES
INCORPORATED

Received From:
Cent. Testing Lab
PO Box 883
Floral City, FL 34436

Date Reported : Aug15 1995
Project Number : Sumt. Co. Indfl.
PO Number : N/A
FDHRS DW Number : 83139
FHRS ENV Number : E83018
FDER COMQAP Num : 86-0008G
A2LA Number : 0312-01
NCDEHNR Number : 296
SCDHEC Number : 96019

For: EPA601602 NH4 TB


Date Sampled: Jul19 1995 Date Received: Jul19 1995 Lab Numbers: 7297-7303

REPORT OF ANALYSIS

Parameter	Unit	Method	%ACC	%PRC	7302	7303
					SL8	SL9
		Detection				
		Limit				
Chloromethane	ug/L	5.00			<5.00	<5.00
Dichlorodifluorometh	ug/L	2.00			<2.00	<2.00
Vinyl chloride	ug/L	0.500			<0.500	<0.500
Hall_Spike	ug/L	0.500	100.	.590	98.4	100.
o-dichlorobenzene	ug/L	0.500	87.6	1.91	<0.500	<0.500
m-dichlorobenzene	ug/L	0.500	87.1	2.21	<0.500	<0.500
Para-dichlorobenzene	ug/L	0.500	87.8	1.85	<0.500	<0.500
Benzene	ug/L	0.500	92.5	.980	<0.500	<0.500
Chlorobenzene	ug/L	0.500	89.7	.150	<0.500	<0.500
Ethylbenzene	ug/L	0.500	89.1	.940	<0.500	<0.500
Toluene	ug/L	0.500	91.3	.780	<0.500	<0.500
Xylene	ug/L	0.500	84.7	.690	<0.500	<0.500
Methyl-tert-butyleth	ug/L	0.500	83.5	4.05	<0.500	<0.500
Total_BTEX	ug/L	0.500	87.8	.800	<0.500	<0.500
PID_Spike	ug/L	0.500	102.	1.08	102.	102.

Data Release Authorization

Sample integrity and reliability certified by Lab personnel prior to analysis.
Methods of analysis in accordance with FCL QA and EPA approved methodology.
This Report of Analysis may not be reproduced in part.


Jefferson S. Flowers, Ph.D.
President/Technical Director

1199	FLOWERS CHEMICAL LABORATORIES																	
	ANALYTICAL RESULTS FORM											HRS Number 83139						
			SL1	SL2	SL4	SL6A	SL7	SL8	SL9				QA		Section			
Parameter	Symbol	Unit	7297	7298	7299	7300	7301	7302	7303				Method	MDL	%RSD	%Rec	Analys	Date
Turbidity	*	NTU	<0.05	2.70	225	115	41.0	2.25	11.0				EPA180.1	0.05	0.4669951	102.5	AH	07-19-95
Ammonium(as N)	*	mg/L	<0.01	<0.01	0.136	0.0134	0.0301	0.136	<0.01				EPA350.1	0.01	0.1203798	105.15	TRB	07-27-95
Dilution Factor	*	#	1	1	1	1	1	1	1				EPA601	1			DO	07-19-95
1,1,1-trichloroethane	*	ug/L	<1	<1	<1	<1	<1	<1	<1				EPA601	1	2.38	87.4	DO	07-19-95
1,1,2,2-tetrachloroethane	*	ug/L	<1	<1	<1	<1	<1	<1	<1				EPA601	1	1.67	91.9	DO	07-19-95
1,1,2-trichloroethane	*	ug/L	<1	<1	<1	<1	<1	<1	<1				EPA601	1	0.591	93.1	DO	07-19-95
1,1-dichloroethane	*	ug/L	<1	<1	<1	<1	<1	<1	<1				EPA601	1	4.26	90.5	DO	07-19-95
1,1-dichloroethene	*	ug/L	<1	<1	<1	<1	<1	<1	<1				EPA601	1	0.96	92.7	DO	07-19-95
1,2-dichloroethane	*	ug/L	<1	<1	<1	<1	<1	<1	<1				EPA601	1	0.833	92.2	DO	07-19-95
1,2-dichloropropane	*	ug/L	<1	<1	<1	<1	<1	<1	<1				EPA601	1	0.395	91.6	DO	07-19-95
2-chloroethylvinylether	*	ug/L	<1	<1	<1	<1	<1	<1	<1				EPA601	1			DO	07-19-95
Bromodichloromethane	*	ug/L	<1	<1	<1	<1	<1	<1	<1				EPA601	1	1.24	90.9	DO	07-19-95
Bromoform	*	ug/L	<1	<1	<1	<1	<1	<1	<1				EPA601	1	0.835	89.4	DO	07-19-95
cis-1,3-dichloropropene	*	ug/L	<1	<1	<1	<1	<1	<1	<1				EPA601	1	1.15	89.7	DO	07-19-95
Carbon tetrachloride	*	ug/L	<1	<1	<1	<1	<1	<1	<1				EPA601	1	0.701	89	DO	07-19-95
Chloroform	*	ug/L	<1	<1	<1	<1	<1	<1	<1				EPA601	1	0.75	89.9	DO	07-19-95
Dibromochloromethane	*	ug/L	<1	<1	<1	<1	<1	<1	<1				EPA601	1	3.53	88.7	DO	07-19-95
Methylene chloride	*	ug/L	<1	<1	<1	<1	<1	<1	<1				EPA601	1	0.881	93.9	DO	07-19-95
trans-1,3-dichloropropene	*	ug/L	<1	<1	<1	<1	<1	<1	<1				EPA601	1	0.24	89.8	DO	07-19-95
Trichlorofluoromethane	*	ug/L	<2	<2	<2	<2	<2	<2	<2				EPA601	2	5.58	93	DO	07-19-95
t-1,2-dichloroethene	*	ug/L	<1	<1	<1	<1	<1	<1	<1				EPA601	1	1.68	94.6	DO	07-19-95
Trichloroethene	*	ug/L	<1	<1	<1	<1	<1	<1	<1				EPA601	1	1.23	93.1	DO	07-19-95
Tetrachloroethene	*	ug/L	<1	<1	<1	<1	<1	<1	<1				EPA601	1	1.17	91.5	DO	07-19-95
1,2-dibromo-3-chloroprop	*	ug/L	<1	<1	<1	<1	<1	<1	<1				EPA601	1	0.381	101	DO	07-19-95
Bromomethane	*	ug/L	<5	<5	<5	<5	<5	<5	<5				EPA601	5			DO	07-19-95
Chloroethane	*	ug/L	<3	<3	<3	<3	<3	<3	<3				EPA601	3	0.346	93.8	DO	07-19-95
Chloromethane	*	ug/L	<5	<5	<5	<5	<5	<5	<5				EPA601	5			DO	07-19-95
Dichlorodifluoromethane	*	ug/L	<2	<2	<2	<2	<2	<2	<2				EPA601	2			DO	07-19-95
Vinyl chloride	*	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5				EPA601	0.5			DO	07-19-95
Hall Spike	*	ug/L	99.5	98.6	96.9	98.9	97.7	98.4	100				EPA601	0.5	0.598	100	DO	07-19-95
o-dichlorobenzene	*	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5				EPA602	0.5	1.91	87.6	DO	07-19-95
m-dichlorobenzene	*	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5				EPA602	0.5	2.21	87.1	DO	07-19-95
Para-dichlorobenzene	*	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5				EPA602	0.5	1.85	87.8	DO	07-19-95
Benzene	*	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5				EPA602	0.5	0.982	92.5	DO	07-19-95
Chlorobenzene	*	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5				EPA602	0.5	0.159	89.7	DO	07-19-95
Ethylbenzene	*	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5				EPA602	0.5	0.949	89.1	DO	07-19-95
Toluene	*	ug/L	<0.5	<0.5	<0.5	0.549	<0.5	<0.5	<0.5				EPA602	0.5	0.782	91.3	DO	07-19-95
Xylene	*	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5				EPA602	0.5	0.694	84.7	DO	07-19-95
Methyl-tert-butylether	*	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5				EPA602	0.5	4.05	83.5	DO	07-19-95
Total BTEX	*	ug/L	<0.5	<0.5	<0.5	0.549	<0.5	<0.5	<0.5				EPA602	0.5	0.803	87.8	DO	07-19-95
PID Spike	*	ug/L	101	101	101	102	102	102	102				EPA602	0.5	1.08	102	DO	07-19-95
-	*	-											-	-				
			Date Received:		07-19-95		Typed:		08-15-95		Sent:		08-15-95					
Project Number	Sumt. Co. Indtl.																	
PO Number	N/A																	
Date Sampled	1 07-19-95 *																	
Date Analyzed	0																	
Compacted	1																	
Format	NormRR																	
Unit Cost	Extd																	
EPA601602	10000 7 *																	
NH4	2200 7 *																	

**CHEMICAL
LABORATORIES
INCORPORATED**

CLIENT Central Testing LAB		ADDRESS 5400 S. FLORIDA AVE. FLORAL CITY, FL 34436		PHONE 904-726-6447																		
PROJECT NAME: Sumter County Landfill		REQUIRED: ☐ Urgent ☒ Routine		DATE 7-19-95																		
Sample Containers	Preservative						Plastic Containers						Glass Containers						NOTES:			
	HNO3	H2SO4	HCl	Na2S2O3	Zn(C2H3O2)/NaOH	NaOH/AscAcid	60mL	125mL	250mL	500mL	1L	2L	Whirl-Pak Bag	40mL Vial	250mL	500mL	1L	2L		4L		
7		X							X											✓		
7									X											✓		
21														X						✓		
Kit Relinquished: <i>Chk</i>							Date: 7-17-95 Time:							Kit Received: <i>Ron</i>							Date: 7-18-95 Time: 11:00AM	

Parameters:

Laboratory Number

Client Identification/Description

Sample Collection:

Transportation:

Lab Acceptance:

Date _____

Time


Jefferson L. Flowers, Ph.D.
Jefferson S. Flowers, Ph.D.

481 NEWBURYPORT
P. O. BOX 150-597
ALIAMONTE SPRINGS
FLORIDA 32715-0597
BUS: (407) 339-5984
FAX: (407) 260-6110


Quality Assurance Report

Prepared for: Cent. Testing Lab
Project Number: Sumt. Co. Indfl.
Lab Numbers: 7297 - 7303

Report date: 15-Aug-95



**FLOWERS
CHEMICAL
LABORATORIES**



FLOWERS CHEMICAL LABORATORIES, INC.

QA Conformance Summary

Client: Cent. Testing Lab
Project Number: Sumt. Co. Indfl.
P.O. Number: N/A
Date Sampled: 19-Jul-95
Lab Numbers: 7297 - 7303

Sample Handling

Sample handling and holding time criteria were met for all samples.

Surrogate Compound Recoveries:

The recovery limits were met for all samples as shown in section 1. This represents complete success.

Accuracy / Precision:

The recovery limits were met for all compounds in the matrix spike as shown in section 2.

The recovery limits were met for all compounds in the matrix spike duplicate as shown in section 2.


The RSD was met for all compounds as shown in section 2.

Method Blanks:

No target compounds were found in the method blank in excess of the method limit as shown in section 3.

QCCS Check Sample:

The control limits were met for all compounds as shown in section 4.



FLOWERS CHEMICAL LABORATORIES, INC.

Section 1

Surrogate Compound Recovery

Client: Cent. Testing Lab
Project Number: Sumt. Co. Indfl.
P.O. Number: N/A
Date Sampled: 19-Jul-95
Lab Numbers: 7297 - 7303


Hall_Spike for EPA601

Surrogate Expected: 100

Unit of measure: ug/L

Acceptability Limits: 73.1 - 124

Laboratory Number	Site Description	Surrogate Recovered	Percent Recovered
7297	SL1	99.5	99.5
7298	SL2	98.6	98.6
7299	SL4	96.9	96.9
7300	SL6A	98.9	98.9
7301	SL7	97.7	97.7
7302	SL8	98.4	98.4
7303	SL9	100	100



FLOWERS CHEMICAL LABORATORIES, INC.

Section 1

Surrogate Compound Recovery

Client: Cent. Testing Lab
Project Number: Sumt. Co. Indfl.
P.O. Number: N/A
Date Sampled: 19-Jul-95
Lab Numbers: 7297 - 7303


PID_Spike for EPA602

Surrogate Expected: 100

Unit of measure: ug/L

Acceptability Limits: 73.8 - 123

Laboratory Number	Site Description	Surrogate Recovered	Percent Recovered
7297	SL1	101	101
7298	SL2	101	101
7299	SL4	101	101
7300	SL6A	102	102
7301	SL7	102	102
7302	SL8	102	102
7303	SL9	102	102



FLOWERS CHEMICAL LABORATORIES, INC.

Section 2

Matrix Spike Recovery

Client: Cent. Testing Lab
Project Number: Sumt. Co. Indfl.
P.O. Number: N/A
Date Sampled: 19-Jul-95
Lab Numbers: 7297 - 7303

Analyte	Unit	Analysis Method	Date	Spike Added	Sample Conc.	MS Conc.	MS Rec.	MSD Conc.	MSD Rec.	Acceptable Limits	RSD Rec.	Acceptable Limits
Ammonium(as N)	mg/L	EPA350.1	07-27-95	0.2	0.598	0.808	105%	0.809	106%	0.589 - 0.97	0.001	0 - 0.019
1,1,1-trichloroethane	ug/L	EPA601	07-19-95	40	<1	35.6	89.0%	34.4	86.0%	30.2 - 49.0	0.849	0 - 5.43
1,1,2,2-tetrachloroethane	ug/L	EPA601	07-19-95	40	<1	36.3	90.8%	37.2	93.0%	29.4 - 49.1	0.636	0 - 7.24
1,1,2-trichloroethane	ug/L	EPA601	07-19-95	40	<1	37.1	92.8%	37.4	93.5%	30.0 - 47.4	0.212	0 - 5.94
1,1-dichloroethane	ug/L	EPA601	07-19-95	40	<1	35.1	87.8%	37.3	93.3%	29.6 - 49.4	1.56	0 - 5.51
1,1-dichloroethene	ug/L	EPA601	07-19-95	40	<1	37.3	93.3%	36.8	92.0%	26.8 - 54.8	0.354	0 - 8.14
1,2-dichloroethane	ug/L	EPA601	07-19-95	40	<1	36.7	91.8%	37.1	92.8%	29.4 - 48.9	0.283	0 - 5.88
1,2-dichloropropane	ug/L	EPA601	07-19-95	40	<1	36.5	91.3%	36.7	91.8%	30.8 - 47.2	0.141	0 - 5.30
Bromodichloromethane	ug/L	EPA601	07-19-95	45.28	5.28	39.3	85.1%	38.7	83.6%	33.2 - 54.0	0.424	0 - 5.83
Bromoform	ug/L	EPA601	07-19-95	40	<1	35.5	88.8%	36.0	90.0%	27.3 - 50.1	0.354	0 - 7.52
cis-1,3-dichloropropene	ug/L	EPA601	07-19-95	40	<1	35.6	89.0%	36.2	90.5%	29.5 - 46.8	0.424	0 - 5.99
Carbon tetrachloride	ug/L	EPA601	07-19-95	40	<1	35.8	89.5%	35.4	88.5%	30.6 - 49.2	0.283	0 - 5.37
Chloroform	ug/L	EPA601	07-19-95	52.8	12.8	42.6	74.5%	42.1	73.3%	39.4 - 63.3	0.354	0 - 5.30
Dibromochloromethane	ug/L	EPA601	07-19-95	42.12	2.12	37.5	88.5%	35.6	83.7%	31.1 - 50.0	1.34	0 - 5.59
Methylene chloride	ug/L	EPA601	07-19-95	40	<1	37.3	93.3%	37.8	94.5%	26.8 - 52.0	0.354	0 - 6.44
trans-1,3-dichloropropene	ug/L	EPA601	07-19-95	40	<1	36.0	90.0%	35.9	89.8%	29.1 - 47.3	0.071	0 - 5.31
Trichlorofluoromethane	ug/L	EPA601	07-19-95	40	<2	35.7	89.3%	38.7	96.8%	26.4 - 54.4	2.12	0 - 7.86
Trichloroethene	ug/L	EPA601	07-19-95	40	<1	36.9	92.3%	37.6	94.0%	31.1 - 48.1	0.495	0 - 5.73
Tetrachloroethene	ug/L	EPA601	07-19-95	40	<1	36.9	92.3%	36.3	90.8%	31.1 - 47.6	0.424	0 - 5.04
1,2-dibromo-3-chloropropane	ug/L	EPA601	07-19-95	40	<1	40.6	102%	40.4	101%	27.0 - 52.9	0.141	0 - 8.05
Chloroethane	ug/L	EPA601	07-19-95	40	<3	37.6	94.0%	37.4	93.5%	25.8 - 58.2	0.141	0 - 8.22
o-dichlorobenzene	ug/L	EPA602	07-19-95	40	<0.5	34.6	86.5%	35.5	88.8%	26.1 - 48.6	0.636	0 - 4.92
m-dichlorobenzene	ug/L	EPA602	07-19-95	40	<0.5	34.3	85.8%	35.4	88.5%	26.7 - 48.0	0.778	0 - 4.44
Para-dichlorobenzene	ug/L	EPA602	07-19-95	40	<0.5	34.7	86.8%	35.6	89.0%	26.0 - 48.5	0.636	0 - 4.42
Benzene	ug/L	EPA602	07-19-95	40	<0.5	36.7	91.8%	37.2	93.0%	29.8 - 47.8	0.354	0 - 3.46
Chlorobenzene	ug/L	EPA602	07-19-95	41	1.00	36.4	88.5%	36.3	88.3%	28.4 - 48.4	0.071	0 - 4.53
Ethylbenzene	ug/L	EPA602	07-19-95	40	<0.5	35.4	88.5%	35.9	89.8%	29.2 - 47.7	0.354	0 - 4.26
Toluene	ug/L	EPA602	07-19-95	40.68	0.681	36.7	90.0%	37.1	91.0%	29.8 - 49.0	0.283	0 - 4.00
Xylene	ug/L	EPA602	07-19-95	120	<0.5	101	84.2%	102	85.0%	85.8 - 143	0.707	0 - 11.6
Methyl-tert-butylether	ug/L	EPA602	07-19-95	40	<0.5	34.4	86.0%	32.5	81.3%	25.8 - 51.0	1.34	0 - 5.48




FLOWERS CHEMICAL LABORATORIES, INC.

Section 2

Matrix Spike Recovery

Client: Cent. Testing Lab
Project Number: Sumt. Co. Indfl.
P.O. Number: N/A
Date Sampled: 19-Jul-95
Lab Numbers: 7297 - 7303

Analyte	Unit	Analysis Method	Date	Spike Added	Sample Conc.	MS Conc.	MS Rec.	MSD Conc.	MSD Rec.	Acceptable Limits	RSD Rec.	Acceptable Limits
Total_BTEX	ug/L	EPA602	07-19-95	240.6	0.681	210	87.2%	212	88.0%	177 - 285	1.41	0 - 22.0



FLOWERS CHEMICAL LABORATORIES, INC.

Section 3

Method Blank Report

Client: Cent. Testing Lab
Project Number: Sumt. Co. Indfl.
P.O. Number: N/A
Date Sampled: 19-Jul-95
Lab Numbers: 7297 - 7303

Analyte	Unit	Method	Date	Concentration
Turbidity	NTU	EPA180.1	07-19-95	<0.05
Ammonium(as N)	mg/L	EPA350.1	07-27-95	<0.01
1,1,1-trichloroethane	ug/L	EPA601	07-19-95	<1
1,1,2,2-tetrachloroethane	ug/L	EPA601	07-19-95	<1
1,1,2-trichloroethane	ug/L	EPA601	07-19-95	<1
1,1-dichloroethane	ug/L	EPA601	07-19-95	<1
1,1-dichloroethene	ug/L	EPA601	07-19-95	<1
1,2-dichloroethane	ug/L	EPA601	07-19-95	<1
1,2-dichloropropane	ug/L	EPA601	07-19-95	<1
2-chloroethylvinylether	ug/L	EPA601	07-19-95	<1
Bromodichloromethane	ug/L	EPA601	07-19-95	<1
Bromoform	ug/L	EPA601	07-19-95	<1
cis-1,3-dichloropropene	ug/L	EPA601	07-19-95	<1
Carbon tetrachloride	ug/L	EPA601	07-19-95	<1
Chloroform	ug/L	EPA601	07-19-95	<1
Dibromochloromethane	ug/L	EPA601	07-19-95	<1
Methylene chloride	ug/L	EPA601	07-19-95	<1
trans-1,3,-dichloropropene	ug/L	EPA601	07-19-95	<1
Trichlorofluoromethane	ug/L	EPA601	07-19-95	<2
t-1,2-dichloroethene	ug/L	EPA601	07-19-95	<1
Trichloroethene	ug/L	EPA601	07-19-95	<1
Tetrachloroethene	ug/L	EPA601	07-19-95	<1
1,2-dibromo-3-chloropropane	ug/L	EPA601	07-19-95	<1
Bromomethane	ug/L	EPA601	07-19-95	<5
Chloroethane	ug/L	EPA601	07-19-95	<3
Chloromethane	ug/L	EPA601	07-19-95	<5
Dichlorodifluoromethane	ug/L	EPA601	07-19-95	<2
Vinyl chloride	ug/L	EPA601	07-19-95	<0.5
o-dichlorobenzene	ug/L	EPA602	07-19-95	<0.5
m-dichlorobenzene	ug/L	EPA602	07-19-95	<0.5
Para-dichlorobenzene	ug/L	EPA602	07-19-95	<0.5



FLOWERS CHEMICAL LABORATORIES, INC.

Section 3

Method Blank Report

Client: Cent. Testing Lab
Project Number: Sumt. Co. Indfl.
P.O. Number: N/A
Date Sampled: 19-Jul-95
Lab Numbers: 7297 - 7303

Analyte	Unit	Method	Date	Concentration
Benzene	ug/L	EPA602	07-19-95	<0.5
Chlorobenzene	ug/L	EPA602	07-19-95	<0.5
Ethylbenzene	ug/L	EPA602	07-19-95	<0.5
Toluene	ug/L	EPA602	07-19-95	<0.5
Xylene	ug/L	EPA602	07-19-95	<0.5
Methyl-tert-butylether	ug/L	EPA602	07-19-95	<0.5
Total_BTEX	ug/L	EPA602	07-19-95	<0.5



FLOWERS CHEMICAL LABORATORIES, INC.

Section 4

QCCS Sample Recovery

Client: Cent. Testing Lab
Project Number: Sumt. Co. Indfl.
P.O. Number: N/A
Date Sampled: 19-Jul-95
Lab Numbers: 7297 - 7303

Analyte	Unit	Method	Date	QCCS Expected	QCCS Measured	Rec. %	Acceptable Limits
Turbidity	NTU	EPA180.1	07-19-95	4.00	4.10	103%	3.63 - 4.63
Ammonium(as N)	mg/L	EPA350.1	07-27-95	0.500	0.497	99.3%	0.457 - 0.541
1,1,1-trichloroethane	ug/L	EPA601	07-19-95	40.0	36.5	91.3%	32.4 - 46.4
1,1,2,2-tetrachloroethane	ug/L	EPA601	07-19-95	40.0	39.9	99.8%	29.9 - 50.1
1,1,2-trichloroethane	ug/L	EPA601	07-19-95	40.0	41.2	103%	30.3 - 49.4
1,1-dichloroethane	ug/L	EPA601	07-19-95	40.0	39.4	98.5%	30.2 - 48.6
1,1-dichloroethene	ug/L	EPA601	07-19-95	40.0	38.9	97.3%	26.5 - 52.9
1,2-dichloroethane	ug/L	EPA601	07-19-95	40.0	40.1	100%	25.9 - 52.6
1,2-dichloropropane	ug/L	EPA601	07-19-95	40.0	39.5	98.8%	30.8 - 48.5
Bromodichloromethane	ug/L	EPA601	07-19-95	40.0	39.9	99.8%	30.3 - 48.7
Bromoform	ug/L	EPA601	07-19-95	40.0	40.5	101%	27.5 - 52.5
cis-1,3-dichloropropene	ug/L	EPA601	07-19-95	40.0	39.7	99.3%	30.7 - 48.3
Carbon tetrachloride	ug/L	EPA601	07-19-95	40.0	36.6	91.5%	28.9 - 49.4
Chloroform	ug/L	EPA601	07-19-95	40.0	40.1	100%	32.8 - 46.5
Dibromochloromethane	ug/L	EPA601	07-19-95	40.0	40.2	101%	29.3 - 50.4
Methylene chloride	ug/L	EPA601	07-19-95	40.0	42.1	105%	22.3 - 56.1
trans-1,3,-dichloropropene	ug/L	EPA601	07-19-95	40.0	40.5	101%	30.3 - 48.9
Trichlorofluoromethane	ug/L	EPA601	07-19-95	40.0	34.6	86.5%	24.2 - 53.5
Trichloroethene	ug/L	EPA601	07-19-95	40.0	40.4	101%	30.5 - 49.0
Tetrachloroethene	ug/L	EPA601	07-19-95	40.0	39.1	97.8%	27.1 - 51.0
1,2-dibromo-3-chloropropane	ug/L	EPA601	07-19-95	40.0	35.7	89.3%	28.7 - 53.7
Chloroethane	ug/L	EPA601	07-19-95	40.0	36.5	91.3%	28.5 - 51.4
o-dichlorobenzene	ug/L	EPA602	07-19-95	40.0	39.1	97.8%	23.5 - 54.9
m-dichlorobenzene	ug/L	EPA602	07-19-95	40.0	38.4	96.0%	22.4 - 55.1
Para-dichlorobenzene	ug/L	EPA602	07-19-95	40.0	38.7	96.8%	22.7 - 54.6
Benzene	ug/L	EPA602	07-19-95	40.0	38.6	96.5%	28.0 - 51.6
Chlorobenzene	ug/L	EPA602	07-19-95	40.0	39.6	99.0%	23.0 - 55.1
Ethylbenzene	ug/L	EPA602	07-19-95	40.0	38.7	96.8%	27.0 - 52.2
Toluene	ug/L	EPA602	07-19-95	40.0	38.9	97.3%	26.5 - 53.1
Xylene	ug/L	EPA602	07-19-95	120	105	87.5%	76.4 - 159
Methyl-tert-butylether	ug/L	EPA602	07-19-95	40.0	35.6	89.0%	22.9 - 54.8
Total_BTEX	ug/L	EPA602	07-19-95	240	221	92.1%	167 - 307

Parameter	Symbol	Unit	SL1	SL2	SL4	SL6A	SL7	SL8	SL9	QA		Section		Analysis	Date
			18265	18266	18267	18268	18269	18270	18271	Method	MDL	%RSD	%Rec		
Arsenic	*	mg/L	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	EPA206.3	0.0005	3.6247043	96.119640	PMV	07-24-95
Barium	*	mg/L	0.00600	0.0149	0.0176	0.00610	0.00620	0.00600	0.0142	EPA200.7	0.00006	0.3244567	103.3	LSM	07-25-95
Cadmium	*	mg/L	0.000600	0.000300	0.00610	0.00110	0.00190	<0.0001	0.00440	EPA200.7	0.0001	0.3443407	102	LSM	07-25-95
Chromium	*	mg/L	0.00160	0.00170	0.0102	0.00610	0.00610	0.00220	0.00220	EPA200.7	0.0002	2.4194373	94.8	LSM	07-25-95
Cyanide	*	mg/L	<0.005	<0.005	0.00650	0.00819	<0.005	<0.005	<0.005	EPA335.2	0.005	0.0128461	104.16583	TDB	08-01-95
Fluoride	*	mg/L	<0.05	<0.05	0.359	0.113	0.0793	<0.05	0.143	EPA340.1	0.01			PMV	07-20-95
Lead	*	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	EPA239.2	0.001	5.1505361	110.1	LSM	07-25-95
Mercury	*	mg/L	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	EPA245.2	0.0002	0	96	LSM	07-28-95
Nickel	*	mg/L	<0.0004	0.00220	0.00650	0.00300	0.00380	0.00320	0.00550	EPA200.7	0.0004	4.6629970	89.6	LSM	07-25-95
Nitrate(as N)	*	mg/L	66.2	99.7	62.0	55.3	81.6	14.3	0.0855	EPA300.0	0.01	0.3193532	111.36666	TRB	07-21-95
Nitrite(as N)	*	mg/L	0.174	<0.01	0.820	0.0737	0.0514	0.174	<0.01	EPA300.0	0.01	1.3952957	103.515	TRB	07-21-95
Selenium	*	mg/L	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	EPA270.2	0.0005	0	101.95049	PMV	05-26-95
Sodium	*	mg/L	5.71	31.7	24.0	4.97	5.97	10.2	31.8	EPA200.7	0.001	3.9444469	109	LSM	07-20-95
Antimony	*	mg/L	<0.003	<0.003	<0.003	<0.003	<0.003	0.00407	<0.003	EPA204.2	0.003	0	109.3	LSM	07-26-95
Beryllium	*	mg/L	0.000370	0.000270	0.00169	0.000230	0.000320	<0.0002	<0.0002	EPA210.1	0.0002	5.0058103	98.1	LSM	07-27-95
Thallium	*	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001	0.00117	0.00119	EPA279.2	0.001	8.8538555	108.1	LSM	07-27-95
Asbestos	*	MF/L								TEM	1				
TTHM	*	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	EPA502.2	0.001	3.39	95.2	DO	07-19-95
1,2,4-trichlorobenzene	*	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	EPA502.2	0.5			DO	07-19-95
cis-1,2-dichloroethene	*	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	EPA502.2	0.5			DO	07-19-95
Xylene	*	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	EPA502.2	0.5	2.85	89.2	DO	07-19-95
Methylene chloride	*	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	EPA502.2	0.5	5.25	96.5	DO	07-19-95
o-dichlorobenzene	*	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	EPA502.2	0.5	4.36	92.1	DO	07-19-95
Para-dichlorobenzene	*	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	EPA502.2	0.5	3.15	100	DO	07-19-95
Vinyl chloride	*	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	EPA502.2	0.5			DO	07-19-95
1,1-dichloroethene	*	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	EPA502.2	0.5	4	116	DO	07-19-95
trans-1,2-dichloroethene	*	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	EPA502.2	0.5	3.53	107	DO	07-19-95
1,2-dichloroethane	*	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	EPA502.2	0.5	4.18	96.2	DO	07-19-95
1,1,1-trichloroethane	*	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	EPA502.2	0.5	0.571	112	DO	07-19-95
Carbon tetrachloride	*	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	EPA502.2	0.5	0.465	105	DO	07-19-95
1,2-dichloropropane	*	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	EPA502.2	0.5	6.45	91.9	DO	07-19-95
Trichloroethene	*	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	EPA502.2	0.5	3.98	83.6	DO	07-19-95
1,1,2-trichloroethane	*	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	EPA502.2	0.5	3.25	92.1	DO	07-19-95
Tetrachloroethene	*	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	EPA502.2	0.5	3.71	89.9	DO	07-19-95
Chlorobenzene	*	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	EPA502.2	0.5	0.533	95.2	DO	07-19-95
Benzene	*	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	EPA502.2	0.5	3.52	85.3	DO	07-19-95
Toluene	*	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	EPA502.2	0.5	4.91	85.7	DO	07-19-95
Ethylbenzene	*	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	EPA502.2	0.5	6.37	98.6	DO	07-19-95
Styrene	*	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	EPA502.2	0.5			DO	07-19-95
Endrin	*	ug/L	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	EPA508	0.001			CJG	08-06-95
Lindane	*	ug/L	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	EPA508	0.001			CJG	08-06-95
Methoxychlor	*	ug/L	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	EPA508	0.01			CJG	08-06-95
Toxaphene	*	ug/L	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	EPA508	0.1			CJG	08-06-95
Dalapon	*	ug/L	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	EPA515.1	0.001	0.252	83.1	CJG	08-01-95
Diquat	*	ug/L	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	EPA549	0.4	8.0633781	105.57	RAK	07-31-95
Endothall	*	ug/L	<9	<9	<9	<9	<9	<9	<9	EPA548	9	21.363409	120.97531	CJG	08-01-95
Glyphosate	*	ug/L	<0.6	<0.6	<0.6	<0.6	<0.6	<0.6	<0.6	EPA547	0.6	5.6359534	98.67	RAK	07-27-95
Di(2-ethylhexyl) adipate	*	ug/L	<0.6	<0.6	<0.6	<0.6	<0.6	<0.6	<0.6	EPA525.1	0.6			CLS	08-08-95
Oxamyl (Vydate)	*	ug/L	<2	<2	<2	<2	<2	<2	<2	EPA531.1	2	3.88	98.5	RAK	08-03-95
Simazine	*	ug/L	<0.07	<0.07	<0.07	<0.07	<0.07	<0.07	<0.07	EPA505	0.07	0.889	101	CJG	08-06-95
BBs(2-ethylhexyl)phthalate	*	ug/L	<0.6	<0.6	<0.6	1.61	<0.6	<0.6	<0.6	EPA525.1	0.6			CLS	08-08-95
Picloram	*	ug/L	<0.07	<0.07	<0.07	<0.07	<0.07	<0.07	<0.07	EPA515.1	0.07	0.324	87.4	CJG	08-01-95

Dinoseb	*	ug/L	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	EPA515.1	0.01			CJG	08-01-95
Hexachlorocyclopentadiene	*	ug/L	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	EPA505	0.1	17.7	75.6	CJG	08-06-95
Carbofuran	*	ug/L	<0.9	<0.9	<0.9	<0.9	<0.9	<0.9	EPA531	0.9	9.59	99.6	RAK	08-03-95
Atrazine	*	ug/L	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	EPA505	0.1	33.2	88.4	CJG	08-06-95
Alachlor (Lasso)	*	ug/L	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	EPA505	0.2			CJG	08-06-95
Dioxin	*	ug/L							EPA625	0.01				
Heptachlor	*	ug/L	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	EPA505	0.005			CJG	08-06-95
Heptachlor Epoxide	*	ug/L	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	EPA505	0.005			CJG	08-06-95
2,4-D	*	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	EPA515.1	0.05	0.755	111	CJG	08-01-95
2,4,5-TP(Silvex)	*	ug/L	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	EPA515.1	0.02	0.924	91.8	CJG	08-01-95
Hexachlorobenzene	*	ug/L	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	EPA508	0.1			CJG	08-06-95
Benzo(a)pyrene	*	ug/L	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	EPA550	0.02	2.56	94.6	RAK	08-07-95
Pentachlorophenol	*	ug/L	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04	EPA515.1	0.04	0.365	96.8	CJG	08-01-95
Total PCB	*	ug/L	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	EPA505	0.1			CJG	08-06-95
Dibromochloropropane	*	ug/L	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	EPA504	0.02	9.3771729	106.53271	CJG	08-04-95
Ethylene dibromide	*	ug/L	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	EPA504	0.01	0.6273874	99.041289	CJG	08-01-95
Chlordane	*	ug/L	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	EPA508	0.01			CJG	08-06-95
Gross alpha	*	pCi/L	9.1	5.7	97	16.1	9.9	2.7	EPA900	0.1			PL	08-14-95
Analysis Error(Ga)	*	pCi/L	0.6	0.9	6	1.3	1.1	0.4	EPA900	0.1			PL	08-14-95
Photon emitters	*	pCi/L							-	0.1				
Analysis Error(Photon)	*	pCi/L							-	0.1				
Radium-226	*	pCi/L	-	-	-	-	-	-	EPA903.1	0.1			PL	08-14-95
Analysis Error(226)	*	pCi/L	-	-	-	-	-	-	EPA903.1	0.1			PL	08-14-95
Radium-228	*	pCi/L	-	-	-	-	-	-	EPA904	0.3			PL	08-14-95
Analysis Error(228)	*	pCi/L	-	-	-	-	-	-	EPA904	0.3			PL	08-14-95
Man-made beta & photon	*	pCi/L	-	-	-	-	-	-	EPA900	0.1			PL	08-14-95
Analysis Error(beta & pho)	*	pCi/L	-	-	-	-	-	-	EPA900	0.1			PL	08-14-95
Aluminum	*	mg/L	0.476	0.227	2.83	0.710	0.767	0.263	EPA200.7	0.002	0.4626863	92.25	LSM	08-15-95
Chloride	*	mg/L	6.69	38.6	62.5	10.4	10.3	13.7	EPA325.2	0.01	2.9480638	91.508937	TRB	08-17-95
Copper	*	mg/L	0.0115	0.00370	0.0130	0.00430	0.00260	0.000600	EPA200.7	0.0002	0.3086157	103	LSM	07-25-95
Fluoride	*	mg/L	<0.05	<0.05	0.359	0.113	0.0793	<0.05	EPA340.1	0.01			PMV	07-20-95
Iron	*	mg/L	0.0815	0.0716	1.52	0.105	0.173	0.258	EPA200.7	0.0002	0.8498047	105.85	LSM	07-20-95
Manganese	*	mg/L	0.00830	0.0697	0.0378	0.00670	0.0112	0.0289	EPA200.7	0.00004	0.6716931	104.17	LSM	07-20-95
Silver	*	mg/L	<0.0002	<0.0002	<0.0002	0.000200	<0.0002	<0.0002	EPA200.7	0.0002	0.1041737	106.25	LSM	07-25-95
Sulfate	*	mg/L	1.39	13.5	3.29	1.39	2.01	4.35	EPA375.4	1	2.8284407	90.174957	LAM	07-21-95
Zinc	*	mg/L	0.00700	0.00190	0.0338	0.00810	0.0118	0.00130	EPA200.7	0.0001	0.4796508	103.4	LSM	07-25-95
Color (color units)	*	PCU	20.0	15.0	170	150	50.0	10.0	EPA110.1	5			AH	07-19-95
Odor (total odor number)	*	TON	<1	<1	2.00	<1	<1	<1	EPA140.1	1			AH	07-19-95
pH (units)	*	pH	6.41	6.39	7.12	7.98	7.79	7.03	EPA150.1	0.01	0.4441005	101.52857	AH	07-19-95
Total Dissolved Solids	*	mg/L	100	254	384	176	224	320	EPA160.1	2.5	1.0925379	99.000000	LAM	07-21-95
Foaming Agents	*	mg/L	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	EPA425.1	0.1	*****	103.63886	TDB	07-25-95

Date Received: 07-19-95


Typed:

08-14-95

Sent:

08-14-95

Project Number Sumt. Co. Indl.
 PO Number N/A
 Date Sampled 1 07-19-95 *
 Date Analyzed 0
 Compacted 1
 Format NormRR
 Unit Cost Exted
 VOC93 13500 7 *
 PPCB93 85000 7 *
 INO93_WO_Asb 14000 7 *
 GA 4000 7 *
 THM 4500 7 *
 Sec 93 11500 7 *



CHEMICAL
LABORATORIES
INCORPORATED

ANALYTICAL & CONSULTING CHEMISTS
CHAIN OF CUSTODY RECORD
DRINKING WATER 17-550

ATTN: Ron Ebel

Client <i>Central Testing LAB</i>		Address <i>5400 S. Florida Ave. Florida City, FL 34436</i>		Phone <i>904-726-6447</i>														
Public Drinking Water ID #				Public Water System Name: <i>Sumter County Landfill</i>														
Project #		Public Water System Type:																
PO #		() Community () Non-Community () Special Non-Community																
Per Site	Total	Preservative				Plastic Containers						Glass Containers						NOTES:
		HNO ₃ Nitric (NaOH)	Na ₂ S ₂ O ₃	H ₂ SO ₄	60mL	125mL	250mL	500mL	1L CLEAR	2L	Whirl-Pak Bag	40mL Vial	250mL	500mL	1L	2L	4L	
1	7																	Turn Around Time 10 Working Days _____ 5 Working Days _____ 3 Working Days _____ 1 Working Days _____ Other ☒
1	7																	
1	7																	
1	7	X	X															
4	28			X							X							
																		Prim. Inorg w/o AsB VOC, THM Pesticide + PCB's Gross ALPHA Secondaries
Kit Relinquished: <i>CHT</i>		Date Time <i>7-17-95</i>		Kit Received <i>Ron</i>		Date Time <i>7-18-95</i> <i>11:00AM</i>												

Parameters: Prim. Inorganics w/o asbestos ☒; Asbestos ☐; NO₃ ☐ NO₂ ☐ THM ☒;
 Volatile Organics ☒; Pesticides & PCB's (w/o dioxin) ☒; Radiological ☒; Secondary Standards ☒;
 Group I Unreg. ☐; Group II Unreg. ☐; Group III Unreg. ☐; Lead & Copper ☐.

Laboratory Number

18265
66
67
68
69
70
18271

Client Sample Identification

#1 *SL1*
 #2 *SL2*
 #3 *SL4*
 #4 *SL6A*
 #5 *SL7*
 #6 *SL8*
 #7 *SL9*
 #8
 #9
 #10

Monitoring Wells

*PLEASE NOTE Separate
 Cooler & COP C for: TB, NH₄
 601/602*

Collectors Signature:
 Transporters Signature:
 Lab Acceptance By:

Ron Ebel
[Signature]

Date
7-19-95
7/19/95

Time
8:10:30AM
1516

PUBLIC DRINKING WATER ANALYSIS REPORTING FORMAT

PUBLIC WATER SYSTEM INFORMATION (to be completed by system or lab)

System Name: _____ I.D. #: Sumt. Co. Indfl.
Address: PO Box 883 FloralCity, FL 34436 Phone #: _____
Type (check one): ☐ Community ☐ Nontransient Noncommunity ☐ Noncommunity

SAMPLE INFORMATION (to be completed by sampler)

Sample Date (MMDDYY): 7/19/95 Sample Time : _____
Sample Location (be specific): SL1
Sampler Name and Phone: _____
Samplers Signature: _____ Title: _____

Check Type (s): ☐ Distribution ☐ Recheck of MCL ☐ Resample of Lab Invalidated Sample
☐ Clearance ☐ Thm Max Res Time ☐ Plant Tap
☐ Distribution entry pt ☐ Raw ☐ Composite of Multiple Sites-Attach a format for each site

LABORATORY CERTIFICATION INFORMATION

Lab Name: Flowers Chemical Laboratories Inc. HRS# 83139 Expiration Date 6/30/95
Address: PO Box 150-0597 Altamonte Springs, Florida 32715-0597 Phone #: (407) 339-5984
Subcontracted Lab HRS #: HRS84252 Groups Analyzed: RAD

ANALYSIS INFORMATION (to be completed by lab)


Lab Number: 18265

Date Sample(s) Recieved: 7/19/95 Group(s) Analyzed & Results attached for compliance with 62-550, F.A.C.:
☒ Nitrate ☒ Nitrite ☐ Asbestos ☒ Trihalomethanes

Inorganics	Volatile Organics	Secondaries	Pesticides & PCBs
(X) All 17 ☐ Partial	(X) All 21 ☐ Partial	(X) All 14 ☐ Partial	☐ All 30 (X) Partial
Group I Unregulateds	Group II Unregulateds	Group III Unregulateds	Radiochemicals
☐ All 13 ☐ Partial	☐ All 23 ☐ Partial	☐ All 11 ☐ Partial	(X) Single Sample
			☐ Qtrly Composite *

* Provide radiochemical sample dates & locations for each quarter

I, Dr. Jefferson S Flowers, do HEREBY CERTIFY that all attached analytical data submitted are correct.



Signature: _____
Title: Technical Director Date: 8/17/95

COMPLIANCE INFORMATION (to be completed by State)

Sample Collection Satisfactory: _____ Sample Analysis Satisfactory: _____
Resample Request for: _____ Reason: _____
Person notified to resample: _____ Date notified: ____/____/____
DEP /ACPHU Reviewing Official: _____

Inorganic Analysis

62-550.310(1)

(PWS030)

Parameter ID NAME	Sample Number	Analysis Result(mg/l)	Analytical Method	Detection Limit (mg/l)	MCL	Analysis Date
1005 Arsenic	18265	<0.0005	EPA206.3	0.0005	0.05	07-24-95
1010 Barium	18265	0.00600	EPA200.7	0.00006	2	07-25-95
1015 Cadmium	18265	0.000600	EPA200.7	0.0001	0.005	07-25-95
1020 Chromium	18265	0.00160	EPA200.7	0.0002	0.1	07-25-95
1024 Cyanide	18265	<0.005	EPA335.2	0.005	0.2	08-01-95
1025 Fluoride	18265	<0.05	EPA340.1	0.01	4	07-20-95
1030 Lead	18265	<0.001	EPA239.2	0.001	0.015	07-25-95
1035 Mercury	18265	<0.0002	EPA245.2	0.0002	0.002	07-28-95
1036 Nickel	18265	<0.0004	EPA200.7	0.0004	0.1	07-25-95
1040 Nitrate(as N)	18265	66.2	EPA300.0	0.01	10	07-21-95
1041 Nitrite(as N)	18265	0.174	EPA300.0	0.01	1	07-21-95
1045 Selenium	18265	<0.0005	EPA270.2	0.0005	0.05	05-26-95
1052 Sodium	18265	5.71	EPA200.7	0.001	160	07-20-95
1074 Antimony	18265	<0.003	EPA204.2	0.003	0.006	07-26-95
1075 Beryllium	18265	0.000370	EPA210.1	0.0002	0.004	07-27-95
1085 Thallium	18265	<0.001	EPA279.2	0.001	0.002	07-27-95
1094 Asbestos	18265		TEM	1	7	

Trihalomethane Analysis

62-550.310(2)(a)

(PWS027)

Parameter ID NAME	Sample Number	Analysis Result(mg/l)	Analytical Method	Detection Limit (mg/l)	MCL	Analysis Date
2950 TTHM	18265	<0.001	EPA502.2	0.001	0.1	07-19-95

Volatile Organic Analysis

62-550.310(2)(b)

(PWS028)

Parameter ID NAME	Sample Number	Analysis Result(ug/l)	Analytical Method	Detection Limit (ug/l)	MCL	Analysis Date
2378 1,2,4-trichlorobenzene	18265	<0.5	EPA502.2	0.5	70	07-19-95
2380 cis-1,2-Dichloroethylene	18265	<0.5	EPA502.2	0.5	70	07-19-95
2955 Xylenes (total)	18265	<0.5	EPA502.2	0.5	10000	07-19-95
2964 Dichloromethane	18265	<0.5	EPA502.2	0.5	5	07-19-95
2968 O-dichlorobenzene	18265	<0.5	EPA502.2	0.5	600	07-19-95
2969 Para-dichlorobenzene	18265	<0.5	EPA502.2	0.5	75	07-19-95
2976 Vinyl chloride	18265	<0.5	EPA502.2	0.5	1	07-19-95
2977 1,1,-dichloroethylene	18265	<0.5	EPA502.2	0.5	7	07-19-95
2979 Trans-1,2-dichloroethylene	18265	<0.5	EPA502.2	0.5	100	07-19-95
2980 1,2,-dichloroethane	18265	<0.5	EPA502.2	0.5	3	07-19-95
2981 1,1,1-trichloroethane	18265	<0.5	EPA502.2	0.5	200	07-19-95
2982 Carbon tetrachloride	18265	<0.5	EPA502.2	0.5	3	07-19-95
2983 1,2-dichloropropane	18265	<0.5	EPA502.2	0.5	5	07-19-95
2984 Trichloroethylene	18265	<0.5	EPA502.2	0.5	3	07-19-95
2985 1,1,2-trichloroethane	18265	<0.5	EPA502.2	0.5	5	07-19-95
2987 Tetrachloroethylene	18265	<0.5	EPA502.2	0.5	3	07-19-95
2989 Monochlorobenzene	18265	<0.5	EPA502.2	0.5	100	07-19-95
2990 Benzene	18265	<0.5	EPA502.2	0.5	1	07-19-95
2991 Toluene	18265	<0.5	EPA502.2	0.5	1000	07-19-95
2992 Ethylbenzene	18265	<0.5	EPA502.2	0.5	700	07-19-95
2996 Styrene	18265	<0.5	EPA502.2	0.5	100	07-19-95

Secondary Chemical Analysis

62-550.320

(PWS031)

Parameter ID NAME	Sample Number	Analysis Result(mg/l)	Analytical Method	Detection Limit (mg/l)	MCL	Analysis Date
1002 Aluminum	18265	0.476	EPA200.7	0.002	0.2	08-15-95
1017 Chloride	18265	6.69	EPA325.2	0.01	250	08-17-95
1022 Copper	18265	0.0115	EPA200.7	0.0002	1	07-25-95
1025 Fluoride	18265	<0.05	EPA340.1	0.01	2	07-20-95
1028 Iron	18265	0.0815	EPA200.7	0.0002	0.3	07-20-95
1032 Manganese	18265	0.00830	EPA200.7	0.00004	0.05	07-20-95
1050 Silver	18265	<0.0002	EPA200.7	0.0002	0.1	07-25-95
1055 Sulfate	18265	1.39	EPA375.4	1	250	07-21-95
1095 Zinc	18265	0.00700	EPA200.7	0.0001	5	07-25-95
1905 Color (color units)	18265	20.0	EPA110.1	5	15	07-19-95
1920 Odor (total odor number)	18265	<1	EPA140.1	1	3	07-19-95
1925 pH	18265	6.41	EPA150.1	0.01	6.5 - 8.5	07-19-95
1930 Total Dissolved Solids	18265	100	EPA160.1	2.5	500	07-21-95
2905 Foaming Agents	18265	<0.1	EPA425.1	0.1	0.5	07-25-95

Pesticides & PCB Chemical Analysis
62-550.310(2)(c)
(PWS029)

Parameter ID NAME	Sample Number	Analysis Result(ug/l)	Analytical Method	Detection Limit (ug/l)	MCL	Analysis Date
2005 Endrin	18265	<0.001	EPA508	0.001	2	08-06-95
2010 Lindane	18265	<0.001	EPA508	0.001	0.2	08-06-95
2015 Methoxychlor	18265	<0.01	EPA508	0.01	40	08-06-95
2020 Toxaphene	18265	<0.1	EPA508	0.1	3	08-06-95
2031 Dalapon	18265	<0.001	EPA515.1	0.001	200	08-01-95
2032 Diquat	18265	<0.4	EPA549	0.4	20	07-31-95
2033 Endothall	18265	<9	EPA548	9	100	08-01-95
2034 Glyphosate	18265	<0.6	EPA547	0.6	700	07-27-95
2035 Di(2-ethylhexyl)adipate	18265	<0.6	EPA525.1	0.6	400	08-08-95
2036 Oxamyl (Vydate)	18265	<2	EPA531.1	2	200	08-03-95
2037 Simazine	18265	<0.07	EPA505	0.07	4	08-06-95
2039 Di(2-ethylhexyl)phthalate	18265	<0.6	EPA525.1	0.6	6	08-08-95
2040 Picloram	18265	<0.07	EPA515.1	0.07	500	08-01-95
2041 Dinoseb	18265	<0.01	EPA515.1	0.01	7	08-01-95
2042 Hexachlorocyclopentadiene	18265	<0.1	EPA505	0.1	50	08-06-95
2046 Carbofuran	18265	<0.9	EPA531	0.9	40	08-03-95
2050 Atrazine	18265	<0.1	EPA505	0.1	3	08-06-95
2051 Alachlor	18265	<0.2	EPA505	0.2	2	08-06-95
2063 2,3,7,8-TCDD (Dioxin)	18265		EPA625	0.01	0.00003	
2065 Heptachlor	18265	<0.005	EPA505	0.005	0.4	08-06-95
2067 Heptachlor epoxide	18265	<0.005	EPA505	0.005	0.2	08-06-95
2105 2,4-D	18265	<0.05	EPA515.1	0.05	70	08-01-95
2110 2,4,5-TP (Silvex)	18265	<0.02	EPA515.1	0.02	50	08-01-95
2274 Hexachlorobenzene	18265	<0.1	EPA508	0.1	1	08-06-95
2306 Benzo(a)pyrene	18265	<0.02	EPA550	0.02	0.2	08-07-95
2326 Pentachlorophenol	18265	<0.04	EPA515.1	0.04	1	08-01-95
2383 PCB	18265	<0.1	EPA505	0.1	0.5	08-06-95
2931 Dibromochloropropane	18265	<0.02	EPA504	0.02	0.2	08-04-95
2946 Ethylene dibromide	18265	<0.01	EPA504	0.01	0.02	08-01-95
2959 Chlordane	18265	<0.01	EPA508	0.01	2	08-06-95

Radiological Analysis
62-550.310(5)
(PWS033)

Parameter ID NAME	Sample Number	Analysis Result(pCi/l)	Analytical Method	Detection Limit (pCi/l)	MCL	Analysis Date
4000 Gross alpha	18265	9.10	EPA900	0.1		5 08-14-95
4000 Analysis_Error(Ga)	18265	0.600	EPA900	0.1		08-14-95
4012 Photon emitters	18265		-	0.1		
4012 Analysis_Error(Photon)	18265		-	0.1		
4020 Radium-226	18265		EPA903.1	0.1		08-14-95
4020 Analysis_Error(226)	18265		EPA903.1	0.1		08-14-95
4030 Radium-228	18265		EPA904	0.3		08-14-95
4030 Analysis_Error(228)	18265		EPA904	0.3		08-14-95
4101 Man-made beta	18265		EPA900	0.1		08-14-95
4101 Analysis_Error(beta)	18265		EPA900	0.1		08-14-95

PUBLIC DRINKING WATER ANALYSIS REPORTING FORMAT

PUBLIC WATER SYSTEM INFORMATION (to be completed by system or lab)

System Name: _____ I.D. #: Sumt. Co. Indfl.
Address: PO Box 883 FloralCity, FL 34436 Phone #: _____
Type (check one): ☐ Community ☐ Nontransient Noncommunity ☐ Noncommunity

SAMPLE INFORMATION (to be completed by sampler)

Sample Date (MMDDYY): 7/19/95 Sample Time: _____
Sample Location (be specific): SL2
Sampler Name and Phone: _____
Samplers Signature: _____ Title: _____

Check Type (s): ☐ Distribution ☐ Recheck of MCL ☐ Resample of Lab Invalidated Sample
☐ Clearance ☐ Thm Max Res Time ☐ Plant Tap
☐ Distribution entry pt ☐ Raw ☐ Composite of Multiple Sites-Attach a format for each site

LABORATORY CERTIFICATION INFORMATION

Lab Name: Flowers Chemical Laboratories Inc. HRS# 83139 Expiration Date 6/30/95
Address: PO Box 150-0597 Altamonte Springs, Florida 32715-0597 Phone #: (407) 339-5984
Subcontracted Lab HRS #: HRS84252 Groups Analyzed: RAD

ANALYSIS INFORMATION (to be completed by lab)

Lab Number: 18266


Date Sample(s) Recieved: 7/19/95 Group(s) Analyzed & Results attached for compliance with 62-550, F.A.C.:
☒ Nitrate ☒ Nitrite ☐ Asbestos ☒ Trihalomethanes

Inorganics Volatile Organics Secondaries Pesticides & PCBs
☒ All 17 ☐ Partial ☒ All 21 ☐ Partial ☒ All 14 ☐ Partial ☐ All 30 ☒ Partial

Group I Unregulateds Group II Unregulateds Group III Unregulateds Radiochemicals
☐ All 13 ☐ Partial ☐ All 23 ☐ Partial ☐ All 11 ☐ Partial ☒ Single Sample
☐ Qtrly Composite *

* Provide radiochemical sample dates & locations for each quarter

I, Dr. Jefferson S Flowers, do HEREBY CERTIFY that all attached analytical data submitted are correct.



Signature: _____
Title: Technical Director Date: 8/17/95

COMPLIANCE INFORMATION (to be completed by State)

Sample Collection Satisfactory: _____ Sample Analysis Satisfactory: _____

Resample Request for: _____ Reason: _____

Person notified to resample: _____ Date notified: ____/____/____

DEP /ACPHU Reviewing Official: _____

Inorganic Analysis

62-550.310(1)

(PWS030)

Parameter ID NAME	Sample Number	Analysis Result(mg/l)	Analytical Method	Detection Limit (mg/l)	MCL	Analysis Date
1005 Arsenic	18266	<0.0005	EPA206.3	0.0005	0.05	07-24-95
1010 Barium	18266	0.0149	EPA200.7	0.00006	2	07-25-95
1015 Cadmium	18266	0.000300	EPA200.7	0.0001	0.005	07-25-95
1020 Chromium	18266	0.00170	EPA200.7	0.0002	0.1	07-25-95
1024 Cyanide	18266	<0.005	EPA335.2	0.005	0.2	08-01-95
1025 Fluoride	18266	<0.05	EPA340.1	0.01	4	07-20-95
1030 Lead	18266	<0.001	EPA239.2	0.001	0.015	07-25-95
1035 Mercury	18266	<0.0002	EPA245.2	0.0002	0.002	07-28-95
1036 Nickel	18266	0.00220	EPA200.7	0.0004	0.1	07-25-95
1040 Nitrate(as N)	18266	99.7	EPA300.0	0.01	10	07-21-95
1041 Nitrite(as N)	18266	<0.01	EPA300.0	0.01	1	07-21-95
1045 Selenium	18266	<0.0005	EPA270.2	0.0005	0.05	05-26-95
1052 Sodium	18266	31.7	EPA200.7	0.001	160	07-20-95
1074 Antimony	18266	<0.003	EPA204.2	0.003	0.006	07-26-95
1075 Beryllium	18266	0.000270	EPA210.1	0.0002	0.004	07-27-95
1085 Thallium	18266	<0.001	EPA279.2	0.001	0.002	07-27-95
1094 Asbestos	18266		TEM	1	7	

Trihalomethane Analysis

62-550.310(2)(a)

(PWS027)

Parameter ID NAME	Sample Number	Analysis Result(mg/l)	Analytical Method	Detection Limit (mg/l)	MCL	Analysis Date
2950 TTHM	18266	<0.001	EPA502.2	0.001	0.1	07-19-95

Volatile Organic Analysis
62-550.310(2)(b)
(PWS028)

Parameter ID NAME	Sample Number	Analysis Result(ug/l)	Analytical Method	Detection Limit (ug/l)	MCL	Analysis Date
2378 1,2,4-trichlorobenzene	18266	<0.5	EPA502.2	0.5	70	07-19-95
2380 cis-1,2-Dichloroethylene	18266	<0.5	EPA502.2	0.5	70	07-19-95
2955 Xylenes (total)	18266	<0.5	EPA502.2	0.5	10000	07-19-95
2964 Dichloromethane	18266	<0.5	EPA502.2	0.5	5	07-19-95
2968 O-dichlorobenzene	18266	<0.5	EPA502.2	0.5	600	07-19-95
2969 Para-dichlorobenzene	18266	<0.5	EPA502.2	0.5	75	07-19-95
2976 Vinyl chloride	18266	<0.5	EPA502.2	0.5	1	07-19-95
2977 1,1,-dichloroethylene	18266	<0.5	EPA502.2	0.5	7	07-19-95
2979 Trans-1,2-dichloroethylene	18266	<0.5	EPA502.2	0.5	100	07-19-95
2980 1,2,-dichloroethane	18266	<0.5	EPA502.2	0.5	3	07-19-95
2981 1,1,1-trichloroethane	18266	<0.5	EPA502.2	0.5	200	07-19-95
2982 Carbon tetrachloride	18266	<0.5	EPA502.2	0.5	3	07-19-95
2983 1,2-dichloropropane	18266	<0.5	EPA502.2	0.5	5	07-19-95
2984 Trichloroethylene	18266	<0.5	EPA502.2	0.5	3	07-19-95
2985 1,1,2-trichloroethane	18266	<0.5	EPA502.2	0.5	5	07-19-95
2987 Tetrachloroethylene	18266	<0.5	EPA502.2	0.5	3	07-19-95
2989 Monochlorobenzene	18266	<0.5	EPA502.2	0.5	100	07-19-95
2990 Benzene	18266	<0.5	EPA502.2	0.5	1	07-19-95
2991 Toluene	18266	<0.5	EPA502.2	0.5	1000	07-19-95
2992 Ethylbenzene	18266	<0.5	EPA502.2	0.5	700	07-19-95
2996 Styrene	18266	<0.5	EPA502.2	0.5	100	07-19-95

Secondary Chemical Analysis
62-550.320
(PWS031)

Parameter ID NAME	Sample Number	Analysis Result(mg/l)	Analytical Method	Detection Limit (mg/l)	MCL	Analysis Date
1002 Aluminum	18266	0.227	EPA200.7	0.002	0.2	08-15-95
1017 Chloride	18266	38.6	EPA325.2	0.01	250	08-17-95
1022 Copper	18266	0.00370	EPA200.7	0.0002	1	07-25-95
1025 Fluoride	18266	<0.05	EPA340.1	0.01	2	07-20-95
1028 Iron	18266	0.0716	EPA200.7	0.0002	0.3	07-20-95
1032 Manganese	18266	0.0697	EPA200.7	0.00004	0.05	07-20-95
1050 Silver	18266	<0.0002	EPA200.7	0.0002	0.1	07-25-95
1055 Sulfate	18266	13.5	EPA375.4	1	250	07-21-95
1095 Zinc	18266	0.00190	EPA200.7	0.0001	5	07-25-95
1905 Color (color units)	18266	15.0	EPA110.1	5	15	07-19-95
1920 Odor (total odor number)	18266	<1	EPA140.1	1	3	07-19-95
1925 pH	18266	6.39	EPA150.1	0.01	6.5 - 8.5	07-19-95
1930 Total Dissolved Solids	18266	254	EPA160.1	2.5	500	07-21-95
2905 Foaming Agents	18266	<0.1	EPA425.1	0.1	0.5	07-25-95

Pesticides & PCB Chemical Analysis
62-550.310(2)(c)
(PWS029)

Parameter ID NAME	Sample Number	Analysis Result(ug/l)	Analytical Method	Detection Limit (ug/l)	MCL	Analysis Date
2005 Endrin	18266	<0.001	EPA508	0.001	2	08-06-95
2010 Lindane	18266	<0.001	EPA508	0.001	0.2	08-06-95
2015 Methoxychlor	18266	<0.01	EPA508	0.01	40	08-06-95
2020 Toxaphene	18266	<0.1	EPA508	0.1	3	08-06-95
2031 Dalapon	18266	<0.001	EPA515.1	0.001	200	08-01-95
2032 Diquat	18266	<0.4	EPA549	0.4	20	07-31-95
2033 Endothall	18266	<9	EPA548	9	100	08-01-95
2034 Glyphosate	18266	<0.6	EPA547	0.6	700	07-27-95
2035 Di(2-ethylhexyl)adipate	18266	<0.6	EPA525.1	0.6	400	08-08-95
2036 Oxamyl (Vydate)	18266	<2	EPA531.1	2	200	08-03-95
2037 Simazine	18266	<0.07	EPA505	0.07	4	08-06-95
2039 Di(2-ethylhexyl)phthalate	18266	<0.6	EPA525.1	0.6	6	08-08-95
2040 Picloram	18266	<0.07	EPA515.1	0.07	500	08-01-95
2041 Dinoseb	18266	<0.01	EPA515.1	0.01	7	08-01-95
2042 Hexachlorocyclopentadiene	18266	<0.1	EPA505	0.1	50	08-06-95
2046 Carbofuran	18266	<0.9	EPA531	0.9	40	08-03-95
2050 Atrazine	18266	<0.1	EPA505	0.1	3	08-06-95
2051 Alachlor	18266	<0.2	EPA505	0.2	2	08-06-95
2063 2,3,7,8-TCDD (Dioxin)	18266		EPA625	0.01	0.00003	
2065 Heptachlor	18266	<0.005	EPA505	0.005	0.4	08-06-95
2067 Heptachlor epoxide	18266	<0.005	EPA505	0.005	0.2	08-06-95
2105 2,4-D	18266	<0.05	EPA515.1	0.05	70	08-01-95
2110 2,4,5-TP (Silvex)	18266	<0.02	EPA515.1	0.02	50	08-01-95
2274 Hexachlorobenzene	18266	<0.1	EPA508	0.1	1	08-06-95
2306 Benzo(a)pyrene	18266	<0.02	EPA550	0.02	0.2	08-07-95
2326 Pentachlorophenol	18266	<0.04	EPA515.1	0.04	1	08-01-95
2383 PCB	18266	<0.1	EPA505	0.1	0.5	08-06-95
2931 Dibromochloropropane	18266	<0.02	EPA504	0.02	0.2	08-04-95
2946 Ethylene dibromide	18266	<0.01	EPA504	0.01	0.02	08-01-95
2959 Chlordane	18266	<0.01	EPA508	0.01	2	08-06-95

Radiological Analysis
62-550.310(5)
(PWS033)

Parameter ID NAME	Sample Number	Analysis Result(pCi/l)	Analytical Method	Detection Limit (pCi/l)	MCL	Analysis Date
4000 Gross alpha	18266	5.70	EPA900	0.1		5 08-14-95
4000 Analysis_Error(Ga)	18266	0.900	EPA900	0.1		08-14-95
4012 Photon emitters	18266		-	0.1		
4012 Analysis_Error(Photon)	18266		-	0.1		
4020 Radium-226	18266		EPA903.1	0.1		08-14-95
4020 Analysis_Error(226)	18266		EPA903.1	0.1		08-14-95
4030 Radium-228	18266		EPA904	0.3		08-14-95
4030 Analysis_Error(228)	18266		EPA904	0.3		08-14-95
4101 Man-made beta	18266		EPA900	0.1		08-14-95
4101 Analysis_Error(beta)	18266		EPA900	0.1		08-14-95

PUBLIC DRINKING WATER ANALYSIS REPORTING FORMAT

PUBLIC WATER SYSTEM INFORMATION (to be completed by system or lab)

System Name: _____
Address: PO Box 883 FloralCity, FL 34436
Type (check one): ☐ Community ☐ Nontransient Noncommunity ☐ Noncommunity

I.D. #: Sumt. Co. Indfl.
Phone #: _____

SAMPLE INFORMATION (to be completed by sampler)

Sample Date (MMDDYY): 7/19/95

Sample Time : _____

Sample Location (be specific): SL4

Sampler Name and Phone: _____

Samplers Signature: _____

Title: _____

Check Type (s): ☐ Distribution ☐ Recheck of MCL ☐ Resample of Lab Invalidated Sample
☐ Clearance ☐ Thm Max Res Time ☐ Plant Tap
☐ Distribution entry pt ☐ Raw ☐ Composite of Multiple Sites-Attach a format for each site

LABORATORY CERTIFICATION INFORMATION

Lab Name: Flowers Chemical Laboratories Inc.

HRS# 83139

Expiration Date: 6/30/95

Address: PO Box 150-0597 Altamonte Springs, Florida 32715-0597

Phone #: (407) 339-5984

Subcontracted Lab HRS #: HRS84252

Groups Analyzed: RAD

ANALYSIS INFORMATION (to be completed by lab)

Lab Number: 18267

Date Sample(s) Recieved: 7/19/95

Group(s) Analyzed & Results attached for compliance with 62-550, F.A.C.:

☒ Nitrate

☒ Nitrite

☐ Asbestos

☒ Trihalomethanes

Inorganics

Volatile Organics

Secondaries

Pesticides & PCBs

☒ All 17 ☐ Partial

☒ All 21 ☐ Partial

☒ All 14 ☐ Partial

☐ All 30 ☒ Partial

Group I Unregulateds

Group II Unregulateds

Group III Unregulateds

Radiochemicals

☐ All 13 ☐ Partial

☐ All 23 ☐ Partial


☐ All 11 ☐ Partial

☒ Single Sample

☐ Qtrly Composite *

* Provide radiochemical sample dates & locations for each quarter

I, Dr. Jefferson S Flowers, do HEREBY CERTIFY that all attached analytical data submitted are correct.



Signature: _____

Title: Technical Director

Date: 8/17/95

COMPLIANCE INFORMATION (to be completed by State)

Sample Collection Satisfactory: _____

Sample Analysis Satisfactory: _____

Resample Request for: _____

Reason: _____

Person notified to resample: _____

Date notified: ____/____/____

DEP /ACPHU Reviewing Official: _____

Inorganic Analysis

62-550.310(1)

(PWS030)

Parameter ID NAME	Sample Number	Analysis Result(mg/l)	Analytical Method	Detection Limit (mg/l)	MCL	Analysis Date
1005 Arsenic	18267	<0.0005	EPA206.3	0.0005	0.05	07-24-95
1010 Barium	18267	0.0176	EPA200.7	0.00006	2	07-25-95
1015 Cadmium	18267	0.00610	EPA200.7	0.0001	0.005	07-25-95
1020 Chromium	18267	0.0102	EPA200.7	0.0002	0.1	07-25-95
1024 Cyanide	18267	0.00650	EPA335.2	0.005	0.2	08-01-95
1025 Fluoride	18267	0.359	EPA340.1	0.01	4	07-20-95
1030 Lead	18267	<0.001	EPA239.2	0.001	0.015	07-25-95
1035 Mercury	18267	<0.0002	EPA245.2	0.0002	0.002	07-28-95
1036 Nickel	18267	0.00650	EPA200.7	0.0004	0.1	07-25-95
1040 Nitrate(as N)	18267	62.0	EPA300.0	0.01	10	07-21-95
1041 Nitrite(as N)	18267	0.820	EPA300.0	0.01	1	07-21-95
1045 Selenium	18267	<0.0005	EPA270.2	0.0005	0.05	05-26-95
1052 Sodium	18267	24.0	EPA200.7	0.001	160	07-20-95
1074 Antimony	18267	<0.003	EPA204.2	0.003	0.006	07-26-95
1075 Beryllium	18267	0.00169	EPA210.1	0.0002	0.004	07-27-95
1085 Thallium	18267	<0.001	EPA279.2	0.001	0.002	07-27-95
1094 Asbestos	18267		TEM	1	7	

Trihalomethane Analysis

62-550.310(2)(a)

(PWS027)

Parameter ID NAME	Sample Number	Analysis Result(mg/l)	Analytical Method	Detection Limit (mg/l)	MCL	Analysis Date
2950 TTHM	18267	<0.001	EPA502.2	0.001	0.1	07-19-95

Volatile Organic Analysis

62-550.310(2)(b)

(PWS028)

Parameter ID NAME	Sample Number	Analysis Result(ug/l)	Analytical Method	Detection Limit (ug/l)	MCL	Analysis Date
2378 1,2,4-trichlorobenzene	18267	<0.5	EPA502.2	0.5	70	07-19-95
2380 cis-1,2-Dichloroethylene	18267	<0.5	EPA502.2	0.5	70	07-19-95
2955 Xylenes (total)	18267	<0.5	EPA502.2	0.5	10000	07-19-95
2964 Dichloromethane	18267	<0.5	EPA502.2	0.5	5	07-19-95
2968 O-dichlorobenzene	18267	<0.5	EPA502.2	0.5	600	07-19-95
2969 Para-dichlorobenzene	18267	<0.5	EPA502.2	0.5	75	07-19-95
2976 Vinyl chloride	18267	<0.5	EPA502.2	0.5	1	07-19-95
2977 1,1,-dichloroethylene	18267	<0.5	EPA502.2	0.5	7	07-19-95
2979 Trans-1,2-dichloroethylene	18267	<0.5	EPA502.2	0.5	100	07-19-95
2980 1,2,-dichloroethane	18267	<0.5	EPA502.2	0.5	3	07-19-95
2981 1,1,1-trichloroethane	18267	<0.5	EPA502.2	0.5	200	07-19-95
2982 Carbon tetrachloride	18267	<0.5	EPA502.2	0.5	3	07-19-95
2983 1,2-dichloropropane	18267	<0.5	EPA502.2	0.5	5	07-19-95
2984 Trichloroethylene	18267	<0.5	EPA502.2	0.5	3	07-19-95
2985 1,1,2-trichloroethane	18267	<0.5	EPA502.2	0.5	5	07-19-95
2987 Tetrachloroethylene	18267	<0.5	EPA502.2	0.5	3	07-19-95
2989 Monochlorobenzene	18267	<0.5	EPA502.2	0.5	100	07-19-95
2990 Benzene	18267	<0.5	EPA502.2	0.5	1	07-19-95
2991 Toluene	18267	<0.5	EPA502.2	0.5	1000	07-19-95
2992 Ethylbenzene	18267	<0.5	EPA502.2	0.5	700	07-19-95
2996 Styrene	18267	<0.5	EPA502.2	0.5	100	07-19-95

Secondary Chemical Analysis

62-550.320

(PWS031)

Parameter ID NAME	Sample Number	Analysis Result(mg/l)	Analytical Method	Detection Limit (mg/l)	MCL	Analysis Date
1002 Aluminum	18267	2.83	EPA200.7	0.002	0.2	08-15-95
1017 Chloride	18267	62.5	EPA325.2	0.01	250	08-17-95
1022 Copper	18267	0.0130	EPA200.7	0.0002	1	07-25-95
1025 Fluoride	18267	0.359	EPA340.1	0.01	2	07-20-95
1028 Iron	18267	1.52	EPA200.7	0.0002	0.3	07-20-95
1032 Manganese	18267	0.0378	EPA200.7	0.00004	0.05	07-20-95
1050 Silver	18267	<0.0002	EPA200.7	0.0002	0.1	07-25-95
1055 Sulfate	18267	3.29	EPA375.4	1	250	07-21-95
1095 Zinc	18267	0.0338	EPA200.7	0.0001	5	07-25-95
1905 Color (color units)	18267	170	EPA110.1	5	15	07-19-95
1920 Odor (total odor number)	18267	2.00	EPA140.1	1	3	07-19-95
1925 pH	18267	7.12	EPA150.1	0.01	6.5 - 8.5	07-19-95
1930 Total Dissolved Solids	18267	384	EPA160.1	2.5	500	07-21-95
2905 Foaming Agents	18267	<0.1	EPA425.1	0.1	0.5	07-25-95

Pesticides & PCB Chemical Analysis
62-550.310(2)(c)
(PWS029)

Parameter ID NAME	Sample Number	Analysis Result(ug/l)	Analytical Method	Detection Limit (ug/l)	MCL	Analysis Date
2005 Endrin	18267	<0.001	EPA508	0.001	2	08-06-95
2010 Lindane	18267	<0.001	EPA508	0.001	0.2	08-06-95
2015 Methoxychlor	18267	<0.01	EPA508	0.01	40	08-06-95
2020 Toxaphene	18267	<0.1	EPA508	0.1	3	08-06-95
2031 Dalapon	18267	<0.001	EPA515.1	0.001	200	08-01-95
2032 Diquat	18267	<0.4	EPA549	0.4	20	07-31-95
2033 Endothall	18267	<9	EPA548	9	100	08-01-95
2034 Glyphosate	18267	<0.6	EPA547	0.6	700	07-27-95
2035 Di(2-ethylhexyl)adipate	18267	<0.6	EPA525.1	0.6	400	08-08-95
2036 Oxamyl (Vydate)	18267	<2	EPA531.1	2	200	08-03-95
2037 Simazine	18267	<0.07	EPA505	0.07	4	08-06-95
2039 Di(2-ethylhexyl)phthalate	18267	<0.6	EPA525.1	0.6	6	08-08-95
2040 Picloram	18267	<0.07	EPA515.1	0.07	500	08-01-95
2041 Dinoseb	18267	<0.01	EPA515.1	0.01	7	08-01-95
2042 Hexachlorocyclopentadiene	18267	<0.1	EPA505	0.1	50	08-06-95
2046 Carbofuran	18267	<0.9	EPA531	0.9	40	08-03-95
2050 Atrazine	18267	<0.1	EPA505	0.1	3	08-06-95
2051 Alachlor	18267	<0.2	EPA505	0.2	2	08-06-95
2063 2,3,7,8-TCDD (Dioxin)	18267		EPA625	0.01	0.00003	
2065 Heptachlor	18267	<0.005	EPA505	0.005	0.4	08-06-95
2067 Heptachlor epoxide	18267	<0.005	EPA505	0.005	0.2	08-06-95
2105 2,4-D	18267	<0.05	EPA515.1	0.05	70	08-01-95
2110 2,4,5-TP (Silvex)	18267	<0.02	EPA515.1	0.02	50	08-01-95
2274 Hexachlorobenzene	18267	<0.1	EPA508	0.1	1	08-06-95
2306 Benzo(a)pyrene	18267	<0.02	EPA550	0.02	0.2	08-07-95
2326 Pentachlorophenol	18267	<0.04	EPA515.1	0.04	1	08-01-95
2383 PCB	18267	<0.1	EPA505	0.1	0.5	08-06-95
2931 Dibromochloropropane	18267	<0.02	EPA504	0.02	0.2	08-04-95
2946 Ethylene dibromide	18267	<0.01	EPA504	0.01	0.02	08-01-95
2959 Chlordane	18267	<0.01	EPA508	0.01	2	08-06-95

Radiological Analysis
62-550.310(5)
(PWS033)

Parameter ID NAME	Sample Number	Analysis Result(pCi/l)	Analytical Method	Detection Limit (pCi/l)	MCL	Analysis Date
4000 Gross alpha	18267	97.0	EPA900	0.1		5 08-14-95
4000 Analysis_Error(Ga)	18267	6.00	EPA900	0.1		08-14-95
4012 Photon emitters	18267		-	0.1		
4012 Analysis_Error(Photon)	18267		-	0.1		
4020 Radium-226	18267		EPA903.1	0.1		08-14-95
4020 Analysis_Error(226)	18267		EPA903.1	0.1		08-14-95
4030 Radium-228	18267		EPA904	0.3		08-14-95
4030 Analysis_Error(228)	18267		EPA904	0.3		08-14-95
4101 Man-made beta	18267		EPA900	0.1		08-14-95
4101 Analysis_Error(beta)	18267		EPA900	0.1		08-14-95

PUBLIC DRINKING WATER ANALYSIS REPORTING FORMAT

PUBLIC WATER SYSTEM INFORMATION (to be completed by system or lab)

System Name: _____ I.D. #: Sumt. Co. Indfl.
Address: PO Box 883 FloralCity, FL 34436 Phone #: _____
Type (check one): ☐ Community ☐ Nontransient Noncommunity ☐ Noncommunity

SAMPLE INFORMATION (to be completed by sampler)

Sample Date (MMDDYY): 7/19/95 Sample Time : _____
Sample Location (be specific): SL6A
Sampler Name and Phone: _____
Samplers Signature: _____ Title: _____

Check Type (s): ☐ Distribution ☐ Recheck of MCL ☐ Resample of Lab Invalidated Sample
☐ Clearance ☐ Thm Max Res Time ☐ Plant Tap
☐ Distribution entry pt ☐ Raw ☐ Composite of Multiple Sites-Attach a format for each site

LABORATORY CERTIFICATION INFORMATION

Lab Name: Flowers Chemical Laboratories Inc. HRS# 83139 Expiration Date 6/30/95
Address: PO Box 150-0597 Altamonte Springs, Florida 32715-0597 Phone #: (407) 339-5984
Subcontracted Lab HRS #: HRS84252 Groups Analyzed: RAD

ANALYSIS INFORMATION (to be completed by lab)

Lab Number: 18268

Date Sample(s) Recieved: 7/19/95 Group(s) Analyzed & Results attached for compliance with 62-550, F.A.C.:

☒ Nitrate ☒ Nitrite ☐ Asbestos ☒ Trihalomethanes

Inorganics Volatile Organics Secondaries Pesticides & PCBs
☒ All 17 ☐ Partial ☒ All 21 ☐ Partial ☒ All 14 ☐ Partial ☐ All 30 ☒ Partial

Group I Unregulateds Group II Unregulateds Group III Unregulateds Radiochemicals
☐ All 13 ☐ Partial ☐ All 23 ☐ Partial ☐ All 11 ☐ Partial ☒ Single Sample
☐ Qtrly Composite *

* Provide radiochemical sample dates & locations for each quarter

I, Dr. Jefferson S Flowers, do HEREBY CERTIFY that all attached analytical data submitted are correct.



Signature: _____
Title: Technical Director Date: 8/17/95

COMPLIANCE INFORMATION (to be completed by State)

Sample Collection Satisfactory: _____ Sample Analysis Satisfactory: _____

Resample Request for: _____ Reason: _____

Person notified to resample: _____ Date notified: ____/____/____

DEP /ACPHU Reviewing Official: _____

Inorganic Analysis

62-550.310(1)

(PWS030)

Parameter ID NAME	Sample Number	Analysis Result(mg/l)	Analytical Method	Detection Limit (mg/l)	MCL	Analysis Date
1005 Arsenic	18268	<0.0005	EPA206.3	0.0005	0.05	07-24-95
1010 Barium	18268	0.00610	EPA200.7	0.00006	2	07-25-95
1015 Cadmium	18268	0.00110	EPA200.7	0.0001	0.005	07-25-95
1020 Chromium	18268	0.00610	EPA200.7	0.0002	0.1	07-25-95
1024 Cyanide	18268	0.00819	EPA335.2	0.005	0.2	08-01-95
1025 Fluoride	18268	0.113	EPA340.1	0.01	4	07-20-95
1030 Lead	18268	<0.001	EPA239.2	0.001	0.015	07-25-95
1035 Mercury	18268	<0.0002	EPA245.2	0.0002	0.002	07-28-95
1036 Nickel	18268	0.00300	EPA200.7	0.0004	0.1	07-25-95
1040 Nitrate(as N)	18268	55.3	EPA300.0	0.01	10	07-21-95
1041 Nitrite(as N)	18268	0.0737	EPA300.0	0.01	1	07-21-95
1045 Selenium	18268	<0.0005	EPA270.2	0.0005	0.05	05-26-95
1052 Sodium	18268	4.97	EPA200.7	0.001	160	07-20-95
1074 Antimony	18268	<0.003	EPA204.2	0.003	0.006	07-26-95
1075 Beryllium	18268	0.000230	EPA210.1	0.0002	0.004	07-27-95
1085 Thallium	18268	<0.001	EPA279.2	0.001	0.002	07-27-95
1094 Asbestos	18268		TEM	1	7	

Trihalomethane Analysis

62-550.310(2)(a)

(PWS027)

Parameter ID NAME	Sample Number	Analysis Result(mg/l)	Analytical Method	Detection Limit (mg/l)	MCL	Analysis Date
2950 TTHM	18268	<0.001	EPA502.2	0.001	0.1	07-19-95

Volatile Organic Analysis

62-550.310(2)(b)

(PWS028)

Parameter ID NAME	Sample Number	Analysis Result(ug/l)	Analytical Method	Detection Limit (ug/l)	MCL	Analysis Date
2378 1,2,4-trichlorobenzene	18268	<0.5	EPA502.2	0.5	70	07-19-95
2380 cis-1,2-Dichloroethylene	18268	<0.5	EPA502.2	0.5	70	07-19-95
2955 Xylenes (total)	18268	<0.5	EPA502.2	0.5	10000	07-19-95
2964 Dichloromethane	18268	<0.5	EPA502.2	0.5	5	07-19-95
2968 O-dichlorobenzene	18268	<0.5	EPA502.2	0.5	600	07-19-95
2969 Para-dichlorobenzene	18268	<0.5	EPA502.2	0.5	75	07-19-95
2976 Vinyl chloride	18268	<0.5	EPA502.2	0.5	1	07-19-95
2977 1,1,-dichloroethylene	18268	<0.5	EPA502.2	0.5	7	07-19-95
2979 Trans-1,2-dichloroethylene	18268	<0.5	EPA502.2	0.5	100	07-19-95
2980 1,2,-dichloroethane	18268	<0.5	EPA502.2	0.5	3	07-19-95
2981 1,1,1-trichloroethane	18268	<0.5	EPA502.2	0.5	200	07-19-95
2982 Carbon tetrachloride	18268	<0.5	EPA502.2	0.5	3	07-19-95
2983 1,2-dichloropropane	18268	<0.5	EPA502.2	0.5	5	07-19-95
2984 Trichloroethylene	18268	<0.5	EPA502.2	0.5	3	07-19-95
2985 1,1,2-trichloroethane	18268	<0.5	EPA502.2	0.5	5	07-19-95
2987 Tetrachloroethylene	18268	<0.5	EPA502.2	0.5	3	07-19-95
2989 Monochlorobenzene	18268	<0.5	EPA502.2	0.5	100	07-19-95
2990 Benzene	18268	<0.5	EPA502.2	0.5	1	07-19-95
2991 Toluene	18268	<0.5	EPA502.2	0.5	1000	07-19-95
2992 Ethylbenzene	18268	<0.5	EPA502.2	0.5	700	07-19-95
2996 Styrene	18268	<0.5	EPA502.2	0.5	100	07-19-95

Secondary Chemical Analysis

62-550.320

(PWS031)

Parameter ID NAME	Sample Number	Analysis Result(mg/l)	Analytical Method	Detection Limit (mg/l)	MCL	Analysis Date
1002 Aluminum	18268	0.710	EPA200.7	0.002	0.2	08-15-95
1017 Chloride	18268	10.4	EPA325.2	0.01	250	08-17-95
1022 Copper	18268	0.00430	EPA200.7	0.0002	1	07-25-95
1025 Fluoride	18268	0.113	EPA340.1	0.01	2	07-20-95
1028 Iron	18268	0.105	EPA200.7	0.0002	0.3	07-20-95
1032 Manganese	18268	0.00670	EPA200.7	0.00004	0.05	07-20-95
1050 Silver	18268	0.000200	EPA200.7	0.0002	0.1	07-25-95
1055 Sulfate	18268	1.39	EPA375.4	1	250	07-21-95
1095 Zinc	18268	0.00810	EPA200.7	0.0001	5	07-25-95
1905 Color (color units)	18268	150	EPA110.1	5	15	07-19-95
1920 Odor (total odor number)	18268	<1	EPA140.1	1	3	07-19-95
1925 pH	18268	7.98	EPA150.1	0.01	6.5 - 8.5	07-19-95
1930 Total Dissolved Solids	18268	176	EPA160.1	2.5	500	07-21-95
2905 Foaming Agents	18268	<0.1	EPA425.1	0.1	0.5	07-25-95

Pesticides & PCB Chemical Analysis
62-550.310(2)(c)
(PWS029)

Parameter ID NAME	Sample Number	Analysis Result(ug/l)	Analytical Method	Detection Limit (ug/l)	MCL	Analysis Date
2005 Endrin	18268	<0.001	EPA508	0.001	2	08-06-95
2010 Lindane	18268	<0.001	EPA508	0.001	0.2	08-06-95
2015 Methoxychlor	18268	<0.01	EPA508	0.01	40	08-06-95
2020 Toxaphene	18268	<0.1	EPA508	0.1	3	08-06-95
2031 Dalapon	18268	<0.001	EPA515.1	0.001	200	08-01-95
2032 Diquat	18268	<0.4	EPA549	0.4	20	07-31-95
2033 Endothall	18268	<9	EPA548	9	100	08-01-95
2034 Glyphosate	18268	<0.6	EPA547	0.6	700	07-27-95
2035 Di(2-ethylhexyl)adipate	18268	<0.6	EPA525.1	0.6	400	08-08-95
2036 Oxamyl (Vydate)	18268	<2	EPA531.1	2	200	08-03-95
2037 Simazine	18268	<0.07	EPA505	0.07	4	08-06-95
2039 Di(2-ethylhexyl)phthalate	18268	1.61	EPA525.1	0.6	6	08-08-95
2040 Picloram	18268	<0.07	EPA515.1	0.07	500	08-01-95
2041 Dinoseb	18268	<0.01	EPA515.1	0.01	7	08-01-95
2042 Hexachlorocyclopentadiene	18268	<0.1	EPA505	0.1	50	08-06-95
2046 Carbofuran	18268	<0.9	EPA531	0.9	40	08-03-95
2050 Atrazine	18268	<0.1	EPA505	0.1	3	08-06-95
2051 Alachlor	18268	<0.2	EPA505	0.2	2	08-06-95
2063 2,3,7,8-TCDD (Dioxin)	18268		EPA625	0.01	0.00003	
2065 Heptachlor	18268	<0.005	EPA505	0.005	0.4	08-06-95
2067 Heptachlor epoxide	18268	<0.005	EPA505	0.005	0.2	08-06-95
2105 2,4-D	18268	<0.05	EPA515.1	0.05	70	08-01-95
2110 2,4,5-TP (Silvex)	18268	<0.02	EPA515.1	0.02	50	08-01-95
2274 Hexachlorobenzene	18268	<0.1	EPA508	0.1	1	08-06-95
2306 Benzo(a)pyrene	18268	<0.02	EPA550	0.02	0.2	08-07-95
2326 Pentachlorophenol	18268	<0.04	EPA515.1	0.04	1	08-01-95
2383 PCB	18268	<0.1	EPA505	0.1	0.5	08-06-95
2931 Dibromochloropropane	18268	<0.02	EPA504	0.02	0.2	08-04-95
2946 Ethylene dibromide	18268	<0.01	EPA504	0.01	0.02	08-01-95
2959 Chlordane	18268	<0.01	EPA508	0.01	2	08-06-95

Radiological Analysis
62-550.310(5)
(PWS033)

Parameter ID NAME	Sample Number	Analysis Result(pCi/l)	Analytical Method	Detection Limit (pCi/l)	MCL	Analysis Date
4000 Gross alpha	18268	16.1	EPA900	0.1		5 08-14-95
4000 Analysis_Error(Ga)	18268	1.30	EPA900	0.1		08-14-95
4012 Photon emitters	18268		-	0.1		
4012 Analysis_Error(Photon)	18268		-	0.1		
4020 Radium-226	18268		EPA903.1	0.1		08-14-95
4020 Analysis_Error(226)	18268		EPA903.1	0.1		08-14-95
4030 Radium-228	18268		EPA904	0.3		08-14-95
4030 Analysis_Error(228)	18268		EPA904	0.3		08-14-95
4101 Man-made beta	18268		EPA900	0.1		08-14-95
4101 Analysis_Error(beta)	18268		EPA900	0.1		08-14-95

PUBLIC DRINKING WATER ANALYSIS REPORTING FORMAT

PUBLIC WATER SYSTEM INFORMATION (to be completed by system or lab)

System Name: _____ I.D. #: Sumt. Co. Indfl.
Address: PO Box 883 FloralCity, FL 34436 Phone #: _____
Type (check one): ☐ Community ☐ Nontransient Noncommunity ☐ Noncommunity

SAMPLE INFORMATION (to be completed by sampler)

Sample Date (MMDDYY): 7/19/95 Sample Time : _____
Sample Location (be specific): SL7
Sampler Name and Phone: _____
Samplers Signature: _____ Title: _____

Check Type (s): ☐ Distribution ☐ Recheck of MCL ☐ Resample of Lab Invalidated Sample
☐ Clearance ☐ Thm Max Res Time ☐ Plant Tap
☐ Distribution entry pt ☐ Raw ☐ Composite of Multiple Sites-Attach a format for each site

LABORATORY CERTIFICATION INFORMATION

Lab Name: Flowers Chemical Laboratories Inc. HRS# 83139 Expiration Date 6/30/95
Address: PO Box 150-0597 Altamonte Springs, Florida 32715-0597 Phone #: (407) 339-5984
Subcontracted Lab HRS #: HRS84252 Groups Analyzed: RAD

ANALYSIS INFORMATION (to be completed by lab)

Lab Number: 18269


Date Sample(s) Recieved: 7/19/95 Group(s) Analyzed & Results attached for compliance with 62-550, F.A.C.:
☒ Nitrate ☒ Nitrite ☐ Asbestos ☒ Trihalomethanes

Inorganics Volatile Organics Secondaries Pesticides & PCBs
☒ All 17 ☐ Partial ☒ All 21 ☐ Partial ☒ All 14 ☐ Partial ☐ All 30 ☒ Partial

Group I Unregulateds Group II Unregulateds Group III Unregulateds Radiochemicals
☐ All 13 ☐ Partial ☐ All 23 ☐ Partial ☐ All 11 ☐ Partial ☒ Single Sample
☐ Qtrly Composite *

* Provide radiochemical sample dates & locations for each quarter

I, Dr. Jefferson S Flowers, do HEREBY CERTIFY that all attached analytical data submitted are correct.



Signature: _____

Title: Technical Director

Date: 8/17/95

COMPLIANCE INFORMATION (to be completed by State)

Sample Collection Satisfactory: _____ Sample Analysis Satisfactory: _____

Resample Request for: _____ Reason: _____

Person notified to resample: _____ Date notified: ____/____/____

DEP /ACPHU Reviewing Official: _____

Inorganic Analysis
62-550.310(1)
(PWS030)

Parameter ID NAME	Sample Number	Analysis Result(mg/l)	Analytical Method	Detection Limit (mg/l)	MCL	Analysis Date
1005 Arsenic	18269	<0.0005	EPA206.3	0.0005	0.05	07-24-95
1010 Barium	18269	0.00620	EPA200.7	0.00006	2	07-25-95
1015 Cadmium	18269	0.00190	EPA200.7	0.0001	0.005	07-25-95
1020 Chromium	18269	0.00810	EPA200.7	0.0002	0.1	07-25-95
1024 Cyanide	18269	<0.005	EPA335.2	0.005	0.2	08-01-95
1025 Fluoride	18269	0.0793	EPA340.1	0.01	4	07-20-95
1030 Lead	18269	<0.001	EPA239.2	0.001	0.015	07-25-95
1035 Mercury	18269	<0.0002	EPA245.2	0.0002	0.002	07-28-95
1036 Nickel	18269	0.00380	EPA200.7	0.0004	0.1	07-25-95
1040 Nitrate(as N)	18269	81.6	EPA300.0	0.01	10	07-21-95
1041 Nitrite(as N)	18269	0.0514	EPA300.0	0.01	1	07-21-95
1045 Selenium	18269	<0.0005	EPA270.2	0.0005	0.05	05-26-95
1052 Sodium	18269	5.97	EPA200.7	0.001	160	07-20-95
1074 Antimony	18269	<0.003	EPA204.2	0.003	0.006	07-26-95
1075 Beryllium	18269	0.000320	EPA210.1	0.0002	0.004	07-27-95
1085 Thallium	18269	<0.001	EPA279.2	0.001	0.002	07-27-95
1094 Asbestos	18269		TEM	1	7	

Trihalomethane Analysis
62-550.310(2)(a)
(PWS027)

Parameter ID NAME	Sample Number	Analysis Result(mg/l)	Analytical Method	Detection Limit (mg/l)	MCL	Analysis Date
2950 TTHM	18269	<0.001	EPA502.2	0.001	0.1	07-19-95

Volatile Organic Analysis

62-550.310(2)(b)

(PWS028)

Parameter ID NAME	Sample Number	Analysis Result(ug/l)	Analytical Method	Detection Limit (ug/l)	MCL	Analysis Date
2378 1,2,4-trichlorobenzene	18269	<0.5	EPA502.2	0.5	70	07-19-95
2380 cis-1,2-Dichloroethylene	18269	<0.5	EPA502.2	0.5	70	07-19-95
2955 Xylenes (total)	18269	<0.5	EPA502.2	0.5	10000	07-19-95
2964 Dichloromethane	18269	<0.5	EPA502.2	0.5	5	07-19-95
2968 O-dichlorobenzene	18269	<0.5	EPA502.2	0.5	600	07-19-95
2969 Para-dichlorobenzene	18269	<0.5	EPA502.2	0.5	75	07-19-95
2976 Vinyl chloride	18269	<0.5	EPA502.2	0.5	1	07-19-95
2977 1,1,-dichloroethylene	18269	<0.5	EPA502.2	0.5	7	07-19-95
2979 Trans-1,2-dichloroethylene	18269	<0.5	EPA502.2	0.5	100	07-19-95
2980 1,2,-dichloroethane	18269	<0.5	EPA502.2	0.5	3	07-19-95
2981 1,1,1-trichloroethane	18269	<0.5	EPA502.2	0.5	200	07-19-95
2982 Carbon tetrachloride	18269	<0.5	EPA502.2	0.5	3	07-19-95
2983 1,2-dichloropropane	18269	<0.5	EPA502.2	0.5	5	07-19-95
2984 Trichloroethylene	18269	<0.5	EPA502.2	0.5	3	07-19-95
2985 1,1,2-trichloroethane	18269	<0.5	EPA502.2	0.5	5	07-19-95
2987 Tetrachloroethylene	18269	<0.5	EPA502.2	0.5	3	07-19-95
2989 Monochlorobenzene	18269	<0.5	EPA502.2	0.5	100	07-19-95
2990 Benzene	18269	<0.5	EPA502.2	0.5	1	07-19-95
2991 Toluene	18269	<0.5	EPA502.2	0.5	1000	07-19-95
2992 Ethylbenzene	18269	<0.5	EPA502.2	0.5	700	07-19-95
2996 Styrene	18269	<0.5	EPA502.2	0.5	100	07-19-95

Secondary Chemical Analysis

62-550.320

(PWS031)

Parameter ID NAME	Sample Number	Analysis Result(mg/l)	Analytical Method	Detection Limit (mg/l)	MCL	Analysis Date
1002 Aluminum	18269	0.767	EPA200.7	0.002	0.2	08-15-95
1017 Chloride	18269	10.3	EPA325.2	0.01	250	08-17-95
1022 Copper	18269	0.00260	EPA200.7	0.0002	1	07-25-95
1025 Fluoride	18269	0.0793	EPA340.1	0.01	2	07-20-95
1028 Iron	18269	0.173	EPA200.7	0.0002	0.3	07-20-95
1032 Manganese	18269	0.0112	EPA200.7	0.00004	0.05	07-20-95
1050 Silver	18269	<0.0002	EPA200.7	0.0002	0.1	07-25-95
1055 Sulfate	18269	2.01	EPA375.4	1	250	07-21-95
1095 Zinc	18269	0.0118	EPA200.7	0.0001	5	07-25-95
1905 Color (color units)	18269	50.0	EPA110.1	5	15	07-19-95
1920 Odor (total odor number)	18269	<1	EPA140.1	1	3	07-19-95
1925 pH	18269	7.79	EPA150.1	0.01	6.5 - 8.5	07-19-95
1930 Total Dissolved Solids	18269	224	EPA160.1	2.5	500	07-21-95
2905 Foaming Agents	18269	<0.1	EPA425.1	0.1	0.5	07-25-95

Pesticides & PCB Chemical Analysis
62-550.310(2)(c)
(PWS029)

Parameter ID NAME	Sample Number	Analysis Result(ug/l)	Analytical Method	Detection Limit (ug/l)	MCL	Analysis Date
2005 Endrin	18269	<0.001	EPA508	0.001	2	08-06-95
2010 Lindane	18269	<0.001	EPA508	0.001	0.2	08-06-95
2015 Methoxychlor	18269	<0.01	EPA508	0.01	40	08-06-95
2020 Toxaphene	18269	<0.1	EPA508	0.1	3	08-06-95
2031 Dalapon	18269	<0.001	EPA515.1	0.001	200	08-01-95
2032 Diquat	18269	<0.4	EPA549	0.4	20	07-31-95
2033 Endothall	18269	<9	EPA548	9	100	08-01-95
2034 Glyphosate	18269	<0.6	EPA547	0.6	700	07-27-95
2035 Di(2-ethylhexyl)adipate	18269	<0.6	EPA525.1	0.6	400	08-08-95
2036 Oxamyl (Vydate)	18269	<2	EPA531.1	2	200	08-03-95
2037 Simazine	18269	<0.07	EPA505	0.07	4	08-06-95
2039 Di(2-ethylhexyl)phthalate	18269	<0.6	EPA525.1	0.6	6	08-08-95
2040 Picloram	18269	<0.07	EPA515.1	0.07	500	08-01-95
2041 Dinoseb	18269	<0.01	EPA515.1	0.01	7	08-01-95
2042 Hexachlorocyclopentadiene	18269	<0.1	EPA505	0.1	50	08-06-95
2046 Carbofuran	18269	<0.9	EPA531	0.9	40	08-03-95
2050 Atrazine	18269	<0.1	EPA505	0.1	3	08-06-95
2051 Alachlor	18269	<0.2	EPA505	0.2	2	08-06-95
2063 2,3,7,8-TCDD (Dioxin)	18269		EPA625	0.01	0.00003	
2065 Heptachlor	18269	<0.005	EPA505	0.005	0.4	08-06-95
2067 Heptachlor epoxide	18269	<0.005	EPA505	0.005	0.2	08-06-95
2105 2,4-D	18269	<0.05	EPA515.1	0.05	70	08-01-95
2110 2,4,5-TP (Silvex)	18269	<0.02	EPA515.1	0.02	50	08-01-95
2274 Hexachlorobenzene	18269	<0.1	EPA508	0.1	1	08-06-95
2306 Benzo(a)pyrene	18269	<0.02	EPA550	0.02	0.2	08-07-95
2326 Pentachlorophenol	18269	<0.04	EPA515.1	0.04	1	08-01-95
2383 PCB	18269	<0.1	EPA505	0.1	0.5	08-06-95
2931 Dibromochloropropane	18269	<0.02	EPA504	0.02	0.2	08-04-95
2946 Ethylene dibromide	18269	<0.01	EPA504	0.01	0.02	08-01-95
2959 Chlordane	18269	<0.01	EPA508	0.01	2	08-06-95

Radiological Analysis
62-550.310(5)
(PWS033)

Parameter ID NAME	Sample Number	Analysis Result(pCi/l)	Analytical Method	Detection Limit (pCi/l)	MCL	Analysis Date
4000 Gross alpha	18269	9.90	EPA900	0.1		5 08-14-95
4000 Analysis_Error(Ga)	18269	1.10	EPA900	0.1		08-14-95
4012 Photon emitters	18269		-	0.1		
4012 Analysis_Error(Photon)	18269		-	0.1		
4020 Radium-226	18269		EPA903.1	0.1		08-14-95
4020 Analysis_Error(226)	18269		EPA903.1	0.1		08-14-95
4030 Radium-228	18269		EPA904	0.3		08-14-95
4030 Analysis_Error(228)	18269		EPA904	0.3		08-14-95
4101 Man-made beta	18269		EPA900	0.1		08-14-95
4101 Analysis_Error(beta)	18269		EPA900	0.1		08-14-95

PUBLIC DRINKING WATER ANALYSIS REPORTING FORMAT

PUBLIC WATER SYSTEM INFORMATION (to be completed by system or lab)

System Name: _____ I.D. #: Sumt. Co. Indfl.
Address: PO Box 883 FloralCity, FL 34436 Phone #: _____
Type (check one): ☐ Community ☐ Nontransient Noncommunity ☐ Noncommunity

SAMPLE INFORMATION (to be completed by sampler)

Sample Date (MMDDYY): 7/19/95 Sample Time : _____
Sample Location (be specific): SL8
Sampler Name and Phone: _____
Samplers Signature: _____ Title: _____

Check Type (s): ☐ Distribution ☐ Recheck of MCL ☐ Resample of Lab Invalidated Sample
☐ Clearance ☐ Thm Max Res Time ☐ Plant Tap
☐ Distribution entry pt ☐ Raw ☐ Composite of Multiple Sites-Attach a format for each site

LABORATORY CERTIFICATION INFORMATION

Lab Name: Flowers Chemical Laboratories Inc. HRS# 83139 Expiration Date 6/30/95
Address: PO Box 150-0597 Altamonte Springs, Florida 32715-0597 Phone #: (407) 339-5984
Subcontracted Lab HRS #: HRS84252 Groups Analyzed: RAD

ANALYSIS INFORMATION (to be completed by lab)

Lab Number: 18270

Date Sample(s) Recieved: 7/19/95 Group(s) Analyzed & Results attached for compliance with 62-550, F.A.C.:
☒ Nitrate ☒ Nitrite ☐ Asbestos ☒ Trihalomethanes

Inorganics Volatile Organics Secondaries Pesticides & PCBs
☒ All 17 ☐ Partial ☒ All 21 ☐ Partial ☒ All 14 ☐ Partial ☐ All 30 ☒ Partial

Group I Unregulateds Group II Unregulateds Group III Unregulateds Radiochemicals
☐ All 13 ☐ Partial ☐ All 23 ☐ Partial ☐ All 11 ☐ Partial ☒ Single Sample
☐ Qtrly Composite *

* Provide radiochemical sample dates & locations for each quarter

I, Dr. Jefferson S Flowers, do HEREBY CERTIFY that all attached analytical data submitted are correct.



Signature: _____
Title: Technical Director Date: 8/17/95

COMPLIANCE INFORMATION (to be completed by State)

Sample Collection Satisfactory: _____ Sample Analysis Satisfactory: _____
Resample Request for: _____ Reason: _____
Person notified to resample: _____ Date notified: ____/____/____
DEP /ACPHU Reviewing Official: _____

Inorganic Analysis
62-550.310(1)
(PWS030)

Parameter ID NAME	Sample Number	Analysis Result(mg/l)	Analytical Method	Detection Limit (mg/l)	MCL	Analysis Date
1005 Arsenic	18270	<0.0005	EPA206.3	0.0005	0.05	07-24-95
1010 Barium	18270	0.00600	EPA200.7	0.00006	2	07-25-95
1015 Cadmium	18270	<0.0001	EPA200.7	0.0001	0.005	07-25-95
1020 Chromium	18270	0.00220	EPA200.7	0.0002	0.1	07-25-95
1024 Cyanide	18270	<0.005	EPA335.2	0.005	0.2	08-01-95
1025 Fluoride	18270	<0.05	EPA340.1	0.01	4	07-20-95
1030 Lead	18270	<0.001	EPA239.2	0.001	0.015	07-25-95
1035 Mercury	18270	<0.0002	EPA245.2	0.0002	0.002	07-28-95
1036 Nickel	18270	0.00320	EPA200.7	0.0004	0.1	07-25-95
1040 Nitrate(as N)	18270	14.3	EPA300.0	0.01	10	07-21-95
1041 Nitrite(as N)	18270	0.174	EPA300.0	0.01	1	07-21-95
1045 Selenium	18270	<0.0005	EPA270.2	0.0005	0.05	05-26-95
1052 Sodium	18270	10.2	EPA200.7	0.001	160	07-20-95
1074 Antimony	18270	0.00407	EPA204.2	0.003	0.006	07-26-95
1075 Beryllium	18270	<0.0002	EPA210.1	0.0002	0.004	07-27-95
1085 Thallium	18270	0.00117	EPA279.2	0.001	0.002	07-27-95
1094 Asbestos	18270		TEM	1	7	

Trihalomethane Analysis
62-550.310(2)(a)
(PWS027)

Parameter ID NAME	Sample Number	Analysis Result(mg/l)	Analytical Method	Detection Limit (mg/l)	MCL	Analysis Date
2950 TTHM	18270	<0.001	EPA502.2	0.001	0.1	07-19-95

Volatile Organic Analysis

62-550.310(2)(b)

(PWS028)

Parameter ID NAME	Sample Number	Analysis Result(ug/l)	Analytical Method	Detection Limit (ug/l)	MCL	Analysis Date
2378 1,2,4-trichlorobenzene	18270	<0.5	EPA502.2	0.5	70	07-19-95
2380 cis-1,2-Dichloroethylene	18270	<0.5	EPA502.2	0.5	70	07-19-95
2955 Xylenes (total)	18270	<0.5	EPA502.2	0.5	10000	07-19-95
2964 Dichloromethane	18270	<0.5	EPA502.2	0.5	5	07-19-95
2968 O-dichlorobenzene	18270	<0.5	EPA502.2	0.5	600	07-19-95
2969 Para-dichlorobenzene	18270	<0.5	EPA502.2	0.5	75	07-19-95
2976 Vinyl chloride	18270	<0.5	EPA502.2	0.5	1	07-19-95
2977 1,1,-dichloroethylene	18270	<0.5	EPA502.2	0.5	7	07-19-95
2979 Trans-1,2-dichloroethylene	18270	<0.5	EPA502.2	0.5	100	07-19-95
2980 1,2,-dichloroethane	18270	<0.5	EPA502.2	0.5	3	07-19-95
2981 1,1,1-trichloroethane	18270	<0.5	EPA502.2	0.5	200	07-19-95
2982 Carbon tetrachloride	18270	<0.5	EPA502.2	0.5	3	07-19-95
2983 1,2-dichloropropane	18270	<0.5	EPA502.2	0.5	5	07-19-95
2984 Trichloroethylene	18270	<0.5	EPA502.2	0.5	3	07-19-95
2985 1,1,2-trichloroethane	18270	<0.5	EPA502.2	0.5	5	07-19-95
2987 Tetrachloroethylene	18270	<0.5	EPA502.2	0.5	3	07-19-95
2989 Monochlorobenzene	18270	<0.5	EPA502.2	0.5	100	07-19-95
2990 Benzene	18270	<0.5	EPA502.2	0.5	1	07-19-95
2991 Toluene	18270	<0.5	EPA502.2	0.5	1000	07-19-95
2992 Ethylbenzene	18270	<0.5	EPA502.2	0.5	700	07-19-95
2996 Styrene	18270	<0.5	EPA502.2	0.5	100	07-19-95

Secondary Chemical Analysis

62-550.320

(PWS031)

Parameter ID NAME	Sample Number	Analysis Result(mg/l)	Analytical Method	Detection Limit (mg/l)	MCL	Analysis Date
1002 Aluminum	18270	0.263	EPA200.7	0.002	0.2	08-15-95
1017 Chloride	18270	13.7	EPA325.2	0.01	250	08-17-95
1022 Copper	18270	0.000600	EPA200.7	0.0002	1	07-25-95
1025 Fluoride	18270	<0.05	EPA340.1	0.01	2	07-20-95
1028 Iron	18270	0.258	EPA200.7	0.0002	0.3	07-20-95
1032 Manganese	18270	0.0289	EPA200.7	0.00004	0.05	07-20-95
1050 Silver	18270	<0.0002	EPA200.7	0.0002	0.1	07-25-95
1055 Sulfate	18270	4.35	EPA375.4	1	250	07-21-95
1095 Zinc	18270	0.00130	EPA200.7	0.0001	5	07-25-95
1905 Color (color units)	18270	10.0	EPA110.1	5	15	07-19-95
1920 Odor (total odor number)	18270	<1	EPA140.1	1	3	07-19-95
1925 pH	18270	7.03	EPA150.1	0.01	6.5 - 8.5	07-19-95
1930 Total Dissolved Solids	18270	320	EPA160.1	2.5	500	07-21-95
2905 Foaming Agents	18270	<0.1	EPA425.1	0.1	0.5	07-25-95

Pesticides & PCB Chemical Analysis
62-550.310(2)(c)
(PWS029)

Parameter ID NAME	Sample Number	Analysis Result(ug/l)	Analytical Method	Detection Limit (ug/l)	MCL	Analysis Date
2005 Endrin	18270	<0.001	EPA508	0.001	2	08-06-95
2010 Lindane	18270	<0.001	EPA508	0.001	0.2	08-06-95
2015 Methoxychlor	18270	<0.01	EPA508	0.01	40	08-06-95
2020 Toxaphene	18270	<0.1	EPA508	0.1	3	08-06-95
2031 Dalapon	18270	<0.001	EPA515.1	0.001	200	08-01-95
2032 Diquat	18270	<0.4	EPA549	0.4	20	07-31-95
2033 Endothall	18270	<9	EPA548	9	100	08-01-95
2034 Glyphosate	18270	<0.6	EPA547	0.6	700	07-27-95
2035 Di(2-ethylhexyl)adipate	18270	<0.6	EPA525.1	0.6	400	08-08-95
2036 Oxamyl (Vydate)	18270	<2	EPA531.1	2	200	08-03-95
2037 Simazine	18270	<0.07	EPA505	0.07	4	08-06-95
2039 Di(2-ethylhexyl)phthalate	18270	<0.6	EPA525.1	0.6	6	08-08-95
2040 Picloram	18270	<0.07	EPA515.1	0.07	500	08-01-95
2041 Dinoseb	18270	<0.01	EPA515.1	0.01	7	08-01-95
2042 Hexachlorocyclopentadiene	18270	<0.1	EPA505	0.1	50	08-06-95
2046 Carbofuran	18270	<0.9	EPA531	0.9	40	08-03-95
2050 Atrazine	18270	<0.1	EPA505	0.1	3	08-06-95
2051 Alachlor	18270	<0.2	EPA505	0.2	2	08-06-95
2063 2,3,7,8-TCDD (Dioxin)	18270		EPA625	0.01	0.00003	
2065 Heptachlor	18270	<0.005	EPA505	0.005	0.4	08-06-95
2067 Heptachlor epoxide	18270	<0.005	EPA505	0.005	0.2	08-06-95
2105 2,4-D	18270	<0.05	EPA515.1	0.05	70	08-01-95
2110 2,4,5-TP (Silvex)	18270	<0.02	EPA515.1	0.02	50	08-01-95
2274 Hexachlorobenzene	18270	<0.1	EPA508	0.1	1	08-06-95
2306 Benzo(a)pyrene	18270	<0.02	EPA550	0.02	0.2	08-07-95
2326 Pentachlorophenol	18270	<0.04	EPA515.1	0.04	1	08-01-95
2383 PCB	18270	<0.1	EPA505	0.1	0.5	08-06-95
2931 Dibromochloropropane	18270	<0.02	EPA504	0.02	0.2	08-04-95
2946 Ethylene dibromide	18270	<0.01	EPA504	0.01	0.02	08-01-95
2959 Chlordane	18270	<0.01	EPA508	0.01	2	08-06-95

Radiological Analysis
62-550.310(5)
(PWS033)

Parameter ID NAME	Sample Number	Analysis Result(pCi/l)	Analytical Method	Detection Limit (pCi/l)	MCL	Analysis Date
4000 Gross alpha	18270	2.70	EPA900	0.1		5 08-14-95
4000 Analysis_Error(Ga)	18270	0.400	EPA900	0.1		08-14-95
4012 Photon emitters	18270		-	0.1		
4012 Analysis_Error(Photon)	18270		-	0.1		
4020 Radium-226	18270		EPA903.1	0.1		08-14-95
4020 Analysis_Error(226)	18270		EPA903.1	0.1		08-14-95
4030 Radium-228	18270		EPA904	0.3		08-14-95
4030 Analysis_Error(228)	18270		EPA904	0.3		08-14-95
4101 Man-made beta	18270		EPA900	0.1		08-14-95
4101 Analysis_Error(beta)	18270		EPA900	0.1		08-14-95

PUBLIC DRINKING WATER ANALYSIS REPORTING FORMAT

PUBLIC WATER SYSTEM INFORMATION (to be completed by system or lab)

System Name: _____ I.D. #: Sumt. Co. Indfl.
Address: PO Box 883 FloralCity, FL 34436 Phone #: _____
Type (check one): ☐ Community ☐ Nontransient Noncommunity ☐ Noncommunity

SAMPLE INFORMATION (to be completed by sampler)

Sample Date (MMDDYY): 7/19/95 Sample Time: _____
Sample Location (be specific): SL9
Sampler Name and Phone: _____
Samplers Signature: _____ Title: _____

Check Type (s): ☐ Distribution ☐ Recheck of MCL ☐ Resample of Lab Invalidated Sample
☐ Clearance ☐ Thm Max Res Time ☐ Plant Tap
☐ Distribution entry pt ☐ Raw ☐ Composite of Multiple Sites-Attach a format for each site

LABORATORY CERTIFICATION INFORMATION

Lab Name: Flowers Chemical Laboratories Inc. HRS# 83139 Expiration Date 6/30/95
Address: PO Box 150-0597 Altamonte Springs, Florida 32715-0597 Phone #: (407) 339-5984
Subcontracted Lab HRS #: HRS84252 Groups Analyzed: RAD

ANALYSIS INFORMATION (to be completed by lab)


Lab Number: 18271

Date Sample(s) Recieved: 7/19/95 Group(s) Analyzed & Results attached for compliance with 62-550, F.A.C.:
☒ Nitrate ☒ Nitrite ☐ Asbestos ☒ Trihalomethanes

Inorganics	Volatile Organics	Secondaries	Pesticides & PCBs
☒ All 17 ☐ Partial	☒ All 21 ☐ Partial	☒ All 14 ☐ Partial	☐ All 30 ☒ Partial
Group I Unregulateds	Group II Unregulateds	Group III Unregulateds	Radiochemicals
☐ All 13 ☐ Partial	☐ All 23 ☐ Partial	☐ All 11 ☐ Partial	☒ Single Sample
			☐ Qtrly Composite *

* Provide radiochemical sample dates & locations for each quarter

I, Dr. Jefferson S Flowers, do HEREBY CERTIFY that all attached analytical data submitted are correct.



Signature: _____
Title: Technical Director

Date: 8/17/95

COMPLIANCE INFORMATION (to be completed by State)

Sample Collection Satisfactory: _____ Sample Analysis Satisfactory: _____
Resample Request for: _____ Reason: _____
Person notified to resample: _____ Date notified: ____/____/____
DEP /ACPHU Reviewing Official: _____

Inorganic Analysis

62-550.310(1)

(PWS030)

Parameter ID NAME	Sample Number	Analysis Result(mg/l)	Analytical Method	Detection Limit (mg/l)	MCL	Analysis Date
1005 Arsenic	18271	<0.0005	EPA206.3	0.0005	0.05	07-24-95
1010 Barium	18271	0.0142	EPA200.7	0.00006	2	07-25-95
1015 Cadmium	18271	0.00440	EPA200.7	0.0001	0.005	07-25-95
1020 Chromium	18271	0.00220	EPA200.7	0.0002	0.1	07-25-95
1024 Cyanide	18271	<0.005	EPA335.2	0.005	0.2	08-01-95
1025 Fluoride	18271	0.143	EPA340.1	0.01	4	07-20-95
1030 Lead	18271	<0.001	EPA239.2	0.001	0.015	07-25-95
1035 Mercury	18271	<0.0002	EPA245.2	0.0002	0.002	07-28-95
1036 Nickel	18271	0.00550	EPA200.7	0.0004	0.1	07-25-95
1040 Nitrate(as N)	18271	0.0855	EPA300.0	0.01	10	07-21-95
1041 Nitrite(as N)	18271	<0.01	EPA300.0	0.01	1	07-21-95
1045 Selenium	18271	<0.0005	EPA270.2	0.0005	0.05	05-26-95
1052 Sodium	18271	31.8	EPA200.7	0.001	160	07-20-95
1074 Antimony	18271	<0.003	EPA204.2	0.003	0.006	07-26-95
1075 Beryllium	18271	<0.0002	EPA210.1	0.0002	0.004	07-27-95
1085 Thallium	18271	0.00119	EPA279.2	0.001	0.002	07-27-95
1094 Asbestos	18271		TEM	1	7	

Trihalomethane Analysis

62-550.310(2)(a)

(PWS027)

Parameter ID NAME	Sample Number	Analysis Result(mg/l)	Analytical Method	Detection Limit (mg/l)	MCL	Analysis Date
2950 TTHM	18271	<0.001	EPA502.2	0.001	0.1	07-19-95

Volatile Organic Analysis

62-550.310(2)(b)

(PWS028)

Parameter ID NAME	Sample Number	Analysis Result(ug/l)	Analytical Method	Detection Limit (ug/l)	MCL	Analysis Date
2378 1,2,4-trichlorobenzene	18271	<0.5	EPA502.2	0.5	70	07-19-95
2380 cis-1,2-Dichloroethylene	18271	<0.5	EPA502.2	0.5	70	07-19-95
2955 Xylenes (total)	18271	<0.5	EPA502.2	0.5	10000	07-19-95
2964 Dichloromethane	18271	<0.5	EPA502.2	0.5	5	07-19-95
2968 O-dichlorobenzene	18271	<0.5	EPA502.2	0.5	600	07-19-95
2969 Para-dichlorobenzene	18271	<0.5	EPA502.2	0.5	75	07-19-95
2976 Vinyl chloride	18271	<0.5	EPA502.2	0.5	1	07-19-95
2977 1,1,-dichloroethylene	18271	<0.5	EPA502.2	0.5	7	07-19-95
2979 Trans-1,2-dichloroethylene	18271	<0.5	EPA502.2	0.5	100	07-19-95
2980 1,2,-dichloroethane	18271	<0.5	EPA502.2	0.5	3	07-19-95
2981 1,1,1-trichloroethane	18271	<0.5	EPA502.2	0.5	200	07-19-95
2982 Carbon tetrachloride	18271	<0.5	EPA502.2	0.5	3	07-19-95
2983 1,2-dichloropropane	18271	<0.5	EPA502.2	0.5	5	07-19-95
2984 Trichloroethylene	18271	<0.5	EPA502.2	0.5	3	07-19-95
2985 1,1,2-trichloroethane	18271	<0.5	EPA502.2	0.5	5	07-19-95
2987 Tetrachloroethylene	18271	<0.5	EPA502.2	0.5	3	07-19-95
2989 Monochlorobenzene	18271	<0.5	EPA502.2	0.5	100	07-19-95
2990 Benzene	18271	<0.5	EPA502.2	0.5	1	07-19-95
2991 Toluene	18271	<0.5	EPA502.2	0.5	1000	07-19-95
2992 Ethylbenzene	18271	<0.5	EPA502.2	0.5	700	07-19-95
2996 Styrene	18271	<0.5	EPA502.2	0.5	100	07-19-95

Secondary Chemical Analysis

62-550.320

(PWS031)

Parameter ID NAME	Sample Number	Analysis Result(mg/l)	Analytical Method	Detection Limit (mg/l)	MCL	Analysis Date
1002 Aluminum	18271	0.410	EPA200.7	0.002	0.2	08-15-95
1017 Chloride	18271	17.1	EPA325.2	0.01	250	08-17-95
1022 Copper	18271	0.00120	EPA200.7	0.0002	1	07-25-95
1025 Fluoride	18271	0.143	EPA340.1	0.01	2	07-20-95
1028 Iron	18271	0.556	EPA200.7	0.0002	0.3	07-20-95
1032 Manganese	18271	0.0471	EPA200.7	0.00004	0.05	07-20-95
1050 Silver	18271	<0.0002	EPA200.7	0.0002	0.1	07-25-95
1055 Sulfate	18271	7.01	EPA375.4	1	250	07-21-95
1095 Zinc	18271	0.00310	EPA200.7	0.0001	5	07-25-95
1905 Color (color units)	18271	20.0	EPA110.1	5	15	07-19-95
1920 Odor (total odor number)	18271	<1	EPA140.1	1	3	07-19-95
1925 pH	18271	6.74	EPA150.1	0.01	6.5 - 8.5	07-19-95
1930 Total Dissolved Solids	18271	500	EPA160.1	2.5	500	07-21-95
2905 Foaming Agents	18271	<0.1	EPA425.1	0.1	0.5	07-25-95

Pesticides & PCB Chemical Analysis
62-550.310(2)(c)
(PWS029)

Parameter ID NAME	Sample Number	Analysis Result(ug/l)	Analytical Method	Detection Limit (ug/l)	MCL	Analysis Date
2005 Endrin	18271	<0.001	EPA508	0.001	2	08-06-95
2010 Lindane	18271	<0.001	EPA508	0.001	0.2	08-06-95
2015 Methoxychlor	18271	<0.01	EPA508	0.01	40	08-06-95
2020 Toxaphene	18271	<0.1	EPA508	0.1	3	08-06-95
2031 Dalapon	18271	<0.001	EPA515.1	0.001	200	08-01-95
2032 Diquat	18271	<0.4	EPA549	0.4	20	07-31-95
2033 Endothall	18271	<9	EPA548	9	100	08-01-95
2034 Glyphosate	18271	<0.6	EPA547	0.6	700	07-27-95
2035 Di(2-ethylhexyl)adipate	18271	<0.6	EPA525.1	0.6	400	08-08-95
2036 Oxamyl (Vydate)	18271	<2	EPA531.1	2	200	08-03-95
2037 Simazine	18271	<0.07	EPA505	0.07	4	08-06-95
2039 Di(2-ethylhexyl)phthalate	18271	<0.6	EPA525.1	0.6	6	08-08-95
2040 Picloram	18271	<0.07	EPA515.1	0.07	500	08-01-95
2041 Dinoseb	18271	<0.01	EPA515.1	0.01	7	08-01-95
2042 Hexachlorocyclopentadiene	18271	<0.1	EPA505	0.1	50	08-06-95
2046 Carbofuran	18271	<0.9	EPA531	0.9	40	08-03-95
2050 Atrazine	18271	<0.1	EPA505	0.1	3	08-06-95
2051 Alachlor	18271	<0.2	EPA505	0.2	2	08-06-95
2063 2,3,7,8-TCDD (Dioxin)	18271		EPA625	0.01	0.00003	
2065 Heptachlor	18271	<0.005	EPA505	0.005	0.4	08-06-95
2067 Heptachlor epoxide	18271	<0.005	EPA505	0.005	0.2	08-06-95
2105 2,4-D	18271	<0.05	EPA515.1	0.05	70	08-01-95
2110 2,4,5-TP (Silvex)	18271	<0.02	EPA515.1	0.02	50	08-01-95
2274 Hexachlorobenzene	18271	<0.1	EPA508	0.1	1	08-06-95
2306 Benzo(a)pyrene	18271	<0.02	EPA550	0.02	0.2	08-07-95
2326 Pentachlorophenol	18271	<0.04	EPA515.1	0.04	1	08-01-95
2383 PCB	18271	<0.1	EPA505	0.1	0.5	08-06-95
2931 Dibromochloropropane	18271	<0.02	EPA504	0.02	0.2	08-04-95
2946 Ethylene dibromide	18271	<0.01	EPA504	0.01	0.02	08-01-95
2959 Chlordane	18271	<0.01	EPA508	0.01	2	08-06-95

Radiological Analysis
62-550.310(5)
(PWS033)

Parameter ID NAME	Sample Number	Analysis Result(pCi/l)	Analytical Method	Detection Limit (pCi/l)	MCL	Analysis Date
4000 Gross alpha	18271	8.30	EPA900	0.1		5 08-14-95
4000 Analysis_Error(Ga)	18271	1.10	EPA900	0.1		08-14-95
4012 Photon emitters	18271		-	0.1		
4012 Analysis_Error(Photon)	18271		-	0.1		
4020 Radium-226	18271		EPA903.1	0.1		08-14-95
4020 Analysis_Error(226)	18271		EPA903.1	0.1		08-14-95
4030 Radium-228	18271		EPA904	0.3		08-14-95
4030 Analysis_Error(228)	18271		EPA904	0.3		08-14-95
4101 Man-made beta	18271		EPA900	0.1		08-14-95
4101 Analysis_Error(beta)	18271		EPA900	0.1		08-14-95