



# FDEP Automated Data Evaluation

Oak Hammock

## Human Review Statement:

This is an automated data review produced by the FDEP Validator software. This report does not supercede FDEP rules or standards and may not contain all violations of FDEP rules and standards. This report should be reviewed by a qualified staff member.

Sample ID: **J0705415-001**

Matrix: W

Well Type: DE - Detection

Monitoring Site: MW-13C

Sample Date: November 12, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units
Iron	561		UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 300 ug/L  
 Exceeds by factor of: 1.87

Comment:

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.24	U	UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 0.02 ug/L  
 Detection Limit: 0.24 UG/L

Comment:

Acrylonitrile	6.7	U	UG/L
---------------	-----	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 0.06 ug/L  
 Detection Limit: 6.7 UG/L

Comment:

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
AMMONIA-N	0.17		MG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 2.8 mg/L  
 Detection Limit: 0.037 MG/L

Comment:

Barium	18		UG/L
--------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 2000 ug/L  
 Detection Limit: 0.14 UG/L

Comment:

Chloride	11		MG/L
----------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 250 mg/L  
 Detection Limit: 0.068 MG/L

Comment:

Chromium	2.2		UG/L
----------	-----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 100 ug/L  
 Detection Limit: 0.12 UG/L

Comment:

Nickel	0.85	I	UG/L
--------	------	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 100 ug/L  
 Detection Limit: 0.69 UG/L

Comment:

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 1 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sodium	7.6	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Total Dissolved Solids	32	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	500 mg/L
			Detection Limit:	4.7 MG/L
Vanadium	0.79 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L
Zinc	3.2 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5000 ug/L
			Detection Limit:	1.7 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.19	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:	Estimated value; value not accurate.			

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	QA/QC Qualifier J
Comment:	Estimated value; value not accurate.			Qual meaning: Estimated value; value not accurate.

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
Page 2 of 170  
C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705415-002**

Matrix: W

Well Type:

Monitoring Site: Trip Blank

Sample Date: November 12, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,2,3-Trichloropropane	0.24	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.02 ug/L
1,2-Dibromo-3-chloropropane (DBCP)	0.85	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.2 ug/L
1,2-Dibromoethane (EDB)	0.12	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.02 ug/L
Acrylonitrile	6.7	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.06 ug/L
				Detection Limit: 6.7 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
cis-1,3-Dichloropropene	0.14	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.19	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:	Estimated value; value not accurate.			

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	QA/QC Qualifier
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	J
Comment:	Estimated value; value not accurate.			Qual meaning: Estimated value; value not accurate.

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
 Page 3 of 170  
 C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705456-001**

Matrix: W

Well Type: DE - Detection

Monitoring Site: MW-13A

Sample Date: November 13, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units	Compliance Check:
Arsenic	16		UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 10 ug/L
Iron	17300		UG/L	Exceeds by factor of: 1.60 Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 300 ug/L Exceeds by factor of: 57.67

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,2,3-Trichloropropane	0.24	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.02 ug/L Detection Limit: 0.24 UG/L
Acrylonitrile	6.7	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.06 ug/L Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
AMMONIA-N	1.3		MG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 2.8 mg/L Detection Limit: 0.037 MG/L
Barium	8.5		UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 2000 ug/L Detection Limit: 0.14 UG/L
Chloride	17		MG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 250 mg/L Detection Limit: 0.068 MG/L
Chromium	5.9		UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 100 ug/L Detection Limit: 0.12 UG/L
Cobalt	0.78	I	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 140 ug/L Detection Limit: 0.041 UG/L

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 4 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sodium	11	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Toluene	0.3 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	40 ug/L
			Detection Limit:	0.13 UG/L
Total Dissolved Solids	110	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	500 mg/L
			Detection Limit:	4.7 MG/L
Vanadium	3.5	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.21	l	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:	Estimated value; value not accurate.			

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	QA/QC Qualifier J
Comment:	Estimated value; value not accurate.			Qual meaning: Estimated value; value not accurate.

Evaluation Type: **The sample was analyzed after the holding time had expired.**

Measured concentrations may not be representative of conditions at sample collection.

Parameter Name	Rslt	Qual	Units	
NITRATE NITROGEN (as N)	0.064	U	MG/L	Analysis performed outside holding time by: 14.4 hours.

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
Page 5 of 170  
C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705456-002**

Matrix: W

Well Type: DE - Detection

Monitoring Site: MW-13B

Sample Date: November 13, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units
Iron	864		UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 2.88

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.24	U	UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.02 ug/L

Detection Limit: 0.24 UG/L

Acrylonitrile	6.7	U	UG/L
---------------	-----	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.06 ug/L

Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
AMMONIA-N	0.14		MG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.037 MG/L

Barium	15		UG/L
--------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 0.14 UG/L

Chloride	13		MG/L
----------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.068 MG/L

Chromium	2.5		UG/L
----------	-----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 0.12 UG/L

Cobalt	0.18	I	UG/L
--------	------	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 140 ug/L

Detection Limit: 0.041 UG/L

Copper	6.7		UG/L
--------	-----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 1000 ug/L

Detection Limit: 0.29 UG/L

**Versions**

Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 6 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Lead	2	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	15 ug/L
			Detection Limit:	0.3 UG/L
Sodium	8.3	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Total Dissolved Solids	59	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	500 mg/L
			Detection Limit:	4.7 MG/L
Vanadium	1.3 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L
Zinc	6.2 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5000 ug/L
			Detection Limit:	1.7 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.19	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:	Estimated value; value not accurate.			

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	QA/QC Qualifier J
Comment:	Estimated value; value not accurate.			Qual meaning: Estimated value; value not accurate.

Evaluation Type: **The sample was analyzed after the holding time had expired.**

Measured concentrations may not be representative of conditions at sample collection.

Parameter Name	Rslt	Qual	Units	
NITRATE NITROGEN (as N)	0.064	U	MG/L	Analysis performed outside 14.2 hours. holding time by:

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
Page 7 of 170  
C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705456-003**

Matrix: W

Well Type: DE - Detection

Monitoring Site: MW-12A

Sample Date: November 13, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units
Iron	17300		UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.  
(04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 57.67

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.24	U	UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.  
(04/17/2005)

Comment:

Criterion: 0.02 ug/L

Detection Limit: 0.24 UG/L

Acrylonitrile	6.7	U	UG/L
---------------	-----	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.  
(04/17/2005)

Comment:

Criterion: 0.06 ug/L

Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
AMMONIA-N	0.7		MG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.  
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.037 MG/L

Arsenic	4.1		UG/L
---------	-----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.  
(04/17/2005)

Comment:

Criterion: 10 ug/L

Detection Limit: 0.28 UG/L

Barium	9.5		UG/L
--------	-----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.  
(04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 0.14 UG/L

Chloride	10		MG/L
----------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.  
(04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.068 MG/L

Chromium	3.3		UG/L
----------	-----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.  
(04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 0.12 UG/L

Cobalt	1.1		UG/L
--------	-----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.  
(04/17/2005)

Comment:

Criterion: 140 ug/L

Detection Limit: 0.041 UG/L

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 8 of 170

C:\1A0.tmp



# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Nickel	1.7 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.69 UG/L
Sodium	10	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Total Dissolved Solids	100	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	500 mg/L
			Detection Limit:	4.7 MG/L
Vanadium	1.5 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L
Zinc	3 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5000 ug/L
			Detection Limit:	1.7 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.19	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:	Estimated value; value not accurate.			

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	QA/QC Qualifier J
Comment:	Estimated value; value not accurate.			Qual meaning: Estimated value; value not accurate.

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
Page 9 of 170  
C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705456-004**

Matrix: W

Well Type: DE - Detection

Monitoring Site: MW-12B

Sample Date: November 13, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units
Iron	988		UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 3.29

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.24	U	UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.02 ug/L

Detection Limit: 0.24 UG/L

Acrylonitrile	6.7	U	UG/L
---------------	-----	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.06 ug/L

Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
AMMONIA-N	0.12		MG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.037 MG/L

Barium	28		UG/L
--------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 0.14 UG/L

Chloride	16		MG/L
----------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.068 MG/L

Chromium	2.1		UG/L
----------	-----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 0.12 UG/L

Cobalt	0.12	l	UG/L
--------	------	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 140 ug/L

Detection Limit: 0.041 UG/L

Copper	2.9		UG/L
--------	-----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 1000 ug/L

Detection Limit: 0.29 UG/L

**Versions**

Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 10 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Lead	1.1	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	15 ug/L
			Detection Limit:	0.3 UG/L
Sodium	7.2	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Total Dissolved Solids	56	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	500 mg/L
			Detection Limit:	4.7 MG/L
Vanadium	0.46 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L
Zinc	7.8 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5000 ug/L
			Detection Limit:	1.7 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.19	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:	Estimated value; value not accurate.			

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	QA/QC Qualifier J
Comment:	Estimated value; value not accurate.			Qual meaning: Estimated value; value not accurate.

Versions Report: 3.0.0 Database: 3.7.51 6/24/2005 12:00
---

Tuesday, April 01, 2008  
 Page 11 of 170  
 C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705456-005**

Matrix: W

Well Type: DE - Detection

Monitoring Site: MW-12C

Sample Date: November 13, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units
Iron	670		UG/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 300 ug/L  
 Exceeds by factor of: 2.23

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.24	U	UG/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 0.02 ug/L  
 Detection Limit: 0.24 UG/L

Acrylonitrile	6.7	U	UG/L
---------------	-----	---	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 0.06 ug/L  
 Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
AMMONIA-N	0.11		MG/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 2.8 mg/L  
 Detection Limit: 0.037 MG/L

Barium	19		UG/L
--------	----	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 2000 ug/L  
 Detection Limit: 0.14 UG/L

Beryllium	0.17	I	UG/L
-----------	------	---	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 4 ug/L  
 Detection Limit: 0.084 UG/L

Chloride	8.4		MG/L
----------	-----	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 250 mg/L  
 Detection Limit: 0.068 MG/L

Chromium	1.7	I	UG/L
----------	-----	---	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 100 ug/L  
 Detection Limit: 0.12 UG/L

Sodium	5.5		MG/L
--------	-----	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 160 mg/L  
 Detection Limit: 0.15 MG/L

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 12 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Thallium	0.099 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	2 ug/L
			Detection Limit:	0.077 UG/L
Total Dissolved Solids	43	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	500 mg/L
			Detection Limit:	4.7 MG/L
Vanadium	0.4 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.19	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:	Estimated value; value not accurate.			

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	QA/QC Qualifier J
Comment:	Estimated value; value not accurate.			Qual meaning: Estimated value; value not accurate.

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
 Page 13 of 170  
 C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705456-006**

Matrix: W

Well Type: DE - Detection

Monitoring Site: MW-11A

Sample Date: November 13, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units	Compliance Check:
AMMONIA-N	9.4		MG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 2.8 mg/L
Comment:				Exceeds by factor of: 3.36
Arsenic	19		UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 10 ug/L
Comment:				Exceeds by factor of: 1.90
Iron	20300		UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 300 ug/L
Comment:				Exceeds by factor of: 67.67

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,2,3-Trichloropropane	0.24 U		UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.02 ug/L
Comment:				Detection Limit: 0.24 UG/L
Acrylonitrile	6.7 U		UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.06 ug/L
Comment:				Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
Barium	8.4		UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 2000 ug/L
Comment:				Detection Limit: 0.14 UG/L
Benzene	0.7 I		UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 1 ug/L
Comment:				Detection Limit: 0.088 UG/L
Chloride	10		MG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 250 mg/L
Comment:				Detection Limit: 0.068 MG/L
Chromium	7		UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 100 ug/L
Comment:				Detection Limit: 0.12 UG/L

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 14 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

cis-1,2-Dichloroethene	0.42 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	70 ug/L
			Detection Limit:	0.12 UG/L
Cobalt	1	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	140 ug/L
			Detection Limit:	0.041 UG/L
Ethylbenzene	0.5 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	30 ug/L
			Detection Limit:	0.12 UG/L
Lead	0.58 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	15 ug/L
			Detection Limit:	0.3 UG/L
Methylene Chloride	0.36 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5 ug/L
			Detection Limit:	0.29 UG/L
Nickel	1.4 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.69 UG/L
Sodium	10	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Total Dissolved Solids	180	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	500 mg/L
			Detection Limit:	4.7 MG/L
Vanadium	5.5	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L
Zinc	2.2 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5000 ug/L
			Detection Limit:	1.7 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.54	l	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.16	l	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

**Versions**

Report: 3.0.0  
Database: 3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 15 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment: Estimated value; value not accurate.

---

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L

QA/QC Qualifier J

Comment: Estimated value; value not accurate.

Qual meaning: Estimated value; value not accurate.

Versions
Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 16 of 170

C:\1A0.tmp



# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705456-007**

Matrix: W

Well Type: DE - Detection

Monitoring Site: MW-11B

Sample Date: November 13, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units
Iron	713		UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 300 ug/L  
 Exceeds by factor of: 2.38

Comment:

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.24	U	UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 0.02 ug/L

Comment:

Detection Limit: 0.24 UG/L

Acrylonitrile	6.7	U	UG/L
---------------	-----	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.06 ug/L

Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
AMMONIA-N	0.056		MG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 2.8 mg/L

Comment:

Detection Limit: 0.037 MG/L

Barium	20		UG/L
--------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 0.14 UG/L

Chloride	24		MG/L
----------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.068 MG/L

Chromium	2.2		UG/L
----------	-----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 0.12 UG/L

Cobalt	0.12	I	UG/L
--------	------	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 140 ug/L

Detection Limit: 0.041 UG/L

Copper	2.8		UG/L
--------	-----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 1000 ug/L

Detection Limit: 0.29 UG/L

**Versions**

Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 17 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Lead	0.65 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	15 ug/L
			Detection Limit:	0.3 UG/L
Sodium	15	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Total Dissolved Solids	69	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	500 mg/L
			Detection Limit:	4.7 MG/L
Vanadium	1.4 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L
Zinc	4.2 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5000 ug/L
			Detection Limit:	1.7 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.19	I	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:	Estimated value; value not accurate.			

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	QA/QC Qualifier J
Comment:	Estimated value; value not accurate.			Qual meaning: Estimated value; value not accurate.

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
 Page 18 of 170  
 C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705456-008**

Matrix: W

Well Type: DE - Detection

Monitoring Site: MW-11C

Sample Date: November 13, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units
Iron	512		UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 1.71

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.24	U	UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.02 ug/L

Detection Limit: 0.24 UG/L

Acrylonitrile	6.7	U	UG/L
---------------	-----	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.06 ug/L

Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
AMMONIA-N	0.086		MG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.037 MG/L

Barium	7.6		UG/L
--------	-----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 0.14 UG/L

Chloride	18		MG/L
----------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.068 MG/L

Chromium	1.8	I	UG/L
----------	-----	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 0.12 UG/L

Ethylbenzene	0.28	I	UG/L
--------------	------	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 30 ug/L

Detection Limit: 0.12 UG/L

Sodium	10		MG/L
--------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 160 mg/L

Detection Limit: 0.15 MG/L

**Versions**

Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 19 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Toluene	0.23 I	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion: 40 ug/L
			Detection Limit: 0.13 UG/L
Total Dissolved Solids	85	MG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion: 500 mg/L
			Detection Limit: 4.7 MG/L
Vanadium	0.78 I	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion: 49 ug/L
			Detection Limit: 0.18 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.67	I	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.16	I	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:	Estimated value; value not accurate.			

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	QA/QC Qualifier J
Comment:	Estimated value; value not accurate.			Qual meaning: Estimated value; value not accurate.

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
 Page 20 of 170  
 C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705456-009**

Matrix: W

Well Type:

Monitoring Site: Trip Blank

Sample Date: November 13, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,2,3-Trichloropropane	0.24	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.02 ug/L
1,2-Dibromo-3-chloropropane (DBCP)	0.85	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.2 ug/L
1,2-Dibromoethane (EDB)	0.12	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.02 ug/L
Acrylonitrile	6.7	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.06 ug/L
				Detection Limit: 6.7 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
cis-1,3-Dichloropropene	0.14	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.19	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:	Estimated value; value not accurate.			

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	QA/QC Qualifier
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	J
Comment:	Estimated value; value not accurate.			Qual meaning: Estimated value; value not accurate.

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
 Page 21 of 170  
 C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705504-001**

Matrix: W

Well Type: DE - Detection

Monitoring Site: MW-10A

Sample Date: November 14, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units	Compliance Check:
AMMONIA-N	6		MG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 2.8 mg/L
Iron	2840		UG/L	Exceeds by factor of: 2.14 Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 300 ug/L
				Exceeds by factor of: 9.47

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,2,3-Trichloropropane	0.24	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.02 ug/L
Acrylonitrile	6.7	U	UG/L	Detection Limit: 0.24 UG/L Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.06 ug/L
				Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
Arsenic	0.92	I	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 10 ug/L
Barium	4.5		UG/L	Detection Limit: 0.56 UG/L Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 2000 ug/L
Cadmium	0.76	I	UG/L	Detection Limit: 0.28 UG/L Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 5 ug/L
Chloride	13		MG/L	Detection Limit: 0.24 UG/L Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 250 mg/L
Chromium	3.4	I	UG/L	Detection Limit: 0.068 MG/L Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 100 ug/L
				Detection Limit: 0.24 UG/L

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 22 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Cobalt	0.44 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	140 ug/L
			Detection Limit:	0.082 UG/L
Copper	0.89 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1000 ug/L
			Detection Limit:	0.58 UG/L
Nickel	2.7 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	1.4 UG/L
Sodium	6.7	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Toluene	0.29 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	40 ug/L
			Detection Limit:	0.13 UG/L
Total Dissolved Solids	97	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	500 mg/L
			Detection Limit:	4.7 MG/L
Vanadium	2.8 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.36 UG/L
Zinc	9.3 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5000 ug/L
			Detection Limit:	3.4 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment: Estimated value; value not accurate.				
m&p-Xylenes	0.19	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment: Estimated value; value not accurate.				

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units
----------------	------	------	-------

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Iodomethane (Methyl iodide)

1.1 JU UG/L

QA/QC Qualifier J

Comment: Estimated value; value not accurate.

Qual meaning: Estimated value; value not accurate.

trans-1,4-Dichloro-2-butene

3.2 JU UG/L

QA/QC Qualifier J

Comment:

Qual meaning: Estimated value; value not accurate.

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 24 of 170

C:\1A0.tmp



# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705504-002**

Matrix: W

Well Type: DE - Detection

Monitoring Site: MW-10B

Sample Date: November 14, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units
Iron	672		UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 2.24

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.24	U	UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.02 ug/L

Detection Limit: 0.24 UG/L

Acrylonitrile	6.7	U	UG/L
---------------	-----	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.06 ug/L

Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
AMMONIA-N	0.13		MG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.037 MG/L

Barium	12		UG/L
--------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 0.28 UG/L

Cadmium	0.71	I	UG/L
---------	------	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 5 ug/L

Detection Limit: 0.24 UG/L

Chloride	15		MG/L
----------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.068 MG/L

Chromium	1.6	I	UG/L
----------	-----	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 0.24 UG/L

Cobalt	0.32	I	UG/L
--------	------	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 140 ug/L

Detection Limit: 0.082 UG/L

**Versions**

Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 25 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sodium	9	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Total Dissolved Solids	59	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	500 mg/L
			Detection Limit:	4.7 MG/L
Vanadium	1.1 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.36 UG/L
Zinc	3.4 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5000 ug/L
			Detection Limit:	3.4 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment: Estimated value; value not accurate.				
m&p-Xylenes	0.19	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment: Estimated value; value not accurate.				

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
Iodomethane (Methyl iodide)	1.1	JU	UG/L	QA/QC Qualifier J
Comment: Estimated value; value not accurate.				Qual meaning: Estimated value; value not accurate.
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	QA/QC Qualifier J
Comment:				Qual meaning: Estimated value; value not accurate.

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
 Page 26 of 170  
 C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705504-003**

Matrix: W

Well Type: DE - Detection

Monitoring Site: MW-10C

Sample Date: November 14, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units
Iron	862		UG/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 300 ug/L  
 Exceeds by factor of: 2.87

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.24	U	UG/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 0.02 ug/L  
 Detection Limit: 0.24 UG/L

Acrylonitrile	6.7	U	UG/L
---------------	-----	---	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 0.06 ug/L  
 Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
AMMONIA-N	0.15		MG/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 2.8 mg/L  
 Detection Limit: 0.037 MG/L

Barium	19		UG/L
--------	----	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 2000 ug/L  
 Detection Limit: 0.28 UG/L

Cadmium	0.72	I	UG/L
---------	------	---	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 5 ug/L  
 Detection Limit: 0.24 UG/L

Chloride	7.7		MG/L
----------	-----	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 250 mg/L  
 Detection Limit: 0.068 MG/L

Chromium	1.8	I	UG/L
----------	-----	---	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 100 ug/L  
 Detection Limit: 0.24 UG/L

Cobalt	0.11	I	UG/L
--------	------	---	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 140 ug/L  
 Detection Limit: 0.082 UG/L

**Versions**

Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 27 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Copper	0.79 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1000 ug/L
			Detection Limit:	0.58 UG/L
Sodium	6.2	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Total Dissolved Solids	56	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	500 mg/L
			Detection Limit:	4.7 MG/L
Vanadium	1.2 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.36 UG/L
Zinc	4.1 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5000 ug/L
			Detection Limit:	3.4 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment: Estimated value; value not accurate.				
m&p-Xylenes	0.19	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment: Estimated value; value not accurate.				

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
Iodomethane (Methyl iodide)	1.1	JU	UG/L	QA/QC Qualifier J
Comment: Estimated value; value not accurate.				Qual meaning: Estimated value; value not accurate.
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	QA/QC Qualifier J
Comment:				Qual meaning: Estimated value; value not accurate.

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
 Page 28 of 170  
 C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705504-004**

Matrix: W

Well Type: DE - Detection

Monitoring Site: MW-9A

Sample Date: November 14, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units	Compliance Check:
AMMONIA-N	5.7		MG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 2.8 mg/L
Benzene	1.4		UG/L	Exceeds by factor of: 2.04 Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 1 ug/L
Iron	2100		UG/L	Exceeds by factor of: 1.40 Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 300 ug/L
Vinyl Chloride	2.1		UG/L	Exceeds by factor of: 7.00 Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 1 ug/L
				Exceeds by factor of: 2.10

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,2,3-Trichloropropane	0.24	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.02 ug/L
Acrylonitrile	6.7	U	UG/L	Detection Limit: 0.24 UG/L Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.06 ug/L
				Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
Arsenic	2.2		UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 10 ug/L
Barium	5.6		UG/L	Detection Limit: 0.56 UG/L Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 2000 ug/L
Cadmium	0.76	I	UG/L	Detection Limit: 0.28 UG/L Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 5 ug/L
				Detection Limit: 0.24 UG/L

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 29 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Chloride	19	MG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion: 250 mg/L
			Detection Limit: 0.068 MG/L
Chromium	2.4 l	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion: 100 ug/L
			Detection Limit: 0.24 UG/L
cis-1,2-Dichloroethene	0.5 l	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion: 70 ug/L
			Detection Limit: 0.12 UG/L
Cobalt	0.88 l	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion: 140 ug/L
			Detection Limit: 0.082 UG/L
Copper	0.66 l	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion: 1000 ug/L
			Detection Limit: 0.58 UG/L
Ethylbenzene	1.7	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion: 30 ug/L
			Detection Limit: 0.12 UG/L
Nickel	3.6 l	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion: 100 ug/L
			Detection Limit: 1.4 UG/L
Sodium	7.7	MG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion: 160 mg/L
			Detection Limit: 0.15 MG/L
Toluene	0.33 l	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion: 40 ug/L
			Detection Limit: 0.13 UG/L
Total Dissolved Solids	95	MG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion: 500 mg/L
			Detection Limit: 4.7 MG/L
Vanadium	2.8 l	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion: 49 ug/L
			Detection Limit: 0.36 UG/L
Zinc	6.7 l	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion: 5000 ug/L
			Detection Limit: 3.4 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
cis-1,3-Dichloropropene	0.14	U	UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 30 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Iodomethane (Methyl iodide)	1.1 JU	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment: Estimated value; value not accurate.				
m&p-Xylenes	2.2	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.74 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12 U	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2 JU	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment: Estimated value; value not accurate.				

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
Iodomethane (Methyl iodide)	1.1 JU	UG/L		QA/QC Qualifier J
Comment: Estimated value; value not accurate.				Qual meaning: Estimated value; value not accurate.
trans-1,4-Dichloro-2-butene	3.2 JU	UG/L		QA/QC Qualifier J
Comment:				Qual meaning: Estimated value; value not accurate.

Versions
Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
Page 31 of 170  
C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705504-005**

Matrix: W

Well Type: DE - Detection

Monitoring Site: MW-9B

Sample Date: November 14, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units
Iron	920		UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 3.07

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.24	U	UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.02 ug/L

Detection Limit: 0.24 UG/L

Acrylonitrile	6.7	U	UG/L
---------------	-----	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.06 ug/L

Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
AMMONIA-N	0.14		MG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.037 MG/L

Barium	24		UG/L
--------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 0.28 UG/L

Cadmium	0.76	I	UG/L
---------	------	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 5 ug/L

Detection Limit: 0.24 UG/L

Chloride	14		MG/L
----------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.068 MG/L

Chromium	3.2	I	UG/L
----------	-----	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 0.24 UG/L

Cobalt	0.21	I	UG/L
--------	------	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 140 ug/L

Detection Limit: 0.082 UG/L

**Versions**

Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 32 of 170

C:\1A0.tmp



# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Copper	1.6 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1000 ug/L
			Detection Limit:	0.58 UG/L
Lead	0.81 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	15 ug/L
			Detection Limit:	0.6 UG/L
Sodium	8.6	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Total Dissolved Solids	61	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	500 mg/L
			Detection Limit:	4.7 MG/L
Vanadium	2.8 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.36 UG/L
Zinc	6.1 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5000 ug/L
			Detection Limit:	3.4 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment: Estimated value; value not accurate.				
m&p-Xylenes	0.19	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment: Estimated value; value not accurate.				

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
Iodomethane (Methyl iodide)	1.1	JU	UG/L	QA/QC Qualifier J
Comment: Estimated value; value not accurate.				Qual meaning: Estimated value; value not accurate.
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	QA/QC Qualifier J
Comment:				Qual meaning: Estimated value; value not accurate.

<p>Versions</p> <p>Report: 3.0.0</p> <p>Database: 3.7.51 6/24/2005 12:00</p>
--

Tuesday, April 01, 2008  
Page 33 of 170  
C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705504-006**

Matrix: W

Well Type: DE - Detection

Monitoring Site: MW-9C

Sample Date: November 14, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units
Iron	684		UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 2.28

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.24	U	UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.02 ug/L

Detection Limit: 0.24 UG/L

Acrylonitrile	6.7	U	UG/L
---------------	-----	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.06 ug/L

Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
AMMONIA-N	0.12		MG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.037 MG/L

Barium	19		UG/L
--------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 0.28 UG/L

Cadmium	0.8	I	UG/L
---------	-----	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 5 ug/L

Detection Limit: 0.24 UG/L

Chloride	7.8		MG/L
----------	-----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.068 MG/L

Chromium	2	I	UG/L
----------	---	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 0.24 UG/L

Sodium	6		MG/L
--------	---	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 160 mg/L

Detection Limit: 0.15 MG/L

**Versions**

Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 34 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Total Dissolved Solids	50	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	500 mg/L
			Detection Limit:	4.7 MG/L
Vanadium	1.9 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.36 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment: Estimated value; value not accurate.				
m&p-Xylenes	0.19	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment: Estimated value; value not accurate.				

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
Iodomethane (Methyl iodide)	1.1	JU	UG/L	QA/QC Qualifier J
Comment: Estimated value; value not accurate.				Qual meaning: Estimated value; value not accurate.
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	QA/QC Qualifier J
Comment:				Qual meaning: Estimated value; value not accurate.

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705504-007**

Matrix: W

Well Type: DE - Detection

Monitoring Site: MW-8A

Sample Date: November 14, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units
Iron	2670		UG/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 300 ug/L  
 Exceeds by factor of: 8.90

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.24	U	UG/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 0.02 ug/L  
 Detection Limit: 0.24 UG/L

Acrylonitrile	6.7	U	UG/L
---------------	-----	---	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 0.06 ug/L  
 Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
AMMONIA-N	1.6		MG/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 2.8 mg/L  
 Detection Limit: 0.037 MG/L

Barium	39		UG/L
--------	----	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 2000 ug/L  
 Detection Limit: 0.28 UG/L

Benzene	0.31	I	UG/L
---------	------	---	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 1 ug/L  
 Detection Limit: 0.088 UG/L

Cadmium	0.73	I	UG/L
---------	------	---	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 5 ug/L  
 Detection Limit: 0.24 UG/L

Chloride	52		MG/L
----------	----	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 250 mg/L  
 Detection Limit: 0.068 MG/L

Chromium	2.8	I	UG/L
----------	-----	---	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 100 ug/L  
 Detection Limit: 0.24 UG/L

**Versions**

Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 36 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Cobalt	1.6 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	140 ug/L
			Detection Limit:	0.082 UG/L
Copper	0.85 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1000 ug/L
			Detection Limit:	0.58 UG/L
Nickel	3.4 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	1.4 UG/L
Sodium	23	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Total Dissolved Solids	150	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	500 mg/L
			Detection Limit:	4.7 MG/L
Vanadium	1.9 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.36 UG/L
Zinc	5 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5000 ug/L
			Detection Limit:	3.4 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**  
 No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment: Estimated value; value not accurate.				
m&p-Xylenes	0.19	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment: Estimated value; value not accurate.				

Evaluation Type: **QA/QC qualifier has been applied**  
 Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
Iodomethane (Methyl iodide)	1.1	JU	UG/L	QA/QC Qualifier J
Comment: Estimated value; value not accurate.				Qual meaning: Estimated value; value not accurate.
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	QA/QC Qualifier J

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment: Estimated value; value not accurate.

Qual meaning: Estimated value; value not accurate.

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
Page 38 of 170  
C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705504-008**

Matrix: W

Well Type: DE - Detection

Monitoring Site: MW-8B

Sample Date: November 14, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units	Compliance Check:
Iron	989		UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 300 ug/L
Iron	1030		UG/L	Exceeds by factor of: 3.30 Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 300 ug/L
				Exceeds by factor of: 3.43

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,2,3-Trichloropropane	0.24	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.02 ug/L
Acrylonitrile	6.7	U	UG/L	Detection Limit: 0.24 UG/L Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.06 ug/L
				Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
AMMONIA-N	0.18		MG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 2.8 mg/L
Antimony	0.14	I	UG/L	Detection Limit: 0.037 MG/L Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 6 ug/L
Arsenic	0.36	I	UG/L	Detection Limit: 0.088 UG/L Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 10 ug/L
Barium	52		UG/L	Detection Limit: 0.28 UG/L Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 2000 ug/L
Barium	51		UG/L	Detection Limit: 0.28 UG/L Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 2000 ug/L
				Detection Limit: 0.14 UG/L

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 39 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Beryllium	0.16 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	4 ug/L
			Detection Limit:	0.084 UG/L
Cadmium	0.78 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5 ug/L
			Detection Limit:	0.24 UG/L
Chloride	8.1	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	250 mg/L
			Detection Limit:	0.068 MG/L
Chromium	5.6	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.24 UG/L
Chromium	4.1	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.12 UG/L
Cobalt	0.18 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	140 ug/L
			Detection Limit:	0.082 UG/L
Cobalt	0.15 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	140 ug/L
			Detection Limit:	0.041 UG/L
Copper	1.4 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1000 ug/L
			Detection Limit:	0.58 UG/L
Copper	1.2 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1000 ug/L
			Detection Limit:	0.29 UG/L
Lead	5.3	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	15 ug/L
			Detection Limit:	0.6 UG/L
Lead	5	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	15 ug/L
			Detection Limit:	0.3 UG/L
Nickel	0.77 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.69 UG/L
Selenium	2.9 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	50 ug/L
			Detection Limit:	1.6 UG/L
Selenium	1 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	50 ug/L
			Detection Limit:	0.79 UG/L

## Versions

Report: 3.0.0  
Database: 3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 40 of 170

C:\1A0.tmp



# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sodium	6.1	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Sodium	6	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Thallium	0.11 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	2 ug/L
			Detection Limit:	0.077 UG/L
Total Dissolved Solids	86	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	500 mg/L
			Detection Limit:	4.7 MG/L
Vanadium	13	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.36 UG/L
Vanadium	11	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L
Zinc	4.2 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5000 ug/L
			Detection Limit:	3.4 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment: Estimated value; value not accurate.				
m&p-Xylenes	0.19	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment: Estimated value; value not accurate.				

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
Iodomethane (Methyl iodide)	1.1	JU	UG/L	QA/QC Qualifier J
Comment: Estimated value; value not accurate.				Qual meaning: Estimated value; value not accurate.
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	QA/QC Qualifier J

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
Page 41 of 170  
C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment: Estimated value; value not accurate.

Qual meaning: Estimated value; value not accurate.

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
Page 42 of 170  
C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705504-009**

Matrix: W

Well Type: DE - Detection

Monitoring Site: MW-8C

Sample Date: November 14, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units
Iron	965		UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 3.22

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.24	U	UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.02 ug/L

Detection Limit: 0.24 UG/L

Acrylonitrile	6.7	U	UG/L
---------------	-----	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.06 ug/L

Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
AMMONIA-N	0.11		MG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.037 MG/L

Barium	20		UG/L
--------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 0.28 UG/L

Cadmium	0.73	I	UG/L
---------	------	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 5 ug/L

Detection Limit: 0.24 UG/L

Chloride	7.6		MG/L
----------	-----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.068 MG/L

Chromium	4.7		UG/L
----------	-----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 0.24 UG/L

Cobalt	0.1	I	UG/L
--------	-----	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 140 ug/L

Detection Limit: 0.082 UG/L

**Versions**

Report: 3.0.0  
Database: 3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 43 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Nickel	1.8 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	1.4 UG/L
Sodium	5.7	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Total Dissolved Solids	57	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	500 mg/L
			Detection Limit:	4.7 MG/L
Vanadium	2.4 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.36 UG/L
Zinc	5.7 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5000 ug/L
			Detection Limit:	3.4 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment: Estimated value; value not accurate.				
m&p-Xylenes	0.19	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment: Estimated value; value not accurate.				

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
Iodomethane (Methyl iodide)	1.1	JU	UG/L	QA/QC Qualifier J
Comment: Estimated value; value not accurate.				Qual meaning: Estimated value; value not accurate.
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	QA/QC Qualifier J
Comment:				Qual meaning: Estimated value; value not accurate.

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
 Page 44 of 170  
 C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705504-010**

Matrix: W

Well Type: DE - Detection

Monitoring Site: MW-16B

Sample Date: November 14, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units	Compliance Check:
Iron	2420		UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 300 ug/L
Iron	1660		UG/L	Exceeds by factor of: 8.07
Comment:				Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
				Criterion: 300 ug/L
				Exceeds by factor of: 5.53

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,2,3-Trichloropropane	0.24	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.02 ug/L
Acrylonitrile	6.7	U	UG/L	Detection Limit: 0.24 UG/L
Comment:				Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
				Criterion: 0.06 ug/L
				Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
AMMONIA-N	0.61		MG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 2.8 mg/L
Antimony	0.25	I	UG/L	Detection Limit: 0.037 MG/L
Comment:				Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
				Criterion: 6 ug/L
Antimony	0.43	I	UG/L	Detection Limit: 0.18 UG/L
Comment:				Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
				Criterion: 6 ug/L
Arsenic	0.74		UG/L	Detection Limit: 0.088 UG/L
Comment:				Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
				Criterion: 10 ug/L
Barium	129		UG/L	Detection Limit: 0.28 UG/L
Comment:				Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
				Criterion: 2000 ug/L
				Detection Limit: 0.14 UG/L

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 45 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Barium	121	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	2000 ug/L
			Detection Limit:	0.28 UG/L
Beryllium	0.26 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	4 ug/L
			Detection Limit:	0.084 UG/L
Beryllium	0.18 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	4 ug/L
			Detection Limit:	0.17 UG/L
Cadmium	0.91 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5 ug/L
			Detection Limit:	0.24 UG/L
Chloride	14	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	250 mg/L
			Detection Limit:	0.068 MG/L
Chromium	10	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.12 UG/L
Chromium	11	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.24 UG/L
Cobalt	0.61 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	140 ug/L
			Detection Limit:	0.041 UG/L
Cobalt	1.2 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	140 ug/L
			Detection Limit:	0.082 UG/L
Copper	2.8 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1000 ug/L
			Detection Limit:	0.58 UG/L
Copper	3.6	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1000 ug/L
			Detection Limit:	0.29 UG/L
Lead	14	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	15 ug/L
			Detection Limit:	0.3 UG/L
Lead	14	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	15 ug/L
			Detection Limit:	0.6 UG/L
Nickel	2.5	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.69 UG/L

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 46 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Nickel	2.6 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	1.4 UG/L
Selenium	2.8	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	50 ug/L
			Detection Limit:	0.79 UG/L
Selenium	1.7 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	50 ug/L
			Detection Limit:	1.6 UG/L
Sodium	8.4	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Sodium	8.1	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Toluene	0.19 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	40 ug/L
			Detection Limit:	0.13 UG/L
Total Dissolved Solids	180	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	500 mg/L
			Detection Limit:	4.7 MG/L
Vanadium	11	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L
Vanadium	11	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.36 UG/L
Zinc	3.4 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5000 ug/L
			Detection Limit:	1.7 UG/L
Zinc	11 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5000 ug/L
			Detection Limit:	3.4 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment: Estimated value; value not accurate.				
m&p-Xylenes	0.19	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
Page 47 of 170  
C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

o-Xylene	0.083 U	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12 U	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2 JU	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment: Estimated value; value not accurate.				

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
Iodomethane (Methyl iodide)	1.1 JU	UG/L		QA/QC Qualifier J
Comment: Estimated value; value not accurate.				
trans-1,4-Dichloro-2-butene	3.2 JU	UG/L		QA/QC Qualifier J
Comment: Estimated value; value not accurate.				

Versions
Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
Page 48 of 170  
C:\1A0.tmp



# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705504-011**

Matrix: W

Well Type: DE - Detection

Monitoring Site: MW-16C

Sample Date: November 14, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units
Iron	1430		UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 4.77

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.24	U	UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.02 ug/L

Detection Limit: 0.24 UG/L

Acrylonitrile	6.7	U	UG/L
---------------	-----	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.06 ug/L

Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
AMMONIA-N	0.15		MG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.037 MG/L

Barium	33		UG/L
--------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 0.28 UG/L

Cadmium	0.76	I	UG/L
---------	------	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 5 ug/L

Detection Limit: 0.24 UG/L

Chloride	20		MG/L
----------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.068 MG/L

Chromium	3.1	I	UG/L
----------	-----	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 0.24 UG/L

Cobalt	0.11	I	UG/L
--------	------	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 140 ug/L

Detection Limit: 0.082 UG/L

**Versions**

Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 49 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Copper	0.99 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1000 ug/L
			Detection Limit:	0.58 UG/L
Lead	0.65 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	15 ug/L
			Detection Limit:	0.6 UG/L
Sodium	11	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Toluene	6.6	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	40 ug/L
			Detection Limit:	0.13 UG/L
Total Dissolved Solids	81	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	500 mg/L
			Detection Limit:	4.7 MG/L
Vanadium	3.5 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.36 UG/L
Zinc	4.4 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5000 ug/L
			Detection Limit:	3.4 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment: Estimated value; value not accurate.				
m&p-Xylenes	0.19	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment: Estimated value; value not accurate.				

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
Iodomethane (Methyl iodide)	1.1	JU	UG/L	QA/QC Qualifier J
Comment: Estimated value; value not accurate.				Qual meaning: Estimated value; value not accurate.
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	QA/QC Qualifier J

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
Page 50 of 170  
C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment: Estimated value; value not accurate.

Qual meaning: Estimated value; value not accurate.

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
Page 51 of 170  
C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705504-012**

Matrix: W

Well Type: DE - Detection

Monitoring Site: MW-17B

Sample Date: November 14, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units	Compliance Check:
Iron	1960		UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 300 ug/L
Iron	1960		UG/L	Exceeds by factor of: 6.53 Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 300 ug/L
				Exceeds by factor of: 6.53

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,2,3-Trichloropropane	0.24	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.02 ug/L
Acrylonitrile	6.7	U	UG/L	Detection Limit: 0.24 UG/L Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.06 ug/L
				Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
AMMONIA-N	0.28		MG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 2.8 mg/L
Antimony	0.14	I	UG/L	Detection Limit: 0.037 MG/L Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 6 ug/L
Arsenic	0.64		UG/L	Detection Limit: 0.088 UG/L Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 10 ug/L
Barium	87		UG/L	Detection Limit: 0.28 UG/L Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 2000 ug/L
Barium	94		UG/L	Detection Limit: 0.14 UG/L Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 2000 ug/L
				Detection Limit: 0.28 UG/L

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
Page 52 of 170  
C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Beryllium	0.19 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	4 ug/L
			Detection Limit:	0.17 UG/L
Beryllium	0.12 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	4 ug/L
			Detection Limit:	0.084 UG/L
Cadmium	0.77 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5 ug/L
			Detection Limit:	0.24 UG/L
Chloride	19	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	250 mg/L
			Detection Limit:	0.068 MG/L
Chromium	5.5	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.24 UG/L
Chromium	3.5	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.12 UG/L
Cobalt	0.32 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	140 ug/L
			Detection Limit:	0.041 UG/L
Cobalt	0.47 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	140 ug/L
			Detection Limit:	0.082 UG/L
Copper	2.1	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1000 ug/L
			Detection Limit:	0.29 UG/L
Copper	2.3 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1000 ug/L
			Detection Limit:	0.58 UG/L
Lead	5.5	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	15 ug/L
			Detection Limit:	0.3 UG/L
Lead	6.3	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	15 ug/L
			Detection Limit:	0.6 UG/L
Nickel	0.88 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.69 UG/L
Selenium	1.1 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	50 ug/L
			Detection Limit:	0.79 UG/L

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 53 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sodium	12	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Sodium	12	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Toluene	0.48 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	40 ug/L
			Detection Limit:	0.13 UG/L
Total Dissolved Solids	110	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	500 mg/L
			Detection Limit:	4.7 MG/L
Vanadium	5.7	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.36 UG/L
Vanadium	4.7	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L
Zinc	4.8 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5000 ug/L
			Detection Limit:	3.4 UG/L
Zinc	2.5 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5000 ug/L
			Detection Limit:	1.7 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment: Estimated value; value not accurate.				
m&p-Xylenes	0.19	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment: Estimated value; value not accurate.				

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units
----------------	------	------	-------

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Iodomethane (Methyl iodide)

1.1 JU UG/L

QA/QC Qualifier J

Comment: Estimated value; value not accurate.

Qual meaning: Estimated value; value not accurate.

trans-1,4-Dichloro-2-butene

3.2 JU UG/L

QA/QC Qualifier J

Comment:

Qual meaning: Estimated value; value not accurate.

<b>Versions</b>
Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 55 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705504-013**

Matrix: W

Well Type:

Monitoring Site: Equipment Blank

Sample Date: November 14, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,2,3-Trichloropropane	0.24	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.02 ug/L
Acrylonitrile	6.7	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.06 ug/L
				Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
Barium	0.76	I	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 2000 ug/L
Cadmium	0.36	I	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 5 ug/L
Chromium	0.49	I	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 100 ug/L
Methylene Chloride	0.43	I	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 5 ug/L
Zinc	3.3	I	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 5000 ug/L
				Detection Limit: 1.7 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
cis-1,3-Dichloropropene	0.14	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	JU	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:	Estimated value; value not accurate.			
m&p-Xylenes	0.19	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 56 of 170

C:\1A0.tmp



# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

trans-1,3-Dichloropropene	0.12 U	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2 JU	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment: Estimated value; value not accurate.				

---

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
Iodomethane (Methyl iodide)	1.1	JU	UG/L	QA/QC Qualifier J
Comment: Estimated value; value not accurate.				
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	QA/QC Qualifier J
Comment: Estimated value; value not accurate.				

Versions
Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
Page 57 of 170  
C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705504-014**

Matrix: W

Well Type: DE - Detection

Monitoring Site: MW-9A

Sample Date: November 14, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units	Compliance Check:
AMMONIA-N	5.3		MG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 2.8 mg/L
Comment:				Exceeds by factor of: 1.89
Benzene	1.4		UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 1 ug/L
Comment:				Exceeds by factor of: 1.40
Iron	2120		UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 300 ug/L
Comment:				Exceeds by factor of: 7.07
Vinyl Chloride	2		UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 1 ug/L
Comment:				Exceeds by factor of: 2.00

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,2,3-Trichloropropane	0.24	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.02 ug/L
Comment:				Detection Limit: 0.24 UG/L
Acrylonitrile	6.7	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.06 ug/L
Comment:				Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
Antimony	0.12	I	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 6 ug/L
Comment:				Detection Limit: 0.088 UG/L
Arsenic	2.3		UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 10 ug/L
Comment:				Detection Limit: 0.28 UG/L
Barium	6.5		UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 2000 ug/L
Comment:				Detection Limit: 0.14 UG/L

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
Page 58 of 170  
C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Chloride	19	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	250 mg/L
			Detection Limit:	0.068 MG/L
Chromium	2.6	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.12 UG/L
cis-1,2-Dichloroethene	0.4 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	70 ug/L
			Detection Limit:	0.12 UG/L
Cobalt	0.95 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	140 ug/L
			Detection Limit:	0.041 UG/L
Ethylbenzene	1.6	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	30 ug/L
			Detection Limit:	0.12 UG/L
Nickel	3.2	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.69 UG/L
Sodium	7.8	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Toluene	0.35 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	40 ug/L
			Detection Limit:	0.13 UG/L
Total Dissolved Solids	100	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	500 mg/L
			Detection Limit:	4.7 MG/L
Vanadium	1.7 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L
Zinc	4.6 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5000 ug/L
			Detection Limit:	1.7 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment: Estimated value; value not accurate.				
m&p-Xylenes	2.2		UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 59 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

o-Xylene	0.73 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12 U	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2 JU	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment: Estimated value; value not accurate.				

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
Iodomethane (Methyl iodide)	1.1	JU	UG/L	QA/QC Qualifier J
Comment: Estimated value; value not accurate.				Qual meaning: Estimated value; value not accurate.
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	QA/QC Qualifier J
Comment:				Qual meaning: Estimated value; value not accurate.

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
Page 60 of 170  
C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705504-015**

Matrix: W

Well Type:

Monitoring Site: Trip Blank

Sample Date: November 14, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,2,3-Trichloropropane	0.24	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.02 ug/L
1,2-Dibromo-3-chloropropane (DBCP)	0.85	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.2 ug/L
1,2-Dibromoethane (EDB)	0.12	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.02 ug/L
Acrylonitrile	6.7	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.06 ug/L
				Detection Limit: 6.7 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
cis-1,3-Dichloropropene	0.14	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	JU	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment: Estimated value; value not accurate.				
m&p-Xylenes	0.19	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment: Estimated value; value not accurate.				

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	QA/QC Qualifier	Qual meaning:
Iodomethane (Methyl iodide)	1.1	JU	UG/L	J	Estimated value; value not accurate.
Comment: Estimated value; value not accurate.					
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	J	Estimated value; value not accurate.
Comment:					

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
 Page 61 of 170  
 C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705535-001**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: SW-3

Sample Date: November 16, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,2,3-Trichloropropane	0.24	U	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.2 ug/L
Acrylonitrile	6.7	U	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.2 ug/L
Mercury	0.14	U	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.012 ug/L
				Detection Limit: 0.14 UG/L

Evaluation Type: **The criteria for this component must be evaluated manually.**

Evaluate manually

Parameter Name	Rslt	Qual	Units	Compliance Check:
Cadmium	0.12	U	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Copper	0.41	I	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Lead	0.34	I	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Nickel	0.75	I	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Zinc	6.9	I	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
Antimony	0.23	I	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 4300 ug/L
Arsenic	0.5		UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 50 ug/L
Chromium	1.7	I	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 11 ug/L
Iron	795		UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 1000 ug/L
				Detection Limit: 17 UG/L

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,1,1,2-Tetrachloroethane	0.12	U	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
1,1-Dichloroethane	0.08	U	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
1,2-Dibromo-3-chloropropane (DBCP)	0.0057	U	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
2-Hexanone	1.4	U	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
B.O.D.	3.4	I	MG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Barium	14		UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Bromochloromethane	0.28	U	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
CFC-11	0.21	U	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Chloroethane	0.19	U	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Chlorophyll a	2.4		MG/M3	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
cis-1,2-Dichloroethene	0.12	U	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
cis-1,3-Dichloropropene	0.14	U	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Cobalt	0.26	I	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
COD	87		MG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Dibromomethane	0.22	U	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Fecal Coliform	560		#/100 mL	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Hardness (as CaCO3)	16		MG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	U	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.19	U	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
NITRATE NITROGEN (as N)	0.064	U	MG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Nitrogen, Total as N	1.5		MG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Organic Carbon, Total	36		MG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Phosphorus, Total	0.045		MG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Sodium	9.9		MG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
T.S.S.	3.3	I	MG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Total Dissolved Solids	95		MG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

**Versions**

Report: 3.0.0  
 Database: 3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 63 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

trans-1,3-Dichloropropene	0.12 U	UG/L	Compliance Check:	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2 JU	UG/L	Compliance Check:	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Comment: Estimated value; value not accurate.				
Vanadium	0.95 I	UG/L	Compliance Check:	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
1,1-Dichloroethene	0.16	JU	UG/L	QA/QC Qualifier J
Comment: Estimated value; value not accurate.				Qual meaning: Estimated value; value not accurate.
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	QA/QC Qualifier J
Comment:				Qual meaning: Estimated value; value not accurate.

Versions
Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
Page 64 of 170  
C:\1A0.tmp



# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705535-002**

Matrix: W

Well Type: BG - Background

Monitoring Site: SW-4

Sample Date: November 16, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,2,3-Trichloropropane	0.24	U	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.2 ug/L
Acrylonitrile	6.7	U	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.2 ug/L
Mercury	0.14	U	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.012 ug/L
				Detection Limit: 0.14 UG/L

Evaluation Type: **The criteria for this component must be evaluated manually.**

Evaluate manually

Parameter Name	Rslt	Qual	Units	Compliance Check:
Cadmium	0.13	I	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Copper	0.52	I	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Lead	0.43	I	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Nickel	0.8	I	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Zinc	7.5	I	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
Antimony	0.12	I	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 4300 ug/L
Arsenic	0.36	I	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 50 ug/L
Chromium	1.6	I	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 11 ug/L
Iron	875		UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 1000 ug/L
				Detection Limit: 17 UG/L

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 65 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Methylene Chloride	0.49 I	UG/L	Compliance Check:	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1580 ug/L
			Detection Limit:	0.29 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**  
 No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,1,1,2-Tetrachloroethane	0.12	U	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
1,1-Dichloroethane	0.08	U	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
1,2-Dibromo-3-chloropropane (DBCP)	0.0057	U	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
2-Hexanone	1.4	U	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
B.O.D.	3	I	MG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Barium	15		UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Bromochloromethane	0.28	U	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
CFC-11	0.21	U	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Chloroethane	0.19	U	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Chlorophyll a	1.1	U	MG/M3	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
cis-1,2-Dichloroethene	0.12	U	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
cis-1,3-Dichloropropene	0.14	U	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Cobalt	0.26	I	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
COD	95		MG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Dibromomethane	0.22	U	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Fecal Coliform	1000	B	#/100 mL	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Hardness (as CaCO3)	16		MG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	U	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.19	U	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
NITRATE NITROGEN (as N)	0.064	U	MG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Nitrogen, Total as N	1.4		MG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Organic Carbon, Total	37		MG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Phosphorus, Total	0.053		MG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Sodium	10		MG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

Versions Report: 3.0.0 Database: 3.7.51 6/24/2005 12:00
---

Tuesday, April 01, 2008  
 Page 66 of 170  
 C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

T.S.S.	3.5 I	MG/L	Compliance Check:	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Total Dissolved Solids	88	MG/L	Compliance Check:	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12 U	UG/L	Compliance Check:	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2 JU	UG/L	Compliance Check:	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Comment: Estimated value; value not accurate.				
Vanadium	1.6 I	UG/L	Compliance Check:	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
1,1-Dichloroethene	0.16	JU	UG/L	QA/QC Qualifier J
Comment: Estimated value; value not accurate.				Qual meaning: Estimated value; value not accurate.
Fecal Coliform	1000	B	#/100 mL	QA/QC Qualifier B
Comment:				Qual meaning: Results based upon colony counts outside the acceptable range.
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	QA/QC Qualifier J
Comment: Estimated value; value not accurate.				Qual meaning: Estimated value; value not accurate.

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
 Page 67 of 170  
 C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705535-003**

Matrix: W

Well Type:

Monitoring Site: Trip Blank

Sample Date: November 16, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,2,3-Trichloropropane	0.24	U	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.2 ug/L
Acrylonitrile	6.7	U	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.2 ug/L Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
Methylene Chloride	0.51	I	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 1580 ug/L Detection Limit: 0.29 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,1,1,2-Tetrachloroethane	0.12	U	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
1,1-Dichloroethane	0.08	U	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
1,2-Dibromo-3-chloropropane (DBCP)	0.85	U	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
2-Hexanone	1.4	U	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Bromochloromethane	0.28	U	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
CFC-11	0.21	U	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Chloroethane	0.19	U	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
cis-1,2-Dichloroethene	0.12	U	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
cis-1,3-Dichloropropene	0.14	U	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Dibromomethane	0.22	U	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	U	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.19	U	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 68 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

trans-1,3-Dichloropropene	0.12 U	UG/L	Compliance Check:	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2 JU	UG/L	Compliance Check:	Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
Comment: Estimated value; value not accurate.				

---

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
1,1-Dichloroethene	0.16 JU		UG/L	QA/QC Qualifier J
Comment: Estimated value; value not accurate.				
trans-1,4-Dichloro-2-butene	3.2 JU		UG/L	QA/QC Qualifier J
Comment: Estimated value; value not accurate.				

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
Page 69 of 170  
C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705537-001**

Matrix: W

Well Type: BG - Background

Monitoring Site: MW-4A

Sample Date: November 15, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units
Iron	1920		UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 300 ug/L  
 Exceeds by factor of: 6.40

Comment:

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.24	U	UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 0.02 ug/L

Comment:

Detection Limit: 0.24 UG/L

Acrylonitrile	6.7	U	UG/L
---------------	-----	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.06 ug/L

Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
AMMONIA-N	2.8		MG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.037 MG/L

Arsenic	0.8		UG/L
---------	-----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 10 ug/L

Detection Limit: 0.28 UG/L

Barium	18		UG/L
--------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 0.14 UG/L

Chloride	18		MG/L
----------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.068 MG/L

Chromium	2.8		UG/L
----------	-----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 0.12 UG/L

Cobalt	0.35	I	UG/L
--------	------	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 140 ug/L

Detection Limit: 0.041 UG/L

**Versions**

Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 70 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Nickel	0.91 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.69 UG/L
Sodium	6.5	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Total Dissolved Solids	110	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	500 mg/L
			Detection Limit:	4.7 MG/L
Vanadium	1.4 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L
Zinc	3.5 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5000 ug/L
			Detection Limit:	1.7 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.19	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:	Estimated value; value not accurate.			

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	QA/QC Qualifier J
Comment:	Estimated value; value not accurate.			Qual meaning: Estimated value; value not accurate.

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
Page 71 of 170  
C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705537-002**

Matrix: W

Well Type: BG - Background

Monitoring Site: MW-4B

Sample Date: November 15, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units
Iron	742		UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 300 ug/L  
 Exceeds by factor of: 2.47

Comment:

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.24	U	UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 0.02 ug/L

Comment:

Detection Limit: 0.24 UG/L

Acrylonitrile	6.7	U	UG/L
---------------	-----	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.06 ug/L

Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
AMMONIA-N	0.041	I	MG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 2.8 mg/L

Comment:

Detection Limit: 0.037 MG/L

Barium	7.8		UG/L
--------	-----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 0.14 UG/L

Chloride	10		MG/L
----------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.068 MG/L

Chromium	3		UG/L
----------	---	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 0.12 UG/L

Cobalt	0.12	I	UG/L
--------	------	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 140 ug/L

Detection Limit: 0.041 UG/L

Nickel	0.72	I	UG/L
--------	------	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 0.69 UG/L

**Versions**

Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 72 of 170

C:\1A0.tmp



# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sodium	8.8	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Total Dissolved Solids	81	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	500 mg/L
			Detection Limit:	4.7 MG/L
Vanadium	1.6 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L
Zinc	2.7 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5000 ug/L
			Detection Limit:	1.7 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.19	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:	Estimated value; value not accurate.			

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	QA/QC Qualifier J
Comment:	Estimated value; value not accurate.			Qual meaning: Estimated value; value not accurate.

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
Page 73 of 170  
C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705537-003**

Matrix: W

Well Type: BG - Background

Monitoring Site: MW-4C

Sample Date: November 15, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units	Compliance Check:
Iron	1480		UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 300 ug/L
Iron	624		UG/L	Exceeds by factor of: 4.93 Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 300 ug/L
				Exceeds by factor of: 2.08

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,2,3-Trichloropropane	0.24	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.02 ug/L
Acrylonitrile	6.7	U	UG/L	Detection Limit: 0.24 UG/L Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.06 ug/L
				Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
AMMONIA-N	0.19		MG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 2.8 mg/L
Barium	9.9		UG/L	Detection Limit: 0.037 MG/L Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 2000 ug/L
Barium	6.7		UG/L	Detection Limit: 0.14 UG/L Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 2000 ug/L
Chloride	9.4		MG/L	Detection Limit: 0.14 UG/L Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 250 mg/L
Chromium	1.2	l	UG/L	Detection Limit: 0.068 MG/L Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 100 ug/L
				Detection Limit: 0.12 UG/L

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 74 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Chromium	1.8 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.12 UG/L
Cobalt	0.043 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	140 ug/L
			Detection Limit:	0.041 UG/L
Copper	0.3 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1000 ug/L
			Detection Limit:	0.29 UG/L
Nickel	1.3 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.69 UG/L
Sodium	10	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Sodium	10	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Total Dissolved Solids	100	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	500 mg/L
			Detection Limit:	4.7 MG/L
Vanadium	1.7 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L
Vanadium	1.2 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L
Zinc	6.4 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5000 ug/L
			Detection Limit:	1.7 UG/L
Zinc	2.6 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5000 ug/L
			Detection Limit:	1.7 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.19	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
Page 75 of 170  
C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

o-Xylene	0.083 U	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12 U	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2 JU	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment: Estimated value; value not accurate.				

---

Evaluation Type: **QA/QC qualifier has been applied**  
Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	QA/QC Qualifier
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	J
Comment: Estimated value; value not accurate.				Qual meaning: Estimated value; value not accurate.

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
Page 76 of 170  
C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705537-004**

Matrix: W

Well Type: BG - Background

Monitoring Site: MW-5A

Sample Date: November 15, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units
AMMONIA-N	8.4		MG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2.8 mg/L

Exceeds by factor of: 3.00

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.24	U	UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.02 ug/L

Detection Limit: 0.24 UG/L

Acrylonitrile	6.7	U	UG/L
---------------	-----	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.06 ug/L

Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
Antimony	0.2	I	UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 6 ug/L

Detection Limit: 0.088 UG/L

Arsenic	1.2		UG/L
---------	-----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 10 ug/L

Detection Limit: 0.28 UG/L

Barium	2.7		UG/L
--------	-----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 0.14 UG/L

Chloride	23		MG/L
----------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.068 MG/L

Chromium	4.8		UG/L
----------	-----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 0.12 UG/L

Cobalt	0.13	I	UG/L
--------	------	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 140 ug/L

Detection Limit: 0.041 UG/L

**Versions**

Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 77 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Copper	0.59 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1000 ug/L
			Detection Limit:	0.29 UG/L
Iron	231	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	300 ug/L
			Detection Limit:	17 UG/L
Lead	1.3	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	15 ug/L
			Detection Limit:	0.3 UG/L
Nickel	1.4 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.69 UG/L
Sodium	10	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Total Dissolved Solids	190	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	500 mg/L
			Detection Limit:	4.7 MG/L
Vanadium	2.2	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L
Vinyl Chloride	0.4 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1 ug/L
			Detection Limit:	0.12 UG/L
Zinc	3.5 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5000 ug/L
			Detection Limit:	1.7 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.19	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:	Estimated value; value not accurate.			

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
Page 78 of 170  
C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

---

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L

QA/QC Qualifier J

Comment: Estimated value; value not accurate.

Qual meaning: Estimated value; value not accurate.

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 79 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705537-005**

Matrix: W

Well Type: BG - Background

Monitoring Site: MW-5B

Sample Date: November 15, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units
Iron	326		UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 1.09

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.24	U	UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.02 ug/L

Detection Limit: 0.24 UG/L

Acrylonitrile	6.7	U	UG/L
---------------	-----	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.06 ug/L

Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
AMMONIA-N	0.18		MG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.037 MG/L

Barium	11		UG/L
--------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 0.14 UG/L

Chloride	9.3		MG/L
----------	-----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.068 MG/L

Chromium	2.3		UG/L
----------	-----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 0.12 UG/L

Cobalt	0.11	I	UG/L
--------	------	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 140 ug/L

Detection Limit: 0.041 UG/L

Nickel	0.99	I	UG/L
--------	------	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 0.69 UG/L

**Versions**

Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 80 of 170

C:\1A0.tmp



# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sodium	4.3	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
Total Dissolved Solids	42	MG/L	Detection Limit:	0.15 MG/L
Comment:			Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Vanadium	1 l	UG/L	Criterion:	500 mg/L
Comment:			Detection Limit:	4.7 MG/L
Zinc	3.5 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L
			Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
			Criterion:	5000 ug/L
			Detection Limit:	1.7 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.19	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:	Estimated value; value not accurate.			

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
NITRATE NITROGEN (as N)	0.064	QU	MG/L	QA/QC Qualifier Q
Comment:				Qual meaning: Sample held beyond the accepted holding time
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	QA/QC Qualifier J
Comment:	Estimated value; value not accurate.			Qual meaning: Estimated value; value not accurate.

Evaluation Type: **The sample was analyzed after the holding time had expired.**

Measured concentrations may not be representative of conditions at sample collection.

Parameter Name	Rslt	Qual	Units	
NITRATE NITROGEN (as N)	0.064	QU	MG/L	Analysis performed outside holding time by: 4.9 hours.

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
Page 81 of 170  
C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705537-006**

Matrix: W

Well Type: BG - Background

Monitoring Site: MW-5C

Sample Date: November 15, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units
Iron	1340		UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 4.47

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.24	U	UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.02 ug/L

Detection Limit: 0.24 UG/L

Acrylonitrile	6.7	U	UG/L
---------------	-----	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.06 ug/L

Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
AMMONIA-N	0.1		MG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.037 MG/L

Barium	32		UG/L
--------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 0.14 UG/L

Beryllium	0.11	I	UG/L
-----------	------	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 4 ug/L

Detection Limit: 0.084 UG/L

Chloride	16		MG/L
----------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.068 MG/L

Chromium	2.4		UG/L
----------	-----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 0.12 UG/L

Cobalt	0.087	I	UG/L
--------	-------	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 140 ug/L

Detection Limit: 0.041 UG/L

**Versions**

Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 82 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Copper	0.36 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1000 ug/L
			Detection Limit:	0.29 UG/L
Lead	0.34 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	15 ug/L
			Detection Limit:	0.3 UG/L
Nickel	0.95 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.69 UG/L
Sodium	8.5	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Total Dissolved Solids	59	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	500 mg/L
			Detection Limit:	4.7 MG/L
Vanadium	1.5 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L
Zinc	4 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5000 ug/L
			Detection Limit:	1.7 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**  
 No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.19	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:	Estimated value; value not accurate.			

Evaluation Type: **QA/QC qualifier has been applied**  
 Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
NITRATE NITROGEN (as N)	0.064	QU	MG/L	QA/QC Qualifier Q
Comment:	Qual meaning: Sample held beyond the accepted holding time			
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	QA/QC Qualifier J
Comment:	Qual meaning: Estimated value; value not accurate.			

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

---

Evaluation Type: **The sample was analyzed after the holding time had expired.**

Measured concentrations may not be representative of conditions at sample collection.

Parameter Name	Rslt	Qual	Units	
NITRATE NITROGEN (as N)	0.064	QU	MG/L	Analysis performed outside 5.8 hours. holding time by:

Versions
Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
Page 84 of 170  
C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705537-007**

Matrix: W

Well Type: DE - Detection

Monitoring Site: MW-7A

Sample Date: November 15, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units
Iron	5900		UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 19.67

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.24	U	UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.02 ug/L

Detection Limit: 0.24 UG/L

Acrylonitrile	6.7	U	UG/L
---------------	-----	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.06 ug/L

Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
AMMONIA-N	1.8		MG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.037 MG/L

Arsenic	0.68		UG/L
---------	------	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 10 ug/L

Detection Limit: 0.28 UG/L

Barium	15		UG/L
--------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 0.14 UG/L

Chloride	24		MG/L
----------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.068 MG/L

Chromium	3.3		UG/L
----------	-----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 0.12 UG/L

Cobalt	1.2		UG/L
--------	-----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 140 ug/L

Detection Limit: 0.041 UG/L

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 85 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Nickel	0.84 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.69 UG/L
Sodium	10	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Total Dissolved Solids	69	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	500 mg/L
			Detection Limit:	4.7 MG/L
Vanadium	0.73 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L
Zinc	2.9 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5000 ug/L
			Detection Limit:	1.7 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.19	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:	Estimated value; value not accurate.			

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
NITRATE NITROGEN (as N)	0.064	QU	MG/L	QA/QC Qualifier Q
Comment:	Qual meaning: Sample held beyond the accepted holding time			
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	QA/QC Qualifier J
Comment:	Qual meaning: Estimated value; value not accurate.			

Evaluation Type: **The sample was analyzed after the holding time had expired.**

Measured concentrations may not be representative of conditions at sample collection.

Parameter Name	Rslt	Qual	Units	
NITRATE NITROGEN (as N)	0.064	QU	MG/L	Analysis performed outside 7.9 hours. holding time by:

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
Page 86 of 170  
C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705537-008**

Matrix: W

Well Type: DE - Detection

Monitoring Site: MW-7B

Sample Date: November 15, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units
Iron	1580		UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 5.27

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.24	U	UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.02 ug/L

Detection Limit: 0.24 UG/L

Acrylonitrile	6.7	U	UG/L
---------------	-----	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.06 ug/L

Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
AMMONIA-N	0.15		MG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.037 MG/L

Barium	36		UG/L
--------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 0.14 UG/L

Chloride	19		MG/L
----------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.068 MG/L

Chromium	2.9		UG/L
----------	-----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 0.12 UG/L

Cobalt	0.21	I	UG/L
--------	------	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 140 ug/L

Detection Limit: 0.041 UG/L

Copper	0.5	I	UG/L
--------	-----	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 1000 ug/L

Detection Limit: 0.29 UG/L

**Versions**

Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 87 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Lead	1.1	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	15 ug/L
			Detection Limit:	0.3 UG/L
Nickel	1.2 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.69 UG/L
Sodium	8	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Total Dissolved Solids	69	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	500 mg/L
			Detection Limit:	4.7 MG/L
Vanadium	2.6	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L
Zinc	2.5 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5000 ug/L
			Detection Limit:	1.7 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.19	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:	Estimated value; value not accurate.			

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
NITRATE NITROGEN (as N)	0.064	QU	MG/L	QA/QC Qualifier Q
Comment:				Qual meaning: Sample held beyond the accepted holding time
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	QA/QC Qualifier J
Comment:	Estimated value; value not accurate.			Qual meaning: Estimated value; value not accurate.

Evaluation Type: **The sample was analyzed after the holding time had expired.**

Measured concentrations may not be representative of conditions at sample collection.

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00



# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Parameter Name	Rslt	Qual	Units	
NITRATE NITROGEN (as N)	0.064	QU	MG/L	Analysis performed outside 8.6 hours. holding time by:

Versions
Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
Page 89 of 170  
C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705537-009**

Matrix: W

Well Type: DE - Detection

Monitoring Site: MW-7C

Sample Date: November 15, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units
Iron	890		UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 2.97

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.24	U	UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.02 ug/L

Detection Limit: 0.24 UG/L

Acrylonitrile	6.7	U	UG/L
---------------	-----	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.06 ug/L

Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
AMMONIA-N	0.11		MG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.037 MG/L

Barium	40		UG/L
--------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 0.14 UG/L

Beryllium	0.13	I	UG/L
-----------	------	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 4 ug/L

Detection Limit: 0.084 UG/L

Chloride	8.3		MG/L
----------	-----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.068 MG/L

Chromium	2.6		UG/L
----------	-----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 0.12 UG/L

Cobalt	0.049	I	UG/L
--------	-------	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 140 ug/L

Detection Limit: 0.041 UG/L

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 90 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Copper	0.32 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1000 ug/L
			Detection Limit:	0.29 UG/L
Lead	1.6	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	15 ug/L
			Detection Limit:	0.3 UG/L
Sodium	6.3	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Total Dissolved Solids	59	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	500 mg/L
			Detection Limit:	4.7 MG/L
Vanadium	2.8	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L
Zinc	2.5 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5000 ug/L
			Detection Limit:	1.7 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.19	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:	Estimated value; value not accurate.			

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
NITRATE NITROGEN (as N)	0.064	QU	MG/L	QA/QC Qualifier Q
Comment:				Qual meaning: Sample held beyond the accepted holding time
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	QA/QC Qualifier J
Comment:	Estimated value; value not accurate.			Qual meaning: Estimated value; value not accurate.

Evaluation Type: **The sample was analyzed after the holding time had expired.**

Measured concentrations may not be representative of conditions at sample collection.

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
Page 91 of 170  
C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Parameter Name	Rslt	Qual	Units	
NITRATE NITROGEN (as N)	0.064	QU	MG/L	Analysis performed outside 9.4 hours. holding time by:

Versions
Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
Page 92 of 170  
C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705537-010**

Matrix: W

Well Type:

Monitoring Site: Trip Blanks

Sample Date: November 15, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,2,3-Trichloropropane	0.24	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.02 ug/L
1,2-Dibromo-3-chloropropane (DBCP)	0.85	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.2 ug/L
1,2-Dibromoethane (EDB)	0.12	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.02 ug/L
Acrylonitrile	6.7	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.06 ug/L
				Detection Limit: 6.7 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
cis-1,3-Dichloropropene	0.14	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.19	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:	Estimated value; value not accurate.			

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	QA/QC Qualifier
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	J
Comment:	Estimated value; value not accurate.			Qual meaning: Estimated value; value not accurate.

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
 Page 93 of 170  
 C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705576-001**

Matrix: W

Well Type: BG - Background

Monitoring Site: MW-3A

Sample Date: November 19, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units
Iron	1680		UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 5.60

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.24	U	UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.02 ug/L

Detection Limit: 0.24 UG/L

Acrylonitrile	6.7	U	UG/L
---------------	-----	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.06 ug/L

Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
AMMONIA-N	1.3		MG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.037 MG/L

Antimony	0.2	I	UG/L
----------	-----	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 6 ug/L

Detection Limit: 0.088 UG/L

Arsenic	0.31	I	UG/L
---------	------	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 10 ug/L

Detection Limit: 0.28 UG/L

Barium	41		UG/L
--------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 0.14 UG/L

Chloride	4.9		MG/L
----------	-----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.068 MG/L

Chromium	4		UG/L
----------	---	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 0.12 UG/L

**Versions**

Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 94 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Cobalt	0.76 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	140 ug/L
			Detection Limit:	0.041 UG/L
Copper	0.29 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1000 ug/L
			Detection Limit:	0.29 UG/L
Nickel	1.4 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.69 UG/L
Sodium	33	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Total Dissolved Solids	150	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	500 mg/L
			Detection Limit:	4.7 MG/L
Vanadium	0.52 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L
Zinc	5.6 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5000 ug/L
			Detection Limit:	1.7 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**  
 No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.19	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:	Estimated value; value not accurate.			

Evaluation Type: **QA/QC qualifier has been applied**  
 Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	QA/QC Qualifier J
Comment:	Estimated value; value not accurate.			Qual meaning: Estimated value; value not accurate.

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
 Page 95 of 170  
 C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705576-002**

Matrix: W

Well Type: BG - Background

Monitoring Site: MW-3B

Sample Date: November 19, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units
Iron	877		UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 2.92

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.24	U	UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.02 ug/L

Detection Limit: 0.24 UG/L

Acrylonitrile	6.7	U	UG/L
---------------	-----	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.06 ug/L

Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
AMMONIA-N	0.17		MG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.037 MG/L

Antimony	0.089	I	UG/L
----------	-------	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 6 ug/L

Detection Limit: 0.088 UG/L

Barium	16		UG/L
--------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 0.14 UG/L

Beryllium	0.091	I	UG/L
-----------	-------	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 4 ug/L

Detection Limit: 0.084 UG/L

Chloride	15		MG/L
----------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.068 MG/L

Chromium	2.1		UG/L
----------	-----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 0.12 UG/L

**Versions**

Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 96 of 170

C:\1A0.tmp



# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Cobalt	0.28 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	140 ug/L
			Detection Limit:	0.041 UG/L
Copper	0.29 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1000 ug/L
			Detection Limit:	0.29 UG/L
Lead	0.43 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	15 ug/L
			Detection Limit:	0.3 UG/L
Sodium	6.1	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Total Dissolved Solids	50	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	500 mg/L
			Detection Limit:	4.7 MG/L
Vanadium	1.7 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.19	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:	Estimated value; value not accurate.			

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	QA/QC Qualifier J
Comment:	Estimated value; value not accurate.			Qual meaning: Estimated value; value not accurate.

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
 Page 97 of 170  
 C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705576-003**

Matrix: W

Well Type: BG - Background

Monitoring Site: MW-3C

Sample Date: November 19, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units
Iron	902		UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 3.01

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.24	U	UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.02 ug/L

Detection Limit: 0.24 UG/L

Acrylonitrile	6.7	U	UG/L
---------------	-----	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.06 ug/L

Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
AMMONIA-N	0.13		MG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.037 MG/L

Barium	13		UG/L
--------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 0.14 UG/L

Chloride	7.9		MG/L
----------	-----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.068 MG/L

Chromium	2	l	UG/L
----------	---	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 0.12 UG/L

Sodium	5.2		MG/L
--------	-----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 160 mg/L

Detection Limit: 0.15 MG/L

Total Dissolved Solids	35		MG/L
------------------------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 500 mg/L

Detection Limit: 4.7 MG/L

**Versions**

Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 98 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Vanadium 1.3 I UG/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
Comment: Criterion: 49 ug/L  
Detection Limit: 0.18 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**  
No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
cis-1,3-Dichloropropene	0.14	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.19	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment: Estimated value; value not accurate.

Evaluation Type: **QA/QC qualifier has been applied**  
Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	QA/QC Qualifier
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	J

Comment: Estimated value; value not accurate. Qual meaning: Estimated value; value not accurate.

Versions
Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
Page 99 of 170  
C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705576-004**

Matrix: W

Well Type: BG - Background

Monitoring Site: MW-2A

Sample Date: November 19, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units
Iron	3790		UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 12.63

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.24	U	UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.02 ug/L

Detection Limit: 0.24 UG/L

Acrylonitrile	6.7	U	UG/L
---------------	-----	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.06 ug/L

Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
AMMONIA-N	0.21		MG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.037 MG/L

Antimony	0.088	I	UG/L
----------	-------	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 6 ug/L

Detection Limit: 0.088 UG/L

Arsenic	0.47	I	UG/L
---------	------	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 10 ug/L

Detection Limit: 0.28 UG/L

Barium	11		UG/L
--------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 0.14 UG/L

Beryllium	0.12	I	UG/L
-----------	------	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 4 ug/L

Detection Limit: 0.084 UG/L

Chloride	27		MG/L
----------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.068 MG/L

**Versions**

Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 100 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Chromium	2	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.12 UG/L
Cobalt	1.4	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	140 ug/L
			Detection Limit:	0.041 UG/L
Sodium	10	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Total Dissolved Solids	61	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	500 mg/L
			Detection Limit:	4.7 MG/L
Vanadium	0.51 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L
Zinc	2.1 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5000 ug/L
			Detection Limit:	1.7 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.19	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:	Estimated value; value not accurate.			

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	QA/QC Qualifier J
Comment:	Estimated value; value not accurate.			Qual meaning: Estimated value; value not accurate.

Versions Report: 3.0.0 Database: 3.7.51 6/24/2005 12:00
---

Tuesday, April 01, 2008  
 Page 101 of 170  
 C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705576-005**

Matrix: W

Well Type: BG - Background

Monitoring Site: MW-2B

Sample Date: November 19, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units
Iron	697		UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 2.32

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.24	U	UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.02 ug/L

Detection Limit: 0.24 UG/L

Acrylonitrile	6.7	U	UG/L
---------------	-----	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.06 ug/L

Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
AMMONIA-N	0.15		MG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.037 MG/L

Barium	11		UG/L
--------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 0.14 UG/L

Chloride	7.7		MG/L
----------	-----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.068 MG/L

Chromium	2.4		UG/L
----------	-----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 0.12 UG/L

Cobalt	0.24	I	UG/L
--------	------	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 140 ug/L

Detection Limit: 0.041 UG/L

Copper	0.7	I	UG/L
--------	-----	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 1000 ug/L

Detection Limit: 0.29 UG/L

**Versions**

Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 102 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Lead	0.48 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	15 ug/L
			Detection Limit:	0.3 UG/L
Sodium	5	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Total Dissolved Solids	37	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	500 mg/L
			Detection Limit:	4.7 MG/L
Vanadium	2.1	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.19	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:	Estimated value; value not accurate.			

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	QA/QC Qualifier J
Comment:	Estimated value; value not accurate.			Qual meaning: Estimated value; value not accurate.

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
Page 103 of 170  
C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705576-006**

Matrix: W

Well Type: BG - Background

Monitoring Site: MW-2C

Sample Date: November 19, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units
Iron	659		UG/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 300 ug/L  
 Exceeds by factor of: 2.20

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.24	U	UG/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 0.02 ug/L  
 Detection Limit: 0.24 UG/L

Acrylonitrile	6.7	U	UG/L
---------------	-----	---	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 0.06 ug/L  
 Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
AMMONIA-N	0.13		MG/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 2.8 mg/L  
 Detection Limit: 0.037 MG/L

Barium	17		UG/L
--------	----	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 2000 ug/L  
 Detection Limit: 0.14 UG/L

Beryllium	0.15	I	UG/L
-----------	------	---	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 4 ug/L  
 Detection Limit: 0.084 UG/L

Chloride	7		MG/L
----------	---	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 250 mg/L  
 Detection Limit: 0.068 MG/L

Chromium	2.2		UG/L
----------	-----	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 100 ug/L  
 Detection Limit: 0.12 UG/L

Sodium	4.7		MG/L
--------	-----	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 160 mg/L  
 Detection Limit: 0.15 MG/L

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 104 of 170

C:\1A0.tmp



# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Total Dissolved Solids	44	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	500 mg/L
			Detection Limit:	4.7 MG/L
Vanadium	1.8 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.19	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:	Estimated value; value not accurate.			

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	QA/QC Qualifier J
Comment:	Estimated value; value not accurate.			Qual meaning: Estimated value; value not accurate.

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
Page 105 of 170  
C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705576-007**

Matrix: W

Well Type: BG - Background

Monitoring Site: MW-23A

Sample Date: November 19, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units
Iron	1700		UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.  
(04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 5.67

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.24	U	UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.  
(04/17/2005)

Comment:

Criterion: 0.02 ug/L

Detection Limit: 0.24 UG/L

Acrylonitrile	6.7	U	UG/L
---------------	-----	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.  
(04/17/2005)

Comment:

Criterion: 0.06 ug/L

Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
AMMONIA-N	0.57		MG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.  
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.037 MG/L

Antimony	0.1	I	UG/L
----------	-----	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.  
(04/17/2005)

Comment:

Criterion: 6 ug/L

Detection Limit: 0.088 UG/L

Arsenic	0.42	I	UG/L
---------	------	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.  
(04/17/2005)

Comment:

Criterion: 10 ug/L

Detection Limit: 0.28 UG/L

Barium	10		UG/L
--------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.  
(04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 0.14 UG/L

Chloride	19		MG/L
----------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.  
(04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.068 MG/L

Chromium	2.4		UG/L
----------	-----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.  
(04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 0.12 UG/L

**Versions**

Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 106 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Cobalt	0.17 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	140 ug/L
			Detection Limit:	0.041 UG/L
Nickel	1.1 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.69 UG/L
Sodium	9.5	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Thallium	0.091 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	2 ug/L
			Detection Limit:	0.077 UG/L
Total Dissolved Solids	110	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	500 mg/L
			Detection Limit:	4.7 MG/L
Vanadium	2	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L
Zinc	2 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5000 ug/L
			Detection Limit:	1.7 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**  
 No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14 U		UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1 U		UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.19 U		UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083 U		UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12 U		UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2 JU		UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:	Estimated value; value not accurate.			

Evaluation Type: **QA/QC qualifier has been applied**  
 Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
trans-1,4-Dichloro-2-butene	3.2 JU		UG/L	QA/QC Qualifier J
Comment:	Estimated value; value not accurate.			Qual meaning: Estimated value; value not accurate.

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705576-008**

Matrix: W

Well Type: BG - Background

Monitoring Site: MW-23B

Sample Date: November 19, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units
Iron	654		UG/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 300 ug/L  
 Exceeds by factor of: 2.18

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.24	U	UG/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 0.02 ug/L  
 Detection Limit: 0.24 UG/L

Acrylonitrile	6.7	U	UG/L
---------------	-----	---	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 0.06 ug/L  
 Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
AMMONIA-N	0.16		MG/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 2.8 mg/L  
 Detection Limit: 0.037 MG/L

Barium	18		UG/L
--------	----	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 2000 ug/L  
 Detection Limit: 0.14 UG/L

Beryllium	0.1	I	UG/L
-----------	-----	---	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 4 ug/L  
 Detection Limit: 0.084 UG/L

Chloride	17		MG/L
----------	----	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 250 mg/L  
 Detection Limit: 0.068 MG/L

Chromium	4.3		UG/L
----------	-----	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 100 ug/L  
 Detection Limit: 0.12 UG/L

Cobalt	0.34	I	UG/L
--------	------	---	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 140 ug/L  
 Detection Limit: 0.041 UG/L

**Versions**

Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 108 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Lead	0.3 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	15 ug/L
			Detection Limit:	0.3 UG/L
Nickel	1.7 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.69 UG/L
Sodium	10	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Toluene	0.35 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	40 ug/L
			Detection Limit:	0.13 UG/L
Total Dissolved Solids	48	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	500 mg/L
			Detection Limit:	4.7 MG/L
Vanadium	2.7	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.19	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:	Estimated value; value not accurate.			

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	QA/QC Qualifier J
Comment:	Estimated value; value not accurate.			Qual meaning: Estimated value; value not accurate.

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
 Page 109 of 170  
 C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705576-009**

Matrix: W

Well Type: BG - Background

Monitoring Site: MW-23C

Sample Date: November 19, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units	Compliance Check:
Iron	576		UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 300 ug/L
Iron	574		UG/L	Exceeds by factor of: 1.92 Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 300 ug/L
				Exceeds by factor of: 1.91

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,2,3-Trichloropropane	0.24	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.02 ug/L
Acrylonitrile	6.7	U	UG/L	Detection Limit: 0.24 UG/L Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.06 ug/L
				Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
AMMONIA-N	0.27		MG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 2.8 mg/L
Antimony	0.095	I	UG/L	Detection Limit: 0.037 MG/L Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 6 ug/L
Barium	5.5		UG/L	Detection Limit: 0.088 UG/L Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 2000 ug/L
Barium	15		UG/L	Detection Limit: 0.14 UG/L Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 2000 ug/L
Beryllium	0.1	I	UG/L	Detection Limit: 0.14 UG/L Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 4 ug/L
				Detection Limit: 0.084 UG/L

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 110 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Chloride	8.4	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	250 mg/L
			Detection Limit:	0.068 MG/L
Chromium	7.1	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.12 UG/L
Chromium	1.9 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.12 UG/L
Cobalt	0.16 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	140 ug/L
			Detection Limit:	0.041 UG/L
Copper	0.48 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1000 ug/L
			Detection Limit:	0.29 UG/L
Lead	0.65 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	15 ug/L
			Detection Limit:	0.3 UG/L
Nickel	1.5 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.69 UG/L
Sodium	5.1	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Sodium	5.3	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Toluene	0.51 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	40 ug/L
			Detection Limit:	0.13 UG/L
Total Dissolved Solids	74	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	500 mg/L
			Detection Limit:	4.7 MG/L
Vanadium	5	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L
Vanadium	0.53 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L
Zinc	2.1 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5000 ug/L
			Detection Limit:	1.7 UG/L

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 111 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Zinc 2.5 I UG/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
Comment: Criterion: 5000 ug/L  
Detection Limit: 1.7 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**  
No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
cis-1,3-Dichloropropene	0.14	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.19	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment: Estimated value; value not accurate.

Evaluation Type: **QA/QC qualifier has been applied**  
Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	QA/QC Qualifier
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	J

Comment: Estimated value; value not accurate. Qual meaning: Estimated value; value not accurate.

Versions
Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
Page 112 of 170  
C:\1A0.tmp



# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705576-010**

Matrix: W

Well Type: DE - Detection

Monitoring Site: MW-17C

Sample Date: November 19, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units
Iron	956		UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 3.19

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.24	U	UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.02 ug/L

Detection Limit: 0.24 UG/L

Acrylonitrile	6.7	U	UG/L
---------------	-----	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.06 ug/L

Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
AMMONIA-N	0.22		MG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.037 MG/L

Barium	25		UG/L
--------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 0.14 UG/L

Chloride	18		MG/L
----------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.068 MG/L

Chromium	2.8		UG/L
----------	-----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 0.12 UG/L

Cobalt	0.22	l	UG/L
--------	------	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 140 ug/L

Detection Limit: 0.041 UG/L

Copper	2	l	UG/L
--------	---	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 1000 ug/L

Detection Limit: 0.29 UG/L

**Versions**

Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 113 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Lead	0.44 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	15 ug/L
			Detection Limit:	0.3 UG/L
Nickel	0.87 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.69 UG/L
Sodium	12	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Toluene	2.6	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	40 ug/L
			Detection Limit:	0.13 UG/L
Total Dissolved Solids	94	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	500 mg/L
			Detection Limit:	4.7 MG/L
Vanadium	2.9	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L
Zinc	3.3 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5000 ug/L
			Detection Limit:	1.7 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.19	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:	Estimated value; value not accurate.			

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	QA/QC Qualifier J
Comment:	Estimated value; value not accurate.			Qual meaning: Estimated value; value not accurate.

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
 Page 114 of 170  
 C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705576-011**

Matrix: W

Well Type: DE - Detection

Monitoring Site: MW-18A

Sample Date: November 19, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units
Iron	634		UG/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 300 ug/L  
 Exceeds by factor of: 2.11

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.24	U	UG/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 0.02 ug/L  
 Detection Limit: 0.24 UG/L

Acrylonitrile	6.7	U	UG/L
---------------	-----	---	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 0.06 ug/L  
 Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
AMMONIA-N	0.37		MG/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 2.8 mg/L  
 Detection Limit: 0.037 MG/L

Arsenic	0.3	I	UG/L
---------	-----	---	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 10 ug/L  
 Detection Limit: 0.28 UG/L

Barium	8		UG/L
--------	---	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 2000 ug/L  
 Detection Limit: 0.14 UG/L

Chloride	12		MG/L
----------	----	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 250 mg/L  
 Detection Limit: 0.068 MG/L

Chromium	2		UG/L
----------	---	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 100 ug/L  
 Detection Limit: 0.12 UG/L

Cobalt	0.2	I	UG/L
--------	-----	---	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 140 ug/L  
 Detection Limit: 0.041 UG/L

**Versions**

Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 115 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Copper	0.52 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1000 ug/L
			Detection Limit:	0.29 UG/L
Lead	0.68 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	15 ug/L
			Detection Limit:	0.3 UG/L
Nickel	0.88 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.69 UG/L
Sodium	4	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Total Dissolved Solids	79	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	500 mg/L
			Detection Limit:	4.7 MG/L
Vanadium	2.6	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.19	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:	Estimated value; value not accurate.			

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	QA/QC Qualifier J
Comment:	Estimated value; value not accurate.			Qual meaning: Estimated value; value not accurate.

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
Page 116 of 170  
C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705576-012**

Matrix: W

Well Type: DE - Detection

Monitoring Site: MW-18B

Sample Date: November 19, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units
Iron	836		UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 2.79

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.24	U	UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.02 ug/L

Detection Limit: 0.24 UG/L

Acrylonitrile	6.7	U	UG/L
---------------	-----	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.06 ug/L

Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
AMMONIA-N	0.069		MG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.037 MG/L

Barium	15		UG/L
--------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 0.14 UG/L

Beryllium	0.093	I	UG/L
-----------	-------	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 4 ug/L

Detection Limit: 0.084 UG/L

Chloride	23		MG/L
----------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.068 MG/L

Chromium	2.6		UG/L
----------	-----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 0.12 UG/L

Cobalt	0.15	I	UG/L
--------	------	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 140 ug/L

Detection Limit: 0.041 UG/L

**Versions**

Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 117 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Copper	0.84 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1000 ug/L
			Detection Limit:	0.29 UG/L
Lead	0.61 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	15 ug/L
			Detection Limit:	0.3 UG/L
Nickel	0.72 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.69 UG/L
Sodium	17	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Total Dissolved Solids	81	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	500 mg/L
			Detection Limit:	4.7 MG/L
Vanadium	2.2	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L
Zinc	2.5 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5000 ug/L
			Detection Limit:	1.7 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**  
 No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.19	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:	Estimated value; value not accurate.			

Evaluation Type: **QA/QC qualifier has been applied**  
 Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	QA/QC Qualifier J
Comment:	Estimated value; value not accurate.			Qual meaning: Estimated value; value not accurate.

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705576-013**

Matrix: W

Well Type: DE - Detection

Monitoring Site: MW-18C

Sample Date: November 19, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units	Compliance Check:
Iron	1720		UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 300 ug/L
Iron	1120		UG/L	Exceeds by factor of: 5.73
Comment:				Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
				Criterion: 300 ug/L
				Exceeds by factor of: 3.73

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,2,3-Trichloropropane	0.24	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.02 ug/L
Acrylonitrile	6.7	U	UG/L	Detection Limit: 0.24 UG/L
Comment:				Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
				Criterion: 0.06 ug/L
				Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
AMMONIA-N	0.24		MG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 2.8 mg/L
Antimony	0.13	I	UG/L	Detection Limit: 0.037 MG/L
Comment:				Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
				Criterion: 6 ug/L
Arsenic	0.54		UG/L	Detection Limit: 0.088 UG/L
Comment:				Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
				Criterion: 10 ug/L
Arsenic	1.4		UG/L	Detection Limit: 0.28 UG/L
Comment:				Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
				Criterion: 10 ug/L
Barium	38		UG/L	Detection Limit: 0.28 UG/L
Comment:				Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
				Criterion: 2000 ug/L
				Detection Limit: 0.14 UG/L

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 119 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Barium	109	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	2000 ug/L
			Detection Limit:	0.14 UG/L
Beryllium	0.36 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	4 ug/L
			Detection Limit:	0.084 UG/L
Beryllium	0.094 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	4 ug/L
			Detection Limit:	0.084 UG/L
Chloride	19	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	250 mg/L
			Detection Limit:	0.068 MG/L
Chromium	7.5	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.12 UG/L
Chromium	3.7	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.12 UG/L
Cobalt	0.78 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	140 ug/L
			Detection Limit:	0.041 UG/L
Cobalt	0.072 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	140 ug/L
			Detection Limit:	0.041 UG/L
Copper	0.8 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1000 ug/L
			Detection Limit:	0.29 UG/L
Lead	0.4 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	15 ug/L
			Detection Limit:	0.3 UG/L
Lead	2.2	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	15 ug/L
			Detection Limit:	0.3 UG/L
Nickel	0.84 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.69 UG/L
Nickel	1.8 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.69 UG/L
Sodium	12	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 120 of 170

C:\1A0.tmp



# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sodium	12	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Total Dissolved Solids	91	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	500 mg/L
			Detection Limit:	4.7 MG/L
Vanadium	1.8 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L
Vanadium	9.4	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L
Zinc	3 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5000 ug/L
			Detection Limit:	1.7 UG/L
Zinc	3 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5000 ug/L
			Detection Limit:	1.7 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.19	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:	Estimated value; value not accurate.			

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	QA/QC Qualifier J
Comment:	Estimated value; value not accurate.			Qual meaning: Estimated value; value not accurate.

<p>Versions</p> <p>Report: 3.0.0</p> <p>Database: 3.7.51 6/24/2005 12:00</p>
--

Tuesday, April 01, 2008  
Page 121 of 170  
C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705576-014**

Matrix: W

Well Type:

Monitoring Site: Trip Blank

Sample Date: November 19, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,2,3-Trichloropropane	0.24	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.02 ug/L
1,2-Dibromo-3-chloropropane (DBCP)	0.85	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.2 ug/L
1,2-Dibromoethane (EDB)	0.12	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.02 ug/L
Acrylonitrile	6.7	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.06 ug/L Detection Limit: 6.7 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
cis-1,3-Dichloropropene	0.14	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.19	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:	Estimated value; value not accurate.			

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	QA/QC Qualifier
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	J
Comment:	Estimated value; value not accurate.			Qual meaning: Estimated value; value not accurate.

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
Page 122 of 170  
C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705576-015**

Matrix: W

Well Type: DE - Detection

Monitoring Site: MW-17C

Sample Date: November 19, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units
Iron	1010		UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 3.37

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.24	U	UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.02 ug/L

Detection Limit: 0.24 UG/L

Acrylonitrile	6.7	U	UG/L
---------------	-----	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.06 ug/L

Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
AMMONIA-N	0.23		MG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.037 MG/L

Barium	26		UG/L
--------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 0.14 UG/L

Beryllium	0.089	I	UG/L
-----------	-------	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 4 ug/L

Detection Limit: 0.084 UG/L

Chloride	18		MG/L
----------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.068 MG/L

Chromium	5		UG/L
----------	---	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 0.12 UG/L

Cobalt	0.24	I	UG/L
--------	------	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 140 ug/L

Detection Limit: 0.041 UG/L

**Versions**

Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 123 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Copper	1.8 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1000 ug/L
			Detection Limit:	0.29 UG/L
Lead	0.49 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	15 ug/L
			Detection Limit:	0.3 UG/L
Nickel	1.6 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.69 UG/L
Sodium	12	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Toluene	2.3	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	40 ug/L
			Detection Limit:	0.13 UG/L
Total Dissolved Solids	110	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	500 mg/L
			Detection Limit:	4.7 MG/L
Vanadium	2.9	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L
Zinc	3.3 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5000 ug/L
			Detection Limit:	1.7 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.19	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:	Estimated value; value not accurate.			

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	QA/QC Qualifier J

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
Page 124 of 170  
C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment: Estimated value; value not accurate.

Qual meaning: Estimated value; value not accurate.

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 125 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705603-001**

Matrix: W

Well Type: DE - Detection

Monitoring Site: MW-16A

Sample Date: November 20, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units
Iron	657		UG/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 300 ug/L  
 Exceeds by factor of: 2.19

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.24	U	UG/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 0.02 ug/L  
 Detection Limit: 0.24 UG/L

Acrylonitrile	6.7	U	UG/L
---------------	-----	---	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 0.06 ug/L  
 Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
Acetone	32	I	UG/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 6300 ug/L  
 Detection Limit: 1.9 UG/L

AMMONIA-N	1.3		MG/L
-----------	-----	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 2.8 mg/L  
 Detection Limit: 0.037 MG/L

Antimony	0.31	I	UG/L
----------	------	---	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 6 ug/L  
 Detection Limit: 0.088 UG/L

Arsenic	0.62		UG/L
---------	------	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 10 ug/L  
 Detection Limit: 0.28 UG/L

Barium	24		UG/L
--------	----	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 2000 ug/L  
 Detection Limit: 0.14 UG/L

Cadmium	0.14	I	UG/L
---------	------	---	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)  
 Criterion: 5 ug/L  
 Detection Limit: 0.12 UG/L

**Versions**

Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 126 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Chloride	16	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	250 mg/L
			Detection Limit:	0.068 MG/L
Chromium	2.1	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.12 UG/L
Cobalt	0.2 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	140 ug/L
			Detection Limit:	0.041 UG/L
Copper	0.79 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1000 ug/L
			Detection Limit:	0.29 UG/L
Lead	1.8	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	15 ug/L
			Detection Limit:	0.3 UG/L
Nickel	1.1 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.69 UG/L
NITRATE NITROGEN (as N)	0.29	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	10000 ug/L
			Detection Limit:	0.064 MG/L
Sodium	10	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Thallium	0.1 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	2 ug/L
			Detection Limit:	0.077 UG/L
Toluene	8.6	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	40 ug/L
			Detection Limit:	0.13 UG/L
Total Dissolved Solids	110	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	500 mg/L
			Detection Limit:	4.7 MG/L
Vanadium	7.9	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L
Zinc	2 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5000 ug/L
			Detection Limit:	1.7 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

<p>Versions            Report: 3.0.0            Database: 3.7.51 6/24/2005 12:00</p>
--

Tuesday, April 01, 2008  
 Page 127 of 170  
 C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Parameter Name	Rslt	Qual	Units	Compliance Check:
cis-1,3-Dichloropropene	0.14	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.19	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment: Estimated value; value not accurate.				

Evaluation Type: **QA/QC qualifier has been applied**  
 Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	QA/QC Qualifier	Qual meaning:
Tetrachloroethene	0.16	JU	UG/L	J	Estimated value; value not accurate.
Comment: Estimated value; value not accurate.					
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	J	Estimated value; value not accurate.
Comment:					

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
 Page 128 of 170  
 C:\1A0.tmp



# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705603-002**

Matrix: W

Well Type: DE - Detection

Monitoring Site: MW-17A

Sample Date: November 20, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units
Iron	1260		UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 4.20

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.24	U	UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.02 ug/L

Detection Limit: 0.24 UG/L

Acrylonitrile	6.7	U	UG/L
---------------	-----	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.06 ug/L

Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
AMMONIA-N	1.8		MG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.037 MG/L

Antimony	0.21	I	UG/L
----------	------	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 6 ug/L

Detection Limit: 0.088 UG/L

Arsenic	0.88		UG/L
---------	------	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 10 ug/L

Detection Limit: 0.28 UG/L

Barium	15		UG/L
--------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 0.14 UG/L

Chloride	15		MG/L
----------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.068 MG/L

Chromium	2.5		UG/L
----------	-----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 0.12 UG/L

**Versions**

Report: 3.0.0  
Database: 3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 129 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Cobalt	0.25 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	140 ug/L
			Detection Limit:	0.041 UG/L
Nickel	0.78 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.69 UG/L
Sodium	11	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Toluene	1.6	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	40 ug/L
			Detection Limit:	0.13 UG/L
Total Dissolved Solids	99	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	500 mg/L
			Detection Limit:	4.7 MG/L
Vanadium	2.9	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.19	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:	Estimated value; value not accurate.			

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
Tetrachloroethene	0.16	JU	UG/L	QA/QC Qualifier J
Comment:	Estimated value; value not accurate.			Qual meaning: Estimated value; value not accurate.
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	QA/QC Qualifier J
Comment:				Qual meaning: Estimated value; value not accurate.

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
 Page 130 of 170  
 C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705603-003**

Matrix: W

Well Type: DE - Detection

Monitoring Site: MW-19A

Sample Date: November 20, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units
Iron	1020		UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 3.40

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.24	U	UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.02 ug/L

Detection Limit: 0.24 UG/L

Acrylonitrile	6.7	U	UG/L
---------------	-----	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.06 ug/L

Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
AMMONIA-N	0.93		MG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.037 MG/L

Antimony	0.14	I	UG/L
----------	------	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 6 ug/L

Detection Limit: 0.088 UG/L

Arsenic	0.67		UG/L
---------	------	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 10 ug/L

Detection Limit: 0.28 UG/L

Barium	26		UG/L
--------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 0.14 UG/L

Chloride	15		MG/L
----------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.068 MG/L

Chromium	3.5		UG/L
----------	-----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 0.12 UG/L

**Versions**

Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 131 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Cobalt	0.13 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	140 ug/L
			Detection Limit:	0.041 UG/L
Nickel	1.3 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.69 UG/L
Sodium	14	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Total Dissolved Solids	100	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	500 mg/L
			Detection Limit:	4.7 MG/L
Vanadium	2.8	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L
Zinc	2 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5000 ug/L
			Detection Limit:	1.7 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.19	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:	Estimated value; value not accurate.			

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
Tetrachloroethene	0.16	JU	UG/L	QA/QC Qualifier J
Comment:	Estimated value; value not accurate.			Qual meaning: Estimated value; value not accurate.
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	QA/QC Qualifier J
Comment:				Qual meaning: Estimated value; value not accurate.

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
Page 132 of 170  
C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705603-004**

Matrix: W

Well Type: DE - Detection

Monitoring Site: MW-19B

Sample Date: November 20, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units
Iron	904		UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 3.01

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.24	U	UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.02 ug/L

Detection Limit: 0.24 UG/L

Acrylonitrile	6.7	U	UG/L
---------------	-----	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.06 ug/L

Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
Acetone	6.8	I	UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 6300 ug/L

Detection Limit: 1.9 UG/L

AMMONIA-N	0.16		MG/L
-----------	------	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.037 MG/L

Antimony	0.15	I	UG/L
----------	------	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 6 ug/L

Detection Limit: 0.088 UG/L

Arsenic	0.48	I	UG/L
---------	------	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 10 ug/L

Detection Limit: 0.28 UG/L

Barium	38		UG/L
--------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 0.14 UG/L

Beryllium	0.1	I	UG/L
-----------	-----	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 4 ug/L

Detection Limit: 0.084 UG/L

**Versions**

Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 133 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Chloride	25	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	250 mg/L
			Detection Limit:	0.068 MG/L
Chromium	2.4	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.12 UG/L
Cobalt	0.21	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	140 ug/L
			Detection Limit:	0.041 UG/L
Copper	1.3	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1000 ug/L
			Detection Limit:	0.29 UG/L
Lead	2.2	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	15 ug/L
			Detection Limit:	0.3 UG/L
Sodium	17	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Toluene	2.9	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	40 ug/L
			Detection Limit:	0.13 UG/L
Total Dissolved Solids	87	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	500 mg/L
			Detection Limit:	4.7 MG/L
Vanadium	2.6	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L
Zinc	1.8	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5000 ug/L
			Detection Limit:	1.7 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.19	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

#### Versions

Report: 3.0.0  
Database: 3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 134 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment: Estimated value; value not accurate.

---

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units
Tetrachloroethene	0.16	JU	UG/L

Comment: Estimated value; value not accurate.

trans-1,4-Dichloro-2-butene	3.2	JU	UG/L
-----------------------------	-----	----	------

Comment:

QA/QC Qualifier J

Qual meaning: Estimated value; value not accurate.

QA/QC Qualifier J

Qual meaning: Estimated value; value not accurate.

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 135 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705603-005**

Matrix: W

Well Type: DE - Detection

Monitoring Site: MW-19C

Sample Date: November 20, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units	Compliance Check:
Iron	5050		UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 300 ug/L
Iron	1230		UG/L	Exceeds by factor of: 16.83
Comment:				Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
				Criterion: 300 ug/L
				Exceeds by factor of: 4.10

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,2,3-Trichloropropane	0.24	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.02 ug/L
Acrylonitrile	6.7	U	UG/L	Detection Limit: 0.24 UG/L
Comment:				Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
				Criterion: 0.06 ug/L
				Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
AMMONIA-N	0.77		MG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 2.8 mg/L
Antimony	0.3	I	UG/L	Detection Limit: 0.037 MG/L
Comment:				Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
				Criterion: 6 ug/L
Antimony	0.19	I	UG/L	Detection Limit: 0.088 UG/L
Comment:				Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
				Criterion: 6 ug/L
Arsenic	1.4		UG/L	Detection Limit: 0.088 UG/L
Comment:				Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
				Criterion: 10 ug/L
Barium	39		UG/L	Detection Limit: 0.28 UG/L
Comment:				Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
				Criterion: 2000 ug/L
				Detection Limit: 0.14 UG/L

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 136 of 170

C:\1A0.tmp



# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Barium	267	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	2000 ug/L
			Detection Limit:	0.14 UG/L
Beryllium	0.093 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	4 ug/L
			Detection Limit:	0.084 UG/L
Beryllium	2.1	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	4 ug/L
			Detection Limit:	0.084 UG/L
Cadmium	0.87	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5 ug/L
			Detection Limit:	0.12 UG/L
Chloride	17	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	250 mg/L
			Detection Limit:	0.068 MG/L
Chromium	1 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.12 UG/L
Chromium	32	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.12 UG/L
Cobalt	1.1	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	140 ug/L
			Detection Limit:	0.041 UG/L
Copper	1 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1000 ug/L
			Detection Limit:	0.29 UG/L
Copper	11	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1000 ug/L
			Detection Limit:	0.29 UG/L
Lead	6.5	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	15 ug/L
			Detection Limit:	0.3 UG/L
Nickel	4.6	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.69 UG/L
Sodium	9.5	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Sodium	9.6	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L

## Versions

Report: 3.0.0  
Database: 3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 137 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Thallium	0.099 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	2 ug/L
			Detection Limit:	0.077 UG/L
Total Dissolved Solids	120	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	500 mg/L
			Detection Limit:	4.7 MG/L
Vanadium	1.6 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L
Vanadium	37	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L
Zinc	12	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5000 ug/L
			Detection Limit:	1.7 UG/L
Zinc	3.5 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5000 ug/L
			Detection Limit:	1.7 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.19	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:	Estimated value; value not accurate.			

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
Tetrachloroethene	0.16	JU	UG/L	QA/QC Qualifier J
Comment:	Estimated value; value not accurate.			Qual meaning: Estimated value; value not accurate.
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	QA/QC Qualifier J
Comment:				Qual meaning: Estimated value; value not accurate.

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
 Page 138 of 170  
 C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705603-006**

Matrix: W

Well Type: DE - Detection

Monitoring Site: MW-20A

Sample Date: November 20, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units
Iron	527		UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.  
(04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 1.76

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.24	U	UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.  
(04/17/2005)

Comment:

Criterion: 0.02 ug/L

Detection Limit: 0.24 UG/L

Acrylonitrile	6.7	U	UG/L
---------------	-----	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.  
(04/17/2005)

Comment:

Criterion: 0.06 ug/L

Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
AMMONIA-N	0.13		MG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.  
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.037 MG/L

Antimony	0.51	I	UG/L
----------	------	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.  
(04/17/2005)

Comment:

Criterion: 6 ug/L

Detection Limit: 0.088 UG/L

Arsenic	0.3	I	UG/L
---------	-----	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.  
(04/17/2005)

Comment:

Criterion: 10 ug/L

Detection Limit: 0.28 UG/L

Barium	13		UG/L
--------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.  
(04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 0.14 UG/L

Chloride	25		MG/L
----------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.  
(04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.068 MG/L

Chromium	2.9		UG/L
----------	-----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.  
(04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 0.12 UG/L

**Versions**

Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 139 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Cobalt	0.39 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	140 ug/L
			Detection Limit:	0.041 UG/L
Copper	0.71 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1000 ug/L
			Detection Limit:	0.29 UG/L
Lead	0.97 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	15 ug/L
			Detection Limit:	0.3 UG/L
Nickel	1.6 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.69 UG/L
Selenium	2.4	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	50 ug/L
			Detection Limit:	0.79 UG/L
Sodium	20	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Total Dissolved Solids	170	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	500 mg/L
			Detection Limit:	4.7 MG/L
Vanadium	7.1	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.19	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:	Estimated value; value not accurate.			

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
Tetrachloroethene	0.16	JU	UG/L	QA/QC Qualifier J

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
Page 140 of 170  
C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment: Estimated value; value not accurate.  
trans-1,4-Dichloro-2-butene

3.2 JU UG/L

Qual meaning: Estimated value; value not accurate.  
QA/QC Qualifier J

Comment:

Qual meaning: Estimated value; value not accurate.

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 141 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705603-007**

Matrix: W

Well Type: DE - Detection

Monitoring Site: MW-20B

Sample Date: November 20, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units	Compliance Check:
Iron	2830		UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 300 ug/L
Iron	1690		UG/L	Exceeds by factor of: 9.43
Comment:				Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Lead	19		UG/L	Criterion: 300 ug/L
Comment:				Exceeds by factor of: 5.63
				Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
				Criterion: 15 ug/L
				Exceeds by factor of: 1.27

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,2,3-Trichloropropane	0.24	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.02 ug/L
Acrylonitrile	6.7	U	UG/L	Detection Limit: 0.24 UG/L
Comment:				Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
				Criterion: 0.06 ug/L
				Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
Acetone	5.7	I	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 6300 ug/L
AMMONIA-N	0.54		MG/L	Detection Limit: 1.9 UG/L
Comment:				Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Antimony	0.25	I	UG/L	Criterion: 2.8 mg/L
Comment:				Detection Limit: 0.037 MG/L
Arsenic	0.32	I	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 6 ug/L
				Detection Limit: 0.088 UG/L
				Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
				Criterion: 10 ug/L
				Detection Limit: 0.28 UG/L

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
 Page 142 of 170  
 C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Arsenic	0.62	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	10 ug/L
			Detection Limit:	0.28 UG/L
Barium	234	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	2000 ug/L
			Detection Limit:	0.14 UG/L
Barium	20	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	2000 ug/L
			Detection Limit:	0.14 UG/L
Beryllium	0.57 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	4 ug/L
			Detection Limit:	0.084 UG/L
Cadmium	0.21 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5 ug/L
			Detection Limit:	0.12 UG/L
Chloride	25	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	250 mg/L
			Detection Limit:	0.068 MG/L
Chromium	15	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.12 UG/L
Chromium	1.2 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.12 UG/L
Cobalt	0.36 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	140 ug/L
			Detection Limit:	0.041 UG/L
Cobalt	0.17 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	140 ug/L
			Detection Limit:	0.041 UG/L
Copper	2 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1000 ug/L
			Detection Limit:	0.29 UG/L
Lead	0.83 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	15 ug/L
			Detection Limit:	0.3 UG/L
Nickel	2.1	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.69 UG/L
Selenium	2.2	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	50 ug/L
			Detection Limit:	0.79 UG/L

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 143 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sodium	17	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Sodium	17	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Thallium	0.13 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	2 ug/L
			Detection Limit:	0.077 UG/L
Total Dissolved Solids	210	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	500 mg/L
			Detection Limit:	4.7 MG/L
Vanadium	17	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L
Vanadium	2.5	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L
Zinc	2.2 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5000 ug/L
			Detection Limit:	1.7 UG/L
Zinc	3 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5000 ug/L
			Detection Limit:	1.7 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.19	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:	Estimated value; value not accurate.			

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
Tetrachloroethene	0.16	JU	UG/L	QA/QC Qualifier J

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
Page 144 of 170  
C:\1A0.tmp



# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment: Estimated value; value not accurate.  
trans-1,4-Dichloro-2-butene

3.2 JU UG/L

Qual meaning: Estimated value; value not accurate.  
QA/QC Qualifier J

Comment:

Qual meaning: Estimated value; value not accurate.

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
Page 145 of 170  
C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705603-008**

Matrix: W

Well Type: DE - Detection

Monitoring Site: MW-20C

Sample Date: November 20, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units	Compliance Check:
Iron	2880		UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 300 ug/L
Iron	1370		UG/L	Exceeds by factor of: 9.60 Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 300 ug/L
				Exceeds by factor of: 4.57

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,2,3-Trichloropropane	0.24	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.02 ug/L
Acrylonitrile	6.7	U	UG/L	Detection Limit: 0.24 UG/L Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.06 ug/L
				Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
AMMONIA-N	0.36		MG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 2.8 mg/L
Antimony	0.12	I	UG/L	Detection Limit: 0.037 MG/L Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 6 ug/L
Arsenic	0.99		UG/L	Detection Limit: 0.088 UG/L Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 10 ug/L
Barium	112		UG/L	Detection Limit: 0.28 UG/L Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 2000 ug/L
Barium	37		UG/L	Detection Limit: 0.14 UG/L Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 2000 ug/L
				Detection Limit: 0.14 UG/L

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 146 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Beryllium	0.38 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	4 ug/L
			Detection Limit:	0.084 UG/L
Cadmium	0.24 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5 ug/L
			Detection Limit:	0.12 UG/L
Chloride	19	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	250 mg/L
			Detection Limit:	0.068 MG/L
Chromium	1 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.12 UG/L
Chromium	8.2	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.12 UG/L
Cobalt	0.3 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	140 ug/L
			Detection Limit:	0.041 UG/L
Copper	1.6 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1000 ug/L
			Detection Limit:	0.29 UG/L
Lead	2.5	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	15 ug/L
			Detection Limit:	0.3 UG/L
Nickel	1.1 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.69 UG/L
Selenium	0.82 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	50 ug/L
			Detection Limit:	0.79 UG/L
Sodium	9.5	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Sodium	9.4	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Total Dissolved Solids	93	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	500 mg/L
			Detection Limit:	4.7 MG/L
Vanadium	1.6 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L

## Versions

Report: 3.0.0  
Database: 3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 147 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Vanadium	8.1	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L
Zinc	5.3 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5000 ug/L
			Detection Limit:	1.7 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.19	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:	Estimated value; value not accurate.			

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
Tetrachloroethene	0.16	JU	UG/L	QA/QC Qualifier J
Comment:	Estimated value; value not accurate.			Qual meaning: Estimated value; value not accurate.
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	QA/QC Qualifier J
Comment:				Qual meaning: Estimated value; value not accurate.

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
 Page 148 of 170  
 C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705603-009**

Matrix: W

Well Type: DE - Detection

Monitoring Site: MW-21A

Sample Date: November 20, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,2,3-Trichloropropane	0.24	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.02 ug/L
				Detection Limit: 0.24 UG/L
Acrylonitrile	6.7	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.06 ug/L
				Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
AMMONIA-N	0.18		MG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 2.8 mg/L
				Detection Limit: 0.037 MG/L
Antimony	0.38	I	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 6 ug/L
				Detection Limit: 0.088 UG/L
Arsenic	0.35	I	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 10 ug/L
				Detection Limit: 0.28 UG/L
Barium	50		UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 2000 ug/L
				Detection Limit: 0.14 UG/L
Cadmium	0.72		UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 5 ug/L
				Detection Limit: 0.12 UG/L
Chloride	42		MG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 250 mg/L
				Detection Limit: 0.068 MG/L
Chromium	1.3	I	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 100 ug/L
				Detection Limit: 0.12 UG/L
Cobalt	0.12	I	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 140 ug/L
				Detection Limit: 0.041 UG/L
Copper	0.29	I	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 149 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion: 1000 ug/L
			Detection Limit: 0.29 UG/L
Iron	204	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion: 300 ug/L
			Detection Limit: 17 UG/L
Lead	0.42 I	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion: 15 ug/L
			Detection Limit: 0.3 UG/L
Nickel	1.1 I	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion: 100 ug/L
			Detection Limit: 0.69 UG/L
NITRATE NITROGEN (as N)	0.12 I	MG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion: 10000 ug/L
			Detection Limit: 0.064 MG/L
Sodium	26	MG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion: 160 mg/L
			Detection Limit: 0.15 MG/L
Total Dissolved Solids	110	MG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion: 500 mg/L
			Detection Limit: 4.7 MG/L
Zinc	1.7 I	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion: 5000 ug/L
			Detection Limit: 1.7 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**  
 No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.19	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment: Estimated value; value not accurate.

Evaluation Type: **QA/QC qualifier has been applied**  
 Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
Tetrachloroethene	0.16	JU	UG/L	QA/QC Qualifier J

Comment: Estimated value; value not accurate.      Qual meaning: Estimated value; value not accurate.

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

trans-1,4-Dichloro-2-butene

3.2 JU UG/L

QA/QC Qualifier J

Comment: Estimated value; value not accurate.

Qual meaning: Estimated value; value not accurate.

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 151 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705603-010**

Matrix: W

Well Type: DE - Detection

Monitoring Site: MW-21B

Sample Date: November 20, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units	Compliance Check:
Iron	2440		UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 300 ug/L
Iron	3100		UG/L	Exceeds by factor of: 8.13 Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 300 ug/L
				Exceeds by factor of: 10.33

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,2,3-Trichloropropane	0.24	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.02 ug/L
Acrylonitrile	6.7	U	UG/L	Detection Limit: 0.24 UG/L Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.06 ug/L
				Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
AMMONIA-N	0.43		MG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 2.8 mg/L
Antimony	0.35	I	UG/L	Detection Limit: 0.037 MG/L Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 6 ug/L
Arsenic	0.88		UG/L	Detection Limit: 0.088 UG/L Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 10 ug/L
Arsenic	0.42	I	UG/L	Detection Limit: 0.28 UG/L Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 10 ug/L
Barium	92		UG/L	Detection Limit: 0.28 UG/L Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 2000 ug/L
				Detection Limit: 0.14 UG/L

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 152 of 170

C:\1A0.tmp



# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Barium	12	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	2000 ug/L
			Detection Limit:	0.14 UG/L
Beryllium	0.21 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	4 ug/L
			Detection Limit:	0.084 UG/L
Cadmium	0.19 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5 ug/L
			Detection Limit:	0.12 UG/L
Chloride	23	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	250 mg/L
			Detection Limit:	0.068 MG/L
Chromium	8.8	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.12 UG/L
Chromium	1.1 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.12 UG/L
Cobalt	0.24 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	140 ug/L
			Detection Limit:	0.041 UG/L
Cobalt	0.36 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	140 ug/L
			Detection Limit:	0.041 UG/L
Copper	4	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1000 ug/L
			Detection Limit:	0.29 UG/L
Lead	7.8	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	15 ug/L
			Detection Limit:	0.3 UG/L
Nickel	2	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.69 UG/L
Selenium	3.1	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	50 ug/L
			Detection Limit:	0.79 UG/L
Sodium	16	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Sodium	16	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L

## Versions

Report: 3.0.0  
Database: 3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 153 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Thallium	0.14 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	2 ug/L
			Detection Limit:	0.077 UG/L
Toluene	3	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	40 ug/L
			Detection Limit:	0.13 UG/L
Total Dissolved Solids	120	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	500 mg/L
			Detection Limit:	4.7 MG/L
Vanadium	0.64 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L
Vanadium	12	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L
Zinc	3 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5000 ug/L
			Detection Limit:	1.7 UG/L
Zinc	2.6 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5000 ug/L
			Detection Limit:	1.7 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.19	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:	Estimated value; value not accurate.			

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
Tetrachloroethene	0.16	JU	UG/L	QA/QC Qualifier J
Comment:	Estimated value; value not accurate.			
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	QA/QC Qualifier J
Comment:	Estimated value; value not accurate.			

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
Page 154 of 170  
C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705603-011**

Matrix: W

Well Type: DE - Detection

Monitoring Site: MW-21C

Sample Date: November 20, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units	Compliance Check:
Iron	1330		UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 300 ug/L
Iron	2520		UG/L	Exceeds by factor of: 4.43 Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 300 ug/L Exceeds by factor of: 8.40

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,2,3-Trichloropropane	0.24	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.02 ug/L Detection Limit: 0.24 UG/L
Acrylonitrile	6.7	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.06 ug/L Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
AMMONIA-N	0.34		MG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 2.8 mg/L Detection Limit: 0.037 MG/L
Antimony	0.1	I	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 6 ug/L Detection Limit: 0.088 UG/L
Arsenic	0.97		UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 10 ug/L Detection Limit: 0.28 UG/L
Barium	30		UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 2000 ug/L Detection Limit: 0.14 UG/L
Barium	87		UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 2000 ug/L Detection Limit: 0.14 UG/L

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
Page 155 of 170  
C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Beryllium	0.38 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	4 ug/L
			Detection Limit:	0.084 UG/L
Cadmium	0.15 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5 ug/L
			Detection Limit:	0.12 UG/L
Chloride	18	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	250 mg/L
			Detection Limit:	0.068 MG/L
Chromium	2 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.12 UG/L
Chromium	14	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.12 UG/L
Cobalt	0.17 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	140 ug/L
			Detection Limit:	0.041 UG/L
Cobalt	0.19 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	140 ug/L
			Detection Limit:	0.041 UG/L
Copper	0.3 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1000 ug/L
			Detection Limit:	0.29 UG/L
Copper	1.8 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1000 ug/L
			Detection Limit:	0.29 UG/L
Lead	0.3 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	15 ug/L
			Detection Limit:	0.3 UG/L
Lead	1.3	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	15 ug/L
			Detection Limit:	0.3 UG/L
Nickel	7.2	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.69 UG/L
Nickel	3.4	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.69 UG/L
Sodium	9.4	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L

## Versions

Report: 3.0.0  
Database: 3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 156 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sodium	10	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
Total Dissolved Solids	83	MG/L	Detection Limit:	0.15 MG/L
Comment:			Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Vanadium	1 I	UG/L	Criterion:	500 mg/L
Comment:			Detection Limit:	4.7 MG/L
Vanadium	5.5	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
Zinc	4.1 I	UG/L	Detection Limit:	0.18 UG/L
Comment:			Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Zinc	4.3 I	UG/L	Criterion:	5000 ug/L
Comment:			Detection Limit:	1.7 UG/L
			Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
			Criterion:	5000 ug/L
			Detection Limit:	1.7 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.19	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:	Estimated value; value not accurate.			

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
Tetrachloroethene	0.16	JU	UG/L	QA/QC Qualifier J
Comment:	Estimated value; value not accurate.			Qual meaning: Estimated value; value not accurate.
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	QA/QC Qualifier J
Comment:				Qual meaning: Estimated value; value not accurate.

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
 Page 157 of 170  
 C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705603-012**

Matrix: W

Well Type: BG - Background

Monitoring Site: MW-22A

Sample Date: November 20, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units
Iron	1830		UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 6.10

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.24	U	UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.02 ug/L

Detection Limit: 0.24 UG/L

Acrylonitrile	6.7	U	UG/L
---------------	-----	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.06 ug/L

Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
AMMONIA-N	0.4		MG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.037 MG/L

Antimony	0.13	I	UG/L
----------	------	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 6 ug/L

Detection Limit: 0.088 UG/L

Arsenic	0.43	I	UG/L
---------	------	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 10 ug/L

Detection Limit: 0.28 UG/L

Barium	17		UG/L
--------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 0.14 UG/L

Chloride	36		MG/L
----------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.068 MG/L

Chromium	2.3		UG/L
----------	-----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 0.12 UG/L

**Versions**

Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 158 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Cobalt	0.29 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	140 ug/L
Sodium	25	MG/L	Detection Limit:	0.041 UG/L
Comment:			Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Total Dissolved Solids	100	MG/L	Criterion:	160 mg/L
Comment:			Detection Limit:	0.15 MG/L
Vanadium	0.38 I	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.19	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:	Estimated value; value not accurate.			

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
Tetrachloroethene	0.16	JU	UG/L	QA/QC Qualifier J
Comment:	Estimated value; value not accurate.			Qual meaning: Estimated value; value not accurate.
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	QA/QC Qualifier J
Comment:				Qual meaning: Estimated value; value not accurate.

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
Page 159 of 170  
C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705603-013**

Matrix: W

Well Type:

Monitoring Site: Trip Blank

Sample Date: November 20, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,2,3-Trichloropropane	0.24	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.02 ug/L
1,2-Dibromo-3-chloropropane (DBCP)	0.85	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.2 ug/L
1,2-Dibromoethane (EDB)	0.12	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.02 ug/L
Acrylonitrile	6.7	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.06 ug/L
				Detection Limit: 6.7 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
cis-1,3-Dichloropropene	0.14	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.19	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:	Estimated value; value not accurate.			

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	QA/QC Qualifier
Tetrachloroethene	0.16	JU	UG/L	J
Comment:	Estimated value; value not accurate.			Qual meaning: Estimated value; value not accurate.
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	J
Comment:				Qual meaning: Estimated value; value not accurate.

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
 Page 160 of 170  
 C:\1A0.tmp



# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705660-001**

Matrix: W

Well Type: BG - Background

Monitoring Site: MW-22B

Sample Date: November 26, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units	Compliance Check:
Iron	1540		UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 300 ug/L
Iron	2500		UG/L	Exceeds by factor of: 5.13 Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 300 ug/L
				Exceeds by factor of: 8.33

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,2,3-Trichloropropane	0.24	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.02 ug/L
Acrylonitrile	6.7	U	UG/L	Detection Limit: 0.24 UG/L Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.06 ug/L
				Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
AMMONIA-N	0.27		MG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 2.8 mg/L
Arsenic	0.72		UG/L	Detection Limit: 0.037 MG/L Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 10 ug/L
Arsenic	0.4	I	UG/L	Detection Limit: 0.28 UG/L Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 10 ug/L
Barium	13		UG/L	Detection Limit: 0.28 UG/L Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 2000 ug/L
Barium	14		UG/L	Detection Limit: 0.14 UG/L Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 2000 ug/L
				Detection Limit: 0.14 UG/L

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 161 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Chloride	11	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	250 mg/L
			Detection Limit:	0.068 MG/L
Chromium	0.69 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.12 UG/L
Chromium	1.8 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.12 UG/L
Cobalt	0.25 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	140 ug/L
			Detection Limit:	0.041 UG/L
Cobalt	0.22 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	140 ug/L
			Detection Limit:	0.041 UG/L
Sodium	9.1	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Sodium	9.2	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Toluene	3.7	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	40 ug/L
			Detection Limit:	0.13 UG/L
Total Dissolved Solids	67	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	500 mg/L
			Detection Limit:	4.7 MG/L
Vanadium	0.91 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L
Vanadium	0.85 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L
Zinc	3.6 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5000 ug/L
			Detection Limit:	1.7 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
cis-1,3-Dichloropropene	0.14	U	UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 162 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Iodomethane (Methyl iodide)	1.1 U	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.19 U	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083 U	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12 U	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2 JU	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment: Estimated value; value not accurate.

**Evaluation Type: QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
Chlorobenzene	0.1	JU	UG/L	QA/QC Qualifier J
Comment:	Estimated value; value not accurate.			Qual meaning: Estimated value; value not accurate.
Tetrachloroethene	0.16	JU	UG/L	QA/QC Qualifier J
Comment:				Qual meaning: Estimated value; value not accurate.
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	QA/QC Qualifier J
Comment:				Qual meaning: Estimated value; value not accurate.

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705660-002**

Matrix: W

Well Type: BG - Background

Monitoring Site: MW-22C

Sample Date: November 26, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units
Iron	752		UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 2.51

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.24	U	UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.02 ug/L

Detection Limit: 0.24 UG/L

Acrylonitrile	6.7	U	UG/L
---------------	-----	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.06 ug/L

Detection Limit: 6.7 UG/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
AMMONIA-N	0.14		MG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.037 MG/L

Arsenic	0.56		UG/L
---------	------	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 10 ug/L

Detection Limit: 0.28 UG/L

Barium	22		UG/L
--------	----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 0.14 UG/L

Chloride	7.9		MG/L
----------	-----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.068 MG/L

Chromium	5.8		UG/L
----------	-----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 0.12 UG/L

Cobalt	0.16	I	UG/L
--------	------	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 140 ug/L

Detection Limit: 0.041 UG/L

**Versions**

Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 164 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Nickel	2.5	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	100 ug/L
			Detection Limit:	0.69 UG/L
Sodium	6.6	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	160 mg/L
			Detection Limit:	0.15 MG/L
Toluene	1.3	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	40 ug/L
			Detection Limit:	0.13 UG/L
Total Dissolved Solids	330	MG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	500 mg/L
			Detection Limit:	4.7 MG/L
Vanadium	0.64 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	49 ug/L
			Detection Limit:	0.18 UG/L
Zinc	2.6 l	UG/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	5000 ug/L
			Detection Limit:	1.7 UG/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
cis-1,3-Dichloropropene	0.14	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Iodomethane (Methyl iodide)	1.1	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
m&p-Xylenes	0.19	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
o-Xylene	0.083	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,3-Dichloropropene	0.12	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:	Estimated value; value not accurate.			

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
Chlorobenzene	0.1	JU	UG/L	QA/QC Qualifier J
Comment:	Estimated value; value not accurate.			
Tetrachloroethene	0.16	JU	UG/L	QA/QC Qualifier J
Comment:	Estimated value; value not accurate.			
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	QA/QC Qualifier J
Comment:	Estimated value; value not accurate.			

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
Page 165 of 170  
C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705660-003**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: L-1

Sample Date: November 26, 2007

---

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
Chlorobenzene	1	JU	UG/L	QA/QC Qualifier J
Comment: Estimated value; value not accurate.				Qual meaning: Estimated value; value not accurate.
Dieldrin	0.0081	JU	UG/L	QA/QC Qualifier J
Comment: Estimated value; value not accurate.				Qual meaning: Estimated value; value not accurate.
Endosulfan II	0.0071	JU	UG/L	QA/QC Qualifier J
Comment: Estimated value; value not accurate.				Qual meaning: Estimated value; value not accurate.
Tetrachloroethene	1.6	JU	UG/L	QA/QC Qualifier J
Comment: Estimated value; value not accurate.				Qual meaning: Estimated value; value not accurate.
trans-1,4-Dichloro-2-butene	32	JU	UG/L	QA/QC Qualifier J
Comment: Estimated value; value not accurate.				Qual meaning: Estimated value; value not accurate.

---

Evaluation Type: **The sample was analyzed after the holding time had expired.**

Measured concentrations may not be representative of conditions at sample collection.

Parameter Name	Rslt	Qual	Units	
Cyanide, Total	0.005	U	MG/L	Analysis performed outside 3 days. holding time by:

Versions
Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
Page 166 of 170  
C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705660-004**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: L-2

Sample Date: November 26, 2007

---

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
Chlorobenzene	1	JU	UG/L	QA/QC Qualifier J
Comment:	Estimated value; value not accurate.			Qual meaning: Estimated value; value not accurate.
Dieldrin	0.0082	JU	UG/L	QA/QC Qualifier J
Comment:				Qual meaning: Estimated value; value not accurate.
Endosulfan II	0.0072	JU	UG/L	QA/QC Qualifier J
Comment:				Qual meaning: Estimated value; value not accurate.
Tetrachloroethene	1.6	JU	UG/L	QA/QC Qualifier J
Comment:				Qual meaning: Estimated value; value not accurate.
trans-1,4-Dichloro-2-butene	32	JU	UG/L	QA/QC Qualifier J
Comment:				Qual meaning: Estimated value; value not accurate.

---

Evaluation Type: **The sample was analyzed after the holding time had expired.**

Measured concentrations may not be representative of conditions at sample collection.

Parameter Name	Rslt	Qual	Units	
Cyanide, Total	0.005	U	MG/L	Analysis performed outside 3 days. holding time by:

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008  
Page 167 of 170  
C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705660-005**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: L-3

Sample Date: November 26, 2007

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
3,3'-Dimethylbenzidine	14	JU	UG/L	QA/QC Qualifier J
Comment: Estimated value; value not accurate.				Qual meaning: Estimated value; value not accurate.
Chlorobenzene	1	JU	UG/L	QA/QC Qualifier J
Comment:				Qual meaning: Estimated value; value not accurate.
Dieldrin	0.0082	JU	UG/L	QA/QC Qualifier J
Comment:				Qual meaning: Estimated value; value not accurate.
Endosulfan II	0.0072	JU	UG/L	QA/QC Qualifier J
Comment:				Qual meaning: Estimated value; value not accurate.
Tetrachloroethene	1.6	JU	UG/L	QA/QC Qualifier J
Comment:				Qual meaning: Estimated value; value not accurate.
trans-1,4-Dichloro-2-butene	32	JU	UG/L	QA/QC Qualifier J
Comment:				Qual meaning: Estimated value; value not accurate.

Evaluation Type: **The sample was analyzed after the holding time had expired.**

Measured concentrations may not be representative of conditions at sample collection.

Parameter Name	Rslt	Qual	Units	
Cyanide, Total	0.005	U	MG/L	Analysis performed outside 3 days. holding time by:

Versions
Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Tuesday, April 01, 2008

Page 168 of 170

C:\1A0.tmp



# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705660-006**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: L-4

Sample Date: November 26, 2007

---

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
Chlorobenzene	1	JU	UG/L	QA/QC Qualifier J
Comment:	Estimated value; value not accurate.			Qual meaning: Estimated value; value not accurate.
Dieldrin	0.0085	JU	UG/L	QA/QC Qualifier J
Comment:				Qual meaning: Estimated value; value not accurate.
Endosulfan II	0.0075	JU	UG/L	QA/QC Qualifier J
Comment:				Qual meaning: Estimated value; value not accurate.
Tetrachloroethene	1.6	JU	UG/L	QA/QC Qualifier J
Comment:				Qual meaning: Estimated value; value not accurate.
trans-1,4-Dichloro-2-butene	32	JU	UG/L	QA/QC Qualifier J
Comment:				Qual meaning: Estimated value; value not accurate.

---

Evaluation Type: **The sample was analyzed after the holding time had expired.**

Measured concentrations may not be representative of conditions at sample collection.

Parameter Name	Rslt	Qual	Units	
Cyanide, Total	0.005	U	MG/L	Analysis performed outside 3 days. holding time by:

Versions
----------

Report:	3.0.0
---------	-------

Database:	3.7.51 6/24/2005 12:00
-----------	------------------------

Tuesday, April 01, 2008

Page 169 of 170

C:\1A0.tmp

# FDEP Automated Data Evaluation

Oak Hammock

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **J0705660-007**

Matrix: W

Well Type:

Monitoring Site: Trip Blank

Sample Date: November 26, 2007

---

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

Parameter Name	Rslt	Qual	Units	
Chlorobenzene	0.1	JU	UG/L	QA/QC Qualifier J
Comment: Estimated value; value not accurate.				Qual meaning: Estimated value; value not accurate.
Tetrachloroethene	0.16	JU	UG/L	QA/QC Qualifier J
Comment: Estimated value; value not accurate.				Qual meaning: Estimated value; value not accurate.
trans-1,4-Dichloro-2-butene	3.2	JU	UG/L	QA/QC Qualifier J
Comment: Estimated value; value not accurate.				Qual meaning: Estimated value; value not accurate.

<b>Versions</b>
-----------------

Report: 3.0.0
---------------

Database: 3.7.51 6/24/2005 12:00
----------------------------------

Tuesday, April 01, 2008

Page 170 of 170

C:\1A0.tmp