LORIDA DEPARTMENT OF ENVIRONMENTAL PROTEC

PERMITTING APPLICATION PROJECT EVENT SUMMARY REPORT

26-MAR-01

Site Name: GLOBAL TIRE RECYCLING
County: SUMTER

PROJECT

Permit Office: SWD (DISTRICT) CRA Reference #: 85717
Project #: 85717 **Agency Action:** Withdrawn
Project name: GLOBAL TIRE STORAGE PLAN **Desc:**
Type/Sub/Req: WT/MM / New Permit Application
Received: 06-FEB-2001 **Issued:** **Expires:**
Fee: $250.00 **Realized:** $250.00 **Dele:** **Override:** NONE

PROJECT EVENTS

Event	Begin Date	Prd	Due Date	Rmn	Status	End Date
Receive Request	06-FEB-2001	1	07-FEB-2001	000	Done	06-FEB-2001
Fee Verification	06-FEB-2001	2	08-FEB-2001	000	Sufficient Fee	13-FEB-2001
Completeness Review	06-FEB-2001	30	08-MAR-2001	000	Incomplete	06-MAR-2001
RESET CLOCK	06-MAR-2001	1	07-MAR-2001	000	Done	06-MAR-2001
Awaiting Additional Information	06-MAR-2001	45	20-APR-2001	000	Withdrawn	21-MAR-2001
STOP CLOCK	21-MAR-2001	1	22-MAR-2001	000	Done	21-MAR-2001
WITHDRAWN APPLICATION	21-MAR-2001	1	22-MAR-2001	000	Withdrawn	21-MAR-2001
Publish Notice of Application	13-FEB-2001	14	27-FEB-2001	000	Done	16-FEB-2001
Return Proof of Publication of Notice of Application	16-FEB-2001	21	09-MAR-2001	000	Received	20-FEB-2001

```
 _perMits_|__Events_|__Payment_|__Site_|__Facility_|__partY_|__Reports_|_      >
--------------------------  _Permitting_Application_  --------------------------
+------------------------------ SITE Permit ------------------------------+
|    Site Name: GLOBAL_TIRE_RECYCLING_____________________ Site #: _0136808 |
|                                                                           |
|       County: SUMTER_____ Comments: N RPAs: N # Cases: 0__                |
+---------------------------------- Project ----------------------------------+
|Permit #:_____-___-____ Project #:003 Received:06-FEB-2001_ CRA#:85717_____ |
|Permit Office: SWD_(DISTRICT)_____________________ Agency Action: Pending___|
| Project Name: GLOBAL_TIRE_STORAGE_PLAN_____ Desc: _____________________   |
| Type/Sub/Des: WT__/MM_ MINOR_MODIFICATION_____________ COE #: _________   |
|       Logged: 13-FEB-2001  Issued: _____________ Expires: _____________ OGC: _|
|Fee: ____250.00 Fee Recd: ____250.00 Dele: _________ Override: NONE_____   |
+------------------------------ Related Party ------------------------------+
|Role: APPLICANT_______   Begin: 13-FEB-2001   End: ____________            |
|Name: FIFER,_BRIAN_____________________ Company: GLOBAL_TIRE_RECYCLING_____|
|Addr: 1201_INDUSTRIAL_DRIVE_____________________________________________   |
|City: WILDWOOD_____________________ State: FL Zip: 34785-____ Country: U.S.A._|
|Phone: 352-330-3123   Fax: _____________                                   |
+---------------------------------- Processors ----------------------------------+
|Processor: FORD_K_____________________ Y Active: 13-FEB-2001 Inactive: _____|
+-------------------------------------------------------------------------+
Enter_Project_Name._____________________________________________________
Count:  1         ^ v                                          <Replace>
```

AREA: SWD_____ [redacted]Cash Receiving Applicatio[redacted] CRAF006A
Collection Point Log Remittance Tot: _____$250.00

SYS$REMT: 417922__ Type: CP___ Recved Date: 06-FEB-2001 Status: RECEIVED
SYS$RCPT: 342372__ PNR: _____ Check #: 1286_____ Amount: _____250.00
SSN/FEI#: _____ Name: GLOBAL_TIRE_RECYCLING_____
First: _____ Middle: _____ Title:_____ Suf: _____
Address1: 1201_INDUSTRIAL_DR_____ Short Comments:
Address2: _____ 136808-003_____
City: WILDWOOD_____ ST: FL Zip: 34785-____ Country: _____

P A Y M E N T (S)

SYS$PAYT	Distr CL Area..	Object Code/Description.....:	Payment Amount.....	Reference#	Applic/ Fund	S T A CO
444485__	SWD___	002207 WASTE_TIRE-PROC	_____$250.00	136808-003	PA_ SWMTF_	CO
_____	_____	_____	_____	_____	___ _____	__
_____	_____	_____	_____	_____	___ _____	__
_____	_____	_____	_____	_____	___ _____	__
_____	_____	_____	_____	_____	___ _____	__

COMMIT FREQUENTLY _____$250.00 Payment total
Press_<TAB>_to_accept_Collection_Point_or_enter_F&A._____
Count: *1 <Replace>

Global Tire Recycling

1201 Industrial Drive
Wildwood, FL 34785
Phone: (352) 330-2213
Fax: (352) 330-2214
Web Site: www.gtfcrumbrubber.com

RB RB 3/26
SM 3/26
SIS 3/22

D.E.P.
MAR 21 2001
Southwest District Tampa

March 20, 2001

Kim B. Ford, P.E.
Solid Waste Section
Division of Waste Management
Department of Environmental Protection
Southwest District
3804 Coconut Palm Drive,
Tampa, FL 33619

Re: Global Tire Recycling
Pending Modification No.: 136808-003
Permit No.: 136808-001-WT, Sumter County

Dear Mr. Ford:

Global Tire Recycling hereby withdraws its request to modify the above referenced Permit.

Apparently its request is not within the strictest interpretation of the Waste Tire Rule. While FDEP is willing to consider the exception, apparently it also requires the approval of the City of Wildwood's Fire Department. Management does not believe that it can obtain that approval at this time. About 2½ years ago, Global filed a Claim against the City for an amount in excess of $500,000. Perhaps when that Claim is settled in the Court, Global can pursue that approval. In the meantime, if we can devise a different configuration of Moving Zones that achieves our goal and fits within the letter of the Waste Tire Rule, we will reapply for a modification.

I want to thank you for all of the time and invaluable guidance that you have given to us. It has been greatly appreciated. It always is a pleasure to work with you.

Sincerely,

R. Brian Fifer

R. Brian Fifer
President & C.E.O.

cc: Robert Butera, P.E.

City of Wildwood, Florida

D.E.P
MAR 1
Southwest Dist



New City Hall Design

Area Code: 352
SUNCOM Prefix: 668
ZIP Code: 34785

CITY HALL
100 N Main Street
330-1338 Fax

ADMINISTRATION

CITY MANAGER
330-1330

CLERK/FINANCE/
PERSONNEL
330-1340

CODES/PERMITS/ZONING
330-1332

CUSTOMER SERVICE
(UTILITY ACCOUNTS)
330-1335

FIRE
227 Hall Street
330-1342

LIBRARY
702 Webster Street
748-1158

POLICE
100 E Huey Street
330-1355
330-1358 Fax

ANIMAL CONTROL-
WOOD WASTE
601 W Gulf-Atlantic Hwy
330-1345

REFUSE/STREETS
410 Grey Street
330-1343
330-1353 Fax

WASTEWATER
1290 Industrial Drive
330-1349
330-1350 Fax

WATER
601 E Huey Street
330-1346
330-1347 Fax

March 13, 2001

CERTIFIED MAIL 7000 0600 0023 9887 3511
AND REGULAR US MAIL

Mr. Robert J. Bjork, Vice President/Plant Controller
1201 Industrial Drive
Wildwood, FL 34785

Re: Your request to review a "Modified Site Plan" with revised tire piles B, C, D and the sketch detailing pile B

Dear Mr. Bjork:

The City does not believe there is a need to review your request on the basis that we have never given permission for any whole tire storage outside of your building.

The City Manager specifically inquired and you responded that there would be no outside storage of tires. Mr. Stevens would not have even considered bringing a proposal to buy city property before the City Commission if it included the outside storage of tires on that property. Said activity would have been considered a degradation of the City's Industrial Park.

The site plan you delivered to the city on February 23, 2001 (which is dated August 30, 1999 and drawn by Robert L. Rogers) for outdoor storage has neither been reviewed by the City of Wildwood, nor approved by the City of Wildwood. I note revision dates of June 30, 1998; July 12, 1999 and August 30, 1999. Also, that there is not a raised seal from your engineer on this sheet.

The sheet with revision dates of June 30, 1998; July 12, 1999; August 30, 1999 and January 29, 2001 which was sent to the City for review is also rejected for the same reason as stated above. The approval of this facility's original site plan that went before the Planning and Zoning Board and then before the City Commission did not reflect outside storage of tires.

The City has reviewed, as a courtesy to you, the request for storage of tires outside the building. The following comments are made in response to your letter dated February 22, 2001, which was directed to this office:

1) Your request is denied as the City objects to your assumption that City property which has not been improved or sold could be utilized for enhancement of your ability to store tires outside.

2) Your plan does not meet the requirement(s) of NFPA D231 and is not in compliance with fire safety being adequately addressed i.e. to fire department access, routes, turn around radius, distance from fence line, dead end access, fire lane width, distance of piles from buildings, distance from any vegetation, improper surface (asphalt) for storage, separation from property line and separation from other structures is inadequate.

In whole and in part the City rejects your request for approval to store tires outside of the building.

In closing, the City requires you to vacate tire storage outside the building. You have thirty (30) days from the receipt of this letter to **remove the tire piles**.

Sincerely,

Don Dixon
CBO/Community Development Director

T. L. Smart
Fire Chief

Steve Lane
Fire Safety Inspector

DD:wjl

cc: Florida Department of Environment Protection
Jim Stevens, City Manager

Department of Environmental Protection

Jeb Bush
Governor

Southwest District
3804 Coconut Palm Drive
Tampa, Florida 33619

David B. Struhs
Secretary

PERMITTEE:
Global Tire Recycling
Of Sumter County, Inc.
c/o Mr. Brian Fifer
1201 Industrial Drive
Wildwood, Florida 34785

DRAFT

Re: Modification #136808-003 to existing Permit
Permit No.: 136808-001-WT, Sumter County
Global Tire Recycling

Dear Mr. Fifer:

Your existing operation permit No. 136808-001-WT is hereby modified as follows:

SPECIFIC CONDITIONS	FROM	TO	TYPE OF MODIFICATION
#2., #4 and #8.	Existing	Amended	Revision for storage

General Information: Revisions include a new site plan for storage area locations.

This letter and its attachments constitute a complete permit and replace all previous permits and permit modifications for the above referenced facility.

Sincerely

DRAFT

Deborah A. Getzoff
Director of District Management
Southwest District

DAG/kbfb
Attachments

Department of Environmental Protection

Jeb Bush
Governor

Southwest District
3804 Coconut Palm Drive
Tampa, Florida 33619

David B. Struhs
Secretary

DRAFT

PERMITTEE
Global Tire Recycling
of Sumter County, Inc.
c/o Mr. Brian Fifer
1201 Industrial Road
Wildwood, FL 34785

PERMIT/CERTIFICATION
GMS ID No.: 4060P36808
Permit No.: 136808-001-WT
Date of Issue: **07/28/1998**
Expiration Date: **07/15/2003**
County: Sumter
Lat/Long: 28°53'45"N
82°03'30"W
Sec/Town/Rge: 7/19S/23E
Project: Global Tire Recycling
Waste Tire Facility

This permit is issued under the provisions of Chapter 403, Florida Statutes, and Florida Administrative Code Rule(s) 62-4 and 62-711. The above named permittee is hereby authorized to perform the work or operate the facility shown on the application and approved drawing(s), plans, and other documents, attached hereto or on file with the Department and made a part hereof and specifically described as follows:

To construct and operate a waste tire processing facility (approximately 10 acres), referred to as the Global Tire Recycling Waste Tire Facility, subject to the specific conditions attached, for storing and processing waste tires, located at 1201 Industrial Road, 2 miles east of I-75 and north of S.R. 44, in Wildwood, Sumter County, Florida. The specific conditions attached are for the construction and operation of:

1. Waste Tire Processing Facility

Replaces Permit No.: N/A, new facility. DRAFT

This permit contains compliance items summarized in Attachment 1 that shall be complied with and submitted to the Department by the dates noted. If the compliance dates are not met and submittals are not received by the Department on the dates noted, enforcement action may be initiated to assure compliance with the conditions of this permit.

DRAFT

Printed on recycled paper.

SPECIFIC CONDITIONS: DRAFT

1. **Classification.** This site shall be classified as a waste tire processing facility and shall be constructed, operated and closed in accordance with all applicable requirements of Chapters 62-4 and 62-711, Florida Administrative Code (F.A.C.).

2. **Permit Application Documentation.** This permit is valid for construction and operation of the waste tire processing facility in accordance with the reports, plans and other information as follows:

- February 1998 Application and supporting information by Global received February 13, 1998;
- Response by Global and supporting information dated April 17, 1998 received April 20, 1998;
- Response by Global received June 3, 1998;
- Revised Maintenance and Operation Instructions revised June 30, 1998, received July 1, 1998;
- Revised Emergency Preparedness Manual revised August 27, 1999, received September 13, 1999;
- Revised Site Plan (with storage locations and quantities) revised January 29, 2001, received February 6, 2001;
- and in accordance with all applicable requirements of Department rules.

DRAFT DRAFT

Amended 09/24/1999,

3. **Certification of Construction Completeness.** Within **sixty (60) days** after the specified construction has been completed, **and prior to** acceptance of waste tires or operation, the following activities shall be completed:

a. The owner or operator shall submit a Certification of Construction Completion, Form 62-701.900(2), signed and sealed by the professional engineer in charge of construction to the Department for approval, and shall arrange for Department representatives to inspect the construction in the company of the permittee, the engineer, and the facility operator.

b. The owner or operator shall submit Record Drawings showing all changes (i.e. additions, deletions, revisions to the plans previously approved by the Department).

c. The owner or operator shall submit a narrative indicating all changes in plans and the cause of the deviations and certification by the design engineer to the Department.

DRAFT

SPECIFIC CONDITIONS: DRAFT

4. **Permit Modifications.** Any construction or operation activities not previously approved as part of this permit shall require a separate Department permit unless the Department determines a permit modification to be more appropriate, or unless otherwise approved in writing by the Department. Permits shall be modified in accordance with the requirements of 62-4.080, F.A.C. A modification which is reasonably expected to lead to substantially different environmental impacts which require a detailed review by the Department is considered a substantial modification.
Amended DRAFT DRAFT

5. **Permit Renewal.** No later than **one hundred eighty (180) days** before the expiration of the Department permit, the permittee shall apply for a renewal of a permit on forms and in a manner prescribed by the Department, in order to assure conformance with all applicable Department rules. Permits shall be renewed at least every five years as required by F.A.C. 62-4.070(4).

6. **Prohibitions.** The prohibitions of F.A.C. Rule 62-711.400 shall not be violated.

7. **Financial Assurance.** The permittee shall provide financial assurance for the facility in accordance with F.A.C. 62-711.500(3).

a. All costs for closure shall be adjusted and submitted **annually, by March 1st each year** to: Solid Waste Manager, Solid Waste Section, Department of Environmental Protection, 3804 Coconut Palm Drive, Tampa, Florida 33619-8318.

b. Proof that the financial mechanism has been adequately funded shall be submitted **annually, by September 1st each year,** to: Financial Coordinator, Solid Waste Section, Department of Environmental Protection, 2600 Blair Stone Road, Tallahassee, Florida 32399-2400.

8. **Processing and Storage Requirements.** All waste tires shall be processed and stored in accordance with F.A.C. 62-711.530 and 62-711.540, and the revised Site Plan with storage area locations (attached).

- Storage at the processing facility is limited to 1650 tons of waste tires and 155 tons of other waste and scrap as shown on the site plan, and shall comply with the current Department-approved site plan for storage locations and the requirements of FAC Rule 62-711.530.

- Fire lanes shall be unobstructed at all times.

- If the facility has reached its permitted storage capacity for any area, the permittee shall not accept additional waste tires until sufficient capacity has been restored.

DRAFT

DRAFT

SPECIFIC CONDITIONS:

- All incoming wastes tires shall be handled on a first-in, first-out basis. In the event of equipment breakdown or scheduled maintenance, the permittee shall ensure that sufficient reserve equipment is operating at the site **within 72 hours** of occurrence or the facility shut down.

- At least 75 percent of the whole tires, used tires, and processed tires that are delivered to or are contained on the site of the waste tire processing facility at the beginning of each calendar year shall be processed or removed for disposal or recycling from the facility during the year, or disposed of at a permitted solid waste management facility.

Amended 09/24/1999, DRAFT DRAFT

9. **Operation Plan and Operating Record.** A copy of the Department approved permit, operational plan, construction reports and record drawings, and supporting information shall be kept at the facility at all times for reference and inspections.

10. **Operating Personnel.** A trained supervisor or foreman shall be responsible for maintaining the facility in an orderly, safe, and sanitary manner. Sufficient personnel shall be employed to adequately operate the facility.

11. **Reporting Requirements.** Waste Tire Processing Facility Quarterly Report, Form #62-711.900(4) attached summarizing facility operations shall be submitted **quarterly** to the Department by January 20th, April 20th, July 20th, and October 20th, pursuant to FAC Rule 62-711.530(5).

12. **Fire Safety Survey.** A fire safety survey shall be conducted at least annually and the survey report shall be made available to the Department upon request.

13. **Stormwater System Management.** Stormwater shall be managed as required by F.A.C. 62-711.540(3)(a). The site shall be managed to divert stormwater around and away from the storage piles.

14. **Emergency Preparedness Manual.** A copy of the facility's emergency preparedness manual shall be kept at the site and a copy shall be kept at an off-site location.

15. **Control of Nuisance Conditions.** The owner or operator shall control mosquitoes and rodents as so to protect the public health and welfare. The operating authority shall be responsible for the control of odors and fugitive particulates arising from this operation. Such control shall minimize the creation of nuisance conditions on adjoining property. Complaints received from the general public, and confirmed by Department personnel upon site inspection, shall constitute a nuisance condition, and the permittee must take immediate corrective action to abate the nuisance.

DRAFT

SPECIFIC CONDITIONS:

DRAFT

16. **Facility Maintenance and Repair.** The site shall be properly maintained including all equipment and building maintenance, minimized grass, underbrush and other flammable vegetation, prevention of ponding, and maintenance of berms and other systems designed to protect water bodies from liquid runoff from a potential waste tire fire. In the event of damage to any portion of the waste tire site, fire, or failure of any portion of the waste tire processing or storage systems, the permittee shall immediately **(within 24 hours)** notify the Department of Environmental Protection explaining such occurrence and remedial measures to be taken and time needed for repairs. Written detailed notification shall be submitted to the Department **within seven (7) days** following the occurrence.

17. **Professional Certification.** Where required by Chapter 471 (P.E.) or Chapter 492 (P.G.), Florida Statutes, applicable portions of permit applications and supporting documents which are submitted to the Department for public record shall be signed and sealed by the professional(s) who prepared or approved them.

18. **Closure.** The facility shall be closed in accordance with the requirements of FAC Rule 62-711.700. The waste tire processing facility owner or operator shall notify the Department at least **ninety (90) days prior** to the date when tires will no longer be accepted for storage or processing, as required by F.A.C. 62-711.700(2).

19. **General Conditions.** The permittee shall be aware of and operate under the "General Conditions". General Conditions are binding upon the permittee and enforceable pursuant to Chapter 403, Florida Statutes.

20. **Permit Acceptance.** By acceptance of this Permit, the permittee certifies that he/she has read and understands the obligations imposed by the Specific and General Conditions contained herein and also including date of permit expiration and renewal deadlines. It is a violation of this permit for failure to comply with all conditions and deadlines.

DRAFT

DRAFT

ATTACHMENT 1

SPECIFIC CONDITION	SUBMITTAL DUE DATE	REQUIRED ITEM
5.	180 days prior to permit expiration	Permit renewal application
7.	Annually, by September 1st	Financial assurance
11.	Quarterly, by January 20th, April 20th, July 20th, October 20th	Operational reports

DRAFT

Best Available Copy



WASTE TIRE RUBBER STORAGE VOLUME AND WEIGHT

(A) PROCESSED TIRES
80 X 50 X 9 = 36,000 C.F.
20#/C.F. = 360 TONS

(B) WHOLE AND PROCESSED TIRES (AND TUBES)
50 X 200 6 = 60,000 C.F. = 2,222 C.Y.
2,222 C.Y. @ 10 TIRES/C.Y. =22,220 TIRES
2,222 TIRES @ 20#/TIRE = 222 TONS
LESS 12% FOR TRAPEZOID = 195 TONS

(C) WHOLE AND PROCESSED TIRES
110 X 60 X 7.5 = 49,500 C.F.
35 X 80 X 7.5 = 21,000 C.F.
70,500 C.F. = 2,611 C.Y.

2,611C.Y. @ 10 TIRES/C.Y. = 26,110 TIRES
26,110 TIRES @ 20#/TIRE = 261 TONS
LESS 17% FOR TRAPEZOID = 217 TONS

(D) WHOLE AND PROCESSED TIRES
30 X 10 X 7.5 = 22,500 C.F. = 833 C.Y.
833 C.Y. @ 1 TIRES/C.Y. = 8,330 TIRES
8,330 TIRES @ 20#/TIRE = 83 TONS
LESS 12% FOR TRAPEZOID = 73 TONS

(E) INDOOR WHOLE TIRE PILE
20 X 20 X 5 = 2,000 C.F. = 74 C.Y.
74 C.Y. @ 10 TIRES/C.Y. = 740 TIRES
740 TIRES @ 20#/TIRE = 7 TONS

(F) TIRE LOADING HOPPERS
2,000 TIRES @ 20#/TIRE = 20 TONS

(G) BAGGED CRUMB RUBBER
50# BAGS OR SUPER SACKS ON 1 TON PALLET
MAX. OF 273 PALLETS (@ 1 TON/PALLET = 273 TONS

(H) ENCLOSED GRANULAR RUBBER STORAGE

(H1&2) TWO INSIDE STORAGE BINS
TWO 50 X 25 X 6 = 15,000 C.F.

(H3) THREE INSIDE SURGE BINS
THREE 9 X 8 X 6 = 1,296 C.F.

(H4) ONE INSIDE STORAGE BIN
ONE 20 X 50 X 5 = 5,000 C.F.

(H5) ONE OUTSIDE STORAGE BIN
ONE 20 X 50 X 5 = 5,000 C.F.

(H6) SIX OUTSIDE BULK SHIP BINS
SIX @ 25 TONS EA. = 11,111 C.F.

TOTAL = 37,407 C.F.
37,407 C.F. @ 27#/C.F. = 505 TONS

TOTAL TONS OF WASTE TIRE RUBBER STORAGE = 1,650 TONS

WASTE AND SCRAP STORAGE VOLUME AND WEIGHT

(I) FIBER DUMPSTERS
1 TRAILER @ 60 C.Y. = 60 C.Y.
60 C.Y. @ 667#/C.Y. = 20 TONS

(J) TREAD WIRE DUMPSTER
7 DUMPSTERS @ 30 C.Y. EACH = 210 C.Y.
210 C.Y. @ 1,000#/C.Y. = 105 TONS
(INCLUDES A TWO DUMPSTER EQUIVALENT WIRE PILE)

(K) BEAD WIRE DUMPSTER
1 DUMPSTER @ 30 C.Y. EACH = 30 C.Y.
30 C.Y. @ 667#/C.Y. = 10 TONS

(L) RIM DUMPSTER
1 DUMPSTER @ 30 C.Y./EACH = 30 C.Y.
63 C.Y. @ 333#/C.Y. = 5 TONS

(M) RESIDUAL DUMPSTER
1 DUMPSTER @ 30 C.Y./EACH = 30 C.Y.
30 C.Y. @ 667#/C.Y. = 10 TONS

(N) OFFICE DUMPSTER
1 DUMPSTER @ 30 C.Y./EACH = 30 C.Y.
30 C.Y. @ 333#/C.Y. = 5 TONS

TOTAL 12 DUMPSTERS

FINANCIAL ASSURANCE REQUIREMENTS

1. WASTE TIRE RUBBER 1,650 TONS @ $40.80/TON* = $67,320
2. WASTE AND SCRAP 12 DUMPSTERS @ $540.60 EACH* = 6,480

TOTAL FINANCIAL ASSURANCE REQUIREMENTS = $73,807

* INFLATION ADJUSTED (2%) AS APPROVED BY FDEP IN APRIL, 2000



Department of Environmental Protection

Jeb Bush
Governor

Southwest District
3804 Coconut Palm Drive
Tampa, Florida 33619

David B. Struhs
Secretary

NOTICE OF PERMIT MODIFICATION

Global Tire Recycling
Of Sumter County, Inc.
C/o Mr. Brian Fifer
1201 Industrial Drive
Wildwood, Florida 34785

DRAFT

Dear Mr. Fifer:

Enclosed is Modification Number **136808-003** to Permit Number 136808-001-WT, issued pursuant to Section(s) 403.087(1), Florida Statues.

A person whose substantial interests are affected by the Department's proposed agency action may file a timely petition for an administrative hearing under sections 120.569 and 120.57 of the Florida Statutes, or may choose to pursue mediation as an alternative remedy under section 120.573 before the deadline for filing a petition. Choosing mediation will not adversely affect the right to a hearing if mediation does not result in a settlement. The procedures for pursuing mediation are set forth below.

A person may pursue mediation by reaching a mediation agreement with all parties to the proceeding (which include the applicant, the Department, and any person who has filed a timely and sufficient petition for a hearing) and by showing how the substantial interests of each mediating party are affected by the Department's action or proposed action. The agreement must be filed in (received by) the Office of General Counsel of the Department at 3900 Commonwealth Boulevard, Mail Station 35, Tallahassee, Florida 32399-3000, by the same deadline as set forth above for the filing of a petition.

The agreement to mediate must include the following:

(a) The names, addresses, and telephone numbers of any persons who may attend the mediation;

(b) The names, address, and telephone number of the mediator selected by the parties, or a provision for selecting a mediator within a specified time;

(c) The agreed allocation of the costs and fees associated with the mediation;

(d) The agreement of the parties on the confidentiality of discussions and documents introduced during mediation;

DRAFT

DRAFT

(e) The date, time, and place of the first mediation session, or a deadline for holding the first session, of no mediator has yet been chosen;

(f) The name of each party's representative who shall have authority to settle or recommend settlement; and

(g) Either an explanation of how the substantial interests of each mediating party will be affected by the action or proposed action addressed in this notice of intent or a statement clearly identifying the petition for hearing that each party has already filed, and incorporating it by reference.

(h) The signatures of all parties or their authorized representatives.

As provided in section 120.573 of the Florida Statutes, the timely agreement of all parties to mediate will toll the time limitations imposed by sections 120.569 and 120.57 for requesting and holding an administrative hearing. Unless otherwise agreed by the parties, the mediation must be concluded within sixty days of the execution of the agreement. If mediation results in settlement of the administrative dispute, the Department must enter a final order incorporating the agreement of the parties. Persons whose substantial interests will be affected by such a modified final decision of the Department have a right to petition for a hearing only in accordance with the requirements for such petitions set forth above, and must therefore file their petitions within fourteen days of receipt of this notice. If mediation terminates without settlement of the dispute, the Department shall notify all parties in writing that the administrative hearing processes under sections 120.569 and 120.57 remain available for disposition of the dispute, and the notice will specify the deadlines that they will apply for challenging the agency action and electing remedies under those two statutes.

DRAFT

The petition for an administrative hearing must conform to the requirements of Chapters 62-103 and 28-5.201, F.A.C., and must be filed (received) in the Department's Office of General Counsel, 2600 Blair Stone Road, Tallahassee, 32399-2400, within fourteen (14) days of receipt of this notice. Failure to file a petition within fourteen (14) days constitutes a waiver of any right such person has to an administrative determination (hearing) pursuant to Section 120.57, Florida Statutes. This permit is final and effective on the date filed with the Clerk of the Department unless a request for extension of time in which to file a petition is filed within the time specified for filing a petition and conforms to Rule 62-103.070, F.A.C. Upon timely filing of a petition or a request for an extension of time this permit will not be effective until further Order of the Department.

DRAFT

Global Tire Recycling
of Sumter County, Inc.
C/o Mr. Brian Fifer
Permit No.: 136808-001-WT
Modification No.: 136808-003

DRAFT

When the Order (Permit) is final, any party to the Department has the right to seek judicial review of the Order pursuant to Section 120.68, Florida Statutes, by the filing of a Notice of Appeal pursuant to Rule 9.110, Florida Rules of Appellate Procedure, with the Clerk of the Department in the Office of General Counsel, 2600 Blair Stone Road, Tallahassee, 32399-2400; and by filing a copy of the Notice of Appeal accompanied by the applicable filing fees with the appropriate District Court of Appeal. The Notice of Appeal must be filed within 30 days from the date the Final Order is filed with the Clerk of the Department.

Executed in Tampa Florida.

STATE OF FLORIDA DEPARTMENT
OF ENVIRONMENTAL PROTECTION

DRAFT

Kim B. Ford, P.E.
Solid Waste Section
Division of Waste Management

KBF/ab
Attachment

cc: Robert Rogers, P.E.
Robert Butera, P.E., FDEP Tampa
Susan Pelz, P.E., FDEP Tampa (permit notebook)

CERTIFICATE OF SERVICE

This is to certify that this NOTICE OF PERMIT and all copies were mailed before the close of business on _____ to the listed persons.

FILING AND ACKNOWLEDGMENT FILED, on this date, pursuant to §120.52(10), Florida Statutes, with the designated Department Clerk, receipt of which is hereby acknowledged.

DRAFT

_____ _____
Clerk Date

Memorandum

Florida Department of Environmental Protection

PERMIT COVER MEMO

TO: _X_ RICK GARRITY, **Director of District Management**

DRAFT

FROM/THROUGH:

William Kutash , **ENVIRONMENTAL ADMINISTRATOR**
Bob Butera , **SUPERVISOR**
Kim Ford , **ENGINEER**

DATE:

MOD. #: 136808-003
FILE NAME: Global Tire Recycling **PERMIT #:** 136808-001-WT
PROGRAM : Solid Waste **COUNTY :** Sumter

TYPE OF PERMIT ACTION: ___**ISSUE** ___**DENY** _X_**MODIFY**
___**TRANSFER OWNER** ___**NOD**
___**PUBLIC NOTICE** __**INTENT TO ISSUE**

PUBLIC NOTICE PERIOD CLOSED? N/A **PETITION FILED?** N/A

PERMIT SUMMARY: This modification is to allow revised storage area locations.

PROFESSIONAL RECOMMENDATION: __X__**APPROVE** _____**DENY**

EVALUATION SUMMARY: The request for a permit modification was received on February 6, 2001. No deficiency letter was sent. Financial assurance is provided for the facility.

This application was deemed complete on **February 7, 2001.**

Department Processing Time = 16 days (as of February 22, 2001)
Total Processing Time (TIH) = 16 days (as of February 22, 2001)

Day 90/30 for this Action is May 5, 2001.

DRAFT

WASTE MGT TAMPA SWD :8137446125

Global Tire File
Sumter Cty

** Transmit Conf. Report **

P.1

Mar 15 2001 8:33

Telephone Number	Mode	Start	Time	Pages	Result	Note
(020) SOLID WST/TA	NORMAL	15, 8:31	1'06"	3	* O K	

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION	3804 Coconut Palm Drive Tampa, FL 33619-8318

FAX

Date: 3-15-01

Number of pages including cover sheet: 3

To: Jan Rae Clark

Phone:

Fax phone:

CC:

From: Kim Ford
Bobo Butera

Phone: (813) 744-6100

Fax phone: (813) 744-6125

REMARKS: ☐ Urgent ☐ For your review ☐ Reply ASAP ☐ Please comment

FYI

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION	3804 Coconut Palm Drive Tampa, FL 33619-8318

FAX

Date: 3-15-01

Number of pages including cover sheet: 3

To:
Jan Rae Clark

Phone:

Fax phone:

CC:

From:
Kim Ford
Bob Butera

Phone: (813) 744-6100

Fax phone: (813) 744-6125

REMARKS: ☐ Urgent ☐ For your review ☐ Reply ASAP ☐ Please comment

FYI

Fax a copy to Jan Rae Clark for Information only.

Bob

City of Wildwood, Florida

Post-it® Fax Note 7671 | Date 3/14/01 | # of pages ▶ 3
To Kim Ford | From Cindy Jones
Co./Dept. Re: Global Tire | Co. Per your request
Phone # | Phone #
Fax # | Fax #

Area Code: 352
SUNCOM Prefix: 668
ZIP Code: 34785

CITY HALL
100 N Main Street
330-1338 Fax

ADMINISTRATION

CITY MANAGER
330-1330

CLERK/FINANCE/
PERSONNEL
330-1340

CODES/PERMITS/ZONING
330-1332

CUSTOMER SERVICE
(UTILITY ACCOUNTS)
330-1335

FIRE
227 Hall Street
330-1342

LIBRARY
702 Webster Street
748-1158

POLICE
100 E Huey Street
330-1355
330-1358 Fax

ANIMAL CONTROL-
WOOD WASTE
601 W Gulf-Atlantic Hwy
330-1345

REFUSE/STREETS
410 Grey Street
330-1343
330-1353 Fax

WASTEWATER
1290 Industrial Drive
330-1349
330-1350 Fax

WATER
601 E Huey Street
330-1348
330-1347 Fax

March 13, 2001

CERTIFIED MAIL 7000 0600 0023 9887 3511
AND REGULAR US MAIL

Mr. Robert J. Bjork, Vice President/Plant Controller
1201 Industrial Drive
Wildwood, FL 34785

Re: Your request to review a "Modified Site Plan" with revised tire piles B, C, D and the sketch detailing pile B

Dear Mr. Bjork:

The City does not believe there is a need to review your request on the basis that we have never given permission for any whole tire storage outside of your building.

The City Manager specifically inquired and you responded that there would be no outside storage of tires. Mr. Stevens would not have even considered bringing a proposal to buy city property before the City Commission if it included the outside storage of tires on that property. Said activity would have been considered a degradation of the City's Industrial Park.

The site plan you delivered to the city on February 23, 2001 (which is dated August 30, 1999 and drawn by Robert L. Rogers) for outdoor storage has neither been reviewed by the City of Wildwood, nor approved by the City of Wildwood. I note revision dates of June 30, 1998; July 12, 1999 and August 30, 1999. Also, that there is not a raised seal from your engineer on this sheet.

The sheet with revision dates of June 30, 1998; July 12, 1999; August 30, 1999 and January 29, 2001 which was sent to the City for review is also rejected for the same reason as stated above. The approval of this facility's original site plan that went before the Planning and Zoning Board and then before the City Commission did not reflect outside storage of tires.

The City has reviewed, as a courtesy to you, the request for storage of tires outside the building. The following comments are made in response to your letter dated February 22, 2001, which was directed to this office:

1) Your request is denied as the City objects to your assumption that City property which has not been improved or sold could be utilized for enhancement of your ability to store tires outside.

2) Your plan does not meet the requirement(s) of NFPA D231 and is not in compliance with fire safety being adequately addressed i.e. to fire department access, routes, turn around radius, distance from fence line, dead end access, fire lane width, distance of piles from buildings, distance from any vegetation, improper surface (asphalt) for storage, separation from property line and separation from other structures is inadequate.

In whole and in part the City rejects your request for approval to store tires outside of the building.

In closing, the City requires you to vacate tire storage outside the building. You have thirty (30) days from the receipt of this letter to **remove the tire piles**.

Sincerely,

Don Dixon
CBO/Community Development Director

T. L. Smart
Fire Chief

Steve Lane
Fire Safety Inspector

DD:wjl

cc: Florida Department of Environment Protection
Jim Stevens, City Manager

Bob
Bjork

City of
Wildwood,
Florida



Post-it® Fax Note 7671 | Date 3/14/01 | # of pages ▶ 3
To Kim Ford | From Cindy Jones
Co./Dept. Re: Global Tire | Co. Per your request
Phone # | Phone #
Fax # | Fax #

Area Code: 352
SUNCOM Prefix: 668
ZIP Code: 34785

CITY HALL
100 N Main Street
330-1338 Fax

ADMINISTRATION

CITY MANAGER
330-1330

CLERK/FINANCE/
PERSONNEL
330-1340

CODES/PERMITS/ZONING
330-1332

CUSTOMER SERVICE
(UTILITY ACCOUNTS)
330-1335

FIRE
227 Hall Street
330-1342

LIBRARY
702 Webster Street
748-1158

POLICE
100 E Huey Street
330-1355
330-1358 Fax

ANIMAL CONTROL-
WOOD WASTE
601 W Gulf-Atlantic Hwy
330-1345

REFUSE/STREETS
410 Grey Street
330-1343
330-1353 Fax

WASTEWATER
1290 Industrial Drive
330-1349
330-1350 Fax

WATER
601 E Huey Street
330-1348
330-1347 Fax

March 13, 2001

CERTIFIED MAIL 7000 0600 0023 9887 3511
AND REGULAR US MAIL

Mr. Robert J. Bjork, Vice President/Plant Controller
1201 Industrial Drive
Wildwood, FL 34785

Re: Your request to review a "Modified Site Plan" with revised tire piles B, C, D and the sketch detailing pile B

Dear Mr. Bjork:

The City does not believe there is a need to review your request on the basis that we have never given permission for any whole tire storage outside of your building.

The City Manager specifically inquired and you responded that there would be no outside storage of tires. Mr. Stevens would not have even considered bringing a proposal to buy city property before the City Commission if it included the outside storage of tires on that property. Said activity would have been considered a degradation of the City's Industrial Park.

The site plan you delivered to the city on February 23, 2001 (which is dated August 30, 1999 and drawn by Robert L. Rogers) for outdoor storage has neither been reviewed by the City of Wildwood, nor approved by the City of Wildwood. I note revision dates of June 30, 1998; July 12, 1999 and August 30, 1999. Also, that there is not a raised seal from your engineer on this sheet.

The sheet with revision dates of June 30, 1998; July 12, 1999; August 30, 1999 and January 29, 2001 which was sent to the City for review is also rejected for the same reason as stated above. The approval of this facility's original site plan that went before the Planning and Zoning Board and then before the City Commission did not reflect outside storage of tires.

The City has reviewed, as a courtesy to you, the request for storage of tires outside the building. The following comments are made in response to your letter dated February 22, 2001, which was directed to this office:

1) Your request is denied as the City objects to your assumption that City property which has not been improved or sold could be utilized for enhancement of your ability to store tires outside.

2) Your plan does not meet the requirement(s) of NFPA D231 and is not in compliance with fire safety being adequately addressed i.e. to fire department access, routes, turn around radius, distance from fence line, dead end access, fire lane width, distance of piles from buildings, distance from any vegetation, improper surface (asphalt) for storage, separation from property line and separation from other structures is inadequate.

In whole and in part the City rejects your request for approval to store tires outside of the building.

In closing, the City requires you to vacate tire storage outside the building. You have thirty (30) days from the receipt of this letter to **remove the tire piles**.

Sincerely,

Don Dixon
CBO/Community Development Director

T. L. Smart
Fire Chief

Steve Lane
Fire Safety Inspector

DD:wjl

cc: Florida Department of Environment Protection
Jim Stevens, City Manager

Fax

GTR Global Tire Recycling

1201 Industrial Drive
Wildwood, FL 34785

352-330-2213 Tel
352-330-2214 Fax

To:	Kim Ford	**From:**	Robert L. Björk
Of:	FLDEP		
Fax:	813-744-6125	**Pages:**	3
Phone:	813-744-6100	**Date:**	03/14/01
Re:	Letter from City	**CC:**	

☑ **Urgent** ☐ **For Review** ☐ **Please Comment** ☐ **Please Reply**

Kim,

Per your request. This is our copy of the letter from the City of Wildwood.

Thanks,

Robert

Robert L. Björk, Vice President & Plant Controller
e-mail: Robert at GTR@aol.com

City of Wildwood, Florida

New City Hall Design

Area Code: 352
SUNCOM Prefix: 668
ZIP Code: 34785

CITY HALL
100 N Main Street
330-1338 Fax

ADMINISTRATION

CITY MANAGER
330-1330

CLERK/FINANCE/
PERSONNEL
330-1340

CODES/PERMITS/ZONING
330-1332

CUSTOMER SERVICE
(UTILITY ACCOUNTS)
330-1335

FIRE
227 Hall Street
330-1342

LIBRARY
702 Webster Street
748-1158

POLICE
100 E Huey Street
330-1355
330-1358 Fax

ANIMAL CONTROL-
WOOD WASTE
601 W Gulf-Atlantic Hwy
330-1345

REFUSE/STREETS
410 Grey Street
330-1343
330-1383 Fax

WASTEWATER
1290 Industrial Drive
330-1349
330-1350 Fax

WATER
601 E Huey Street
330-1348
330-1347 Fax

March 13, 2001

CERTIFIED MAIL 7000 0600 0023 9887 3511
AND REGULAR US MAIL

Mr. Robert J. Bjork, Vice President/Plant Controller
1201 Industrial Drive
Wildwood, FL 34785

Re: Your request to review a "Modified Site Plan" with revised tire piles B, C, D and the sketch detailing pile B

Dear Mr. Bjork:

The City does not believe there is a need to review your request on the basis that we have never given permission for any whole tire storage outside of your building.

The City Manager specifically inquired and you responded that there would be no outside storage of tires. Mr. Stevens would not have even considered bringing a proposal to buy city property before the City Commission if it included the outside storage of tires on that property. Said activity would have been considered a degradation of the City's Industrial Park.

The site plan you delivered to the city on February 23, 2001 (which is dated August 30, 1999 and drawn by Robert L. Rogers) for outdoor storage has neither been reviewed by the City of Wildwood, nor approved by the City of Wildwood. I note revision dates of June 30, 1998; July 12, 1999 and August 30, 1999. Also, that there is not a raised seal from your engineer on this sheet.

The sheet with revision dates of June 30, 1998; July 12, 1999; August 30, 1999 and January 29, 2001 which was sent to the City for review is also rejected for the same reason as stated above. The approval of this facility's original site plan that went before the Planning and Zoning Board and then before the City Commission did not reflect outside storage of tires.

The City has reviewed, as a courtesy to you, the request for storage of tires outside the building. The following comments are made in response to your letter dated February 22, 2001, which was directed to this office:

1) Your request is denied as the City objects to your assumption that City property which has not been improved or sold could be utilized for enhancement of your ability to store tires outside.

2) Your plan does not meet the requirement(s) of NFPA D231 and is not in compliance with fire safety being adequately addressed i.e. to fire department access, routes, turn around radius, distance from fence line, dead end access, fire lane width, distance of piles from buildings, distance from any vegetation, improper surface (asphalt) for storage, separation from property line and separation from other structures is inadequate.

In whole and in part the City rejects your request for approval to store tires outside of the building.

In closing, the City requires you to vacate tire storage outside the building. You have thirty (30) days from the receipt of this letter to **remove the tire piles**.

Sincerely,

Don Dixon
CBO/Community Development Director

T. L. Smart
Fire Chief

Steve Lane
Fire Safety Inspector

DD:wjl

cc: Florida Department of Environment Protection
Jim Stevens, City Manager

Department of Environmental Protection

tection

Southwest District
3804 Coconut Palm Drive
Tampa, Florida 33619-8318

David B. Struhs
Secretary

r 24, 1999

INFORMATION REQUEST

TO: Cindy Jones
City of Wildwood
100 N. Main St
Wildwood, 34785

g Permit
County

We are pleased to send the enclosed information you requested.

-WT is hereby modified as

If we can be of further service, please contact:

Kim B. Ford, P.E.
Solid Waste Section
Waste Management Division
3804 Coconut Palm Drive
Tampa, FL 33619-8318
(813) 744-6100, ext. 382

TYPE OF MODIFICATION

led Revised Site Plan

site plan for storage
ons in case of emergency.

COMMENTS: Global Permit
plus Copy of FAX

complete permit and
cations for the above

y

D. Garrity, Ph.D.
of District Management
st District

RDG/kbfb
Attachments

WASTE MGT TAMPA SWD ax:8137446125

** Transmit Conf. Report **

P.1 Mar 14 2001 11:57

Telephone Number	Mode	Start	Time	Pages	Result	Note
813523301334	NORMAL	14,11:48	8'19"	28	* O K	

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

3804 Coconut Palm Drive
Tampa, FL 33619-8318

FAX

Date: 3/14/01

Number of pages including cover sheet: 28

To: Cindy Jones
Wildlife Biologist

Phone: 352 330 1330 x119
Fax phone: 352 330 1334
CC:

From: Tim Ford

Phone: (813) 744-6100 x382
Fax phone: (813) 744-6125

REMARKS: ☐ Urgent ☑ For your review ☐ Reply ASAP ☐ Please comment

Attached

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION	3804 Coconut Palm Drive Tampa, FL 33619-8318

FAX

Date: 3/14/01

Number of pages including cover sheet: 2B

To: Cindy Jones
Crystal River Bldg Dept

Phone: 352 3301330 x119
Fax phone: 352 3301334
CC:

From: Tim Fons

Phone: (813) 744-6100 x382
Fax phone: (813) 744-6125

REMARKS: ☐ Urgent ☑ For your review ☐ Reply ASAP ☐ Please comment

Thanks

Department of
Environmental Protection

Jeb Bush
Governor

Southwest District
3804 Coconut Palm Drive
Tampa, Florida 33619

David B. Struhs
Secretary

Global Tire Recycling
Mr. R. Brian Fifer, President
1201 Industrial Drive
Wildwood, Fl. 34785

March 7, 2001

RE: Global Tire Recycling WT Processing Facility
Financial Assurance Cost Estimates
Permit No.: 136808-001-WT, Sumter County

Dear Mr. Fifer:

This letter is to acknowledge receipt of the inflation-adjusted estimates dated February 24, 2001 (received February 26, 2001), for closure of the Global Tire Recycling Waste Tire Processing Facility. The cost estimates dated February 24, 2001 (total for closure **$74,983.50**, are **APPROVED for 2001**. This approved amount includes 1650 tons of tires and 12 dumpsters (30 cy each) of other solid waste (e.g. fiber, treads, tubes, office waste, etc.).

Please be advised that the quantity of materials stored at the facility shall be limited to the quantities listed on the Site Plan dated January 29, 2001 (received February 6, 2001), unless additional financial assurance is provided. The next annual update (revised estimates) is due **no later than March 1, 2002.** Since the current estimates are based on 1999 unit costs, please provide copies of third-party estimates supporting the costs for the next annual update.

A copy of these estimates will be forwarded to Ms. Jessie Carpenter, Solid Waste Section, FDEP, 2600 Blair Stone Road, MS #4565, Tallahassee, Florida 32399-2407. Please work with her directly to assess the facility's compliance with the funding mechanism requirements of Rule 62-711.500(3), F.A.C. If you have any questions, you may contact me at (813) 744-6100 ext. 386.

Sincerely,

Susan J. Pelz, P.E.
Solid Waste Section
Southwest District

sjp
cc: Jessie Carpenter, FDEP, Tallahassee, w/attachment
Robert Butera, P.E., FDEP Tampa
Kim Ford, P.E., FDEP Tampa

Department of Environmental Protection

Jeb Bush
Governor

Southwest District
3804 Coconut Palm Drive
Tampa, Florida 33619

David B. Struhs
Secretary

March 6, 2001

Mr. R. Brian Fifer
Global Tire Recycling
1201 Industrial Drive
Wildwood, FL 34785

Re: Global Tire Recycling
Pending Modification No.: 136808-003
Permit No. 136808-001-WT, Sumter County

Dear Mr. Fifer:

This is to acknowledge receipt of your request for a permit modification received February 6, 2001 for the waste tire processing facility.

This letter constitutes notice that a permit will be required for your project pursuant to Chapter(s) 403, Florida Statutes.

Your application for a permit modification is incomplete. This is the Department 1st request for information. Please provide the information listed below promptly. Evaluation of your proposed project will be delayed until all requested information has been received.

The following information is needed in support of the solid waste application [Chapter 62-711, Florida Administrative Code (F.A.C.)]. Please provide:

Received 3/7/01

1. **62-711.500.** Approved closure costs to match the revised site plan, inflation adjusted and less than or equal to the currently provided amount of financial assurance. You may call Ms. Susan Pelz to discuss this item at (813) 744-6100, extension 386.

2. **62-711.540(3).** Location and dimensions of storage piles to demonstrate compliance with the requirements for maximum width of 50 feet (outdoor pile C) and 50 foot wide fire lane (outdoor piles B & D). A letter of approval from the local fire authority for revisions to the site plan for storage area locations is requested. Approval of alternate procedures may be required for exceptions according to FAC Rule 62-701.310.

Please provide all responses that relate to engineering required for design, construction and operation, signed and sealed by a professional engineer.

"NOTICE! Pursuant to the provisions of Section 120.600, F.S. and Chapter 62-12.070(5), F.A.C., if the Department does not receive a response to this request for information within 90 days of the date of this letter, the Department may issue a final order denying your application. You need to respond within 30 days after you receive this letter, responding to as many of the information requests as possible and indicating when a response to any unanswered questions will be submitted. If the response will require longer than 30 days to develop, you should develop a specific time table for the submission of the requested information for Department review and consideration. Failure to comply with a time table accepted by the Department will be grounds for the Department to issue a Final Order of Denial for lack of timely response. A denial for lack of information or response will be unbiased as to the merits of the application. The applicant can reapply as soon as the requested information is available."

Please submit your response to this letter as one complete package. On all future correspondence, please include Robert Butera on distribution. If there are points which must be discussed and resolved, please contact me at (813) 744-6100, extension 382.

Sincerely,

Kim B. Ford, P.E.
Solid Waste Section
Division of Waste Management

KBF/ab

cc: Robert Butera, P.E., FDEP Tampa, Solid Waste Section
Susan Pelz, P.E., FDEP Tampa
Steve Morgan, FDEP Tampa
Bill Parker, FDEP Tallahassee

(7) Processing facilities that will process less than 1,000 tires during any 30 days and store less than 1,000 waste tires on any day may be permitted as "Small processing facilities." The owner or operator of such a facility shall submit a permit application to the Department on Form 62-711.900(7). The application fee for a "Small processing facility" is $500. A small processing facility is subject to the same requirements as a waste tire processing facility, but is exempt from the specific requirements of Rules 62-711.530(1), (2) and (6), F.A.C., and Rule 62-711.540(3)(3), F.A.C.

Specific Authority 403.704, 403.717, FS.
Law Implemented 403.087, 403.717, FS.
History -- New 2-19-89, Amended 11-7-90, 2-28-94, Formerly 17-711.530.

62-711.540 Storage Requirements.

(1) All waste tire sites, collection centers, processing facilities, and disposal facilities which store waste tires shall comply with the following technical and operational standards:

(a) If the site receives waste tires from the public, a sign shall be posted at the entrance of the site stating operating hours, cost of disposal and site rules.

(b) No operations involving the use of open flames shall be conducted within 25 feet of a waste tire pile.

(c) An attendant shall be present when the site is open for business if the site receives waste tires from the public.

(d) Fire protection services for the site shall be assured through notification to local fire protection authorities. A fire safety survey shall be conducted at least annually and the survey report shall be made part of the next quarterly report.

(e) The operator of the site shall prepare and keep at the site an emergency preparedness manual. A copy of the current manual shall be kept at an off-site location designated by the operator. The manual shall be updated at least once a year and upon changes in operations at the site. The manual shall contain the following elements:

1. A list of names and numbers of persons to be contacted in the event of a fire, flood, or other emergency;

2. A list of the emergency response equipment at the site, its location, and how it should be used in the event of a fire or other emergency; and

3. A description of the procedures that should be followed in the event of a fire, including procedures to contain and dispose of the oily material generated by the combustion of large numbers of waste tires.

(f) The operator of the site shall immediately notify the Department in the event of a fire or other emergency which poses an unanticipated threat to the public health or the environment. Within two weeks of any emergency, the operator of the site shall submit to the Department a written report on the emergency. This report shall

describe the origins of the emergency, the actions that were taken to deal with the emergency, the results of the actions that were taken, and an analysis of the success or failure of the actions.

(g) The operator of the site shall maintain records of the quantity of waste tires received at the site, stored at the site, and shipped from the site.

(h) If the operator of the site is not the owner of the property, the operator shall obtain written authorization to operate the facility from the owner of the property.

(i) Communication equipment shall be maintained at the waste tire site to assure that the site operator can contact local fire protection authorities in case of a fire.

(j) The owner or operator shall provide for control of mosquitoes and rodents so as to protect the public health and welfare.

(k) An approach and access road to the waste tire site shall be kept passable for any motor vehicle at all times.

(2) All waste tire sites, collection centers, processing facilities, and disposal facilities which store waste tires indoors must comply with the following additional technical and operational standards:

(a) Tire piles may not be more than 50 feet in width, except that piles along a wall shall not be more than 25 feet in width.

(b) The width of main aisles between tire piles shall be not less than eight feet.

(c) The clearance from the top of storage to sprinkler deflectors or roof structures shall not be less than three feet.

(d) The clearance in any direction from unit heaters, radiant space heaters, duct furnaces, and flues shall not be less than three feet.

(e) When waste tires are stored up to 15 feet high, walls between adjacent warehouse areas and between manufacturing and warehouse areas shall have not less than a four-hour fire rating.

(f) When waste tires are stored over 15 feet high, walls between manufacturing and warehouse areas shall have a fire rating of not less than six hours and steel columns shall have one hour fireproofing. If the top of storage exceeds 20 feet in height, two-hour fireproofing shall be provided for the column and its connections with other structural members.

(g) An automatic sprinkler system installed in compliance with "The Standard for Storage of Rubber Tires", NFPA 231D, published by the National Fire Protection Association, Battery March Park, Quincy, Massachusetts, incorporated herein by reference, may be substituted for fire walls and column fireproofing.

(h) At any time when an attendant is not present, access to the site shall be controlled through the use of doors, fences, gates, natural barriers, or other means.

(3) All waste tire sites, collection centers and any processing or disposal facilities which store waste tires outdoors must comply with the following additional technical and operational standards:

(a) A waste tire site shall not be constructed, maintained or operated in or within 200 feet of any natural or artificial body of water, including wetlands within the jurisdiction of the Department, except bodies of water contained completely within the

property boundaries of the facility which do not ordinarily discharge from the site to surface waters. A person may maintain a waste tire site within the 200-foot setback area upon demonstration to the Department, as part of a permit application or modification, that permanent control methods for residuals will result in compliance with water quality standards in Chapters 62-302, and 62-520, F.A.C. Stormwater control methods shall meet stormwater requirements of Chapters 62-25 and 62-330, F.A.C., as applicable. The site shall be managed in such a way as to divert stormwater or floodwaters around and away from the storage piles. This section shall not apply to artificial reefs constructed pursuant to Department permit.

(b) An outdoor waste tire pile shall have no greater than the following maximum dimensions:

1. Width: 50 feet;
2. Area: 10,000 square feet; and
3. Height: 15 feet.

(c) A 50-foot wide fire lane shall be placed around the perimeter of each outdoor waste tire pile. Access to the fire lane for emergency vehicles must be unobstructed at all times.

(d) Access to the site shall be controlled through the use of fences, gates, natural barriers or other means.

(e) The site shall be bermed or given other adequate protection if necessary to keep liquid runoff from a potential waste tire fire from entering water bodies.

(f) The waste tire site shall be kept free of grass, underbrush, and other potentially flammable vegetation at all times.

(4) For all waste tire sites, collection centers, processing facilities, and disposal facilities which store processed waste tires, the temperature of any above-ground piles of compacted, processed tires over eight feet high shall be monitored and may not exceed 300 degrees Fahrenheit. Temperature control measures shall be instituted so that pile temperatures do not exceed 300 degrees Fahrenheit. Temperature monitoring and controls are not required for processed tires disposed of in permitted landfills.

(5) Any residuals from waste tire processing must be managed so as to be contained on-site, and must be controlled and disposed of in a permitted solid waste management facility or properly recycled.

(6) The Department shall approve exceptions requested by an applicant as part of a waste tire processing facility permit application or modification to the preceding technical and operational standards if:

(a) No waste tires are stored on that site for more than one month; and

(b) The Department, after consultation with the local fire authority, is satisfied that the site owner or operator has sufficient fire suppression equipment or materials on site to extinguish any potential waste tire fire within an acceptable length of time.

Specific Authority 403.704, 403.717, FS.
Law Implemented 403.717, FS.
History -- New 2-19-89, Amended 11-7-90, 2-28-94, Formerly 17-711.540.

Effective 12-17-96

GTR
Global Tire Recycling

1201 Industrial Drive
Wildwood, FL 34785
Phone: (352) 330-2213
Fax: (352) 330-2214
Web Site: www.gtrcrumbrubber.com

February 28, 2001

City of Wildwood
100 North Main Street
Wildwood, FL 34785

Attn: Fire Chief

Ref: Modified Site Plan Dated January 29, 2001

Dear Sir:

Please review the modified site plan dated January 29, 2001 (delivered to you on February 22, 2001), including revised tire piles B, C and D, and the related sketch detailing the tire pile B (fifty feet by two hundred feet) on the western side of the property (drawing attached). Tire pile B has a 20 foot fire lane along the western fence and a 50 foot fire lane on the eastern side. The height limitations are 6' for pile B and 7 ½' for piles C and D.

Your written approval of this modified site plan is requested and for simplification purposes, you may reference this letter in that approval. My understanding is that you may be available Thursday of Friday of this week (3/1 or 3/2). I would appreciate your earliest site visit.

Thank you,

Robert L. Björk
Vice President, Plant Controller

:rb

attachments: 2 (1) 11 X 17 Site Plan 1/29/01
(2) Sketch Detailing Tire Pile B

Best Available Copy




20' Fire Lane
Pile B 50 X 200
50' High
50' Fire lane

Department of Environmental Protection

Jeb Bush
Governor

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

David B. Struhs
Secretary

February 27, 2001

FEB 27 2001
SOUTHWEST DISTRICT

Mr. Brian Fifer
Global Tire Recycling of Sumter County Inc.
1201 Industrial Drive
Wildwood, Florida 34785

Dear Mr. Fifer:

My review of the Solid Waste Management Facility Irrevocable Standby Letter of Credit No. 01.OD.02964, issued on February 14, 2001, by SouthTrust Bank, determined it is in order. The Letter of Credit amount of $75,000.00 is adequate to cover the approved closure cost estimate on file for your waste tire processing facility located at 1201 Industrial Drive, Wildwood, Florida 34785.

My review of the Standby Trust Fund Agreement dated July 20, 1998, with SouthTrust Asset Management, determined that it is in order.

Therefore, Global Tire Recycling of Sumter County, Inc. is in compliance with the financial responsibility requirements of Rule 62-701.630 F.A.C., and Rule 62-711.510 F.A.C.

If you have any questions, please call me at 850/921-9963.

Sincerely,

Jessie L. Carpenter

Jessie L. Carpenter
Solid Waste Section

JLC:jlc

cc: Susan Pelz , FDEP SouthWest District
Kim Ford, FDEP SouthWest District
Robert Butera, FDEP SouthWest District
Hilda Sullens, SouthTrust Asset Management Company

"More Protection, Less Process"

Printed on recycled paper.

Global Tire Recycling
1201 Industrial Drive
Wildwood, FL 34785
Phone: (352) 330-2213
Fax: (352) 330-2214
Web Site: www.gtrcrumbrubber.com

February 3, 2001

Kim B. Ford, P.E.
Solid Waste Section
Division of Waste Management
Southwest District
Department of Environmental Protection
3804 Coconut Palm Drive
Tampa, FL 33619

Re: Modification to Storage Plan
FDEP Waste Tire Processing Permit
No.: 136808-002-WT

Dear Mr. Ford:

Enclosed are two sealed copies of Global's modified storage plan for your review and approval. This plan is in accordance with the guidance that you and Bill Parker provided to me from the advanced sketch.

The drawing contains the tonnage calculations, as well as the corresponding financial assurance calculations. Under this plan, we remain within the $75,000 Letter of Credit that has been opened.

A check for the $250 processing fee also is included.

Thank you for your help with this process.

RECEIVED
FEB 06 2001
Department of Environmental Protection
BY SOUTHWEST DISTRICT

Sincerely,

R. Brian Fifer
President & C.E.O.

Enclosures & Attachment

cc: Robert Butera, P.E.
Susan Pelz, P.E.

Department of
Environmental Protection

Jeb Bush
Governor

Southwest District
3804 Coconut Palm Drive
Tampa, Florida 33619

David B. Struhs
Secretary

March 24, 2000

Don Dixon
CBO/Community Development Director
City of Wildwood
100 N. Main Street
Wildwood, Florida 34785

Re: Global Tire Recycling
1201 Industrial Drive
Wildwood, Florida 34785

Dear Mr. Dixon:

In response to your February 8, 2000, please accept my apology for the delay in response to your request for information on the above referenced facility. The Department conducted an inspection of the facility on March 21, 2000 and a copy of the Department's inspection report is attached for your review.

As noted in the report, the results of our inspection found the facility generally in compliance with their permit and Department regulations. While the Department did note some deficiencies in reporting and submittal requirements, the facility appeared to be well operated and was maintaining the quantity of waste tires on site within their capacity limits.

Should you have any further questions in regard to this facility, please feel free to contact me at (813) 744-6100 ext. 385. Thanks for your patience and understanding.

Sincerely,

Steven G. Morgan
Section Supervisor
Solid Waste Compliance/Enforcement
Southwest District

cc: Robert Butera, SW

City of
Wildwood,
Florida

New City Hall Design

Area Code: 352
SUNCOM Prefix: 668
ZIP Code: 34785

CITY HALL
100 N Main Street
330-1338 Fax

ADMINISTRATION

CITY MANAGER
330-1330

CLERK/FINANCE/
PERSONNEL
330-1340

CODES/PERMITS/ZONING
330-1332

CUSTOMER SERVICE
(UTILITY ACCOUNTS)
330-1335

FIRE
227 Hall Street
330-1342

LIBRARY
702 Webster Street
748-1158

POLICE
100 E Huey Street
330-1355
330-1358 Fax

ANIMAL CONTROL-
WOOD WASTE
601 W Gulf-Atlantic Hwy
330-1345

REFUSE/STREETS
410 Grey Street
330-1343
330-1353 Fax

WASTEWATER
1290 Industrial Drive
330-1349
330-1350 Fax

WATER
801 E Huey Street
330-1346
330-1347 Fax

February 8, 2000

D.E.P.
FEB 10 2000
Southwest District Tampa

Steve Morgan, Environmental Specialist
Department of Environmental Protection
3804 Coconut Palm Drive
Tampa, FL 33619

Re: Global Tire Recycling
1201 Industrial Drive
Wildwood, FL 34785

Dear Mr. Morgan:

On October 20, 1999, November 29, 1999 and December 29, 1999 this office forwarded a letter to your attention requesting that you verify whether or not the above captioned location was in compliance with your regulations. (Copies of said letters are enclosed for your review.)

To date, we have not heard from your office relative to this matter. Please respond to this office as to the outcome of your investigation.

If you are not the appropriate person to correspond with relative to this matter, please advise this office of the identity of the proper person who would oversee these types of matters.

Thank you.

Sincerely,

Don Dixon
CBO/Community Development Director

DD:cj

CITY OF WILDWOOD FLORIDA

FIRE DEPARTMENT

April 17, 1998

Michael E Kelley, Vice President
Global Tire Recycling of Sumter County, Inc.
1201 Industrial Drive
Wildwood, FL 34785

This is to confirm our conversation referencing the design and location of the chipped rubber storage pad located at the Global Tire Recycling plant in Wildwood.

The chipped rubber storage pad is acceptable as indicated on the building plan.

E. S. Lane, Fire Inspector

ESL/kl

Robert L. Rogers Engineering Co., Inc.

CONSULTING SERVICES

Planning, Engineering, Surveying

1105 S.E. 3rd AVENUE
OCALA, FLORIDA 34471
(352) 622-9214 • FAX (352) 622-2894

Robert L. Rogers, P.E., P.S.M.

Rodney K. Rogers, P.S.M.

FILE

April 9, 1998

Mr. Michael Kelley
922 Pritchard Island
Inverness, FL 34450

Re: Global Tire Recycling Waste Tire Facility
Pending Permit No. 136808-001-WT
Sumter County

Dear Mr. Kelley:

In response to a portion of Mr. Kim Ford's letter of March 12, 1998 concerning the above referenced facility, we submit the following:

Item 3 Part III. A.2. a, g, h, i, & j

Attached is our drawing entitled "A Site Plan for Global Tire Recycling of Sumter County, Inc. - Storage Area Locations" on which we have provided the location of each storage area for waste tires, processed tires, residuals, solid waste and product storage. Each storage site is designated by a circled letter and the storage volume and weight is provided in table form. This plan has been signed and sealed.

Item 4 Part III. B.1

Please provide a comparison of the storage volume and weights shown with the information provided in Part II. C of the application and revise Part II. C to agree with the information shown on the above referenced plan.

Item 6 Part III. B.5 and 62-711.540 (1)(j)

With the waste tires stored in enclosed trailers (A) and the property draining to a storm water retention basin that is designed to drain within fourteen (14) calendar days, there should be no standing water on this project that would be conducive to mosquito development.

Also, the type of facility and product produced should not be conducive to a rodent problem.

Mr. Michael Kelley
April 9, 1998
Page Two

Item 8 Part III. B.5 and 62-711.540(3)(c), (e), & (f)

The attached plans shows the length, width and height of the two indoor tire storage areas as (C) and (E).

Item 9 Part III. B.6 and 62-711.540(1)(e)

On the attached drawing, we have also provided the location and the detail of the pollution control skimmer prior to discharge into the on-site water retention basin. During a tire fire, all floating debris is prevented from entering the outlet pipe by the aluminum skimmer installed on the outlet. The inlet also provides a 12" sump below the bottom of the outlet pipe to allow the heavier solids to settle for clean-up. The storm drainage system was designed for a 25 year/24 hour storm event that will produce 11.44 CFS (5,134 GPM) runoff rate which should be well above the volume produced from fire suppression. The elevation of each portion of the pollution control inlet is shown on the plan.

Item 11 Floor Drain Connections

Attached is copies of the correspondence from the City of Wildwood, Florida concerning the capacity reservation of their wastewater treatment plant. The Certification of Concurrency issued by the City of Wildwood was also based on an office area of 9,000 S.F. and 14 employees in the manufacturing area, all domestic wastewater flow. If you connect the floor drains to the sanitary sewer, you will be in violation of your permit with the City of Wildwood.

In addition to the above, the large volume of water that could be produced by a fire would have a much greater impact on a wastewater treatment plant than on the storm water conveyance system with the pollution control inlets, etc. installed.

Please review the enclosed plan and the above comments for resubmittal to FDEP.

Sincerely,

Robert L. Rogers, P.E., P.S.M.
For the Company

RLR/lmr

cc: Brian Fifer

City of Wildwood, Florida

Application For Concurrency Determination

Please complete all applicable sections. Incomplete application will be returned without further processing.

. Purpose for Concurrency Determination: (Check One)* Date: _____

_____Comprehensive Plan Land Use Amendment	_____Rezoning
_____Preliminary Subdivision Approval	_____PUD
_____Final Subdivision Approval	_____DRI / FQD
__X__Site Plan Approval	_____Building Permit

Other: _____

* Certificate of Concurrency must be issued prior to issuance of a final development order.

2. Applicant: GLOBAL TIRE RECYCLING OF SUMTER COUNTY, INC.

Address: 419 S.W. 31ST ROAD MIAMI, FLA. 33129

Telephone: 305-856-3390

. Owner: GLOBAL TIRE RECYCLING OF SUMTER COUNTY, FLA.

Address: 419 S.W. 31ST ROAD MIAMI, FLA. 33129

. Phone: 305-856-3390

. Property Address: INDUSTRIAL DRIVE

. Parcel Number: S12W00P 7. Total Acreage: 10.44 AC

. Existing Zoning: INDUSTRIAL 9. Proposed Zoning: N/A

0. Land Use:

Existing Land Use: VACANT, Designated Future Land Use: _____

Proposed Land Use: TIRE RECYCLING FACILITY

1. Residential Lots/Units: N/A 12. Non-Resident. Gross Sq.Ft. 454613

3. Method of Wastewater Treatment:

a. Septic Tank: _____ b. Central Sewer: X c. Other: _____
County Permit _____ County # _____

4. Southwest Florida Water Management Permit Number: F.D.E.P. PERMIT APPLIED FOR

5. Population: (residential only): 1.86 persons per household. N/A

6. Wastewater Flow Rates: Average GPD 1725 Peak Hour GPD 4213 4313

7. Water Usage: GPD 1863

3. Solid Waste: (Cubic YD./Cap./Year) N/A

). Traffic Analysis: Name and Functional Classification of roadways adjacent to the property and the Average Daily Trip Generation expected from this development.

_____

. Stormwater Management: ON-SITE RETENTION PERMITTED BY F.D.E.P.

PAGE 04
ROGERS ENGINEERING
9046222894
04/10/1998 07:15

City Of Wildwood

Capacity Reservation

Developers: Global Tire Recycling of Sumter County, Inc.

Property Owner: Global Tire Recycling of Sumter County, Inc.

Address: Lots 12 & 16, 1201 Industrial Drive

Date: February 23, 1998
Parcel No. F12W00P
Certificate No. CR98-02-02

Type of Project: Tire Recycling Facility

Infrastructure:	Project Demand	Available Capacity	Remaining Capacity	Concurrency Approval
Water: (ADF)	1380	1.4422	1.4408	YES
Waste Water: (ADF)	966	.21105	.21008	YES
Solid Waste:	NA			
Traffic ADT:	302 Vehicles/Day			
Drainage Compliance:	On-Site Retention F.D.E.P. Permit Required			
Recreation:	NA			

On February 23, 1998 **The City Of Wildwood Florida has reserved the above capacities from available inventory for each of the Public Facilities listed. This Capacity Certification shall expire upon revocation or expiration of the Development Permit or the Development Order.**

Helen R. Taylor

Helen R. Taylor
Building / Zoning Code Technician

PAGE 05
ROGERS ENGINEERING
04/10/1998 07:15 9046222894

City Of Wildwood

Final

Certificate Of Concurrency

Developers: Global Tire Recycling of Sumter County, Inc.

Date: February 23, 1998

Owner: Global Tire Recycling of Sumter County, Inc.

Parcel No. F12W00P

Certificate No. F98-02-02

Address: Lots 12 & 16, 1201 Industrial Drive

Type of Project: Tire Recycling Facility

Water - 2,484.00
Sewage - 7,452.00
Total - 9,936.00

Infrastructure:	Project Demand	Available Capacity	Remaining Capacity	Concurrency Approval
	(G.P.D.)	(MGD)	(MGD)	
Water:	1380	1.4422	1.4408	YES
	(G.P.D.)	(MGD)	(MGD)	
Waste Water:	966	.21105	.21008	YES
Solid Waste:CICIY	NA			
Traffic ADT:	302 Vehicles/Day			
Drainage Compliance:	On-Site Retention F.D.E.P. Permit Required			
Recreation:	NA			

On February 23, 1998 The City Of Wildwood Florida has determined that the required infrastructure for the above referenced project IS available. The City Of Wildwood has not reserved any capacity from any infrastructure for the project captioned above. The Developer may reserve the required capacity, if available from the City, after issuance of the Developers Permit this to insure availability when the project is completed.

Helen R. Taylor

Helen R. Taylor

Building / Zoning Code Technician

ROGERS ENGINEERING

04/10/1998 07:05 9045222894

City Of Wildwood

Final

Certificate Of Concurrency

Developers: Global Tire Recycling of Sumter County, Inc.

Owner: Global Tire Recycling of Sumter County, Inc.

Date: February 23, 1998
Parcel No. F12W00P
Certificate No. F98-02-02

Address: Lots 12 & 16, 1201 Industrial Drive

Type of Project: Tire Recycling Facility

Water -	2,484.00
Sewage -	7,452.00
Total -	9,936.00

Infrastructure:	Project Demand	Available Capacity	Remaining Capacity	Concurrency Approval
	(G.P.D.)	(MGD)	(MGD)	
Water:	1380	1.4422	1.4408	YES
	(G.P.D.)	(MGD)	(MGD)	
Waste Water:	966	.21105	.21008	YES
Solid Waste:CICIY	NA			
Traffic ADT:	307 Vehicles/Day			
Drainage Compliance:	On-Site Retention F.D.E.P. Permit Required			
Recreation:	NA			

On February 23, 1998 The City Of Wildwood Florida has determined that the required infrastructure for the above referenced project IS available. The City Of Wildwood has not reserved any capacity from any infrastructure for the project captioned above. The Developer may reserve the required capacity, if available from the City, after issuance of the Developers Permit this to insure availability when the project is completed.

Helen R. Taylor

Helen R. Taylor

Building / Zoning Code Technician

RIDDLE CONSULTING ENGINEERS, INC.

PAUL D. RIDDLE, P.E.

Telephone (352) 245 - 7041
Fax (352) 245 - 5458

RIDDLE CONSULTING ENGINEERS, INC.
1720 S.E. COUNTY HIGHWAY 484
BELLEVIEW, FLORIDA 34420

April 15, 1998

GLOBAL TIRE RECYCLING
1201 Industrial Drive
Wildwood, Florida 34785

ATTN: Mr. Mike Kelley

RE: CONNECTION OF FLOOR DRAIN SYSTEM TO DRAINAGE SYSTEM

Dear Mr. Kelley:

The below information is meant to clarify the design of the floor drain system connection in the production area to the drainage system (rather than sanitary sewer system).

In a preliminary project meeting (during the design stage), Mr. Don Dixon, City of Wildwood Building Official, expressed a requirement to insure that the floor drains from the production area did not interconnect with the sanitary sewer system. Mr. Jim Couilliard was present at this meeting. The floor drains were designed as requested and later permitted by the City of Wildwood.

Additionally, at the preliminary meeting (Paul Riddle, Brian Fifer, Mike Kelley, Jim Couilliard, Alan Rummelsburg, and Mike Jierski present) with DEP in Tampa, Mr. Kim Ford indicated that the floor drains should be routed to the drainage systems because, during a fire, melted tire runoff would need to be contained. During subsequent permitting under the waste tire rules, Mr. Bob Rogers, P.E., designed a skimmer at the inlet to insure that any contaminants (particles) from the floor drain system would not be carried to the drainage area.

Hopefully, this clarifies the reasons for the design of the floor drains. If there are any further questions, please let me know.

Sincerely,

RIDDLE CONSULTING ENGINEERS, INC.

Paul D. Riddle, P.E.
President

PDR:pdr

cc: Mr. Bob Rogers, P.E.

Department of Environmental Protection

DEP Form # 62-701.900(23)
Waste Tire Processing Facility
Form Title Permit Application
Effective Date 12/23/96
DEP Application No. _____
(Filled in by DEP)

Waste Tire Processing Facility Permit Application

Permit No. _____ Renewal ☐ Modification ☐ Existing unpermitted facility ☐ Proposed new facility ☒

Part I-General Information: 136808-01

A. Applicant Information:

1. Applicant Name: GLOBAL TIRE RECYCLING OF SUMTER COUNTY, INC.
2. Applicant Street Address 1201 INDUSTRIAL ROAD
3. City WILDWOOD County SUMTER Zip 34785
4. Applicant Mailing Address GLOBAL TIRE RECYCLING, INC., 419 S.W. 31st ROAD
5. City MIAMI County DADE Zip 33129
6. Contact person R. BRIAN FIFER, Pres. & CEO Phone(305) 856-3390
7. Have any enforcement actions been taken by the Department against the applicant relating to the operation of any solid waste management facility in this state? This includes any Complaint, Notice of Violation, or revocation of a permit or registration, as well as any Consent Order in which a violation of Department rules is admitted. It does not include a Warning Letter, Warning Notice, Notice of Noncompliance, or other similar document which does not constitute agency action. Yes _____ No x
If yes, attach a history and description of the enforcement actions.

B. Facility Information:

1. Facility Name GLOBAL TIRE RECYCLING OF SUMTER COUNTY, INC.
2. Facility Street Address (Main Entrance) 1201 INDUSTRIAL ROAD
3. City WILDWOOD County SUMTER Zip 34785
4. Facility Mailing Address same as street address
5. City _____ State _____ Zip _____
6. Contact Person MICHAEL F. KELLEY Phone( )

Facility Location Coordinates

7. Section 7 Township 19S Range 23E
8. Latitude 28°53'45" Longitude 82°03'30"
9. Anticipated date for starting construction November 1997 and for completion of construction April 1998
10. Anticipated date for receipt of tires May 1998 and for start of processing May 1998

Mail completed form to appropriate district office listed below

D.E.P.
FEB 13 1998
SOUTHWEST DISTRICT
TAMPA

Northwest District	Northeast District	Central District	Southwest District	South District	Southeast District
160 Governmental Center	7825 Baymeadows Way, Ste. B200	3319 Maguire Blvd., Ste. 232	3804 Coconut Palm Dr.	2295 Victoria Ave., Ste. 364	400 North Congress Ave
Pensacola, FL 32501-5794	Jacksonville, FL 32256-7590	Orlando, FL 32803-3767	Tampa, FL 33619	Fort Myers, FL 33901-3881	West Palm Beach, FL 3340
904-444-8360	904-448-4300	407-894-7555	813-744-6100	941-332-6975	561-681-6600

DEP Form # 62-701.900(23)
Waste Tire Processing Facility
Form Title Permit Application
Effective Date 12/23/96
DEP Application No. _____ (Filled in by DEP)

Land Owner Information (if different from applicant):

1. Owner's name SAME AS APPLICANT
2. Land owner's mailing address _____
3. City _____ State _____ Zip _____
4. Authorized Agent: _____ Agent's phone( ) _____
5. Current lease expires _____

D. Facility Operator Information (if different from applicant):

1. Operator's name SAME AS APPLICANT
2. Operator's mailing address _____
3. City _____ State _____ Zip _____
4. Contact person _____ Phone( ) _____

E. Preparer of Application:

1. Name of person preparing application: MICHAEL F. KELLEY, ESQ.
2. Mailing address 155 SOUTH MIAMI AVENUE/PH
3. City MIAMI State FLORIDA Zip 33130
4. Phone(305) 358-4522
5. Affiliation with facility: ADMINISTRATIVE V.P. and GENERAL COUNSEL

Part II-Operations:

A. Facility type (check appropriate box):

☒ Waste tire processing facility.

☐ Waste tire processing facility with on-site disposal of processed tires or processing residuals. See Attachment _____

☐ Waste tire processing facility with on-site consumption of waste tires or processing residuals. See attachment F

☐ Permitted solid waste management facility modification to allow waste tire site and processing.

B. Type of processing facility (check as many as apply):
☐ Shredder ☐ Cutter ☐ Chopper ☐ Incinerator only ☐ Incinerator with energy recovery ☐ Pyrolysis

☐ Supplemental fuel user ☒ Other, explain PROCESSING WASTE TIRES AND TIRE CHIPS THROUGH MILLING SYSTEM TO PRODUCE MESH-SIZED CRUMB RUBBER

C. Storage: Indicate the maximum quantities of whole waste tires, processed waste tires, and processing residuals, expressed in tons, to be stored at the facility, in accordance with Rule 62-711.530(2), F.A.C.

QUANTITIES BASED UPON CLOSING PLAN ESTIMATE

	Outdoor Storage (tons)	Outdoor Storage (sq. ft.)	Indoor Storage (tons)	Indoor Storage (Sq. ft.)	Total Storage (tons)
Whole waste tires:	154	(CLOSED TRAILER STORAGE)	97.22	2500	251.22
Processed tires:	100	2500	276	2500	376
Processing residuals:	68.5	(CLOSED ROLL-OFF STORAGE OUTDOORS ONLY)			68.5
TOTALS:	322.5	2500	373.22	5000	695.72

D. For reporting quantity of tires in tons, tires will be weighed on site ☒ weighed off site ☐ weights will be calculated ☐

E. Facilities that will not be disposing of processed tires or processing residual on the facility site must indicate the permitted solid waste management facility where processed tires or residuals will be disposed.

1. Name of facility N/A
2. Street address _____
3. City _____ County _____ Zip _____

F. Facilities that will be delivering processed tires to consuming facilities must describe the existing or proposed markets for those processed tires. GLOBAL HAS LETTERS OF INTENT TO PURCHASE CRUMB RUBBER FROM ASPHALT EMULSION MIXERS, INCLUDING: MARTIN PAVING, INC. (904) 761-8383; BLACKLIDGE EMULSIONS, INC. GULFPORT, MISS. (601) 863-3878; ANDERSON COLUMBIA CO., INC. (904) 752-7585 Lake City, FL. OTHER FLORIDA MIXERS AS WELL AS MAJOR USERS OUTSIDE OF FLORIDA WILL PURCHASE GLOBAL'S COMPETITIVELY-PRICED CRUMB RUBBER ONCE THE WILDWOOD PLANT IS OPERATING. COPIES OF THE LETTERS OF INTENT AND GLOBAL'S OFFERING MEMORANDUM WHICH INCLUDES A MARKET SURVEY ARE SUBMITTED WITH THIS APPLICATION AS A CONFIDENTIAL ATTACHMENT.

Part III-Attachments:

A. Facility design

NOTE: All maps, plan sheets, drawings, isometrics, cross sections, or aerial photographs shall be legible; be signed and sealed by a registered professional engineer responsible for their preparation; be of appropriate scale to show clearly all required details; be numbered, referenced to narrative, titled, have a legend of symbols used, contain horizontal and vertical scales (where applicable), and specify drafting or origination dates; and use uniform scales as much as possible, contain a north arrow and use NGVD for all elevations.

1. A topographic or section map of the facility, including the surrounding area for one mile, no more than one year old, showing land use and zoning within one mile of the facility.
2. A plot plan of the facility on a scale of not less than one inch equals 200 feet. At a minimum, the plot plan shall include:
   a. The facility design, including the location and size of all storage and processing areas for used tires, unprocessed waste tires processed waste tires, and waste tire processing residuals;
   b. All wetlands and water bodies within the facility or within 200 feet of any storage area;
   c. Stormwater control measures, including ditches, dikes, and other structures;
   d. Boundaries of the facility, legal boundaries of the land containing the facility, and any easements or rights of way that are within the facility or within 200 feet of any storage area;
   e. Location, size, and depth of all wells within the facility or within 200 feet of any storage area;
   f. All structures and buildings that are, or will be, constructed at the facility; include those used in storage and processing operations;
   g. All areas used for loading and unloading;
   h. All access roads and internal roads, including fire lanes;
   i. Location of all fences, gates, and other access control measures; and
   j. Location of all disposal areas within the facility.

B. Facility operation.

1. A description of the facility's operation, process and products including how waste tires will be received and stored.
2. A description of the equipment used for processing tires. This description shall include the make, model, and hourly capacity of each piece of equipment.
3. Description of the waste from the process, the amount of waste expected and how and where this waste will be disposed of.
4. Statement of the maximum daily throughput and the planned daily and annual throughput.
5. A description of how the operator will maintain compliance with each of the storage requirements of Rule 62-711.540, F.A.C.
6. A copy of the emergency preparedness manual for the facility with a statement of the on site and off site locations where that manual will be maintained.
7. A copy of the fire safety survey.
8. A description of how 75% of the annual accumulation of waste tires will be removed for disposal or recycling.

DEP Form # 62-701.900(23)
Waste Tire Processing Facility
Form Title Permit Application
Effective Date 12/23/96
DEP Application No. _____
(Filled in by DEP)

C. Completed closing plan for the facility as required by Rule 62-711.700(2) and (3), F.A.C.

D. Attach proof of financial responsibility as requirement by Rule 62-711.500(3) OR a calculation showing that financial assurance documents, currently on file with the Department, are sufficient to assure closing of the waste tire site as well as any other solid waste management facility at that location.

E. A letter from the land owner (if different from applicant) authorizing use of the land as a waste tire processing facility.

F. If waste tires will be consumed at the facility, attach a description of the other environmental permits that the applicant has for this use, including, permit number, date of issue, and name of issuing agency.

G. The permit fee as required in Rule 62-4, F.A.C.

Part IV-Certification:

A. Applicant:

The undersigned applicant or authorized representative of GLOBAL TIRE RECYCLING, INC. OF SUMTER COUNTY is aware that statements made in this form and attached information are an application for a Waste Tire Processing Facility Permit from the Florida Department of Environmental Protection and certifies that the information in this application is true, correct and complete to the best of his knowledge and belief. Further, the undersigned agrees to comply with the provisions of Chapter 403, Florida Statutes, and all rules and regulations of the Department. It is understood that the Department will be notified prior to the sale or legal transfer of the facility.

Michael F. Kelley
Signature of Applicant or Authorized Agent

MICHAEL F. KELLEY, ESQ.
Vice President and General Counsel
Name and Title

2/12/98
Date

B. Professional Engineer registered in Florida.

This is to certify that the engineering features of this waste tire processing facility have been ~~designed~~/examined by me and found to conform to engineering principals applicable to such facilities. In my professional judgment, this facility, when properly maintained and operated will comply with all applicable statues of the State of Florida and rules of the Department. It is agreed that the undersigned will provide the applicant with a set of instructions for proper maintenance and operation of the facility.

Signature

Robert L. Rogers, P.E.
Name and Title

10027
Florida Registration Number

Robert L. Rogers Engineering Company, Inc.
1105 S.E. 3rd Avenue
Mailing Address

Ocala, FL 34471
City, State, Zip

(352) 622-9214
Telephone number

(please affix seal)

2/11/98
Date

2/11/98

D.E.P.
FEB 13 1998
SOUTHWEST DISTRICT
TAMPA

Rob
Susan

STATE OF FLORIDA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
SOUTHWEST DISTRICT

CONVERSATION RECORD

Date 3/13/01 Subject Global

Time 1:50 Permit No.

County Sumter

M Cindy Bates Telephone No.

Representing Wildwood Building Dept

[ ] Phoned Me [X] Was Called [ ] Scheduled Meeting [ ] Unscheduled Meeting

Other Individuals Involved in Conversation/Meeting

Summary of Conversation/Meeting I returned her call to Sue CJ said she wanted to know why Global has requested approval of tire pile plan Wildwood Fire Dept. She said no piles approved And she has no records of any fire surveys at all. I explained Global only wants to revise its previously approved site plan which always showed tires outside. CJ said she had been Call last year asking DEP why tires are outside And asking DEP if Global is in compliance. I said I am surprised since DEP is expecting Wildwood to decide if revised pile is ok. I told her I would send her a copy of the permit And my recent letter.

(continue on another sheet, if necessary)

Signature

Title

PA-01
1/96
pap

Department of
Environmental Protection

Jeb Bush
Governor

Southwest District
3804 Coconut Palm Drive
Tampa, Florida 33619

David B. Struhs
Secretary

Global Tire Recycling
Mr. R. Brian Fifer, President
1201 Industrial Drive
Wildwood, Fl. 34785

March 7, 2001

RE: Global Tire Recycling WT Processing Facility
Financial Assurance Cost Estimates
Permit No.: 136808-001-WT, Sumter County

Dear Mr. Fifer:

This letter is to acknowledge receipt of the inflation-adjusted estimates dated February 24, 2001 (received February 26, 2001), for closure of the Global Tire Recycling Waste Tire Processing Facility. The cost estimates dated February 24, 2001 (total for closure **$74,983.50**, are **APPROVED for 2001**. This approved amount includes 1650 tons of tires and 12 dumpsters (30 cy each) of other solid waste (e.g. fiber, treads, tubes, office waste, etc.).

Please be advised that the quantity of materials stored at the facility shall be limited to the quantities listed on the Site Plan dated January 29, 2001 (received February 6, 2001), unless additional financial assurance is provided. The next annual update (revised estimates) is due **no later than March 1, 2002.** Since the current estimates are based on 1999 unit costs, please provide copies of third-party estimates supporting the costs for the next annual update.

A copy of these estimates will be forwarded to Ms. Jessie Carpenter, Solid Waste Section, FDEP, 2600 Blair Stone Road, MS #4565, Tallahassee, Florida 32399-2407. Please work with her directly to assess the facility's compliance with the funding mechanism requirements of Rule 62-711.500(3), F.A.C. If you have any questions, you may contact me at (813) 744-6100 ext. 386.

Sincerely,

Susan J. Pelz, P.E.
Solid Waste Section
Southwest District

sjp
cc: Jessie Carpenter, FDEP, Tallahassee, w/attachment
Robert Butera, P.E., FDEP Tampa
Kim Ford, P.E., FDEP Tampa

Department of Environmental Protection

Jeb Bush
Governor

Southwest District
3804 Coconut Palm Drive
Tampa, Florida 33619

David B. Struhs
Secretary

March 6, 2001

Mr. R. Brian Fifer
Global Tire Recycling
1201 Industrial Drive
Wildwood, FL 34785

Re: Global Tire Recycling
Pending Modification No.: 136808-003
Permit No. 136808-001-WT, Sumter County

Dear Mr. Fifer:

This is to acknowledge receipt of your request for a permit modification received February 6, 2001 for the waste tire processing facility.

This letter constitutes notice that a permit will be required for your project pursuant to Chapter(s) 403, Florida Statutes.

Your application for a permit modification is incomplete. This is the Department 1st request for information. Please provide the information listed below promptly. Evaluation of your proposed project will be delayed until all requested information has been received.

The following information is needed in support of the solid waste application [Chapter 62-711, Florida Administrative Code (F.A.C.)]. Please provide:

1. **62-711.500.** Approved closure costs to match the revised site plan, inflation adjusted and less than or equal to the currently provided amount of financial assurance. You may call Ms. Susan Pelz to discuss this item at (813) 744-6100, extension 386.

2. **62-711.540(3).** Location and dimensions of storage piles to demonstrate compliance with the requirements for maximum width of 50 feet (outdoor pile C) and 50 foot wide fire lane (outdoor piles B & D). A letter of approval from the local fire authority for revisions to the site plan for storage area locations is requested. Approval of alternate procedures may be required for exceptions according to FAC Rule 62-701.310.

Please provide all responses that relate to engineering required for design, construction and operation, signed and sealed by a professional engineer.

"NOTICE! Pursuant to the provisions of Section 120.600, F.S. and Chapter 62-12.070(5), F.A.C., if the Department does not receive a response to this request for information within 90 days of the date of this letter, the Department may issue a final order denying your application. You need to respond within 30 days after you receive this letter, responding to as many of the information requests as possible and indicating when a response to any unanswered questions will be submitted. If the response will require longer than 30 days to develop, you should develop a specific time table for the submission of the requested information for Department review and consideration. Failure to comply with a time table accepted by the Department will be grounds for the Department to issue a Final Order of Denial for lack of timely response. A denial for lack of information or response will be unbiased as to the merits of the application. The applicant can reapply as soon as the requested information is available."

Please submit your response to this letter as one complete package. On all future correspondence, please include Robert Butera on distribution. If there are points which must be discussed and resolved, please contact me at (813) 744-6100, extension 382.

Sincerely,

Kim B. Ford, P.E.
Solid Waste Section
Division of Waste Management

KBF/ab

cc: Robert Butera, P.E., FDEP Tampa, Solid Waste Section
Susan Pelz, P.E., FDEP Tampa
Steve Morgan, FDEP Tampa
Bill Parker, FDEP Tallahassee

Fax

GTR Global Tire Recycling

1201 Industrial Drive
Wildwood, FL 34785

352-330-2213 Tel
352-330-2214 Fax

To:	Kim Ford	**From:**	Robert L. Björk
Of:	FLDEP		
Fax:	813-744-6125	**Pages:**	4
Phone:	813-744-6100	**Date:**	03/05/01
Re:	Letter & Sketch	**CC:**	

☐ **Urgent** ☐ **For Review** ☐ **Please Comment** ☐ **Please Reply**

Kim,

Letter delivered to Fire Chief. We have made 2 deliveries and two calls. He has not given us a date for inspection yet. We will continue to pursue resolution. The Fire Chief was on vacation last week and apparently was busy today.

Thanks,

Robert

Robert L. Björk, Vice President & Plant Controller
e-mail: Robert at GTR@aol.com

GTR Global Tire Recycling

1201 Industrial Drive
Wildwood, FL 34785
Phone: (352) 330-2213
Fax: (352) 330-2214
Web Site: www.gtrcrumbrubber.com

February 28, 2001

City of Wildwood
100 North Main Street
Wildwood, FL 34785

Attn: Fire Chief

Ref: Modified Site Plan Dated January 29, 2001

Dear Sir:

Please review the modified site plan dated January 29, 2001 (delivered to you on February 22, 2001), including revised tire piles B, C and D, and the related sketch detailing the tire pile B (fifty feet by two hundred feet) on the western side of the property (drawing attached). Tire pile B has a 20 foot fire lane along the western fence and a 50 foot fire lane on the eastern side. The height limitations are 6' for pile B and 7 ½' for piles C and D.

Your written approval of this modified site plan is requested and for simplification purposes, you may reference this letter in that approval. My understanding is that you may be available Thursday of Friday of this week (3/1 or 3/2). I would appreciate your earliest site visit.

Thank you,

Robert L. Björk
Vice President, Plant Controller

:rb

attachments: 2 (1) 11 X 17 Site Plan 1/29/01
(2) Sketch Detailing Tire Pile B

Best Available Copy



Global Tire Recycling

Proposed Tire Pile 50' X 200' on West Side of Property







Department of Environmental Protection

Jeb Bush
Governor

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

David B. Struhs
Secretary

February 27, 2001

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
FEB 27 2001
SOUTHWEST DISTRICT
TAMPA

Mr. Brian Fifer
Global Tire Recycling of Sumter County Inc.
1201 Industrial Drive
Wildwood, Florida 34785

Dear Mr. Fifer:

My review of the Solid Waste Management Facility Irrevocable Standby Letter of Credit No. 01.OD.02964, issued on February 14, 2001, by SouthTrust Bank, determined it is in order. The Letter of Credit amount of $75,000.00 is adequate to cover the approved closure cost estimate on file for your waste tire processing facility located at 1201 Industrial Drive, Wildwood, Florida 34785.

My review of the Standby Trust Fund Agreement dated July 20, 1998, with SouthTrust Asset Management, determined that it is in order.

Therefore, Global Tire Recycling of Sumter County, Inc. is in compliance with the financial responsibility requirements of Rule 62-701.630 F.A.C., and Rule 62-711.510 F.A.C.

If you have any questions, please call me at 850/921-9963.

Sincerely,

Jessie L Carpenter

Jessie L. Carpenter
Solid Waste Section

JLC:jlc

cc: Susan Pelz , FDEP SouthWest District
Kim Ford, FDEP SouthWest District
Robert Butera, FDEP SouthWest District
Hilda Sullens, SouthTrust Asset Management Company

Best Available Copy

D.E.P.
Southwest District Tampa







LEGEND

- ■ STORM WATER GRATE INLET
- (A) STORAGE PILE (SEE TABLE)
- C.L.F. CHAINLINK FENCE
- (Q) SECURITY GATES

WASTE TIRE RUBBER STORAGE VOLUME AND WEIGHT

(A) PROCESSED TIRES
80 X 50 X 9 = 36,000 C.F.
20#/C.F. = 360 TONS

(B) WHOLE AND PROCESSED TIRES (AND TUBES)
50 X 200 6 = 60,000 C.F. = 2,222 C.Y.
2,222 C.Y. @ 10 TIRES/C.Y. =22,220 TIRES
2,222 TIRES @ 20#/TIRE = 222 TONS
LESS 12% FOR TRAPEZOID = 195 TONS

(C) WHOLE AND PROCESSED TIRES
110 X 60 X 7.5 = 49,500 C.F.
35 X 80 X 7.5 = 21,000 C.F.
70,500 C.F. = 2,611 C.Y.

2,611C.Y. @ 10 TIRES/C.Y. = 26,110 TIRES
26,110 TIRES @ 20#/TIRE = 261 TONS
LESS 17% FOR TRAPEZOID = 217 TONS

(D) WHOLE AND PROCESSED TIRES
30 X 10 X 7.5 = 22,500 C.F. = 833 C.Y.
833 C.Y. @ 1 TIRES/C.Y. = 8,330 TIRES
8,330 TIRES @ 20#/TIRE = 83 TONS
LESS 12% FOR TRAPEZOID = 73 TONS

(E) INDOOR WHOLE TIRE PILE
20 X 20 X 5 = 2,000 C.F. = 74 C.Y.
74 C.Y. @ 10 TIRES/C.Y. = 740 TIRES
740 TIRES @ 20#/TIRE = 7 TONS

(F) TIRE LOADING HOPPERS
2,000 TIRES @ 20#/TIRE = 20 TONS

(Q) BAGGED CRUMB RUBBER
50# BAGS OR SUPER SACKS ON 1 TON PALLET
MAX. OF 273 PALLETS (@ 1 TON/PALLET = 273 TONS

(H) ENCLOSED GRANULAR RUBBER STORAGE

(H)1&2 TWO INSIDE STORAGE BINS — TWO 50 X 25 X 6 = 15,000 C.F.

(H)3 THREE INSIDE SURGE BINS — THREE 9 X 8 X 6 = 1,296 C.F.

(H)4 ONE INSIDE STORAGE BIN — ONE 20 X 50 X 5 = 5,000 C.F.

(H)5 ONE OUTSIDE STORAGE BIN — ONE 20 X 50 X 5 = 5,000 C.F.

(H)6 SIX OUTSIDE BULK SHIP BINS — SIX @ 25 TONS EA. = 11,111 C.F.

TOTAL = 37,407 C.F.
37,407 C.F. @ 27#/C.F. = 505 TONS

TOTAL TONS OF WASTE TIRE RUBBER STORAGE = 1,650 TONS

WASTE AND SCRAP STORAGE VOLUME AND WEIGHT

(I) FIBER DUMPSTERS
1 TRAILER @ 60 C.Y. = 60 C.Y.
60 C.Y. @ 667#/C.Y. = 20 TONS

(J) TREAD WIRE DUMPSTER
7 DUMPSTERS @ 30 C.Y. EACH = 210 C.Y.
210 C.Y. @ 1,000#/C.Y. = 105 TONS
(INCLUDES A TWO DUMPSTER EQUIVALENT WIRE PILE)

(K) BEAD WIRE DUMPSTER
1 DUMPSTER @ 30 C.Y. EACH = 30 C.Y.
30 C.Y. @ 667#/C.Y. = 10 TONS

(L) RIM DUMPSTER
1 DUMPSTER @ 30 C.Y./EACH = 30 C.Y.
63 C.Y. @ 333#/C.Y. = 5 TONS

(M) RESIDUAL DUMPSTER
1 DUMPSTER @ 30 C.Y./EACH = 30 C.Y.
30 C.Y. @ 667#/C.Y. = 10 TONS

(N) OFFICE DUMPSTER
1 DUMPSTER @ 30 C.Y./EACH = 30 C.Y.
30 C.Y. @ 333#/C.Y. = 5 TONS

TOTAL 12 DUMPSTERS

FINANCIAL ASSURANCE REQUIREMENTS

1. WASTE TIRE RUBBER 1,650 TONS @ $40.80/TON* = $67,320
2. WASTE AND SCRAP 12 DUMPSTERS @ $540.60 EACH* = 6,480

TOTAL FINANCIAL ASSURANCE REQUIREMENTS = $73,807

* INFLATION ADJUSTED (2%) AS APPROVED BY FDEP IN APRIL, 2000

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

FEB 2 6 2001

SOUTHWEST DISTRICT TAMPA

ROBERT L. ROGERS DATE 1/27/01
PROFESSIONAL ENGINEER
FLORIDA REGISTRATION NO. 10027

REVISION	DATE
REVISED PLAN BASED ON INFORMATION PROVIDED BY GLOBAL TIRE	1-28-01
REVISED AS PER GLOBAL COMMENTS OF 8-30-99	8-30-99
REVISED STORAGE VOLUME AND WEIGHT BASED ON INFORMATION PROVIDED BY GLOBAL TIRE	7-12-99
SHOW PLAN AS PLATE 'A' (CHANGED VOLUMES TO CONFL. WITH LETTER OF 4-14-98	6-30-98

A SITE PLAN
FOR
GLOBAL TIRE RECYCLING OF SUMTER COUNTY, INC.
STORAGE AREA LOCATIONS

ROBERT L. ROGERS ENGINEERING CO. INC.
1105 S.E. 3rd Ave. OCALA, FLORIDA 34471 (352) 622-9214

SCALE	DATE	SHEET
1" = 50'	4-01-98	1 OF 1

Global Tire Recycling
1201 Industrial Drive
Wildwood, FL 34785
Phone: (352) 330-2213
Fax: (352) 330-2214
Web Site: www.gtrcrumbrubber.com

February 24, 2001

Susan J. Pelz, P.E.
Solid Waste Section
Southwest District
Department of Environmental Protection
3804 Coconut Palm Drive
Tampa, FL 33619-8318

Re: Global Tire Recycling WT Processing Facility
Financial Assurance Cost Estimates
Permit No.: 136808-002-WT

VIA FAX & MAIL

Dear Ms. Pelz:

In accordance with F.A.C. 62-711.500(3), Global Tire Recycling hereby provides an inflation-adjusted cost estimate for closure of its Waste Tire Processing Facility.

The $73,277 cost estimate that was approved on April 11, 2000 for the year 2000 was based on the following inflation-adjusted data: $40.80 per ton to remove rubber (1606 tons) and $540.60 to remove a dumpster of other solid waste (14 dumpsters).

While these unit costs remain unchanged, Global hereby provides 1.6% inflation-adjusted unit costs of $41.45 and $549.25, respectively. When applied to the current Storage Plan quantities, it produces a closure cost estimate of $74,258.20. When applied to the proposed Storage Plan that currently is under review, it produces a closure cost estimate of $74,983.50.

Global's Irrevocable Standby Letter of Credit is for $75,000; therefore, no additional financial assurance is required.

Sincerely,

R. Brian Fifer
President & C.E.O.

cc: Jessie Carpenter, FDEP, Tallahassee
Robert Butera, P.E., FDEP, Tampa
Kim Ford, P.E., FDEP, Tampa

RECEIVED
FEB 26 2001
Department of Environmental Protection
BY SOUTHWEST DISTRICT

Global Tire Recycling

1201 Industrial Drive
Wildwood, FL 34785
Phone: (352) 330-2213
Fax: (352) 330-2214
Web Site: www.gtrcrumbrubber.com

February 20, 2001

Solid Waste Section
Division of Waste Management
Southwest District
Department of Environmental Protection
3804 Coconut Palm Drive
Tampa, FL 33619

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
FEB 23 2001
SOUTHWEST DISTRICT
TAMPA

Re: Modification to Storage Plan
FDEP Waste Tire Processing Permit
No.: 136808-002-WT

Dear Mr. Ford:

Attached is a tear sheet from the tri-county newspaper, The Daily Cmmercial, in which the Notice of Application was published in the Legal Notices Section.

Yours truly,

R. Brian Fifer

R. Brian Fifer
President & C.E.O.

Attachement

003 Legal Notices

STATE OF FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION NOTICE OF APPLICATION

The Department announces receipt of a request for permit modification from Global Tire Recycling to revise waste tire storage areas, subject to Department rules, located at the existing Global Tire Recycling Facility, 1201 Industrial Drive, 2 miles east of I-75 and north of S.R. 44, in Wildwood, Sumter County, Florida.

This application is being processed and is available for public inspection during normal business hours, 8:00 a.m. to 5:00 p.m., Monday through Friday, except legal holidays, at the Department of Environmental Protection, Southwest District Office, 3804 Coconut Palm Drive, Tampa, Florida 33619-1352.

No.: 01504341
February 16, 2001

D.E.P.
FEB 2 3 2001
Southwest District Tampa

WASTE MGT TAMPA SWD ax:8137446125

**** Transmit Conf.Report ****

P.1 Feb 23 2001 11:08

Telephone Number	Mode	Start	Time	Pages	Result	Note
813523302214	NORMAL	23,11:07	1'03"	3	* O K	

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION	3804 Coconut Palm Drive Tampa, FL 33619-8318

FAX

Date: 2/23/01

Number of pages including cover sheet: 3

To: Robert Bjork

Global

Phone: 352 3302213

Fax phone: 352 3302214

CC:

From: Tom Ford

Phone: (813) 744-6100 x382

Fax phone: (813) 744-6125

REMARKS: ☐ Urgent ☐ For your review ☐ Reply ASAP ☐ Please comment

(1) NEED LETTER FROM FIRE DEPT TO YOU STATING THEY REVIEWED AND APPROVED THE NEW PLAN DATED 1/29/01 AND HAVE NO OBJECTION TO ACCESS ALONG AND OUTSIDE THE FENCE ON WEST SIDE

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION	3804 Coconut Palm Drive Tampa, FL 33619-8318

FAX

Date: 2/23/01

Number of pages including cover sheet: 3

To: Robert Bjork

Clobal

Phone: 352 3302213

Fax phone: 352 3302214

CC:

From: Tim Ford

Phone: (813) 744-6100 x382

Fax phone: (813) 744-6125

REMARKS: ☐ Urgent ☐ For your review ☐ Reply ASAP ☐ Please comment

(1) NEED LETTER FROM FIRE DEPT TO YOU STATING THEY REVIEWED AND APPROVED THE NEW PLAN DATED 1/29/01 AND HAVE NO OBJECTION TO ACCESS ALONG AND OUTSIDE THE FENCE ON WEST SIDE

(2) NEED APPROVAL LETTER TO YOU FOR FINANCIAL FROM TALLAHASSEE

(3) NEED SUSAN'S APPROVAL OF COSTS AS SHOWN ON NEW PLAN

Ford, Kim

From: Parker, Bill
Sent: Friday, February 23, 2001 10:13 AM
To: Ford, Kim
Subject: Global Tire Recycling

Kim,

I have looked at the fire lanes on the Global Tire Recycling revised plan dated 1/29/01. If Global is going to use property beyond their fence as part of the fire lane, they will need to maintain this area free of brush and passable to fire equipment (same requirement as fire lane inside the fence). Global will need to get agreement from the fire department and we will need some way of reminding the DEP inspector to look beyond the fence.

Bill P.

Global Tire Recycling
419 S.W. 31 Road
Miami, FL 33129
Phone: (305) 856-3390
Fax: (305) 856-7482
Web Site: www.gtrcrumbrubber.com

FAX TRANSMITTAL

TO: Kim Ford, P.E.

COMPANY: FLDEP - Solid Waste - SW

FAX NO.: 813-744-6125

FROM: Brian Fifer

SUBJECT: Amended Storage Plan

DATE: February 23, 2001

1 page(s) including cover sheet. Time Sent:_____ By:_____

Kim:

In follow up to your visit, let me cover the following two points:

1. I spoke to Bill Parker late yesterday. He has no issues with our proposed revised storage plan. He said that he would give you a call to that effect. I will assume that he has done that and that you have no other open issues that would prevent you from issuing the approval for our request. If that is not the case, please give me a call.

2. I reviewed our quarterly report with Bill Parker. He said that he had no problem understanding it and that it was being filled out correctly. He did not want us to make any changes, except for only totaling the beginning and ending inventory columns. Apparently, the other columns should not be totaled. Perhaps Sara should give Bill a call to get a better understanding of the report and the categories in it.

Thank you very much for your continued help and support.

Sincerely,

Brian

Ford, Kim

From: Parker, Bill
Sent: Friday, February 23, 2001 10:13 AM
To: Ford, Kim
Subject: Global Tire Recycling

Kim,

I have looked at the fire lanes on the Global Tire Recycling revised plan dated 1/29/01. If Global is going to use property beyond their fence as part of the fire lane, they will need to maintain this area free of brush and passable to fire equipment (same requirement as fire lane inside the fence). Global will need to get agreement from the fire department and we will need some way of reminding the DEP inspector to look beyond the fence.

Bill P.

SARA
Fyi

Fax

GTR Global Tire Recycling

1201 Industrial Drive
Wildwood, FL 34785

352-330-2213 Tel
352-330-2214 Fax

To:	Kim Ford	**From:**	Robert L. Björk
Of:	FLDEP		
Fax:	813-744-6125	**Pages:**	2
Phone:		**Date:**	02/20/01
Re:	Legal Notice	**CC:**	

☐ **Urgent** ☐ **For Review** ☐ **Please Comment** ☐ **Please Reply**

Kim,

Per your request. Copy of notice follows this cover. Original being held for hand delivery.

Thanks,

Robert

Robert L. Björk, Vice President & Plant Controller
e-mail: Robert at GTR@aol.com

Best Available Copy

Magic Mover Classifieds

787-0902 Lake

748-1955 Sumter

OFFICE HOURS: MON.-FRI. 7:30AM - 5:30PM

4 LINES/10 DAYS

Ad must be non-commercial or private party. Limit 1 single item priced at $100 or less. Price must appear in ad. Four line maximum. Pets, animals and collectibles excluded. Some restrictions. Limit 2 per household per month.

2 Legal Notices

003 Legal Notices

LEGAL AD

This ad is to serve as legal notice that the Board of County Commissioners has scheduled a Joint Planning Agreement forum with local officials on Friday, February 23, 2001. The forum will begin at 8:30 a.m. in the Magnolia Room of the Everett Kelly Convocation Center at Lake Sumter Community College, located at 9501 Highway 441 in Leesburg, Florida.

All interested citizens are welcome to attend.

Persons with disabilities needing assistance to participate in any of the proceedings should contact the Office of Facilities and Capital Improvement at (352)343-9509, 48 hours in advance of the scheduled meeting.

One or more County Commissioners and one or more city officials or members of different committees or boards may be in attendance and may participate in discussions on any of the committee or board meetings noticed in this ad.

Pursuant to the provisions of Chapter 286, Florida Statutes, Section 286.0105, if a person decides to appeal any decision made by an above named Committee with respect to any matter considered during any meeting of such Committee, he or she will need a record of the proceedings and that, for such purposes, he or she may need to ensure that a verbatim re-

003 Legal Notices

STATE OF FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION NOTICE OF APPLICATION

The Department announces receipt of a request for permit modification from Global Tire Recycling to revise waste tire storage areas, subject to Department rules, located at the existing Global Tire Recycling Facility, 1201 Industrial Drive, 2 miles east of I-75 and north of S.R. 44, in Wildwood, Sumter County, Florida.

This application is being processed and is available for public inspection during normal business hours, 8:00 a.m. to 5:00 p.m., Monday through Friday, except legal holidays, at the Department of Environmental Protection, Southwest District Office, 3804 Coconut Palm Drive, Tampa, Florida 33619-1352.

No.: 01504341
February 16, 2001

100 Announcement

102 Lost

COCKER SPANIEL Champagne tan, due for surgery on left eye, goes by Winnie. Lost around Subway & TCBY in Leesburg. Family desperately searching. Call 315-8332

HANDICAPPED WALKER with wheels in Sears Parking lot at Lake Square Mall. Reward. Call 314-1847

124 Professional Services

DIVORCE $89.95 & up. Taxes-Quick/Accurate Wills, Adoptions-Bankruptcy (352) 323-0080

BANKRUPTCY Free Consultation Attorney Peter Blinn 753-9919 Main Office: Ocala

140 Travel

NOTICE Airline Tickets/Coupons may or may not be transferable. For your protection check with local travel agent or airline before purchasing or selling an airline ticket.

180 Schools/ Instruction

HIGH School Diploma Test at Home. Free information. 352-629-8198 or 236-4406.

REAL ESTATE Courses 14 Hr. Continuing Ed. 02/24 Lake County location. Toll Free 888-647-7277

200 At Your Service

205 Adult Care

AMERICAN HOME COMPANION INC. *Call us 1st!* Cook/Clean/Trans-

205 Adult Care

INTERIM Home Health Care RN's, LPN's & HHA's Lic/Ins 326-9400

208 Air & Heat

CON AIR SERVICE

Air Conditioning-Heating. Comm. refrigeration. 24 Hr Service 352-357-6268

DEPENDABLE HEAT & AIR $29.95 tune-up. Sales service and equipment. 24 hr. 787-9202

208 Alterations

ALL NEW

214 Auctions

★ AUCTION ★

Every Monday 9pm Wildrose Auction Sorrento, FL Furniture, Glassware, New & Used Antiques. We pay cash or take consignments. We pick up! 352-383-2202 State Lic. AB-143-AU151

225 Carpentry

CARPENTER

I'll Beat Any Price!!

435-

227 Carpet

REEDY CARPET

(Up to 40 yr. old)

Tallahassee Rock

Southern Plush

Berber

Textured

Tor velour as $1.

228 Childcare

Global Tire Recycling
419 S.W. 31 Road
Miami, FL 33129
Phone: (305) 856-3390
Fax: (305) 856-7482
Web Site: www.gtlcrumbrubber.com

F A X T R A N S M I T T A L

TO: Jessie Carpenter

COMPANY: FDEP - Solid Waste Section

FAX NO.: 850-414-0414

FROM: Brian Fifer

SUBJECT: Letter of Credit

DATE: February 16, 2001

---

2 page(s) including cover sheet. Time Sent: 8:02 PM By: _____

Jessie:

Attached is the Irrevocable Standby Letter of Credit that has been opened in favor of the Florida DEP. Please let me know if you have not received it yet.

Thank you again for your help and patience in this matter.

Sincerely,

Brian Fifer

cc: Kim Ford
Suzan Pelz
813-744-6125 (fax)

SouthTrust Bank, N.A.
P.O. Box 2554
Birmingham, Alabama 35290 U.S.A.

Telephone: (205) 254-5218
Fax (205) 254-4285/5666
Telex: 59537 SOUTHTRUST BHM
SWIFT: SOTR US44

International Department

SouthTrust Bank

IRREVOCABLE STANDBY LETTER OF CREDIT

Beneficiary
Director, Division of Waste Management
Florida Department of Environment Protection
Twin Towers Office Building
2600 Blair Stone Road MS 4565
Tallahassee, Florida 32399-2400

We hereby establish our Irrevocable Letter of Credit Number 01.OD.02964, dated February 14, 2001 in your favor for the account of Global Tire Recycling of Sumter County, Inc., 1201 Industrial Drive, Wildwood, FL 34785 up to the aggregate amount of USD75,000.00 (Seventy-Five Thousand and 00/100 U.S. Dollars) available upon presentation of

(1) your sight draft, bearing reference to this Letter of Credit No.01.OD.02964, and

(2) your signed statement reading as follows: "I certify that the amount of the draft is payable pursuant to the requirements of Rule 62-701.630 or 62-711.500(3), F.A.C."

This Letter of Credit is effective February 02, 2001 and shall expire on February 02, 2002, but such expiration date shall be automatically extended for a period of one year on February 02, 2002 and on each successive expiration date, unless, at least 120 days before the current expiration date, we notify you and Global Tire Recycling of Sumter County, Inc. by certified mail that we have decided not to extend this Letter of Credit beyond the current expiration date. In the event you are so notified, any unused portion of the credit shall be available upon presentation of your sight draft for 120 days after the date of receipt by both you and Global Tire Recycling of Sumter County, Inc. as shown on the signed return receipts.

Whenever this Letter of Credit is drawn on under and in compliance with the terms of this credit, we shall duly honor such draft upon presentation to us, and we shall deposit the amount of the draft directly into the standby trust fund of Global Tire Recycling of Sumter County in accordance with your instructions.

This undertaking is issued subject to the International Standby Practices 1998 (ISP98), The International Chamber of Commerce, Publication No. 590.

SouthTrust Bank

Hilda M. Sullens
Authorized Signature

Hilda M. Sullens, Assistant Vice President
Type Name/Title

HMS/cp

Telephone Number: (205)254-5626

SUSAN

DOES GLOBAL HAVE ADEQUATE COST ESTIMATES TO COVER THE NEW STORAGE PLAN?

MODIFICATION PENDING, COMMENTS REQUESTED

THX

tm 2/16/01

7. Financial Assurance. The permittee shall provide financial assurance for the facility in accordance with F.A.C. 62-711.500(3).

S SUSAN ANY REVISED DATES?

tm 2/16/01

a. All costs for closure shall be adjusted and submitted annually, by March 1st each year to: Solid Waste Manager, Solid Waste Section, Department of Environmental Protection, 3804 Coconut Palm Drive, Tampa, Florida 33619-8318.

b. Proof that the financial mechanism has been adequately funded shall be submitted annually, by September 1st each year, to: Financial Coordinator, Solid Waste Section, Department of Environmental Protection, 2600 Blair Stone Road, Tallahassee, Florida 32399-2400.

STATE OF FLORIDA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
SOUTHWEST DISTRICT

CONVERSATION RECORD

Date 2/16/01 Subject Global

Time 3p Permit No.

County Sumter

M Brian Fifer Telephone No. 352 330 2213

Representing Global

[ ] Phoned Me [ ] Was Called [ ] Scheduled Meeting [ ] Unscheduled Meeting

Other Individuals Involved in Conversation/Meeting Robert Bjork

Summary of Conversation/Meeting

WE DISCUSS STORAGE PLANS FOR MONTICELLO AND TEMPORARY VARIANCE

I ASKED FOR GRANULAR MATERIAL (TEMP VAR) BE STORED IN A PERMITTED AREA (MOD PEND.) BF SAID NOT AS CONVENIENT TO USE AREA D (MOD PENDING) AS (TEMP VARIANCE) AND STEVE SAID JUST LET US KNOW WHEN YOU WANT TO CHANGE (BJORK SORT OF QUESTIONED DEP AUTHORITY TO LIMIT STORAGE TO PERMIT AREAS

I SUGGESTED OUR MOST HAUL SAME SITUATION AND DO NOT REVISE PLANS FOR 5 YEARS

BF ASKED WHO? I SAID WM HILL/PINELLAS AND SUGGESTED THEY DON'T KEEP CHANGING AND TRY TO ISSUE MOD IN NEXT 2 WKS.

(continue on another sheet, if necessary)

Signature

Title

PA-01
1/96
pap

RECEIVED
FEB 09 2001
Department of Environmental Protection
BY SOUTHWEST DISTRICT

KF
SIS
2/16

GTR
Global Tire Recycling
1201 Industrial Drive
Wildwood, FL 34785
Phone: (352) 330-2213
Fax: (352) 330-2214
Web Site: www.gtrcrumbrubber.com

T. will work on rates with Bill Parker fax 2/16/01

February 7, 2001

Steven G. Morgan, E.S. III
Section Supervisor
Solid Waste Compliance/Enforcement
Southwest District
Florida Department of Environmental Protection
3804 Coconut Palm Drive
Tampa, FL 33619-8318

Re: Temporary Variance to the Storage Plan of
Global Tire Recycling's FDEP Waste Tire
Processing Permit No.: 136808-002-WT

Dear Steve:

Thank you for your receptiveness to Robert Bjork's inquiry into the possibility of a temporary variance to Global's permitted Storage Plan. Let me document that for your formal approval.

After operating for about two years, it is time to replace the rolls on our secondary cracker mill. They were ordered from a foundry in Ohio about six months ago. Now they are ready to be installed. This will require that we shut down the mill (and whole front end), disassemble it, and ship the existing rolls, bearing sleeves and water jackets to the foundry. They will remove and re-machine the old bearing sleeves, remove the water jackets and install them on the new rolls and ship them back to us, whereupon we will install them.

If all goes well, this process will take ten days; but we will plan on two weeks. During this time we will need to keep our fine grind mills running to produce finished product. This will require 3/16" feedstock that the secondary mill normally would be producing. We have started stock piling that feedstock and it will take about three weeks to have enough to be able to shut down the secondary mill.

In about ten days we will need another area in which to put some of this material, besides the few areas that we are permitted to put it. This is the reason for our request for a temporary variance. We would like to put about 200 tons in the 50'x70' area that is East of R3, as shown by the shaded area on the attachment. This is the only operationally sensible area to put this fine a product and be able to easily bring it inside as it is needed and feed it into the conveyor

that supplies the fine grind mills. Currently, we have one dumpster where O & P are shown; and it would be relocated just to the West of R3 temporarily.

In summary, we would like a temporary variance to store about 200 tons of granular product in the 50'x70' area that is to the East of R3 for three weeks, commencing from the time that we provide written notification that we are starting to store product there, to facilitate this roll change-out.

Thank you for your assistance with this.

Sincerely,

R. Brian Fifer

R. Brian Fifer
President & C.E.O.

Attachment


ENCLOSED CONC. PAD CHIP STORAGE
B 1
E 2
INTERNAL
DOCK
RAMP
K
J
ELEC. TRANS. PAD
CULLED TIRES 50'x 20'x 9'
E 1
20'X50'X5' GRANULAR STORAGE PILE
R 2
C
CONVEYOR SYSTEM
SMALL HOPPER
TIRE LOADING HOPPERS
D
GRANULAR RUBBER BINS 9'x 8'x 9'
H 1
H 2
TWO 25'X50'X8' ENCLOSED STORAGE AREA FOR MESH SIZED RUBBER
MANUFACTURING
OFFICES
L
WIRE
TUBES
RIMS
N
M
20' DUMPSTERS
TRACTOR-TRAILER DUMPER & HOPPER (SEE SEPARATE PLANS)
80'x 50'x 7' ENCLOSED CONC. PAD CHIP STORAGE
B 2
TRUCK RAMP
F
TIRE UNLOADING
50' FIRE LANE
MACHINE SHOP AND SPARE PARTS (NO WELDING OR OPEN FLAMES)
BAGGED CRUMB RUBBER ON PALLETS OR SHELVING (18')
8'x 50' (TYP.)
8' (TYP.) BAGGED CRUMB RUBBER
G
ON PALLETS
OR SHELVING (18')
20'X50'X5' GRANULAR STORAGE PILE
R 1
R 3
BAGGED CRUMB RUBBER SHIPPING
O
P
BAGGED CRUMB RUBBER SHIPPING
I
CRUMB RUBBER HOPPER 30'x 60'x 20' 18' IN AIR
SHIPPING VIA TANKER
RESIN PUMPS
OFFICE DUMPSTER
POLLUTION CONTROL INLET (SEE DETAIL)
SANITARY SEWER MANHOLE
SAN. LIFT STATION TOP 80.19 INV. OF PIPES 51.74 INV. OF WELL 46.64
POLE #B39903
WELDING SHOP
WEIGH SCALES
A
45' TRAILER

To: BRIAN FIFER

GLOBAL TIRE

Phone: 352 330 2213

Fax phone: 352 330 2214

CC:

From: Kim Ford

Phone: (813) 744-6100 x382

Fax phone: (813) 744-6125

REMARKS: ☐ Urgent ☑ For your review ☐ Reply ASAP ☐ Please comment

Please publish ASAP

THX

Telephone Number	Mode	Start	Time	Pages	Result	Note
8135233022l4	NORMAL	13,14:54	0'58"	2	* O K	

P.1

Feb 13 2001 14:56

** Transmit Conf. Report **

WASTE MGT TAMPA SWD Fax:8137446125

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION	3804 Coconut Palm Drive Tampa, FL 33619-8318

FAX

Date: 2/13/01

Number of pages including cover sheet: 2

To: BRIAN FIFER

GLOBAL TIRE

Phone: 352 330 2213

Fax phone: 352 330 2214

CC:

From: Em Ford

Phone: (813) 744-6100 x382

Fax phone: (813) 744-6125

REMARKS: ☐ Urgent ☑ For your review ☑ Reply ASAP ☐ Please comment

PLEASE PUBLISH ASAP

THX

Em

62-110.106(5). Notices: General Requirements.
Each person who files an application for a Department permit or other notice as may publish or be required to publish a notice of application or other notice as set forth below in this section. Except as specifically provided otherwise in this paragraph, each person publishing such a notice under this section shall do so at his own expense in the legal advertisements section a newspaper of general circulation (i.e., one that meets the requirements of sections 50.011 and 50.031 of the Florida Statutes) in the county or counties in which the activity will take place or the effects of the Department's proposed action will occur, and shall provide proof of the publication to the Department within seven days of the publication.

62-110.106(6). If required, the notice shall be published by the applicant one time only within fourteen days after a complete application is filed and shall contain the name of the applicant, a brief description of the project and its location, the location of the application file, and the times when it is available for public inspection. The notice shall be prepared by the Department and shall comply with the following format:

State of Florida
Department of Environmental Protection
Notice of Application

The Department announces receipt of a request for permit modification from Global Tire Recycling to revise waste tire storage areas, subject to Department rules, located at the existing Global Tire Recycling Facility, 1201 Industrial Drive, 2 miles east of I-75 and north of S.R. 44, in Wildwood, Sumter County, Florida.

This application is being processed and is available for public inspection during normal business hours, 8:00 a.m. to 5:00 p.m., Monday through Friday, except legal holidays, at the Department of Environmental Protection, Southwest District Office, 3804 Coconut Palm Drive, Tampa, Florida 33619-1352.

RECEIVED
FEB 09 2001
Department of Environmental Protection
BY SOUTHWEST DISTRICT

KF
SIS 2/12
2/16

GTR
Global Tire Recycling

1201 Industrial Drive
Wildwood, FL 34785
Phone: (352) 330-2213
Fax: (352) 330-2214
Web Site: www.gtrcrumbrubber.com

I will work on this with Bill Parker fm 2/16/01

February 7, 2001

Steven G. Morgan, E.S. III
Section Supervisor
Solid Waste Compliance/Enforcement
Southwest District
Florida Department of Environmental Protection
3804 Coconut Palm Drive
Tampa, FL 33619-8318

Re: Temporary Variance to the Storage Plan of
Global Tire Recycling's FDEP Waste Tire
Processing Permit No.: 136808-002-WT

Dear Steve:

Thank you for your receptiveness to Robert Bjork's inquiry into the possibility of a temporary variance to Global's permitted Storage Plan. Let me document that for your formal approval.

After operating for about two years, it is time to replace the rolls on our secondary cracker mill. They were ordered from a foundry in Ohio about six months ago. Now they are ready to be installed. This will require that we shut down the mill (and whole front end), disassemble it, and ship the existing rolls, bearing sleeves and water jackets to the foundry. They will remove and re-machine the old bearing sleeves, remove the water jackets and install them on the new rolls and ship them back to us, whereupon we will install them.

If all goes well, this process will take ten days; but we will plan on two weeks. During this time we will need to keep our fine grind mills running to produce finished product. This will require 3/16" feedstock that the secondary mill normally would be producing. We have started stock piling that feedstock and it will take about three weeks to have enough to be able to shut down the secondary mill.

In about ten days we will need another area in which to put some of this material, besides the few areas that we are permitted to put it. This is the reason for our request for a temporary variance. We would like to put about 200 tons in the 50'x70' area that is East of R3, as shown by the shaded area on the attachment. This is the only operationally sensible area to put this fine a product and be able to easily bring it inside as it is needed and feed it into the conveyor

that supplies the fine grind mills. Currently, we have one dumpster where O & P are shown; and it would be relocated just to the West of R3 temporarily.

In summary, we would like a temporary variance to store about 200 tons of granular product in the 50'x70' area that is to the East of R3 for three weeks, commencing from the time that we provide written notification that we are starting to store product there, to facilitate this roll change-out.

Thank you for your assistance with this.

Sincerely,

R. Brian Fifer

R. Brian Fifer
President & C.E.O.

Attachment

Best Available Copy



Department of Environmental Protection

Southwest District
3804 Coconut Palm Drive
Tampa, Florida 33619-8318

INFORMATION REQUEST

TO: Bill PARKER
SOLID WASTE MAN
DEP TALLAHASSEE

We are pleased to send the enclosed information you requested.

If we can be of further service, please contact:

Kim B. Ford, P.E.
Solid Waste Section
Waste Management Division
3804 Coconut Palm Drive
Tampa, FL 33619-8318
(813) 744-6100, ext. 382

COMMENTS: Bill, I NEED your Comments by MARCH 1st PLEASE CALL TO DISCUSS Tks Kim
2/13/01

cc: Robert Butera, P.E.
Susan Pelz, P.E.

GTR Global Tire Recycling
1201 Industrial Drive
Wildwood, FL 34785
Phone: (352) 330-2213
Fax: (352) 330-2214
Web Site: www.gtrcrumbrubber.com

RECEIVED
FEB 06 2001
Department of Environmental Protection
BY SOUTHWEST DISTRICT

modified storage
lan is in
Bill Parker

is, as well as
lations. Under
ter of Credit

included.

← Not yet seen by Tallahassee 2/6/01 as per Jessie C.

GTR means ground tire rubber

DATE	1"	50'	4-01-98	1-05-1

GTR
Global Tire Recycling

1201 Industrial Drive
Wildwood, FL 34785
Phone: (352) 330-2213
Fax: (352) 330-2214
Web Site: www.gtrcrumbrubber.com

RECEIVED
FEB 06 2001
Department of Environmental Protection
BY SOUTHWEST DISTRICT

February 3, 2001

Kim B. Ford, P.E.
Solid Waste Section
Division of Waste Management
Southwest District
Department of Environmental Protection
3804 Coconut Palm Drive
Tampa, FL 33619

Re: Modification to Storage Plan
FDEP Waste Tire Processing Permit
No.: 136808-002-WT

Dear Mr. Ford:

Enclosed are two sealed copies of Global's modified storage plan for your review and approval. This plan is in accordance with the guidance that you and Bill Parker provided to me from the advanced sketch.

The drawing contains the tonnage calculations, as well as the corresponding financial assurance calculations. Under this plan, we remain within the $75,000 Letter of Credit that has been opened.

A check for the $250 processing fee also is included.

Thank you for your help with this process.

Sincerely,

R. Brian Fifer

R. Brian Fifer
President & C.E.O.

Enclosures & Attachment

cc: Robert Butera, P.E.
Susan Pelz, P.E.

← Not yet seen by Tallahassee 2/6/01 as per Jesse C.

SOUTHWEST DISTR.
FDEP

Solid Waste Program
Permitting Application

New Site

Site Name:	
Site Address:	
County:	
Type/Subcode:	

Existing Site

Site ID:	136808-003		
Project Name:	GLOBAL TIRE STORAGE PLAN		
Type/Subcode:	WT/MM		
Fee Submitted:	$ 250	(✓) correct	( ) incorrect
Fee Refund $		Fee Request $	

Related Party

Role:	APPLICANT
Name:	BRIAN FIFER
Company:	GLOBAL TIRE RECYCLING
Street:	1201 INDUSTRIAL DRIVE
City:	WILDWOOD, FL
Zip Code:	34785
Phone:	(352) 330 2213

Distribution Date: _____

Fee Checked By: E FORD Date: 2/13/01

GTR
Global Tire Recycling

1201 Industrial Drive
Wildwood, FL 34785
Phone: (352) 330-2213
Fax: (352) 330-2214
Web Site: www.gtrcrumbrubber.com

February 3, 2001

Kim B. Ford, P.E.
Solid Waste Section
Division of Waste Management
Southwest District
Department of Environmental Protection
3804 Coconut Palm Drive
Tampa, FL 33619

Re: Modification to Storage Plan
FDEP Waste Tire Processing Permit
No.: 136808-002-WT

Dear Mr. Ford:

Enclosed are two sealed copies of Global's modified storage plan for your review and approval. This plan is in accordance with the guidance that you and Bill Parker provided to me from the advanced sketch.

The drawing contains the tonnage calculations, as well as the corresponding financial assurance calculations. Under this plan, we remain within the $75,000 Letter of Credit that has been opened.

A check for the $250 processing fee also is included.

Thank you for your help with this process.

RECEIVED
FEB 06 2001
Department of Environmental Protection
BY SOUTHWEST DISTRICT

Sincerely,

R. Brian Fifer

R. Brian Fifer
President & C.E.O.

Enclosures & Attachment

cc: Robert Butera, P.E.
Susan Pelz, P.E.

SOUTHWEST DISTRICT
FDEP

Solid Waste Program
Permitting Application

New Site

Site Name:	
Site Address:	
County:	
Type/Subcode:	

Existing Site

Site ID:	136808 —		
Project Name:	GLOBAL TIRE STORAGE PLAN		
Type/Subcode:	WT/MM		
Fee Submitted:	$ 250	(✓) correct	( ) incorrect
Fee Refund $		Fee Request $	

Related Party

Role:	APPLICANT
Name:	BRIAN FIFER
Company:	GLOBAL TIRE RECYCLING
Street:	1201 INDUSTRIAL DRIVE
City:	WILDWOOD, FL
Zip Code:	34785
Phone:	(352) 330 2213

Distribution Date: _____

Fee Checked By: E FORD Date: 2/13/01

GTR
Global Tire Recycling
1201 Industrial Drive
Wildwood, FL 34785
Phone: (352) 330-2213
Fax: (352) 330-2214
Web Site: www.gtrcrumbrubber.com

February 3, 2001

Kim B. Ford, P.E.
Solid Waste Section
Division of Waste Management
Southwest District
Department of Environmental Protection
3804 Coconut Palm Drive
Tampa, FL 33619

Re: Modification to Storage Plan
FDEP Waste Tire Processing Permit
No.: 136808-002-WT

Dear Mr. Ford:

Enclosed are two sealed copies of Global's modified storage plan for your review and approval. This plan is in accordance with the guidance that you and Bill Parker provided to me from the advanced sketch.

The drawing contains the tonnage calculations, as well as the corresponding financial assurance calculations. Under this plan, we remain within the $75,000 Letter of Credit that has been opened.

A check for the $250 processing fee also is included.

Thank you for your help with this process.

RECEIVED
FEB 06 2001
Department of Environmental Protection
BY SOUTHWEST DISTRICT

Sincerely,

R. Brian Fifer

R. Brian Fifer
President & C.E.O.

Enclosures & Attachment

cc: Robert Butera, P.E.
Susan Pelz, P.E.

GTR
Global Tire Recycling

1201 Industrial Drive
Wildwood, FL 34785
Phone: (352) 330-2213
Fax: (352) 330-2214
Web Site: www.gtrcrumbrubber.com

February 3, 2001

Kim B. Ford, P.E.
Solid Waste Section
Division of Waste Management
Southwest District
Department of Environmental Protection
3804 Coconut Palm Drive
Tampa, FL 33619

Re: Certificate of Construction Completion
FDEP Waste Tire Processing Permit
No.: 136808-002-WT

Dear Mr. Ford:

Attached is the Certificate of Construction Completion and two copies of the As-Built Site Plan that are signed and sealed by Bob Roberts.

Sincerely,

R. Brian Fifer

R. Brian Fifer
President & C.E.O.

Attachment & Enclosures

RECEIVED
FEB 06 2001
Department of Environmental Protection
BY SOUTHWEST DISTRICT

Florida Department of Environmental Protection
Twin Towers Office Bldg. • 2600 Blair Stone Road • Tallahassee, FL 32399-2400

DEP Form # 62-701.900(2)
Form Title Certification of Construction Completion
Effective Date May 19, 1994
DEP Application No. _____ (Filled by DEP)

Certification of Construction Completion of a Solid Waste Management Facility

RECEIVED
FEB 06 2001
Department of Environmental Protection
SOUTHWEST DISTRICT

DEP Construction Permit No: 136808-001-WT County: Sumter

Name of Project: Global Tire Recycling of Sumter County, Inc.

Name of Owner: Global Tire Recycling of Sumter County, Inc.

Name of Engineer: Robert L. Rogers, P.E., P.S.M.

Type of Project: Waste Tire Recycling; Shredding and grinding waste tires to produce mesh-sized crumb rubber.

Cost: Estimate $ 6,000,000 Actual $ 6,750,000

Site Design: Quantity: 80 ton/day Site Acreage: 10.4 Acres

Deviations from Plans and Application Approved by DEP:

Primary cracker mill (E-2) was replaced with a grizzly granulator.

Address and Telephone No. of Site: 1201 Industrial Drive; Wildwood, FL 34785

Telephone: (352) 330-2213

Name(s) of Site Supervisor: Robert Bjork, V.P. / Plant Controller

Date Site inspection is requested: January, 2001

This is to certify that, with the exception of any deviation noted above, the construction of the project has been completed in substantial accordance with the plans authorized by Construction

Permit No.: 136808-001-WT Sumter County Dated: 7/28/98

Date: 1/29/01

Signature of Professional Engineer

R. L. ROGERS CERTIFICATE NO. 29001 STATE OF FLORIDA REGISTERED ENGINEER

Northwest District
160 Governmental Center
Pensacola, FL 32501-5794
904-444-8360

Northeast District
7825 Baymeadows Way, Ste. B200
Jacksonville, FL 32256-7590
904-448-4300

Central District
3319 Maguire Blvd., Ste. 232
Orlando, FL 32803-3767
407-894-7555

Southwest District
3804 Coconut Palm Dr.
Tampa, FL 33619
813-744-6100

South District
2295 Victoria Ave., Ste. 364
Fort Myers, FL 33901-3881
941-332-6975

Southeast District
400 North Congress Ave.
West Palm Beach, FL 33401
561-681-6600

950560 (1)



INLET SCHEDULE

AS-BUILT ELEVATIONS

INLET	FDOT TYPE	TOP ELEV.	INLET INV.	OUTLET INV.
A	"E"	56.76		54.71
B	"E"	56.69	54.03	54.17
C	"E"	56.72	53.85	53.72
D	"E"	56.89		54.57
E	4' MH	57.04	53.34	53.34
F	"E"	56.69	53.16	53.11
G	"E"*	56.75	52.33	52.95
H	"E"	58.48		53.82

DESIGNED ELEVATIONS

INLET	FDOT TYPE	TOP ELEV.	INLET INV.	OUTLET INV.
A	"E"	56.8		54.3
B	"E"	56.8	53.85	53.80
C	"E"	56.8	53.4	53.45
D	"E"	57.0		54.67
E	4' MH	57.4	53.27	53.25
F	"E"	56.8	52.95	52.90
G	"E"*	56.8	52.43	52.38
H	"E"	58.5		54.02

* INLET WITH POLLUTION CONTROL



NOTE:

ALL ELEVATIONS SHOWN HEREON ARE AS-BUILT.

RECEIVED
FEB 06 2001
Department of Environmental Protection
BY SOUTHWEST DISTRICT

As Built
7/22/98
ROBERT L. ROGERS
REGISTERED
FLORIDA

AN AS-BUILT SITE PLAN

FOR

GLOBAL TIRE RECYCLING OF SUMTER COUNTY, INC.

SITE LAY-OUT PLAN

ROBERT L. ROGERS ENGINEERING CO. INC.
LIC. BUS. #4074
1105 S.E. 3rd Ave. OCALA, FLORIDA 34471 (352) 622-9214

SCALE	DATE	SHEET
1" = 50'	7-22-98	1 OF 2

E:\DRAWINGS\SITE\GLOBAL\AS-BUILT.DWG

Department of Environmental Protection

Jeb Bush
Governor

Southwest District
3804 Coconut Palm Drive
Tampa, Florida 33619

David B. Struhs
Secretary

R. Brian Fifer, President & C.E.O.
Global Tire Recycling
1201 Industrial Drive
Wildwood, Florida 34785

January 18, 2001

Re: Request for Waiver of Penalty
Warning Letter #WL00-0007SW60SWD
Global Tire Recycling WTPF, Permit #136808-001-WT
Sumter County, Florida

Dear Mr. Fifer:

The Department is in receipt of your January 5, 2001 letter requesting a waiver of the proposed civil penalties in the above referenced case. The Department has reviewed and considered your request and provides the following comments and clarifications in response to the issues you raise in your letter, referencing each comment as numbered in your letter:

1. The Department appreciates GTR's commitment to take seriously the issues in the Warning Letter and implement corrective actions. Had GTR taken the deficiencies noted during the referenced inspections as seriously, the Department would not be seeking civil penalties at this time. As was explained to you during the December 8, 2000 meeting, the Warning Letter serves as a notification that the Department, through its compliance verification activities, has noted deficiencies at your facility which may subject you to civil penalties depending on the circumstances of their occurrence. In a majority of the cases, as in yours, the facility has been notified of those deficiencies during previous inspections of the facility and has failed to implement corrective actions. As part of the process, the recipient is invited to meet with the Department to discuss any circumstances which caused the deficiencies or prevented the facility from returning to compliance. The Department and the facility representatives also discuss plans for future corrective action and compliance. On rare occasions, based on unusual circumstances, the Department chooses not to seek civil penalties. In the Department's opinion, the circumstances in your facility's case do not warrant such action.

2. It is the Department's expectation that a facility will take note of the deficiencies found by Department personnel and discussed with facility representatives during an inspection, take actions to correct those deficiencies, and understand the potential consequences of non-compliance without being threatened. Therefore Department inspection reports are written to objectively document the findings of Department personnel during an inspection and the information provided the facility regarding the corrective actions to be taken, and do not typically include accusatory or threatening language.

random inspections raises the question of how incidental and temporary the storage infractions at the facility were. During the six referenced inspections from May 26, 1999 to November 9, 2000, the facility consistently had tires stored in areas and/or quantities contrary to those established in their approved operation plan despite being advised by Department personnel during each of those inspections that they either needed to store the tires in their designated areas or request a change in the operation plan.

4. As explained during the December 8 meeting, the required value of your closure bond and your permitted storage limit is based on the maximum permitted quantity of each type of processed tire or residual at your facility, calculated by the dimensions of the areas designated for storage of each type and not on the total quantity of tire equivalents at the facility at any one time. The only way the facility can demonstrate, and the Department can verify, compliance with the facility's permitted storage requirements is to maintain storage of each type of processed tire or residual within the designated storage areas at the facility at the permitted dimensions. Failure to comply with this is the violation cited for which civil penalties are being sought.

5. The calculation of civil penalties is based on the violations which have occurred and not on the size of the facility operations. The only financial consideration for reducing penalties would be a demonstration of GTR's inability to pay based on a review of GTR's corporate financial records.

6. The precarious financial circumstances of GTR documented in this paragraph supports the Department efforts to keep the facility within the limits of its permit and closure bond and the Department's decision to seek civil penalties as an incentive for the facility to make the necessary corrective actions which previously had not been implemented as a result of Department notification through inspections.

7. The Warning Letter references, and the Department enforcement action is based on, the findings of the site inspections and the subsequent failure to correct and/or prevent reoccurrence of the deficiencies themselves and not on the resulting inspection reports. However, the only report the facility did not receive a copy of at the conclusion of the site visit was from the follow-up inspection on November 19, 2000. A copy of this report was later fowarded to GTR upon request. Department files indicated that a facility representative signed four of the reports on the date of the inspection. A facility representative made a photocopy of the May 26, 1999 site inspection report the day of the inspection and on June 10, 1999, the Department received a letter responding to the findings of the inspection from Michael Kelley, GTR's Vice President and General Counsel.

8. As noted above, Michael Kelley, who was present during the site visit, made a photo copy of the report and took the Department's comments in the report serious enough to send a response letter to the Department on June 10, 1999 explaining the facility's circumstances at the time and committing to address the items noted in the report.

9 – 13 As noted above, the inspection reports documented the deficiencies found at the facility and the information given to the facility regarding corrective actions to be taken and were not meant to be accusatory or threatening. In regard to marking "No's" on the reports, please note that the standard Department Solid Waste inspection report, while used to document inspections of a Waste Tire Processing Facility, contains no specific checkboxes referring to that type of a

facility to mark "Yes" or "No." Therefore, deficiencies noted during an inspection of a Waste Tire Facility are documented in the narrative portion of the report.

11-12 The Department is not seeking civil penalties for failure to submit Quarterly Reports or for the tires on the grass during the June 6, 2000 inspection. The Department respectfully disagrees with your opinion that there were not storage violations during the March 21 and June 6, 2000 inspections or any of the six referenced inspections. As noted above, during the six referenced inspections from May 26, 1999 to November 9, 2000, the facility consistently had tires stored in areas and/or quantities contrary to those established in their approved operation plan despite being advised by Department personnel during each of those inspections that they either needed to store the tires in their designated areas or request a change in the operation plan. The fact that GTR considers these to be "petty infractions" supports the decision by the Department to seek civil penalties as a deterrent to future non-compliance.

13. Unlike the previous inspection, the site conditions found during the October 24, 2000 inspection were such that Department personnel informed the facility that they would conduct a follow-up inspection within 2 weeks to confirm that corrective actions had been completed rather than simply relying on the facility's word, which it had on previous inspections. This certainly should have alerted the facility of the Department's increasing concern regarding facility operations without the necessity of being threatened in writing.

14. You are correct. A written report of the November 9, 2000 inspection was not completed or provided to the facility at the time of the inspection. Based on the facility's failure to complete the corrective actions it had committed to complete during the October 24, 2000 inspection, the Department made the decision to initiate enforcement. A report was prepared for the Department's files and the findings of the inspection were documented and the facility was notified of the violations noted in the November 30, 2000 Warning Letter. As noted above, upon request, a copy of the report was fowarded to GTR.

15. See comments above for paragraphs 9-13.

16. GTR is incorrect. The referenced Florida Administrative Code does require 50-foot fire lanes and does not provide for any alternate configuration. In addition, your facility permit specifies that 50-foot fire lanes be maintained. GTR therefore was in violation of both the referenced Florida Administrative Code and its facility permit. In your recent discussions with Bill Parker and Kim Ford, they communicated the Department's willingness to consider alternate equivalent configurations, on a case-by-case basis, subject to prior Department approval, but did not suggest that the rules provide for alternate configurations.

17-19 Department staff has confirmed with Jessie Carpenter GTR's diligence in obtaining a replacement bond upon notification of Frontier Indemnity's loss of rating and the associated difficulties in obtaining a replacement bond. Ms. Carpenter has informed staff that she will be fowarding a letter approving GTR new insurance company shortly. Therefore, provided that GTR has a replacement bond in place within 30 days of receipt of this letter, the Department will not seek the proposed $6,000 in civil penalties for this matter.

20. As stated above, the imposition of civil penalties is based on the violations themselves and a facility's increased cost of conducting their business is not a factor considered in penalty calculation or mitigation. The fact that a penalty has an adverse effect on the responsible party accomplishes its intended purpose as a deterrent to future non-compliance.

21. The Department was only seeking penalties for failure to submit the required Certification of Construction Completion. In a letter dated August 3, 1998, in response to GTR's original certification of construction completion, the Department temporarily approved the facility operation until October 1,1998, based on assurances given by GTR that an amended certification would be submitted once the equipment was delivered, installed, and operational. The amended certification was never submitted and technically, the facility's temporary approval to operate expired. Nevertheless, the Department is willing to forego seeking the civil penalty of $900 for this matter provided that a final certification of construction completion is provided to the Department within 30 days of receipt of this letter.

With the elimination of $6,900 in civil penalties as outlined above, the calculated civil penalties for this case are reduced to $16,000. Therefore the final civil penalty the Department will seek in resolution of this case is $16,000 plus $500 in cost of investigation, for a total of $16,500.

Upon confirmation of a return to compliance by the facility, the Department will forward a Short Form Consent Order to GTR for execution, which will provide for payment of the civil penalties. In consideration of GTR's financial situation, the Department will consider a request by GTR for installment payments of the civil penalties provided the entire penalty payment is completed within 180 days of execution of the Order.

Should you have any further questions in regard to this matter, please contact Steve Morgan in the Southwest District Solid Waste Section at (813) 744-6100 ext. 385.

Sincerely,

Deborah A. Getzoff
District Director
Southwest District

cc: William Kutash, Program Administrator
Robert Butera, SW
Susan Pelz, SW
Kim Ford, SW
Jessie Carpenter, SW Tallahassee
Bill Parker, SW Tallassee

STATE OF FLORIDA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
SOUTHWEST DISTRICT

CONVERSATION RECORD

Date 1/17/01 Subject GLOBAL WR

Time 9:00 Permit No.

County SUMTER

M BRIAN FIFER Telephone No. 305 856 3390

Representing GLOBAL

[ ] Phoned Me [X] Was Called [ ] Scheduled Meeting [ ] Unscheduled Meeting

Other Individuals Involved in Conversation/Meeting

Summary of Conversation/Meeting

BF SAID ALL WR STORAGE AREAS DISCUSSED WITH BILL PARKER (WHILE I WAS ON VACATION), AND BOB RODGERS (THE ENGINEER) HAS BEEN ASKED TO REVISED THE SITE PLAN FOR STORAGE AREAS

(continue on another sheet, if necessary)

Signature

Title

PA-01
1/96
pap

RECEIVED
JAN 08 2001
Department of Environmental Protection
SOUTHWEST DISTRICT
BY _____

GTR
Global Tire Recycling

1201 Industrial Drive
Wildwood, FL 34785
Phone: (352) 330-2213
Fax: (352) 330-2214
Web Site: www.gtrcrumbrubber.com

January 5, 2000

Deborah A. Getzoff
Director of District Management
Southwest District
Florida Department of Environmental Protection
3804 Coconut Palm Drive
Tampa, FL 33619-8318

Re: Request for Waiver of Penalty
Warning Letter #WL00-0007SW60SWD
Global Tire Recycling Waste Tire Facility
Permit #136808-001-WT
Sumter County, Florida

Dear Ms. Getzoff:

Thank you for the opportunity to meet with various members of your District Management to discuss the above referenced Warning Letter. Of course the management of Global feels that the imposition of the civil penalty of $23,400, or any amount, is unwarranted and unnecessary and, therefore, a Waiver of Penalty is respectfully requested. We discussed the many reasons for that opinion at your District Office and, as suggested by Steve Morgan, we are taking the opportunity to document them here for your further consideration. Since they were discussed in some detail already, I will only briefly outline here the many points.

1. Imposing a fine with the first Warning Letter would seem to be an extreme action. We have taken this very seriously, as intended, and have taken corrective actions. A warning should be a warning. Apparently other companies have been given first warnings without the imposition of a fine, so we ask for the same consideration.

2. Previously, Global has received several Inspection Checklists and/or Site Inspection Reports. None of those reports ever were characterized as "warnings" and the demeanor of the inspectors never connoted the impression that Global could be on the verge of being fined for any noted infractions. Nothing on those reports would give that impression either.

3. Any site storage infractions were incidental and usually very temporary in an effort to respond to the market conditions of the tire collectors/haulers changing needs on a week-to-week basis.

4. In total, Global never has exceeded the permitted amount of whole and processed tires on the site. In fact, it never has come even close. It is permitted for 1,606 tons and it has ranged between 627 tons and 1,081 tons. It has acted very conservatively and responsibly. (You will note that in Global's operation, there is no distinction in financial terms between any category of whole or processed tires. Rubber is rubber - - even finished products that have a negative disposal cost.)

5. The amount of Global's Closure Bond is $73,000, which primarily is to cover the removal of the above referenced 1,600 tons of rubber. Generally, Global has had about $40,000 worth of rubber on the premises. The proposed fine of $23,400 is inordinately excessive and out of line with such a small operation as Global has.

6. Global is a small, start-up operation that has yet to achieve profitability. It is in Default on its $10 million of Industrial Development Revenue Bonds that were facilitated by the State. Such a proposed fine would be devastating to the company. If it had $23,400, it and the environment of Florida, would be best served if it were to utilize it to increase the amount of its Closure Bond - - not pay a fine.

7. Global did not even receive two of the six referenced reports that were the basis of part of the fine.

8. The "Site Inspection" of 5/26/99 was not even characterized as such. It was a visit for the benefit of a consultant as far as management knew. No report was provided. On an after-the-fact basis, the report does not even note any violations. This certainly could not be taken as a warning or a threat that a fine could be forthcoming.

9. The Inspection Checklist of 9/27/99 did not show any violations of the Rules of the Florida Administrative Code, as there were no "No's" marked on the report. This certainly could not be taken as a warning or threat that a fine could be forthcoming.

10. The Inspection Checklist of 3/21/00 did not show any violations of the Rules of the Florida Administrative Code, as there were no "No's" marked on the report. This certainly could not be taken as a warning or threat that a fine

11. could be forthcoming. There were no storage violations; a variance request was in process and under review by FDEP; and the noted Quarterly Reports had been sent to Tallahassee as requested previously.

12. The Inspection Checklist of 6/6/00 did not show any violations of the Rules of the Florida Administrative Code, as there were no "No's" marked on the report. This certainly could not be taken as a warning or threat that a fine could be forthcoming. The same Quarterly Reports had not been forwarded by Tallahassee to the SW District, and there were a few tires on the grass and some outside of the area marked on the Site Plan. These were viewed as relatively minor, almost petty, infractions. There was nothing said or reported to connote otherwise. Global was well within its permitted storage quantities.

13. The Inspection Checklist of 10/24/00 did not show any violations of the Rules of the Florida Administrative Code as there were no "No's" marked on the report. This certainly could not be taken as a warning or threat that a fine could be forthcoming.

14. The Site Inspection Report of 11/9/00 never was given to or received by Global; therefore, there was no Notice of Violations provided to Global, or warnings, etc.

15. The proposed fine assumes two Notices of Violations with respect to fire lanes; however, as noted previously, only one Inspection Checklist ever was received and that one did not note any violations of the Code.

16. The proposed fine with respect to the fire lanes draws incorrectly on the statement in the Warning Letter that "It is a violation of Florida Administrative Code Rule 62-711.540(3)© to fail to maintain a 50-foot wide fire lane around the perimeter of each outdoor waste tire pile." In fact, the Rule, when taken in its totality (as confirmed by Bill Parker and Kim Ford), provides for a variable fire lane requirement based on maintaining the ratio of pile height to fire lane width, e.g., 15' height to 50' width, 7½' height to 25' width, etc. With a 33' fire lane noted by Sara Smithee, Global never exceeded the required 9.9' maximum height limitation.

17. Global has consistently maintained a Surety Bond in an amount required by the Code. The bond was with Frontier Indemnity Insurance Company. Apparently, Frontier lost its rating in June, 2000. Global was not notified by Jessie Carpenter as was the standard procedure. By the September 1st date of annual renewal, Global provided evidence that it had the Surety Bond

18. renewed and in place. On September 6th, Jessie Carpenter notified Global that it needed to find a replacement. With very few companies underwriting that type of bond for tire operations, it normally would have taken at least three months to get a replacement bond in place. Global was not negligent and it should not be fined for this administrative problem that was outside of its control.

19. The basis for calculating the fine pertaining to the Surety Bond is 90 days without coverage from the time of Notice from Jessie Carpenter on September 6th. As of the date of the Warning Letter (December 1st) and date of calculation of the penalty (December 1st), 90 days had not elapsed.

20. For the past two years, Global had secured the Surety Bond via payment of an annual premium of $2,300. With the market conditions for this type of financial instrument having changed so dramatically and with so few underwriters, Global now has had to put up 100% collateral in addition to the premium. This additional $75,000 has been an extreme hardship to Global. Imposing an additional fine of any amount, let alone $23,400, serves no useful purpose and only impairs Global's ability to operate effectively.

21. The Warning Letter incorrectly alleges that the facility has not been constructed as designed, that the record drawings do not reflect the changes and that the permit has not been modified to incorporate these changes. Quite to the contrary, the facility has been built exactly as designed and shown on the record drawings. An as built drawing was submitted by the Engineer of Record, along with a Certification of Construction Completion. It was noted on that Certificate that a couple of pieces of equipment had not been delivered yet, but everything else was complete and in accordance with the Permit Application. The fact that Global inadvertently did not follow up with an amended Certification once the last pieces of equipment had been installed, should not warrant any fine. There were no deviations.

Thank you for taking the time to consider and investigate these facts. I am hopeful that you will conclude that no further enforcement action is necessary or appropriate other than the Warning Letter itself. You have had, and always will have, our total cooperation in avoiding or resolving any potential violations of Florida Statutes, Rules and our Permit. We look forward to a continuation of the good working relationship that has existed between Global and all members of your District Management team.

Yours truly,



R. Brian Fifer
President & C.E.O.

cc: Robert Butera, P.E.
Kim Ford, P.E.
Steve Morgan, E.S. III
Susan Pelz, P.E.

RECEIVED
DEC 22 2000
Air/Waste Department of Environmental Protection
BY SOUTHWEST DISTRICT

GTR
Global Tire Recycling

1201 Industrial Drive
Wildwood, FL 34785
Phone: (352) 330-2213
Fax: (352) 330-2214
Web Site: www.gtrcrumbrubber.com

December 19, 2000

Ms. Susan J. Pelz, P.E.
Florida Department of Environmental Protection
Florida Waste Division
3804 Coconut Palm Drive
Tampa, FL 33619

Ref: NSF Checks & Unpaid Invoices

Dear Ms. Pelz:

Below is a list of Scrap Tire Suppliers who's checks have bounced or who's bills have gone unpaid. We are no longer doing business with these individuals and would respectfully request that you use whatever influence you have to curtail their business practices. In some cases (Glenn Rudman & Richard Cuyler) these individuals not only owe us money, they also owe other recycling companies. They should not be allowed to operate in this business or be allowed a permit (FLDEP).

We have delivered all necessary paperwork to the Sumter County State's Attorney for NSF checks given to us by Richard Cuyler of RC Tire. According to Dave Quarterson of Florida Tire Recycling, RC Tire has left scrap tires all over the state without paying for disposal.

Our List:

Name	Company(s)	Permit
Dave Kauffman	Florida Coastal	1161
Glenn Rudman	Rudman's Rudman Tire	1180
Richard Cuyler	RC Tire	1655
Tommy	Tire Recycling Systems	1342

Thank you,

Robert L. Björk
Vice President, Plant Controller

:rb

GTR means ground tire rubber

(Faxed to Jessie Carpenter 12/27/00)

WASTE MGT TAMPA SWD x:8137446125

** Transmit Conf.Report **

P.1

Dec 14 2000 7:58

Telephone Number	Mode	Start	Time	Pages	Result	Note
(020) SOLID WST/TA	NORMAL	14, 7:57	0'56"	3	* O K	

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

3804 Coconut Palm Drive
Tampa, FL 33619-8318

FAX

Date: 12/14/00

Number of pages including cover sheet: 3

To: Bill Parker

DEP Solid Waste Sect

Phone:

Fax phone:

CC:

From: Tom Ford

Phone: (813) 744-6100 x382

Fax phone: (813) 744-6125

REMARKS: ☐ Urgent ☒ For your review ☒ Reply ASAP ☐ Please comment

Global WT

Layout

meeting = today at 1pm

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION	3804 Coconut Palm Drive Tampa, FL 33619-8318

FAX

Date: 12/14/00

Number of pages including cover sheet: 3

To: Bill Parker

DEP Solid Waste Sect

Phone:

Fax phone:

CC:

From: Tom Forn

Phone: (813) 744-6100 x382

Fax phone: (813) 744-6125

REMARKS: ☐ Urgent ☒ For your review ☒ Reply ASAP ☐ Please comment

Global WP Layout meeting - today at 1pm

GTR
Global Tire Recycling

1201 Industrial Drive
Wildwood, FL 34785
Phone: (352) 330-2213
Fax: (352) 330-2214
Web Site: www.gtrcrumbrubber.com

FAX TRANSMITTAL

TO: Kim Ford
COMPANY: Florida DEP
FAX NO#: 813-744-6125
FROM: Brian Fifer
SUBJECT: Storage Plan
DATE: December 13, 2000

PAGE(S) INCLUDING COVER SHEET: 2 TIME SENT: : AM/PM BY:

Dear Kim:

I have modified my previous sketch to comply with the guidelines that you gave to me. I hope that I reflected them properly.

The chip pad extension in the NW corner has been deleted, since it is not a paved area. The new storage area #1 is 10,000 SF and the 20" fire lane is consistent with a 6' maximum height.

Once you and Bill Parker give your approval in concept, I will make the specific calculations to determine if Global is within its $73,000 Closure Bond amount. If we now exceed that amount, I would prefer to reduce some areas of our Plan to stay within that amount.

Thank you for your help with this.

Sincerely,

Brian Fifer

Best Available Copy



WASTE MGT TAMPA SWD ax:8137446125

** Transmit Conf.Report **

P.1

Dec 12 2000 13:09

Telephone Number	Mode	Start	Time	Pages	Result	Note
813523302214	NORMAL	12,13:08	1'01"	2	* O K	

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION	3804 Coconut Palm Drive Tampa, FL 33619-8318

FAX

Date: 12/12/00

Number of pages including cover sheet: 2

To: BRIAN FEER

GLOBAL

Phone: 352 330 2213

Fax phone: 352 330 2214

CC:

From: Tom Ford

Phone: (813) 744-6100 x382

Fax phone: (813) 744-6125

REMARKS: ☐ Urgent ☒ For your review ☒ Reply ASAP ☐ Please comment

TRY THIS LAYOUT
REDRAW TO SCALE WITH NOTES
AND CALCULATE
MAX TONS FOR EACH AREA
→ AND THEN RECALCULATE

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION	3804 Coconut Palm Drive Tampa, FL 33619-8318

FAX

Date: 12/12/00

Number of pages including cover sheet: 2

To: BRIAN FEFER

GLOBAL

Phone: 352 330 2213

Fax phone: 352 330 2214

CC:

From: Tim Fons

Phone: (813) 744-6100 x38L

Fax phone: (813) 744-6125

REMARKS: ☐ Urgent ☒ For your review ☒ Reply ASAP ☐ Please comment

TRY THIS LAYOUT
REDRAW TO SCALE WITH NOTES
AND CALCULATE
MAX TONS FOR EACH AREA
→ AND THEN RECALCULATE
FINANCIAL COSTS FOR CLOSURE
FOR TOTAL MAX STORAGE


N
1" = 50'
CITY EASEMENT / ACCESS
OPEN FIELD
PROPOSED RR SPUR
WALL
CHIPS
CHIPS
CHIPS
25' FIRE LANE
OPEN FIELD
NO DEVELOPMENT
TIRES OR CHIPS
MAX HEIGHT = 7.5'
2'x6' CONCRETE BLOCK WALL
OFF-SITE
FENCE
TIRES OR CHIPS STORAGE
MAX PILE SIZE 12' x 50' x 11'
WITH MINIMUM 20' FIRE LANE BETWEEN EACH PILE
50'
CHIPS
TIRES OR CHIPS
MAX HEIGHT = 7.5'
TIRES
MAX HEIGHT = 7.5'
FIRE LANE
OPEN FIELD
NO DEVELOPMENT
20' FIRE LANE
SANITARY SEWER MANHOLE
SUB. LIFT STATION
TOP 88.18
INV. OF PIPES 81.74
INV. OF WELL 68.84
POLE #18888
WIRE
WIRE
TIRES
RIMS
65' x 150' = 10,000 SF
OPEN FIELD
OPEN FIELD

WASTE MGT TAMPA SWD ax:8137446125

**** Transmit Conf.Report ****

P.1 Dec 8 2000 15:33

Telephone Number	Mode	Start	Time	Pages	Result	Note
813523302214	NORMAL	8,15:29	4'27"	10	* O K	

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

3804 Coconut Palm Drive
Tampa, FL 33619-8318

FAX

Date: 12/8/00

Number of pages including cover sheet: 10

To: BRIAN FIFER

GLOBAL WS

Phone: 352 330 2213

Fax phone: 352 330 22 14

CC:

From: tm ford

Phone: (813) 744-6100 x382

Fax phone: (813) 744-6125

REMARKS: ☐ Urgent ☑ For your review ☑ Reply ASAP ☐ Please comment

PLEASE READ THRU THESE LETTERS AND PROVIDE NEW CERTIFICATION OF CONSTRUCTION COMPLETION WITHOUT REFERENCE TO FUTURE DELIVERY OR TEMPORARY PRODUCTION

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION	3804 Coconut Palm Drive Tampa, FL 33619-8318

FAX

Date: 12/8/00

Number of pages including cover sheet: 10

To: BRIAN FIFER

GLOBAL WS

Phone: 352 330 2213

Fax phone: 352 330 22 14

CC:

From: tim ford

Phone: (813) 744-6100 x382

Fax phone: (813) 744-6125

REMARKS: ☐ Urgent ☑ For your review ☑ Reply ASAP ☐ Please comment

PLEASE READ THRU THESE LETTERS AND PROVIDE NEW CERTIFICATION OF CONSTRUCTION COMPLETION WITHOUT REFERENCE TO FUTURE DELIVERY OR TEMPORARY PRODUCTION.

ALSO I FAXED THE STORAGE LAYOUT REVISIONS TO BILL PARKER. YOU NEED TO PROVIDE TOTAL TONS OF STORAGE AND PROOF OF FINANCIAL ASSURANCE FOR ALL.

Florida Department of Environmental Protection
Twin Towers Office Bldg. • 2600 Blair Stone Road • Tallahassee, FL 32399-2400

DEP Form # 62-701.900(2)
Form Title Certification of Construction Completion
Effective Date May 19, 1994

DEP Application No. _____
(Filled by DEP)

Certification of Construction Completion of a Solid Waste Management Facility

DEP Construction Permit No:_____County:_____

Name of Project:_____

Name of Owner:_____

Name of Engineer:_____

Type of Project:_____

_____

Cost: Estimate $_____ Actual $_____

Site Design: Quantity:_____ ton/day Site Acreage:_____ Acres

Deviations from Plans and Application Approved by DEP:_____

_____

_____

_____

_____

Address and Telephone No. of Site:_____

_____

Name(s) of Site Supervisor:_____

Date Site inspection is requested:_____

This is to certify that, with the exception of any deviation noted above, the construction of the project has been completed in substantial accordance with the plans authorized by Construction

Permit No.:_____ Dated:_____

Date:_____ _____
Signature of Professional Engineer

Northwest District
160 Governmental Center
Pensacola, FL 32501-5794
904-444-8360

Northeast District
7825 Baymeadows Way, Ste. B200
Jacksonville, FL 32256-7590
904-448-4300

Central District
3319 Maguire Blvd., Ste. 232
Orlando, FL 32803-3767
407-894-7555

Southwest District
3804 Coconut Palm Dr.
Tampa, FL 33619
813-744-6100

South District
2295 Victoria Ave., Ste. 364
Fort Myers, FL 33901-3881
941-332-6975

Southeast District
400 North Congress Ave.
West Palm Beach, FL 33401
561-681-6600

GTR
Global Tire Recycling

1201 Industrial Drive
Wildwood, FL 34785
Phone: (352) 330-2213
Fax: (352) 330-2214

VIA FACSIMILE (813) 744-6175
AND U.S. MAIL

September 30, 1998

Kim B. Ford, P.E.
Florida Department of Environmental Protection
Solid Waste Division
3804 Coconut Palm Drive
Tampa, FL 33619-8313

RE: Global Tire Recycling Waste Tire Processing Facility Permit No. 136808-001-WT, Sumter County

Dear Mr. Ford:

I am writing in order to keep you informed of the status of Global's equipment installation, in light of the fact that the temporary production plan period described in my letter of July 27, 1998 and approved in your letter of August 3, 1998 expires on October 1, 1998.

Pursuant to that plan we have processed granular rubber purchased from an outside supplier through our fine grind mills and are presently shredding whole waste tires to our outside storage pad.

We have encountered continuing difficulty with equipment delivery, however. Although our primary cracker mill has been delivered and installation was complete as of last week, the secondary cracker mill is in transit and will not be operational for another two to three weeks. We have been unable to begin production pursuant to the original process description, but expect to be able to do so (again I am trying to provide a cushion) on or about November 15, 1998. I am requesting the Department's clearance to continue operation under the temporary production plan until that date.

I will keep you up to date on our progress. Please call me if you have any questions.

Very truly yours,

Michael F. Kelley
V.P. and General Counsel

Cc: Robert Butera, P.E.
F.D.E.P. Tampa, Solid Waste Division

MFK/gr

Department of Environmental Protection

Lawton Chiles
Governor

Southwest District
3804 Coconut Palm Drive
Tampa, Florida 33619

Virginia B. Wetherell
Secretary

August 3, 1998

Mr. Michael Kelley
Global Tire Recycling
1201 Industrial Road
Wildwood, FL 34785

Re: Global Tire Recycling
Temporary use prior to approval of certification
Permit No.: 136808-001-WT, Sumter County

Dear Mr. Kelley:

in response to your July 27 and 30, 1998 letters (with partial certification of construction completion), the Department (FDEP) has no objection to the temporary production plan as described, until October 1, 1998, subject to the following conditions:

1. FDEP shall continue its review of related certification documents;

2. FDEP shall make its decision regarding the approval of the facility certification after receipt of the certification for project completion; and

3. The storage amounts stated in Plan A of the Site Plan Storage Area Locations shall not be exceeded.

On all future correspondence, please include Robert Butera on distribution. If you have any questions you may call me at (813) 744-6100, extension 382.

Sincerely,

Kim B. Ford, P.E.
Solid Waste Section
Division of Waste Management

KBF/ab

cc: Robert Rogers, P.E.
RB Robert Butera, P.E., FDEP Tampa, Solid Waste Section

GTR
Global Tire Recycling

1201 Industrial Drive
Wildwood, FL 34785
Phone: (352) 330-2213
Fax: (352) 330-2214

RECEIVED
JUL 31 1998
D E P

VIA: FEDERAL EXPRESS

July 30, 1998

Kim B. Ford, P.E.
Florida Department of Environmental Protection
Solid Waste Division
3804 Coconut Palm Drive
Tampa, FL 33619

RE: Global Tire Recycling Waste Tire Processing Facility Permit No. #136808-001-WT, Sumter County

Dear Mr. Ford:

Please find enclosed the following documents for your review pursuant to Specific Condition 3(c) of the Notice of Intent to issue the above referenced permit:

(1) The Certificate of Construction Completion for Global's Waste Tire Processing Facility;

1.0 (2) Global's narrative indicating all changes in plans and the cause of the deviations and certification by Robert L. Rogers, P.E., P.S.M.

(3) The Record Drawings described in subsection 3(b) of the Specific Conditions concerning the site plan: Storage Area Locations (Plan A & B);

(4) A copy of the cover letter from Mr. Rogers dated July 29, 1998 to Randall R. Cooper, P.E., DEP Surface Water Engineer, certifying that the stormwater discharge facility was built in compliance with approved plans and specifications. The accompanying "as-builts" are being forwarded to Mr. Cooper by overnight mail.

Please call me at once if you have any questions.

Very truly yours,

Michael F. Kelley
Vice President & General Counsel

MFK/grr
enclosures

Florida Department of Environmental Protection
Twin Towers Office Bldg. • 2600 Blair Stone Road • Tallahassee, FL 32399-2400

DEP Form # 62-701.900(2)
Form Title Certification of Construction Completion
Effective Date May 19, 1994
DEP Application No. _____ (Filled by DEP)

Certification of Construction Completion of a Solid Waste Management Facility

DEP Construction Permit No: 136808-001-WT County: Sumter

Name of Project: Global Tire Recycling of Sumter County, Inc.

Name of Owner: Global Tire Recycling of Sumter County, Inc.

Name of Engineer: Robert L. Rogers, P.E., P.S.M.

Type of Project: Waste Tire Recycling; Shredding and grinding waste tires to produce mesh-sized crumb rubber.

Cost: Estimate $ 6,000,000 Actual $ 6,750,000

Site Design: Quantity: 80 ton/day Site Acreage: 10.4 Acres

Deviations from Plans and Application Approved by DEP: Delivery of primary and secondary cracker mills E-2 and E-3 is now expected for mid to late August. Installation and electrical hook up of these mills will be completed September 1. The outside tanker hopper for bulk loading should be complete by August 14, 1998.

Address and Telephone No. of Site: 1201 Industrial Drive; Wildwood, FL 34785
Telephone: (352) 330-2213

Name(s) of Site Supervisor: Michael F. Kelley (V.P. & General Counsel)
Bob Sumpter (V.P. Plant Operations)

Date Site inspection is requested: August 5, 1998

This is to certify that, with the exception of any deviation noted above, the construction of the project has been completed in substantial accordance with the plans authorized by Construction

Permit No.: 136808-001-WT Sumter County Dated: July 28, 1998

Date: 7/29/98

Signature of Professional Engineer

Northwest District
160 Governmental Center
Pensacola, FL 32501-5794
904-444-8360

Northeast District
7825 Baymeadows Way, Ste. B200
Jacksonville, FL 32256-7590
904-448-4300

Central District
3319 Maguire Blvd., Ste. 232
Orlando, FL 32803-3767
407-894-7555

Southwest District
3804 Coconut Palm Dr.
Tampa, FL 33619
813-744-6100

South District
2295 Victoria Ave., Ste. 364
Fort Myers, FL 33901-3881
941-332-6975

Southeast District
400 North Congress Ave.
West Palm Beach, FL 33401
561-681-6600

Global Tire Recycling

1201 Industrial Drive
Wildwood, FL 34785
Phone: (352) 330-2213
Fax: (352) 330-2214

D.E.P.
JUL 31 1998
SOUTHWEST DISTRICT
TAMPA

July 27, 1998

Mr. Kim B. Ford, P.E.
Florida Department of Environmental Protection
Solid Waste Division
3804 Coconut Palm Drive
Tampa, FL 33619

RE: Global Tire Recycling Waste Tire Processing Facility Permit No. #136808-001-WT, Sumter County

Dear Mr. Ford:

This letter is submitted pursuant to Specific Condition 3 (c) of the Notice of Intent to issue the above referenced waste tire processing facility permit, which requires that the owner or operator submit a narrative indicating all changes in plans and the cause of the deviations and certification by the design engineer to the Department.

The Certification of Construction Completion, Form 62-701. 900(2), submitted concurrently herewith, states that Global is awaiting delivery of both the primary and secondary cracker mills. Delivery is expected in mid to late August and installation and electrical hookup is expected to be complete by September 1, 1998. In addition, construction of the outside tanker hopper for bulk loading of crumb rubber is expected to be complete by August 14, 1998.

Notwithstanding this timetable, Global requests permission to accept waste tires and operate in a temporary process testing and start-up manner as follows:

1) Global has the opportunity to buy granular-sized (3/8" and smaller) rubber that it is able to process through the conveying, metal removal, destoning, aspiration fiber removal and fine grind systems already installed and thereby produce 40 mesh crumb rubber to DOT specification. Production under this temporary plan would allow employee training on at least part of the system, allow Global to precisely calibrate the fine grind mills in order to achieve uniform product quality, and satisfy a product commitment to one of our major customers for crumb rubber. Global will begin production under its original production plan described in the process description submitted as Attachment H to the original application as soon as the primary and secondary mills have been delivered and completely installed.

2) Global's shredder is on site and ready to be operated. If Global were able to bring in a limited number of whole waste tires it could shred the tires, and temporarily store the shreds in the outdoor 50' x 80' chip pad for use as feedstock for the primary cracker mill when it is operational. This would enable the production crew to become familiar with the shredder, de-rimmer, and de-beader as well as the conveying system leading to the shredder in advance of full production.

3) The outside bulk loading hopper will be complete and available for use August 14, 1998. This hopper is not essential to Global's temporary production plan as described in sub-paragraph 1 because Global's super-sack and 50 lb. bagging stations are operational. The customer to whom Global will deliver the crumb rubber produced under the temporary plan takes delivery of bagged crumb rubber, and cannot accept rubber delivered in bulk tanker trucks (which some of our other customers require).

The temporary production plan will allow Global to operate and familiarize its production employees with the idiosyncrasies of each item of equipment well in advance of delivery and installation of the primary and secondary cracker mills. This is especially important as precise delivery dates for these mills are not certain. Global will not exceed the storage amounts stated in Plan A of the Site Plan: Storage Area Locations previously submitted.

In summary, Global requests permission to accept granular rubber and waste tires until October 1, 1998 under the temporary production plan described herein. Production pursuant to the original process description is expected to begin before that time, but the October 1 date is requested to provide some flexibility. Please call me at once if you have any questions.

Very truly yours,

Michael F. Kelly
Vice President & General Counsel

The above temporary plan has been reviewed and certified for feasibility.

Robert L. Rogers, P.E., P.S.M.

MK/grr

[SEAL] 7/29/98

Robert L. Rogers Engineering Co., Inc.

CONSULTING SERVICES

Planning, Engineering, Surveying

1105 S.E. 3rd AVENUE
OCALA, FLORIDA 34471
(352) 622-9214 • FAX (352) 622-2894

Robert L. Rogers, P.E., P.S.M. *Rodney K. Rogers, P.S.M.*

July 29, 1998

Mr. Randall R. Cooper, P.E.
Surface Water Engineer
Department of Environmental Protection
3804 Coconut Palm Drive
Tampa, FL 33619

Re: Certification of Construction
Global Tire Recycling of Florida, Inc.
Permit No. 60-0126615-001
Sumter County, Florida

Dear Mr. Cooper:

I hereby certify that the stormwater discharge facility permitted under the above referenced permit has been built substantially in compliance with the approved plans and specifications and when properly maintained and operated shall meet the surface water requirements of the Florida Department of Environmental Protection.

Attached herewith are two (2) signed and sealed as-built drawings showing both the original design and the constructed elevations of the inlets and retention basin along with two (2) prints of the original design for your comparison.

Sincerely,

Robert L. Rogers, P.E.
Florida Registration #10027
Robert L. Rogers Engineering Co., Inc.
1105 S.E. 3rd Avenue
Ocala, FL 34471

RLR/lmr

cc: Mike Kelley, Global Tire

Best Available Copy

** Transmit Conf.Report **

P.1 Dec 8 2000 14:24

Telephone Number	Mode	Start	Time	Pages	Result	Note
(020) SOLID WST/TA	NORMAL	8,14:23	1'17"	4	* O K	

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION	3804 Coconut Palm Drive Tampa, FL 33619-8318

FAX

Date: 12/8/00

Number of pages including cover sheet: 4

To: Bill Parker

DEP Solid Waste Section

Phone:

Fax phone:

CC:

From: Tom Ford

Phone: (813) 744-6100 x362

Fax phone: (813) 744-6125

REMARKS: ☐ Urgent ☑ For your review ☑ Reply ASAP ☐ Please comment

Global WT Layout Revisions

They want more storage outside impiles

But no flamables is the question

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION	3804 Coconut Palm Drive Tampa, FL 33619-8318

FAX

Date: 12/8/00

Number of pages including cover sheet: 4

To: Bill Parker

DEP Solid Waste Section

Phone:

Fax phone:

CC:

From: Tom Ford

Phone: (813) 744-6100 x382

Fax phone: (813) 744-6125

REMARKS: ☐ Urgent ☑ For your review ☑ Reply ASAP ☐ Please comment

Global WT Layout Revisions

They want more storage outside in piles

But 50' firelanes is the question

What can we approve?

tm

Global Tire Recycling
419 S.W. 31 Road
Miami, FL 33129
Phone (305) 856-3390
Fax (305) 856-7482
Web Site www.globaltirerubber.com

December 8, 2000

Kim B. Ford, P.E.
Solid Waste Section
Division of Waste Management
Southwest District
Department of Environmental Protection
3804 Coconut Palm Drive
Tampa, FL 33619

Dear Mr. Ford:

VIA FACSIMILE

The following is a sketch of the proposed areas that we would like to be able to store either tires or shredded tires (chips) on the West side of Global's building. A copy of the same area as it is now permitted is included for your reference.

We have been operational for two years and have enjoyed good growth in our business. Unfortunately, this has resulted in our having either tires or chips at locations that have not been authorized. If we can amend the plan to allow more flexibility to have tires or chips in more areas within this relatively small yard, we will be able to remain in compliance in the future.

As shown in Area #1, we would like to extend our chip pad down the West side of the property to accommodate tires or chips, while maintaining the 50' fire lane. As is the case on the North side, there is complete access for fire trucks on the West side, as this is an open field, which remains completely undeveloped.

Area #2 joins three previous piles into one, while maintaining the 50' fire lane, and provides for its use for either tires or chips.

As a practical matter, we need to be able to have some tires on the ground in Area #3. That is in front of a walking floor hopper that trucks back up to and roll tires into it. When that hopper is full and the system cannot process the tires fast enough, there is no choice but to temporarily roll the tires on to the pavement in front of the hopper until they can be loaded into it. It is not so much of a tire storage area as it is an in-process temporary holding area.

This is the crux of our request, or inquiry, at this time. I appreciate your consideration of it. You mentioned that you probably would run it past Bill Parker to make sure that it complies with the Waste Tire Rule. He should feel free to call me to discuss anything that is not clear, or to discuss alternative approaches to help solve our predicament.

Yours truly,

R. Brian Fifer

R. Brian Fifer
President & C.E.O.

Attachments


N
1" = 50'
CITY EASEMENT / ACCESS
OPEN FIELD
PROPOSED RR SPUR
WALL
CHIPS
CHIPS
CHIPS
25'
25' FIRE LANE
OPEN FIELD
NO DEVELOPMENT
TIRES OR CHIPS
MAX HEIGHT = 7.5'
MIN 5' FIRE LANES BETWEEN EACH PILE
TIRES OR CHIPS
MAX HEIGHT = 7.5'
6' X 6' CONCRETE BLOCK WALL
OFF-SITE
FENCE
TIRES
MAX HEIGHT = 7.5'
FIRE LANE
OPEN FIELD
NO DEVELOPMENT
25' FIRE LANE
OPEN FIELD
OPEN FIELD

Best Available Copy



Global Tire Recycling
419 S.W. 31 Road
Miami, FL 33129
Phone: (305) 856-3390
Fax: (305) 856-7482
Web Site: www.gtrcrumbrubber.com

FAX TRANSMITTAL

TO: Kim Ford

COMPANY: Florida DEP

FAX NO.: 813-744-6125

FROM: Brian Fifer

SUBJECT: Storage Plan

DATE: December 8, 2000

4 page(s) including cover sheet. Time Sent:_____ By:_____

Best Available Copy

FLORIDA DEPAR[T] ... Coconut Palm Drive
ENVIRONMENTAL [H] ... ba, FL 33619-8318

Bob OK to FAX? tm

FAX

Date: 12/8/00

Number of pages including cover sheet: 4

To: Bill Parker

DEP Solid Waste Section

Phone:

Fax phone:

CC:

From: Tom Ford

Phone: (813) 744-6100 x382

Fax phone: (813) 744-6125

REMARKS: ☐ Urgent ☑ For your review ☑ Reply ASAP ☐ Please comment

GLOBAL WT Layout REVISIONS

They want more STORAGE outside in piles

BUT SO' FIRELANES IS THE QUESTION

WHAT CAN WE approve?

tm

GTR
Global Tire Recycling
419 S.W. 31 Road
Miami, FL 33129
Phone (305) 856-3390
Fax (305) 856-7482
Web Site www.globaltirerubber.com

December 8, 2000

Kim B. Ford, P.E.
Solid Waste Section
Division of Waste Management
Southwest District
Department of Environmental Protection
3804 Coconut Palm Drive
Tampa, FL 33619

Dear Mr. Ford: VIA FACSIMILE

The following is a sketch of the proposed areas that we would like to be able to store either tires or shredded tires (chips) on the West side of Global's building. A copy of the same area as it is now permitted is included for your reference.

We have been operational for two years and have enjoyed good growth in our business. Unfortunately, this has resulted in our having either tires or chips at locations that have not been authorized. If we can amend the plan to allow more flexibility to have tires or chips in more areas within this relatively small yard, we will be able to remain in compliance in the future.

As shown in Area #1, we would like to extend our chip pad down the West side of the property to accommodate tires or chips, while maintaining the 50' fire lane. As is the case on the North side, there is complete access for fire trucks on the West side, as this is an open field, which remains completely undeveloped.

Area #2 joins three previous piles into one, while maintaining the 50' fire lane, and provides for its use for either tires or chips.

As a practical matter, we need to be able to have some tires on the ground in Area #3. That is in front of a walking floor hopper that trucks back up to and roll tires into it. When that hopper is full and the system cannot process the tires fast enough, there is no choice but to temporarily roll the tires on to the pavement in front of the hopper until they can be loaded into it. It is not so much of a tire storage area as it is an in-process temporary holding area.

This is the crux of our request, or inquiry, at this time. I appreciate your consideration of it. You mentioned that you probably would run it past Bill Parker to make sure that it complies with the Waste Tire Rule. He should feel free to call me to discuss anything that is not clear, or to discuss alternative approaches to help solve our predicament.

Yours truly,

R. Brian Fifer

R. Brian Fifer
President & C.E.O.

Attachments

Best Available Copy



Best Available Copy



Department of Environmental Protection

Jeb Bush
Governor

Southwest District
3804 Coconut Palm Drive
Tampa, Florida 33619

David B. Struhs
Secretary

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

November 30, 2000

Global Tire Recycling of Sumter County, Inc.
Mr. Brian Fifer, President
1201 Industrial Road
Wildwood, FL 34785

WARNING LETTER #WL00-0007SW60SWD

RE: Global Tire Recycling Waste Tire Facility, Permit # 136808-001-WT
Sumter County, Florida

Dear Mr. Fifer:

The purpose of this letter is to advise you of possible violations of law for which you may be responsible, and to seek your cooperation in resolving the matter. Site inspections on November 9, 2000, October 24, 2000 and prior inspections of the Global Tire Recycling Waste Tire Facility by Department personnel indicate violations of Florida Statutes, Rules and the current permit may exist at the above-referenced facility. Department of Environmental Protection personnel observed the following conditions at the facility:

1) November 9, 2000, October 24, 2000, June 6, 2000, March 21, 2000, September 27, 1999 and May 26, 1999: Whole and processed waste tires stored in quantities or locations contrary to Specific Condition 8 of the above referenced permit.

2) November 9, 2000 and October 24, 2000: No 50-foot wide fire lane around outdoor tire piles contrary to Specific Condition 8 of the above referenced permit.

A subsequent review of Department files has indicated that the following conditions may exist:

3) Adequate financial assurance is not currently provided as required by Specific Condition 7 of the above referenced permit.

4) The facility has not been constructed as designed, record drawings showing the deviations have not been submitted, and the permit has not been modified to incorporate these changes, contrary to Specific Conditions 3 and 4 of the above referenced permit.

It is a violation of **Florida Administrative Code Rule 62-711.540(3)(c)** to fail to maintain a 50-foot wide fire lane around the perimeter of each outdoor waste tire pile. It is a violation of **Florida Administrative Code Rule 62-711.500(3)** to fail to establish financial assurance with the Department. Failure to comply with any permit issued by the DEP is a violation of **Florida Statutes 403.161(1)(b)**.

The activities observed during the Department's field inspection and any other activities at your facility that may be contributing to violations of the above rules should be ceased. The operation of a facility in violation of state statutes or rules may result in liability for damages and restoration, and the judicial imposition of civil penalties up to $10,000 per violation per day pursuant to Sections 403.141 and 403.161, Florida Statutes. It is typically Department policy to initiate enforcement action and seek civil penalties of $23,400 for conditions such as those described above.

PLEASE BE ADVISED that this Warning Letter is part of an agency investigation, preliminary to agency action in accordance with Section 120.57(4), Florida Statutes. You are requested to contact Steve Morgan in the Southwest District's Solid Waste Section at (813) 744-6100 ext. 385 **within ten (10) days of receipt** of this Warning Letter to arrange a meeting to discuss this matter. The Department is interested in reviewing any facts you may have that will assist in determining whether any violations have occurred, and if so, to discuss what corrective actions you would need to implement to resolve such violations. You may bring anyone with you to the meeting that you feel could help resolve this matter.

Sincerely yours,

Deborah A. Getzoff
Director of District Management
Southwest District

cc: Robert Butera, P.E.
Susan Pelz, P.E.
Steve Morgan, E.S.III
Kim Ford, P.E.

EAGLE FIRE PROTECTION, INC
P.O. Box 121091 Clermont, FL 34712-1091
Phone: (407) 656-8387
Fax: (407) 656-9405

Inspection, Testing and Maintenance of Fire Sprinkler Systems

Information on this form covers the minimum requirements of NFPA 25-1992 for fire sprinkler systems connected to distribution systems without supplemental tanks or fire pumps. Separate forms are available to inspect, test and maintain fire pumps and water tanks. Additional forms are also available for standpipe and hose systems, private fire service mains, water spray fixed systems and foam-water sprinkler systems. More frequent inspection, testing and maintenance may be necessary depending on the conditions of the occupancy and the water supply.

Owner: Global Tire Recycling
Owner's Address: 1201 Industrial Drive Wildwood, Fl. 34785
Property Being Inspected: Same
Property Address: Same
Date of Inspection: 9-29-00 All responses refer to the current inspection performed on this date.

This inspection is *(check one)*: ☐ Daily ☐ Weekly ☐ Monthly ☑ Quarterly ☐ Semiannual ☐ Annual ☐ Third Year ☐ Fifth Year

Note: All questions are to be answered *Yes, No,* or *Not Applicable.* All "No" answers are to be explained in the comments portion of this form.

Part I - Owner's Section

	YES	NO	N/A
A. Is the building occupied?	☑	☐	☐
B. Has the occupancy classification and hazard of contents remained the same since the last inspection?	☑	☐	☐
C. Are all fire protection systems in service?	☑	☐	☐
D. Has the system remained in service without modifications since the last inspection?	☑	☐	☐
E. Was the system free of actuations of devices or alarms since the last inspection?	☑	☐	☐

Robert Bjork — Owner or Representative (print name)
9-29-00 — Date

Part II - Inspector's Section

	YES	NO	N/A
A. Inspections			
1. Daily, or weekly if low temperature alarms are installed. Enclosures around dry-pipe, preaction or deluge valves maintaining a minimum of 40° F?	☐	☐	☑
2. Weekly Inspection Items			
A. Preaction and Deluge Valves:			
1. Free from physical damage?	☐	☐	☑
2. Trim valves in appropriate (open or closed) position and no leakage from valve seat?	☐	☐	☑
3. Electrical components in service?	☐	☐	☑
B. Dry-Pipe Valves:			
1. Free from physical damage?	☐	☐	☑
2. Trim valves in appropriate (open or closed) position?	☐	☐	☑
3. No leakage from intermediate chamber?	☐	☐	☑
C. Relief port on reduced pressure backflow prevention assemblies free of continuous discharge?	☐	☐	☑
3. Weekly inspection items which can be performed monthly if the items are electrically supervised or secured with locks.			
A. Gauges on dry, preaction and deluge systems in good condition and showing normal air and water pressure?	☐	☐	☑
B. Control Valves:			
1. In normal (open or closed) position?	☑	☐	☐
2. Sealed, locked or supervised?	☑	☐	☐
3. Accessible?	☑	☐	☐
C. Isolation valves on backflow prevention assemblies in open position?	☑	☐	☐
4. Monthly Inspection Items			
A. Proper number and type of spare sprinklers?	☑	☐	☐
B. Sprinkler wrench with spare sprinklers?	☑	☐	☐
C. Gauges on wet-pipe system in good condition and showing normal water supply pressure?	☑	☐	☐
D. Alarm devices free from physical damage and all electrical connections secure?	☑	☐	☐
E. Alarm Valves:			
1. Gauges indicating normal supply water pressure?	☐	☐	☑
2. Free from physical damage?	☐	☐	☑
3. Valves in appropriate (open or closed) position?	☐	☐	☑
4. No leakage from retarding chamber or alarm drains?	☐	☐	☑

	YES	NO	N/A
4. Monthly Inspection Items *(Continued)*			
F. Sprinkler Pressure Regulating Control Valves:			
1. In open position?	☐	☐	☑
2. Not Leaking?	☐	☐	☑
3. Maintaining downstream pressure per design criteria?	☐	☐	☑
4. In good condition with handwheels not broken?	☐	☐	☑
G. Fire Department Connections:			
1. Visible and accessible?	☑	☐	☐
2. Couplings and swivels not damaged and rotate smoothly?	☑	☐	☐
3. Plugs or caps in place and undamaged?	☑	☐	☐
4. Gaskets in place and in good condition?	☑	☐	☐
5. Identification sign(s) in place?	☑	☐	☐
6. Check valve is not leaking?	☑	☐	☐
7. Automatic drain valve in place and operating properly?	☐	☐	☑
(Note: If plugs or caps are not in place, inspect the interior for obstructions and verify that the valve clapper is operational over its full range.)			
5. Quarterly Inspection Item			
A. Hydraulic nameplate, is provided, securely attached to riser and legible?	☑	☐	☐
6. Annual Inspection Items			
A. Visible sprinklers:			
1. Free of corrosion?	☐	☐	☑
2. Free of obstructions to spray patterns?	☐	☐	☑
3. Free of foreign materials including paint?	☐	☐	☑
4. Free of physical damage?	☐	☐	☑
B. Visible pipe:			
1. In good condition?	☐	☐	☑
2. Free of mechanical damage and not leaking?	☐	☐	☑
3. No external corrosion?	☐	☐	☑
4. Properly aligned?	☐	☐	☑
5. No external loads?	☐	☐	☑
C. Visible pipe hangers and seismic braces not damaged or loose?	☐	☐	☑
D. Adequate heat available to areas where wet sprinkler piping is located? *(Must be done before cold weather.)*	☐	☐	☑
7. Annual, or every fifth year for valves which can be reset without opening: Interior of dry-pipe, preaction and deluge valves passed internal inspection?	☐	☐	☑
8. Fifth Year Inspection Items			
A. Alarm valves and/or associated strainers, filters and restriction orifices passed internal inspection?	☐	☐	☑
B. Check valves internally inspected and all parts operate properly, move freely and are in good condition?	☐	☐	☑
C. Strainers, filters, restricted orifices and diaphragm chambers on dry-pipe, preaction and deluge valves passed internal inspection?	☐	☐	☑

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
NOV 09 2000
SOUTHWEST DISTRICT TAMPA

B. Testing

The following tests are to be performed at the noted intervals. Report any failures on Part III of this form.

	YES	NO	N/A
1. Quarterly Tests			
A. *Sprinkler system main drain test:* SYS 1 60 psi / 51 psi; SYS 2 65 psi / 55 psi			
1. Record Static Pressure ___ psi and Residual Pressure ___ psi. Was flow observed?	☑	☐	☐
2. Are results comparable to previous test?	☑	☐	☐
B. Water flow alarm devices passed tests?	☑	☐	☐
1. Inspectors test connection opened? (wet-pipe when not in freezing weather)	☑	☐	☐
2. Bypass connection opened? (wet pipe systems in freezing weather, dry-pipe, preaction, or deluge)	☐	☐	☑
3. Alarms actuated?	☑	☐	☐
4. Was flow observed?	☑	☐	☐
C. Control Valves (except OS&Y and gear-operated indicating butterfly valves) opened until spring or torsion is felt in the rod, then closed back one-quarter turn?	☐	☐	☑
D. Priming water level passed test in dry-pipe and preaction systems?	☐	☐	☑
E. Low air pressure signal in dry-pipe and preaction systems passed test?	☐	☐	☑
2. Semiannual Test			
Quick opening devices passed test?	☐	☐	☑
3. Annual Tests			
A. Are all sprinklers in service dated 1920 or later?	☐	☐	☑
B. Fast Response sprinklers in service for less than 20 years? *If "no" test sample now and every 10 years.*	☐	☐	☑
C. Standard sprinklers in service for less than 50 years? *If "no" test sample now and every 10 years.*	☐	☐	☑
D. Specific gravity of antifreeze correct?	☐	☐	☑
E. All control valves operated through full range and returned to normal position?	☐	☐	☑
F. Preaction and deluge valves full flow trip test: (except deluge valves where can't be discharged). *Be sure to test all systems at the same time which are designed to operate simultaneously in case of fire.)*			
1. Water discharge from all nozzles unimpeded?	☐	☐	☑
2. Pressure reading at hydraulically most remote nozzle ___ psi.			
3. Residual pressure reading at valve ___ psi. Was flow observed?	☐	☐	☑
4. Are above readings comparable to design values?	☐	☐	☑
5. Manual activation devices passed test?	☐	☐	☑
6. Automatic air pressure maintenance devices passed test?	☐	☐	☑
G. Dry-pipe valve partial flow trip test:			
1. Record initial air pressure ___ psi and water pressure ___ psi.			
2. Record tripping air pressure ___ psi and tripping time ___ (sec.).			
3. Are above results comparable to previous tests?	☐	☐	☑
H. Automatic air maintenance devices on dry-pipe and preaction systems passed test?	☐	☐	☑
I. Backflow devices passed backflow test?	☐	☐	☑
J. Backflow devices passed full flow test?	☐	☐	☑
K. All sprinkler pressure regulating control valves passed full flow test?	☐	☐	☑
4. Dry-pipe full flow test to be done every third year:			
1. Record initial air pressure ___ psi and water pressure ___ psi.			
2. Record tripping air pressure ___ psi and tripping time ___ (sec.).			
3. Was water delivered to inspectors test connection?	☐	☐	☑
4. Are above results comparable to previous tests?	☐	☐	☑
5. Tests to be done every fifth year.			
A. Extra High, Very Extra High and Ultra High Temperature sprinklers tested?	☐	☐	☑
B. Gauges checked against calibrated gauge or replaced?	☐	☐	☑

C. Maintenance

	YES	NO	N/A
1. Regular Maintenance Items			
A. If sprinklers have been replaced, were they proper replacements?	☐	☐	☑
B. Air leaks in dry-pipe system resulting in pressure loss more than 10 psi/week repaired?	☐	☐	☑
C. Dry-pipe systems being maintained in dry condition?	☐	☐	☑
D. If any of the following were discovered, was an obstruction investigation conducted and the system flushed? *Explain reason(s) and obstruction investigation finding in Part III.*	☐	☐	☑
1. Defective intake screen from pumps taking suction from open sources.			
2. Obstructive material discharged during waterflow tests.			
3. Foreign materials found in dry-pipe valves, check valves or pumps.			
4. Heavy discoloration of water during drain test or plugging of inspectors test connection.			
5. Plugging of sprinklers found during activation or alteration.			
6. Plugging found in piping dismantled during alterations.			
7. Failure to flush yard piping or surrounding public mains following new installation or repairs.			
8. Record of broken mains in the vicinity.			
9. Abnormally frequent false-tripping of dry-pipe valves.			
10. System is returned to service after an extended period out of service (greater than one year).			
11. There is reason to believe the system contains sodium silicate or its derivatives.			
2. Annual Maintenance Items			
A. Operating stem of all OS&Y valves lubricated, completely closed, and reopened?	☐	☐	☑
B. Interior of dry-pipe, preaction and deluge valves cleaned?	☐	☐	☑
C. Low points drained in dry-pipe, preaction and deluge systems prior to the onset of freezing weather?	☐	☐	☑
D. Sprinklers and spray nozzles protecting commercial cooking equipment and ventilating systems replaced except for bulb-type which show no signs of grease buildup?	☐	☐	☑

Part III - Comments (Any "No" answers, test failures or other problems found with the sprinkler system must be explained here.)

Part IV - Inspector's Information

Inspector: Hugh Ebner (Chris Skipper) Company: Eagle Fire Protection, Inc

Company Address: 13649 Granville Ave. Clermont, Fl. 34711

I state that the information on this form is correct at the time and place of my inspection, and that all equipment tested at this time was left in operational condition upon completion of this inspection except as noted in Part III above.

Hugh M. Ebner — Signature of Inspector

9-29-00 — Date

MAIN DRAIN TEST LOG

(Post at Sprinkler Riser)

	Date	Static Pressure Before Test	Residual Pressure	Static Pressure After Test	Alarm Operate Yes/No	Tested By: Name & Title
Riser 1	9-8-98	67 PSI	52 PSI	64 PSI	Yes	Mike Haverty Sentinel Fire Prot.
Riser 2	"	72 PSI	54 PSI	64 PSI	Yes	" "
Riser 1	12-8-98	69	30	60	Yes	Hugh Elmer Eagle Fire Protection
Riser 2	"	74	30	62	Yes	" "
Riser 1	12-15-98	66	52	65	N/A	" "
" 2	"	70	55	65	N/A	" "
Riser 1	3-16-99	70	55	60	Yes	" "
Riser 2	3-16-99	65	57	65	Yes	" "
Riser 1	6-30-99	68	52	62	Yes	" "
Riser 2	6-30-99	72	55	65	Yes	" "
Riser 1	9-29-99	61	50	61	Yes	" "
Riser 2	9-29-99	65	54	65	Yes	" "
Riser 1	1-7-00	60	50	60	Yes	" "
Riser 2	1-7-00	64	54	65	Yes	" "
Riser 1	4-4-00	56	48	56	Yes	Chris Skipper "
Riser 2	4-4-00	60	50	60	Yes	" "
Riser 1	6-30-00	62	52	64	Yes	" "
Riser 2	6-30-00	66	57	67	Yes	" "
Riser 1	9-29-00	59	51	60	Yes	" "
Riser 2	9-29-00	64	55	65	Yes	" "

TELEMETRIC SYSTEMS, INC.

INSPECTION AND TESTING FORM

DATE: 8/23/00

TIME: 9:45

SERVICE ORGANIZATION

NAME: TELEMETRIC SYSTEMS, INC.

ADDRESS: 100 CANDACE DR., UNIT 108

REPRESENTATIVE: STEVE EBBERS

LICENSE NO: EF0000795

TELEPHONE: (407)339-2822

PROPERTY NAME (USER)

NAME: GLOBAL TIRE RECYCLING

ADDRESS: 1201 INDUSTRIAL DR. WILDWOOD

OWNER CONTACT: ROBERT FJORK

TELEPHONE: (352)330-2213

MONITORING ENTITY

CONTACT: CMS

TELEPHONE: (407)830-5124

MONITORING ACCOUNT REF.NO: M1-2801

APPROVING AGENCY

CONTACT: WILDWOOD POLICE DEPARTMENT

TELEPHONE:

TYPE TRANSMISSION

[]-McCulloh
[]-Multiplex
[X]-Digital
[]-Reverse Priority
[]-RF
[]-Other (Specify)

SERVICE

[]-Weekly
[]-Monthly
[]-Quarterly
[]-Semi-Annually
[X]-Annually
[]-Other (Specify)

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

NOV 0 9 2000

SOUTHWEST DISTRICT TAMPA

PANEL MANUFACTURE: ADEMCO

MODEL NO: 5110XM

CIRCUIT STYLES: B & Y

NO. OF CIRCUITS: 1B 1Y

SOFTWARE REV:

LAST DATE SYSTEM HAD ANY SERVICE PERFORMED:

LAST DATE THAT ANY SOFTWARE OR CONFIGURATION WAS REVISED:

TELEMETRIC SYSTEMS, INC.

ALARM INITIATING DEVICES AND CIRCUIT INFORMATION

QTY OF	CIRCUIT STYLE	
		MANUAL STATIONS
		ION DETECTORS
		PHOTO DETECTORS
		DUCT DETECTORS
		HEAT DETECTORS
2	B	WATERFLOW SWITCHES
2	B	SUPERVISORY SWITCHES
		OTHER: (SPECIFY) SPRINKLER RISER INSPECTED 6/00.

ALARM INDICATING APPLIANCES AND CIRCUIT INFORMATION

QTY OF	CIRCUIT STYLE	
		BELLS
3	Y	HORNS
		CHIMES
5	Y	STROBES
		SPEAKERS
		OTHER: (SPECIFY)

NO. OF ALARM INDICATING CIRCUITS: 1

ARE CIRCUITS SUPERVISED? [X]YES []NO

100 Candace Drive • Unit 108 • Maitland, Florida 32751 • (407) 339-2822 • Fax (407) 339-3160
State License EF0000795

TELEMETRIC SYSTEMS, INC.

SUPERVISORY SIGNAL INITIATING DEVICES AND CIRCUIT INFORMATION

QTY OF	CIRCUIT STYLE	
_____	_____	BUILDING TEMP
_____	_____	SITE WATER TEMP
_____	_____	SITE WATER LEVEL
_____	_____	FIRE PUMP POWER
_____	_____	FIRE PUMP RUNNING
_____	_____	FIRE PUMP AUTO POSITION
_____	_____	FIRE PUMP OR PUMP CONTROLLER TROUBLE
_____	_____	FIRE PUMP RUNNING
_____	_____	GENERATOR IN AUTO POSITON
_____	_____	SWITCH TRANSFER
_____	_____	GENERATOR ENGINE RUNNING
_____	_____	OTHER:_____
		_____

SIGNALING LINE CIRCUITS

Quantity and style (See NFPA 72, Table 3-6.1) of signaling line circuits connected to system:

Quantity_____ Style(s)_____

SYSTEM POWER SUPPLIES

A. Primary (Main): Nominal Voltage 120 VAC, Amps 20 A

Overcurrent Protection: Type BREAKER, Amps 20

Location (Panel Number): WAREHOUSE 24 HOUR PANEL

Disconnecting Means Location: MANUAL SWITCH

B. Secondary (Standby):

12 VDC Storage Battery: Amp-Hr. Rating 7 AH

Calculated capacity to operate system, in hours: _____ 24 _____ 60 _____

_____ Engine-driven generator dedicated to fire alarm system:

Location of fuel storage:_____

100 Candace Drive • Unit 108 • Maitland, Florida 32751 • (407) 339-2822 • Fax (407) 339-3160
State License EF0000795

TYPE BATTERY

[] Dry Cell
[] Nickel Cadmium
[X] Sealed Lead-Acid
[] Lead-Acid
[] Other (Specify)_____

c. Emergency or standby system used as a backup to primary power supply, instead of using a secondary power supply:

_____ Emergency system described in NFPA 70, Article 700
_____ Legally required standby described in NFPA 70, Article 701
_____ Optional standby system described in NFPA 70, Article 702, which also meets the performance requirements of Article 700 or 701.

PRIOR TO ANY TESTING

NOTIFICATIONS ARE MADE:	YES	NO	WHO	TIME
MONITORING ENTITY	[X]	[]	CMS	9:45
BUILDING OCCUPANTS	[X]	[]	ALL	9:45
BUILDING MANAGEMENT	[X]	[]	MR. BJORK	9:45
OTHER (SPECIFY)	[]	[]		
AHJ (NOTIFIED) OF ANY IMPAIRMENTS	[]	[]		

SYSTEM TESTS AND INSPECTIONS

TYPE	VISUAL	FUNCTIONAL	COMMENTS
CONTROL PANEL	[X]	[X]	
INTERFACE EQ.	[X]	[X]	
LAMPS/LEDS	[X]	[X]	
FUSES	[X]	[X]	
PRIMARY POWER SUPPLY	[X]	[X]	
TROUBLE SIGNALS	[X]	[X]	
DISCONNECT SWITCHES	[X]	[X]	
GROUND FAULT MONITORING	[X]	[X]	

100 Candace Drive • Unit 108 • Maitland, Florida 32751 • (407) 339-2822 • Fax (407) 339-3160
State License EF0000795

TELEMETRIC SYSTEMS, INC.

SECONDARY POWER

TYPE	VISUAL	FUNCTIONAL	COMMENTS
BATTERY CONDITION	[X]		
LOAD VOLTAGE		[X]	
DISCHARGE TEST		[X]	
CHARGER TEST		[X]	
SPECIFIC GRAVITY		[]	
TRANSIENT SUPPRESSORS	[]		
REMOTE ANNUNCIATORS	[X]	[X]	LOCATED IN LOBBY
NOTIFICATION APPLIANCES			
AUDIBLE	[X]	[X]	
VISUAL	[X]	[X]	
SPEAKERS	[]	[]	
VOICE CLARITY	[]		

INITIATING AND SUPERVISORY DEVICE TESTS AND INSPECTIONS

LOC. & S/N	DEVICE TYPE	VISUAL CHECK	FUNCTIONAL TEST	FACTORY SETTING	MEAS. SETTING	PASS	FAIL
WAREHOUSE							
POTTER VSR-F	W.F. VANE	[X]	[X]	30S	30S	[X]	[]
POTTER VSR-F	W.F. VANE	[X]	[X]	30S	30S	[X]	[]
VICTROLIC	BUTTERFLY VALVE	[X]	[X]	3 TURNS	3 TURNS	[X]	[]
VICTROLIC	BUTTERFLY VALVE	[X]	[X]	3 TURNS	3 TURNS	[X]	[]
		[]	[]			[]	[]
		[]	[]			[]	[]

COMMENTS: INSPECTOR TEST VALVES ARE 1.) SOUTHWEST CORNER OF WAREHOUSE 2.) FAR WEST CENTRAL WALL IN THE WAREHOUSE.

THERE ARE 2 WATERFLOWS AND 2 SUPERVISORY SWITCHES ALL ON ZONE 1.

	VISUAL	FUNCTIONAL	COMMENTS
EMERGENCY COMMUNICATIONS EQUIPMENT			
PHONE SET	[]	[]	_____
PHONE JACKS	[]	[]	_____
OFF-HOOK INDICATOR	[]	[]	_____
AMPLIFIER(S)	[]	[]	_____
TONE GENERATOR(S)	[]	[]	_____
CALL IN SIGNAL	[]	[]	_____
SYSTEM PERFORMANCE	[]	[]	_____

	VISUAL	DEVICE OPERATION	SIMULATED OPERATION
INTERFACE EQUIPMENT			
(SPECIFY)_____	[]	[]	[]
(SPECIFY)_____	[]	[]	[]
(SPECIFY)_____	[]	[]	[]
SPECIAL HAZARD SYSTEMS			
(SPECIFY)_____	[]	[]	[]
(SPECIFY)_____	[]	[]	[]
(SPECIFY)_____	[]	[]	[]

SPECIAL PROCEDURES: _____

COMMENTS: _____

100 Candace Drive • Unit 108 • Maitland, Florida 32751 • (407) 339-2822 • Fax (407) 339-3160
State License EF0000795

TELEMETRIC SYSTEMS, INC.

ON/OFF PREMISES MONITORING:

	YES	NO	TIME	COMMENTS
ALARM SIGNAL	[X]	[]	10:15	
ALARM RESTORAL	[X]	[]	10:15	
TROUBLE SIGNAL	[X]	[]	10:15	
SUPERVISORY SIGNAL	[X]	[]	10:15	
SUPERVISORY RESTORAL	[X]	[]	10:15	

NOTIFICATIONS THAT TESTING IS COMPLETE:

	YES	NO	TIME	COMMENTS
BUILDING MANAGEMENT	[X]	[]	10:15	
MONITORING AGENCY	[X]	[]	10:15	
BUILDING OCCUPANTS	[X]	[]	10:15	
OTHER (SPECIFY)	[]	[]		

THE FOLLOWING DID NOT OPERATE CORRECTLY: ALL DEVICES OPERATED CORRECTLY AND SYSTEM WAS PASSED.

SYSTEM RESTORED TO NORMAL OPERATION: DATE 08/23/00 TIME 10:30

THE TESTING WAS PERFORMED IN ACCORDANCE WITH APPLICABLE NFPA STANDARDS.

NAME OF INSPECTOR: KEN PEASLEY

DATE: 8/23/00 TIME: 10:30

SIGNATURE: Ken Peasley

NAME OF OWNER OR REPRESENTATIVE: Robert L. Bjork

DATE: 8-30-00 TIME: 10:45

SIGNATURE:

USE NOTES

MAX TIRE pile

≤ 25 x 50

W/ 8' FIRELANES

≤ MAX tons in #2 for #3

<15'

7.5' / 25' = 15' Height / 50' FIRELANE

~~280~~ 7x 25 x 50 x 7.5

65625 cf ÷ 27

2430 cy WTS

=

Specific Authority 403.704, 403.717, FS.
Law Implemented 403.717, FS.
History -- New 2-19-89, Amended 11-7-90, 2-28-94, Formerly 17-711.520, Amended 2-27-00.

62-711.530 Waste Tire Processing Facility Requirements.

(1) All waste tires shall be stored in accordance with the waste tire site requirements in Rule 62-711.500, F.A.C.

(2) A waste tire processing facility shall not accept any waste tires for processing if it has reached its permitted storage limit for any category of waste tires, or if the number of waste tires on the site exceeds the quantity estimate in the closing cost estimate. The maximum storage limits that will be set in a waste tire processing facility permit are:

(a) For the aggregate of whole waste tires, processed waste tires, and residuals, 60 times the daily through-put of the processing equipment being used; however, whole waste tires shall not exceed 30 times the daily through-put of the processing equipment being used; and

(b) For used tires, 10,000 used tires stored separately from other waste tires.

(3) At least 75 percent of the whole tires, used tires, and processed tires that are delivered to or are contained on the site of the waste tire processing facility at the beginning of each calendar year shall be processed and removed for disposal or recycling from the facility during the year, or disposed of on the site at a permitted solid waste management facility. Processed tires stored for recycling or disposal shall meet the minimum size requirements specified in Rule 62-711.400(3)(b), F.A.C., unless a demonstration is made as part of a permit application or modification that storage of a larger size will not adversely affect the environment or the public health or welfare, and that storage of a larger size is necessary for purposes of recycling or transportation. Initial cover shall not be required for stored, processed tires that are not in excess of the storage limit of the facility.

(4) The owner or operator of a waste tire processing facility shall record and maintain for three years the following information regarding their activities, which records shall be available for inspection by Department personnel during normal business hours:

(a) For all waste tires shipped from the facility, the name and waste tire collector registration number of the waste tire collector who accepted the waste tires for transport, and the quantity of waste tires shipped with that collector; and if the waste tires were shipped with a person who is not a waste tire collector, the number of tires shipped, the person's name, address and telephone number; and the place where the waste tires were deposited;

(b) For all waste tires received at the facility, the name and waste tire collector registration number of the collector who delivered the waste tires to the facility, and the quantity of waste tires received from that collector; and if more than five waste tires were delivered by a person who is not a waste tire collector, the number of tires delivered and the person's name, address and telephone number; and

(c) For all waste tires removed for recapping, the quantity and type removed, and the name and location of the recapping facility receiving the tires.

(5) Owners and operators of waste tire processing facilities shall submit quarterly reports to the Department that summarize the information collected under subsection (4) above. These reports shall be submitted by the 20th of the month following the close of each calendar quarter. The report shall be submitted to the Department on Form 62-701.900(21). In addition to the information required in subsection (4) above, the following information shall be included:

(a) The facility name, address and permit number;

(b) The quarter covered by the report;

(c) The total quantity, by category, of waste tires received at the facility during the quarter covered by the report;

(d) The total quantity, by category, of waste tires shipped from the facility during the quarter covered by the report;

(e) The total quantity of waste tires processed during the quarter;

(f) The total quantity, by category, of waste tires located at the facility on the last day of the quarter; and

(g) A list of all dates on which one or more category of waste tires exceeded the storage limit, which category was in excess, and how this condition was relieved or will be relieved.

(6) Applications for processing facility permits shall be submitted to the Department on Form 62-701.900(23).

(7) Processing facilities that will process less than 1,500 tires during any 30 days and store less than 1,500 waste tires on any day may be permitted as "Small processing facilities." The owner or operator of such a facility shall submit a permit application to the Department on Form 62-701.900(24). The application fee for a "Small processing facility" is $500. A small processing facility is subject to the same requirements as a waste tire processing facility, but is exempt from the specific requirements of Rules 62-711.530(1), (2) and (6), F.A.C., and Rule 62-711.540(3)(3), F.A.C.

Specific Authority 403.704, 403.717, FS.
Law Implemented 403.087, 403.717, FS.
History -- New 2-19-89, Amended 11-7-90, 2-28-94, Formerly 17-711.530, Amended 27-00.

62-711.540 Storage Requirements.

(1) All waste tire sites, collection centers, processing facilities, and disposal facilities which store waste tires shall comply with the following technical and operational standards:

(a) If the site receives waste tires from the public, a sign shall be posted at the entrance of the site stating operating hours, cost of disposal and site rules.

(b) No operations involving the use of open flames shall be conducted within 25 feet of a waste tire pile.

(c) An attendant shall be present when the site is open for business if the site receives waste tires from the public.

(d) Fire protection services for the site shall be assured through notification to local fire protection authorities. A fire safety survey shall be conducted at least annually and the survey report shall be made part of the next quarterly report.

(e) The operator of the site shall prepare and keep at the site an emergency preparedness manual. A copy of the current manual shall be kept at an off-site location designated by the operator. The manual shall be updated at least once a year and upon changes in operations at the site. The manual shall contain the following elements:

1. A list of names and numbers of persons to be contacted in the event of a fire, flood, or other emergency;
2. A list of the emergency response equipment at the site, its location, and how it should be used in the event of a fire or other emergency; and
3. A description of the procedures that should be followed in the event of a fire, including procedures to contain and dispose of the oily material generated by the combustion of large numbers of waste tires.

(f) The operator of the site shall immediately notify the Department in the event of a fire or other emergency which poses an unanticipated threat to the public health or the environment. Within two weeks of any emergency, the operator of the site shall submit to the Department a written report on the emergency. This report shall describe the origins of the emergency, the actions that were taken to deal with the emergency, the results of the actions that were taken, and an analysis of the success or failure of the actions.

(g) The operator of the site shall maintain records of the quantity of waste tires received at the site, stored at the site, and shipped from the site.

(h) If the operator of the site is not the owner of the property, the operator shall obtain written authorization to operate the facility from the owner of the property.

(i) Communication equipment shall be maintained at the waste tire site to assure that the site operator can contact local fire protection authorities in case of a fire.

(j) The owner or operator shall provide for control of mosquitoes and rodents so as to protect the public health and welfare.

(k) An approach and access road to the waste tire site shall be kept passable for any motor vehicle at all times.

(2) All waste tire sites, collection centers, processing facilities, and disposal facilities which store waste tires indoors must comply with the following additional technical and operational standards:

(a) Tire piles may not be more than 50 feet in width, except that piles along a wall shall not be more than 25 feet in width.

(b) The width of main aisles between tire piles shall be not less than eight feet.

(c) The clearance from the top of storage to sprinkler deflectors or roof structures shall not be less than three feet.

(d) The clearance in any direction from unit heaters, radiant space heaters, duct furnaces, and flues shall not be less than three feet.

(e) When waste tires are stored up to 15 feet high, walls between adjacent warehouse areas and between manufacturing and warehouse areas shall have not less than a four-hour fire rating.

(f) When waste tires are stored over 15 feet high, walls between manufacturing and warehouse areas shall have a fire rating of not less than six hours and steel columns shall have one hour fireproofing. If the top of storage exceeds 20 feet in height, two-hour fireproofing shall be provided for the column and its connections with other structural members.

(g) An automatic sprinkler system installed in compliance with "The Standard for Storage of Rubber Tires", NFPA 231D, published by the National Fire Protection Association, Battery March Park, Quincy, Massachusetts, incorporated herein by reference, may be substituted for fire walls and column fireproofing.

(h) At any time when an attendant is not present, access to the site shall be controlled through the use of doors, fences, gates, natural barriers, or other means.

(3) All waste tire sites, collection centers and any processing or disposal facilities which store waste tires outdoors must comply with the following additional technical and operational standards:

(a) A waste tire site shall not be constructed, maintained or operated in or within 200 feet of any natural or artificial body of water, including wetlands within the jurisdiction of the Department, except bodies of water contained completely within the property boundaries of the facility which do not ordinarily discharge from the site to surface waters. A person may maintain a waste tire site within the 200-foot setback area upon demonstration to the Department, as part of a permit application or modification, that permanent control methods for residuals will result in compliance with water quality standards in Chapters 62-302, and 62-520, F.A.C. Stormwater control methods shall meet stormwater requirements of Chapters 62-25 and 62-330, F.A.C., as applicable. The site shall be managed in such a way as to divert stormwater or floodwaters around and away from the storage piles. This section shall not apply to artificial reefs constructed pursuant to Department permit.

(b) An outdoor waste tire pile shall have no greater than the following maximum dimensions:

1. Width: 50 feet;
2. Area: 10,000 square feet; and
3. Height: 15 feet.

(c) A 50-foot wide fire lane shall be placed around the perimeter of each outdoor waste tire pile. Access to the fire lane for emergency vehicles must be unobstructed at all times.

(d) Access to the site shall be controlled through the use of fences, gates, natural barriers or other means.

(e) The site shall be bermed or given other adequate protection if necessary to keep liquid runoff from a potential waste tire fire from entering water bodies.

(f) The waste tire site shall be kept free of grass, underbrush, and other potentially flammable vegetation at all times.

(4) For all waste tire sites, collection centers, processing facilities, and disposal facilities which store processed waste tires, the temperature of any above-ground piles of compacted, processed tires over ten feet high shall be monitored and may not exceed 300 degrees Fahrenheit. Temperature control measures shall be instituted so that pile temperatures do not exceed 300

degrees Fahrenheit. Temperature monitoring and controls are not required for processed tires disposed of in permitted landfills.

(5) Any residuals from waste tire processing must be managed so as to be contained on-site, and must be controlled and disposed of in a permitted solid waste management facility or properly recycled.

(6) The Department shall approve exceptions requested by an applicant as part of a waste tire processing facility permit application or modification to the preceding technical and operational standards if:

(a) No waste tires are stored on that site for more than one month; and

(b) The Department, after consultation with the local fire authority, is satisfied that the site owner or operator has sufficient fire suppression equipment or materials on site to extinguish any potential waste tire fire within an acceptable length of time.

Specific Authority 403.704, 403.717, FS.
Law Implemented 403.717, FS.
History -- New 2-19-89, Amended 11-7-90, 2-28-94, Formerly 17-711.540, Amended 2-27-00.

62-711.550 Waste Tire Collection Center Requirements.

(1) The owner or operator of a waste tire collection center shall meet the following requirements:

(a) Store no more than 1,500 waste tires at the collection center at any one time;

(b) At least once a year, remove all waste tires which are not used tires from the site for recycling, processing, or disposal; and

(c) Comply with the storage requirements in Rule 62-711.540, F.A.C.

(2) Applications for collection center permits shall be submitted to the Department on Form 62-701.900(25). The application shall contain the following information:

(a) The name, address, FEID number, and telephone number of the owner and operator of the facility, and the name, address, and telephone number of the facility;

(b) A description of the general operation of the facility including quantities of waste tires received per month;

(c) A description of arrangements made to acquire fire protection services for the facility;

(d) The township, range, and section numbers and latitude and longitude of the facility; and

(e) A description of how and where the waste tires will be disposed of.

(3) The permit for a collection center shall be valid for five years, unless revoked, suspended, or surrendered.

(4) The application fee for a collection center permit is $500.

Specific Authority 403.704, 403.717, FS.
Law Implemented 403.717, FS.
History -- New 2-28-94, Formerly 17-711.550, Amended 2-27-00.

62-711.700 Closing of Waste Tire Sites.

(1) The owner or operator of any waste tire site which does not meet the requirements of this chapter shall not receive any waste tires and shall follow the closing procedures of this rule until the site is in compliance with the conditions of a permit issued under this chapter or until the site is closed.

(2) In closing any waste tire site the owner or operator shall:

(a) Stop public access to the site;

(b) Post a notice indicating that the site is closed and giving the phone number of the county solid waste authority;

(c) Notify the Department and county government of the closing;

(d) Remove all waste tires and residuals to a waste tire processing facility, solid waste management facility authorized to accept waste tires, or a legitimate user of waste tires;

(e) Remove any solid waste to a permitted solid waste management facility, and

(f) Notify the Department when closing is complete.

(3) All permits issued under this rule shall include an approved closing plan. The closing plan shall include:

(a) A description of how the closing requirements of subsection (2) above will be met;

(b) A closing schedule, including time period for completion;

(c) A plan for site rehabilitation if any contamination or other threat to the public health or environment is discovered; and

(d) Proof of financial assurance pursuant to Rules 62-711.500(3), F.A.C.

(4) After receiving notification that site closing is complete, the Department shall inspect the site. If all procedures have been correctly completed, the Department shall approve the closing in writing. If proof of financial responsibility for closing has been required by this rule, the Secretary or his designee shall release the financial instruments within 30 days of closing approval.

Specific Authority 403.704, 403.717, FS.
Law Implemented 403.717, FS.
History -- New 2-19-89, Amended 11-7-90, 2-28-94, Formerly 17-711.700, Amended 2-27-00.

62-711.801 General Permits.

(1) A person operating mobile waste tire processing equipment shall operate pursuant to a general permit for each processing unit and shall meet the applicable general permit requirements in Rules 62-4.510 through 62-4.540, F.A.C., and comply with the following conditions:

(a) The processing equipment shall be located at:

1. A waste tire site that is at a permitted solid waste management facility or waste tire processing facility;

2. A waste tire site or waste tire collection center or any other site where waste tires are stored that is not accepting waste tires; or

STATE OF FLORIDA
DEPARTMENT OF ENVIRONMENTAL PROTECTION

DISTRICT ROUTING SLIP

To: Kim Ford DATE: 9/6/00

CC To:

	PENSACOLA	**NORTHWEST DISTRICT**	
	Panama City	Northwest District Branch Office	
	Tallahassee	Northwest District Branch Office	
	Sopchoppy	Northwest District Satellite Office	
A	**TAMPA**	**SOUTHWEST DISTRICT**	
	Punta Gorda	Southwest District Branch Office	
	Bartow	Southwest District Satellite Office	
	ORLANDO	**CENTRAL DISTRICT**	
	Melbourne	Central District Satellite Office	
	JACKSONVILLE	**NORTHEAST DISTRICT**	
	Gainesville	Northeast District Branch Office	
	FORT MYERS	**SOUTH DISTRICT**	
	Marathon	South District Branch Office	
	WEST PALM BEACH	**SOUTHEAST DISTRICT**	
	Port St. Lucie	Southeast District Branch Office	

☐ Reply Optional Date Due _____ ☐ Reply Required Date Due: _____ ☐ Info Only

Comments:

D.E.P.
SEP 08 2000
Southwest District Tampa

From: Tel.:

08-18-93

Department of Environmental Protection

Jeb Bush
Governor

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

David B. Struhs
Secretary

September 6, 2000

Mr. Brian Fifer
Global Tire Recycling
1201 Industrial Drive
Wildwood, Florida 34785

D.E.P.
SEP 0 8 2000
Southwest District Tampa

Re: Frontier Insurance Bond /for 136808-001-WT

Dear Mr. Fifer:

A financial assurance file review of the above referenced facility reveals that the surety bond issued by Frontier Insurance Company is deficient and must be replaced. Specifically, as of June 1, 2000, Frontier Insurance Company is no longer listed as an acceptable surety in Circular 570 of the U.S. Department of the Treasury. Pursuant to 40 CFT Part 264, Subpart H, as adopted by reference in Rule 62-701, Florida Administrative Code (F.A.C.), when demonstrating proof of financial assurance with a surety bond, the surety company issuing the bond must, at a minimum, be amount those listed as acceptable sureties on Federal bonds in Circular 570 of the U.S. Department of the Treasury.

Within thirty (30) days of receipt of this letter, please submit proof of alternate financial assurance using approved mechanisms outlined in 40 CFR Part 264, Subpart H as adopted by reference in Rule 62-701. 630, F.A.C. Failure to comply will result in referral to our District Office with a recommendation for enforcement action.

For a list of Circular 570 approved surety company, please access the U.S. Department of Tr3asury website at http://www.fms.treas.gov/C570/c570.hthm. Please submit the requested documentation to the Solid Waste Section, Attn: Tires, at the letterhead address. If you have any questions, please contact me at (850) 921-9963.

Sincerely,

Jessie Carpenter

Jessie L. Carpenter
Solid Waste Section

JLC:jc

Cc: Robert Butera, P.E., FDEP SW Dist,
Susan Pelz, P.E., FDEP SW Dist.
Kim Ford, P.E., FDEP SW Dist.

RECEIVED
SEP 05 2000
Department of Environmental Protection
SOUTHWEST DISTRICT
BY _____

GTR
Global Tire Recycling
1201 Industrial Drive
Wildwood, FL 34785
Phone: (352) 330-2213
Fax: (352) 330-2214
Web Site: www.gtrcrumbrubber.com

August 31, 2000

Ms. Jessie L. Carpenter
Financial Coordinator
Solid Waste Section
Department of Environmental Protection
Twin Towers Office Building
2600 Blair Stone Road'
Tallahassee, FL 32399-2400

Re: Global Tire Recycling WT Processing Facility
Financial Assurance Funding Mechanism
Permit No.: 136808-001-WT, Sumter County

Dear Ms. Carpenter:

In compliance with the financial responsibility requirements of Rule 62-711.500(3) F.A.C., Global Tire Recycling of Sumter County hereby provides proof that the funding mechanism for the approved inflation-adjusted closure cost estimate of $73,277 is in place.

Global has renewed Performance Bond No.125584, issued by The Frontier Insurance Company in the amount of $95,000, and the corresponding Standby Trust Fund Agreement with SouthTrust Asset Management Company, as evidenced by the attachments to this letter.

Please let me know if you require anything further on this matter.

Sincerely,

R. Brian Fifer

R. Brian Fifer
President & C.E.O.

Attachments

cc: Robert Butera, P.E., FDEP SouthWest District
Kim Ford, P.E., FDEP SouthWest District
Susan Pelz, P.E., FDEP SouthWest District

BOND RENEWAL INVOICE

SMITH MANUS AGENCY, INC. | SMA SURETY BONDING

PO BOX 98
LOUISVILLE, KY 40201-0098
Phone: (502) 636-9191

Global Tire Recycling of Sumter Co., Inc
1201 Industrial Drive
Wildwood, FL 34785

Date: 24-Jul-00

PAID WITH CHECK # 6670 DATED 8/29/00

Customer Copy

Bond Executed in the following Company:

Frontier Insurance Company

Principal:

Global Tire Recycling of Sumter Co., Inc
1201 Industrial Drive
Wildwood, FL 34785
Account Number: glotir035

Obligee:

Florida Dept of Environmental Protection
2600 Blair Stone MS4565
Tallahassee, FL 32399

Bond Number- Term-Trans	Effective Date	Expiration Date	Statement
125584-2-1	07/16/00	07/16/01	JUL 00

Bond Amount		Type	Invoice Number
$95,068.00		MISCELLANEOUS BOND	105858

Bond Description
Renewal of Closure Bond

Balance Due	Total Taxes	Premium w/o Taxes
$2,377.00	$0.00	$2,377.00

Kentucky Surcharge Amount	%	Countersignature Fee	%	Other Taxes Amount	%
$0.00	0.0%			$0.00	0.0%

SOUTHTRUST BANK
CORPORATE TRUST DIVISION
135 W. CENTRAL BLVD, SUITE 120
ORLANDO, FL 32801

INVOICE

TO: Mr. Michael F. Kelly, Vice President
Global Tire Recycling of Sumter County, Inc.
1201 Industrial Drive
Wildwood, FL 34785

DATE: August 23, 2000

FOR BILLING PERIOD: 10/1/99 - 9/30/00

Account #2695000121	State of FL DEP Standby Trust Agreement by and between Global Tire Recycling of Sumter County, Inc. and SouthTrust Asset Management Co.
Annual Administrative Fee	$500.00
TOTAL AMOUNT DUE	$500.00

PAID ON CHECK 6673 DATED 9/30/00

*Please note that fees are charged in advance.
On 9/30/00 another invoice will be sent for period 10/1/00-9/30/01

INTEROFFICE MEMORANDUM

Sensitivity: COMPANY CONFIDENTIAL

Date: 15-May-2000 02:07pm
From: Jessie Carpenter TAL 850/488-0
CARPENTER_J@a1.epic1.dep.state.fl.us
Dept:
Tel No:

To: Kim Ford TPA (FORD_K@A1)
To: Robert Butera TPA (BUTERA_R@A1)
To: Susan Pelz TPA (PELZ_S@A1)
To: Bill Parker TAL (PARKER_B@a1.epic1.dep.state.fl.us)

Subject: Global

I have a letter in file dated August 19, 1999 showing that Global was requesting a modification on their wt processing permit. Did this go through? Is there a difference in their financial assurance requirements now? Let me know if I need to do anything. Thanks Jessie

Susan —
Your approved
1606 TMS
+
1 yd dumpster
Looks ok for costs —
No permit mod necessary
Last mod Sept 1999
5/16/00

Department of Environmental Protection

Jeb Bush
Governor

Southwest District
3804 Coconut Palm Drive
Tampa, Florida 33619

David B. Struhs
Secretary

Global Tire Recycling
Mr. R. Brian Fifer, President
1201 Industrial Drive
Wildwood, Fl. 34785

April 11, 2000

RE: Global Tire Recycling WT Processing Facility
Financial Assurance Cost Estimates
Permit No.: 136808-001-WT, Sumter County

Dear Mr. Fifer:

This letter is to acknowledge receipt of the inflation-adjusted estimates dated March 31, 2000 (received April 5, 2000), for closure of the Global Tire Recycling Waste Tire Processing Facility. The cost estimates dated March 31, 2000 (total for closure **$73,277**), are **APPROVED for 2000**. This approved amount includes 1606 tons of tires and 14 dumpsters (30 cy each) of other solid waste (e.g. fiber, treads, tubes, office waste, etc.).

Please be advised that the quantity of materials stored at the facility shall be limited to the quantities listed in the July 28, 1999 information, unless additional financial assurance is provided. The next annual update (revised or inflation-adjusted estimates) is due **no later than March 1, 2001.**

A copy of these estimates will be forwarded to Ms. Jessie Carpenter, Solid Waste Section, FDEP, 2600 Blair Stone Road, MS #4565, Tallahassee, Florida 32399-2407. Please work with her directly to assess the facility's compliance with the funding mechanism requirements of Rule 62-711.500(3), F.A.C. If you have any questions, you may contact me at (813) 744-6100 ext. 386.

Sincerely,

Susan J. Pelz, P.E.
Solid Waste Section
Southwest District

sjp
cc: Jessie Carpenter, FDEP, Tallahassee, w/attachment
Robert Butera, P.E., FDEP Tampa
Kim Ford, P.E., FDEP Tampa

STATE OF FLORIDA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
SOUTHWEST DISTRICT

CONVERSATION RECORD

Date 3/21/00 Subject TIRE PILES

Time 3:15 Permit No.

County Sumter

M Robert Bjorlc Telephone No. 352 3302213

Representing Global

[ ] Phoned Me [ ] Was Called [ ] Scheduled Meeting [ ] Unscheduled Meeting

Other Individuals Involved in Conversation/Meeting

Sara S

Summary of Conversation/Meeting

WE DISCUSSED TIRE PILE LAYOUT AND POSSIBLE REVISIONS I SUGGESTED R B. NOT REVISE DRAWING OR FINANCIAL AT THIS TIME BUT TRY TO KEEP QUANTITIES SAME AND IN SAME LOCATIONS) AND IF HE WANTED TO TRY A REVISION FOR 6 MONTHS AFTER WRITE A LETTER TO EXPLAIN WHY AND HOW IT COMPLIES WITH FIRE LANE REQUIREMENTS AND CURRENT FINANCIAL

(continue on another sheet, if necessary)

Signature

Title

PA-01
1/96
pap

WASTE MGT TAMPA SWD Fax:8137446125

*** Transmit Conf.Report ***

P.1

Mar 21 2000 15:49

Telephone Number	Mode	Start	Time	Pages	Result	Note
813523302214	NORMAL	21,15:47	1'35"	3	* O K	

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION	3804 Coconut Palm Drive Tampa, FL 33619-8318

FAX

Bob did you FAX? tm FD

Date: 3/17/00

Number of pages including cover sheet: 3

To: R Brian Fifer

Global

Phone: 352 3302213

Fax phone: 352 330 2214

CC:

From: tm ford

Phone: (813) 744-6100 x382

Fax phone: (813) 744-6123

REMARKS: ☐ Urgent ☐ For your review ☐ Reply ASAP ☐ Please comment

Global

OK to store recyclable steel in a pile outside in same location as dumpster/rolloff used

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION	3804 Coconut Palm Drive Tampa, FL 33619-8318

FAX

Bob did you FAX? tm RB

Date: 3/17/00

Number of pages including cover sheet: 3

To: R Brian Fifer

Global

Phone: 352 330 2213

Fax phone: 352 330 2214

CC:

From: tm ford

Phone: (813) 744-6100 x382

Fax phone: (813) 744-6125

REMARKS: ☐ Urgent ☐ For your review ☐ Reply ASAP ☐ Please comment

Global

— OK — to store recyclable steel in a pile outside in same location as dumpster/rolloff used previous, not to exceed permitted capacity, as described in your 2/11/2000 letter.

tm ford RB

GTR
Global Tire Recycling

1201 Industrial Drive
Wildwood, FL 34785
Phone: (352) 330-2213
Fax: (352) 330-2214
Web Site: www.gtrcrumbrubber.com

RECEIVED
FEB 14 2000
Department of Environmental Protection
BY SOUTHWEST DISTRICT

February 11, 2000

Kim Ford, P.E.
Florida Department of Environmental Protection
Solid Waste Division
3804 Coconut Palm Drive
Tampa, FL 33619-8313

Re: Waste Tire Processing Permit
No. 136808-001-WT
Sumter County, Florida

Dear Mr. Ford:

In reference to the above Permit, Global Tire Recycling of Sumter County, Inc. would like to request a slight variance to what was approved on its Storage Area Location Plan. Specifically, Global would like to be able to store the tread steel, that is identified as Item K on that Plan, in a small open pile rather than in the five dumpsters.

Currently, the tread steel that is removed with magnets during the shredding and grinding process of whole waste tires is conveyed outside through the North wall, whereupon it falls into one of the five Waste Management dumpsters. It is then hauled off to a landfill at a cost to Global.

Global now has the opportunity to sell that tread steel. The company that will buy it will bring an open top trailer to Global's facility every two or three days to haul the steel off. They will not "spot" the trailer at Global's facility. This will necessitate that the tread steel be allowed to fall off the conveyor on to the pavement next to the North wall. When the trailer is brought to the facility, the steel will be loaded by means of a Bobcat into the trailer. It would not be able to remove the steel from a dumpster and re-load it into the trailer; as such, it must load it from the pavement.

The quantity of steel in question will remain within the permitted level of 75 tons. In fact, under this proposed operating scenario, the quantity generally only will be one-half of that permitted level.

The tread steel poses no environmental hazard. The steel itself is not a hazardous material. It cannot be blown away from the pile. The rain water that falls on it will run off into Global's retention pond. This is the same as occurs now, as the rain water that

falls onto the steel in the dumpster falls onto the pavement through drainage holes in the dumpster. Of course, the steel itself will not be transported by the rain water.

In light of the above factors, it is requested that you approve the variance to Global's Storage Plan.

Thank you very much.

Yours truly,

R. Brian Fifer

R. Brian Fifer
President & C.E.O.

Global Tire Recycling
1201 Industrial Drive
Wildwood, FL 34785
Phone: (352) 330-2213
Fax: (352) 330-2214
Web Site: www.gtrcrumbrubber.com

RECEIVED
FEB 14 2000
Department of Environmental Protection
BY SOUTHWEST DISTRICT

February 11, 2000

Kim Ford, P.E.
Florida Department of Environmental Protection
Solid Waste Division
3804 Coconut Palm Drive
Tampa, FL 33619-8313

Re: Waste Tire Processing Permit
No. 136808-001-WT
Sumter County, Florida

Dear Mr. Ford:

In reference to the above Permit, Global Tire Recycling of Sumter County, Inc. would like to request a slight variance to what was approved on its Storage Area Location Plan. Specifically, Global would like to be able to store the tread steel, that is identified as Item K on that Plan, in a small open pile rather than in the five dumpsters.

Currently, the tread steel that is removed with magnets during the shredding and grinding process of whole waste tires is conveyed outside through the North wall, whereupon it falls into one of the five Waste Management dumpsters. It is then hauled off to a landfill at a cost to Global.

Global now has the opportunity to sell that tread steel. The company that will buy it will bring an open top trailer to Global's facility every two or three days to haul the steel off. They will not "spot" the trailer at Global's facility. This will necessitate that the tread steel be allowed to fall off the conveyor on to the pavement next to the North wall. When the trailer is brought to the facility, the steel will be loaded by means of a Bobcat into the trailer. It would not be able to remove the steel from a dumpster and re-load it into the trailer; as such, it must load it from the pavement.

The quantity of steel in question will remain within the permitted level of 75 tons. In fact, under this proposed operating scenario, the quantity generally only will be one-half of that permitted level.

The tread steel poses no environmental hazard. The steel itself is not a hazardous material. It cannot be blown away from the pile. The rain water that falls on it will run off into Global's retention pond. This is the same as occurs now, as the rain water that

falls onto the steel in the dumpster falls onto the pavement through drainage holes in the dumpster. Of course, the steel itself will not be transported by the rain water.

In light of the above factors, it is requested that you approve the variance to Global's Storage Plan.

Thank you very much.

Yours truly,

R. Brian Fifer

R. Brian Fifer
President & C.E.O.

Department of Environmental Protection

Jeb Bush
Governor

Southwest District
3804 Coconut Palm Drive
Tampa, Florida 33619

David B. Struhs
Secretary

NOTICE OF PERMIT

Global Tire Recycling
Of Sumter County, Inc.
C/o Mr. Brian Fifer
1201 Industrial Road
Wildwood, Florida 34785

September 24, 1999

Dear Mr. Fifer:

Enclosed is Modification Number **136808-002** to Permit Number 136808-001-WT, issued pursuant to Section(s) 403.087(1), Florida Statues.

A person whose substantial interests are affected by the Department's proposed agency action may file a timely petition for an administrative hearing under sections 120.569 and 120.57 of the Florida Statutes, or may choose to pursue mediation as an alternative remedy under section 120.573 before the deadline for filing a petition. Choosing mediation will not adversely affect the right to a hearing if mediation does not result in a settlement. The procedures for pursuing mediation are set forth below.

A person may pursue mediation by reaching a mediation agreement with all parties to the proceeding (which include the applicant, the Department, and any person who has filed a timely and sufficient petition for a hearing) and by showing how the substantial interests of each mediating party are affected by the Department's action or proposed action. The agreement must be filed in (received by) the Office of General Counsel of the Department at 3900 Commonwealth Boulevard, Mail Station 35, Tallahassee, Florida 32399-3000, by the same deadline as set forth above for the filing of a petition.

The agreement to mediate must include the following:

(a) The names, addresses, and telephone numbers of any persons who may attend the mediation;

(b) The names, address, and telephone number of the mediator selected by the parties, or a provision for selecting a mediator within a specified time;

(c) The agreed allocation of the costs and fees associated with the mediation;

(d) The agreement of the parties on the confidentiality of discussions and documents introduced during mediation;

(e) The date, time, and place of the first mediation session, or a deadline for holding the first session, of no mediator has yet been chosen;

(f) The name of each party's representative who shall have authority to settle or recommend settlement; and

(g) Either an explanation of how the substantial interests of each mediating party will be affected by the action or proposed action addressed in this notice of intent or a statement clearly identifying the petition for hearing that each party has already filed, and incorporating it by reference.

(h) The signatures of all parties or their authorized representatives.

As provided in section 120.573 of the Florida Statutes, the timely agreement of all parties to mediate will toll the time limitations imposed by sections 120.569 and 120.57 for requesting and holding an administrative hearing. Unless otherwise agreed by the parties, the mediation must be concluded within sixty days of the execution of the agreement. If mediation results in settlement of the administrative dispute, the Department must enter a final order incorporating the agreement of the parties. Persons whose substantial interests will be affected by such a modified final decision of the Department have a right to petition for a hearing only in accordance with the requirements for such petitions set forth above, and must therefore file their petitions within fourteen days of receipt of this notice. If mediation terminates without settlement of the dispute, the Department shall notify all parties in writing that the administrative hearing processes under sections 120.569 and 120.57 remain available for disposition of the dispute, and the notice will specify the deadlines that they will apply for challenging the agency action and electing remedies under those two statutes.

The petition for an administrative hearing must conform to the requirements of Chapters 62-103 and 28-5.201, F.A.C., and must be filed (received) in the Department's Office of General Counsel, 2600 Blair Stone Road, Tallahassee, 32399-2400, within fourteen (14) days of receipt of this notice. Failure to file a petition within fourteen (14) days constitutes a waiver of any right such person has to an administrative determination (hearing) pursuant to Section 120.57, Florida Statutes. This permit is final and effective on the date filed with the Clerk of the Department unless a request for extension of time in which to file a petition is filed within the time specified for filing a petition and conforms to Rule 62-103.070, F.A.C. Upon timely filing of a petition or a request for an extension of time this permit will not be effective until further Order of the Department.

Global Tire Recycling
of Sumter County, Inc.
C/o Mr. Brian Fifer
Permit No.: 136808-001-WT
Modification No.: 136808-002

When the Order (Permit) is final, any party to the Department has the right to seek judicial review of the Order pursuant to Section 120.68, Florida Statutes, by the filing of a Notice of Appeal pursuant to Rule 9.110, Florida Rules of Appellate Procedure, with the Clerk of the Department in the Office of General Counsel, 2600 Blair Stone Road, Tallahassee, 32399-2400; and by filing a copy of the Notice of Appeal accompanied by the applicable filing fees with the appropriate District Court of Appeal. The Notice of Appeal must be filed within 30 days from the date the Final Order is filed with the Clerk of the Department.

Executed in Tampa Florida.

STATE OF FLORIDA DEPARTMENT
OF ENVIRONMENTAL PROTECTION

Kim B. Ford, P.E.
Solid Waste Section
Division of Waste Management

KBF/ab
Attachment

cc: Robert Rogers, P.E.
Robert Butera, P.E., FDEP Tampa
Steve Morgan, FDEP Tampa

CERTIFICATE OF SERVICE

This is to certify that this NOTICE OF PERMIT and all copies were mailed before the close of business on 09/24/1999 to the listed persons.

FILING AND ACKNOWLEDGMENT FILED, on this date, pursuant to §120.52(10), Florida Statutes, with the designated Department Clerk, receipt of which is hereby acknowledged.

Clerk 09-24-99
Date

RULES OF THE ADMINISTRATION COMMISSION, MODEL RULES OF PROCEDURE
CHAPTER 28-5, DECISIONS DETERMINING SUBSTANTIAL INTERESTS
PART II, FORMAL HEARINGS
A) PREHEARING PROCEDURES

28-5.201 Initial of Formal Proceedings.

(1) Initiation of formal proceedings shall be made by petition to the Agency responsible for rendering final Agency action. The term petition as used herein includes any application or other document which expresses a request for formal proceedings. Each petition should be printed, typewritten or otherwise duplicated in legible form on white paper of standard legal size. Unless printed, the impression shall be on one side of the paper only and lines shall be double-spaced and indented.

(2) All petitions filed under these rules should contain:

(a) The name and address of each Agency affected and each Agency's file or identification number, if known;

(b) The name and address of the petitioner or petitioners, and an explanation of how his/her substantial interests will be affected by the Agency determination;

(c) A statement of when and how petitioner received notice of the Agency decision of intent to render a decision;

(d) A statement of all disputed issues of material fact. If there are none, the petition must so indicate;

(e) A concise statement of the ultimate facts alleged, as well as the rules and statutes which entitle the petitioner to relief;

(f) A demand for relief to which the petitioner deems himself entitled; and

(g) Other information which the petitioner contends is material.

(3) Upon receipt of a petition for formal proceedings, the Agency shall either accept or deny the petition, and if accepted shall elect either to conduct the hearing itself through the Agency head, or member thereof, assign a person authorized by Subsection 120.57(1)(a) or other authority, or request that a Hearing Officer from the Division of Administrative Hearings be assigned to conduct the hearing.

(a) A petition may be denied if the petitioner does not state adequately a material factual allegation, such as a substantial interest in the Agency determination, or if the petition is untimely.

(b) The Agency shall promptly give written notice to all parties of the action taken on the petition, and shall state with particularity its reasons therefore.

(4) If the Agency elects to request that a Hearing Officer of the Division of Administrative Hearings be assigned to conduct the hearing, the Agency shall forward the petition, and all materials filed with the Agency, to the Division of Administrative hearings, and shall notify all parties of its action.

Specific Authority: 120.53(1), 120.54(10), F.S.
Law Implemented: 120.57, F.S.
History: New 3-23-80

SECTION 62-103.155, FLORIDA ADMINISTRATIVE CODE
RULES OF ADMINISTRATIVE PROCEDURE
FINAL AGENCY ACTION (NON-RULEMAKING) AND APPEAL

62-103.155 Petition for Administrative Hearing; Waiver of Right to Administrative Proceeding.

(1)(a) Any person whose substantial interests may be affected by proposed or final agency action by the Department may file a petition for formal administrative hearing in accordance with this rule if the person disputes the material facts upon which the Department's action is based.

(b) Any person whose substantial interests may be affected by proposed or final action by the Department may file a petition for informal administrative hearing in accordance with this rule if the person objects to the Department's action but does not dispute the material facts upon which the Department's action is based.

(2) A petition for formal or informal administrative hearing pursuant to section 120.57, F.S., shall contain the following information:

(a) The name, address, and telephone number of each petitioner. If the petitioner challenges a Department action or proposed action on a permit application, the applicant's name and address, the Department permit file number and the county in which the project is proposed shall also be included;

(b) A statement of how and when each petitioner received notices of the Department action or proposed action;

(c) A statement of how each petitioner's substantial interests are affected by the Department's action or proposed action;

(d) A statement of those material facts (i.e., those facts upon which the Department's action or proposal is based) is disputed by petitioner. If no facts are disputed, petitioner shall so state;

(e) A statement of facts which petitioner contends warrant reversal or modification of the Department's action or proposed action;

(f) A statement of which rules or statutes petitioner contends require reversal or modification of the Department's action or proposed action;

(g) A statement of relief sought by petitioner, stating precisely the action petitioner wants the Department to take with respect to the Department's action or proposed action.

(3)(a) A petition shall be in the form required by this rule and must be filed (received) in the Office of General Counsel of the Department within the following number of days after receipt or publication (whichever occurs first) of notice of proposed agency action or of notice of agency action:

1. Petitions concerning Department action or proposed action on applications for permits (except permits for hazardous waste facilities): 14 days;

2. Petitions concerning Department action or proposed action on applications for hazardous waste facility permits: 45 days;

3. Petitions concerning notices of violation when no informal conference is held: 20 days after receipt of the notice of violation;

4. Petitions concerning notices of violation when an informal conference is held: 10 days after receipt of notice of completion of the informal conference;

5. Petitions concerning other Department actions or proposed actions: 21 days.

The petitioner shall also serve a copy of the petition on all other parties to the proceeding, as identified in the published notice, at the time of filing.

(b) Failure to timely file a petition within the applicable time period after receipt of notice of agency action or receipt of notice of proposed agency action, whichever notice first occurs, shall constitute a waiver of any right to request an administrative proceeding under Chapter 120, F.S.

(4) If a petition is filed that does not substantially comply with the requirements of subsection (2) of this rule, the Department shall issue an order dismissing the petition with leave to file an amended petition complying with the requirements of this rule within 15 days of service of the order. If an amended petition complying with this rule is not filed (received) within 15 days of service of the order, the petitioner's right to a proceeding under Section 120.57, F.S., is waived.

(5) When there has been no publication of notice of agency action or notice of proposed agency action as prescribed in Rule 62-103.150, F.A.C., a person who has actual knowledge of the agency action or has knowledge which would lead a reasonable person to conclude that the Department has taken final agency action, has a duty to make further inquiry within 14 days of obtaining such knowledge by contacting the Department to ascertain whether action has occurred. The Department shall upon receipt of such an inquiry, if agency action has occurred, promptly provide the person with notice as prescribed by Rule 62-103.150, F.A.C. Failure of the person to make inquiry with the Department within 14 days after obtaining such knowledge may stop the person from obtaining an administrative proceeding on the agency action.

(6)(a) "Receipt of notice of agency action" means receipt of written notice of final agency action, as prescribed by Department rule, or the publication, pursuant to Department rule, of notice of final agency action, whichever first occurs.

(b) "Receipt of notice of proposed agency action" means receipt of written notice (such as a letter of intent) that the Department proposes to take certain action, or the publication pursuant to Department rule of notice of proposed agency action, whichever first occurs.

(7) Notwithstanding any other provision in this Chapter, should a substantially affected person who fails to timely request a hearing under Section 120.57, F.S., administratively appeal the final Department action or order, the record on appeal shall be limited to:

(a) the application and accompanying documentation submitted by the applicant prior to the issuance of the agency's intent to issue or deny the requested permit.

(b) the materials and information relied upon by the agency in determining the final agency action or order;

(c) any notices issued or published; and

(d) the final agency action or order entered concerning the permit application.

(8) In such cases where persons do not timely exercise their rights accorded by Section 120.57(1), Florida Statutes, the allegations of fact contained in or incorporated by the final agency action shall be deemed uncontested and true, and appellants may not dispute the truth of such allegations upon subsequent appeal.

(9) Any applicant may challenge the Department's request for additional information by filing with the Office of General Counsel an appropriate petition for administrative proceeding pursuant to Section 120.60, F.S., following receipt by the applicant of the Department's notification pursuant to Section 403.0876, F.S., that additional information is required.

Specific Authority: 120.53, 403.0876, 403.815, F.S.
Law Implemented: 120.53, F.S.
History: New 9-20-79; Amended 4-28-81; Transferred from 17-1.62 and Amended 6-1-84; Amended 10-19-88, Formerly 17-103.155.

Department of Environmental Protection

Jeb Bush
Governor

Southwest District
3804 Coconut Palm Drive
Tampa, Florida 33619

David B. Struhs
Secretary

PERMITTEE:
Global Tire Recycling
Of Sumter County, Inc.
C/o Mr. Brian Fifer
1201 Industrial Road
Wildwood, Florida 34785

September 24, 1999

Re: Modification #136808-002 to existing Permit
Permit No.: 136808-001-WT, Sumter County
Global Tire Recycling

Dear Mr. Fifer:

Your existing operation permit No. 136808-001-WT is hereby modified as follows:

SPECIFIC CONDITIONS	FROM	TO	TYPE OF MODIFICATION
#2., and #8.	Existing	Amended	Revised Site Plan

General Information: Revisions include a new site plan for storage area locations - Plan A, and new contact persons in case of emergency.

This letter and its attachments constitute a complete permit and replace all previous permits and permit modifications for the above referenced facility.

Sincerely

Richard D. Garrity, Ph.D.
Director of District Management
Southwest District

RDG/kbfb
Attachments

Department of Environmental Protection

Jeb Bush
Governor

Southwest District
3804 Coconut Palm Drive
Tampa, Florida 33619

David B. Struhs
Secretary

PERMITTEE
Global Tire Recycling
of Sumter County, Inc.
c/o Mr. Brian Fifer
1201 Industrial Road
Wildwood, FL 34785

PERMIT/CERTIFICATION
GMS ID No.: 4060P36808
Permit No.: 136808-001-WT
Date of Issue: **07/28/1998**
Expiration Date: **07/15/2003**
County: Sumter
Lat/Long: 28°53'45"N
82°03'30"W
Sec/Town/Rge: 7/19S/23E
Project: Global Tire Recycling
Waste Tire Facility

This permit is issued under the provisions of Chapter 403, Florida Statutes, and Florida Administrative Code Rule(s) 62-4 and 62-711. The above named permittee is hereby authorized to perform the work or operate the facility shown on the application and approved drawing(s), plans, and other documents, attached hereto or on file with the Department and made a part hereof and specifically described as follows:

To construct and operate a waste tire processing facility (approximately 10 acres), referred to as the Global Tire Recycling Waste Tire Facility, subject to the specific conditions attached, for storing and processing waste tires, located at 1201 Industrial Road, 2 miles east of I-75 and north of S.R. 44, in Wildwood, Sumter County, Florida. The specific conditions attached are for the construction and operation of:

1. Waste Tire Processing Facility

Replaces Permit No.: N/A, new facility.

This permit contains compliance items summarized in Attachment 1 that shall be complied with and submitted to the Department by the dates noted. If the compliance dates are not met and submittals are not received by the Department on the dates noted, enforcement action may be initiated to assure compliance with the conditions of this permit.

GENERAL CONDITIONS

1. The terms, conditions, requirements, limitations and restrictions set forth in this permit, are "permit conditions" and are binding and enforceable pursuant to Sections 403.141, 403.161, 403.727, or 403.859 through 403.861, Florida Statutes. The permittee is placed on notice that the Department will review this permit periodically and may initiate enforcement action for any violation of these conditions.

2. This permit is valid only for the specific processes and operations applied for and indicated in the approved drawings or exhibits. Any unauthorized deviation from the approved drawings, exhibits, specifications, or conditions of this permit may constitute grounds for revocation and enforcement action by the Department.

3. As provided in subsections 403.087(6) and 403.722(5), F.S., the issuance of this permit does not convey any vested rights or any exclusive privileges. Neither does it authorize any injury to public or private property or any invasion of personal rights, nor any infringement of federal, State, or local laws or regulations. This permit is not a waiver of or approval of any other Department permit that may be required for other aspects of the total project which are not addressed in this permit.

4. This permit conveys no title to land or water, does not constitute State recognition or acknowledgment of title, and does not constitute authority for the use of submerged lands unless herein provided and the necessary title or leasehold interests have been obtained from the State. Only the Trustees of the Internal Improvement Trust Fund may express State opinion as to title.

5. This permit does not relieve the permittee from liability for harm or injury to human health or welfare, animal, or plant life, or property caused by the construction or operation of this permitted source, or from penalties therefore; nor does it allow the permittee to cause pollution in contravention of Florida Statutes and Department rules, unless specifically authorized by an order from the Department.

6. The permittee shall properly operate and maintain the facility and systems of treatment and control (and related appurtenances) that are installed and used by the permittee to achieve compliance with the conditions of this permit, are required by Department rules. This provision includes the operation of backup or auxiliary facilities or similar systems when necessary to achieve compliance with the conditions of the permit and when required by Department rules.

GENERAL CONDITIONS:

7. The permittee, by accepting this permit, specifically agrees to allow authorized Department personnel, upon presentation of credentials or other documents as may be required by law and at reasonable times, access to the premises where the permitted activity is located or conducted to:

(a) Have access to and copy any records that must be kept under conditions of the permit;

(b) Inspect the facility, equipment, practices, or operations regulated or required under this permit; and

(c) Sample or monitor any substances or parameters at any location reasonably necessary to assure compliance with this permit or Department rules.

Reasonable time may depend on the nature of the concern being investigated.

8. If, for any reason, the permittee does not comply with or will be unable to comply with any condition or limitation specified in this permit, the permittee shall immediately provide the Department with the following information:

(a) A description of and cause of noncompliance; and

(b) The period of noncompliance, including dates and times; or, if not corrected, the anticipated time the noncompliance is expected to continue, and steps being taken to reduce, eliminate, and prevent recurrence of the noncompliance.

The permittee shall be responsible for any and all damages which may result and may be subject to enforcement action by the Department for penalties or for revocation of this permit.

9. In accepting this permit, the permittee understands and agrees that all records, notes, monitoring data and other information relating to the construction or operation of this permitted source which are submitted to the Department may be used by the Department as evidence in any enforcement case involving the permitted source arising under the Florida Statutes or Department rules, except where such use is prescribed by Sections 403.111 and 403.73, F.S. Such evidence shall only be used to the extent it is consistent with the Florida Rules of Civil Procedure and appropriate evidentiary rules.

10. The permittee agrees to comply with changes in Department rules and Florida Statues after a reasonable time for compliance; provided, however, the permittee does not waive any other rights granted by Florida Statutes or Department rules.

GENERAL CONDITIONS:

11. This permit is transferable only upon Department approval in accordance with Rule 62-4.120 and 62-730.300, Florida Administrative Code, as applicable. The permittee shall be liable for any non-compliance of the permitted activity until the transfer is approved by the Department.

12. This permit or a copy thereof shall be kept at the work site of the permitted activity.

13. This permit also constitutes:

( ) Determination of Best Available Control Technology BACT)

( ) Determination of Prevention of Significant Deterioration (PSD)

( ) Certification of compliance with State Water Quality Standards (Section 401, PL 92-500)

( ) Compliance with New Source Performance Standards

14. The permittee shall comply with the following:

(a) Upon request, the permittee shall furnish all records and plans required under Department rules. During enforcement actions, the retention period for all records will be extended automatically unless otherwise stipulated by the Department.

(b) The permittee shall hold at the facility or other location designated by this permit records of all monitoring information (including all calibration and maintenance records and all original strip chart recordings for continuous monitoring instrumentation) required by the permit, copies of all reports required by this permit, and records of all data used to complete the application for this permit. These materials shall be retained at least three years from the date of the sample, measurement, report, or application unless otherwise specified by Department rule.

GENERAL CONDITIONS:

(c) Records of monitoring information shall include:
1. the date, exact place, and time of sampling or measurements;
2. the person responsible for performing the sampling or measurements;
3. the dates analyses were performed;
4. the person responsible for performing the analyses;
5. the analytical techniques or methods used;
6. the results of such analyses.

15. When requested by the Department, the permittee shall within a reasonable time furnish any information required by law which is needed to determine compliance with the permit. If the permittee becomes aware that relevant facts were not submitted or were incorrect in the permit application or in any report to the Department, such facts or information shall be corrected promptly.

16. In the case of an underground injection control permit, the following permit conditions also shall apply:

(a) All reports or information required by the Department shall be certified as being true, accurate and complete.

(b) Reports of compliance or noncompliance with, or any progress reports on, requirements contained in any compliance schedule of this permit shall be submitted no later than 14 days following each schedule date.

(c) Notification of any noncompliance which may endanger health or the environment shall be reported verbally to the Department within 24 hours and again within 72 hours, and a final written report provided within two weeks.

1. The verbal reports shall contain any monitoring or other information which indicate that any contaminant may endanger an underground source of drinking water and any noncompliance with a permit condition or malfunction of the injection system which may cause fluid migration into or between underground sources of drinking water.

2. The written submission shall contain a description of and a discussion of the cause of the noncompliance and, if it has not been corrected, the anticipated time the noncompliance is expected to continue, the steps being taken to reduce, eliminate, and prevent recurrence of the noncompliance, and all information required by Rule 62-28.230(4)(b), F.A.C.

(d) The Department shall be notified at least 180 days before conversion or abandonment of an injection well, unless abandonment within a lesser period of time is necessary to protect waters of the State.

GENERAL CONDITIONS:

17. The following conditions also shall apply to a hazardous waste facility permit.

(a) The following reports shall be submitted to the Department:

1. Manifest discrepancy report. If a significant discrepancy in a manifest is discovered, the permittee shall attempt to rectify the discrepancy. If not resolved within 15 days after the waste is received, the permittee shall immediately submit a letter report, including a copy of the manifest, to the Department.

2. Unmanifested waste report. The permittee shall submit an unmanifested waste report to the Department within 15 days of receipt of unmanifested waste.

3. Biennial report. A biennial report covering facility activities during the previous calendar year shall be submitted by March 1 of each even numbered year pursuant to Chapter 62-730, F.A.C.

(b) Notification of any noncompliance which may endanger health or the environment, including the release of any hazardous waste that may endanger public drinking water supplies or the occurrence of a fire or explosion from the facility which could threaten the environment or human health outside the facility, shall be reported verbally to the Department within 24 hours, and a written report shall be provided within 5 days. The verbal report shall include the name, address, I.D. number, and telephone number of the facility, its owner or operator, the name and quantity of materials involved, the extent of any injuries, an assessment of actual or potential hazards, and the estimated quantity and disposition of recovered material. The written submission shall contain:

1. A description and cause of the noncompliance.

2. If not corrected, the expected time of correction, and the steps being taken to reduce, eliminate, and prevent recurrence of the noncompliance.

(c) Reports of compliance or noncompliance with, or any progress reports on, requirements in any compliance schedule shall be submitted no later than 14 days after each schedule date.

(d) All reports or information required by the Department by a hazardous waste permittee shall be signed by a person authorized to sign a permit application.

SPECIFIC CONDITIONS:

1. **Classification.** This site shall be classified as a waste tire processing facility and shall be constructed, operated and closed in accordance with all applicable requirements of Chapters 62-4 and 62-711, Florida Administrative Code (F.A.C.).

2. **Permit Application Documentation.** This permit is valid for construction and operation of the waste tire processing facility in accordance with the reports, plans and other information as follows:

- February 1998 Application and supporting information by Global received February 13, 1998;
- Response by Global and supporting information dated April 17, 1998 received April 20, 1998;
- Response by Global received June 3, 1998;
- Revised Site Plan (with storage locations and quantities - Plan B) revised June 30, 1998 and revised Maintenance and Operation Instructions revised June 30, 1998, received July 1, 1998;
- Revised Site Plan (with storage locations and quantities - Plan A) revised August 30, 1999 and revised Emergency Preparedness Manual revised August 27, 1999, received September 13, 1999;
- and in accordance with all applicable requirements of Department rules. Items required for compliance with this permit, including but not limited to receipt and approval of Certification of Construction Completion with record drawings, and proof of financial assurance, shall be provided prior to acceptance of waste tires or operation unless otherwise approved in writing by the Department.

Amended 09/24/1999

3. **Certification of Construction Completeness.** Within **sixty (60) days** after the specified construction has been completed, **and prior to** acceptance of waste tires or operation, the following activities shall be completed:

a. The owner or operator shall submit a Certification of Construction Completion, Form 62-701.900(2), signed and sealed by the professional engineer in charge of construction to the Department for approval, and shall arrange for Department representatives to inspect the construction in the company of the permittee, the engineer, and the facility operator.

b. The owner or operator shall submit Record Drawings showing all changes (i.e. additions, deletions, revisions to the plans previously approved by the Department).

SPECIFIC CONDITIONS:

c. The owner or operator shall submit a narrative indicating all changes in plans and the cause of the deviations and certification by the design engineer to the Department.

4. **Permit Modifications.** Any construction or operation activities not previously approved as part of this permit shall require a separate Department permit unless the Department determines a permit modification to be more appropriate. Permits shall be modified in accordance with the requirements of 62-4.080, F.A.C. A modification which is reasonably expected to lead to substantially different environmental impacts which require a detailed review by the Department is considered a substantial modification.

5. **Permit Renewal.** No later than **one hundred eighty (180) days** before the expiration of the Department permit, the permittee shall apply for a renewal of a permit on forms and in a manner prescribed by the Department, in order to assure conformance with all applicable Department rules. Permits shall be renewed at least every five years as required by F.A.C. 62-4.070(4).

6. **Prohibitions.** The prohibitions of F.A.C. Rule 62-711.400 shall not be violated.

7. **Financial Assurance.** The permittee shall provide financial assurance for the facility in accordance with F.A.C. 62-711.500(3).

a. All costs for closure shall be adjusted and submitted **annually, by March 1st each year** to: Solid Waste Manager, Solid Waste Section, Department of Environmental Protection, 3804 Coconut Palm Drive, Tampa, Florida 33619-8318.

b. Proof that the financial mechanism has been adequately funded shall be submitted **annually, by September 1st each year,** to: Financial Coordinator, Solid Waste Section, Department of Environmental Protection, 2600 Blair Stone Road, Tallahassee, Florida 32399-2400.

8. **Processing and Storage Requirements.** All waste tires shall be processed and stored in accordance with F.A.C. 62-711.530 and 62-711.540, and the revised Site Plans with storage area locations (Plan A and Plan B, attached).

- Storage at the processing facility is limited to **either** 1620 tons of waste tires (including other miscellaneous wastes) for Plan A, **or** 1821 tons of waste tires (including other miscellaneous wastes) for Plan B, and shall comply with the requirements of FAC Rule 62-711.530. **Either Plan A only or Plan B only will be required for compliance, no mixing and matching, and each plan requiring written approval of related cost estimates and proof of financial assurance prior to implementation.**

SPECIFIC CONDITIONS:

- If the facility has reached its permitted storage capacity for any area, the permittee shall not accept additional waste tires until sufficient capacity has been restored.

- All incoming wastes tires shall be handled on a first-in, first-out basis. In the event of equipment breakdown or scheduled maintenance, the permittee shall ensure that sufficient reserve equipment is operating at the site **within 72 hours** of occurrence or the facility shut down.

- At least 75 percent of the whole tires, used tires, and processed tires that are delivered to or are contained on the site of the waste tire processing facility at the beginning of each calendar year shall be processed or removed for disposal or recycling from the facility during the year, or disposed of at a permitted solid waste management facility.

Amended 09/24/1999 .

9. **Operation Plan and Operating Record.** A copy of the Department approved permit, operational plan, construction reports and record drawings, and supporting information shall be kept at the facility at all times for reference and inspections.

10. **Operating Personnel.** A trained supervisor or foreman shall be responsible for maintaining the facility in an orderly, safe, and sanitary manner. Sufficient personnel shall be employed to adequately operate the facility.

11. **Reporting Requirements.** Waste Tire Processing Facility Quarterly Report, Form #62-711.900(4) attached summarizing facility operations shall be submitted **quarterly** to the Department by January 20th, April 20th, July 20th, and October 20th, pursuant to FAC Rule 62-711.530(5).

12. **Fire Safety Survey.** A fire safety survey shall be conducted at least annually and the survey report shall be made available to the Department upon request.

13. **Stormwater System Management.** Stormwater shall be managed as required by F.A.C. 62-711.540(3)(a). The site shall be managed to divert stormwater around and away from the storage piles.

14. **Emergency Preparedness Manual.** A copy of the facility's emergency preparedness manual shall be kept at the site and a copy shall be kept at an off-site location.

15. **Control of Nuisance Conditions.** The owner or operator shall control mosquitoes and rodents as so to protect the public health and welfare. The operating authority shall be responsible for the control of odors and fugitive particulates arising from this operation. Such control shall minimize the creation of nuisance conditions on adjoining property. Complaints received from the general public, and confirmed by Department personnel upon site inspection, shall constitute a nuisance condition, and the permittee must take immediate corrective action to abate the nuisance.

SPECIFIC CONDITIONS:

16. **Facility Maintenance and Repair.** The site shall be properly maintained including all equipment and building maintenance, minimized grass, underbrush and other flammable vegetation, prevention of ponding, and maintenance of berms and other systems designed to protect water bodies from liquid runoff from a potential waste tire fire. In the event of damage to any portion of the waste tire site, fire, or failure of any portion of the waste tire processing or storage systems, the permittee shall immediately **(within 24 hours)** notify the Department of Environmental Protection explaining such occurrence and remedial measures to be taken and time needed for repairs. Written detailed notification shall be submitted to the Department **within seven (7) days** following the occurrence.

17. **Professional Certification.** Where required by Chapter 471 (P.E.) or Chapter 492 (P.G.), Florida Statutes, applicable portions of permit applications and supporting documents which are submitted to the Department for public record shall be signed and sealed by the professional(s) who prepared or approved them.

18. **Closure.** The facility shall be closed in accordance with the requirements of FAC Rule 62-711.700. The waste tire processing facility owner or operator shall notify the Department at least **ninety (90) days prior** to the date when tires will no longer be accepted for storage or processing, as required by F.A.C. 62-711.700(2).

19. **General Conditions.** The permittee shall be aware of and operate under the "General Conditions". General Conditions are binding upon the permittee and enforceable pursuant to Chapter 403, Florida Statutes.

20. **Permit Acceptance.** By acceptance of this Permit, the permittee certifies that he/she has read and understands the obligations imposed by the Specific and General Conditions contained herein and also including date of permit expiration and renewal deadlines. It is a violation of this permit for failure to comply with all conditions and deadlines.

ATTACHMENT 1

SPECIFIC CONDITION	SUBMITTAL DUE DATE	REQUIRED ITEM
3.	Prior to operation	Certification and record drawings
5.	180 days prior to permit expiration	Permit renewal application
7.	Annually, by September 1st	Financial assurance
11.	Quarterly, by January 20th, April 20th, July 20th, October 20th	Operational reports

Department of Environmental Protection

DEP Form # 62-701.900(21)
Waste Tire Processing Facility
Form Title Quarterly Report
Effective Date 12/23/96
DEP Application No. _____
(Filled in by DEP)

Waste Tire Processing Facility Quarterly Report

Pursuant to Rule 62-711.530, Florida Administrative Code, the owner or operator of a waste tire processing facility shall submit the following information to the Department quarterly.

Quarter covered by this report: _____ (First quarter begins on January 1 of any given year)

1. Facility name: _____

2. Facility mailing address: _____

   City: _____ County: _____ Zip: _____

3. Facility permit number: _____

4. Facility telephone number: ( ) _____

5. Authorized person preparing report: _____

6. Affiliation with facility: _____

7. Telephone number (if different from above): ( ) _____

8. Activity: Report in tons.

	Beginning Inventory	Received	Processed	Consumed	Removed	Adjustments	Ending Inventory
Used Tires							
Other whole tires							
Processed tires							
Processing Waste							
Other							
Total							

a. Explain all inventory adjustments. _____

b. List any period in which one or more category of inventory exceeded the permitted maximum for that category. How was that condition relieved? _____

For any excess inventory at the end of the quarter, state how and when this condition will be relieved. Attach additional sheets, if necessary. _____

9. Certification:

To the best of my knowledge and belief, I certify the information provided in this report is true, accurate and complete.

Name of Authorized Agent	Signature of Authorized Agent	Date

Mail complete form to
the appropriate district office

Northwest District	Northeast District	Central District	Southwest District	South District	Southeast District
160 Governmental Center	7825 Baymeadows Way, Ste. B200	3319 Maguire Blvd., Ste. 232	3804 Coconut Palm Dr.	2295 Victoria Ave., Ste. 364	400 North Congress Ave.
Pensacola, FL 32501-5794	Jacksonville, FL 32256-7590	Orlando, FL 32803-3767	Tampa, FL 33619	Fort Myers, FL 33901-3881	West Palm Beach, FL 33401
904-444-8360	904-448-4300	407-894-7555	813-744-6100	941-332-6975	561-681-6600

Best Available Copy







TOP ELEV. 56.8
E. & W. INV. 52.43
OUTLET INV. 52.38
TOP OF SKIMMER 55.38
BOTTOM OF STRUCTURE 51.38

STORAGE VOLUME AND WEIGHT

Ⓐ TRAILER STORAGE
1,700 TIRES/TRAILER X 12 TRAILERS
@ 20#/TIRES = 204 TONS

Ⓑ CHIP STORAGE
50 X 80 X 7 = 28,000 C.F.
28,000 C.F. @ 20#/C.F. = 280 TONS

Ⓒ CULLED TIRES
50 X 20 X 10 = 10,000 C.F. = 370 C.Y.
370 C.Y. @ 10 TIRES/C.Y. = 3,700 TIRES
3,700 TIRES @ 20#/TIRES = 37 TONS

Ⓓ GRANULAR RUBBER BINS
9 X 8 X 9 = 648 C.F. BIN
3 BINS @ 648 C.F./BIN = 1,944 C.F.
1,944 C.F. = 72 C.Y.
72 C.Y. @ 27#/C.F. = 25 TONS

Ⓔ TIRE PILE
20 X 50 X 15 =150,000 C.F.
2 RECT. PRISMS 2[1/2 (15 X 15 X 50)] = 11,250 C.F.
25,250 C.F.
25,250 C.F. = 972.2 C.Y.
972.2 C.Y. @ 10 TIRES/C.Y. = 9,722 TIRES
9,722 TIRES @ 20#/TIRE = 97 TONS

Ⓕ TIRE LOADING HOPPERS
1,000 TIRES @ 20#/TIRE = 10 TONS

Ⓖ BAGGED CRUMB RUBBER
50# BAGS
6 RACKS – 12 PALLETS LONG – 2 PALLETS WIDE
5 PALLETS HIGH = 720 PALLETS
720 PALLETS OF 40 – 50# BAGS = 720 TONS

Ⓗ BAGGED CRUMB RUBBER
1 TON BAGS
3 RACKS – 7 PALLETS LONG – 2 PALLETS WIDE
5 PALLETS HIGH = 210 PALLETS
210 PALLETS @ 1 TON/PALLET = 210 TONS

Ⓘ 6 BIN CRUMB RUBBER HOPPER
6 BINS @ 22 TONS EACH = 132 TONS

Ⓙ FIBER DUMPSTERS
2 DUMPSTERS @ 30 C.Y. EACH = 60 C.Y.
60 C.Y. @ 667#/C.Y. = 20 TONS

Ⓚ TREAD STEEL DUMPSTERS
2 DUMPSTERS @ 30 C.Y. EACH = 60 C.Y.
60 C.Y. @ 1,000#/C.Y. = 30 TONS

Ⓛ WIRE DUMPSTERS
2 DUMPSTERS @ 30 C.Y./EACH = 60 C.Y.
60 C.Y. @ 667#/C.Y. = 20 TONS

Ⓜ RIM DUMPSTERS
2 DUMPSTERS @ 30 C.Y./EACH = 60 C.Y.
60 C.Y. @ 333#/C.Y. = 10 TONS

Ⓝ TUBE DUMPSTERS
2 DUMPSTERS @ 30 C.Y./EACH = 60 C.Y.
60 C.Y. @ 333#/C.Y. = 10 TONS

Ⓞ RESIDUAL DUMPSTER
1 C.Y. @ 657#/C.Y. = 10 TONS

Ⓟ OFFICE DUMPSTER
1 C.Y. @ 333#/C.Y. = 5 TONS

Ⓠ SECURITY GATES
(2) GATES

LEGEND
- SWI STORM WATER GRATE INLET
- Ⓐ STORAGE PILE (SEE TABLE)
- C.L.F. CHAINLINK FENCE
- Ⓠ SECURITY GATES

ROBERT L. ROGERS DATE
PROFESSIONAL ENGINEER
FLORIDA REGISTRATION NO. 10027

A SITE PLAN
FOR
GLOBAL TIRE RECYCLING OF SUMTER COUNTY, INC.
STORAGE AREA LOCATIONS – PLAN II

ROBERT L. ROGERS ENGINEERING CO. INC.
1105 S.E. 3rd Ave. OCALA, FLORIDA 34471 (352) 622-9214

REVISION	DATE	SCALE	DATE	SHEET
-	-	1" = 50'	4-01-98	1 OF 1

Best Available Copy




INTERNAL ROAD
INTERNAL ROAD
INDUSTRIAL DRIVE (ACCESS ROAD)
INDUSTRIAL DRIVE (ACCESS ROAD)
R/W
C/L
R/W
EXISTING LAND TO REMAIN
EXISTING LAND TO REMAIN
LIMITS OF DRAINAGE EASEMENT
DRAINAGE EASEMENT (COUNTY R.O.A.)
PROPOSED R.O.A.
4:1 SLOPE
4:1 SLOPE
4:1 SEED & SOD
4:1 SEED & SOD
SANITARY SEWER MANHOLE
POLE #538804
POLE #538805
POLE #538806
STORM SEWER MANHOLE
SANITARY SEWER MANHOLE
SANITARY SEWER MANHOLE
SANITARY SEWER MANHOLE
EAST FIRE HYDRANT
POLLUTION CONTROL INLET (SEE DETAIL)
SHIPPING VIA TRAINERS
WELDING SHOP
OFFICE DUMPSTER
RESIDUAL DUMPSTER
TRUCK SHOP
TIRE LOADING HOPPERS
TRACTOR-TRAILER DUMPER & HOPPER (SEE SCHMITT PLANS)
TIRE STORAGE TRAILER
FIRE LANE
FIRE LANE
SCALE
DRIVE
DUMPSTERS AND MOTOR PARKING
SHIPPING
RECEIVING
SHIPPING
SHIPPING
SHIPP

Florida Department of

Memorandum

Environmental Protection

PERMIT COVER MEMO

TO: _X_ RICK GARRITY, **Director of District Management**

FROM/THROUGH:

William Kutash , **ENVIRONMENTAL ADMINISTRATOR**
Bob Butera 10 9/22/99 **SUPERVISOR**
Kim Ford for gtacher **ENGINEER**

DATE:

MOD. #: 136808-002
FILE NAME: Global Tire Recycling **PERMIT #:** 136808-001-WT
PROGRAM : Solid Waste **COUNTY :** Sumter

TYPE OF PERMIT ACTION: ___**ISSUE** ___**DENY** _X_**MODIFY**
___**TRANSFER OWNER** ___**NOD**
___**PUBLIC NOTICE** __**INTENT TO ISSUE**

PUBLIC NOTICE PERIOD CLOSED? N/A **PETITION FILED?** N/A

PERMIT SUMMARY: This modification is to allow revised storage area locations.

PROFESSIONAL RECOMMENDATION: __X__**APPROVE** _____**DENY**

EVALUATION SUMMARY: The request for a permit modification was received on July 29, 1999. One deficiency letter was sent, and the response received on September 13, 1999.

This application was deemed complete on **September 13, 1999.**

Day 90/30 for this Action is December 10, 1999.

CERTIFICATION

Application No. Global Tire Recycling Modification #136808-002

I HEREBY CERTIFY that the engineering features described in the above referenced application (provide / ~~do not provide~~) reasonable assurance of compliance with applicable provisions of Chapter 403, Florida Statutes, and Florida Administrative Code Title ~~17~~ 62. However, I have not evaluated and I do not certify aspects of the proposal outside of my area of expertise (including but not limited to the electrical, mechanical and structural features).

(Signed)

(Date) 9/22/99

(Seal)

Robert L. Rogers Engineering Co., Inc.

CONSULTING SERVICES

Planning, Engineering, Surveying

1105 S.E. 3rd AVENUE
OCALA, FLORIDA 34471
(352) 622-9214 ▪ FAX (352) 622-2894

Robert L. Rogers, P.E., P.S.M. *Rodney K. Rogers, P.S.M.*

September 16, 1999

Mr. Kim B. Ford
Florida Department of Environmental Protection
Solid Waste Section
3804 Coconut Palm Drive
Tampa, FL 33619

Re: Global Tire Recycling Plant
Permit No. 136808-001-WT
Sumter County, Florida

Dear Mr. Ford:

As requested, attached are two (2) 11" x 17" sized prints of "Plan A - Storage Area Locations" revised 8-30-99.

If you have any questions or comments, please feel free to call me.

Sincerely,

Robert L. Rogers, P.E. P.S.M.
For the Company

RLR/lmr

Attachments

cc: Mr. Brian Fife w/enclosure

D.E.P.
SEP 20 1999
Southwest District Tampa



STORAGE VOLUME AND WEIGHT

Ⓐ TRAILER STORAGE
1,700 TIRES/TRAILER X 1 TRAILER
@ 20#/TIRES = 17 TONS

Ⓑ1 CHIP STORAGE
112.5 X 50 X 7 = 39,375 C.F.
@ 20#/C.F. = 394 TONS

Ⓑ2 CHIP STORAGE
80 X 50 X 7 = 28,000 C.F.
@ 20#/C.F. = 280 TONS

Ⓒ OUTDOOR TIRE PILES
100 X 20 X 5 = 10,000 C.F. = 370 C.Y.
370 C.Y. @ 10 TIRES/C.Y. = 3700 TIRES
3700 TIRES @ 20#/TIRES = 37 TONS

Ⓓ GRANULAR RUBBER BINS
9 X 8 X 9 = 648 C.F. BIN
3 BINS @ 648 C.F./BIN = 1,944 C.F.
1,944 C.F. @ 27#/C.F. = 26TONS

Ⓔ1 CULLED TIRES
50 X 50 X 5 = 5,000 C.F. = 185 C.Y.
@ 10 TIRES/C.Y. = 1,850 TIRES @ 20#/TIRE = 18 TONS

Ⓔ2 OTR AND LARGE TRUCK TIRE PILE
50 X 20 X 5 = 5,000 C.F. = 185 C.Y.
@ 2 TIRES/C.Y. = 370 TIRES @ 97#/TIRE = 18 TONS

Ⓕ TIRE LOADING HOPPERS
1,000 TIRES @ 20#/TIRE = 10 TONS

Ⓖ BAGGED CRUMB RUBBER
50# BAGS ON 1 TON PALLET
MAX. OF 266 PALLETS (STORAGE RACK CAPACITY)
@ 1 TON/PALLET = 266 TONS

Ⓗ1&2 TWO ENCLOSED STORAGE AREA FOR MESH SIZED RUBBER
TWO 50 X 25 X 6 = 15,000 C.F.
@ 27#/C.F. = 202 TONS

Ⓘ 6 BIN CRUMB RUBBER HOPPER
6 BINS @ 18 TONS EACH = 108 TONS

Ⓙ FIBER DUMPSTERS
3 DUMPSTERS @ 30 C.Y. EACH = 90 C.Y.
90 C.Y. @ 667#/C.Y. = 30 TONS

Ⓚ TREAD STEEL DUMPSTERS
5 DUMPSTERS @ 30 C.Y. EACH = 150 C.Y.
150 C.Y. @ 1,000#/C.Y. = 75 TONS

Ⓛ WIRE DUMPSTERS
2 DUMPSTERS @ 30 C.Y./EACH = 60 C.Y.
60 C.Y. @ 667#/C.Y. = 20 TONS

Ⓜ RIM DUMPSTERS
1 DUMPSTER @ 30 C.Y./EACH = 30 C.Y.
30 C.Y. @ 333#/C.Y. = 5 TONS

Ⓝ TUBE DUMPSTERS
1 DUMPSTER @ 30 C.Y./EACH = 30 C.Y.
30 C.Y. @ 333#/C.Y. = 5 TONS

Ⓞ RESIDUAL DUMPSTER
1 C.Y. @ 667#/C.Y. = 10 TONS

Ⓟ OFFICE DUMPSTER
1 C.Y. @ 333#/C.Y. = 5 TONS

Ⓠ SECURITY GATES
(2) GATES

Ⓡ GRANULAR STORAGE PILES

Ⓡ1 20 X 50 X 5 = 5,000 C.F. @ 32#/C.F. = 80 TONS

Ⓡ2 25 X 35 X 5 = 4,375 C.F. @ 32#/C.F. = 70 TONS

Ⓡ3 20 X 50 X 5 = 5,000 C.F. @ 32#/C.F. = 80 TONS


INTERNAL ROAD
INTERNAL ROAD
INDUSTRIAL DRIVE (ACCESS ROAD)
INDUSTRIAL DRIVE (ACCESS ROAD)
R/W
C/L
R/W
SANITARY SEWER MANHOLE
PROPOSED POWER POLE
POLE #536804
POLE #536803
POLE #496384
SAN. LIFT STATION
TOP 60.18
INV. OF PIPES 51.78
INV. OF WELL 46.84
WELDING SHOP
ROTATIONAL DUMPSTER
OFFICE DUMPSTER
POLLUTION CONTROL INLET (SEE DETAIL)
SHIPPING VIA TANKER
EXIST. FIRE HYDRANT
STORM SEWER MANHOLE
EXISTING LAWN TO REMAIN
EXISTING LAWN TO REMAIN
LIMITS OF DRAINAGE EASEMENT
CONC. HDWL. INV. 52.00
PROPOSED SLOPE ELEV. 52.2
DRAINAGE EASEMENT (COUNTY R/W/L)
4:1 SODDED S/S
4:1 SODDED S/S
4:1 SODDED S/S
1.5% SLOPE
EXPLOSIVE AND ROTOR STORAGE
TRUCK WASH
FIRE LANE
FIRE LANE
50' FIRE LANE
4 - 20' DUMPSTERS
1 - 10'x 60' TIRE STORAGE TRAILER
TRACTOR-TRAILER PARKING & UNLOADING AREA
TIRE LOADING HOPPERS
SMALL HOPPER
DOWNSPOUT SYSTEM
FIRE UNLOADING
MACHINE SHOP AND SPARE PARTS (NO WELDING OR OPEN FLAMES)
OFFICE
MANUFACTURING
CULLED TIRES 80'x 30'x 8'
TWO 25'X30'X8' ENCLOSED STORAGE AREA FOR MESH SIZED RUBBER
GRANULAR RUBBER BINS 9'x 8'x 9'
BAGGED CRUMB RUBBER ON PALLETS OR SHELVING (10')
BAGGED CRUMB RUBBER SHIPPING
BAGGED CRUMB RUBBER HOPPER
20'X80'X35' GRANULAR STORAGE PILE
20'X80'X35' GRANULAR STORAGE PILE
20'X50'X5' GRANULAR STORAGE PILE
80'x 50'x 8' CHIP STORAGE
112.5'x 50'x 8' CHIP STORAGE
WORK BOOTH
WORK BOOTH
SHOP
DOCK
DOCK
DOCK

City of
Wildwood,
Florida

New City Hall Design

Area Code: 352
SUNCOM Prefix: 668
ZIP Code: 34785

CITY HALL
100 N Main Street
330-1338 Fax

ADMINISTRATION

CITY MANAGER
330-1330

CLERK/FINANCE/
PERSONNEL
330-1340

CODES/PERMITS/ZONING
330-1332

CUSTOMER SERVICE
(UTILITY ACCOUNTS)
330-1335

FIRE
227 Hall Street
330-1342

LIBRARY
702 Webster Street
748-1158

POLICE
100 E Huey Street
330-1355
330-1358 Fax

ANIMAL CONTROL-
WOOD WASTE
601 W Gulf-Atlantic Hwy
330-1345

REFUSE/STREETS
410 Grey Street
330-1343
330-1353 Fax

WASTEWATER
1290 Industrial Drive
330-1349
330-1350 Fax

WATER
801 E Huey Street
330-1346
330-1347 Fax

September 10, 1999

FLORIDA DEPARTMENT OF
ENVIRONMENTAL PROTECTION
SEP 13 1999
SOUTHWEST DISTRICT
TAMPA

Kim B. Ford, P.E.
Solid Waste Section
Division of Waste Management
Department of Environmental Protection
3804 Coconut Palm Drive
Tampa, FL 33619-8313

Re: Global Tire Recycling
1201 Industrial Drive, Wildwood, FL

Dear Mr. Ford:

Please be advised that the above-captioned location was inspected by myself on today's date.

In this regard, I find that the revised storage plan (two 25' x 50' x 6' enclosed indoor storage areas for mesh-sized crumb rubber with 8' aisles around them) contain no violations of code.

Sincerely,

E. Stephen Lane
Fire Safety Inspector
City of Wildwood

ESL:cj

xc: Global Tire Recycling

Global Tire Recycling

1201 Industrial Drive
Wildwood, FL 34785
Phone: (352) 330-2213
Fax: (352) 330-2214
Web Site: www.gtrcrumbrubber.com

September 9, 1999

Kim B. Ford, P.E.
Solid Waste Section
Division of Waste Management
Department of Environmental Protection
Southwest District
3804 Coconut Palm Drive
Tampa, FL 33619

Re: Permit No. 136808-001-WT
Pending Modification No.: 136808-002-WT, Sumter County

Dear Mr. Ford:

This is in response to your letter of August 26, 1999, in which you requested additional information on the above referenced Permit Modification application.

Enclosed are two revised Emergency Preparedness Manuals based on the officially approved version.

Also enclosed are two copies of the revised Plan A - Site Layout, which shows the location and dimensions of storage piles that now are in compliance with the requirements so noted by you.

Thank you for your assistance and suggestions in helping Global to meet all of the requirements in this Application.

Sincerely,

R. Brian Fifer

R. Brian Fifer
President & C.E.O.

D.E.P.
SEP 13 1999
Southwest District Tampa

Enclosures

cc: Robert Butera, P.E.



STORAGE VOLUME AND WEIGHT

- (A) TRAILER STORAGE — 1,700 TIRES/TRAILER X 1 TRAILER @ 20#/TIRES = 17 TONS
- (B)1 CHIP STORAGE — 112.5 X 50 X 7 = 39,375 C.F. @ 20#/C.F. = 394 TONS
- (B)2 CHIP STORAGE — 80 X 50 X 7 = 28,000 C.F. @ 20#/C.F. = 280 TONS
- (C) OUTDOOR TIRE PILES — 100 X 20 X 5 = 10,000 C.F. = 370 C.Y.; 370 C.Y. @ 10 TIRES/C.Y. = 3700 TIRES; 3700 TIRES @ 20#/TIRES = 37 TONS
- (D) GRANULAR RUBBER BINS — 9 X 8 X 9 = 648 C.F. BIN; 3 BINS @ 648 C.F./BIN = 1,944 C.F.; 1,944 C.F. @ 27#/C.F. = 26TONS
- (E)1 CULLED TIRES — 50 X 50 X 5 = 5,000 C.F. = 185 C.Y. @ 10 TIRES/C.Y. = 1,850 TIRES @ 20#/TIRE = 18 TONS
- (E)2 OTR AND LARGE TRUCK TIRE PILE — 50 X 20 X 5 = 5,000 C.F. = 185 C.Y. @ 2 TIRES/C.Y. = 370 TIRES @ 97#/TIRE = 18 TONS
- (F) TIRE LOADING HOPPERS — 1,000 TIRES @ 20#/TIRE = 10 TONS
- (G) BAGGED CRUMB RUBBER — 50# BAGS ON 1 TON PALLET; MAX. OF 266 PALLETS (STORAGE RACK CAPACITY) @ 1 TON/PALLET = 266 TONS
- (H)1&2 TWO ENCLOSED STORAGE AREA FOR MESH SIZED RUBBER — TWO 50 X 25 X 6 = 15,000 C.F. @ 27#/C.F. = 202 TONS
- (I) 6 BIN CRUMB RUBBER HOPPER — 6 BINS @ 18 TONS EACH = 108 TONS
- (J) FI[illegible] DUMPSTERS — 3 DUMPSTE[illegible] @ 30 C.Y. EACH = 90 C.Y.; 90 C.Y. @ 667#/C.Y. = 30 TONS
- (K) TREAD STEEL DUMPSTERS — 5 DUMPSTERS @ 30 C.Y. EACH = 150 C.Y.; 150 C.Y. @ 1,000#/C.Y. = 75 TONS
- (L) WIRE DUMPSTERS — 2 DUMPSTERS @ 30 C.Y./EACH = 60 C.Y.; 60 C.Y. @ 667#/C.Y. = 20 TONS
- (M) RIM DUMPSTERS — 1 DUMPSTER @ 30 C.Y./EACH = 30 C.Y.; 30 C.Y. @ 333#/C.Y. = 5 TONS
- (N) TUBE DUMPSTERS — 1 DUMPSTER @ 30 C.Y./EACH = 30 C.Y.; 30 C.Y. @ 333#/C.Y. = 5 TONS
- (O) RESIDUAL DUMPSTER — 1 C.Y. @ 667#/C.Y. = 10 TONS
- (P) OFFICE DUMPSTER — 1 C.Y. @ 333#/C.Y. = 5 TONS
- (Q) SECURITY GATES — (2) GATES
- (R) GRANULAR STORAGE PILES
  - (R)1 20 X 50 X 5 = 5,000 C.F. @ 32#/C.F. = 80 TONS
  - (R)2 25 X 35 X 5 = 4,375 C.F. @ 32#/C.F. = 70 TONS
  - (R)3 20 X 50 X 5 = 5,000 C.F. @ 32#/C.F. = 80 TONS





TOP ELEV. 56.8
E. & W. INV. 52.43
OUTLET INV. 52.38
TOP OF SKIMMER 55.38
BOTTOM OF STRUCTURE 51.38

LEGEND
- STORM WATER GRATE INLET
- (A) STORAGE PILE (SEE TABLE)
- C.L.F. CHAINLINK FENCE
- (Q) SECURITY GATES

ROBERT L. ROGERS
PROFESSIONAL ENGINEER
FLORIDA REGISTRATION NO. 19023
DATE

D.E.P.
SEP 13 1999
Southwest District Tampa

A SITE PLAN
FOR
GLOBAL TIRE RECYCLING OF SUMTER COUNTY, INC.
STORAGE AREA LOCATIONS - PLAN A

REVISION	DATE
REVISED AS PER GLOBAL COMMENTS OF 8-30-99	8-30-99
REVISED STORAGE VOLUME AND WEIGHT BASED ON INFORMATION PROVIDED BY GLOBAL TIRE	7-12-99
SHOW PLAN AS PLAN 'A' CHANGED VOLUMES TO COMPLY WITH LETTER OF 6-19-98.	6-30-98

ROBERT L. ROGERS ENGINEERING CO. INC.
1105 S.E. 3rd Ave. OCALA, FLORIDA 34471 (352) 622-9214

SCALE	DATE	SHEET
1" = 50'	4-01-98	1 OF 1

C:\DRAWINGS\GTR\GLOBAL\PERSP-A.DWG

GLOBAL TIRE RECYCLING EMERGENCY PREPAREDNESS MANUAL

D.E.P.
SEP 13 1999
Southwest District Tampa

Rev. 8/27/99

EMERGENCY PREPAREDNESS MANUAL

The emergency plan for the waste tire processing facility operated by Global Tire Recycling of Sumter County, Inc. addresses measures that should be taken in emergency situations that may occur during the operation of the facility. The Emergency Plan has been submitted to the Florida Department of Environmental Protection as part of Global's application to secure a waste tire processing facility permit.

The emergency plan describes the actions to be taken by plant personnel to minimize hazards to human health and the environment resulting from fire, explosion, spills, industrial accidents or other emergency conditions.

Coordination letters will be sent to the responsible officials of each of the emergency services listed herein. The letters will explain the facility and invite each contact person to visit in order to acquaint himself with the plant. A copy of the Emergency Preparedness Manual with all amendments will be available on site. Amendments to the emergency plan will be submitted to the Department whenever the facility changes its design or operation in a way that materially increases the potential for an emergency situation or changes the necessary emergency response, or whenever the emergency coordinators change.

Personnel and User Safety

Every attempt will be made to reduce the possibility of an emergency at the plant. Smoking will be prohibited at all times on the entire premises and all employees and visitors will be notified of the ban. No open flame will be permitted within 25 feet of a tire pile, rubber in process, product storage area, flammable residue such as fiber or other flammable material. Production personnel will be trained in the safe operation of all equipment and will be required to wear appropriate protective gear.

An emergency response training program will be established for personnel including:

- Identification of Emergency Coordinator
- Identification of duties and responsibilities of the Emergency Coordinators and other emergency response personnel
- Identification of communication systems
- Development of an evacuation plan
- Summary of first aid for selected medical emergencies
- Summary of available emergency services

Emergency Coordinators and Chain of Command

If an emergency situation occurs at the site, employees must contact the designated Emergency Coordinators. Emergency Coordinators assume responsibility in the order listed below:

PRIMARY EMERGENCY COORDINATOR

Bob Sumpter, V.P. Plant Operations	Work	(352) 330-2213
Global Tire Recycling of Sumter County, Inc.	Home	(352) 368-6860
1201 Industrial Drive Wildwood, FL 34785	Cellualar	(352) 812-3165

SECONDARY EMERGENCY COORDINATOR

Robert Bjork, V.P. Plant Controller	Work	(352) 330-2213
Global Tire Recycling of Sumter County, Inc.	Home	(352) 347-5116
1201 Industrial Drive Wildwood, FL 34785	Cellular	(352) 603-0111

A security guard will be on duty at the plant site during normal business hours. This person will respond to all alarms and emergency situations during business hours and will report any emergency or potential emergency situations to the designated emergency coordinators and to the proper emergency response agencies. After normal business hours, Global's security system monitoring company (Telemetrix Systems, Inc.) will respond to all alarms and will report any emergency or potential emergency situations to the designated emergency coordinators and to the proper emergency agencies.

In summary, all office, production and security personnel will be instructed that in an emergency situation they must first warn other personnel so that they may move away from the area of imminent danger to a safe area; second, immediately call 911, describing the nature of the emergency and the address and telephone number of the plant, and third, call the primary and then secondary emergency coordinator(s) if they are not already on site and are not aware of the situation.

Duties and Responsibilities of the Emergency Coordinator

Emergency Plan Implementation

The decision to implement the emergency plan at the facility will depend on whether a fire, explosion, or other emergency incident could potentially endanger public health and safety or the environment. The following information provides the Emergency Coordinator with criteria to assist in making this decision.

Fire and/or Explosion

- The fire spreads and could ignite other materials on site or at other locations on site or could cause heat-induced explosions.
- The fire could spread to off-site areas.
- Use of water and/or chemical fire suppressant could result in contaminated runoff.
- An imminent danger exists that an explosion could occur, causing a safety hazard.
- An imminent danger exists that an explosion could ignite other materials at the facility
- An explosion has occurred

Material Release or Spill

- The spill could result in release of flammable liquids or vapors, causing a fire or gas explosion hazard.
- The spill can be contained on-site, but the potential exists for groundwater contamination.
- The spill cannot be contained on-site, resulting in off-site soil contamination and/or ground or surface water pollution.

Emergency Response Procedures

Whenever there is any type of reported incident at the facility, the Emergency Coordinator must immediately notify facility personnel, identify and assess the source and extent of the emergency, and take action to control the situation.

Notification

In the event of an imminent or actual emergency occurrence, the first person on the scene should notify the Emergency Coordinator who will initiate a proper response to the situation. Notification of the Emergency Coordinator should be performed second only to notification of on-site personnel, site evacuation if necessary, and calling Emergency 911 depending on the emergency situation.

The Emergency Coordinator will alert all facility personnel through the internal communications system and aid in any necessary evacuation. Progression of notification will continue to local, State and Federal response agencies deemed appropriate by the Emergency Coordinator. A list of the Designated Emergency Coordinators is included in Appendix A-1. This list will be posted in a conspicuous location on site. A list of the Emergency Response Agencies and Contacts is included in Appendix A-2 and a copy will be posted in a conspicuous location on site. Personnel on site should contact those Emergency Response Agencies as soon as possible by calling 911. Do not wait to notify the Emergency Coordinator before calling 911 if the Emergency Coordinator is not on site. In case of an emergency situation, an assessment of

the potential hazard must be made. If the Emergency Coordinator determines that the facility has had a fire, explosion, spill or other incident that presents a possible hazard to public health and safety or to the environment, and initiates the Emergency Plan, contact with the Wildwood Fire and Police Departments must be made, informing them of situations where an evacuation of the surrounding area is necessary. The Florida Department of Environmental Protection must also be advised of all the pertinent facts regarding the incident through its emergency response contact at 1 (800) 320-0519.

When making a report the following information should be provided:

- Name and telephone number of person making the report
- Name, address and telephone number of the facility
- Type and time of incident occurrence
- Type and quantity of materials involved
- Extent of any injuries
- Possible hazards to public health and safety or the environment

Control Procedures

The nature of the work carried out at Global's plant makes the occurrence of emergency situations a possibility, even though the possibility may be remote. Emergencies can happen quickly and unexpectedly, requiring immediate response.

Immediate action by facility personnel will concentrate on: (1), extinguishing the fire or containing any leaks, and (2), preventing the plant's automatic emergency water sprinkling system from engaging unnecessarily. Immediate emergency medical attention will be given to injured personnel. Possible sources of ignition should be removed from the area, if this can be done without risk, and all work shall stop until the fire or incident can be safely controlled.

Storage and Treatment of Released Materials

Immediately after an emergency situation, the Emergency Coordinator will make arrangements for the storage or disposal of any recovered wastes, water or any contaminated materials resulting from the incident. The owner will notify the Department of any such incident and comply with its directives. Wastes generated will be collected and transported to a permitted disposal site.

Post-Emergency Equipment Maintenance

Following an incident all emergency response equipment used must be cleaned and made fit for reuse, or replaced as necessary, so that the equipment will be available when facility operations resume. An inspection of the emergency equipment used in response must take place before operations resume to assure that each item is in proper working condition. Remedial activities as a

result of this inspection may include recharging fire extinguishers, replacing personal protective gear, and restocking disposable items.

Internal Communication/ Warning System

Telephones and a paging system will be available at the site for alerting facility personnel in the event of an emergency. Units will be located in readily accessible areas at the plant. A siren alarm system will be installed which can be activated from various strategic locations within the plant should an emergency situation arise. This system provides personnel with immediate emergency notification and necessary instructions in the event of an incident.

Evacuation Plan

In an emergency situation, and when time permits, the Emergency Coordinator is the individual responsible for determining when evacuation of the facility is required. Imminent or actual dangers that constitute a situation requiring evacuation include:

- A generalized fire that has activated the automatic emergency sprinkler system or threat of generalized fire that cannot be avoided.
- An explosion or the threat of explosion that cannot be averted.
- A major spill or leak that cannot be contained and which constitutes a threat to human health.

When time permits and evacuation is required, the following procedures should be followed:

- Alert all personnel using the plant telephone and paging systems, as well as by activating the siren alarm system.
- Shut down all machinery and other equipment.
- All personnel should proceed to a designated meeting point. For all plant personnel, this would be the parking lot east of the office area
- Once assembled, standby to afford assistance if and as needed

Should a situation occur for which an alternative meeting place is necessary, employees will proceed to the guardshed.

When time does **not** permit, proceed to the evacuation route:

Evacuation Route: Personnel should proceed past the gate out of the perceived danger zone and notify appropriate emergency personnel.

Fire Fighting and Other Emergency Equipment

The plant will maintain a supply of fire extinguishers in order to contain and extinguish a fire before it activates the plant's automatic emergency water sprinkling system. The fire extinguishers will be placed at or near major pieces of equipment and in other areas and signs will mark their locations. Extinguishers are of the dry chemical type and are maintained in conformity with state and local fire codes and regulations. A list of emergency supplies is attached as Appendix A-3.

In any situation where use of fire extinguishers fails to contain a fire the automatic emergency water sprinkling system will be activated. This system will spray water at a rate of 1155 gallons per minute throughout the production and storage areas inside the plant. All runoff resulting from engagement of the sprinkler system will be contained in an exterior stormwater retention system. The Production Area Fire Protection plan was submitted as Page M-2 of the Project Drawings (Attachment B to the application). Details of the pollution control baffle unit are given at Page No. 4 of the Site Plan, (Attachment D to the application), and as Exhibit C to the addendum to the application dated April 17, 1998.

Exhibit C shows the location and detailed drawings of the pollution control inlet prior to discharge into the on-site water retention basin. During a tire fire, all floating debris and oily substances will be prevented from entering the outlet pipe by the aluminum skimmer installed on the pollution control inlet. The inlet also provides a 12" sump below the bottom of the outlet pipe to prevent the heavier solids from entering the outlet pipe and allowing them to settle for clean up. The storm drainage system was designed for a 25 year/24 hour storm event that will produce a 11.44 CFS (5,134GPM) runoff rate, which should be well above the volume produced from fire suppression. The elevation of each portion of the pollution control inlet is shown on Exhibit C. In the event of a fire, after suppression, Global will inspect, clean out, maintain and return to original condition all indoor drains and storm grate inlets, the pollution control inlet, and the on-site water retention area in order to remove any contaminants or results from the fire remaining after percolation of the fire suppression. It should be emphasized that the skimmer and sump at the pollution control inlet are designed to prevent both lighter-than-water floating debris and contaminants and heavier-than-water settling debris from passing through the pollution control inlet and entering the water retention area.

First Aid/Safety Equipment

First aid and safety equipment will be located in strategic locations on the site. First aid kits, located in the office area as well as in the foreman's office and in the machine shop area, will contain a full range of items necessary to care for minor injuries needing prompt attention.

Medical Emergencies/First Aid

In cases of medical emergency, trained medical response personnel should be contacted immediately. First aid administered by on-site personnel should continue until professional assistance arrives

First aid is the immediate care of a person who has been injured or has suddenly taken ill. It is intended to prevent death or further illness or injury, and to relieve pain. The objectives of first aid care are:

1) To control conditions that might endanger life
2) To prevent further injury
3) To relieve pain and treat for shock
4) To make the injured person as comfortable as possible

Initial responsibility for first aid rests with the first person at the scene, who should react quickly, but in a calm and reassuring manner. Emergency medical assistance (911) should be called as soon as possible, being clear as to suspected types of injury or illness. The injured person should not be moved, except when necessary to prevent further injury.

Pulmonary Resuscitation (General Guidelines)

If the victim is unresponsive and no breathing is apparent, begin mouth-to-mouth resuscitation immediately. Delay increases the risk of serious disability or death:

1. Carefully place the patient flat on his/her back and kneel at the patient's side. In cases where the patient is a violent accident victim, use caution and your best judgment. If the victim is in an awkward position, roll victim as a unit onto his/her back, keeping the body from twisting and the spine in alignment

2. Establish an airway. Check the victim's mouth with your finger to be sure that no obstruction is present, and then tip the patient's head back until the chin points straight up. This will help prevent the tongue from blocking the airway.

3. Pinch the patient's nostrils and begin mouth-to-mouth resuscitation by taking a deep breath and placing your mouth over the patient's mouth so as to make a leak-proof seal. Blow your breath into the patient's mouth until you see the chest rise.

4. Remove your mouth and allow the patient to exhale

5. Repeat the procedure at a rate of once every 5 seconds.

Heart (Cardiac) Resuscitation (General Guidelines)

In the unresponsive patient, check for a cardiac pulse. Locate the larynx (adam's apple) with the tips of the fingers, and slide the fingers into the groove between the larynx and the muscle at the side of the neck. If no pulse is felt, circulation must be re- established within 4 minutes to prevent brain damage.

With the patient flat on his/her back, kneel at the waist, facing the head.

Place the heel of your right hand over the heel of your left hand on top of the patient's breast bone slightly more than one inch above its lower tip, holding your fingers off the patient's chest.

Shift your weight to the patient's chest and compress it at least one and one-half to two inches, then remove the pressure.

Continue at a rate of 80 compressions per minute

Alternate one breath and 5 compressions until medical personnel arrive.

Heavy Bleeding

Heavy bleeding is caused by injury to one or more large blood vessels. Lay the patient down. Control bleeding by applying firm pressure directly over the wound with a clean handkerchief, cloth, or your hand. A tourniquet should be applied only in cases of amputation or other injury to a limb in which there is no other way to stop the bleeding. If a tourniquet is used, a record of the time it was applied must be kept. Once a tourniquet is applied, do not loosen or remove it.

Shock

Shock, or traumatic shock, usually accompanies severe injury and may be caused by injuries of all types. The signs of shock include pallor, cold and clammy skin, beads of perspiration on the forehead and palms, weakness, nausea or vomiting, shallow breathing, and a rapid pulse that may be too faint to be felt at the wrist. The following procedures should be followed:

1. Correct the cause if possible (e.g., control bleeding). Avoid moving the victim if neck or spine injuries are suspected.

2. The patient's position should be based on his injuries; if in doubt, keep the patient lying down until emergency medical aid arrives.

3. Keep the patient's airway open. If he or she is about to vomit, turn the head to one side.

4. Keep the patient warm so as to prevent chilling and loss of body heat.

Additional Illnesses and Injuries (General First Aid Guidelines)

After requesting emergency medical assistance, the following points should be addressed in specific emergencies:

1. Abdominal -pain - Keep the patient quiet. Give nothing by mouth.

2. Back and neck inquiries - Keep the patient quiet. Do not move the patient or lift the head unless absolutely necessary.

3. Chest pains - Keep the patient calm and quiet. Place the patient in the most comfortable position (usually half sitting)

4. Convulsion or epileptic seizure - Place the patient on the floor or a couch. Do not restrain the patient's movements except to prevent injury. Do not place a blunt object between the teeth, put any liquid in the mouth, slap the patient, or douse the patient with water

5. Electric shock - Throw the switch to turn off the current. Do not touch the victim until he/she is separated from the current source. Begin mouth-to-mouth resuscitation if respiration has ceased. Begin heart (cardiac) resuscitation if heart stops.

6. Fainting - Simple fainting can usually be treated by laying the person down.

7. Unexplained unconsciousness - Look for emergency medical identification around patient's neck or wrist, or in his/her wallet. Keep the patient warm, lying down, and quiet until he/she regains consciousness. Do not move the patient's head if there is bleeding from the nose, mouth, ear or eyes. Do not give the patient anything through the mouth. Keep the patient's airway open to aid breathing. Do not cramp the neck with a pillow.

Chemical Ingestion or Contamination

Material Safety Data Sheets (MSDS) will be maintained to assist in the treatment of injuries for all chemicals used on site such as pesticides, herbicides, cleaners and chemicals used in testing product to comply with customer or Department of Transportation specifications. **In all cases of chemical injuries, try to determine the chemical, review the MSDS information, and follow any specific instructions given therein.**

General Instructions: Ingestion of Chemicals

Seek medical assistance by calling a physician and the poison information center. These telephone numbers will be posted where chemicals are stored and used.

Dilute the chemical by having the victim drink a glass of water or milk if he is conscious and not having convulsions. Discontinue dilution if it make patient nauseated.

Save the label or container of the suspected chemical for identification. If the victim vomits, save sample of the vomited materials for analysis.

If the victim becomes unconscious, keep his airway open. Give artificial respiration or cardiopulmonary resuscitation (CPR) if necessary. Only administer CPR if you are trained to do so. **Call Emergency 911 as soon as possible.**

Chemicals Spilled on the Body

- Wash away the chemical with large amounts of water, using a safety shower or hose, as quickly as possible and for at least 5 minutes. Remove the victim's clothing from the areas involved. No time should be wasted because of modesty. The rescuer should take precautions so as to avoid contaminating himself.

- If first aid directions for burns caused by specific chemicals are available from the MSDS or from some other source, follow these directions after the initial flushing with water.

- Apply a dressing bandage and get medical aid.

Chemicals on the Skin in a Confined Area

Immediately flush with cool water and wash by using a mild detergent or soap (preferred) and water. If a delayed reaction (the physiological effects of some chemicals, e.g., methyl and ethyl bromides, may be delayed as much as 48 hours) is noted, obtain medical attention promptly and explain carefully what chemicals were involved. **Follow measures set out in the MSDS.**

EXTRICATION

In some types of accidents it may be impossible for the victim to free himself. In cases where the victim is trapped in a vehicle there may be a danger not only to the victim but also to the first aid rescuer. It is necessary for the first aid rescuer to get to the accident victim if it is safe to do so in order to provide life saving support until trained emergency rescue personnel arrive.

Accidents involving machinery - Victims pinned in or under machinery may suffer severe injuries and there may be traumatic shock. First aid should be administered promptly, and emergency rescue personnel should be called immediately.

The machinery should be stopped and the power cut off. If the equipment does not have automatic release capabilities, or it is not functional, the equipment may have to be dismantled. In such cases, the person administering first aid should attempt to control bleeding, treat shock, keep the victim's airway open, keep the victim as comfortable as possible, and be reassuring while waiting for trained emergency rescue personnel.

AVAILABLE EMERGENCY SERVICES

In the event of an emergency at the Global Tire Recycling, Inc. plant, the following services are available:

APPENDIX A-1

DESIGNATED EMERGENCY COORDINATORS

Emergency Coordinators assume responsibility in the order listed below:

Primary Emergency Coordinator

Bob Sumpter, V.P. Plant Operations	Work (352) 330-2213
Global Tire Recycling of Sumter County, Inc.	Home (352) 368-6860
1201 Industrial Drive Wildwood, FL 34785	Cellular (352) 812-3165

Secondary Emergency Coordinator

Robert Bjork, V.P. Plant Controller	Work (352) 330-2213
Global Tire Recycling of Sumter County, Inc.	Home (352) 347-5116
1201 Industrial Drive Wildwood, FL 34785	Cellular (352) 603-0111

The Emergency Preparedness Manual for the facility will be maintained on site at the plant office under the supervision of Bobby Sumpter, primary emergency coordinator, and off-site at the residences of the primary emergency coordinator and the secondary emergency coordinators.

A security guard will be on duty at the plant site during business hours. This person will respond to all alarms during business hours and will report any emergency or potential emergency situations to the designated emergency coordinators and to the proper emergency response agencies.

APPENDIX A-2

EMERGENCY RESPONSE AGENCIES AND CONTACTS

Agency/Organization **Emergency Number**

FIRE:
Wildwood Fire Department ---------- (352) 330-1342
EMERGENCY ---------- 911

POLICE:

Wildwood Police Department ---------- (352) 330-1355
EMERGENCY ---------- 911

MEDICAL:

Wildwood Fire Rescue EMERGENCY----------911
Leesburg Regional Medical Ctr ---------- (352) 232-5200
Poison Information Center ----------(800) 282-3171

LOCAL EMERGENCY RESPONSE CONTACTS:

Sumter County Emergency Management ---------- (352) 330-1388
EMERGENCY ---------- 911

STATE EMERGENCY RESPONSE CONTACTS:

Fla. Dept. of Environmental Protection ---------- 800-320-0519

FEDERAL EMERGENCY RESPONSE CONTACTS:

Response Center ---------- 800-424-8802

APPENDIX A-3

EMERGENCY SUPPLIES

Materials	**Equipment**	**Personal Protection Equipment**
Absorbents	Two Way Radios	Impervious Overalls
Absorbent Pads	Front End Loader	Chemical Resistant Glove
Drums	Shovels	Respirators & Cartridges
Barricades	Fire Extinguishers	Hard Hats
Brooms	First Aid Kits	Face Shields
		Face Masks
		Goggles

Best Available Copy

WASTE MGT TAMPA SWD :8137446125

** Transmit Conf. Report **

P.1

Aug 30 1999 9:51

Telephone Number	Mode	Start	Time	Pages	Result	Note
818504140414	NORMAL	30, 9:49	1'37"	3	* O K	

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION	3804 Coconut Palm Drive Tampa, FL 33619-8318

FAX

Date: 8/30/99

Number of pages including cover sheet: 3

To: Ball parker

Phone: 850 488 0300

Fax phone: 850 414 0414

CC:

From: fm ford

Phone: (813) 744-6100 x 382

Fax phone: (813) 744-6125

REMARKS: ☐ Urgent ☑ For your review ☑ Reply ASAP ☐ Please comment

GTR

3 AREAS CONSIDERED

AS "3 PILES"

BUT TO EXCEED 10,000 SF

EACH ARE 2 SMALLER PILES

FLORIDA DEPAR. .MENT OF ENVIRONMENTAL PROTECTION	3804 Coconu alm Drive Tampa, FL 33619-8318

FAX

Date: 8/30/99

Number of pages including cover sheet: 3

To: Ball Parker

Phone: 850 488 0300

Fax phone: 850 414 0414

CC:

From: tm fords

Phone: (813) 744-6100 x 382

Fax phone: (813) 744-6125

REMARKS: ☐ Urgent ☑ For your review ☑ Reply ASAP ☐ Please comment

GTR

3 AREAS CONSIDERED AS "3 PILES" NOT TO EXCEED 10,000 SF

EACH ARE 2 SMALLER PILES CONSIDERED AS ONE.

IS THIS OK? tm

GTR Global Tire Recycling
419 S.W. 31 Road
Miami, FL 33129
Phone: (305) 856-3390
Fax: (305) 856-7482
Web Site www.gtrcrumbrubber.com

FAX TRANSMITTAL

TO: Kim Ford

COMPANY: F.D.E.P.

FAX NO.: 813-744-6125

FROM: Brian Fifer

SUBJECT: Revised Plan A

DATE: August 27, 1999

---

2 page(s) including cover sheet. Time Sent:_____ By:_____

Dear Kim:

Thank you for your suggestions for our revised Plan A Site Layout.

The following sketch should reflect the necessary changes that we discussed.

Please confirm

Thank you.

Brian Fifer



AUG-27-99 01:42 PM GLOBAL TIRE RECYCLING 1 305 856 7482 P.02

Department of
Environmental Protection

Jeb Bush
Governor

Southwest District
3804 Coconut Palm Drive
Tampa, Florida 33619

David B. Struhs
Secretary

August 26, 1999

Mr. R. Brian Fifer
Global Tire Recycling
1201 Industrial Drive
Wildwood, FL 34785

Re: Global Tire Recycling
Permit No. 136808-001-WT
Pending Modification No.: 136808-002-WT, Sumter County

Dear Mr. Fifer:

This is to acknowledge receipt of your request for a permit modification received July 29, 1999 for the waste tire processing facility.

This letter constitutes notice that a permit will be required for your project pursuant to Chapter(s) 403, Florida Statutes.

Your application for a permit modification is incomplete. Please provide the information listed below promptly. Evaluation of your proposed project will be delayed until all requested information has been received.

The following information is needed in support of the solid waste application [Chapter 62-711, Florida Administrative Code (F.A.C.)]. Please provide:

1. **62-711.540(1).** Revisions are needed to the Emergency Preparedness Manual (revised 5/20/1998). An older version recently provided does not include essential details.

2. **62-711.540(2) and (3).** Location and dimensions of storage piles to demonstrate compliance with the requirements for maximum width of 50 feet (outdoor pile B-1), 50 foot wide fire lane (outdoor pile E-2), and 25 feet in width 8 feet wide aisle (indoor pile H). Please provide revised Plan A - Site Layout.

Please provide all responses that relate to engineering required for design, construction and operation, signed and sealed by a professional engineer. All replacement pages should be numbered, and with revision date.

"NOTICE! Pursuant to the provisions of Section 120.600, F.S. and Chapter 62-12.070(5), F.A.C., if the Department does not receive a response to this request for information within 90 days of the date of this letter, the Department may issue a final order denying your application. You need to respond within 30 days after you receive this letter, responding to as many of the information requests as possible and indicating when a response to any unanswered questions will be submitted. If the response will require longer than 30 days to develop, you should develop a specific time table for the submission of the requested information for Department review and consideration. Failure to comply with a time table accepted by the Department will be grounds for the Department to issue a Final Order of Denial for lack of timely response. A denial for lack of information or response will be unbiased as to the merits of the application. The applicant can reapply as soon as the requested information is available."

Please submit your response to this letter as one complete package. On all future correspondence, please include Robert Butera on distribution. If there are points which must be discussed and resolved, please contact me at (813) 744-6100, extension 382.

Sincerely,

Kim B. Ford, P.E.
Solid Waste Section
Division of Waste Management

KBF/ab

cc: Robert Butera, P.E., FDEP Tampa, Solid Waste Section
Susan Pelz, P.E., FDEP Tampa
Steve Morgan, FDEP Tampa
Jessie Carpenter, FDEP Tallahassee

STATE OF FLORIDA
DEPARTMENT OF ENVIRONMENTAL PROTECTION

DISTRICT ROUTING SLIP

To: Bob Butera DATE: 8/11/99

CC To:

	PENSACOLA	**NORTHWEST DISTRICT**	
	Panama City	Northwest District Branch Office	
	Tallahassee	Northwest District Branch Office	
	Sopchoppy	Northwest District Satellite Office	
X	**TAMPA**	**SOUTHWEST DISTRICT**	
	Punta Gorda	Southwest District Branch Office	
	Bartow	Southwest District Satellite Office	
	ORLANDO	**CENTRAL DISTRICT**	
	Melbourne	Central District Satellite Office	
	JACKSONVILLE	**NORTHEAST DISTRICT**	
	Gainesville	Northeast District Branch Office	
	FORT MYERS	**SOUTH DISTRICT**	
	Marathon	South District Branch Office	
	WEST PALM BEACH	**SOUTHEAST DISTRICT**	
	Port St. Lucie	Southeast District Branch Office	

☐ Reply Optional Date Due _____ ☐ Reply Required Date Due _____ ☐ Info Only

Comments:

FYI

J Carpenter

From: Tel.: 921-9963

RECEIVED
AUG 13 1999
Department of Environmental Protection
BY SOUTHWEST DISTRICT

08-18-93

RB
KF

Department of Environmental Protection

Jeb Bush
Governor

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

David B. Struhs
Secretary

August 11, 1999

Global Tire Recycling
Mr. R. Brian Fifer, President
1201 Industrial Drive
Wildwood, Florida 34785

Dear Mr. Fifer:

We have received the annual closing cost estimate for Global Tire Recycling waste tire processing facility, 136808-001-WT, which has been approved by Susan Pelz of the Department of Environmental Protection Southwest District.

The financial assurance which you have in place remains adequate to cover the new closure cost estimate. Therefore, Global Tire Recycling's waste tire processing facility is in compliance with the financial responsibility of Rule 62-701.630 F.A.C., and Rule 62-711.510 F.A.C.

If you have any questions, please call me at 850-488-0300.

Sincerely,

Jessie L. Carpenter

Jessie L. Carpenter
Solid Waste Section

JLC

cc: Susan Pelz, FDEP SW District
Bob Butera, FDEP SW District

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
AUG 13 1999
SOUTHWEST DISTRICT
TAMPA

Department of Environmental Protection

Jeb Bush
Governor

Southwest District
3804 Coconut Palm Drive
Tampa, Florida 33619

David B. Struhs
Secretary

August 5, 1999

Global Tire Recycling
Mr. R. Brian Fifer, President
1201 Industrial Drive
Wildwood, Fl. 34785

RE: Global Tire Recycling WT Processing Facility
Financial Assurance Cost Estimates
Permit No.: 136808-001-WT, Sumter County

Dear Mr. Fifer:

This letter is to acknowledge receipt of the information dated July 28, 1999 (received July 29, 1999), for closure of the Global Tire Recycling Waste Tire Processing Facility. The cost estimates received July 29, 1999 (total for closure **$71,840**), are **APPROVED for 1999**. However, please be advised that since the requested permit modification has not been approved by the Department, in the event that the rnaximum quantities or types of materials changes from those proposed in the July 28, 1999 information, the financial assurance cost estimates must be revised to incorporate those changes.

Please be advised that the quantity of materials stored at the facility shall be limited to the quantities listed in the July 28, 1999 information (including Sheet 1 of 1, Site Plan, prepared by Robert L. Rogers Engineering Co.), unless additional financial assurance is provided. The next annual update (revised or inflation-adjusted estimates) is due **no later than March 1, 2000.**

A copy of these estimates will be forwarded to Ms. Jessie Carpenter, Solid Waste Section, FDEP, 2600 Blair Stone Road, Tallahassee, Florida 32399-2407. Please work with her directly to assess the facility's compliance with the funding mechanism requirements of Rule 62-711.500(3), F.A.C. If you have any questions, you may contact me at (813) 744-6100 ext. 386.

Sincerely,

Susan J. Pelz, P.E.
Solid Waste Section
Southwest District

sjp
cc: Jessie Carpenter, FDEP, Tallahassee, w/attachment
Robert Butera, P.E., FDEP Tampa
Kim Ford, P.E., FDEP Tampa

SOUTHWEST DISTRICT
FDEP

Solid Waste Program
Permitting Application

New Site

Site Name:	
Site Address:	
County:	
Type/Subcode:	

Existing Site

Site ID:	136808 - 002
Project Name:	GLOBAL TIRE RECYCLING
Type/Subcode:	WT/MM WT/02
Fee Submitted:	250 (✓) correct ( ) incorrect
Fee Refund $	Fee Request $

Related Party

Role:	APPLICANT
Name:	BRIAN FIFER
Company:	GTR
Street:	1201 INDUSTRIAL DRIVE
City:	WILDWOOD
Zip Code:	34785
Phone:	(352) 3302213

Distribution Date: _____

Fee Checked By: E BORD Date: 8/2/99

GTR
Global Tire Recycling
1201 Industrial Drive
Wildwood, FL 34785
Phone: (352) 330-2213
Fax: (352) 330-2214

July 28, 1999

Ms. Susan J. Pelz, P.E.
Solid Waste Section
Department of Environmental Protection
3804 Coconut Palm Drive
Tampa, FL 33619-8313

RECEIVED
JUL 29 1999
Department of Environmental Protection
SOUTHWEST DISTRICT
BY

Re: Modification of Waste Tire Recycling Facility Permit
Global Tire Recycling
Permit No. 136808-001-WT
Sumter County, Florida

Dear Ms. Pelz:

This letter is to inform you that Mr. Michael Kelley has left the employment of Global Tire Recycling, Inc. of Sumter County, and to respond to your letter of May 25, 1999 requesting a modification to our current permit.

Based upon our current production and the foreseeable needs in the future, we are requesting a modification to our current approved permit in compliance with the attached plan and summarized as follows:

1. Reduce the number of storage trailers from four (4) to one (1) and relocate this trailer to the southwest corner of the rear paved area (A).

2. Enlarge our current chip storage pad (B-1) and provide a second chip storage pad (B-2) adjacent to the tire loading hopper.

3. Provide an outdoor storage pile (C) adjacent to the northerly conveyor system.

4. The indoor granular storage bin (D) will remain as permitted.

5. Retain the indoor culled tire enclosure (E-1 which was originally designated as C on the existing permit drawing) and provide an outdoor tire pile (E-2) for over the road (OTR) and large truck tires.

6. The tire loading hoppers (F) will remain as originally permitted.

7. The bagged crumb rubber (G) will remain as permitted. This was originally permitted as G and H.

8. Add an enclosed storage area for mesh sized rubber (H) inside the building adjacent to the machine shop.

9. The 6 bin crumb rubber hopper (I) will remain as permitted.

10. Add three (3) additional dumpsters to the permitted two dumpsters (J) for a total of five (5) fiber dumpsters.

11. Add one (1) additional dumpster to the permitted two (2) dumpsters (K) for a total of three (3) tread steel dumpsters.

12. Relocate the two (2) permitted bed wire dumpsters (L) to the westerly side of the rear paved area.

13. Reduce the number of rim dumpsters (M) by one and relocate the dumpster to the westerly side of the rear paved area.

14. Reduce the number of tube dumpsters (N) by one and relocate the dumpster to the westerly side of the rear paved area.

15. The smaller residual dumpster (O) and office dumpster (P) will remain as permitted.

16. Add three (3) additional granular storage piles as follows:

    a. One (1) inside (R-3) adjacent to the bagged crumb rubber pallets.
    b. One (1) adjacent to the conveyor system (R-2) where the fiber, tread steel and wire dumpsters originally were located.
    c. One (1) at the southwest corner (R-3) of the building.

Attached for your review is a drawing prepared by Robert L. Rogers Engineering Company, Inc. showing the location, the alphabetical symbol referenced above, and the size and approximate tonnage of each location.

To respond to your request, we submit the following:

1. Two (2) signed and sealed letters from Mr. Robert L. Rogers, P.E., addressing the anticipated closing costs with copies of our Agreement with Affordable Tire and past dumpster removal invoices attached.

2. A Summary of Quantities listing showing and summarizing the quantities shown on the plan.

3. Two (2) prints of the Proposed Storage Area Location Plan referenced above, signed and sealed by Mr. Rogers.

4. Our check for $250.00 for processing fee of this request.

If you have any questions concerning this response, please contact me.

Sincerely,

R. Brian Fifer

R. Brian Fifer
President & C.E.O.

P.S. Since Mike Kelley has left Global, we have taken this opportunity to update Global's Emergency Preparedness Manual to reflect the new Primary and Secondary Emergency Coordinators. A copy of that Manual is enclosed.

cc: Kim Ford, P.E.

Global Tire Recycling
1201 Industrial Drive
Wildwood, FL 34785
Phone: (352) 330-2213
Fax: (352) 330-2214

July 28, 1999

Ms. Susan J. Pelz, P.E.
Solid Waste Section
Department of Environmental Protection
3804 Coconut Palm Drive
Tampa, FL 33619-8313

RECEIVED
JUL 29 1999
Department of Environmental Protection
SOUTHWEST DISTRICT
BY

Re: Modification of Waste Tire Recycling Facility Permit
Global Tire Recycling
Permit No. 136808-001-WT
Sumter County, Florida

Dear Ms. Pelz:

This letter is to inform you that Mr. Michael Kelley has left the employment of Global Tire Recycling, Inc. of Sumter County, and to respond to your letter of May 25, 1999 requesting a modification to our current permit.

Based upon our current production and the foreseeable needs in the future, we are requesting a modification to our current approved permit in compliance with the attached plan and summarized as follows:

1. Reduce the number of storage trailers from four (4) to one (1) and relocate this trailer to the southwest corner of the rear paved area (A).

2. Enlarge our current chip storage pad (B-1) and provide a second chip storage pad (B-2) adjacent to the tire loading hopper.

3. Provide an outdoor storage pile (C) adjacent to the northerly conveyor system.

4. The indoor granular storage bin (D) will remain as permitted.

5. Retain the indoor culled tire enclosure (E-1 which was originally designated as C on the existing permit drawing) and provide an outdoor tire pile (E-2) for over the road (OTR) and large truck tires.

6. The tire loading hoppers (F) will remain as originally permitted.

7. The bagged crumb rubber (G) will remain as permitted. This was originally permitted as G and H.

8. Add an enclosed storage area for mesh sized rubber (H) inside the building adjacent to the machine shop.

9. The 6 bin crumb rubber hopper (I) will remain as permitted.

10. Add three (3) additional dumpsters to the permitted two dumpsters (J) for a total of five (5) fiber dumpsters.

11. Add one (1) additional dumpster to the permitted two (2) dumpsters (K) for a total of three (3) tread steel dumpsters.

12. Relocate the two (2) permitted bed wire dumpsters (L) to the westerly side of the rear paved area.

13. Reduce the number of rim dumpsters (M) by one and relocate the dumpster to the westerly side of the rear paved area.

14. Reduce the number of tube dumpsters (N) by one and relocate the dumpster to the westerly side of the rear paved area.

15. The smaller residual dumpster (O) and office dumpster (P) will remain as permitted.

16. Add three (3) additional granular storage piles as follows:

    a. One (1) inside (R-3) adjacent to the bagged crumb rubber pallets.
    b. One (1) adjacent to the conveyor system (R-2) where the fiber, tread steel and wire dumpsters originally were located.
    c. One (1) at the southwest corner (R-3) of the building.

Attached for your review is a drawing prepared by Robert L. Rogers Engineering Company, Inc. showing the location, the alphabetical symbol referenced above, and the size and approximate tonnage of each location.

To respond to your request, we submit the following:

1. Two (2) signed and sealed letters from Mr. Robert L. Rogers, P.E., addressing the anticipated closing costs with copies of our Agreement with Affordable Tire and past dumpster removal invoices attached.

2. A Summary of Quantities listing showing and summarizing the quantities shown on the plan.

3. Two (2) prints of the Proposed Storage Area Location Plan referenced above, signed and sealed by Mr. Rogers.

4. Our check for $250.00 for processing fee of this request.

If you have any questions concerning this response, please contact me.

Sincerely,

R. Brian Fifer
President & C.E.O.

P.S. Since Mike Kelley has left Global, we have taken this opportunity to update Global's Emergency Preparedness Manual to reflect the new Primary and Secondary Emergency Coordinators. A copy of that Manual is enclosed.

cc: Kim Ford, P.E.

SUMMARY OF QUANTITIES

OUTDOOR STORAGE PILES

FACILITY	SYMBOL	TONS
Trailer Storage	A	17
Chip Storage	B-1	394
	B-2	280
Outdoor Tire Piles	C	37
OTR & Truck Tire Pile	E-2	18
Tire Loading Hopper	F	10
Crumb Rubber Hopper	I	108
Granular Storage Piles	R-2	70
	R-3	80
		1,014

INDOOR STORAGE PILES

FACILITY	SYMBOL	TONS
Granular Rubber Bins	D	26
Culled Tires	E-1	18
Bagged Crumb Rubber	G	266
Mesh Sized Rubber	H	202
Granular Storage Piles	R-1	80
		592
Total:		1,606

RECEIVED
JUL 29 1999
Department of Environmental Protection
SOUTHWEST DISTRICT
BY

DUMPSTERS

Fiber Dumpster	J	3
Tread Steel Dumpster	K	5
Wire Dumpster	L	2
Rim Dumpster	M	1
Tube Dumpster	N	1
Residual Dumpster	O	1
Office Dumpster	P	1
Total:		14

Robert L. Rogers Engineering Co., Inc.

CONSULTING SERVICES

Planning, Engineering, Surveying

1105 S.E. 3rd AVENUE
OCALA, FLORIDA 34471
(352) 622-9214 • FAX (352) 622-2894

Robert L. Rogers, P.E., P.S.M.

Rodney K. Rogers, P.S.M.

July 12, 1999

Ms. Susan Pelz, P.E.
Solid Waste Section
Department of Environmental Protection
3804 Coconut Palm Drive
Tampa, FL 33619

Re: Modification of Waste Tire Recycling Facility Permit
Global Tire Recycling
Permit No. 136808-001-WT
Sumter County, Florida

Dear Ms. Pelz:

In response to Item 1 of your letter of May 25, 1999, concerning the above referenced facility, based on the signed agreement with Affordable Tire (copy attached) of $40.00/ton for removal of rubber from Global's site, the removal of the rubber would be $64,240.00 (1,606 tons @ $40.00/ton).

In addition to the rubber, the removal of the fourteen dumpsters of fiber, tread, tubes and office waste at $530.00 per container would be $7,420.00 (copy of invoices attached).

Based on the above, it is my opinion that the removal of materials from the site can be accomplished for $71,840.00.

Sincerely,

Robert L. Rogers, P.E., P.S.M.
For the Company

RLR/lmr

AFFORDABLE TIRES
d/b/a Andrews Scrap Tire Hauling
A Licensed Waste Tire Collector

9163 Edgewater Dr
Orlando, FL 32804
(407) 292-0074

1317 Semoran Blvd.
Apopka, FL 32703
(407) 884-9006

Michael F. Kelley
Vice President, Staff Services and General Counsel
Global Tire Recycling of Sumter County, Inc.
1201 Industrial Drive
Wildwood, FL 34785

RE: Closure Costs

Dear Mr. Kelley:

This letter will confirm that Affordable Tire, Inc. has agreed to remove and properly dispose of all rubber in whatever form from the Global Tire Recycling site in Wildwood, Florida in the event of closure at a cost of $40.00 per ton. This agreement is for any quantity of rubber present at the site upon closure, and includes whole waste tires, tire shreds or chips, granular rubber, crumb rubber in bags, crumb rubber in bulk loading hoppers, crumb rubber in other indoor storage areas, and butyl rubber tubes.

This agreement is good for one year from the above date and is intended to benefit the Florida Department of Environmental Protection as well as Global Tire Recycling of Sumter County, Inc. Affordable Tire, Inc. is a registered waste tire collector with the DEP. Its company ID number is WT97-0079155-001.

Very truly yours,

Vincent Contestabile
President

Accepted:
Michael F. Kelley
for Global Tire Recycling
of Sumter County, Inc.

6/24/99

Stuart Development

P.O. BOX 417 • EAST PALATKA, FLORIDA 32131
PHONE (904) 325-3462 • FAX (904) 328-0517

DATE July 1, 1999

INVOICE # 018

TO Global Tire Recycling
1201 Industrial Drive
Wildwood, FL 34785

PAYMENT DUE UPON RECEIPT

P.O. NO. _____

QUANTITY	DESCRIPTION	PRICE
7-1-99	HAUL 1 T/L fiber to Gilman Paper	$200.00
PLEASE MAKE CHECK PAYABLE TO W. W. STUART		
	SALES TAX	
IF NOT PAID WITHIN 30 DAYS FROM DATE OF INVOICE, A SERVICE CHARGE OF 1 1/2% PER MONTH WILL BE ADDED TO UNPAID BALANCE.	AMOUNT DUE	$200.00

CONTROL NO. 10959

GTR Global Tire Recycling
1201 Industrial Drive
Wildwood, FL 34785
(352) 330-2213

MATERIAL IN:

TRUCK TIRES	☐	BUTYL TUBES ONLY	☐
PASSENGER TIRES	☐	CHIPS	☐
MIX	☐	OTHER *	☐
WITH RIMS	☐		

*OTHER - _____

MATERIAL OUT:

GRANULAR	☐	STEEL	☐
MESH 20	☐	FIBER	☐
MESH 40	☐	CHIPS	☐
BUTYL TUBES	☐	OTHER *	

*OTHER - FLUFF

WEIGH DATA

[illegible]

INBOUND DATE 07-01-99 TIME 05:47 A
OUTBOUND DATE 07-01-99 TIME 05:[illegible] A

67360 lb GR
31240 lb TA
36120 lb NT

WASTE TIRE COLLECTOR'S

PERMIT NO.: _____

CUSTOMER: W. W. STUART
ADDRESS: PO BOX 417 E. PLANTKA, FL 32131
PHONE: _____ DRIVER: [illegible]
C.O.D. ☐ BILL: ☐ AMOUNT: $ _____
BILL TO: _____ PAID BY: CHECK ☐
SHIPPER: GTR CASH ☐
CARRIER: PRITCHETT
COMMODITY: FLUFF
BILL OF LADING: ☐ NO# ☐
SHIP TO: _____

INSERT SCALE TICKET TO HERE

APPROVED BY: _____
WEIGHER BOB BRAON DATE: 7-1-99

Town & Country Refuse 186 NW 68th Avenue Ocala, FL 34482
Customer Service : (352) 787-4416 (352) 854-2 FAX

INVOICE
PAGE 1

Date	Service Description	Ticket	Qty.	Price	Extended
6/01/99	BAYSIDE OF MARION	5348	30.00	3.50	105.00
6/01/99	30 YARD CONTAINER HAULING	5348	1.00	120.00	120.00
	30 YARD CONTAINER -				
6/03/99	BAYSIDE OF MARION	5482	30.00	3.50	105.00
6/03/99	30 YARD CONTAINER HAULING	5482	1.00	120.00	120.00
	30 YARD CONTAINER -				
6/08/99	BAYSIDE OF MARION	5627	30.00	3.50	105.00
6/08/99	30 YARD CONTAINER HAULING	5627	1.00	120.00	120.00
	30 YARD CONTAINER -				
6/09/99	BAYSIDE OF MARION	5686	30.00	3.50	105.00
6/09/99	30 YARD CONTAINER HAULING	5686	1.00	120.00	120.00
	30 YARD CONTAINER -				
6/11/99	BAYSIDE OF MARION	5735	30.00	3.50	105.00
6/11/99	30 YARD CONTAINER HAULING	5735	1.00	120.00	120.00
	30 YARD CONTAINER -				
6/14/99	BAYSIDE OF MARION	5764	30.00	3.50	105.00
6/14/99	30 YARD CONTAINER HAULING	5764	1.00	120.00	120.00
	30 YARD CONTAINER -				
6/30/99	CONTAINER MONTHLY SERVICE		1.00	.00	.00
	CONTAINER MONTHLY SE				

Total of current charges	1,350.00
Balance from previous billing	14,277.79
Payment - Thank you	3,772.50
Total Due	$11,855.29

JUNE SERVICE
THANK YOU FOR YOUR PATRONAGE.

Account Number
215-37784

PAYMENT TERMS NET 10 DAYS

Invoice Number
022270052881

Current	30 Days	60 Days	90 days	120 Days	Total Due
3,234.19	2,349.50	4,431.60	1,840.00		11,855.29

TO RECEIVE PROPER CREDIT, RETURN THIS PORTION WITH YOUR PAYMENT IN THE ENCLOSED ENVELOPE

TOWN & COUNTRY REFUSE
186 NW 68th Avenue
Ocala, FL 34482

ACCOUNT #	INVOICE DATE	INVOICE NUMBER
215-37784	6/30/99	022270052881
CURRENT	TOTAL DUE	AMOUNT PAID
3,234.19	11,855.29	

81

22272150037784000528810000032341900001185529 8

GLOBAL TIRE RECYCLING, INC.
1201 INDUSTRIAL DR
WILDWOOD FL 34785-5202

TOWN & COUNTRY REFUSE
PO BOX 9001323
LOUISVILLE KY 40290-1323

Town & Country Refuse 186 NW 68th Avenue Ocala, FL 34482
ustomer Service : (352) 787-4416 (352) 854-[illegible] FAX

INVOICE
PAGE 1

Date	Service Description	Ticket	Qty.	Price	Extended
6/03/99	BAYSIDE OF MARION	5481	30.00	3.50	105.00
6/03/99	30 YARD CONTAINER HAULING 30 YARD CONTAINER -	5481	1.00	120.00	120.00
6/09/99	BAYSIDE OF MARION	5685	30.00	3.50	105.00
6/09/99	30 YARD CONTAINER HAULING 30 YARD CONTAINER -	5685	1.00	120.00	120.00
6/11/99	BAYSIDE OF MARION	5734	30.00	3.50	105.00
6/11/99	30 YARD CONTAINER HAULING 30 YARD CONTAINER -	5734	1.00	120.00	120.00
6/17/99	BAYSIDE OF MARION	5883	30.00	3.50	105.00
6/17/99	30 YARD CONTAINER HAULING 30 YARD CONTAINER -	5883	1.00	120.00	120.00
6/17/99	BAYSIDE OF MARION	5907	30.00	3.50	105.00
6/17/99	30 YARD CONTAINER HAULING 30 YARD CONTAINER -	5907	1.00	120.00	120.00
6/21/99	BAYSIDE OF MARION	6017	30.00	3.50	105.00
6/21/99	30 YARD CONTAINER HAULING 30 YARD CONTAINER -	6017	1.00	120.00	120.00
6/23/99	BAYSIDE OF MARION	6088	30.00	3.50	105.00
6/23/99	30 YARD CONTAINER HAULING 30 YARD CONTAINER -	6088	1.00	120.00	120.00

Total of current charges	1,575.00
Balance from previous billing	6,481.50
Total Due	$8,056.50

JUNE SERVICE
THANK YOU FOR YOUR PATRONAGE.

Account Number
215-37214

PAYMENT TERMS NET 10 DAYS

Invoice Number
022270052871

Current	30 Days	60 Days	90 days	120 Days	Total Due
3,825.75	2,940.75	1,240.00		50.00	8,056.50

TO RECEIVE PROPER CREDIT, RETURN THIS PORTION WITH YOUR PAYMENT IN THE ENCLOSED ENVELOPE

8\

TOWN & COUNTRY REFUSE
186 NW 68th Avenue
Ocala, FL 34482

ACCOUNT #	INVOICE DATE	INVOICE NUMBER
215-37214	6/30/99	022270052871
CURRENT	TOTAL DUE	AMOUNT PAID
3,825.75	8,056.50	

22272150037214000528710000038257500000805650 9

GLOBAL TIRE RECYCLING, INC.
1201 INDUSTRIAL DR
WILDWOOD FL 34785-5202

TOWN & COUNTRY REFUSE
PO BOX 9001323
LOUISVILLE KY 40290-1323

Stuart Development

P.O. BOX 417 • EAST PALATKA, FLORIDA 32131
PHONE (904) 325-3462 • FAX (904) 328-0517

DATE June 30, 1999

INVOICE # 017

TO Global Tire Recycling
1201 Industrial Drive
Wildwood, FL 34785

PAYMENT DUE UPON RECEIPT

P.O. NO. _____

QUANTITY	DESCRIPTION	PRICE
6-24-99	HAUL 1 T/L fiber to Gilman Paper	$200.00
PLEASE MAKE CHECK PAYABLE TO W. W. STUART		
81		
	SALES TAX	
IF NOT PAID WITHIN 30 DAYS FROM DATE OF INVOICE, A SERVICE CHARGE OF 1 1/2% PER MONTH WILL BE ADDED TO UNPAID BALANCE.	AMOUNT DUE	$200.00

Best Available Copy

CONTROL NO. 10951

GTR Global Tire Recycling
1201 Industrial Drive
Wildwood, FL 34785
(352) 330-2213

MATERIAL IN:

TRUCK TIRES	☐	BUTYL TUBES ONLY	☐
PASSENGER TIRES	☐	CHIPS	☐
MIX	☐	OTHER *	☐
WITH RIMS	☐		

*OTHER - _____

MATERIAL OUT:

GRANULAR	☐	STEEL	☐
MESH 20	☐	FIBER	☐
MESH 40	☐	CHIPS	☐
BUTYL TUBES	☐	OTHER *	

*OTHER - FLUFF

WEIGH DATA

INBOUND DATE [illegible] TIME [illegible]
OUTBOUND DATE [illegible] TIME [illegible]

73860 lb GR
30460 lb TA
43400 lb NT

WASTE TIRE COLLECTOR'S

PERMIT NO.: N/A

CUSTOMER: W. W. STUART
ADDRESS: PO BOX 417 EAST PALATKA, FL 32131
PHONE: _____ DRIVER: Don Ayers
C.O.D. ☐ BILL: ☐ AMOUNT: $_____
BILL TO: _____ PAID BY: CHECK ☐
SHIPPER: GTR CASH ☐
CARRIER: PRITCHETT TRUCKING
COMMODITY: FLUFF
BILL OF LADING: ☐ NO# ☐
SHIP TO: _____

INSERT SCALE TICKE TO HERE

DRIVER PICKED UP CHECK

APPROVED BY: _____
WEIGHER Bob Bacon DATE: 6-24-99

Global Tire Recycling

1201 Industrial Drive
Wildwood, FL 34785
Phone: (352) 330-2213
Fax: (352) 330-2214

D.E.P.
JUL 12 1999
Southwest District Tampa

July 9, 1999

Kim B. Ford, P.E.
Florida Department of Environmental Protection
Solid Waste Section
3804 Coconut Palm Drive
Tampa, FL 33619

RE: Global Tire Recycling Waste Tire Facility Pending Permit No. 136808-001-WT, Sumter County

Dear Mr. Ford:

By this letter I am notifying the Department that as of July 10, 1999, I will no longer be employed by or affiliated with Global Tire Recycling of Sumter County, Inc. As of this date that Department should direct all correspondence to Global's President and C.E.O. R. Brian Fifer at the above address. I anticipate that Mr. Fifer will submit further information relating to Global's request for modification of the above-referenced permit as early as next week.

I wish you the best in all your endeavors.

Very truly yours,

Michael F. Kelley
VP & General Counsel

cc: Susan J. Pelz, P.E.
R. Brian Fifer

SM

T.A.G.
RESOURCE RECOVERY

FAX TRANSMITTAL

DATE: 6/2/99

FROM: Terry Gray
TAG Resource Recovery
FAX: (281) 463-2021
PHONE: (281) 463-7552

TO: Bob Butera
Steve Morgan

PAGES (including cover page): 6

MESSAGE: Attached are DRAFT summaries from the Conoco and Global site visits last week. Any comments? Steve, thank you for your effort and cooperation

18038 RADWORTHY DRIVE
SUITE 110
HOUSTON, TEXAS 77084

PHONE: (281) 463-7552
FAX: (281) 463-2021
EMAIL: tagray@flash.net

Date: May 27, 1999

TO: Bob Butera, DEP, Tampa

From: Terry Gray, TAG

cc: Steve Morgan, DEP, Tampa
Bill Parker, DEP, Tallahassee
Jan Clark, DEP, Tallahassee

RE: GLOBAL TIRE RECYCLING SITE VISIT ON MAY 26, 1999

Mr. Steve Morgan and I visited the Global Tire Recycling crumb rubber production facility in Wildwood, FL. During Mr. Morgan's inspection of the site, he requested the following summary of estimated stockpile quantities on site and process observations. Mr. Michael Kelly, VP and General Counsel of Global, accompanied us during our visit.

BACKGROUND - The Global facility was recently constructed with proceeds reportedly from $10 million in industrial revenue bonds ($5 million initially, followed by another $5 million when additional funds were required for facility completion). The plant has been experiencing problems with its primary cracker mill, preventing it from processing whole tires. As a result, it is purchasing nominal 1-inch chips from others as feedstock for limited crumb rubber production in the secondary equipment.

STOCKPILE QUANTITY ESTIMATE - Global received whole tires, but was unable to process them into crumb rubber for an extended period. Global coarsely (one pass) shredded the accumulated whole tires to reduce volume during this period and stated that no additional whole tires would be received until this shred inventory has been processed.

The shreds are stored in two main irregularly-shaped piles. The following is a brief summary of the calculation methodology for both piles based on measurements taken during our visit. Quantities have been expressed in terms of passenger tire equivalents (PTE) equal to 20 pounds by definition.

	Pile 1	Pile 2
Surface area (square yards)	770	162
times depth (yards)	3	2.7
equals volume (cubic yards)	2,310	437
times density (PTE/cubic yard)	47.25	47.25
equals quantity (PTE)	109,147	20,667
Total Quantity (PTE)	129,814	

PROCESS OBSERVATIONS - The Global process is likely to experience continuing operating difficulties. Coarse shreds from the primary shredder are fed to a primary cracker mill for reduction to less than 1/2 inch particles, placing an unrealistic size reduction burden on this mill. Extensive internal recycling to achieve discharge size creates massive pressure on rolls, bearings and shafts that will lead to frequent failures. The problem is compounded by the presence of bead wire and high operating temperatures (resulting from conversion of mechanical energy into heat within the mill).

This unit will continue to fail unless steps are taken to reduce the burden on it. Examples include: (1) use a disc screen recirculating system on the primary shredder to reduce chip size fed to the cracker mill; (2) remove as much wire as possible through debeading and/or magnetic wire removal prior to the cracker mill; (3) consider installation of a granulator and additional wire removal between the shredder and cracker mill to reduce burden on both components.

Producing crumb rubber from whole tires is inherently maintenance- intensive, but Global's current process is unlikely to sustain scheduled operation for any significant period without one or more of these modifications.

GLOBAL TIRE

RECYCLING

5/26/99

SGM

Photo made GLOBAL TIRE

Time 5/26/99

Location

Photo Taken By SGM

EL25 MGUh FFn BUuh AIh PAh P01 CHr
MAY/26/99 11:35 ID749-067 < 4> ORL

Photo made 5/26/99

Time

Location GLOBAL TIRE

Photo Taken By SGM

EL25 MGUh FFn BUuh AIh PAh P01 CHr
MAY/26/99 11:35 ID749-067 < 3> ORL

Photo made 5/26, 1999

Time

Location GLOBAL TIRE

SGM

EL25 MGUh FFy BUlo AIx PAh P01 CHr
MAY/26/99 11:11 ID749-067 < 1> ORL

GLOBAL

Photo made 5/26 99

Time

Location GLOBAL TIRE RECYCLING

Photo Taken By SGM

EL25 MBUH FFH BUUH ATH PAH SUH CHP
TUE/25/99 10:42 ID197-521<22> ORL

Photo made 5/26 99

Time

Location GLOBAL TIRE RECYCLING

Photo Taken By SGM

EL25 MBUH FFH BUUH ATH PAH SUH CHP
TUE/25/99 10:51 ID197-521<23> ORL

Photo made 5/26 99

Time

Location GLOBAL TIRE

Photo Taken By SGM

EL25 1:BUH FFH BUUH ATH PAH POL CHP
MAY/25/99 11:35 ID749-067 <2> ORL

Department of Environmental Protection

Lawton Chiles
Governor

Southwest District
3804 Coconut Palm Drive
Tampa, Florida 33619

Virginia B. Wetherell
Secretary

SITE INSPECTION REPORT

NAME OF SITE: GLOBAL TIRE RECYCLING DATE: 5/26/99

SITE ADDRESS/LOCATION: 1201 INDUSTRIAL ROAD

CITY: WILDWOOD PERMIT #: 136808-001-WT

REASON FOR VISIT:

- COMPLIANCE INSPECTION X
- PERMITTING INSPECTION ____
- COMPLAINT INVESTIGATION ____

PERSONS PRESENT: STEVE MORGAN -DEP, MIKE KELLEY -GTR, TONY GRAY -TAG

SUMMARY REPORT:

1. QUANTITY OF SCRAPS STORED OUTSIDE EXCEEDS PERMITTED QUANTITY AND SCRAPS STORED OUTSIDE ENCLOSED CONCRETE PAD AREA
2. WALLS OF ENCLOSED CONCRETE PAD AREA IN DISREPAIR
3. QUANTITY OF FIBER ON-SITE EXCEEDS PERMITTED QUANTITY
4. CONTINUED IMPORT OF PROCESSED TIRE FROM AFRO-MARK TIRE

PRIMARY CRACKER MILLS NOT OPERATIONAL (APPLICATION 4-5 WEEKS FOR REPAIR)
PRESENTLY NOT ACCEPTING WHOLE TIRES
< 50 WHOLE TIRES ON SITE

VIOLATIONS NOTED:

DEP REPRESENTATIVE:

SUSAN

HERE IS GLOBAL'S COST ESTIMATE DUE MARCH 1, 1999.
IT APPEARS THAT YOU SHOULD TAKE A SHOT AT IT FROM FINANCIAL PERSPECTIVE BEFORE I REVIEW FROM A SITE LAYOUT / MODIFICATION REQUIREMENT

TIM

5/19/99

Refreshing for someone to do this on their own, not in response to an inspection where they were out of compl. Is this supposed to be done by a P.E.?

currently in violation with their existing permit?

D.E.P.
MAR 2 2 1999
Southwest District Tampa

GTR Global Tire Recycling
1201 Industrial Drive
Wildwood, FL 34785
Phone: (352) 330-2213
Fax: (352) 330-2214
Web Site: www.gtrcrumbrubber.com

~~Correct this at the end~~

) FACSIMILE

March 19, 1999

nental Protection

rive 3

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
MAR 2 2 1999
SOUTHWEST DISTRICT TAMPA

RE: Modification to Permit No. 136808001WT- Sumter County

* There should be an added $ cost for processing the OTR (as seen from experi.) I don't understand how they arrived at $79.50. This needs to be looked at from a financial perspective as well. RM see pg. 4

Pursuant to FAC 62-4.080, Global Tire Recycling of Sumter County, Inc. ("Global") hereby requests a modification of the above-referenced Waste Tire Processing Facility Permit. In essence the requested modification is intended to allow Global to stay within the financial assurance amount of $93,068.00 that it has posted pursuant to a performance bond and trust fund agreement, allowing changes in the specific mix of whole waste tires, in-process material and other feedstock and finished product, as well as the particular siting of the storage areas for each of these elements. The proposed changes will more accurately reflect Global's present and future operational needs and are set forth in detail as follows:

1. Trailer Storage: Global has minimal need for storage of waste tires in outdoor trailers and requests only 1 permitted trailer for storage: 1,700 tires x 1 trailer x 20 lb/tire = 17 tons trailer storage. ✓

2. Outdoor Chip Storage: Expansion of the outdoor chip storage area is necessary because Global has determined that after a whole waste tire has

Bob - Is the county in compliance with their existing permit?
Danielle - Do you have any comments?
Kim 3/23/99

D.E.P.
MAR 2 2 1999
Southwest District Tampa

GTR Global Tire Recycling
1201 Industrial Drive
Wildwood, FL 34785
Phone: (352) 330-2213
Fax: (352) 330-2214
Web Site: www.gtrcrumbrubber.com

VIA U.S. MAIL AND FACSIMILE
813-744-8313

March 19, 1999

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
MAR 2 2 1999
SOUTHWEST DISTRICT TAMPA

Kim Ford, P.E.
Fla. Dept. of Environmental Protection
Solid Waste Division
3804 Coconut Palm Drive
Tampa, FL 33619-8313

RE: Modification to Permit No. 136808001WT- Sumter County

Dear Mr. Ford:

Pursuant to FAC 62-4.080, Global Tire Recycling of Sumter County, Inc. ("Global") hereby requests a modification of the above-referenced Waste Tire Processing Facility Permit. In essence the requested modification is intended to allow Global to stay within the financial assurance amount of $93,068.00 that it has posted pursuant to a performance bond and trust fund agreement, allowing changes in the specific mix of whole waste tires, in-process material and other feedstock and finished product, as well as the particular siting of the storage areas for each of these elements. The proposed changes will more accurately reflect Global's present and future operational needs and are set forth in detail as follows:

1. Trailer Storage: Global has minimal need for storage of waste tires in outdoor trailers and requests only 1 permitted trailer for storage: 1,700 tires x 1 trailer x 20 lb/tire = 17 tons trailer storage. ✓

2. Outdoor Chip Storage: Expansion of the outdoor chip storage area is necessary because Global has determined that after a whole waste tire has

passed through the shredder, the resulting chips should be shredded again for optimum process efficiency. Global requests that it be allowed to expand the present chip pad to 75' x 75' x 7' or 39,375 ft³ @ 20 lb/ft³ =787,500 lbs. or 394 tons and to establish an additional 80' x 50' x 7' chip pile west of the live floor hoppers, which according to these calculations would hold 280 tons, for a total of 674 tons.

3. Whole Waste Tires:

a) Global's indoor tire piles at locations C and E are permitted for 20 tons under Plan A and 134 tons under Plan B. Global requests that the indoor pile be reduced to a 50' x 20' x 5' dimension (185.2 yd³ at 10 tires/yd³= 1,852 tires @ 20 lb/tire- 37,040 lb. or 18 tons.

b) Global requests permission for an outdoor over the road (OTR) and large truck tire pile of 50' x 20' x 5' to be situated on the asphalt at the western perimeter. This tire pile would also comprise 18 tons and would accommodate approximately 370 large truck or OTR tires.

c) Occasionally, waste tires may be brought to Global's plant by several collectors at the same time, or while the live floor hoppers are already full, making it necessary to temporarily unload tires on the asphalt near the hoppers. There also may be occasions when the hoppers or the infeed conveyors need repair or maintenance, requiring that their contents be unloaded. Accordingly, Global requests that it be permitted for two 50' x 20' x 5' tire piles in this area: one pile directly to the west of the tire unloading hoppers and the other pile just north of the conveyors leading from the hoppers in to the building: 36 tons.

4. Global wants to place a 50' x 50' x 6' enclosed storage area for mesh-sized finished product which cannot be stored in the outdoor bulk hoppers. The area would comprise 15,000 ft³. At 27 lb./ft³, this area holds 405,000 lb. or 202 tons of mesh sized rubber.

5. Bagged Crumb Rubber. Because its indoor storage racks hold a maximum of 266 tons of bagged crumb rubber, Global requests that its permit be modified for this amount: 266 tons

6. Outside Bulk Loading Hoppers. Each of the six bulk loading hoppers located on the south side of the building hold approximately 18 tons

rather than 22 tons of Global's crumb rubber product, and Global requests that the permit be modified for this amount: 108 tons.

7. New Granular Rubber Storage Piles: Occasionally Global has the opportunity to purchase at a favorable price steel and fiber-free granular feedstock of approximately 3/8" dimension. Global requests permit modification to store this material in three areas: indoors near the area where we are now permitted for bagged storage in a 20' x 50' x 5' pile = 5000 ft^3 @ 32 lb/ft^3 = 160,000 lb. or 70 tons; and outdoors in a 25' x 35' x 5' pile on the concrete pad by the west loading dock where six dumpsters are now permitted at 5250 ft^3 or 84 tons and a third 20' x 50' x 5' pile at the southwest loading dock comprising 80 tons. The total requested for the granular rubber storage piles is 230 tons.

8. Fiber Dumpsters: Global requests modification to 3 thirty yd^3 dumpsters 90 yd^3 = 40 tons.

9. Tread Steel Dumpsters: Global requests that the permit be modified to add three tread steel dumpsters at the area where we are permitted for two dumpsters: 5 dumpsters @ 30 yd^3 = 150 yd^3 = @ 1,000 lb/yd^3 = 75 tons.

10. Bead Wire Dumpsters: Global wishes to relocate its 2 existing bead wire dumpsters to the area along the western fencing to the west of where we are presently permitted for tire storage in closed trailers.

11. Tire Rim Dumpster: Global requests that the permit be modified to show only one 30 yd^3 dumpster for rims, to be located in the same area as the bead wire dumpsters. One dumpster at 30 yd^3 at 333 lb/yd^3 = 5 tons.

12. Butyl Tube Dumpster: Global requests modification to show only one 30 yd^3 tube dumpster to be located at the same area as the bead wire dumpsters. 30 yd^3 @ 333 lb/yd^3 - 5 tons.

To summarize, Global submits the following revised storage estimates:

		TONS
a)	1700 whole tires in 1 outside trailer	17
b)	Chips in outside chip pads	674

c)	Whole tires indoors	18
d)	Whole tires outdoors OTR	18
e)	Granular-sized rubber in surge bins	26
f)	3/8" granular rubber feedstock pile indoors	80
g)	3/8" granular rubber feedstock piles outdoors	150
h)	Bagged crumb rubber (finished product)	266
i)	Crumb rubber in bulk loading hoppers	108
	Total Rubber @ $53/ tons	1357 tons
	Cost To Remove Rubber	$71,921
	Disposal of 15 30 yd³ fiber, tread and bead steel, butyl tube, residual and office trash dumpsters at $530 per haul	$7,950
	TOTAL	$79,871

I will call you to discuss the requested permit modification and any particular question you may have.

Very truly yours,

Michael F. Kelley
V.P. and General Counsel

Refreshing for someone to do this on their own, not in response to an inspection where they were out of compl. Is this supposed to be done by a P.E.?

~~Doesn't look like the OTR made it into the~~

~~correct #'s at the end~~

~~of Pg. 3 Book/pg 51.~~

*There should be an added cost for processing the OTR (as seen from experi)

I don't understand how they arrived at $79.50. This needs to be looked at from a financial perspective as well.

DM

see pg. 4

Bob - Is it currently in compliance with their existing permit?
Danielle -
Comments?
tm 3/23/99

D.E.P.
MAR 2 2 1999
Southwest District Tampa

GTR Global Tire Recycling
1201 Industrial Drive
Wildwood, FL 34785
Phone: (352) 330-2213
Fax: (352) 330-2214
Web Site: www.gtrcrumbrubber.com

VIA U.S. MAIL AND FACSIMILE
813-744-8313

March 19, 1999

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
MAR 2 2 1999
SOUTHWEST DISTRICT TAMPA

Kim Ford, P.E.
Fla. Dept. of Environmental Protection
Solid Waste Division
3804 Coconut Palm Drive
Tampa, FL 33619-8313

RE: Modification to Permit No. 136808001WT- Sumter County

Dear Mr. Ford:

Pursuant to FAC 62-4.080, Global Tire Recycling of Sumter County, Inc. ("Global") hereby requests a modification of the above-referenced Waste Tire Processing Facility Permit. In essence the requested modification is intended to allow Global to stay within the financial assurance amount of $93,068.00 that it has posted pursuant to a performance bond and trust fund agreement, allowing changes in the specific mix of whole waste tires, in-process material and other feedstock and finished product, as well as the particular siting of the storage areas for each of these elements. The proposed changes will more accurately reflect Global's present and future operational needs and are set forth in detail as follows:

1. Trailer Storage: Global has minimal need for storage of waste tires in outdoor trailers and requests only 1 permitted trailer for storage: 1,700 tires x 1 trailer x 20 lb/tire = 17 tons trailer storage.

2. Outdoor Chip Storage: Expansion of the outdoor chip storage area is necessary because Global has determined that after a whole waste tire has

passed through the shredder, the resulting chips should be shredded again for optimum process efficiency. Global requests that it be allowed to expand the present chip pad to 75' x 75' x 7' or 39,375 ft^3 @ 20 lb/ft^3 =787,500 lbs. or 394 tons and to establish an additional 80' x 50' x 7' chip pile west of the live floor hoppers, which according to these calculations would hold 280 tons, for a total of 674 tons. ✓

3. Whole Waste Tires:

a) Global's indoor tire piles at locations C and E are permitted for 20 tons under Plan A and 134 tons under Plan B. Global requests that the indoor pile be reduced to a 50' x 20' x 5' dimension (185.2 yd^3 at 10 tires/yd^3= 1,852 tires @ 20 lb/tire- 37,040 lb. or 18 tons. ✓

b) Global requests permission for an outdoor over the road (OTR) and large truck tire pile of 50' x 20' x 5' to be situated on the asphalt at the western perimeter. This tire pile would also comprise 18 tons and would accommodate approximately 370 large truck or OTR tires. ✓

c) Occasionally, waste tires may be brought to Global's plant by several collectors at the same time, or while the live floor hoppers are already full, making it necessary to temporarily unload tires on the asphalt near the hoppers. There also may be occasions when the hoppers or the infeed conveyors need repair or maintenance, requiring that their contents be unloaded. Accordingly, Global requests that it be permitted for two 50' x 20' x 5' tire piles in this area: one pile directly to the west of the tire unloading hoppers and the other pile just north of the conveyors leading from the hoppers in to the building: 36 tons.

4. Global wants to place a 50' x 50' x 6' enclosed storage area for mesh-sized finished product which cannot be stored in the outdoor bulk hoppers. The area would comprise 15,000 ft^3. At 27 $lb./ft^3$, this area holds 405,000 lb. or 202 tons of mesh sized rubber.

5. Bagged Crumb Rubber. Because its indoor storage racks hold a maximum of 266 tons of bagged crumb rubber, Global requests that its permit be modified for this amount: 266 tons ✓

6. Outside Bulk Loading Hoppers. Each of the six bulk loading hoppers located on the south side of the building hold approximately 18 tons

rather than 22 tons of Global's crumb rubber product, and Global requests that the permit be modified for this amount: 108 tons.

7. New Granular Rubber Storage Piles: Occasionally Global has the opportunity to purchase at a favorable price steel and fiber-free granular feedstock of approximately 3/8" dimension. Global requests permit modification to store this material in three areas: indoors near the area where we are now permitted for bagged storage in a 20' x 50' x 5' pile = 5000 ft^3 @ 32 lb/ft^3 = 160,000 lb. or 70 tons; and outdoors in a 25' x 35' x 5' pile on the concrete pad by the west loading dock where six dumpsters are now permitted at 5250 ft^3 or 84 tons and a third 20' x 50' x 5' pile at the southwest loading dock comprising 80 tons. The total requested for the granular rubber storage piles is 230 tons.

8. Fiber Dumpsters: Global requests modification to 3 thirty yd^3 dumpsters 90 yd^3 = 40 tons.

9. Tread Steel Dumpsters: Global requests that the permit be modified to add three tread steel dumpsters at the area where we are permitted for two dumpsters: 5 dumpsters @ 30 yd^3 = 150 yd^3 = @ 1,000 lb/yd^3 = 75 tons.

10. Bead Wire Dumpsters: Global wishes to relocate its 2 existing bead wire dumpsters to the area along the western fencing to the west of where we are presently permitted for tire storage in closed trailers.

11. Tire Rim Dumpster: Global requests that the permit be modified to show only one 30 yd^3 dumpster for rims, to be located in the same area as the bead wire dumpsters. One dumpster at 30 yd^3 at 333 lb/yd^3 = 5 tons.

12. Butyl Tube Dumpster: Global requests modification to show only one 30 yd^3 tube dumpster to be located at the same area as the bead wire dumpsters. 30 yd^3 @ 333 lb/yd^3 - 5 tons.

To summarize, Global submits the following revised storage estimates:

		TONS
a)	1700 whole tires in 1 outside trailer	17
b)	Chips in outside chip pads	674

c)	Whole tires indoors	18
d)	Whole tires outdoors OTR	18
e)	Granular-sized rubber in surge bins	26
f)	3/8" granular rubber feedstock pile indoors	80
g)	3/8" granular rubber feedstock piles outdoors	150
h)	Bagged crumb rubber (finished product)	266
i)	Crumb rubber in bulk loading hoppers	108
	Total Rubber @ $53/ tons	1357 tons
	Cost To Remove Rubber	$71,921
	Disposal of 15 30 yd³ fiber, tread and bead steel, butyl tube, residual and office trash dumpsters at $530 per haul	$7,950
	TOTAL	$79,871

I will call you to discuss the requested permit modification and any particular question you may have.

Very truly yours,

Michael F. Kelley
V.P. and General Counsel