



Trail Ridge Landfill

Semi-Annual Ground Water Monitoring Report

Operating Permit Number 0013493-010-SC

Prepared for:

Trail Ridge Landfill
5110 U.S. Highway 301 South
Baldwin, FL 32234

Prepared by:

HDR Engineering, Inc.
200 West Forsyth Street, Suite 800
Jacksonville, Florida 32202
904.598.8900
904.598.8988 FAX

HDR

April 2006

Florida Department of Environmental Protection

Twin Towers Office Bldg. 2600 Blair Stone Road Tallahassee, Florida 32399-2400

DEP Form # 62-522.900(2)
Form Title <u>Ground Water Monitoring Report</u>
Effective Date _____
DEP Application No. _____

GROUND WATER MONITORING REPORT

Rule 62-522.600(11)

RECEIVED

APR 27 2006

STATE OF FLORIDA
DEPARTMENT OF ENV. PROTECTION
NORTHEAST DISTRICT - JACKSONVILLE

PART I GENERAL INFORMATION

(1) Facility Name TRAIL RIDGE LANDFILL

Address 5110 U.S. Highway 301 South

City BALDWIN

Zip 32234-3608

Telephone Number (904) 289-9100

(2) The GMS Identification Number 3116PO2787

(3) DEP Permit Number 0013493-010-SC

(4) Authorized Representative Name GREG MATHES

Address 5110 U.S. HIGHWAY 301, SOUTH

City BALDWIN

Zip 32234-3608

Telephone Number (904) 289-9100

(5) Type of Discharge NONE

(6) Method of Discharge _____

Certification

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Date: 04/26/06

GREG MATHES, Director of Landfill Operations

Signature of Owner or Authorized Representative

PART II QUALITY ASSURANCE REQUIREMENTS

Sample Organization Comp QAP # 880633G

Analytical Lab Comp QAP # /HRS Certification #

*Comp QAP # /HRS Certification #

Lab Name SEVERN TRENT LABORATORIES, INC.

Address 6712 BENJAMIN ROAD, SUITE 100, TAMPA, FLORIDA 33634

Phone Number (813) 885-7427

TRAIL RIDGE LANDFILL

Semi-Annual Water Quality Data Report

Prepared for:

Trail Ridge Landfill
5110 U.S. Highway 301, South
Jacksonville, Florida 32234

FDEP Permit Number 0013493-010-SC
WACS ID Number NED/16/00033628

Prepared by:

HDR Engineering, Inc.
200 West Forsyth Street
Suite 800
Jacksonville, Florida 32202
(904) 598-8900
(904) 598-8988 fax

April 2006

EXECUTIVE SUMMARY

Semi-Annual Water Quality Data Report for Trail Ridge Landfill

This semi-annual monitoring report was completed on behalf of Trail Ridge Landfill located in Jacksonville, Duval County, Florida. The data reviewed in this water quality assessment was obtained during the first routine semi-annual detection monitoring event conducted in 2006. The ground water at Trail Ridge is monitored by thirty-seven wells including five background wells. Two surface water sample points and a leachate point are also monitored in accordance with Permit Number 0013493-010-SC. The ground water wells are monitored semi-annually for the detection monitoring parameters listed under Attachment III and Specific Condition 48 of the Permit. The surface water is monitored semi-annually for the detection monitoring parameters listed under Attachment IV and Specific Condition 49 of the above Permit. Leachate is monitored annually and reported during the 2nd semiannual sampling event for the parameters listed in Specific Condition 39 of the Permit.

A detailed review of the monitoring data indicates that iron exceeded the SDWS at 29 of the 37 monitoring wells including four of the five background wells. The levels of iron seen in the ground water at Trail Ridge Landfill result from the interaction of the ground water with the soil mineralogy and are characteristic of the ground water in Duval County. pH in 32 of the 37 wells was below the SDWS of 6.5 S.U. These included four of the five background wells. Methylene Chloride was detected during the original sampling event at concentration above the PDWS at MWB-17(D); subsequent resampling confirmed this compound not to be present above laboratory reporting limits. At MWB-34S TDS exceeded the SDWS. Surface water sample SW-1, the Class III standards for dissolved oxygen, pH, and iron were exceeded, and in SW-2 (background sample) the Class III standard for fecal coliform was exceeded. These constituents have all historically been detected in both up and downgradient surface water samples and are not considered a result of site activities. The remainder of the data meets the water quality standards as dictated by the FDEP. The data reported appears to be consistent with the overall ground water quality and historical data.

Based on recent monitoring well inspections, all of the wells are maintained in good condition. Surface seals, protective casings, well caps, and well locks are in-place and in proper condition at each well to ensure that samples collected from the wells are representative of the aquifer conditions. Trail Ridge Landfill will continue to closely monitor the facility and evaluate the water data obtained during detection monitoring to ensure that there are no water quality exceedances.

TABLE OF CONTENTS

	Page
Title Page	
Executive Summary	<i>i</i>
Table of Contents	<i>ii</i>
1.0 Introduction	1
1.1 Background	1
2.0 Ground Water Monitoring Data	4
2.1 Field Data	4
2.2 Laboratory Parameters	5
3.0 Surface Water Monitoring Data	6
4.0 Leachate & Condensate Monitoring Data	7
5.0 Summary	8

Figures

- Figure 1** Groundwater Contour Map Shallow Wells - Trail Ridge Landfill
- Figure 2** Groundwater Contour Map Intermediate Wells - Trail Ridge Landfill
- Figure 3** Groundwater Contour Map Deep Wells - Trail Ridge Landfill
- Figure 4** Sample Location Map

Appendices

- A** FDEP Semi-Annual Ground Water Parameter Monitoring Report Forms
- B** STL Laboratory Reports – Ground Water Sample Points
- C** Field Information Forms
- D** FDEP Semi-Annual Surface Water Parameter Monitoring Report Forms
- E** STL Laboratory Reports – Surface Water Sample Points
- F** FDEP Semi-Annual Leachate & Condensate Parameter Monitoring Report Forms
- G** STL Laboratory Reports – Leachate & Condensate Sample Points
- H** STL Laboratory Reports - Resample
- I** FDEP Parameter Monitoring Reports Forms - Resample

1.0 INTRODUCTION

This semi-annual ground water monitoring report is submitted on behalf of Trail Ridge Landfill located in Jacksonville, Florida. Trail Ridge Landfill is located on US Highway 301, in the western portion of Duval County, Florida. It is located at 5110 U.S. Highway 301 in Baldwin, Florida. The landfill is about 4 1/2 miles south of the intersection of US 301 and I-10. Trail Ridge is an active municipal solid waste landfill owned by the City of Jacksonville and operated by Waste Management. Operation of the Landfill is in accordance with the Permit Number 0013493-010-SC, issued December 19, 2003 and the applicable provisions of previous permits.

The data submitted in this ground water quality assessment was obtained during the routine semi-annual detection-monitoring event conducted on February 22-24, 2006. During this monitoring period, ground water wells were monitored for the parameters listed in Attachment III of the current permit. In conjunction with the ground water monitoring, surface water samples were collected and analyzed for the parameters listed in Attachment IV of the permit.

The ground water and surface water monitoring program at the Trail Ridge Landfill incorporates monitoring elements to provide environmental protection post closure. All field work, sampling methodologies, data evaluation, data QA/QC, and laboratory analyses were conducted in accordance with the site permit, and the sample team and National Environmental Laboratory Accreditation Conference (NELAC) standards.

1.1 Background

As identified in the following tables, thirty-seven wells comprise the facilities routine monitoring system with an additional nine wells that are maintained but only sampled if required for assessment monitoring. Five of the thirty-seven wells are designated background wells, seven wells are designated detection wells and twenty-five are designated as compliance wells. An additional nine compliance wells are part of the permitted groundwater monitoring system but in accordance with Specific Condition 48 of the permit not utilized unless required for assessment monitoring. Monitoring well designations are shown in the following tables.

Location	Well ID
Background	MWB-2(S), MWB-2(I) MWB-3(S), MWB-3(I) MWB-31(D)
Phase I Compliance	MWB-7(S), MWB-7(I), MWB-7(D) MWB-11(S), MWB-11(I)R MWB-12(S), MWB-12(I), MWB-12(D) MWB-19(S), MWB-19(I), MWB-19(D) MWB-20(S) MWB-21(S) MWB-22(S)
Phase II Compliance	MWB-17(S), MWB-17(I), MWB-17(D)
Phase III & Phase IV Compliance	MWB-13(S), MWB-13(I)
Phase III Detection	MWB-33(S) MWB-34(S)d MWB-34(I), MWB-34(D)
Phase V Compliance	MWB-27(S), MWB-27(I), MWB-27(D) MWB-29(S), MWB-29(I), MWB-29(D)
Phase V Detection	MWB-32(S), MWB-32(I), MWB-32(D)

Specific Condition 48: These wells shall be maintained but will not be utilized unless required for assessment monitoring.

Location	Well ID
Phase I Compliance	MWB-14(S), MWB-14(I), MWB-14(D)
Phase III & Phase IV Compliance	MWB-23(S)
Phase IV Compliance	MWB-24(S), MWB-25(S), MWB-25(I), MWB-25(D), MWB-26(S)

The monitoring wells are installed around the perimeter of the landfill and are screened in three zones within the Surficial Aquifer (Shallow, Intermediate, and Deep zones). The monitoring wells are sampled and analyzed semi-annually for the parameters listed in Attachment III of the permit. Sampling is required by permit to be conducted prior to March 30, and September 30 of each year, with reports submitted to the FDEP for each sampling period no later than April 15 and October 15 each year. A 2-week extension was requested and approved by the FDEP to allow resample results to be incorporated into this report.

Surface water flow at the site mimics topography, with runoff in a predominantly eastward direction and drainage features trending west-east. There are two surface water monitoring sites (designated SW-1 and SW-2). Monitoring location SW-1 is located in a wetland, approximately 200 feet east of the landfill's

stormwater retention pond. Monitoring location SW-2 is located in a west-east trending drainage feature, approximately 500 feet north of the landfill. SW-2 is considered a background sampling location, since it does not receive run-off directly from the landfill area. In accordance with Chapter 62-701, FAC, surface water monitoring is performed on a semi-annual basis in conjunction with the groundwater monitoring schedule.

In accordance with Specific Condition 39 of the operating permit, leachate is sampled annually prior to September 30 and analyzed. Two samples are collected a composite sample (from tanks 1-5 designated LCS) and a sample of secondary leachate collection system (tank 6 designated LDSS). These samples are analyzed for the parameters listed in Specific Condition 39. Leachate sampling is conducted during the second semiannual sampling event.

Leachate collection pipes that lie on top of the primary liner terminate at the leachate collection sumps. These sumps also collect any leachate flowing along the secondary leak detection system. The sump is designed so that the leachate from the primary and secondary systems is separated. Therefore, it is necessary to have two pumps in each sump, one for the primary leachate collection system and one for the secondary leachate collection system.

The leachate is pumped from the sumps through primary and secondary force mains to six 20,000-gallon storage tanks. Tanks 1 through 5 (interconnected) receive the leachate collected from all of the primary leachate collection sumps via one force main. Tank 6 receives leachate that is pumped through a separate force main from the secondary leachate collection sumps. Previous sampling procedures required sampling of all six tanks. However, since tanks 1 through 5 contain the same leachate, sampling procedures were reduced during the 1997 permit renewal for the site to the collection of two (2) samples (one for the secondary leachate collection tank and one composite sample of the five primary leachate collection tanks).

In accordance with Specific Condition 14, gas condensate from the pump station is sampled semiannually for Toxicity Characteristic Leaching Procedure (TCLP) parameters with the results submitted to the FDEP no later than June 30 and December 31 of each year.

In a letter dated June 15, 2004, FDEP concurred with the site Contamination Evaluation Plan and follow-up letter requesting that the site return to Detection Monitoring and to terminate sampling of the compliance wells. However, because of the timing of this letter and the sample event, compliance wells MWB14S and MWB23S were sampled by the site (e.g. the laboratory sent sample kits). The results show that VOCs were not detected in these samples, further confirming the findings of the evaluation plan. As approved and unless otherwise required by FDEP, these compliance wells will not be sampled during future events and the site has returned to detection monitoring.

Biennial Water Quality Reports are submitted to the FDEP every two years. The last Biennial report was submitted to the Department on September 30, 2005. The facility's permit expires on November 25, 2007 and consistent with Specific Condition 48(m), groundwater samples collected during this event are to be analyzed for the expanded parameter list on Attachment 2 of the permit.

2.0 GROUND WATER MONITORING DATA

The following section contains an evaluation of the ground water monitoring data. The ground water data from each of the compliance wells is compared to the background ground water quality and the applicable water quality standards.

Professional Technical Support Services, Inc. (Pro-Tech) conducted the field activities at the Trail Ridge Landfill, in which ground water elevation data, field measurements, and samples for laboratory analyses were collected. STL-Tampa conducted the laboratory analyses. The FDEP Semi-Annual Ground Water Parameter Monitoring Report forms have been completed and are included in Appendix A. The laboratory reports for the ground water samples are included in Appendix B.

2.1 Field Data

On February 22-24, 2006, Pro-Tech completed the field activities at Trail Ridge Landfill. The field measurements, sample collection, and sample preservation were conducted in accordance with Rule 62-160, F.A.C. and the FDEP Standard Operating Procedures. Prior to purging, depth to water and water level elevations were recorded to the nearest hundredth of a foot from a surveyed reference datum. The water level measurements were utilized for determining water volumes in the well casing and for preparation of ground water contour maps (Figures 1-3) used to determine ground water flow direction and gradient at the site.

The average horizontal gradient across the site indicates that groundwater flow directions and gradients in the three zones are very similar, with the deep zone, on average, having a slightly flatter gradient than the intermediate and shallow zones. It is noted that this observation may at least partially be a result of having fewer data points for the deep zone, resulting in larger interpolations between data points than in the shallow zone. There were no obvious seasonal trends in gradient fluctuations. As noted in previous reports, groundwater flow direction in all three zones is predominantly eastward. Current data reflects little change or variation in flow direction in any of the three zones.

Bladder pumps were used to evacuate a minimum of three well volumes of fluid from within each monitoring well, with exception of monitoring well MWB-13S, which (as typical) was pumped dry after 1.2 well volumes (2.4 gallons). Following completion of purging activities, samples were collected from the wells using the bladder pumps. During sampling, field parameters including dissolved oxygen, pH, temperature, turbidity, specific conductance, and physical characteristics of the water samples, as well as the meteorological conditions at the time of sampling were noted on the field forms with the field data (Appendix C). Following collection of samples into laboratory provided containers and ice chests; the samples were forwarded to the contract laboratory under signed chain of custody documentation. Trip blanks were submitted for laboratory analyses with the samples.

A review of the field data shows that turbidity measurement reported in monitoring wells MWB-11IR (46.7 NTU), MWB-19(I) (27.3 NTU), MWB-32S (31.9 NTU), MWB-32I (236.1 NTU), and MWB-32(D) (115.1

NTU). The ground water turbidity levels in all other wells that were sampled were below 20 NTU at each of the ground water wells sampled during this monitoring period. These turbidity levels are consistent with historic sampling events, with the exception of MWB-32(D), which has increased from past events. Care will be taken next event to minimize turbidity, if unsuccessful, MWB-32(I) and MWB-32(D) will be redeveloped.

The pH levels reported for the groundwater samples collected at four background wells (MWB-2(S), MWB-3(S), MWB-2(I) and MWB-3(I)) and 28 compliance/detection wells (MWB-7(S), MWB-7(I), MWB-11(S), MWB-11(IR), MWB-12(S), MWB-12(I), MWB-13(S), MWB-13(I), MWB-17(S), MWB-17(I), MWB-17(D), MWB-19(S), MWB-19(I), MWB-20(S), MWB-21(S), MWB-22(S), MWB-27(S), MWB-27(I), MWB-27(D), MWB-29(S), MWB-29(I), MWB-29(D), MWB-32(S), MWB-32(I), MWB-32(D), MWB-33(S), and MWB-34(I)) were below the SDWS specified range of 6.5–8.5 SU. Based on historical data, such pH levels are characteristic of the site.

2.2 Laboratory Parameters

The ground water samples collected from the site were transferred to Severn Trent Laboratories, Inc. (STL-Tampa) for analyses. The laboratory analyses including the quality control procedures have been conducted in accordance with Rule 62-160, F.A.C. Samples submitted were analyzed within the required holding times, unless otherwise noted in the laboratory reports. Quality control exceedances are discussed in the narrative portion of the laboratory reports for each lot of samples obtained. The monitoring parameters were compared to the ground water quality standards as designated in 62-550.310 and 62-550.320, F.A.C.

A review of the ground water data notes that:

- Total iron exceeded the FDEP secondary ground water quality standard of 300 µg/L at four background monitoring wells (MWB-2(I), MWB-2(S), MWB-3(S), MWB-3(I)) and twenty-five compliance/detection wells (MWB-7(I), MWB-11(S), MWB-11(IR), MWB-12(I), MWB-12(D), MWB-13(S), MWB-13(I), MWB-17(I), MWB-17(D), MWB-19(S), MWB-19(I), MWB-19(D), MWB-20(S), MWB-21(S), MWB-27(I), MWB-27(D), MWB-29(S), MWB-29(I), MWB-29(D), MWB-32(S), MWB-32(I), MWB-32(D), MWB-33(S), MWB-34(I), and MWB-34(D)). Iron concentrations have historically been reported above the SDWS at this site and are considered to be reflective of natural groundwater conditions in the area. Iron was reported above the SDWS in four of the five background wells. As previously discussed turbidity levels of many of these samples were elevated which will bias results high.
- Vinyl chloride was not detected in MW-34(S). This combined with the last four events makes five events where the vinyl chloride concentration was below the FPDWS. The site appears to have addressed and mitigated the vinyl chloride detections.
- During the original sampling event, several volatile organic compounds (VOCs) were detected at low levels. Those VOCs detected consisted of:

- The sample collected from MWB-2(S), Toluene was detected at trace levels (0.54 I ug/L) below the laboratory reporting limit.
 - Methylene Chloride was detected at the sample collected from MWB-17(D) at 18 ug/L, at a concentration above the primary drinking water standard. Subsequent resampling confirmed this compound was not present (see Appendix H & I) confirming this compound was not present in concentrations above the laboratory reporting limit.
 - Benzene was detected at trace levels (0.52 I ug/L) below the laboratory reporting limit from the sample collected from MW-34(S).
- During the sampling event at MWB-34(S) several compounds were detected at concentrations exceeding secondary drinking water standards. These compounds detected include:
 - TDS was detected during the original sampling event at 520 mg/L, slightly above the SDWS of 500 mg/L. TDS concentrations appear to have decreased since the last sampling event.
 - Ammonia was detected during the original sampling event at 16 mg/L, above the background (typically less than 0.5 mg/L). The ammonia concentrations at MWB-34(S) appear to be decreasing since the 1st event in 2005.
 - We note that repairs were made to the leachate piping system last summer immediately adjacent to MWB-34(S). These low-level detections may be related to the repairs on the adjacent leachate line that were completed recently. Continued semiannual monitoring to confirm the downward trends and verify that the repairs were successful is warranted. The next scheduled sampling event is in the summer of 2006.
 - All other ground water data are below ground water quality standards and are consistent with the historical data obtained.

3.0 SURFACE WATER MONITORING DATA

The following section contains an evaluation of the surface water monitoring data. The surface water data is compared to the applicable water quality standards. The FDEP Semi-Annual Surface Water Parameter Monitoring Report forms have been completed and are included in Appendix D. The laboratory reports for the surface water samples are included in Appendix E.

A review of the surface water data notes that:

- Of the volatile organic compounds (VOCs) monitored for, none were detected above the laboratory reporting limits.
- Total iron exceeded the FDEP Class III surface water standard of 1000 µg/L at surface water sample point SW-1 (1,500 µg/L).

- pH exceeded the lower end of the FDEP Class III surface water standard of 6 SU at surface water sample points SW-1 (4.59 SU) and SW-2 (4.35 SU). These values are consistent with background water quality in this area;
- Dissolved oxygen measured in the field at SW-1 (4.1 mg/L.) exceeded the FDEP secondary water quality standard of 5.0 mg/L;
- At SW-2 (background) Fecal Coliform bacteria exceeded the monthly Class III Surface water standard of 200 cfu/100ml. The reported concentration was 1265 cfu/100ml. The presence of birds has been noted at this sampling site. Birds are likely the source of the detected fecal coliform bacteria. Analytical data does not suggest any impacts to surface water.
- Exceedances of regulatory standards (Chapter 62-302, FAC for Florida Class III Surface Waters) were noted in the surface water samples collected at the site. In SW-1, the regulatory standards for dissolved oxygen, pH, and iron were exceeded, and in SW-2 the regulatory standard for fecal coliform bacteria was exceeded. It is noted that most of these constituents have been detected before at the site and that they are not considered a result of site activities. As these constituents have all been historically detected in both sample locations (i.e., upgradient and downgradient) they are not considered a result of site activities and therefore, no additional action is recommended beyond the routine semiannual monitoring.

All other surface water data are below ground water quality standards and are consistent with the historical data obtained.

4.0 LEACHATE AND CONDENSATE MONITORING DATA

In accordance with Specific Condition 39 of the permit, leachate is sampled annually prior to September 30 and analyzed. Two samples are collected a composite sample (from tanks 1-5 designated LCS), and a sample of secondary leachate collection system (tank 6 designated LDSS) and analyzed for the parameters listed in Specific Condition 39. Leachate samples will be collected during the summer 2006 sampling event. Previously, no exceedances of regulatory standards (40 CFR Part 261) have been noted in the leachate samples collected for analysis. In accordance with the permit, leachate is sampled and analyzed during the second semiannual sampling event.

In accordance with Specific Condition 14, gas condensate from the pump station was sampled for TCLP parameters with the results submitted to the Department no later than June 30 and December 31 of each year. No exceedances of regulatory standards (40 CFR Part 261) were noted in the condensate sample collected for analysis. During analysis of the original sample VOC's were analyzed by an incorrect method and therefore condensate was resampled and analyzed, the results again demonstrated no exceedances of regulatory standards (40 CFR Part 261).



5.0 SUMMARY

The data obtained during the first semi-annual monitoring event in 2006 at Trail Ridge Landfill are generally consistent with the historical data. The only constituents routinely exceeding a ground water quality standard are total iron and pH. These detections are consistent with background water quality. There was a VOC detection in well MWB-17D however resampling indicated the compound not to be present. Well MWB-34(S) indicated trace concentrations (below the PDWS and below the PQL) of benzene, TDS slightly exceeded the SDWS. Continued semiannual monitoring is recommended to track and confirm the downward trends in TDS and ammonia in MW-34(S). Total Iron, dissolved oxygen, pH, and fecal coliform were the only parameters exceeding FDEP surface water standards in the surface water samples. These constituents have all historically been detected in both up and downgradient surface water samples and are not considered a result of site activities. The remainder of the data is below ground water quality standards and is consistent with historical data. The monitoring well network continues to adequately monitor the landfill.

Figures

- Figure 1 Groundwater Contour Map Shallow wells – Trail Ridge Landfill
- Figure 2 Groundwater Contour Map Intermediate wells – Trail Ridge Landfill
- Figure 3 Groundwater Contour Map Deep wells – Trail Ridge Landfill
- Figure 4 Sample Location Map

×140.00 GROUNDWATER ELEVATION AND SAMPLING LOCATION, CURRENT SAMPLING PERIOD



Y:\Waste Managem\Trail Ridge\April 2005\Trail Ridge LF.dwg, FIG. 1, 4/24/2006 5:36:55 PM, ealexand

Trail Ridge LF.dwg, FIG. 1, 4/24/2006 5:36:55 PM, ealexand



HDR Engineering, Inc.

GROUNDWATER CONTOUR MAP SHALLOW WELLS TRAIL RIDGE LANDFILL




Date
MARCH 06

Figure
FIG. 1

1" = 500'

4-27-06

x140.00 GROUNDWATER ELEVATION AND SAMPLING LOCATION, CURRENT SAMPLING PERIOD



Y:\Waste Management\Trail Ridge\April 2005\Trail Ridge LF.dwg, FIG. 2, 4/24/2006 5:44:44 PM, ealexand

1"=500'



HDR Engineering, Inc.




GROUNDWATER CONTOUR MAP INTERMEDIATE WELLS TRAIL RIDGE LANDFILL

Date
MARCH 06

Figure
FIG. 2

Y:\Waste Manager\ail Ridge\April 2005\Trail Ridge LF.dwg, FIG. 3, 4/24/2006 5:34:05 PM, ealexand

GROUNDWATER ELEVATION AND SAMPLING LOCATION, CURRENT SAMPLING PERIOD



1"=500'




HDR Engineering, Inc.

GROUNDWATER CONTOUR MAP
DEEP WELLS
TRAIL RIDGE LANDFILL

Date
MARCH 06

Figure
FIG. 3

Y:\Waste Managr Trail Ridge\April 2005\Trail Ridge LF.dwg, FIG. 4, 4/25/2006 9:40:03 AM, eaalexand



1"=500'



SAMPLE LOCATION MAP
TRAIL RIDGE LANDFILL

HDR Engineering, Inc.

Date
MARCH 06

Figure
FIG. 4

Appendix A

FDEP Semi-Annual Ground Water Parameter Monitoring Report Forms



Facility Name: Trail Ridge Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 33628
 WACS Testsite ID #: 17350
 WACS Testsite Name: MWB13I
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 2/23/2006 7:33:00AM
 Sampling Method: Unknown
 Permitted
 Well Type: CO

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual.
000610	Ammonia	N	E84282	350.1	2/28/2006 11:54:00AM	0.04	0.04	mg/L	U
034511	1,1,2-Trichloroethane	N	E84282	8260B	3/3/2006 9:20:00PM	0.47	0.47	ug/L	U
000406	Field pH	N	E84282	Field Sampling	2/23/2006 7:33:00AM	5.11		SU	
034571	1,4-Dichlorobenzene	N	E84282	8260B	3/3/2006 9:20:00PM	0.52	0.52	ug/L	U
000010	Field Temperature	N	E84282	Field Sampling	2/23/2006 7:33:00AM	22.4		Degrees C	
034496	1,1-Dichloroethane	N	E84282	8260B	3/3/2006 9:20:00PM	0.52	0.52	ug/L	U
034501	1,1-Dichloroethene	N	E84282	8260B	3/3/2006 9:20:00PM	0.45	0.45	ug/L	U
077443	1,2,3-Trichloropropane	N	E84282	8260B	3/3/2006 9:20:00PM	0.15	0.15	ug/L	U
034536	1,2-Dichlorobenzene	N	E84282	8260B	3/3/2006 9:20:00PM	0.44	0.44	ug/L	U
034531	1,2-Dichloroethane	N	E84282	8260B	3/3/2006 9:20:00PM	0.57	0.57	ug/L	U
000620	Nitrate Nitrogen	N	E84282	353.2	2/24/2006 12:37:00PM	0.01	0.01	mg/L	U
077562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	3/3/2006 9:20:00PM	0.63	0.63	ug/L	U
072020	Water Level	N	E84282	Field Sampling	2/23/2006 7:33:00AM	108.51		ft	
704	cis-1,3-Dichloropropene	N	E84282	8260B	3/3/2006 9:20:00PM	0.14	0.14	ug/L	U
105	Dibromochloromethane	N	E84282	8260B	3/3/2006 9:20:00PM	0.34	0.34	ug/L	U
034371	Ethylbenzene	N	E84282	8260B	3/3/2006 9:20:00PM	0.44	0.44	ug/L	U
077424	Iodomethane	N	E84282	8260B	3/3/2006 9:20:00PM	0.67	0.67	ug/L	U
081595	Methyl Ethyl Ketone	N	E84282	8260B	3/3/2006 9:20:00PM	8.4	8.4	ug/L	U
039180	Trichloroethene	N	E84282	8260B	3/3/2006 9:20:00PM	0.28	0.28	ug/L	U
081551	Xylenes, Total	N	E84282	8260B	3/3/2006 9:20:00PM	0.3	0.3	ug/L	U
077093	cis-1,2-Dichloroethene	N	E84282	8260B	3/3/2006 9:20:00PM	0.65	0.65	ug/L	U
000940	Chloride	N	E84282	325.2	2/28/2006 4:59:00PM	5.8	0.9	mg/L	
039175	Vinyl chloride	N	E84282	8260B	3/3/2006 9:20:00PM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E84282	8260B	3/3/2006 9:20:00PM	0.52	0.52	ug/L	U
034475	Tetrachloroethene	N	E84282	8260B	3/3/2006 9:20:00PM	0.34	0.34	ug/L	U
081596	4-Methyl-2-pentanone	N	E84282	8260B	3/3/2006 9:20:00PM	3.8	3.8	ug/L	U
032104	Bromoform	N	E84282	8260B	3/3/2006 9:20:00PM	0.58	0.58	ug/L	U
032101	Bromodichloromethane	N	E84282	8260B	3/3/2006 9:20:00PM	0.35	0.35	ug/L	U
073085	Bromochloromethane	N	E84282	8260B	3/3/2006 9:20:00PM	0.58	0.58	ug/L	U
078124	Benzene	N	E84282	8260B	3/3/2006 9:20:00PM	0.27	0.27	ug/L	U
081552	Acetone	N	E84282	8260B	3/3/2006 9:20:00PM	9.9	9.9	ug/L	U
034413	Bromomethane	N	E84282	8260B	3/3/2006 9:20:00PM	0.66	0.66	ug/L	U
034215	Acrylonitrile	N	E84282	8260B	3/3/2006 9:20:00PM	1.2	1.2	ug/L	U
077041	Carbon disulfide	N	E84282	8260B	3/3/2006 9:20:00PM	0.85	0.85	ug/L	U
077596	Methylene bromide	N	E84282	8260B	3/3/2006 9:20:00PM	0.41	0.41	ug/L	U
077651	Ethylene Dibromide	N	E84282	504.1	3/8/2006 3:18:00PM	0.0089	0.0089	ug/L	U
077128	Styrene	N	E84282	8260B	3/3/2006 9:20:00PM	0.98	0.98	ug/L	U
038437	1,2-Dibromo-3-Chloropropane	N	E84282	504.1	3/8/2006 3:18:00PM	0.0031	0.0031	ug/L	U
034010	Toluene	N	E84282	8260B	3/3/2006 9:20:00PM	0.51	0.51	ug/L	U
077103	2-Hexanone	N	E84282	8260B	3/3/2006 9:20:00PM	4.4	4.4	ug/L	U
034699	trans-1,3-Dichloropropene	N	E84282	8260B	3/3/2006 9:20:00PM	0.14	0.14	ug/L	U
034506	1,1,1-Trichloroethane	N	E84282	8260B	3/3/2006 9:20:00PM	0.46	0.46	ug/L	U
546	trans-1,2-Dichloroethene	N	E84282	8260B	3/3/2006 9:20:00PM	0.44	0.44	ug/L	U
516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	3/3/2006 9:20:00PM	0.14	0.14	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 4/3/2006

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 33628
 WACS Testsite ID #: 17350
 WACS Testsite Name: MWB13I
 Water Classification: G-II
C - Leachate, G-II, SW-III(F)

Sample Date/Time: 2/23/2006 7:33:00AM
 Sampling Method: Unknown
 Permitted
 Well Type: CO

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E84282	8260B	3/3/2006 9:20:00PM	2.5	2.5	ug/L	U
000094	Specific Conductance	N	E84282	Field Sampling	2/23/2006 7:33:00AM	37		umhos/cm	
082079	Turbidity	N	E84282	Field Sampling	2/23/2006 7:33:00AM	12.5		NTU	
000299	Oxygen, Dissolved	N	E84282	Field Sampling	2/23/2006 7:33:00AM	1.3		mg/L	
034423	Methylene Chloride	N	E84282	8260B	3/3/2006 9:20:00PM	4	4	ug/L	U
034488	Trichlorofluoromethane	N	E84282	8260B	3/3/2006 9:20:00PM	0.98	0.98	ug/L	U
001097	Antimony	N	E84282	200.7 Rev 4.4	3/6/2006 6:51:00PM	3.6	3.6	ug/L	U
001092	Zinc	N	E84282	200.7 Rev 4.4	3/6/2006 6:51:00PM	5.9	5.9	ug/L	U
071900	Mercury	N	E84282	245.1	3/2/2006 12:36:00PM	0.072	0.072	ug/L	U
032102	Carbon tetrachloride	N	E84282	8260B	3/3/2006 9:20:00PM	0.42	0.42	ug/L	U
034301	Chlorobenzene	N	E84282	8260B	3/3/2006 9:20:00PM	0.63	0.63	ug/L	U
001059	Thallium	N	E87052	200.8	3/2/2006 6:46:00AM	0.7	0.25	ug/L	I
001077	Silver	N	E84282	200.7 Rev 4.4	3/6/2006 6:51:00PM	1.9	1.9	ug/L	U
000929	Sodium	N	E84282	200.7 Rev 4.4	3/6/2006 6:51:00PM	3.2	0.31	mg/L	
034311	Chloroethane	N	E84282	8260B	3/3/2006 9:20:00PM	0.8	0.8	ug/L	U
001147	Selenium	N	E84282	200.7 Rev 4.4	3/6/2006 6:51:00PM	5.9	5.9	ug/L	U
001067	Nickel	N	E84282	200.7 Rev 4.4	3/6/2006 6:51:00PM	4.7	4.7	ug/L	U
001051	Lead	N	E84282	200.7 Rev 4.4	3/6/2006 6:51:00PM	1.6	1.6	ug/L	U
001045	Iron	N	E84282	200.7 Rev 4.4	3/6/2006 6:51:00PM	480	22	ug/L	
001042	Copper	N	E84282	200.7 Rev 4.4	3/6/2006 6:51:00PM	2.9	2.9	ug/L	U
032106	Chloroform	N	E84282	8260B	3/3/2006 9:20:00PM	0.9	0.9	ug/L	U
001037	Cobalt	N	E84282	200.7 Rev 4.4	3/6/2006 6:51:00PM	1.6	1.6	ug/L	U
001002	Arsenic	N	E84282	200.7 Rev 4.4	3/6/2006 6:51:00PM	4.8	4.8	ug/L	U
001007	Barium	N	E84282	200.7 Rev 4.4	3/6/2006 6:51:00PM	36	1.2	ug/L	
001012	Beryllium	N	E84282	200.7 Rev 4.4	3/6/2006 6:51:00PM	0.74	0.74	ug/L	U
001027	Cadmium	N	E84282	200.7 Rev 4.4	3/6/2006 6:51:00PM	0.71	0.71	ug/L	U
001087	Vanadium	N	E84282	200.7 Rev 4.4	3/6/2006 6:51:00PM	3.1	2.5	ug/L	I
070300	Total Dissolved Solids	N	E84282	160.1	2/28/2006 2:21:00PM	48	5	mg/L	
077057	Vinyl acetate	N	E84282	8260B	3/3/2006 9:20:00PM	1.5	1.5	ug/L	U
034418	Chloromethane	N	E84282	8260B	3/3/2006 9:20:00PM	0.64	0.64	ug/L	U
001034	Chromium	N	E84282	200.7 Rev 4.4	3/6/2006 6:51:00PM	3.4	1.7	ug/L	I

Total Parameters Monitored: 75

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Trail Ridge Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 33628
 WACS Testsite ID #: 17188
 WACS Testsite Name: MWB11S
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 2/23/2006 12:08:00PM
 Sampling Method: Unknown
 Permitted
 Well Type: CO

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
039175	Vinyl chloride	N	E84282	8260B	3/6/2006 10:45:00PM	0.5	0.5	ug/L	U
000094	Specific Conductance	N	E84282	Field Sampling	2/23/2006 12:08:00PM	165		umhos/cm	
001087	Vanadium	N	E84282	200.7 Rev 4.4	3/6/2006 5:45:00PM	2.5	2.5	ug/L	U
000940	Chloride	N	E84282	325.2	2/28/2006 4:59:00PM	14	0.9	mg/L	
001002	Arsenic	N	E84282	200.7 Rev 4.4	3/6/2006 5:45:00PM	4.8	4.8	ug/L	U
077562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	3/6/2006 10:45:00PM	0.63	0.63	ug/L	U
077651	Ethylene Dibromide	N	E84282	504.1	3/8/2006 11:17:00AM	0.0089	0.0089	ug/L	U
000929	Sodium	N	E84282	200.7 Rev 4.4	3/6/2006 5:45:00PM	8	0.31	mg/L	
034215	Acrylonitrile	N	E84282	8260B	3/6/2006 10:45:00PM	1.2	1.2	ug/L	U
034423	Methylene Chloride	N	E84282	8260B	3/6/2006 10:45:00PM	4	4	ug/L	U
034301	Chlorobenzene	N	E84282	8260B	3/6/2006 10:45:00PM	0.63	0.63	ug/L	U
000299	Oxygen, Dissolved	N	E84282	Field Sampling	2/23/2006 12:08:00PM	1.6		mg/L	
077596	Methylene bromide	N	E84282	8260B	3/6/2006 10:45:00PM	0.41	0.41	ug/L	U
000300	Total Dissolved Solids	N	E84282	160.1	2/27/2006 12:08:00PM	110	5	mg/L	
000128	Styrene	N	E84282	8260B	3/6/2006 10:45:00PM	0.98	0.98	ug/L	U
034475	Tetrachloroethene	N	E84282	8260B	3/6/2006 10:45:00PM	0.34	0.34	ug/L	U
034506	1,1,1-Trichloroethane	N	E84282	8260B	3/6/2006 10:45:00PM	0.46	0.46	ug/L	U
072020	Water Level	N	E84282	Field Sampling	2/23/2006 12:08:00PM	109.52		ft	
071900	Mercury	N	E84282	245.1	3/2/2006 12:55:00PM	0.072	0.072	ug/L	U
000010	Field Temperature	N	E84282	Field Sampling	2/23/2006 12:08:00PM	20.2		Degrees C	
000406	Field pH	N	E84282	Field Sampling	2/23/2006 12:08:00PM	4.1		SU	
082079	Turbidity	N	E84282	Field Sampling	2/23/2006 12:08:00PM	2		NTU	
034546	trans-1,2-Dichloroethene	N	E84282	8260B	3/6/2006 10:45:00PM	0.44	0.44	ug/L	U
034501	1,1-Dichloroethene	N	E84282	8260B	3/6/2006 10:45:00PM	0.45	0.45	ug/L	U
077443	1,2,3-Trichloropropane	N	E84282	8260B	3/6/2006 10:45:00PM	0.15	0.15	ug/L	U
034536	1,2-Dichlorobenzene	N	E84282	8260B	3/6/2006 10:45:00PM	0.44	0.44	ug/L	U
034531	1,2-Dichloroethane	N	E84282	8260B	3/6/2006 10:45:00PM	0.57	0.57	ug/L	U
081596	4-Methyl-2-pentanone	N	E84282	8260B	3/6/2006 10:45:00PM	3.8	3.8	ug/L	U
081551	Xylenes, Total	N	E84282	8260B	3/6/2006 10:45:00PM	0.3	0.3	ug/L	U
077103	2-Hexanone	N	E84282	8260B	3/6/2006 10:45:00PM	4.4	4.4	ug/L	U
001059	Thallium	N	E87052	200.8	3/2/2006 8:42:00AM	0.25	0.25	ug/L	U
001097	Antimony	N	E84282	200.7 Rev 4.4	3/6/2006 5:45:00PM	3.6	3.6	ug/L	U
000620	Nitrate Nitrogen	N	E84282	353.2	2/24/2006 2:48:00PM	0.01	0.01	mg/L	U
000610	Ammonia	N	E84282	350.1	2/28/2006 11:54:00AM	0.091	0.04	mg/L	
077041	Carbon disulfide	N	E84282	8260B	3/6/2006 10:45:00PM	0.85	0.85	ug/L	U
081552	Acetone	N	E84282	8260B	3/6/2006 10:45:00PM	9.9	9.9	ug/L	U
034541	1,2-Dichloropropane	N	E84282	8260B	3/6/2006 10:45:00PM	0.52	0.52	ug/L	U
032104	Bromoform	N	E84282	8260B	3/6/2006 10:45:00PM	0.58	0.58	ug/L	U
039180	Trichloroethene	N	E84282	8260B	3/6/2006 10:45:00PM	0.28	0.28	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	3/6/2006 10:45:00PM	0.14	0.14	ug/L	U
077093	cis-1,2-Dichloroethene	N	E84282	8260B	3/6/2006 10:45:00PM	0.65	0.65	ug/L	U
073085	Bromochloromethane	N	E84282	8260B	3/6/2006 10:45:00PM	0.58	0.58	ug/L	U
0488	Trichlorofluoromethane	N	E84282	8260B	3/6/2006 10:45:00PM	0.98	0.98	ug/L	U
096	1,1-Dichloroethane	N	E84282	8260B	3/6/2006 10:45:00PM	0.52	0.52	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 4/3/2006

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 33628
 WACS Testsite ID #: 17188
 WACS Testsite Name: MWB11S
 Water Classification: G-II
 LC - Leachate, G-II, SW-III(F)

Sample Date/Time: 2/23/2006 12:08:00PM
 Sampling Method: Unknown
 Permitted
 Well Type: CO

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
081595	Methyl Ethyl Ketone	N	E84282	8260B	3/6/2006 10:45:00PM	8.4	8.4	ug/L	U
032101	Bromodichloromethane	N	E84282	8260B	3/6/2006 10:45:00PM	0.35	0.35	ug/L	U
034371	Ethylbenzene	N	E84282	8260B	3/6/2006 10:45:00PM	0.44	0.44	ug/L	U
034413	Bromomethane	N	E84282	8260B	3/6/2006 10:45:00PM	0.66	0.66	ug/L	U
032102	Carbon tetrachloride	N	E84282	8260B	3/6/2006 10:45:00PM	0.42	0.42	ug/L	U
001092	Zinc	N	E84282	200.7 Rev 4.4	3/6/2006 5:45:00PM	5.9	5.9	ug/L	U
034311	Chloroethane	N	E84282	8260B	3/6/2006 10:45:00PM	0.8	0.8	ug/L	U
034511	1,1,2-Trichloroethane	N	E84282	8260B	3/6/2006 10:45:00PM	0.47	0.47	ug/L	U
034571	1,4-Dichlorobenzene	N	E84282	8260B	3/6/2006 10:45:00PM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E84282	8260B	3/6/2006 10:45:00PM	0.14	0.14	ug/L	U
032106	Chloroform	N	E84282	8260B	3/6/2006 10:45:00PM	0.9	0.9	ug/L	U
001147	Selenium	N	E84282	200.7 Rev 4.4	3/6/2006 5:45:00PM	5.9	5.9	ug/L	U
001007	Barium	N	E84282	200.7 Rev 4.4	3/6/2006 5:45:00PM	81	1.2	ug/L	U
001012	Beryllium	N	E84282	200.7 Rev 4.4	3/6/2006 5:45:00PM	0.74	0.74	ug/L	U
001027	Cadmium	N	E84282	200.7 Rev 4.4	3/6/2006 5:45:00PM	0.71	0.71	ug/L	U
001034	Chromium	N	E84282	200.7 Rev 4.4	3/6/2006 5:45:00PM	1.7	1.7	ug/L	U
001037	Cobalt	N	E84282	200.7 Rev 4.4	3/6/2006 5:45:00PM	1.8	1.6	ug/L	I
001042	Copper	N	E84282	200.7 Rev 4.4	3/6/2006 5:45:00PM	2.9	2.9	ug/L	U
001045	Iron	N	E84282	200.7 Rev 4.4	3/6/2006 5:45:00PM	1000	22	ug/L	U
077057	Vinyl acetate	N	E84282	8260B	3/6/2006 10:45:00PM	1.5	1.5	ug/L	U
001067	Nickel	N	E84282	200.7 Rev 4.4	3/6/2006 5:45:00PM	4.7	4.7	ug/L	U
077424	Iodomethane	N	E84282	8260B	3/6/2006 10:45:00PM	0.67	0.67	ug/L	U
0077	Silver	N	E84282	200.7 Rev 4.4	3/6/2006 5:45:00PM	1.9	1.9	ug/L	U
034010	Toluene	N	E84282	8260B	3/6/2006 10:45:00PM	0.51	0.51	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E84282	8260B	3/6/2006 10:45:00PM	2.5	2.5	ug/L	U
078124	Benzene	N	E84282	8260B	3/6/2006 10:45:00PM	0.27	0.27	ug/L	U
034704	cis-1,3-Dichloropropene	N	E84282	8260B	3/6/2006 10:45:00PM	0.14	0.14	ug/L	U
032105	Dibromochloromethane	N	E84282	8260B	3/6/2006 10:45:00PM	0.34	0.34	ug/L	U
038437	1,2-Dibromo-3-Chloropropane	N	E84282	504.1	3/8/2006 11:17:00AM	0.0031	0.0031	ug/L	U
001051	Lead	N	E84282	200.7 Rev 4.4	3/6/2006 5:45:00PM	1.6	1.6	ug/L	U
034418	Chloromethane	N	E84282	8260B	3/6/2006 10:45:00PM	0.64	0.64	ug/L	U

Total Parameters Monitored: 75

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Trail Ridge Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 33628
 WACS Testsite ID #: 17199
 WACS Testsite Name: MWB20S
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 2/23/2006 12:29:00PM
 Sampling Method: Unknown
 Permitted Well Type: CO

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
081552	Acetone	N	E84282	8260B	3/6/2006 11:10:00PM	9.9	9.9	ug/L	U
034704	cis-1,3-Dichloropropene	N	E84282	8260B	3/6/2006 11:10:00PM	0.14	0.14	ug/L	U
077093	cis-1,2-Dichloroethene	N	E84282	8260B	3/6/2006 11:10:00PM	0.65	0.65	ug/L	U
034418	Chloromethane	N	E84282	8260B	3/6/2006 11:10:00PM	0.64	0.64	ug/L	U
032106	Chloroform	N	E84282	8260B	3/6/2006 11:10:00PM	0.9	0.9	ug/L	U
034311	Chloroethane	N	E84282	8260B	3/6/2006 11:10:00PM	0.8	0.8	ug/L	U
001012	Beryllium	N	E84282	200.7 Rev 4.4	3/6/2006 5:40:00PM	0.74	0.74	ug/L	U
081595	Methyl Ethyl Ketone	N	E84282	8260B	3/6/2006 11:10:00PM	8.4	8.4	ug/L	U
077424	Iodomethane	N	E84282	8260B	3/6/2006 11:10:00PM	0.67	0.67	ug/L	U
001067	Nickel	N	E84282	200.7 Rev 4.4	3/6/2006 5:40:00PM	4.7	4.7	ug/L	U
001051	Lead	N	E84282	200.7 Rev 4.4	3/6/2006 5:40:00PM	1.6	1.6	ug/L	U
001045	Iron	N	E84282	200.7 Rev 4.4	3/6/2006 5:40:00PM	400	22	ug/L	U
001042	Copper	N	E84282	200.7 Rev 4.4	3/6/2006 5:40:00PM	2.9	2.9	ug/L	U
001037	Cobalt	N	E84282	200.7 Rev 4.4	3/6/2006 5:40:00PM	1.7	1.6	ug/L	I
001030	Mercury	N	E84282	245.1	3/2/2006 12:57:00PM	0.072	0.072	ug/L	U
002102	Carbon tetrachloride	N	E84282	8260B	3/6/2006 11:10:00PM	0.42	0.42	ug/L	U
039180	Trichloroethene	N	E84282	8260B	3/6/2006 11:10:00PM	0.28	0.28	ug/L	U
034541	1,2-Dichloropropane	N	E84282	8260B	3/6/2006 11:10:00PM	0.52	0.52	ug/L	U
039175	Vinyl chloride	N	E84282	8260B	3/6/2006 11:10:00PM	0.5	0.5	ug/L	U
081551	Xylenes, Total	N	E84282	8260B	3/6/2006 11:10:00PM	0.3	0.3	ug/L	U
070300	Total Dissolved Solids	N	E84282	160.1	2/27/2006 12:08:00PM	66	5	mg/L	U
001002	Arsenic	N	E84282	200.7 Rev 4.4	3/6/2006 5:40:00PM	4.8	4.8	ug/L	U
001097	Antimony	N	E84282	200.7 Rev 4.4	3/6/2006 5:40:00PM	3.6	3.6	ug/L	U
034501	1,1-Dichloroethene	N	E84282	8260B	3/6/2006 11:10:00PM	0.45	0.45	ug/L	U
034571	1,4-Dichlorobenzene	N	E84282	8260B	3/6/2006 11:10:00PM	0.52	0.52	ug/L	U
034531	1,2-Dichloroethane	N	E84282	8260B	3/6/2006 11:10:00PM	0.57	0.57	ug/L	U
034536	1,2-Dichlorobenzene	N	E84282	8260B	3/6/2006 11:10:00PM	0.44	0.44	ug/L	U
077443	1,2,3-Trichloropropane	N	E84282	8260B	3/6/2006 11:10:00PM	0.15	0.15	ug/L	U
001007	Barium	N	E84282	200.7 Rev 4.4	3/6/2006 5:40:00PM	17	1.2	ug/L	U
032105	Dibromochloromethane	N	E84282	8260B	3/6/2006 11:10:00PM	0.34	0.34	ug/L	U
032101	Bromodichloromethane	N	E84282	8260B	3/6/2006 11:10:00PM	0.35	0.35	ug/L	U
000940	Chloride	N	E84282	325.2	2/28/2006 4:59:00PM	7.6	0.9	mg/L	U
001147	Selenium	N	E84282	200.7 Rev 4.4	3/6/2006 5:40:00PM	5.9	5.9	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	3/6/2006 11:10:00PM	0.14	0.14	ug/L	U
000094	Specific Conductance	N	E84282	Field Sampling	2/23/2006 12:29:00PM	96		umhos/cm	U
034506	1,1,1-Trichloroethane	N	E84282	8260B	3/6/2006 11:10:00PM	0.46	0.46	ug/L	U
001092	Zinc	N	E84282	200.7 Rev 4.4	3/6/2006 5:40:00PM	5.9	5.9	ug/L	U
077562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	3/6/2006 11:10:00PM	0.63	0.63	ug/L	U
077651	Ethylene Dibromide	N	E84282	504.1	3/8/2006 12:03:00PM	0.0092	0.0092	ug/L	U
038437	1,2-Dibromo-3-Chloropropane	N	E84282	504.1	3/8/2006 12:03:00PM	0.0032	0.0032	ug/L	U
072020	Water Level	N	E84282	Field Sampling	2/23/2006 12:29:00PM	113.4		ft	U
082079	Turbidity	N	E84282	Field Sampling	2/23/2006 12:29:00PM	2.2		NTU	U
001087	Vanadium	N	E84282	200.7 Rev 4.4	3/6/2006 5:40:00PM	2.5	2.5	ug/L	U
001057	Vinyl acetate	N	E84282	8260B	3/6/2006 11:10:00PM	1.5	1.5	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 4/3/2006

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 33628
 WACS Testsite ID #: 17199
 WACS Testsite Name: MWB20S
 Water Classification: G-II
(C - Leachate, G-II, SW-III(F))

Sample Date/Time: 2/23/2006 12:29:00PM
 Sampling Method: Unknown
 Permitted
 Well Type: CO

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E84282	8260B	3/6/2006 11:10:00PM	2.5	2.5	ug/L	U
034488	Trichlorofluoromethane	N	E84282	8260B	3/6/2006 11:10:00PM	0.98	0.98	ug/L	U
032104	Bromoforn	N	E84282	8260B	3/6/2006 11:10:00PM	0.58	0.58	ug/L	U
034413	Bromomethane	N	E84282	8260B	3/6/2006 11:10:00PM	0.66	0.66	ug/L	U
077041	Carbon disulfide	N	E84282	8260B	3/6/2006 11:10:00PM	0.85	0.85	ug/L	U
034511	1,1,2-Trichloroethane	N	E84282	8260B	3/6/2006 11:10:00PM	0.47	0.47	ug/L	U
077596	Methylene bromide	N	E84282	8260B	3/6/2006 11:10:00PM	0.41	0.41	ug/L	U
034423	Methylene Chloride	N	E84282	8260B	3/6/2006 11:10:00PM	4	4	ug/L	U
077128	Styrene	N	E84282	8260B	3/6/2006 11:10:00PM	0.98	0.98	ug/L	U
034475	Tetrachloroethene	N	E84282	8260B	3/6/2006 11:10:00PM	0.34	0.34	ug/L	U
034010	Toluene	N	E84282	8260B	3/6/2006 11:10:00PM	0.51	0.51	ug/L	U
000929	Sodium	N	E84282	200.7 Rev 4.4	3/6/2006 5:40:00PM	4.1	0.31	mg/L	U
034699	trans-1,3-Dichloropropene	N	E84282	8260B	3/6/2006 11:10:00PM	0.14	0.14	ug/L	U
001077	Silver	N	E84282	200.7 Rev 4.4	3/6/2006 5:40:00PM	1.9	1.9	ug/L	U
078124	Benzene	N	E84282	8260B	3/6/2006 11:10:00PM	0.27	0.27	ug/L	U
001059	Thallium	N	E87052	200.8	3/2/2006 8:49:00AM	0.25	0.25	ug/L	U
081596	4-Methyl-2-pentanone	N	E84282	8260B	3/6/2006 11:10:00PM	3.8	3.8	ug/L	U
000610	Ammonia	N	E84282	350.1	2/28/2006 11:54:00AM	0.71	0.04	mg/L	U
034371	Ethylbenzene	N	E84282	8260B	3/6/2006 11:10:00PM	0.44	0.44	ug/L	U
001034	Chromium	N	E84282	200.7 Rev 4.4	3/6/2006 5:40:00PM	1.7	1.7	ug/L	U
000010	Field Temperature	N	E84282	Field Sampling	2/23/2006 12:29:00PM	25.3		Degrees C	
000406	Field pH	N	E84282	Field Sampling	2/23/2006 12:29:00PM	4.34		SU	
000496	1,1-Dichloroethane	N	E84282	8260B	3/6/2006 11:10:00PM	0.52	0.52	ug/L	U
000454	trans-1,2-Dichloroethene	N	E84282	8260B	3/6/2006 11:10:00PM	0.44	0.44	ug/L	U
000620	Nitrate Nitrogen	N	E84282	353.2	2/24/2006 12:48:00PM	0.01	0.01	mg/L	U
077103	2-Hexanone	N	E84282	8260B	3/6/2006 11:10:00PM	4.4	4.4	ug/L	U
034301	Chlorobenzene	N	E84282	8260B	3/6/2006 11:10:00PM	0.63	0.63	ug/L	U
073085	Bromochloromethane	N	E84282	8260B	3/6/2006 11:10:00PM	0.58	0.58	ug/L	U
000299	Oxygen, Dissolved	N	E84282	Field Sampling	2/23/2006 12:29:00PM	0.9		mg/L	
001027	Cadmium	N	E84282	200.7 Rev 4.4	3/6/2006 5:40:00PM	0.71	0.71	ug/L	U
034215	Acrylonitrile	N	E84282	8260B	3/6/2006 11:10:00PM	1.2	1.2	ug/L	U

Total Parameters Monitored: 75

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Trail Ridge Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 33628
 WACS Testsite ID #: 17200
 WACS Testsite Name: MWB21S
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 2/23/2006 12:54:00PM
 Sampling Method: Unknown
 Permitted
 Well Type: CO

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to
 Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
032101	Bromodichloromethane	N	E84282	8260B	3/6/2006 11:35:00PM	0.35	0.35	ug/L	U
034301	Chlorobenzene	N	E84282	8260B	3/6/2006 11:35:00PM	0.63	0.63	ug/L	U
034488	Trichlorofluoromethane	N	E84282	8260B	3/6/2006 11:35:00PM	0.98	0.98	ug/L	U
039180	Trichloroethene	N	E84282	8260B	3/6/2006 11:35:00PM	0.28	0.28	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E84282	8260B	3/6/2006 11:35:00PM	2.5	2.5	ug/L	U
001067	Nickel	N	E84282	200.7 Rev 4.4	3/6/2006 5:34:00PM	4.7	4.7	ug/L	U
000940	Chloride	N	E84282	325.2	2/28/2006 4:59:00PM	7.7	0.9	mg/L	U
001002	Arsenic	N	E84282	200.7 Rev 4.4	3/6/2006 5:34:00PM	4.8	4.8	ug/L	U
077041	Carbon disulfide	N	E84282	8260B	3/6/2006 11:35:00PM	0.85	0.85	ug/L	U
077128	Styrene	N	E84282	8260B	3/6/2006 11:35:00PM	0.98	0.98	ug/L	U
032104	Bromoform	N	E84282	8260B	3/6/2006 11:35:00PM	0.58	0.58	ug/L	U
032102	Carbon tetrachloride	N	E84282	8260B	3/6/2006 11:35:00PM	0.42	0.42	ug/L	U
001042	Copper	N	E84282	200.7 Rev 4.4	3/6/2006 5:34:00PM	2.9	2.9	ug/L	U
1037	Cobalt	N	E84282	200.7 Rev 4.4	3/6/2006 5:34:00PM	1.6	1.6	ug/L	U
034	Chromium	N	E84282	200.7 Rev 4.4	3/6/2006 5:34:00PM	1.7	1.7	ug/L	U
001027	Cadmium	N	E84282	200.7 Rev 4.4	3/6/2006 5:34:00PM	0.71	0.71	ug/L	U
034371	Ethylbenzene	N	E84282	8260B	3/6/2006 11:35:00PM	0.44	0.44	ug/L	U
001007	Barium	N	E84282	200.7 Rev 4.4	3/6/2006 5:34:00PM	18	1.2	ug/L	U
001045	Iron	N	E84282	200.7 Rev 4.4	3/6/2006 5:34:00PM	600	22	ug/L	U
001097	Antimony	N	E84282	200.7 Rev 4.4	3/6/2006 5:34:00PM	3.6	3.6	ug/L	U
000610	Ammonia	N	E84282	350.1	2/28/2006 11:54:00AM	0.073	0.04	mg/L	U
034413	Bromomethane	N	E84282	8260B	3/6/2006 11:35:00PM	0.66	0.66	ug/L	U
077093	cis-1,2-Dichloroethene	N	E84282	8260B	3/6/2006 11:35:00PM	0.65	0.65	ug/L	U
034501	1,1-Dichloroethene	N	E84282	8260B	3/6/2006 11:35:00PM	0.45	0.45	ug/L	U
077443	1,2,3-Trichloropropane	N	E84282	8260B	3/6/2006 11:35:00PM	0.15	0.15	ug/L	U
034536	1,2-Dichlorobenzene	N	E84282	8260B	3/6/2006 11:35:00PM	0.44	0.44	ug/L	U
034531	1,2-Dichloroethane	N	E84282	8260B	3/6/2006 11:35:00PM	0.57	0.57	ug/L	U
034541	1,2-Dichloropropane	N	E84282	8260B	3/6/2006 11:35:00PM	0.52	0.52	ug/L	U
034571	1,4-Dichlorobenzene	N	E84282	8260B	3/6/2006 11:35:00PM	0.52	0.52	ug/L	U
077103	2-Hexanone	N	E84282	8260B	3/6/2006 11:35:00PM	4.4	4.4	ug/L	U
081596	4-Methyl-2-pentanone	N	E84282	8260B	3/6/2006 11:35:00PM	3.8	3.8	ug/L	U
071900	Mercury	N	E84282	245.1	3/2/2006 1:04:00PM	0.072	0.072	ug/L	U
034418	Chloromethane	N	E84282	8260B	3/6/2006 11:35:00PM	0.64	0.64	ug/L	U
070300	Total Dissolved Solids	N	E84282	160.1	2/27/2006 12:08:00PM	40	5	mg/L	U
034704	cis-1,3-Dichloropropene	N	E84282	8260B	3/6/2006 11:35:00PM	0.14	0.14	ug/L	U
038437	1,2-Dibromo-3-Chloropropane	N	E84282	504.1	3/8/2006 12:27:00PM	0.0031	0.0031	ug/L	U
034699	trans-1,3-Dichloropropene	N	E84282	8260B	3/6/2006 11:35:00PM	0.14	0.14	ug/L	U
001147	Selenium	N	E84282	200.7 Rev 4.4	3/6/2006 5:34:00PM	5.9	5.9	ug/L	U
001077	Silver	N	E84282	200.7 Rev 4.4	3/6/2006 5:34:00PM	1.9	1.9	ug/L	U
000929	Sodium	N	E84282	200.7 Rev 4.4	3/6/2006 5:34:00PM	3	0.31	mg/L	U
001087	Vanadium	N	E84282	200.7 Rev 4.4	3/6/2006 5:34:00PM	2.5	2.5	ug/L	U
001092	Zinc	N	E84282	200.7 Rev 4.4	3/6/2006 5:34:00PM	5.9	5.9	ug/L	U
1475	Tetrachloroethene	N	E84282	8260B	3/6/2006 11:35:00PM	0.34	0.34	ug/L	U
152	Acetone	N	E84282	8260B	3/6/2006 11:35:00PM	9.9	9.9	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 4/3/2006

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 33628
 WACS Testsite ID #: 17200
 WACS Testsite Name: MWB21S
 Water Classification: G-II
 (LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 2/23/2006 12:54:00PM
 Sampling Method: Unknown
 Permitted
 Well Type: CO

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001012	Beryllium	N	E84282	200.7 Rev 4.4	3/6/2006 5:34:00PM	0.74	0.74	ug/L	U
034010	Toluene	N	E84282	8260B	3/6/2006 11:35:00PM	0.51	0.51	ug/L	U
032106	Chloroform	N	E84282	8260B	3/6/2006 11:35:00PM	0.9	0.9	ug/L	U
032105	Dibromochloromethane	N	E84282	8260B	3/6/2006 11:35:00PM	0.34	0.34	ug/L	U
000094	Specific Conductance	N	E84282	Field Sampling	2/23/2006 12:54:00PM	41		umhos/cm	
034506	1,1,1-Trichloroethane	N	E84282	8260B	3/6/2006 11:35:00PM	0.46	0.46	ug/L	U
077651	Ethylene Dibromide	N	E84282	504.1	3/8/2006 12:27:00PM	0.0091	0.0091	ug/L	U
072020	Water Level	N	E84282	Field Sampling	2/23/2006 12:54:00PM	112.3		ft	
077562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	3/6/2006 11:35:00PM	0.63	0.63	ug/L	U
000406	Field pH	N	E84282	Field Sampling	2/23/2006 12:54:00PM	4.91		SU	
000010	Field Temperature	N	E84282	Field Sampling	2/23/2006 12:54:00PM	21.5		Degrees C	
034423	Methylene Chloride	N	E84282	8260B	3/6/2006 11:35:00PM	4	4	ug/L	U
077596	Methylene bromide	N	E84282	8260B	3/6/2006 11:35:00PM	0.41	0.41	ug/L	U
034546	trans-1,2-Dichloroethene	N	E84282	8260B	3/6/2006 11:35:00PM	0.44	0.44	ug/L	U
039175	Vinyl chloride	N	E84282	8260B	3/6/2006 11:35:00PM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E84282	8260B	3/6/2006 11:35:00PM	0.8	0.8	ug/L	U
077057	Vinyl acetate	N	E84282	8260B	3/6/2006 11:35:00PM	1.5	1.5	ug/L	U
081551	Xylenes, Total	N	E84282	8260B	3/6/2006 11:35:00PM	0.3	0.3	ug/L	U
001051	Lead	N	E84282	200.7 Rev 4.4	3/6/2006 5:34:00PM	1.6	1.6	ug/L	U
000620	Nitrate Nitrogen	N	E84282	353.2	2/24/2006 2:48:00PM	0.01	0.01	mg/L	U
077424	Iodomethane	N	E84282	8260B	3/6/2006 11:35:00PM	0.67	0.67	ug/L	U
04511	1,1,2-Trichloroethane	N	E84282	8260B	3/6/2006 11:35:00PM	0.47	0.47	ug/L	U
079	Turbidity	N	E84282	Field Sampling	2/23/2006 12:54:00PM	7		NTU	
073085	Bromochloromethane	N	E84282	8260B	3/6/2006 11:35:00PM	0.58	0.58	ug/L	U
078124	Benzene	N	E84282	8260B	3/6/2006 11:35:00PM	0.27	0.27	ug/L	U
034215	Acrylonitrile	N	E84282	8260B	3/6/2006 11:35:00PM	1.2	1.2	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	3/6/2006 11:35:00PM	0.14	0.14	ug/L	U
000299	Oxygen, Dissolved	N	E84282	Field Sampling	2/23/2006 12:54:00PM	1		mg/L	
034496	1,1-Dichloroethane	N	E84282	8260B	3/6/2006 11:35:00PM	0.52	0.52	ug/L	U
081595	Methyl Ethyl Ketone	N	E84282	8260B	3/6/2006 11:35:00PM	8.4	8.4	ug/L	U
001059	Thallium	N	E87052	200.8	3/2/2006 8:56:00AM	0.25	0.25	ug/L	U

Total Parameters Monitored: 75

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Trail Ridge Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 33628
 WACS Testsite ID #: 17232
 WACS Testsite Name: MWB17S
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 2/23/2006 12:18:00PM
 Sampling Method: Unknown
 Permitted
 Well Type: CO

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000929	Sodium	N	E84282	200.7 Rev 4.4	3/6/2006 5:18:00PM	3.6	0.31	mg/L	
001002	Arsenic	N	E84282	200.7 Rev 4.4	3/6/2006 5:18:00PM	4.8	4.8	ug/L	U
001067	Nickel	N	E84282	200.7 Rev 4.4	3/6/2006 5:18:00PM	4.7	4.7	ug/L	U
001051	Lead	N	E84282	200.7 Rev 4.4	3/6/2006 5:18:00PM	1.6	1.6	ug/L	U
034423	Methylene Chloride	N	E84282	8260B	3/7/2006 12:00:00AM	4	4	ug/L	U
001045	Iron	N	E84282	200.7 Rev 4.4	3/6/2006 5:18:00PM	150	22	ug/L	
001042	Copper	N	E84282	200.7 Rev 4.4	3/6/2006 5:18:00PM	2.9	2.9	ug/L	U
001037	Cobalt	N	E84282	200.7 Rev 4.4	3/6/2006 5:18:00PM	1.7	1.6	ug/L	I
034516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	3/7/2006 12:00:00AM	0.14	0.14	ug/L	U
077424	Iodomethane	N	E84282	8260B	3/7/2006 12:00:00AM	0.67	0.67	ug/L	U
034475	Tetrachloroethene	N	E84282	8260B	3/7/2006 12:00:00AM	0.34	0.34	ug/L	U
001087	Vanadium	N	E84282	200.7 Rev 4.4	3/6/2006 5:18:00PM	2.5	2.5	ug/L	U
001092	Zinc	N	E84282	200.7 Rev 4.4	3/6/2006 5:18:00PM	5.9	5.9	ug/L	U
1059	Thallium	N	E87052	200.8	3/2/2006 9:18:00AM	0.28	0.25	ug/L	I
300	Total Dissolved Solids	N	E84282	160.1	2/27/2006 12:08:00PM	52	5	mg/L	
032101	Bromodichloromethane	N	E84282	8260B	3/7/2006 12:00:00AM	0.35	0.35	ug/L	U
000094	Specific Conductance	N	E84282	Field Sampling	2/23/2006 12:18:00PM	55		umhos/cm	
034546	trans-1,2-Dichloroethene	N	E84282	8260B	3/7/2006 12:00:00AM	0.44	0.44	ug/L	U
001034	Chromium	N	E84282	200.7 Rev 4.4	3/6/2006 5:18:00PM	1.8	1.7	ug/L	I
039175	Vinyl chloride	N	E84282	8260B	3/7/2006 12:00:00AM	0.5	0.5	ug/L	U
081596	4-Methyl-2-pentanone	N	E84282	8260B	3/7/2006 12:00:00AM	3.8	3.8	ug/L	U
034496	1,1-Dichloroethane	N	E84282	8260B	3/7/2006 12:00:00AM	0.52	0.52	ug/L	U
000406	Field pH	N	E84282	Field Sampling	2/23/2006 12:18:00PM	5.25		SU	
000010	Field Temperature	N	E84282	Field Sampling	2/23/2006 12:18:00PM	20.8		Degrees C	
049263	trans-1,4-Dichloro-2-butene	N	E84282	8260B	3/7/2006 12:00:00AM	2.5	2.5	ug/L	U
039180	Trichloroethene	N	E84282	8260B	3/7/2006 12:00:00AM	0.28	0.28	ug/L	U
001027	Cadmium	N	E84282	200.7 Rev 4.4	3/6/2006 5:18:00PM	0.71	0.71	ug/L	U
034010	Toluene	N	E84282	8260B	3/7/2006 12:00:00AM	0.51	0.51	ug/L	U
077057	Vinyl acetate	N	E84282	8260B	3/7/2006 12:00:00AM	1.5	1.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E84282	8260B	3/7/2006 12:00:00AM	0.65	0.65	ug/L	U
081551	Xylenes, Total	N	E84282	8260B	3/7/2006 12:00:00AM	0.3	0.3	ug/L	U
000299	Oxygen, Dissolved	N	E84282	Field Sampling	2/23/2006 12:18:00PM	2.2		mg/L	
000940	Chloride	N	E84282	325.2	2/28/2006 4:59:00PM	7.7	0.9	mg/L	
034311	Chloroethane	N	E84282	8260B	3/7/2006 12:00:00AM	0.8	0.8	ug/L	U
000620	Nitrate Nitrogen	N	E84282	353.2	2/24/2006 2:48:00PM	0.01	0.01	mg/L	U
077128	Styrene	N	E84282	8260B	3/7/2006 12:00:00AM	0.98	0.98	ug/L	U
034699	trans-1,3-Dichloropropene	N	E84282	8260B	3/7/2006 12:00:00AM	0.14	0.14	ug/L	U
001097	Antimony	N	E84282	200.7 Rev 4.4	3/6/2006 5:18:00PM	3.6	3.6	ug/L	U
034488	Trichlorofluoromethane	N	E84282	8260B	3/7/2006 12:00:00AM	0.98	0.98	ug/L	U
034704	cis-1,3-Dichloropropene	N	E84282	8260B	3/7/2006 12:00:00AM	0.14	0.14	ug/L	U
000610	Ammonia	N	E84282	350.1	2/28/2006 11:54:00AM	0.085	0.04	mg/L	
034531	1,2-Dichloroethane	N	E84282	8260B	3/7/2006 12:00:00AM	0.57	0.57	ug/L	U
1541	1,2-Dichloropropane	N	E84282	8260B	3/7/2006 12:00:00AM	0.52	0.52	ug/L	U
396	Methylene bromide	N	E84282	8260B	3/7/2006 12:00:00AM	0.41	0.41	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 4/3/2006

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 33628
 WACS Testsite ID #: 17232
 WACS Testsite Name: MWB17S
 Water Classification: G-II
(C - Leachate, G-II, SW-IIF)

Sample Date/Time: 2/23/2006 12:18:00PM
 Sampling Method: Unknown
 Permitted
 Well Type: CO

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077103	2-Hexanone	N	E84282	8260B	3/7/2006 12:00:00AM	4.4	4.4	ug/L	U
081595	Methyl Ethyl Ketone	N	E84282	8260B	3/7/2006 12:00:00AM	8.4	8.4	ug/L	U
081552	Acetone	N	E84282	8260B	3/7/2006 12:00:00AM	9.9	9.9	ug/L	U
077443	1,2,3-Trichloropropane	N	E84282	8260B	3/7/2006 12:00:00AM	0.15	0.15	ug/L	U
078124	Benzene	N	E84282	8260B	3/7/2006 12:00:00AM	0.27	0.27	ug/L	U
034501	1,1-Dichloroethene	N	E84282	8260B	3/7/2006 12:00:00AM	0.45	0.45	ug/L	U
032105	Dibromochloromethane	N	E84282	8260B	3/7/2006 12:00:00AM	0.34	0.34	ug/L	U
034371	Ethylbenzene	N	E84282	8260B	3/7/2006 12:00:00AM	0.44	0.44	ug/L	U
071900	Mercury	N	E84282	245.1	3/2/2006 1:13:00PM	0.072	0.072	ug/L	U
034571	1,4-Dichlorobenzene	N	E84282	8260B	3/7/2006 12:00:00AM	0.52	0.52	ug/L	U
034511	1,1,2-Trichloroethane	N	E84282	8260B	3/7/2006 12:00:00AM	0.47	0.47	ug/L	U
001147	Selenium	N	E84282	200.7 Rev 4.4	3/6/2006 5:18:00PM	5.9	5.9	ug/L	U
034301	Chlorobenzene	N	E84282	8260B	3/7/2006 12:00:00AM	0.63	0.63	ug/L	U
032102	Carbon tetrachloride	N	E84282	8260B	3/7/2006 12:00:00AM	0.42	0.42	ug/L	U
034215	Acrylonitrile	N	E84282	8260B	3/7/2006 12:00:00AM	1.2	1.2	ug/L	U
077562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	3/7/2006 12:00:00AM	0.63	0.63	ug/L	U
001077	Silver	N	E84282	200.7 Rev 4.4	3/6/2006 5:18:00PM	1.9	1.9	ug/L	U
001012	Beryllium	N	E84282	200.7 Rev 4.4	3/6/2006 5:18:00PM	0.74	0.74	ug/L	U
082079	Turbidity	N	E84282	Field Sampling	2/23/2006 12:18:00PM	11.9		NTU	
072020	Water Level	N	E84282	Field Sampling	2/23/2006 12:18:00PM	130.94		ft	
034536	1,2-Dichlorobenzene	N	E84282	8260B	3/7/2006 12:00:00AM	0.44	0.44	ug/L	U
7651	Ethylene Dibromide	N	E84282	504.1	3/8/2006 4:28:00PM	0.0095	0.0095	ug/L	U
041	Carbon disulfide	N	E84282	8260B	3/7/2006 12:00:00AM	0.85	0.85	ug/L	U
034506	1,1,1-Trichloroethane	N	E84282	8260B	3/7/2006 12:00:00AM	0.46	0.46	ug/L	U
034418	Chloromethane	N	E84282	8260B	3/7/2006 12:00:00AM	0.64	0.64	ug/L	U
001007	Barium	N	E84282	200.7 Rev 4.4	3/6/2006 5:18:00PM	3.1	1.2	ug/L	I
073085	Bromochloromethane	N	E84282	8260B	3/7/2006 12:00:00AM	0.58	0.58	ug/L	U
032106	Chloroform	N	E84282	8260B	3/7/2006 12:00:00AM	0.9	0.9	ug/L	U
032104	Bromoform	N	E84282	8260B	3/7/2006 12:00:00AM	0.58	0.58	ug/L	U
034413	Bromomethane	N	E84282	8260B	3/7/2006 12:00:00AM	0.66	0.66	ug/L	U
038437	1,2-Dibromo-3-Chloropropane	N	E84282	504.1	3/8/2006 4:28:00PM	0.0033	0.0033	ug/L	U

Total Parameters Monitored: 75

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Trail Ridge Landfill

PARAMETER MONITORING REPORT
Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 33628
 WACS Testsite ID #: 17231
 WACS Testsite Name: MWB171
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 2/23/2006 1:05:00PM
 Sampling Method: Unknown
 Permitted Well Type: CO

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000929	Sodium	N	E84282	200.7 Rev 4.4	3/6/2006 5:07:00PM	3.2	0.31	mg/L	
077443	1,2,3-Trichloropropane	N	E84282	8260B	3/7/2006 12:49:00AM	0.15	0.15	ug/L	U
034536	1,2-Dichlorobenzene	N	E84282	8260B	3/7/2006 12:49:00AM	0.44	0.44	ug/L	U
034531	1,2-Dichloroethane	N	E84282	8260B	3/7/2006 12:49:00AM	0.57	0.57	ug/L	U
034541	1,2-Dichloropropane	N	E84282	8260B	3/7/2006 12:49:00AM	0.52	0.52	ug/L	U
034571	1,4-Dichlorobenzene	N	E84282	8260B	3/7/2006 12:49:00AM	0.52	0.52	ug/L	U
034311	Chloroethane	N	E84282	8260B	3/7/2006 12:49:00AM	0.8	0.8	ug/L	U
081551	Xylenes, Total	N	E84282	8260B	3/7/2006 12:49:00AM	0.3	0.3	ug/L	U
032106	Chloroform	N	E84282	8260B	3/7/2006 12:49:00AM	0.9	0.9	ug/L	U
034511	1,1,2-Trichloroethane	N	E84282	8260B	3/7/2006 12:49:00AM	0.47	0.47	ug/L	U
034496	1,1-Dichloroethane	N	E84282	8260B	3/7/2006 12:49:00AM	0.52	0.52	ug/L	U
077103	2-Hexanone	N	E84282	8260B	3/7/2006 12:49:00AM	4.4	4.4	ug/L	U
001067	Nickel	N	E84282	200.7 Rev 4.4	3/6/2006 5:07:00PM	4.7	4.7	ug/L	U
03406	Field pH	N	E84282	Field Sampling	2/23/2006 1:05:00PM	4.93		SU	
03404	Copper	N	E84282	200.7 Rev 4.4	3/6/2006 5:07:00PM	2.9	2.9	ug/L	U
039180	Trichloroethene	N	E84282	8260B	3/7/2006 12:49:00AM	0.28	0.28	ug/L	U
034413	Bromomethane	N	E84282	8260B	3/7/2006 12:49:00AM	0.66	0.66	ug/L	U
077057	Vinyl acetate	N	E84282	8260B	3/7/2006 12:49:00AM	1.5	1.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E84282	8260B	3/7/2006 12:49:00AM	0.44	0.44	ug/L	U
001045	Iron	N	E84282	200.7 Rev 4.4	3/6/2006 5:07:00PM	390	22	ug/L	
034010	Toluene	N	E84282	8260B	3/7/2006 12:49:00AM	0.51	0.51	ug/L	U
001147	Selenium	N	E84282	200.7 Rev 4.4	3/6/2006 5:07:00PM	5.9	5.9	ug/L	U
034704	cis-1,3-Dichloropropene	N	E84282	8260B	3/7/2006 12:49:00AM	0.14	0.14	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E84282	8260B	3/7/2006 12:49:00AM	2.5	2.5	ug/L	U
001051	Lead	N	E84282	200.7 Rev 4.4	3/6/2006 5:07:00PM	1.6	1.6	ug/L	U
081596	4-Methyl-2-pentanone	N	E84282	8260B	3/7/2006 12:49:00AM	3.8	3.8	ug/L	U
000010	Field Temperature	N	E84282	Field Sampling	2/23/2006 1:05:00PM	22.2		Degrees C	
039175	Vinyl chloride	N	E84282	8260B	3/7/2006 12:49:00AM	0.5	0.5	ug/L	U
034475	Tetrachloroethene	N	E84282	8260B	3/7/2006 12:49:00AM	0.34	0.34	ug/L	U
077128	Styrene	N	E84282	8260B	3/7/2006 12:49:00AM	0.98	0.98	ug/L	U
034301	Chlorobenzene	N	E84282	8260B	3/7/2006 12:49:00AM	0.63	0.63	ug/L	U
034488	Trichlorofluoromethane	N	E84282	8260B	3/7/2006 12:49:00AM	0.98	0.98	ug/L	U
001034	Chromium	N	E84282	200.7 Rev 4.4	3/6/2006 5:07:00PM	1.7	1.7	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	3/7/2006 12:49:00AM	0.14	0.14	ug/L	U
034506	1,1,1-Trichloroethane	N	E84282	8260B	3/7/2006 12:49:00AM	0.46	0.46	ug/L	U
071900	Mercury	N	E84282	245.1	3/2/2006 1:16:00PM	0.072	0.072	ug/L	U
001059	Thallium	N	E87052	200.8	3/2/2006 9:58:00AM	0.25	0.25	ug/L	U
034699	trans-1,3-Dichloropropene	N	E84282	8260B	3/7/2006 12:49:00AM	0.14	0.14	ug/L	U
001092	Zinc	N	E84282	200.7 Rev 4.4	3/6/2006 5:07:00PM	5.9	5.9	ug/L	U
077562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	3/7/2006 12:49:00AM	0.63	0.63	ug/L	U
077651	Ethylene Dibromide	N	E84282	504.1	3/8/2006 5:54:00PM	0.0089	0.0089	ug/L	U
032104	Bromoform	N	E84282	8260B	3/7/2006 12:49:00AM	0.58	0.58	ug/L	U
032101	Bromodichloromethane	N	E84282	8260B	3/7/2006 12:49:00AM	0.35	0.35	ug/L	U
032085	Bromochloromethane	N	E84282	8260B	3/7/2006 12:49:00AM	0.58	0.58	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 4/3/2006

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 33628
 WACS Testsite ID #: 17231
 WACS Testsite Name: MWB171
 Water Classification: G-II
 (LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 2/23/2006 1:05:00PM
 Sampling Method: Unknown
 Permitted
 Well Type: CO

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
078124	Benzene	N	E84282	8260B	3/7/2006 12:49:00AM	0.27	0.27	ug/L	U
034215	Acrylonitrile	N	E84282	8260B	3/7/2006 12:49:00AM	1.2	1.2	ug/L	U
001077	Silver	N	E84282	200.7 Rev 4.4	3/6/2006 5:07:00PM	1.9	1.9	ug/L	U
077041	Carbon disulfide	N	E84282	8260B	3/7/2006 12:49:00AM	0.85	0.85	ug/L	U
000940	Chloride	N	E84282	325.2	3/2/2006 10:44:00AM	6.1	0.9	mg/L	
032102	Carbon tetrachloride	N	E84282	8260B	3/7/2006 12:49:00AM	0.42	0.42	ug/L	U
038437	1,2-Dibromo-3-Chloropropane	N	E84282	504.1	3/8/2006 5:54:00PM	0.0031	0.0031	ug/L	U
072020	Water Level	N	E84282	Field Sampling	2/23/2006 1:05:00PM	134.85		ft	
082079	Turbidity	N	E84282	Field Sampling	2/23/2006 1:05:00PM	12.3		NTU	
000094	Specific Conductance	N	E84282	Field Sampling	2/23/2006 1:05:00PM	29		umhos/cm	
000299	Oxygen, Dissolved	N	E84282	Field Sampling	2/23/2006 1:05:00PM	1.4		mg/L	
001037	Cobalt	N	E84282	200.7 Rev 4.4	3/6/2006 5:07:00PM	1.6	1.6	ug/L	U
081552	Acetone	N	E84282	8260B	3/7/2006 12:49:00AM	9.9	9.9	ug/L	U
000610	Ammonia	N	E84282	350.1	2/28/2006 11:54:00AM	0.04	0.04	mg/L	U
034501	1,1-Dichloroethene	N	E84282	8260B	3/7/2006 12:49:00AM	0.45	0.45	ug/L	U
034423	Methylene Chloride	N	E84282	8260B	3/7/2006 12:49:00AM	4	4	ug/L	U
001027	Cadmium	N	E84282	200.7 Rev 4.4	3/6/2006 5:07:00PM	0.71	0.71	ug/L	U
001012	Beryllium	N	E84282	200.7 Rev 4.4	3/6/2006 5:07:00PM	0.74	0.74	ug/L	U
001007	Barium	N	E84282	200.7 Rev 4.4	3/6/2006 5:07:00PM	38	1.2	ug/L	
001002	Arsenic	N	E84282	200.7 Rev 4.4	3/6/2006 5:07:00PM	4.8	4.8	ug/L	U
001087	Vanadium	N	E84282	200.7 Rev 4.4	3/6/2006 5:07:00PM	2.5	2.5	ug/L	U
1620	Nitrate Nitrogen	N	E84282	353.2	2/24/2006 2:48:00PM	0.01	0.01	mg/L	U
105	Dibromochloromethane	N	E84282	8260B	3/7/2006 12:49:00AM	0.34	0.34	ug/L	U
034418	Chloromethane	N	E84282	8260B	3/7/2006 12:49:00AM	0.64	0.64	ug/L	U
070300	Total Dissolved Solids	N	E84282	160.1	2/27/2006 12:08:00PM	32	5	mg/L	
077093	cis-1,2-Dichloroethene	N	E84282	8260B	3/7/2006 12:49:00AM	0.65	0.65	ug/L	U
077596	Methylene bromide	N	E84282	8260B	3/7/2006 12:49:00AM	0.41	0.41	ug/L	U
081595	Methyl Ethyl Ketone	N	E84282	8260B	3/7/2006 12:49:00AM	8.4	8.4	ug/L	U
077424	Iodomethane	N	E84282	8260B	3/7/2006 12:49:00AM	0.67	0.67	ug/L	U
034371	Ethylbenzene	N	E84282	8260B	3/7/2006 12:49:00AM	0.44	0.44	ug/L	U
001097	Antimony	N	E84282	200.7 Rev 4.4	3/6/2006 5:07:00PM	3.6	3.6	ug/L	U

Total Parameters Monitored: 75

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Trail Ridge Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 33628
 WACS Testsite ID #: 2010
 WACS Testsite Name: MWB34D
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 2/23/2006 7:56:00AM
 Sampling Method: Unknown
 Permitted
 Well Type: DE

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001147	Selenium	N	E84282	200.7 Rev 4.4	3/6/2006 5:01:00PM	5.9	5.9	ug/L	U
000010	Field Temperature	N	E84282	Field Sampling	2/23/2006 7:56:00AM	21.3		Degrees C	
000299	Oxygen, Dissolved	N	E84282	Field Sampling	2/23/2006 7:56:00AM	1		mg/L	
000094	Specific Conductance	N	E84282	Field Sampling	2/23/2006 7:56:00AM	375		umhos/cm	
001034	Chromium	N	E84282	200.7 Rev 4.4	3/6/2006 5:01:00PM	1.7	1.7	ug/L	U
034301	Chlorobenzene	N	E84282	8260B	3/7/2006 4:58:00AM	0.63	0.63	ug/L	U
032105	Dibromochloromethane	N	E84282	8260B	3/7/2006 4:58:00AM	0.34	0.34	ug/L	U
073085	Bromochloromethane	N	E84282	8260B	3/7/2006 4:58:00AM	0.58	0.58	ug/L	U
077424	Iodomethane	N	E84282	8260B	3/7/2006 4:58:00AM	0.67	0.67	ug/L	U
034475	Tetrachloroethene	N	E84282	8260B	3/7/2006 4:58:00AM	0.34	0.34	ug/L	U
077128	Styrene	N	E84282	8260B	3/7/2006 4:58:00AM	0.98	0.98	ug/L	U
034423	Methylene Chloride	N	E84282	8260B	3/7/2006 4:58:00AM	4	4	ug/L	U
077596	Methylene bromide	N	E84282	8260B	3/7/2006 4:58:00AM	0.41	0.41	ug/L	U
01595	Methyl Ethyl Ketone	N	E84282	8260B	3/7/2006 4:58:00AM	8.4	8.4	ug/L	U
034418	Chloromethane	N	E84282	8260B	3/7/2006 4:58:00AM	0.64	0.64	ug/L	U
034371	Ethylbenzene	N	E84282	8260B	3/7/2006 4:58:00AM	0.44	0.44	ug/L	U
034704	cis-1,3-Dichloropropene	N	E84282	8260B	3/7/2006 4:58:00AM	0.14	0.14	ug/L	U
077093	cis-1,2-Dichloroethene	N	E84282	8260B	3/7/2006 4:58:00AM	0.65	0.65	ug/L	U
034010	Toluene	N	E84282	8260B	3/7/2006 4:58:00AM	0.51	0.51	ug/L	U
001012	Beryllium	N	E84282	200.7 Rev 4.4	3/6/2006 5:01:00PM	0.74	0.74	ug/L	U
032106	Chloroform	N	E84282	8260B	3/7/2006 4:58:00AM	0.9	0.9	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E84282	8260B	3/7/2006 4:58:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E84282	200.7 Rev 4.4	3/6/2006 5:01:00PM	480	22	ug/L	U
077651	Ethylene Dibromide	N	E84282	504.1	3/8/2006 6:17:00PM	0.0088	0.0088	ug/L	U
034311	Chloroethane	N	E84282	8260B	3/7/2006 4:58:00AM	0.8	0.8	ug/L	U
001087	Vanadium	N	E84282	200.7 Rev 4.4	3/6/2006 5:01:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E84282	200.7 Rev 4.4	3/6/2006 5:01:00PM	6.1	0.31	mg/L	
001077	Silver	N	E84282	200.7 Rev 4.4	3/6/2006 5:01:00PM	1.9	1.9	ug/L	U
001042	Copper	N	E84282	200.7 Rev 4.4	3/6/2006 5:01:00PM	2.9	2.9	ug/L	U
001067	Nickel	N	E84282	200.7 Rev 4.4	3/6/2006 5:01:00PM	4.7	4.7	ug/L	U
034546	trans-1,2-Dichloroethene	N	E84282	8260B	3/7/2006 4:58:00AM	0.44	0.44	ug/L	U
001037	Cobalt	N	E84282	200.7 Rev 4.4	3/6/2006 5:01:00PM	1.6	1.6	ug/L	U
001027	Cadmium	N	E84282	200.7 Rev 4.4	3/6/2006 5:01:00PM	0.71	0.71	ug/L	U
001051	Lead	N	E84282	200.7 Rev 4.4	3/6/2006 5:01:00PM	1.6	1.6	ug/L	U
077057	Vinyl acetate	N	E84282	8260B	3/7/2006 4:58:00AM	1.5	1.5	ug/L	U
001007	Barium	N	E84282	200.7 Rev 4.4	3/6/2006 5:01:00PM	100	1.2	ug/L	
001002	Arsenic	N	E84282	200.7 Rev 4.4	3/6/2006 5:01:00PM	4.8	4.8	ug/L	U
001097	Antimony	N	E84282	200.7 Rev 4.4	3/6/2006 5:01:00PM	3.6	3.6	ug/L	U
000620	Nitrate Nitrogen	N	E84282	353.2	2/24/2006 2:48:00PM	0.01	0.01	mg/L	U
000610	Ammonia	N	E84282	350.1	2/28/2006 11:54:00AM	0.21	0.04	mg/L	
000940	Chloride	N	E84282	325.2	3/2/2006 10:44:00AM	5.8	0.9	mg/L	
034571	1,4-Dichlorobenzene	N	E84282	8260B	3/7/2006 4:58:00AM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E84282	8260B	3/7/2006 4:58:00AM	0.14	0.14	ug/L	U
141	1,2-Dichloropropane	N	E84282	8260B	3/7/2006 4:58:00AM	0.52	0.52	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 4/3/2006

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 33628
 WACS Testsite ID #: 20110
 WACS Testsite Name: MWB34D
 Water Classification: G-II
 LC - Leachate, G-II, SW-III(F)

Sample Date/Time: 2/23/2006 7:56:00AM
 Sampling Method: Unknown
 Permitted
 Well Type: DE

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
071900	Mercury	N	E84282	245.1	3/2/2006 1:18:00PM	0.072	0.072	ug/L	U
034488	Trichlorofluoromethane	N	E84282	8260B	3/7/2006 4:58:00AM	0.98	0.98	ug/L	U
039180	Trichloroethene	N	E84282	8260B	3/7/2006 4:58:00AM	0.28	0.28	ug/L	U
000406	Field pH	N	E84282	Field Sampling	2/23/2006 7:56:00AM	6.91		SU	
034501	1,1-Dichloroethene	N	E84282	8260B	3/7/2006 4:58:00AM	0.45	0.45	ug/L	U
077443	1,2,3-Trichloropropane	N	E84282	8260B	3/7/2006 4:58:00AM	0.15	0.15	ug/L	U
034536	1,2-Dichlorobenzene	N	E84282	8260B	3/7/2006 4:58:00AM	0.44	0.44	ug/L	U
034506	1,1,1-Trichloroethane	N	E84282	8260B	3/7/2006 4:58:00AM	0.46	0.46	ug/L	U
070300	Total Dissolved Solids	N	E84282	160.1	2/27/2006 12:08:00PM	220	5	mg/L	
081551	Xylenes, Total	N	E84282	8260B	3/7/2006 4:58:00AM	0.3	0.3	ug/L	U
034496	1,1-Dichloroethane	N	E84282	8260B	3/7/2006 4:58:00AM	0.52	0.52	ug/L	U
034215	Acrylonitrile	N	E84282	8260B	3/7/2006 4:58:00AM	1.2	1.2	ug/L	U
081552	Acetone	N	E84282	8260B	3/7/2006 4:58:00AM	9.9	9.9	ug/L	U
081596	4-Methyl-2-pentanone	N	E84282	8260B	3/7/2006 4:58:00AM	3.8	3.8	ug/L	U
077103	2-Hexanone	N	E84282	8260B	3/7/2006 4:58:00AM	4.4	4.4	ug/L	U
038437	1,2-Dibromo-3-Chloropropane	N	E84282	504.1	3/8/2006 6:17:00PM	0.003	0.003	ug/L	U
072020	Water Level	N	E84282	Field Sampling	2/23/2006 7:56:00AM	115.87		ft	
034531	1,2-Dichloroethane	N	E84282	8260B	3/7/2006 4:58:00AM	0.57	0.57	ug/L	U
077562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	3/7/2006 4:58:00AM	0.63	0.63	ug/L	U
001092	Zinc	N	E84282	200.7 Rev 4.4	3/6/2006 5:01:00PM	5.9	5.9	ug/L	U
034511	1,1,2-Trichloroethane	N	E84282	8260B	3/7/2006 4:58:00AM	0.47	0.47	ug/L	U
01059	Thallium	N	E87052	200.8	3/2/2006 9:44:00AM	0.25	0.25	ug/L	U
02101	Bromodichloromethane	N	E84282	8260B	3/7/2006 4:58:00AM	0.35	0.35	ug/L	U
032104	Bromoform	N	E84282	8260B	3/7/2006 4:58:00AM	0.58	0.58	ug/L	U
034413	Bromomethane	N	E84282	8260B	3/7/2006 4:58:00AM	0.66	0.66	ug/L	U
077041	Carbon disulfide	N	E84282	8260B	3/7/2006 4:58:00AM	0.85	0.85	ug/L	U
032102	Carbon tetrachloride	N	E84282	8260B	3/7/2006 4:58:00AM	0.42	0.42	ug/L	U
082079	Turbidity	N	E84282	Field Sampling	2/23/2006 7:56:00AM	0.7		NTU	
039175	Vinyl chloride	N	E84282	8260B	3/7/2006 4:58:00AM	0.5	0.5	ug/L	U
078124	Benzene	N	E84282	8260B	3/7/2006 4:58:00AM	0.27	0.27	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	3/7/2006 4:58:00AM	0.14	0.14	ug/L	U

Total Parameters Monitored: 75

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Trail Ridge Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 33628
 WACS Testsite ID #: 20109
 WACS Testsite Name: MWB34I
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 2/23/2006 8:28:00AM
 Sampling Method: Unknown
 Permitted
 Well Type: DE

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
032105	Dibromochloromethane	N	E84282	8260B	3/7/2006 5:23:00AM	0.34	0.34	ug/L	U
034506	1,1,1-Trichloroethane	N	E84282	8260B	3/7/2006 5:23:00AM	0.46	0.46	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	3/7/2006 5:23:00AM	0.14	0.14	ug/L	U
034511	1,1,2-Trichloroethane	N	E84282	8260B	3/7/2006 5:23:00AM	0.47	0.47	ug/L	U
034496	1,1-Dichloroethane	N	E84282	8260B	3/7/2006 5:23:00AM	0.52	0.52	ug/L	U
034501	1,1-Dichloroethene	N	E84282	8260B	3/7/2006 5:23:00AM	0.45	0.45	ug/L	U
077443	1,2,3-Trichloropropane	N	E84282	8260B	3/7/2006 5:23:00AM	0.15	0.15	ug/L	U
034536	1,2-Dichlorobenzene	N	E84282	8260B	3/7/2006 5:23:00AM	0.44	0.44	ug/L	U
034531	1,2-Dichloroethane	N	E84282	8260B	3/7/2006 5:23:00AM	0.57	0.57	ug/L	U
000620	Nitrate Nitrogen	N	E84282	353.2	2/24/2006 2:48:00PM	0.01	0.01	mg/L	U
034571	1,4-Dichlorobenzene	N	E84282	8260B	3/7/2006 5:23:00AM	0.52	0.52	ug/L	U
077103	2-Hexanone	N	E84282	8260B	3/7/2006 5:23:00AM	4.4	4.4	ug/L	U
034311	Chloroethane	N	E84282	8260B	3/7/2006 5:23:00AM	0.8	0.8	ug/L	U
032106	Chloroform	N	E84282	8260B	3/7/2006 5:23:00AM	0.9	0.9	ug/L	U
034418	Chloromethane	N	E84282	8260B	3/7/2006 5:23:00AM	0.64	0.64	ug/L	U
077093	cis-1,2-Dichloroethene	N	E84282	8260B	3/7/2006 5:23:00AM	0.65	0.65	ug/L	U
077424	Iodomethane	N	E84282	8260B	3/7/2006 5:23:00AM	0.67	0.67	ug/L	U
034371	Ethylbenzene	N	E84282	8260B	3/7/2006 5:23:00AM	0.44	0.44	ug/L	U
034704	cis-1,3-Dichloropropene	N	E84282	8260B	3/7/2006 5:23:00AM	0.14	0.14	ug/L	U
001002	Arsenic	N	E84282	200.7 Rev 4.4	3/6/2006 4:56:00PM	4.8	4.8	ug/L	U
081595	Methyl Ethyl Ketone	N	E84282	8260B	3/7/2006 5:23:00AM	8.4	8.4	ug/L	U
077596	Methylene bromide	N	E84282	8260B	3/7/2006 5:23:00AM	0.41	0.41	ug/L	U
034423	Methylene Chloride	N	E84282	8260B	3/7/2006 5:23:00AM	4	4	ug/L	U
070300	Total Dissolved Solids	N	E84282	160.1	2/27/2006 12:08:00PM	42	5	mg/L	
000940	Chloride	N	E84282	325.2	3/2/2006 10:44:00AM	6.3	0.9	mg/L	
000610	Ammonia	N	E84282	350.1	2/28/2006 11:54:00AM	0.04	0.04	mg/L	U
001059	Thallium	N	E87052	200.8	3/2/2006 10:05:00AM	0.25	0.25	ug/L	U
001097	Antimony	N	E84282	200.7 Rev 4.4	3/6/2006 4:56:00PM	3.6	3.6	ug/L	U
034541	1,2-Dichloropropane	N	E84282	8260B	3/7/2006 5:23:00AM	0.52	0.52	ug/L	U
001007	Barium	N	E84282	200.7 Rev 4.4	3/6/2006 4:56:00PM	53	1.2	ug/L	
001012	Beryllium	N	E84282	200.7 Rev 4.4	3/6/2006 4:56:00PM	0.74	0.74	ug/L	U
001027	Cadmium	N	E84282	200.7 Rev 4.4	3/6/2006 4:56:00PM	0.71	0.71	ug/L	U
001034	Chromium	N	E84282	200.7 Rev 4.4	3/6/2006 4:56:00PM	2.1	1.7	ug/L	I
001037	Cobalt	N	E84282	200.7 Rev 4.4	3/6/2006 4:56:00PM	1.6	1.6	ug/L	U
001042	Copper	N	E84282	200.7 Rev 4.4	3/6/2006 4:56:00PM	2.9	2.9	ug/L	U
077562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	3/7/2006 5:23:00AM	0.63	0.63	ug/L	U
001087	Vanadium	N	E84282	200.7 Rev 4.4	3/6/2006 4:56:00PM	2.5	2.5	ug/L	U
000010	Field Temperature	N	E84282	Field Sampling	2/23/2006 8:28:00AM	21.7		Degrees C	
000929	Sodium	N	E84282	200.7 Rev 4.4	3/6/2006 4:56:00PM	3.3	0.31	mg/L	
001147	Selenium	N	E84282	200.7 Rev 4.4	3/6/2006 4:56:00PM	5.9	5.9	ug/L	U
001067	Nickel	N	E84282	200.7 Rev 4.4	3/6/2006 4:56:00PM	4.7	4.7	ug/L	U
001051	Lead	N	E84282	200.7 Rev 4.4	3/6/2006 4:56:00PM	1.6	1.6	ug/L	U
001045	Iron	N	E84282	200.7 Rev 4.4	3/6/2006 4:56:00PM	590	22	ug/L	U
1	Xylenes, Total	N	E84282	8260B	3/7/2006 5:23:00AM	0.3	0.3	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 4/3/2006

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 33628
 WACS Testsite ID #: 20109
 WACS Testsite Name: MWB341
 Water Classification: G-II
 LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 2/23/2006 8:28:00AM
 Sampling Method: Unknown
 Permitted
 Well Type: DE

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
039175	Vinyl chloride	N	E84282	8260B	3/7/2006 5:23:00AM	0.5	0.5	ug/L	U
039180	Trichloroethene	N	E84282	8260B	3/7/2006 5:23:00AM	0.28	0.28	ug/L	U
034488	Trichlorofluoromethane	N	E84282	8260B	3/7/2006 5:23:00AM	0.98	0.98	ug/L	U
081552	Acetone	N	E84282	8260B	3/7/2006 5:23:00AM	9.9	9.9	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E84282	8260B	3/7/2006 5:23:00AM	2.5	2.5	ug/L	U
034699	trans-1,3-Dichloropropene	N	E84282	8260B	3/7/2006 5:23:00AM	0.14	0.14	ug/L	U
034546	trans-1,2-Dichloroethene	N	E84282	8260B	3/7/2006 5:23:00AM	0.44	0.44	ug/L	U
034010	Toluene	N	E84282	8260B	3/7/2006 5:23:00AM	0.51	0.51	ug/L	U
034475	Tetrachloroethene	N	E84282	8260B	3/7/2006 5:23:00AM	0.34	0.34	ug/L	U
077128	Styrene	N	E84282	8260B	3/7/2006 5:23:00AM	0.98	0.98	ug/L	U
034301	Chlorobenzene	N	E84282	8260B	3/7/2006 5:23:00AM	0.63	0.63	ug/L	U
071900	Mercury	N	E84282	245.1	3/2/2006 1:19:00PM	0.072	0.072	ug/L	U
081596	4-Methyl-2-pentanone	N	E84282	8260B	3/7/2006 5:23:00AM	3.8	3.8	ug/L	U
001092	Zinc	N	E84282	200.7 Rev 4.4	3/6/2006 4:56:00PM	5.9	5.9	ug/L	U
034413	Bromomethane	N	E84282	8260B	3/7/2006 5:23:00AM	0.66	0.66	ug/L	U
032104	Bromoform	N	E84282	8260B	3/7/2006 5:23:00AM	0.58	0.58	ug/L	U
032101	Bromodichloromethane	N	E84282	8260B	3/7/2006 5:23:00AM	0.35	0.35	ug/L	U
073085	Bromochloromethane	N	E84282	8260B	3/7/2006 5:23:00AM	0.58	0.58	ug/L	U
078124	Benzene	N	E84282	8260B	3/7/2006 5:23:00AM	0.27	0.27	ug/L	U
001077	Silver	N	E84282	200.7 Rev 4.4	3/6/2006 4:56:00PM	1.9	1.9	ug/L	U
077041	Carbon disulfide	N	E84282	8260B	3/7/2006 5:23:00AM	0.85	0.85	ug/L	U
77057	Vinyl acetate	N	E84282	8260B	3/7/2006 5:23:00AM	1.5	1.5	ug/L	U
102	Carbon tetrachloride	N	E84282	8260B	3/7/2006 5:23:00AM	0.42	0.42	ug/L	U
077651	Ethylene Dibromide	N	E84282	504.1	3/9/2006 2:02:00AM	0.0085	0.0085	ug/L	U
038437	1,2-Dibromo-3-Chloropropane	N	E84282	504.1	3/9/2006 2:02:00AM	0.0029	0.0029	ug/L	U
072020	Water Level	N	E84282	Field Sampling	2/23/2006 8:28:00AM	115.91		ft	
082079	Turbidity	N	E84282	Field Sampling	2/23/2006 8:28:00AM	17.3		NTU	
000094	Specific Conductance	N	E84282	Field Sampling	2/23/2006 8:28:00AM	40		umhos/cm	
000299	Oxygen, Dissolved	N	E84282	Field Sampling	2/23/2006 8:28:00AM	0.9		mg/L	
000406	Field pH	N	E84282	Field Sampling	2/23/2006 8:28:00AM	5.89		SU	
034215	Acrylonitrile	N	E84282	8260B	3/7/2006 5:23:00AM	1.2	1.2	ug/L	U

Total Parameters Monitored: 75

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Trail Ridge Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 33628
 WACS Testsite ID #: 20108
 WACS Testsite Name: MWB34S
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 2/23/2006 7:46:00AM
 Sampling Method: Unknown
 Permitted
 Well Type: DE

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001059	Thallium	N	E87052	200.8	3/2/2006 10:13:00AM	0.25	0.25	ug/L	U
034704	cis-1,3-Dichloropropene	N	E84282	8260B	3/7/2006 5:48:00AM	0.14	0.14	ug/L	U
001034	Chromium	N	E84282	200.7 Rev 4.4	3/6/2006 4:50:00PM	3.7	1.7	ug/L	I
034475	Tetrachloroethene	N	E84282	8260B	3/7/2006 5:48:00AM	0.34	0.34	ug/L	U
034423	Methylene Chloride	N	E84282	8260B	3/7/2006 5:48:00AM	4	4	ug/L	U
077596	Methylene bromide	N	E84282	8260B	3/7/2006 5:48:00AM	0.41	0.41	ug/L	U
081595	Methyl Ethyl Ketone	N	E84282	8260B	3/7/2006 5:48:00AM	8.4	8.4	ug/L	U
077128	Styrene	N	E84282	8260B	3/7/2006 5:48:00AM	0.98	0.98	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E84282	8260B	3/7/2006 5:48:00AM	2.5	2.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E84282	8260B	3/7/2006 5:48:00AM	0.52	0.52	ug/L	U
001007	Barium	N	E84282	200.7 Rev 4.4	3/6/2006 4:50:00PM	7.3	1.2	ug/L	I
034418	Chloromethane	N	E84282	8260B	3/7/2006 5:48:00AM	0.64	0.64	ug/L	U
000940	Chloride	N	E84282	325.2	3/2/2006 10:44:00AM	150	18	mg/L	
00106	Chloroform	N	E84282	8260B	3/7/2006 5:48:00AM	0.9	0.9	ug/L	U
001488	Trichlorofluoromethane	N	E84282	8260B	3/7/2006 5:48:00AM	0.98	0.98	ug/L	U
077093	cis-1,2-Dichloroethene	N	E84282	8260B	3/7/2006 5:48:00AM	0.65	0.65	ug/L	U
071900	Mercury	N	E84282	245.1	3/2/2006 1:21:00PM	0.072	0.072	ug/L	U
034699	trans-1,3-Dichloropropene	N	E84282	8260B	3/7/2006 5:48:00AM	0.14	0.14	ug/L	U
034371	Ethylbenzene	N	E84282	8260B	3/7/2006 5:48:00AM	0.44	0.44	ug/L	U
034546	trans-1,2-Dichloroethene	N	E84282	8260B	3/7/2006 5:48:00AM	0.44	0.44	ug/L	U
034536	1,2-Dichlorobenzene	N	E84282	8260B	3/7/2006 5:48:00AM	0.44	0.44	ug/L	U
034010	Toluene	N	E84282	8260B	3/7/2006 5:48:00AM	0.51	0.51	ug/L	U
034541	1,2-Dichloropropane	N	E84282	8260B	3/7/2006 5:48:00AM	0.52	0.52	ug/L	U
001087	Vanadium	N	E84282	200.7 Rev 4.4	3/6/2006 4:50:00PM	22	2.5	ug/L	U
034531	1,2-Dichloroethane	N	E84282	8260B	3/7/2006 5:48:00AM	0.57	0.57	ug/L	U
001092	Zinc	N	E84282	200.7 Rev 4.4	3/6/2006 4:50:00PM	79	5.9	ug/L	
032105	Dibromochloromethane	N	E84282	8260B	3/7/2006 5:48:00AM	0.34	0.34	ug/L	U
001012	Beryllium	N	E84282	200.7 Rev 4.4	3/6/2006 4:50:00PM	0.74	0.74	ug/L	U
077443	1,2,3-Trichloropropane	N	E84282	8260B	3/7/2006 5:48:00AM	0.15	0.15	ug/L	U
000929	Sodium	N	E84282	200.7 Rev 4.4	3/6/2006 4:50:00PM	86	0.31	mg/L	
001077	Silver	N	E84282	200.7 Rev 4.4	3/6/2006 4:50:00PM	1.9	1.9	ug/L	U
001147	Selenium	N	E84282	200.7 Rev 4.4	3/6/2006 4:50:00PM	5.9	5.9	ug/L	U
001051	Lead	N	E84282	200.7 Rev 4.4	3/6/2006 4:50:00PM	1.6	1.6	ug/L	U
001045	Iron	N	E84282	200.7 Rev 4.4	3/6/2006 4:50:00PM	120	22	ug/L	
001042	Copper	N	E84282	200.7 Rev 4.4	3/6/2006 4:50:00PM	19	2.9	ug/L	I
001037	Cobalt	N	E84282	200.7 Rev 4.4	3/6/2006 4:50:00PM	1.7	1.6	ug/L	I
001027	Cadmium	N	E84282	200.7 Rev 4.4	3/6/2006 4:50:00PM	0.71	0.71	ug/L	U
077103	2-Hexanone	N	E84282	8260B	3/7/2006 5:48:00AM	4.4	4.4	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	3/7/2006 5:48:00AM	0.14	0.14	ug/L	U
000010	Field Temperature	N	E84282	Field Sampling	2/23/2006 7:46:00AM	19.9		Degrees C	
081551	Xylenes, Total	N	E84282	8260B	3/7/2006 5:48:00AM	0.3	0.3	ug/L	U
034506	1,1,1-Trichloroethane	N	E84282	8260B	3/7/2006 5:48:00AM	0.46	0.46	ug/L	U
001552	Acetone	N	E84282	8260B	3/7/2006 5:48:00AM	9.9	9.9	ug/L	U
01	1,1-Dichloroethene	N	E84282	8260B	3/7/2006 5:48:00AM	0.45	0.45	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 4/3/2006

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 33628
WACS Testsite ID #: 20108
WACS Testsite Name: MWB34S
Water Classification: G-II
C - Leachate, G-II, SW-IIIF)

Sample Date/Time: 2/23/2006 7:46:00AM
Sampling Method: Unknown
Permitted
Well Type: DE

(AS) Assessment (IW) Irrigation Well
(BG) Background (OT) Other
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water Supply

Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077041	Carbon disulfide	N	E84282	8260B	3/7/2006 5:48:00AM	0.85	0.85	ug/L	U
032101	Bromodichloromethane	N	E84282	8260B	3/7/2006 5:48:00AM	0.35	0.35	ug/L	U
000094	Specific Conductance	N	E84282	Field Sampling	2/23/2006 7:46:00AM	972		umhos/cm	
000406	Field pH	N	E84282	Field Sampling	2/23/2006 7:46:00AM	6.38		SU	
034413	Bromomethane	N	E84282	8260B	3/7/2006 5:48:00AM	0.66	0.66	ug/L	U
032104	Bromoform	N	E84282	8260B	3/7/2006 5:48:00AM	0.58	0.58	ug/L	U
034311	Chloroethane	N	E84282	8260B	3/7/2006 5:48:00AM	0.8	0.8	ug/L	U
077562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	3/7/2006 5:48:00AM	0.63	0.63	ug/L	U
077651	Ethylene Dibromide	N	E84282	504.1	3/9/2006 3:12:00AM	0.0091	0.0091	ug/L	U
039180	Trichloroethene	N	E84282	8260B	3/7/2006 5:48:00AM	0.28	0.28	ug/L	U
001067	Nickel	N	E84282	200.7 Rev 4.4	3/6/2006 4:50:00PM	5.7	4.7	ug/L	I
038437	1,2-Dibromo-3-Chloropropane	N	E84282	504.1	3/9/2006 3:12:00AM	0.0032	0.0032	ug/L	U
072020	Water Level	N	E84282	Field Sampling	2/23/2006 7:46:00AM	114.98		ft	
082079	Turbidity	N	E84282	Field Sampling	2/23/2006 7:46:00AM	10.3		NTU	
034496	1,1-Dichloroethane	N	E84282	8260B	3/7/2006 5:48:00AM	0.52	0.52	ug/L	U
001097	Antimony	N	E84282	200.7 Rev 4.4	3/6/2006 4:50:00PM	4.6	3.6	ug/L	I
001002	Arsenic	N	E84282	200.7 Rev 4.4	3/6/2006 4:50:00PM	4.8	4.8	ug/L	U
073085	Bromochloromethane	N	E84282	8260B	3/7/2006 5:48:00AM	0.58	0.58	ug/L	U
070300	Total Dissolved Solids	N	E84282	160.1	2/27/2006 12:08:00PM	520	5	mg/L	
000610	Ammonia	N	E84282	350.1	2/28/2006 11:54:00AM	16	1	mg/L	
000299	Oxygen, Dissolved	N	E84282	Field Sampling	2/23/2006 7:46:00AM	1.2		mg/L	
04215	Acrylonitrile	N	E84282	8260B	3/7/2006 5:48:00AM	1.2	1.2	ug/L	U
0596	4-Methyl-2-pentanone	N	E84282	8260B	3/7/2006 5:48:00AM	3.8	3.8	ug/L	U
032102	Carbon tetrachloride	N	E84282	8260B	3/7/2006 5:48:00AM	0.42	0.42	ug/L	U
077424	Iodomethane	N	E84282	8260B	3/7/2006 5:48:00AM	0.67	0.67	ug/L	U
039175	Vinyl chloride	N	E84282	8260B	3/7/2006 5:48:00AM	0.5	0.5	ug/L	U
034511	1,1,2-Trichloroethane	N	E84282	8260B	3/7/2006 5:48:00AM	0.47	0.47	ug/L	U
034301	Chlorobenzene	N	E84282	8260B	3/7/2006 5:48:00AM	0.63	0.63	ug/L	U
000620	Nitrate Nitrogen	N	E84282	353.2	2/24/2006 2:48:00PM	3.7	0.01	mg/L	
077057	Vinyl acetate	N	E84282	8260B	3/7/2006 5:48:00AM	1.5	1.5	ug/L	U
078124	Benzene	N	E84282	8260B	3/7/2006 5:48:00AM	0.52	0.27	ug/L	I

Total Parameters Monitored: 75

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Trail Ridge Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 33628
 WACS Testsite ID #: 17208
 WACS Testsite Name: MWB31D
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 2/23/2006 8:06:00AM
 Sampling Method: Unknown
 Permitted
 Well Type: BG

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to
 Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034475	Tetrachloroethene	N	E84282	8260B	3/3/2006 9:44:00PM	0.34	0.34	ug/L	U
034423	Methylene Chloride	N	E84282	8260B	3/3/2006 9:44:00PM	4	4	ug/L	U
077128	Styrene	N	E84282	8260B	3/3/2006 9:44:00PM	0.98	0.98	ug/L	U
034010	Toluene	N	E84282	8260B	3/3/2006 9:44:00PM	0.51	0.51	ug/L	U
077596	Methylene bromide	N	E84282	8260B	3/3/2006 9:44:00PM	0.41	0.41	ug/L	U
034699	trans-1,3-Dichloropropene	N	E84282	8260B	3/3/2006 9:44:00PM	0.14	0.14	ug/L	U
001067	Nickel	N	E84282	200.7 Rev 4.4	3/6/2006 6:46:00PM	4.7	4.7	ug/L	U
001012	Beryllium	N	E84282	200.7 Rev 4.4	3/6/2006 6:46:00PM	0.74	0.74	ug/L	U
001147	Selenium	N	E84282	200.7 Rev 4.4	3/6/2006 6:46:00PM	5.9	5.9	ug/L	U
081595	Methyl Ethyl Ketone	N	E84282	8260B	3/3/2006 9:44:00PM	8.4	8.4	ug/L	U
071900	Mercury	N	E84282	245.1	3/2/2006 12:38:00PM	0.072	0.072	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E84282	8260B	3/3/2006 9:44:00PM	2.5	2.5	ug/L	U
039175	Vinyl chloride	N	E84282	8260B	3/3/2006 9:44:00PM	0.5	0.5	ug/L	U
001092	Zinc	N	E84282	200.7 Rev 4.4	3/6/2006 6:46:00PM	5.9	5.9	ug/L	U
001007	Barium	N	E84282	200.7 Rev 4.4	3/6/2006 6:46:00PM	82	1.2	ug/L	U
081551	Xylenes, Total	N	E84282	8260B	3/3/2006 9:44:00PM	0.3	0.3	ug/L	U
001051	Lead	N	E84282	200.7 Rev 4.4	3/6/2006 6:46:00PM	1.6	1.6	ug/L	U
000940	Chloride	N	E84282	325.2	2/28/2006 4:59:00PM	5.5	0.9	mg/L	
000094	Specific Conductance	N	E84282	Field Sampling	2/23/2006 8:06:00AM	348		umhos/cm	
077562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	3/3/2006 9:44:00PM	0.63	0.63	ug/L	U
000620	Nitrate Nitrogen	N	E84282	353.2	2/24/2006 12:37:00PM	0.093	0.01	mg/L	
001002	Arsenic	N	E84282	200.7 Rev 4.4	3/6/2006 6:46:00PM	4.8	4.8	ug/L	U
001059	Thallium	N	E87052	200.8	3/2/2006 7:22:00AM	0.74	0.25	ug/L	I
032104	Bromoform	N	E84282	8260B	3/3/2006 9:44:00PM	0.58	0.58	ug/L	U
081552	Acetone	N	E84282	8260B	3/3/2006 9:44:00PM	9.9	9.9	ug/L	U
081596	4-Methyl-2-pentanone	N	E84282	8260B	3/3/2006 9:44:00PM	3.8	3.8	ug/L	U
077424	Iodomethane	N	E84282	8260B	3/3/2006 9:44:00PM	0.67	0.67	ug/L	U
034571	1,4-Dichlorobenzene	N	E84282	8260B	3/3/2006 9:44:00PM	0.52	0.52	ug/L	U
034506	1,1,1-Trichloroethane	N	E84282	8260B	3/3/2006 9:44:00PM	0.46	0.46	ug/L	U
034488	Trichlorofluoromethane	N	E84282	8260B	3/3/2006 9:44:00PM	0.98	0.98	ug/L	U
034531	1,2-Dichloroethane	N	E84282	8260B	3/3/2006 9:44:00PM	0.57	0.57	ug/L	U
034536	1,2-Dichlorobenzene	N	E84282	8260B	3/3/2006 9:44:00PM	0.44	0.44	ug/L	U
000299	Oxygen, Dissolved	N	E84282	Field Sampling	2/23/2006 8:06:00AM	0.7		mg/L	
000010	Field Temperature	N	E84282	Field Sampling	2/23/2006 8:06:00AM	19.9		Degrees C	
077103	2-Hexanone	N	E84282	8260B	3/3/2006 9:44:00PM	4.4	4.4	ug/L	U
001027	Cadmium	N	E84282	200.7 Rev 4.4	3/6/2006 6:46:00PM	0.71	0.71	ug/L	U
034704	cis-1,3-Dichloropropene	N	E84282	8260B	3/3/2006 9:44:00PM	0.14	0.14	ug/L	U
077093	cis-1,2-Dichloroethene	N	E84282	8260B	3/3/2006 9:44:00PM	0.65	0.65	ug/L	U
038437	1,2-Dibromo-3-Chloropropane	N	E84282	504.1	3/8/2006 5:53:00AM	0.003	0.003	ug/L	U
034546	trans-1,2-Dichloroethene	N	E84282	8260B	3/3/2006 9:44:00PM	0.44	0.44	ug/L	U
034371	Ethylbenzene	N	E84282	8260B	3/3/2006 9:44:00PM	0.44	0.44	ug/L	U
001045	Iron	N	E84282	200.7 Rev 4.4	3/6/2006 6:46:00PM	49	22	ug/L	I
001042	Copper	N	E84282	200.7 Rev 4.4	3/6/2006 6:46:00PM	2.9	2.9	ug/L	U
001037	Cobalt	N	E84282	200.7 Rev 4.4	3/6/2006 6:46:00PM	1.6	1.6	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 4/3/2006

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 33628
 WACS Testsite ID #: 17208
 WACS Testsite Name: MWB31D
 Water Classification: G-II
 (LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 2/23/2006 8:06:00AM
 Sampling Method: Unknown
 Permitted
 Well Type: BG

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001034	Chromium	N	E84282	200.7 Rev 4.4	3/6/2006 6:46:00PM	1.7	1.7	ug/L	U
000406	Field pH	N	E84282	Field Sampling	2/23/2006 8:06:00AM	6.81		SU	
034301	Chlorobenzene	N	E84282	8260B	3/3/2006 9:44:00PM	0.63	0.63	ug/L	U
034501	1,1-Dichloroethene	N	E84282	8260B	3/3/2006 9:44:00PM	0.45	0.45	ug/L	U
077057	Vinyl acetate	N	E84282	8260B	3/3/2006 9:44:00PM	1.5	1.5	ug/L	U
034496	1,1-Dichloroethane	N	E84282	8260B	3/3/2006 9:44:00PM	0.52	0.52	ug/L	U
032105	Dibromochloromethane	N	E84282	8260B	3/3/2006 9:44:00PM	0.34	0.34	ug/L	U
034511	1,1,2-Trichloroethane	N	E84282	8260B	3/3/2006 9:44:00PM	0.47	0.47	ug/L	U
000610	Ammonia	N	E84282	350.1	2/28/2006 11:54:00AM	0.04	0.04	mg/L	U
034516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	3/3/2006 9:44:00PM	0.14	0.14	ug/L	U
001097	Antimony	N	E84282	200.7 Rev 4.4	3/6/2006 6:46:00PM	3.7	3.6	ug/L	I
077443	1,2,3-Trichloropropane	N	E84282	8260B	3/3/2006 9:44:00PM	0.15	0.15	ug/L	U
077651	Ethylene Dibromide	N	E84282	504.1	3/8/2006 5:53:00AM	0.0088	0.0088	ug/L	U
034413	Bromomethane	N	E84282	8260B	3/3/2006 9:44:00PM	0.66	0.66	ug/L	U
032102	Carbon tetrachloride	N	E84282	8260B	3/3/2006 9:44:00PM	0.42	0.42	ug/L	U
034311	Chloroethane	N	E84282	8260B	3/3/2006 9:44:00PM	0.8	0.8	ug/L	U
034541	1,2-Dichloropropane	N	E84282	8260B	3/3/2006 9:44:00PM	0.52	0.52	ug/L	U
077041	Carbon disulfide	N	E84282	8260B	3/3/2006 9:44:00PM	0.85	0.85	ug/L	U
039180	Trichloroethene	N	E84282	8260B	3/3/2006 9:44:00PM	0.28	0.28	ug/L	U
001087	Vanadium	N	E84282	200.7 Rev 4.4	3/6/2006 6:46:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E84282	200.7 Rev 4.4	3/6/2006 6:46:00PM	6.2	0.31	mg/L	
002020	Water Level	N	E84282	Field Sampling	2/23/2006 8:06:00AM	138.4		ft	
001300	Total Dissolved Solids	N	E84282	160.1	2/28/2006 2:21:00PM	200	5	mg/L	
032106	Chloroform	N	E84282	8260B	3/3/2006 9:44:00PM	0.9	0.9	ug/L	U
082079	Turbidity	N	E84282	Field Sampling	2/23/2006 8:06:00AM	1.2		NTU	
032101	Bromodichloromethane	N	E84282	8260B	3/3/2006 9:44:00PM	0.35	0.35	ug/L	U
073085	Bromochloromethane	N	E84282	8260B	3/3/2006 9:44:00PM	0.58	0.58	ug/L	U
078124	Benzene	N	E84282	8260B	3/3/2006 9:44:00PM	0.27	0.27	ug/L	U
034215	Acrylonitrile	N	E84282	8260B	3/3/2006 9:44:00PM	1.2	1.2	ug/L	U
034418	Chloromethane	N	E84282	8260B	3/3/2006 9:44:00PM	0.64	0.64	ug/L	U
001077	Silver	N	E84282	200.7 Rev 4.4	3/6/2006 6:46:00PM	1.9	1.9	ug/L	U

Total Parameters Monitored: 75

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Trail Ridge Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 33628
 WACS Testsite ID #: 20107
 WACS Testsite Name: MWB33S
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 2/23/2006 11:20:00AM
 Sampling Method: Unknown
 Permitted Well Type: DE

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034215	Acrylonitrile	N	E84282	8260B	3/7/2006 6:13:00AM	1.2	1.2	ug/L	U
034475	Tetrachloroethene	N	E84282	8260B	3/7/2006 6:13:00AM	0.34	0.34	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E84282	8260B	3/7/2006 6:13:00AM	2.5	2.5	ug/L	U
001027	Cadmium	N	E84282	200.7 Rev 4.4	3/6/2006 4:34:00PM	0.71	0.71	ug/L	U
077128	Styrene	N	E84282	8260B	3/7/2006 6:13:00AM	0.98	0.98	ug/L	U
034546	trans-1,2-Dichloroethene	N	E84282	8260B	3/7/2006 6:13:00AM	0.44	0.44	ug/L	U
078124	Benzene	N	E84282	8260B	3/7/2006 6:13:00AM	0.27	0.27	ug/L	U
034511	1,1,2-Trichloroethane	N	E84282	8260B	3/7/2006 6:13:00AM	0.47	0.47	ug/L	U
073085	Bromochloromethane	N	E84282	8260B	3/7/2006 6:13:00AM	0.58	0.58	ug/L	U
032101	Bromodichloromethane	N	E84282	8260B	3/7/2006 6:13:00AM	0.35	0.35	ug/L	U
032104	Bromoform	N	E84282	8260B	3/7/2006 6:13:00AM	0.58	0.58	ug/L	U
034413	Bromomethane	N	E84282	8260B	3/7/2006 6:13:00AM	0.66	0.66	ug/L	U
077041	Carbon disulfide	N	E84282	8260B	3/7/2006 6:13:00AM	0.85	0.85	ug/L	U
423	Methylene Chloride	N	E84282	8260B	3/7/2006 6:13:00AM	4	4	ug/L	U
012	Beryllium	N	E84282	200.7 Rev 4.4	3/6/2006 4:34:00PM	0.74	0.74	ug/L	U
081552	Acetone	N	E84282	8260B	3/7/2006 6:13:00AM	9.9	9.9	ug/L	U
034699	trans-1,3-Dichloropropene	N	E84282	8260B	3/7/2006 6:13:00AM	0.14	0.14	ug/L	U
034496	1,1-Dichloroethane	N	E84282	8260B	3/7/2006 6:13:00AM	0.52	0.52	ug/L	U
077103	2-Hexanone	N	E84282	8260B	3/7/2006 6:13:00AM	4.4	4.4	ug/L	U
077651	Ethylene Dibromide	N	E84282	504.1	3/9/2006 3:58:00AM	0.009	0.009	ug/L	U
038437	1,2-Dibromo-3-Chloropropane	N	E84282	504.1	3/9/2006 3:58:00AM	0.0031	0.0031	ug/L	U
072020	Water Level	N	E84282	Field Sampling	2/23/2006 11:20:00AM	114.45		ft	
082079	Turbidity	N	E84282	Field Sampling	2/23/2006 11:20:00AM	5.5		NTU	
000094	Specific Conductance	N	E84282	Field Sampling	2/23/2006 11:20:00AM	100		umhos/cm	
000299	Oxygen, Dissolved	N	E84282	Field Sampling	2/23/2006 11:20:00AM	0.8		mg/L	
001002	Arsenic	N	E84282	200.7 Rev 4.4	3/6/2006 4:34:00PM	4.8	4.8	ug/L	U
000406	Field pH	N	E84282	Field Sampling	2/23/2006 11:20:00AM	5.1		SU	
039180	Trichloroethene	N	E84282	8260B	3/7/2006 6:13:00AM	0.28	0.28	ug/L	U
001037	Cobalt	N	E84282	200.7 Rev 4.4	3/6/2006 4:34:00PM	1.6	1.6	ug/L	U
001059	Thallium	N	E87052	200.8	3/2/2006 10:20:00AM	0.25	0.25	ug/L	U
032102	Carbon tetrachloride	N	E84282	8260B	3/7/2006 6:13:00AM	0.42	0.42	ug/L	U
001051	Lead	N	E84282	200.7 Rev 4.4	3/6/2006 4:34:00PM	1.6	1.6	ug/L	U
001007	Barium	N	E84282	200.7 Rev 4.4	3/6/2006 4:34:00PM	30	1.2	ug/L	
001034	Chromium	N	E84282	200.7 Rev 4.4	3/6/2006 4:34:00PM	1.7	1.7	ug/L	U
077057	Vinyl acetate	N	E84282	8260B	3/7/2006 6:13:00AM	1.5	1.5	ug/L	U
034488	Trichlorofluoromethane	N	E84282	8260B	3/7/2006 6:13:00AM	0.98	0.98	ug/L	U
000010	Field Temperature	N	E84282	Field Sampling	2/23/2006 11:20:00AM	19.8		Degrees C	
077424	Iodomethane	N	E84282	8260B	3/7/2006 6:13:00AM	0.67	0.67	ug/L	U
077443	1,2,3-Trichloropropane	N	E84282	8260B	3/7/2006 6:13:00AM	0.15	0.15	ug/L	U
034301	Chlorobenzene	N	E84282	8260B	3/7/2006 6:13:00AM	0.63	0.63	ug/L	U
034418	Chloromethane	N	E84282	8260B	3/7/2006 6:13:00AM	0.64	0.64	ug/L	U
034571	1,4-Dichlorobenzene	N	E84282	8260B	3/7/2006 6:13:00AM	0.52	0.52	ug/L	U
620	Nitrate Nitrogen	N	E84282	353.2	2/24/2006 2:48:00PM	0.01	0.01	mg/L	U
142	Copper	N	E84282	200.7 Rev 4.4	3/6/2006 4:34:00PM	2.9	2.9	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 4/3/2006

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 33628
WACS Testsite ID #: 20107
WACS Testsite Name: MWB33S
Water Classification: G-II
C - Leachate, G-II, SW-III(F)

Sample Date/Time: 2/23/2006 11:20:00AM
Sampling Method: Unknown
Permitted
Well Type: DE

(AS) Assessment (IW) Irrigation Well
(BG) Background (OT) Other
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water Supply

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia	N	E84282	350.1	2/28/2006 11:54:00AM	0.76	0.04	mg/L	
034311	Chloroethane	N	E84282	8260B	3/7/2006 6:13:00AM	0.8	0.8	ug/L	U
034371	Ethylbenzene	N	E84282	8260B	3/7/2006 6:13:00AM	0.44	0.44	ug/L	U
034541	1,2-Dichloropropane	N	E84282	8260B	3/7/2006 6:13:00AM	0.52	0.52	ug/L	U
034536	1,2-Dichlorobenzene	N	E84282	8260B	3/7/2006 6:13:00AM	0.44	0.44	ug/L	U
081595	Methyl Ethyl Ketone	N	E84282	8260B	3/7/2006 6:13:00AM	8.4	8.4	ug/L	U
077596	Methylene bromide	N	E84282	8260B	3/7/2006 6:13:00AM	0.41	0.41	ug/L	U
081551	Xylenes, Total	N	E84282	8260B	3/7/2006 6:13:00AM	0.3	0.3	ug/L	U
070300	Total Dissolved Solids	N	E84282	160.1	2/27/2006 12:08:00PM	78	5	mg/L	
077093	cis-1,2-Dichloroethene	N	E84282	8260B	3/7/2006 6:13:00AM	0.65	0.65	ug/L	U
081596	4-Methyl-2-pentanone	N	E84282	8260B	3/7/2006 6:13:00AM	3.8	3.8	ug/L	U
032105	Dibromochloromethane	N	E84282	8260B	3/7/2006 6:13:00AM	0.34	0.34	ug/L	U
071900	Mercury	N	E84282	245.1	3/2/2006 1:22:00PM	0.072	0.072	ug/L	U
001097	Antimony	N	E84282	200.7 Rev 4.4	3/6/2006 4:34:00PM	3.6	3.6	ug/L	U
039175	Vinyl chloride	N	E84282	8260B	3/7/2006 6:13:00AM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	3/7/2006 6:13:00AM	0.14	0.14	ug/L	U
034531	1,2-Dichloroethane	N	E84282	8260B	3/7/2006 6:13:00AM	0.57	0.57	ug/L	U
077562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	3/7/2006 6:13:00AM	0.63	0.63	ug/L	U
032106	Chloroform	N	E84282	8260B	3/7/2006 6:13:00AM	0.9	0.9	ug/L	U
001045	Iron	N	E84282	200.7 Rev 4.4	3/6/2006 4:34:00PM	650	22	ug/L	
001067	Nickel	N	E84282	200.7 Rev 4.4	3/6/2006 4:34:00PM	4.7	4.7	ug/L	U
1147	Selenium	N	E84282	200.7 Rev 4.4	3/6/2006 4:34:00PM	5.9	5.9	ug/L	U
0940	Chloride	N	E84282	325.2	3/2/2006 10:44:00AM	9.4	0.9	mg/L	
034501	1,1-Dichloroethene	N	E84282	8260B	3/7/2006 6:13:00AM	0.45	0.45	ug/L	U
001077	Silver	N	E84282	200.7 Rev 4.4	3/6/2006 4:34:00PM	1.9	1.9	ug/L	U
034010	Toluene	N	E84282	8260B	3/7/2006 6:13:00AM	0.51	0.51	ug/L	U
000929	Sodium	N	E84282	200.7 Rev 4.4	3/6/2006 4:34:00PM	5.1	0.31	mg/L	
001087	Vanadium	N	E84282	200.7 Rev 4.4	3/6/2006 4:34:00PM	3.3	2.5	ug/L	I
001092	Zinc	N	E84282	200.7 Rev 4.4	3/6/2006 4:34:00PM	5.9	5.9	ug/L	U
034704	cis-1,3-Dichloropropene	N	E84282	8260B	3/7/2006 6:13:00AM	0.14	0.14	ug/L	U
034506	1,1,1-Trichloroethane	N	E84282	8260B	3/7/2006 6:13:00AM	0.46	0.46	ug/L	U

Total Parameters Monitored: 75

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 4/3/2006

Page 2 of 2

Form Produced by FDEP Validator software

Facility Name: Trail Ridge Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 33628
 WACS Testsite ID #: 020846
 WACS Testsite Name: MWB32D
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 2/23/2006 10:27:00AM
 Sampling Method: Unknown
 Permitted
 Well Type: DE

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
032105	Dibromochloromethane	N	E84282	8260B	3/7/2006 6:37:00AM	0.34	0.34	ug/L	U
034536	1,2-Dichlorobenzene	N	E84282	8260B	3/7/2006 6:37:00AM	0.44	0.44	ug/L	U
001007	Barium	N	E84282	200.7 Rev 4.4	3/7/2006 10:07:00AM	98	1.2	ug/L	U
034501	1,1-Dichloroethene	N	E84282	8260B	3/7/2006 6:37:00AM	0.45	0.45	ug/L	U
034496	1,1-Dichloroethane	N	E84282	8260B	3/7/2006 6:37:00AM	0.52	0.52	ug/L	U
034511	1,1,2-Trichloroethane	N	E84282	8260B	3/7/2006 6:37:00AM	0.47	0.47	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	3/7/2006 6:37:00AM	0.14	0.14	ug/L	U
034506	1,1,1-Trichloroethane	N	E84282	8260B	3/7/2006 6:37:00AM	0.46	0.46	ug/L	U
001097	Antimony	N	E84282	200.7 Rev 4.4	3/7/2006 10:07:00AM	3.6	3.6	ug/L	U
034541	1,2-Dichloropropane	N	E84282	8260B	3/7/2006 6:37:00AM	0.52	0.52	ug/L	U
001037	Cobalt	N	E84282	200.7 Rev 4.4	3/7/2006 10:07:00AM	1.6	1.6	ug/L	U
034531	1,2-Dichloroethane	N	E84282	8260B	3/7/2006 6:37:00AM	0.57	0.57	ug/L	U
001045	Iron	N	E84282	200.7 Rev 4.4	3/7/2006 10:07:00AM	2300	22	ug/L	U
001034	Chromium	N	E84282	200.7 Rev 4.4	3/7/2006 10:07:00AM	8.8	1.7	ug/L	I
001147	Selenium	N	E84282	200.7 Rev 4.4	3/7/2006 10:07:00AM	5.9	5.9	ug/L	U
000610	Ammonia	N	E84282	350.1	3/1/2006 10:16:00AM	0.13	0.04	mg/L	U
001059	Thallium	N	E87052	200.8	3/2/2006 9:10:00PM	0.41	0.25	ug/L	I
070300	Total Dissolved Solids	N	E84282	160.1	2/27/2006 12:08:00PM	130	5	mg/L	U
034010	Toluene	N	E84282	8260B	3/7/2006 6:37:00AM	0.51	0.51	ug/L	U
039175	Vinyl chloride	N	E84282	8260B	3/7/2006 6:37:00AM	0.5	0.5	ug/L	U
077057	Vinyl acetate	N	E84282	8260B	3/7/2006 6:37:00AM	1.5	1.5	ug/L	U
034488	Trichlorofluoromethane	N	E84282	8260B	3/7/2006 6:37:00AM	0.98	0.98	ug/L	U
039180	Trichloroethene	N	E84282	8260B	3/7/2006 6:37:00AM	0.28	0.28	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E84282	8260B	3/7/2006 6:37:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E84282	200.7 Rev 4.4	3/7/2006 10:07:00AM	5.1	0.31	mg/L	U
034546	trans-1,2-Dichloroethene	N	E84282	8260B	3/7/2006 6:37:00AM	0.44	0.44	ug/L	U
001087	Vanadium	N	E84282	200.7 Rev 4.4	3/7/2006 10:07:00AM	9.7	2.5	ug/L	I
001012	Beryllium	N	E84282	200.7 Rev 4.4	3/7/2006 10:07:00AM	0.74	0.74	ug/L	U
034571	1,4-Dichlorobenzene	N	E84282	8260B	3/7/2006 6:37:00AM	0.52	0.52	ug/L	U
034371	Ethylbenzene	N	E84282	8260B	3/7/2006 6:37:00AM	0.44	0.44	ug/L	U
077424	Iodomethane	N	E84282	8260B	3/7/2006 6:37:00AM	0.67	0.67	ug/L	U
081595	Methyl Ethyl Ketone	N	E84282	8260B	3/7/2006 6:37:00AM	8.4	8.4	ug/L	U
034423	Methylene Chloride	N	E84282	8260B	3/7/2006 6:37:00AM	4	4	ug/L	U
034475	Tetrachloroethene	N	E84282	8260B	3/7/2006 6:37:00AM	0.34	0.34	ug/L	U
034704	cis-1,3-Dichloropropene	N	E84282	8260B	3/7/2006 6:37:00AM	0.14	0.14	ug/L	U
001002	Arsenic	N	E84282	200.7 Rev 4.4	3/7/2006 10:07:00AM	4.8	4.8	ug/L	U
077128	Styrene	N	E84282	8260B	3/7/2006 6:37:00AM	0.98	0.98	ug/L	U
001027	Cadmium	N	E84282	200.7 Rev 4.4	3/7/2006 10:07:00AM	0.71	0.71	ug/L	U
034699	trans-1,3-Dichloropropene	N	E84282	8260B	3/7/2006 6:37:00AM	0.14	0.14	ug/L	U
038437	1,2-Dibromo-3-Chloropropane	N	E84282	504.1	3/9/2006 4:21:00AM	0.003	0.003	ug/L	U
077041	Carbon disulfide	N	E84282	8260B	3/7/2006 6:37:00AM	0.85	0.85	ug/L	U
032102	Carbon tetrachloride	N	E84282	8260B	3/7/2006 6:37:00AM	0.42	0.42	ug/L	U
001552	Acetone	N	E84282	8260B	3/7/2006 6:37:00AM	9.9	9.9	ug/L	U
001104	Bromoform	N	E84282	8260B	3/7/2006 6:37:00AM	0.58	0.58	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 4/3/2006

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 33628
 WACS Testsite ID #: 020846
 WACS Testsite Name: MWB32D
 Water Classification: G-II
 LC - Leachate, G-II, SW-III(F)

Sample Date/Time: 2/23/2006 10:27:00AM
 Sampling Method: Unknown
 Permitted
 Well Type: DE

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
032101	Bromodichloromethane	N	E84282	8260B	3/7/2006 6:37:00AM	0.35	0.35	ug/L	U
034301	Chlorobenzene	N	E84282	8260B	3/7/2006 6:37:00AM	0.63	0.63	ug/L	U
073085	Bromochloromethane	N	E84282	8260B	3/7/2006 6:37:00AM	0.58	0.58	ug/L	U
078124	Benzene	N	E84282	8260B	3/7/2006 6:37:00AM	0.27	0.27	ug/L	U
034215	Acrylonitrile	N	E84282	8260B	3/7/2006 6:37:00AM	1.2	1.2	ug/L	U
034413	Bromomethane	N	E84282	8260B	3/7/2006 6:37:00AM	0.66	0.66	ug/L	U
081596	4-Methyl-2-pentanone	N	E84282	8260B	3/7/2006 6:37:00AM	3.8	3.8	ug/L	U
001077	Silver	N	E84282	200.7 Rev 4.4	3/7/2006 10:07:00AM	1.9	1.9	ug/L	U
077651	Ethylene Dibromide	N	E84282	504.1	3/9/2006 4:21:00AM	0.0086	0.0086	ug/L	U
001067	Nickel	N	E84282	200.7 Rev 4.4	3/7/2006 10:07:00AM	4.7	4.7	ug/L	U
072020	Water Level	N	E84282	Field Sampling	2/23/2006 10:27:00AM	116		ft	
082079	Turbidity	N	E84282	Field Sampling	2/23/2006 10:27:00AM	115.1		NTU	
000299	Oxygen, Dissolved	N	E84282	Field Sampling	2/23/2006 10:27:00AM	0.8		mg/L	
000010	Field Temperature	N	E84282	Field Sampling	2/23/2006 10:27:00AM	20.7		Degrees C	
034311	Chloroethane	N	E84282	8260B	3/7/2006 6:37:00AM	0.8	0.8	ug/L	U
077596	Methylene bromide	N	E84282	8260B	3/7/2006 6:37:00AM	0.41	0.41	ug/L	U
000094	Specific Conductance	N	E84282	Field Sampling	2/23/2006 10:27:00AM	140		umhos/cm	
081551	Xylenes, Total	N	E84282	8260B	3/7/2006 6:37:00AM	0.3	0.3	ug/L	U
000406	Field pH	N	E84282	Field Sampling	2/23/2006 10:27:00AM	5.89		SU	
071900	Mercury	N	E84282	245.1	3/2/2006 1:27:00PM	0.072	0.072	ug/L	U
001092	Zinc	N	E84282	200.7 Rev 4.4	3/7/2006 10:07:00AM	5.9	5.9	ug/L	U
0562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	3/7/2006 6:37:00AM	0.63	0.63	ug/L	U
1051	Lead	N	E84282	200.7 Rev 4.4	3/7/2006 10:07:00AM	6.8	1.6	ug/L	
001042	Copper	N	E84282	200.7 Rev 4.4	3/7/2006 10:07:00AM	5.6	2.9	ug/L	I
000620	Nitrate Nitrogen	N	E84282	353.2	2/24/2006 2:48:00PM	0.01	0.01	mg/L	U
077443	1,2,3-Trichloropropane	N	E84282	8260B	3/7/2006 6:37:00AM	0.15	0.15	ug/L	U
077093	cis-1,2-Dichloroethene	N	E84282	8260B	3/7/2006 6:37:00AM	0.65	0.65	ug/L	U
034418	Chloromethane	N	E84282	8260B	3/7/2006 6:37:00AM	0.64	0.64	ug/L	U
032106	Chloroform	N	E84282	8260B	3/7/2006 6:37:00AM	0.9	0.9	ug/L	U
077103	2-Hexanone	N	E84282	8260B	3/7/2006 6:37:00AM	4.4	4.4	ug/L	U
000940	Chloride	N	E84282	325.2	3/2/2006 10:44:00AM	10	0.9	mg/L	

Total Parameters Monitored: 75

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Trail Ridge Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 33628
 WACS Testsite ID #: 20845
 WACS Testsite Name: MWB321
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 2/23/2006 10:04:00AM
 Sampling Method: Unknown
 Permitted Well Type: DE

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034546	trans-1,2-Dichloroethene	N	E84282	8260B	3/7/2006 7:02:00AM	0.44	0.44	ug/L	U
001037	Cobalt	N	E84282	200.7 Rev 4.4	3/7/2006 10:24:00AM	1.6	1.6	ug/L	U
034699	trans-1,3-Dichloropropene	N	E84282	8260B	3/7/2006 7:02:00AM	0.14	0.14	ug/L	U
001147	Selenium	N	E84282	200.7 Rev 4.4	3/7/2006 10:24:00AM	5.9	5.9	ug/L	U
001067	Nickel	N	E84282	200.7 Rev 4.4	3/7/2006 10:24:00AM	4.7	4.7	ug/L	U
001051	Lead	N	E84282	200.7 Rev 4.4	3/7/2006 10:24:00AM	5.5	1.6	ug/L	U
001045	Iron	N	E84282	200.7 Rev 4.4	3/7/2006 10:24:00AM	530	22	ug/L	U
001042	Copper	N	E84282	200.7 Rev 4.4	3/7/2006 10:24:00AM	2.9	2.9	ug/L	U
077057	Vinyl acetate	N	E84282	8260B	3/7/2006 7:02:00AM	1.5	1.5	ug/L	U
034488	Trichlorofluoromethane	N	E84282	8260B	3/7/2006 7:02:00AM	0.98	0.98	ug/L	U
078124	Benzene	N	E84282	8260B	3/7/2006 7:02:00AM	0.27	0.27	ug/L	U
000094	Specific Conductance	N	E84282	Field Sampling	2/23/2006 10:04:00AM	37		umhos/cm	
034501	1,1-Dichloroethene	N	E84282	8260B	3/7/2006 7:02:00AM	0.45	0.45	ug/L	U
3437	1,2-Dibromo-3-Chloropropane	N	E84282	504.1	3/9/2006 4:45:00AM	0.0031	0.0031	ug/L	U
4010	Toluene	N	E84282	8260B	3/7/2006 7:02:00AM	0.51	0.51	ug/L	U
034475	Tetrachloroethene	N	E84282	8260B	3/7/2006 7:02:00AM	0.34	0.34	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E84282	8260B	3/7/2006 7:02:00AM	2.5	2.5	ug/L	U
032101	Bromodichloromethane	N	E84282	8260B	3/7/2006 7:02:00AM	0.35	0.35	ug/L	U
081596	4-Methyl-2-pentanone	N	E84282	8260B	3/7/2006 7:02:00AM	3.8	3.8	ug/L	U
077103	2-Hexanone	N	E84282	8260B	3/7/2006 7:02:00AM	4.4	4.4	ug/L	U
034571	1,4-Dichlorobenzene	N	E84282	8260B	3/7/2006 7:02:00AM	0.52	0.52	ug/L	U
034541	1,2-Dichloropropane	N	E84282	8260B	3/7/2006 7:02:00AM	0.52	0.52	ug/L	U
034531	1,2-Dichloroethane	N	E84282	8260B	3/7/2006 7:02:00AM	0.57	0.57	ug/L	U
082079	Turbidity	N	E84282	Field Sampling	2/23/2006 10:04:00AM	236.1		NTU	
077562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	3/7/2006 7:02:00AM	0.63	0.63	ug/L	U
000299	Oxygen, Dissolved	N	E84282	Field Sampling	2/23/2006 10:04:00AM	0.9		mg/L	
001077	Silver	N	E84282	200.7 Rev 4.4	3/7/2006 10:24:00AM	1.9	1.9	ug/L	U
000406	Field pH	N	E84282	Field Sampling	2/23/2006 10:04:00AM	5.31		SU	
072020	Water Level	N	E84282	Field Sampling	2/23/2006 10:04:00AM	116.17		ft	
081551	Xylenes, Total	N	E84282	8260B	3/7/2006 7:02:00AM	0.3	0.3	ug/L	U
077651	Ethylene Dibromide	N	E84282	504.1	3/9/2006 4:45:00AM	0.0089	0.0089	ug/L	U
077128	Styrene	N	E84282	8260B	3/7/2006 7:02:00AM	0.98	0.98	ug/L	U
034506	1,1,1-Trichloroethane	N	E84282	8260B	3/7/2006 7:02:00AM	0.46	0.46	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	3/7/2006 7:02:00AM	0.14	0.14	ug/L	U
073085	Bromochloromethane	N	E84282	8260B	3/7/2006 7:02:00AM	0.58	0.58	ug/L	U
032106	Chloroform	N	E84282	8260B	3/7/2006 7:02:00AM	0.9	0.9	ug/L	U
032104	Bromoform	N	E84282	8260B	3/7/2006 7:02:00AM	0.58	0.58	ug/L	U
000929	Sodium	N	E84282	200.7 Rev 4.4	3/7/2006 10:24:00AM	2.7	0.31	mg/L	
077443	1,2,3-Trichloropropane	N	E84282	8260B	3/7/2006 7:02:00AM	0.15	0.15	ug/L	U
034536	1,2-Dichlorobenzene	N	E84282	8260B	3/7/2006 7:02:00AM	0.44	0.44	ug/L	U
077041	Carbon disulfide	N	E84282	8260B	3/7/2006 7:02:00AM	0.85	0.85	ug/L	U
032102	Carbon tetrachloride	N	E84282	8260B	3/7/2006 7:02:00AM	0.42	0.42	ug/L	U
1012	Beryllium	N	E84282	200.7 Rev 4.4	3/7/2006 10:24:00AM	0.74	0.74	ug/L	U
311	Chloroethane	N	E84282	8260B	3/7/2006 7:02:00AM	0.8	0.8	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 4/3/2006

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 33628
 WACS Testsite ID #: 20845
 WACS Testsite Name: MWB32I
 Water Classification: G-II
(LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 2/23/2006 10:04:00AM
 Sampling Method: Unknown
 Permitted
 Well Type: DE

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001007	Barium	N	E84282	200.7 Rev 4.4	3/7/2006 10:24:00AM	54	1.2	ug/L	
034418	Chloromethane	N	E84282	8260B	3/7/2006 7:02:00AM	0.64	0.64	ug/L	U
071900	Mercury	N	E84282	245.1	3/2/2006 1:28:00PM	0.072	0.072	ug/L	U
032105	Dibromochloromethane	N	E84282	8260B	3/7/2006 7:02:00AM	0.34	0.34	ug/L	U
001059	Thallium	N	E87052	200.8	3/2/2006 9:17:00PM	0.25	0.25	ug/L	U
001092	Zinc	N	E84282	200.7 Rev 4.4	3/7/2006 10:24:00AM	11	5.9	ug/L	I
001087	Vanadium	N	E84282	200.7 Rev 4.4	3/7/2006 10:24:00AM	6.8	2.5	ug/L	I
077093	cis-1,2-Dichloroethene	N	E84282	8260B	3/7/2006 7:02:00AM	0.65	0.65	ug/L	U
034301	Chlorobenzene	N	E84282	8260B	3/7/2006 7:02:00AM	0.63	0.63	ug/L	U
039175	Vinyl chloride	N	E84282	8260B	3/7/2006 7:02:00AM	0.5	0.5	ug/L	U
077596	Methylene bromide	N	E84282	8260B	3/7/2006 7:02:00AM	0.41	0.41	ug/L	U
034413	Bromomethane	N	E84282	8260B	3/7/2006 7:02:00AM	0.66	0.66	ug/L	U
081552	Acetone	N	E84282	8260B	3/7/2006 7:02:00AM	9.9	9.9	ug/L	U
039180	Trichloroethene	N	E84282	8260B	3/7/2006 7:02:00AM	0.28	0.28	ug/L	U
000010	Field Temperature	N	E84282	Field Sampling	2/23/2006 10:04:00AM	20.8		Degrees C	
001034	Chromium	N	E84282	200.7 Rev 4.4	3/7/2006 10:24:00AM	6	1.7	ug/L	I
081595	Methyl Ethyl Ketone	N	E84282	8260B	3/7/2006 7:02:00AM	8.4	8.4	ug/L	U
034511	1,1,2-Trichloroethane	N	E84282	8260B	3/7/2006 7:02:00AM	0.47	0.47	ug/L	U
034423	Methylene Chloride	N	E84282	8260B	3/7/2006 7:02:00AM	4	4	ug/L	U
034371	Ethylbenzene	N	E84282	8260B	3/7/2006 7:02:00AM	0.44	0.44	ug/L	U
070300	Total Dissolved Solids	N	E84282	160.1	2/27/2006 12:08:00PM	80	5	mg/L	
1940	Chloride	N	E84282	325.2	3/2/2006 10:44:00AM	8.4	0.9	mg/L	
610	Ammonia	N	E84282	350.1	3/1/2006 10:16:00AM	0.04	0.04	mg/L	U
000620	Nitrate Nitrogen	N	E84282	353.2	2/24/2006 2:48:00PM	0.01	0.01	mg/L	U
001097	Antimony	N	E84282	200.7 Rev 4.4	3/7/2006 10:24:00AM	3.6	3.6	ug/L	U
001002	Arsenic	N	E84282	200.7 Rev 4.4	3/7/2006 10:24:00AM	4.8	4.8	ug/L	U
001027	Cadmium	N	E84282	200.7 Rev 4.4	3/7/2006 10:24:00AM	0.71	0.71	ug/L	U
077424	Iodomethane	N	E84282	8260B	3/7/2006 7:02:00AM	0.67	0.67	ug/L	U
034496	1,1-Dichloroethane	N	E84282	8260B	3/7/2006 7:02:00AM	0.52	0.52	ug/L	U
034704	cis-1,3-Dichloropropene	N	E84282	8260B	3/7/2006 7:02:00AM	0.14	0.14	ug/L	U
034215	Acrylonitrile	N	E84282	8260B	3/7/2006 7:02:00AM	1.2	1.2	ug/L	U

Total Parameters Monitored: 75

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Trail Ridge Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 33628
 WACS Testsite ID #: 20843
 WACS Testsite Name: MWB32S
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 2/23/2006 9:20:00AM
 Sampling Method: Unknown
 Permitted
 Well Type: DE

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077093	cis-1,2-Dichloroethene	N	E84282	8260B	3/7/2006 7:27:00AM	0.65	0.65	ug/L	U
001087	Vanadium	N	E84282	200.7 Rev 4.4	3/7/2006 10:30:00AM	2.8	2.5	ug/L	I
034418	Chloromethane	N	E84282	8260B	3/7/2006 7:27:00AM	0.64	0.64	ug/L	U
032106	Chloroform	N	E84282	8260B	3/7/2006 7:27:00AM	0.9	0.9	ug/L	U
034311	Chloroethane	N	E84282	8260B	3/7/2006 7:27:00AM	0.8	0.8	ug/L	U
034301	Chlorobenzene	N	E84282	8260B	3/7/2006 7:27:00AM	0.63	0.63	ug/L	U
032102	Carbon tetrachloride	N	E84282	8260B	3/7/2006 7:27:00AM	0.42	0.42	ug/L	U
001034	Chromium	N	E84282	200.7 Rev 4.4	3/7/2006 10:30:00AM	2.7	1.7	ug/L	I
001092	Zinc	N	E84282	200.7 Rev 4.4	3/7/2006 10:30:00AM	5.9	5.9	ug/L	U
081552	Acetone	N	E84282	8260B	3/7/2006 7:27:00AM	9.9	9.9	ug/L	U
034413	Bromomethane	N	E84282	8260B	3/7/2006 7:27:00AM	0.66	0.66	ug/L	U
034010	Toluene	N	E84282	8260B	3/7/2006 7:27:00AM	0.51	0.51	ug/L	U
001012	Beryllium	N	E84282	200.7 Rev 4.4	3/7/2006 10:30:00AM	0.74	0.74	ug/L	U
001007	Barium	N	E84282	200.7 Rev 4.4	3/7/2006 10:30:00AM	25	1.2	ug/L	U
001069	trans-1,3-Dichloropropene	N	E84282	8260B	3/7/2006 7:27:00AM	0.14	0.14	ug/L	U
001059	Thallium	N	E87052	200.8	3/2/2006 9:24:00PM	0.25	0.25	ug/L	U
001037	Cobalt	N	E84282	200.7 Rev 4.4	3/7/2006 10:30:00AM	1.7	1.6	ug/L	I
034501	1,1-Dichloroethene	N	E84282	8260B	3/7/2006 7:27:00AM	0.45	0.45	ug/L	U
077443	1,2,3-Trichloropropane	N	E84282	8260B	3/7/2006 7:27:00AM	0.15	0.15	ug/L	U
077651	Ethylene Dibromide	N	E84282	504.1	3/9/2006 5:08:00AM	0.0094	0.0094	ug/L	U
038437	1,2-Dibromo-3-Chloropropane	N	E84282	504.1	3/9/2006 5:08:00AM	0.0033	0.0033	ug/L	U
034704	cis-1,3-Dichloropropene	N	E84282	8260B	3/7/2006 7:27:00AM	0.14	0.14	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E84282	8260B	3/7/2006 7:27:00AM	2.5	2.5	ug/L	U
039180	Trichloroethene	N	E84282	8260B	3/7/2006 7:27:00AM	0.28	0.28	ug/L	U
034488	Trichlorofluoromethane	N	E84282	8260B	3/7/2006 7:27:00AM	0.98	0.98	ug/L	U
032104	Bromoform	N	E84282	8260B	3/7/2006 7:27:00AM	0.58	0.58	ug/L	U
034215	Acrylonitrile	N	E84282	8260B	3/7/2006 7:27:00AM	1.2	1.2	ug/L	U
034496	1,1-Dichloroethane	N	E84282	8260B	3/7/2006 7:27:00AM	0.52	0.52	ug/L	U
077562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	3/7/2006 7:27:00AM	0.63	0.63	ug/L	U
034536	1,2-Dichlorobenzene	N	E84282	8260B	3/7/2006 7:27:00AM	0.44	0.44	ug/L	U
039175	Vinyl chloride	N	E84282	8260B	3/7/2006 7:27:00AM	0.5	0.5	ug/L	U
034531	1,2-Dichloroethane	N	E84282	8260B	3/7/2006 7:27:00AM	0.57	0.57	ug/L	U
081551	Xylenes, Total	N	E84282	8260B	3/7/2006 7:27:00AM	0.3	0.3	ug/L	U
034571	1,4-Dichlorobenzene	N	E84282	8260B	3/7/2006 7:27:00AM	0.52	0.52	ug/L	U
081596	4-Methyl-2-pentanone	N	E84282	8260B	3/7/2006 7:27:00AM	3.8	3.8	ug/L	U
034511	1,1,2-Trichloroethane	N	E84282	8260B	3/7/2006 7:27:00AM	0.47	0.47	ug/L	U
077057	Vinyl acetate	N	E84282	8260B	3/7/2006 7:27:00AM	1.5	1.5	ug/L	U
077596	Methylene bromide	N	E84282	8260B	3/7/2006 7:27:00AM	0.41	0.41	ug/L	U
001097	Antimony	N	E84282	200.7 Rev 4.4	3/7/2006 10:30:00AM	3.6	3.6	ug/L	U
001002	Arsenic	N	E84282	200.7 Rev 4.4	3/7/2006 10:30:00AM	4.8	4.8	ug/L	U
000094	Specific Conductance	N	E84282	Field Sampling	2/23/2006 9:20:00AM	99		umhos/cm	
077128	Styrene	N	E84282	8260B	3/7/2006 7:27:00AM	0.98	0.98	ug/L	U
002105	Dibromochloromethane	N	E84282	8260B	3/7/2006 7:27:00AM	0.34	0.34	ug/L	U
371	Ethylbenzene	N	E84282	8260B	3/7/2006 7:27:00AM	0.44	0.44	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 4/3/2006

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 33628
 WACS Testsite ID #: 20843
 WACS Testsite Name: MWB32S
 Water Classification: G-II
 (LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 2/23/2006 9:20:00AM
 Sampling Method: Unknown
 Permitted
 Well Type: DE

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
032101	Bromodichloromethane	N	E84282	8260B	3/7/2006 7:27:00AM	0.35	0.35	ug/L	U
081595	Methyl Ethyl Ketone	N	E84282	8260B	3/7/2006 7:27:00AM	8.4	8.4	ug/L	U
000940	Chloride	N	E84282	325.2	3/2/2006 10:44:00AM	9.2	0.9	mg/L	
001077	Silver	N	E84282	200.7 Rev 4.4	3/7/2006 10:30:00AM	1.9	1.9	ug/L	U
034423	Methylene Chloride	N	E84282	8260B	3/7/2006 7:27:00AM	4	4	ug/L	U
001042	Copper	N	E84282	200.7 Rev 4.4	3/7/2006 10:30:00AM	2.9	2.9	ug/L	U
034475	Tetrachloroethene	N	E84282	8260B	3/7/2006 7:27:00AM	0.34	0.34	ug/L	U
001027	Cadmium	N	E84282	200.7 Rev 4.4	3/7/2006 10:30:00AM	0.71	0.71	ug/L	U
034546	trans-1,2-Dichloroethene	N	E84282	8260B	3/7/2006 7:27:00AM	0.44	0.44	ug/L	U
077041	Carbon disulfide	N	E84282	8260B	3/7/2006 7:27:00AM	0.85	0.85	ug/L	U
077424	Iodomethane	N	E84282	8260B	3/7/2006 7:27:00AM	0.67	0.67	ug/L	U
072020	Water Level	N	E84282	Field Sampling	2/23/2006 9:20:00AM	115.26		ft	
034516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	3/7/2006 7:27:00AM	0.14	0.14	ug/L	U
034506	1,1,1-Trichloroethane	N	E84282	8260B	3/7/2006 7:27:00AM	0.46	0.46	ug/L	U
077103	2-Hexanone	N	E84282	8260B	3/7/2006 7:27:00AM	4.4	4.4	ug/L	U
000010	Field Temperature	N	E84282	Field Sampling	2/23/2006 9:20:00AM	20.1		Degrees C	
001051	Lead	N	E84282	200.7 Rev 4.4	3/7/2006 10:30:00AM	1.6	1.6	ug/L	U
078124	Benzene	N	E84282	8260B	3/7/2006 7:27:00AM	0.27	0.27	ug/L	U
001147	Selenium	N	E84282	200.7 Rev 4.4	3/7/2006 10:30:00AM	5.9	5.9	ug/L	U
000620	Nitrate Nitrogen	N	E84282	353.2	2/24/2006 2:48:00PM	0.01	0.01	mg/L	U
000929	Sodium	N	E84282	200.7 Rev 4.4	3/7/2006 10:30:00AM	5.4	0.31	mg/L	
000610	Ammonia	N	E84282	350.1	3/1/2006 10:16:00AM	0.25	0.04	mg/L	
00079	Turbidity	N	E84282	Field Sampling	2/23/2006 9:20:00AM	31.9		NTU	
001045	Iron	N	E84282	200.7 Rev 4.4	3/7/2006 10:30:00AM	520	22	ug/L	
000299	Oxygen, Dissolved	N	E84282	Field Sampling	2/23/2006 9:20:00AM	0.8		mg/L	
001067	Nickel	N	E84282	200.7 Rev 4.4	3/7/2006 10:30:00AM	4.7	4.7	ug/L	U
000406	Field pH	N	E84282	Field Sampling	2/23/2006 9:20:00AM	5.33		SU	
070300	Total Dissolved Solids	N	E84282	160.1	2/27/2006 3:54:00PM	74	5	mg/L	
073085	Bromochloromethane	N	E84282	8260B	3/7/2006 7:27:00AM	0.58	0.58	ug/L	U
034541	1,2-Dichloropropane	N	E84282	8260B	3/7/2006 7:27:00AM	0.52	0.52	ug/L	U
071900	Mercury	N	E84282	245.1	3/2/2006 1:30:00PM	0.072	0.072	ug/L	U

Total Parameters Monitored: 75

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Trail Ridge Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 33628
 WACS Testsite ID #: 17230
 WACS Testsite Name: MWB17D
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 2/23/2006 12:45:00PM
 Sampling Method: Unknown
 Permitted Well Type: CO

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000299	Oxygen, Dissolved	N	E84282	Field Sampling	2/23/2006 12:45:00PM	1.1		mg/L	
032105	Dibromochloromethane	N	E84282	8260B	3/7/2006 7:52:00AM	0.34	0.34	ug/L	U
034704	cis-1,3-Dichloropropene	N	E84282	8260B	3/7/2006 7:52:00AM	0.14	0.14	ug/L	U
077093	cis-1,2-Dichloroethene	N	E84282	8260B	3/7/2006 7:52:00AM	0.65	0.65	ug/L	U
032106	Chloroform	N	E84282	8260B	3/7/2006 7:52:00AM	0.9	0.9	ug/L	U
034301	Chlorobenzene	N	E84282	8260B	3/7/2006 7:52:00AM	0.63	0.63	ug/L	U
032102	Carbon tetrachloride	N	E84282	8260B	3/7/2006 7:52:00AM	0.42	0.42	ug/L	U
077041	Carbon disulfide	N	E84282	8260B	3/7/2006 7:52:00AM	0.85	0.85	ug/L	U
077651	Ethylene Dibromide	N	E84282	504.1	3/9/2006 5:31:00AM	0.009	0.009	ug/L	U
032104	Bromoform	N	E84282	8260B	3/7/2006 7:52:00AM	0.58	0.58	ug/L	U
000620	Nitrate Nitrogen	N	E84282	353.2	2/24/2006 2:48:00PM	0.01	0.01	mg/L	U
034501	1,1-Dichloroethene	N	E84282	8260B	3/7/2006 7:52:00AM	0.45	0.45	ug/L	U
034496	1,1-Dichloroethane	N	E84282	8260B	3/7/2006 7:52:00AM	0.52	0.52	ug/L	U
511	1,1,2-Trichloroethane	N	E84282	8260B	3/7/2006 7:52:00AM	0.47	0.47	ug/L	U
516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	3/7/2006 7:52:00AM	0.14	0.14	ug/L	U
034506	1,1,1-Trichloroethane	N	E84282	8260B	3/7/2006 7:52:00AM	0.46	0.46	ug/L	U
077562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	3/7/2006 7:52:00AM	0.63	0.63	ug/L	U
000010	Field Temperature	N	E84282	Field Sampling	2/23/2006 12:45:00PM	21.7		Degrees C	
032101	Bromodichloromethane	N	E84282	8260B	3/7/2006 7:52:00AM	0.35	0.35	ug/L	U
001045	Iron	N	E84282	200.7 Rev 4.4	3/7/2006 10:35:00AM	510	22	ug/L	
071900	Mercury	N	E84282	245.1	3/2/2006 1:31:00PM	0.072	0.072	ug/L	U
001007	Barium	N	E84282	200.7 Rev 4.4	3/7/2006 10:35:00AM	36	1.2	ug/L	
001059	Thallium	N	E87052	200.8	3/2/2006 9:31:00PM	0.25	0.25	ug/L	U
000940	Chloride	N	E84282	325.2	3/2/2006 10:44:00AM	6.9	0.9	mg/L	
001092	Zinc	N	E84282	200.7 Rev 4.4	3/7/2006 10:35:00AM	5.9	5.9	ug/L	U
001002	Arsenic	N	E84282	200.7 Rev 4.4	3/7/2006 10:35:00AM	4.8	4.8	ug/L	U
077424	Iodomethane	N	E84282	8260B	3/7/2006 7:52:00AM	0.67	0.67	ug/L	U
000610	Ammonia	N	E84282	350.1	3/1/2006 10:16:00AM	0.04	0.04	mg/L	U
077443	1,2,3-Trichloropropane	N	E84282	8260B	3/7/2006 7:52:00AM	0.15	0.15	ug/L	U
070300	Total Dissolved Solids	N	E84282	160.1	2/27/2006 3:54:00PM	36	5	mg/L	
081551	Xylenes, Total	N	E84282	8260B	3/7/2006 7:52:00AM	0.3	0.3	ug/L	U
039175	Vinyl chloride	N	E84282	8260B	3/7/2006 7:52:00AM	0.5	0.5	ug/L	U
039180	Trichloroethene	N	E84282	8260B	3/7/2006 7:52:00AM	0.28	0.28	ug/L	U
034488	Trichlorofluoromethane	N	E84282	8260B	3/7/2006 7:52:00AM	0.98	0.98	ug/L	U
077057	Vinyl acetate	N	E84282	8260B	3/7/2006 7:52:00AM	1.5	1.5	ug/L	U
034311	Chloroethane	N	E84282	8260B	3/7/2006 7:52:00AM	0.8	0.8	ug/L	U
001097	Antimony	N	E84282	200.7 Rev 4.4	3/7/2006 10:35:00AM	3.6	3.6	ug/L	U
001027	Cadmium	N	E84282	200.7 Rev 4.4	3/7/2006 10:35:00AM	0.71	0.71	ug/L	U
077103	2-Hexanone	N	E84282	8260B	3/7/2006 7:52:00AM	4.4	4.4	ug/L	U
034571	1,4-Dichlorobenzene	N	E84282	8260B	3/7/2006 7:52:00AM	0.52	0.52	ug/L	U
034541	1,2-Dichloropropane	N	E84282	8260B	3/7/2006 7:52:00AM	0.52	0.52	ug/L	U
034531	1,2-Dichloroethane	N	E84282	8260B	3/7/2006 7:52:00AM	0.57	0.57	ug/L	U
536	1,2-Dichlorobenzene	N	E84282	8260B	3/7/2006 7:52:00AM	0.44	0.44	ug/L	U
094	Specific Conductance	N	E84282	Field Sampling	2/23/2006 12:45:00PM	61		umhos/cm	

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 4/3/2006

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 33628
 WACS Testsite ID #: 17230
 WACS Testsite Name: MWB17D
 Water Classification: G-II
 LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 2/23/2006 12:45:00PM
 Sampling Method: Unknown
 Permitted Well Type: CO

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001067	Nickel	N	E84282	200.7 Rev 4.4	3/7/2006 10:35:00AM	4.7	4.7	ug/L	U
081596	4-Methyl-2-pentanone	N	E84282	8260B	3/7/2006 7:52:00AM	3.8	3.8	ug/L	U
001012	Beryllium	N	E84282	200.7 Rev 4.4	3/7/2006 10:35:00AM	0.74	0.74	ug/L	U
001037	Cobalt	N	E84282	200.7 Rev 4.4	3/7/2006 10:35:00AM	1.6	1.6	ug/L	U
001034	Chromium	N	E84282	200.7 Rev 4.4	3/7/2006 10:35:00AM	1.7	1.7	ug/L	U
038437	1,2-Dibromo-3-Chloropropane	N	E84282	504.1	3/9/2006 5:31:00AM	0.0031	0.0031	ug/L	U
001042	Copper	N	E84282	200.7 Rev 4.4	3/7/2006 10:35:00AM	2.9	2.9	ug/L	U
034418	Chloromethane	N	E84282	8260B	3/7/2006 7:52:00AM	0.64	0.64	ug/L	U
001147	Selenium	N	E84282	200.7 Rev 4.4	3/7/2006 10:35:00AM	5.9	5.9	ug/L	U
001077	Silver	N	E84282	200.7 Rev 4.4	3/7/2006 10:35:00AM	1.9	1.9	ug/L	U
000929	Sodium	N	E84282	200.7 Rev 4.4	3/7/2006 10:35:00AM	3.1	0.31	mg/L	
082079	Turbidity	N	E84282	Field Sampling	2/23/2006 12:45:00PM	0.1		NTU	
001087	Vanadium	N	E84282	200.7 Rev 4.4	3/7/2006 10:35:00AM	2.5	2.5	ug/L	U
034699	trans-1,3-Dichloropropene	N	E84282	8260B	3/7/2006 7:52:00AM	0.14	0.14	ug/L	U
072020	Water Level	N	E84282	Field Sampling	2/23/2006 12:45:00PM	130.72		ft	
001051	Lead	N	E84282	200.7 Rev 4.4	3/7/2006 10:35:00AM	1.6	1.6	ug/L	U
081552	Acetone	N	E84282	8260B	3/7/2006 7:52:00AM	9.9	9.9	ug/L	U
078124	Benzene	N	E84282	8260B	3/7/2006 7:52:00AM	0.27	0.27	ug/L	U
034546	trans-1,2-Dichloroethene	N	E84282	8260B	3/7/2006 7:52:00AM	0.44	0.44	ug/L	U
034010	Toluene	N	E84282	8260B	3/7/2006 7:52:00AM	0.51	0.51	ug/L	U
034475	Tetrachloroethene	N	E84282	8260B	3/7/2006 7:52:00AM	0.34	0.34	ug/L	U
128	Styrene	N	E84282	8260B	3/7/2006 7:52:00AM	0.98	0.98	ug/L	U
423	Methylene Chloride	N	E84282	8260B	3/7/2006 7:52:00AM	18	4	ug/L	
073085	Bromochloromethane	N	E84282	8260B	3/7/2006 7:52:00AM	0.58	0.58	ug/L	U
081595	Methyl Ethyl Ketone	N	E84282	8260B	3/7/2006 7:52:00AM	8.4	8.4	ug/L	U
034371	Ethylbenzene	N	E84282	8260B	3/7/2006 7:52:00AM	0.44	0.44	ug/L	U
000406	Field pH	N	E84282	Field Sampling	2/23/2006 12:45:00PM	5.41		SU	
034215	Acrylonitrile	N	E84282	8260B	3/7/2006 7:52:00AM	1.2	1.2	ug/L	U
077596	Methylene bromide	N	E84282	8260B	3/7/2006 7:52:00AM	0.41	0.41	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E84282	8260B	3/7/2006 7:52:00AM	2.5	2.5	ug/L	U
034413	Bromomethane	N	E84282	8260B	3/7/2006 7:52:00AM	0.66	0.66	ug/L	U

Total Parameters Monitored: 75

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Trail Ridge Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 33628
 WACS Testsite ID #: 17183
 WACS Testsite Name: MWB3S
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 2/23/2006 8:42:00AM
 Sampling Method: Unknown
 Permitted
 Well Type: BG

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001092	Zinc	N	E84282	200.7 Rev 4.4	3/6/2006 6:40:00PM	5.9	5.9	ug/L	U
034511	1,1,2-Trichloroethane	N	E84282	8260B	3/3/2006 10:09:00PM	0.47	0.47	ug/L	U
071900	Mercury	N	E84282	245.1	3/2/2006 12:40:00PM	0.072	0.072	ug/L	U
001147	Selenium	N	E84282	200.7 Rev 4.4	3/6/2006 6:40:00PM	5.9	5.9	ug/L	U
081551	Xylenes, Total	N	E84282	8260B	3/3/2006 10:09:00PM	0.3	0.3	ug/L	U
001059	Thallium	N	E87052	200.8	3/2/2006 7:29:00AM	0.28	0.25	ug/L	I
000299	Oxygen, Dissolved	N	E84282	Field Sampling	2/23/2006 8:42:00AM	2.6		mg/L	
038437	1,2-Dibromo-3-Chloropropane	N	E84282	504.1	3/8/2006 4:51:00PM	0.0031	0.0031	ug/L	U
000094	Specific Conductance	N	E84282	Field Sampling	2/23/2006 8:42:00AM	47		umhos/cm	
072020	Water Level	N	E84282	Field Sampling	2/23/2006 8:42:00AM	145.96		ft	
001087	Vanadium	N	E84282	200.7 Rev 4.4	3/6/2006 6:40:00PM	2.5	2.5	ug/L	U
000940	Chloride	N	E84282	325.2	2/28/2006 4:59:00PM	5.8	0.9	mg/L	
082079	Turbidity	N	E84282	Field Sampling	2/23/2006 8:42:00AM	2.5		NTU	
0077	Silver	N	E84282	200.7 Rev 4.4	3/6/2006 6:40:00PM	1.9	1.9	ug/L	U
00610	Ammonia	N	E84282	350.1	2/28/2006 11:54:00AM	0.04	0.04	mg/L	U
034311	Chloroethane	N	E84282	8260B	3/3/2006 10:09:00PM	0.8	0.8	ug/L	U
070300	Total Dissolved Solids	N	E84282	160.1	2/27/2006 12:08:00PM	34	5	mg/L	
034413	Bromomethane	N	E84282	8260B	3/3/2006 10:09:00PM	0.66	0.66	ug/L	U
039175	Vinyl chloride	N	E84282	8260B	3/3/2006 10:09:00PM	0.5	0.5	ug/L	U
077057	Vinyl acetate	N	E84282	8260B	3/3/2006 10:09:00PM	1.5	1.5	ug/L	U
034488	Trichlorofluoromethane	N	E84282	8260B	3/3/2006 10:09:00PM	0.98	0.98	ug/L	U
039180	Trichloroethene	N	E84282	8260B	3/3/2006 10:09:00PM	0.28	0.28	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E84282	8260B	3/3/2006 10:09:00PM	2.5	2.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E84282	8260B	3/3/2006 10:09:00PM	0.44	0.44	ug/L	U
032102	Carbon tetrachloride	N	E84282	8260B	3/3/2006 10:09:00PM	0.42	0.42	ug/L	U
032101	Bromodichloromethane	N	E84282	8260B	3/3/2006 10:09:00PM	0.35	0.35	ug/L	U
034699	trans-1,3-Dichloropropene	N	E84282	8260B	3/3/2006 10:09:00PM	0.14	0.14	ug/L	U
081595	Methyl Ethyl Ketone	N	E84282	8260B	3/3/2006 10:09:00PM	8.4	8.4	ug/L	U
034531	1,2-Dichloroethane	N	E84282	8260B	3/3/2006 10:09:00PM	0.57	0.57	ug/L	U
077443	1,2,3-Trichloropropane	N	E84282	8260B	3/3/2006 10:09:00PM	0.15	0.15	ug/L	U
034496	1,1-Dichloroethane	N	E84282	8260B	3/3/2006 10:09:00PM	0.52	0.52	ug/L	U
034215	Acrylonitrile	N	E84282	8260B	3/3/2006 10:09:00PM	1.2	1.2	ug/L	U
001012	Beryllium	N	E84282	200.7 Rev 4.4	3/6/2006 6:40:00PM	0.74	0.74	ug/L	U
001051	Lead	N	E84282	200.7 Rev 4.4	3/6/2006 6:40:00PM	1.6	1.6	ug/L	U
001067	Nickel	N	E84282	200.7 Rev 4.4	3/6/2006 6:40:00PM	4.7	4.7	ug/L	U
000929	Sodium	N	E84282	200.7 Rev 4.4	3/6/2006 6:40:00PM	3.1	0.31	mg/L	
001045	Iron	N	E84282	200.7 Rev 4.4	3/6/2006 6:40:00PM	480	22	ug/L	
034541	1,2-Dichloropropane	N	E84282	8260B	3/3/2006 10:09:00PM	0.52	0.52	ug/L	U
001037	Cobalt	N	E84282	200.7 Rev 4.4	3/6/2006 6:40:00PM	2.2	1.6	ug/L	I
034475	Tetrachloroethene	N	E84282	8260B	3/3/2006 10:09:00PM	0.34	0.34	ug/L	U
001027	Cadmium	N	E84282	200.7 Rev 4.4	3/6/2006 6:40:00PM	0.71	0.71	ug/L	U
034501	1,1-Dichloroethene	N	E84282	8260B	3/3/2006 10:09:00PM	0.45	0.45	ug/L	U
007	Barium	N	E84282	200.7 Rev 4.4	3/6/2006 6:40:00PM	12	1.2	ug/L	
002	Arsenic	N	E84282	200.7 Rev 4.4	3/6/2006 6:40:00PM	4.8	4.8	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 4/3/2006

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 33628
 WACS Testsite ID #: 17183
 WACS Testsite Name: MWB3S
 Water Classification: G-II
 LC - Leachate, G-II, SW-III(F)

Sample Date/Time: 2/23/2006 8:42:00AM
 Sampling Method: Unknown
 Permitted
 Well Type: BG

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E84282	200.7 Rev 4.4	3/6/2006 6:40:00PM	3.6	3.6	ug/L	U
034010	Toluene	N	E84282	8260B	3/3/2006 10:09:00PM	0.51	0.51	ug/L	U
077128	Styrene	N	E84282	8260B	3/3/2006 10:09:00PM	0.98	0.98	ug/L	U
034536	1,2-Dichlorobenzene	N	E84282	8260B	3/3/2006 10:09:00PM	0.44	0.44	ug/L	U
078124	Benzene	N	E84282	8260B	3/3/2006 10:09:00PM	0.27	0.27	ug/L	U
077651	Ethylene Dibromide	N	E84282	504.1	3/8/2006 4:51:00PM	0.0089	0.0089	ug/L	U
001042	Copper	N	E84282	200.7 Rev 4.4	3/6/2006 6:40:00PM	2.9	2.9	ug/L	U
032106	Chloroform	N	E84282	8260B	3/3/2006 10:09:00PM	0.9	0.9	ug/L	U
001034	Chromium	N	E84282	200.7 Rev 4.4	3/6/2006 6:40:00PM	1.7	1.7	ug/L	U
034571	1,4-Dichlorobenzene	N	E84282	8260B	3/3/2006 10:09:00PM	0.52	0.52	ug/L	U
034418	Chloromethane	N	E84282	8260B	3/3/2006 10:09:00PM	0.64	0.64	ug/L	U
077562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	3/3/2006 10:09:00PM	0.63	0.63	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	3/3/2006 10:09:00PM	0.14	0.14	ug/L	U
073085	Bromochloromethane	N	E84282	8260B	3/3/2006 10:09:00PM	0.58	0.58	ug/L	U
032104	Bromoform	N	E84282	8260B	3/3/2006 10:09:00PM	0.58	0.58	ug/L	U
077041	Carbon disulfide	N	E84282	8260B	3/3/2006 10:09:00PM	0.85	0.85	ug/L	U
000620	Nitrate Nitrogen	N	E84282	353.2	2/24/2006 12:37:00PM	0.01	0.01	mg/L	U
034301	Chlorobenzene	N	E84282	8260B	3/3/2006 10:09:00PM	0.63	0.63	ug/L	U
000010	Field Temperature	N	E84282	Field Sampling	2/23/2006 8:42:00AM	17.5		Degrees C	
077596	Methylene bromide	N	E84282	8260B	3/3/2006 10:09:00PM	0.41	0.41	ug/L	U
077103	2-Hexanone	N	E84282	8260B	3/3/2006 10:09:00PM	4.4	4.4	ug/L	U
4423	Methylene Chloride	N	E84282	8260B	3/3/2006 10:09:00PM	4	4	ug/L	U
552	Acetone	N	E84282	8260B	3/3/2006 10:09:00PM	9.9	9.9	ug/L	U
034506	1,1,1-Trichloroethane	N	E84282	8260B	3/3/2006 10:09:00PM	0.46	0.46	ug/L	U
077093	cis-1,2-Dichloroethene	N	E84282	8260B	3/3/2006 10:09:00PM	0.65	0.65	ug/L	U
034704	cis-1,3-Dichloropropene	N	E84282	8260B	3/3/2006 10:09:00PM	0.14	0.14	ug/L	U
000406	Field pH	N	E84282	Field Sampling	2/23/2006 8:42:00AM	4.79		SU	
032105	Dibromochloromethane	N	E84282	8260B	3/3/2006 10:09:00PM	0.34	0.34	ug/L	U
034371	Ethylbenzene	N	E84282	8260B	3/3/2006 10:09:00PM	0.44	0.44	ug/L	U
077424	Iodomethane	N	E84282	8260B	3/3/2006 10:09:00PM	0.67	0.67	ug/L	U
081596	4-Methyl-2-pentanone	N	E84282	8260B	3/3/2006 10:09:00PM	3.8	3.8	ug/L	U

Total Parameters Monitored: 75

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Trail Ridge Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 33628
 WACS Testsite ID #: 17182
 WACS Testsite Name: MWB3I
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 2/23/2006 9:24:00AM
 Sampling Method: Unknown
 Permitted
 Well Type: BG

(AS) Assessment
 (BG) Background
 (CO) Compliance
 (DE) Detection
 (DG) Downgradient
 (IM) Intermediate
 (IW) Irrigation Well
 (OT) Other
 (PZ) Piezometer
 (SO) Source
 (UP) Upgradient
 (WS) Water Supply

* Well Purged prior to
 Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077093	cis-1,2-Dichloroethene	N	E84282	8260B	3/3/2006 10:34:00PM	0.65	0.65	ug/L	U
039180	Trichloroethene	N	E84282	8260B	3/3/2006 10:34:00PM	0.28	0.28	ug/L	U
081595	Methyl Ethyl Ketone	N	E84282	8260B	3/3/2006 10:34:00PM	8.4	8.4	ug/L	U
034423	Methylene Chloride	N	E84282	8260B	3/3/2006 10:34:00PM	4	4	ug/L	U
082079	Turbidity	N	E84282	Field Sampling	2/23/2006 9:24:00AM	0		NTU	
000406	Field pH	N	E84282	Field Sampling	2/23/2006 9:24:00AM	4.9		SU	
001012	Beryllium	N	E84282	200.7 Rev 4.4	3/6/2006 6:24:00PM	0.74	0.74	ug/L	U
001027	Cadmium	N	E84282	200.7 Rev 4.4	3/6/2006 6:24:00PM	0.71	0.71	ug/L	U
001034	Chromium	N	E84282	200.7 Rev 4.4	3/6/2006 6:24:00PM	1.7	1.7	ug/L	U
073085	Bromochloromethane	N	E84282	8260B	3/3/2006 10:34:00PM	0.58	0.58	ug/L	U
000010	Field Temperature	N	E84282	Field Sampling	2/23/2006 9:24:00AM	20.7		Degrees C	
077103	2-Hexanone	N	E84282	8260B	3/3/2006 10:34:00PM	4.4	4.4	ug/L	U
038437	1,2-Dibromo-3-Chloropropane	N	E84282	504.1	3/8/2006 7:03:00AM	0.0031	0.0031	ug/L	U
1094	Specific Conductance	N	E84282	Field Sampling	2/23/2006 9:24:00AM	35		umhos/cm	
1488	Trichlorofluoromethane	N	E84282	8260B	3/3/2006 10:34:00PM	0.98	0.98	ug/L	U
072020	Water Level	N	E84282	Field Sampling	2/23/2006 9:24:00AM	139.02		ft	
081551	Xylenes, Total	N	E84282	8260B	3/3/2006 10:34:00PM	0.3	0.3	ug/L	U
032101	Bromodichloromethane	N	E84282	8260B	3/3/2006 10:34:00PM	0.35	0.35	ug/L	U
034571	1,4-Dichlorobenzene	N	E84282	8260B	3/3/2006 10:34:00PM	0.52	0.52	ug/L	U
001037	Cobalt	N	E84282	200.7 Rev 4.4	3/6/2006 6:24:00PM	1.6	1.6	ug/L	U
032104	Bromoform	N	E84282	8260B	3/3/2006 10:34:00PM	0.58	0.58	ug/L	U
034546	trans-1,2-Dichloroethene	N	E84282	8260B	3/3/2006 10:34:00PM	0.44	0.44	ug/L	U
034496	1,1-Dichloroethane	N	E84282	8260B	3/3/2006 10:34:00PM	0.52	0.52	ug/L	U
081596	4-Methyl-2-pentanone	N	E84282	8260B	3/3/2006 10:34:00PM	3.8	3.8	ug/L	U
034010	Toluene	N	E84282	8260B	3/3/2006 10:34:00PM	0.51	0.51	ug/L	U
034215	Acrylonitrile	N	E84282	8260B	3/3/2006 10:34:00PM	1.2	1.2	ug/L	U
077128	Styrene	N	E84282	8260B	3/3/2006 10:34:00PM	0.98	0.98	ug/L	U
078124	Benzene	N	E84282	8260B	3/3/2006 10:34:00PM	0.27	0.27	ug/L	U
032102	Carbon tetrachloride	N	E84282	8260B	3/3/2006 10:34:00PM	0.42	0.42	ug/L	U
034475	Tetrachloroethene	N	E84282	8260B	3/3/2006 10:34:00PM	0.34	0.34	ug/L	U
034413	Bromomethane	N	E84282	8260B	3/3/2006 10:34:00PM	0.66	0.66	ug/L	U
070300	Total Dissolved Solids	N	E84282	160.1	2/27/2006 12:08:00PM	22	5	mg/L	
077057	Vinyl acetate	N	E84282	8260B	3/3/2006 10:34:00PM	1.5	1.5	ug/L	U
032106	Chloroform	N	E84282	8260B	3/3/2006 10:34:00PM	0.9	0.9	ug/L	U
001097	Antimony	N	E84282	200.7 Rev 4.4	3/6/2006 6:24:00PM	3.6	3.6	ug/L	U
001007	Barium	N	E84282	200.7 Rev 4.4	3/6/2006 6:24:00PM	22	1.2	ug/L	U
000620	Nitrate Nitrogen	N	E84282	353.2	2/24/2006 12:37:00PM	0.01	0.01	mg/L	U
077596	Methylene bromide	N	E84282	8260B	3/3/2006 10:34:00PM	0.41	0.41	ug/L	U
001002	Arsenic	N	E84282	200.7 Rev 4.4	3/6/2006 6:24:00PM	4.8	4.8	ug/L	U
000610	Ammonia	N	E84282	350.1	2/28/2006 11:54:00AM	0.04	0.04	mg/L	U
000940	Chloride	N	E84282	325.2	2/28/2006 4:59:00PM	4.4	0.9	mg/L	U
077041	Carbon disulfide	N	E84282	8260B	3/3/2006 10:34:00PM	0.85	0.85	ug/L	U
7562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	3/3/2006 10:34:00PM	0.63	0.63	ug/L	U
531	1,2-Dichloroethane	N	E84282	8260B	3/3/2006 10:34:00PM	0.57	0.57	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 4/3/2006

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 33628
 WACS Testsite ID #: 17182
 WACS Testsite Name: MWB31
 Water Classification: G-II
C - Leachate, G-II, SW-III(F)

Sample Date/Time: 2/23/2006 9:24:00AM
 Sampling Method: Unknown
 Permitted
 Well Type: BG

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000929	Sodium	N	E84282	200.7 Rev 4.4	3/6/2006 6:24:00PM	3.2	0.31	mg/L	
001042	Copper	N	E84282	200.7 Rev 4.4	3/6/2006 6:24:00PM	2.9	2.9	ug/L	U
081552	Acetone	N	E84282	8260B	3/3/2006 10:34:00PM	9.9	9.9	ug/L	U
034699	trans-1,3-Dichloropropene	N	E84282	8260B	3/3/2006 10:34:00PM	0.14	0.14	ug/L	U
077424	Iodomethane	N	E84282	8260B	3/3/2006 10:34:00PM	0.67	0.67	ug/L	U
001077	Silver	N	E84282	200.7 Rev 4.4	3/6/2006 6:24:00PM	1.9	1.9	ug/L	U
001045	Iron	N	E84282	200.7 Rev 4.4	3/6/2006 6:24:00PM	660	22	ug/L	
001087	Vanadium	N	E84282	200.7 Rev 4.4	3/6/2006 6:24:00PM	2.5	2.5	ug/L	U
001092	Zinc	N	E84282	200.7 Rev 4.4	3/6/2006 6:24:00PM	5.9	5.9	ug/L	U
001059	Thallium	N	E87052	200.8	3/2/2006 7:51:00AM	0.25	0.25	ug/L	I
071900	Mercury	N	E84282	245.1	3/2/2006 12:41:00PM	0.072	0.072	ug/L	U
077651	Ethylene Dibromide	N	E84282	504.1	3/8/2006 7:03:00AM	0.0091	0.0091	ug/L	U
001147	Selenium	N	E84282	200.7 Rev 4.4	3/6/2006 6:24:00PM	5.9	5.9	ug/L	U
001051	Lead	N	E84282	200.7 Rev 4.4	3/6/2006 6:24:00PM	1.6	1.6	ug/L	U
034511	1,1,2-Trichloroethane	N	E84282	8260B	3/3/2006 10:34:00PM	0.47	0.47	ug/L	U
000299	Oxygen, Dissolved	N	E84282	Field Sampling	2/23/2006 9:24:00AM	1		mg/L	
001067	Nickel	N	E84282	200.7 Rev 4.4	3/6/2006 6:24:00PM	4.7	4.7	ug/L	U
039175	Vinyl chloride	N	E84282	8260B	3/3/2006 10:34:00PM	0.5	0.5	ug/L	U
034371	Ethylbenzene	N	E84282	8260B	3/3/2006 10:34:00PM	0.44	0.44	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E84282	8260B	3/3/2006 10:34:00PM	2.5	2.5	ug/L	U
034501	1,1-Dichloroethene	N	E84282	8260B	3/3/2006 10:34:00PM	0.45	0.45	ug/L	U
034443	1,2,3-Trichloropropane	N	E84282	8260B	3/3/2006 10:34:00PM	0.15	0.15	ug/L	U
034536	1,2-Dichlorobenzene	N	E84282	8260B	3/3/2006 10:34:00PM	0.44	0.44	ug/L	U
034506	1,1,1-Trichloroethane	N	E84282	8260B	3/3/2006 10:34:00PM	0.46	0.46	ug/L	U
034541	1,2-Dichloropropane	N	E84282	8260B	3/3/2006 10:34:00PM	0.52	0.52	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	3/3/2006 10:34:00PM	0.14	0.14	ug/L	U
034311	Chloroethane	N	E84282	8260B	3/3/2006 10:34:00PM	0.8	0.8	ug/L	U
034418	Chloromethane	N	E84282	8260B	3/3/2006 10:34:00PM	0.64	0.64	ug/L	U
034704	cis-1,3-Dichloropropene	N	E84282	8260B	3/3/2006 10:34:00PM	0.14	0.14	ug/L	U
032105	Dibromochloromethane	N	E84282	8260B	3/3/2006 10:34:00PM	0.34	0.34	ug/L	U
034301	Chlorobenzene	N	E84282	8260B	3/3/2006 10:34:00PM	0.63	0.63	ug/L	U

Total Parameters Monitored: 75

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Trail Ridge Landfill

PARAMETER MONITORING REPORT
Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 33628
 WACS Testsite ID #: 17185
 WACS Testsite Name: MWB71
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 2/23/2006 10:04:00AM
 Sampling Method: Unknown
 Permitted Well Type: CO

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034699	trans-1,3-Dichloropropene	N	E84282	8260B	3/6/2006 8:17:00PM	0.14	0.14	ug/L	U
081551	Xylenes, Total	N	E84282	8260B	3/6/2006 8:17:00PM	0.3	0.3	ug/L	U
070300	Total Dissolved Solids	N	E84282	160.1	2/27/2006 12:08:00PM	.44	5	mg/L	
077057	Vinyl acetate	N	E84282	8260B	3/6/2006 8:17:00PM	1.5	1.5	ug/L	U
034488	Trichlorofluoromethane	N	E84282	8260B	3/6/2006 8:17:00PM	0.98	0.98	ug/L	U
039180	Trichloroethene	N	E84282	8260B	3/6/2006 8:17:00PM	0.28	0.28	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E84282	8260B	3/6/2006 8:17:00PM	2.5	2.5	ug/L	U
000610	Ammonia	N	E84282	350.1	2/28/2006 11:54:00AM	0.04	0.04	mg/L	U
001059	Thallium	N	E87052	200.8	3/2/2006 7:58:00AM	0.25	0.25	ug/L	U
034704	cis-1,3-Dichloropropene	N	E84282	8260B	3/6/2006 8:17:00PM	0.14	0.14	ug/L	U
000940	Chloride	N	E84282	325.2	2/28/2006 4:59:00PM	5.8	0.9	mg/L	
000620	Nitrate Nitrogen	N	E84282	353.2	2/24/2006 12:37:00PM	0.01	0.01	mg/L	U
001067	Nickel	N	E84282	200.7 Rev 4.4	3/6/2006 6:18:00PM	4.7	4.7	ug/L	U
1371	Ethylbenzene	N	E84282	8260B	3/6/2006 8:17:00PM	0.44	0.44	ug/L	U
562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	3/6/2006 8:17:00PM	0.63	0.63	ug/L	U
034506	1,1,1-Trichloroethane	N	E84282	8260B	3/6/2006 8:17:00PM	0.46	0.46	ug/L	U
077128	Styrene	N	E84282	8260B	3/6/2006 8:17:00PM	0.98	0.98	ug/L	U
001147	Selenium	N	E84282	200.7 Rev 4.4	3/6/2006 6:18:00PM	5.9	5.9	ug/L	U
034475	Tetrachloroethene	N	E84282	8260B	3/6/2006 8:17:00PM	0.34	0.34	ug/L	U
001045	Iron	N	E84282	200.7 Rev 4.4	3/6/2006 6:18:00PM	370	22	ug/L	
001042	Copper	N	E84282	200.7 Rev 4.4	3/6/2006 6:18:00PM	2.9	2.9	ug/L	U
001037	Cobalt	N	E84282	200.7 Rev 4.4	3/6/2006 6:18:00PM	1.6	1.6	ug/L	U
001034	Chromium	N	E84282	200.7 Rev 4.4	3/6/2006 6:18:00PM	1.7	1.7	ug/L	U
001027	Cadmium	N	E84282	200.7 Rev 4.4	3/6/2006 6:18:00PM	0.71	0.71	ug/L	U
001012	Beryllium	N	E84282	200.7 Rev 4.4	3/6/2006 6:18:00PM	0.74	0.74	ug/L	U
001007	Barium	N	E84282	200.7 Rev 4.4	3/6/2006 6:18:00PM	53	1.2	ug/L	
038437	1,2-Dibromo-3-Chloropropane	N	E84282	504.1	3/8/2006 7:26:00AM	0.003	0.003	ug/L	U
034546	trans-1,2-Dichloroethene	N	E84282	8260B	3/6/2006 8:17:00PM	0.44	0.44	ug/L	U
039175	Vinyl chloride	N	E84282	8260B	3/6/2006 8:17:00PM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E84282	8260B	3/6/2006 8:17:00PM	0.85	0.85	ug/L	U
032102	Carbon tetrachloride	N	E84282	8260B	3/6/2006 8:17:00PM	0.42	0.42	ug/L	U
034301	Chlorobenzene	N	E84282	8260B	3/6/2006 8:17:00PM	0.63	0.63	ug/L	U
034311	Chloroethane	N	E84282	8260B	3/6/2006 8:17:00PM	0.8	0.8	ug/L	U
001002	Arsenic	N	E84282	200.7 Rev 4.4	3/6/2006 6:18:00PM	4.8	4.8	ug/L	U
034418	Chloromethane	N	E84282	8260B	3/6/2006 8:17:00PM	0.64	0.64	ug/L	U
001097	Antimony	N	E84282	200.7 Rev 4.4	3/6/2006 6:18:00PM	3.6	3.6	ug/L	U
034496	1,1-Dichloroethane	N	E84282	8260B	3/6/2006 8:17:00PM	0.52	0.52	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	3/6/2006 8:17:00PM	0.14	0.14	ug/L	U
034413	Bromomethane	N	E84282	8260B	3/6/2006 8:17:00PM	0.66	0.66	ug/L	U
034501	1,1-Dichloroethene	N	E84282	8260B	3/6/2006 8:17:00PM	0.45	0.45	ug/L	U
082079	Turbidity	N	E84282	Field Sampling	2/23/2006 10:04:00AM	0.8		NTU	
072020	Water Level	N	E84282	Field Sampling	2/23/2006 10:04:00AM	117.6		ft	
002106	Chloroform	N	E84282	8260B	3/6/2006 8:17:00PM	0.9	0.9	ug/L	U
002123	Methylene Chloride	N	E84282	8260B	3/6/2006 8:17:00PM	4	4	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 4/3/2006

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 33628
 WACS Testsite ID #: 17185
 WACS Testsite Name: MWB71
 Water Classification: G-II
 LC - Leachate, G-II, SW-IIIIF

Sample Date/Time: 2/23/2006 10:04:00AM
 Sampling Method: Unknown
 Permitted Well Type: CO

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
032104	Bromoform	N	E84282	8260B	3/6/2006 8:17:00PM	0.58	0.58	ug/L	U
034215	Acrylonitrile	N	E84282	8260B	3/6/2006 8:17:00PM	1.2	1.2	ug/L	U
077093	cis-1,2-Dichloroethene	N	E84282	8260B	3/6/2006 8:17:00PM	0.65	0.65	ug/L	U
032105	Dibromochloromethane	N	E84282	8260B	3/6/2006 8:17:00PM	0.34	0.34	ug/L	U
077424	Iodomethane	N	E84282	8260B	3/6/2006 8:17:00PM	0.67	0.67	ug/L	U
077651	Ethylene Dibromide	N	E84282	504.1	3/8/2006 7:26:00AM	0.0087	0.0087	ug/L	U
077596	Methylene bromide	N	E84282	8260B	3/6/2006 8:17:00PM	0.41	0.41	ug/L	U
034571	1,4-Dichlorobenzene	N	E84282	8260B	3/6/2006 8:17:00PM	0.52	0.52	ug/L	U
077103	2-Hexanone	N	E84282	8260B	3/6/2006 8:17:00PM	4.4	4.4	ug/L	U
001077	Silver	N	E84282	200.7 Rev 4.4	3/6/2006 6:18:00PM	1.9	1.9	ug/L	U
000929	Sodium	N	E84282	200.7 Rev 4.4	3/6/2006 6:18:00PM	3.1	0.31	mg/L	
001087	Vanadium	N	E84282	200.7 Rev 4.4	3/6/2006 6:18:00PM	2.5	2.5	ug/L	U
001092	Zinc	N	E84282	200.7 Rev 4.4	3/6/2006 6:18:00PM	5.9	5.9	ug/L	U
071900	Mercury	N	E84282	245.1	3/2/2006 12:43:00PM	0.072	0.072	ug/L	U
081595	Methyl Ethyl Ketone	N	E84282	8260B	3/6/2006 8:17:00PM	8.4	8.4	ug/L	U
078124	Benzene	N	E84282	8260B	3/6/2006 8:17:00PM	0.27	0.27	ug/L	U
000094	Specific Conductance	N	E84282	Field Sampling	2/23/2006 10:04:00AM	43		umhos/cm	
000010	Field Temperature	N	E84282	Field Sampling	2/23/2006 10:04:00AM	22		Degrees C	
000406	Field pH	N	E84282	Field Sampling	2/23/2006 10:04:00AM	5.37		SU	
001051	Lead	N	E84282	200.7 Rev 4.4	3/6/2006 6:18:00PM	1.6	1.6	ug/L	U
081552	Acetone	N	E84282	8260B	3/6/2006 8:17:00PM	9.9	9.9	ug/L	U
596	4-Methyl-2-pentanone	N	E84282	8260B	3/6/2006 8:17:00PM	3.8	3.8	ug/L	U
3085	Bromochloromethane	N	E84282	8260B	3/6/2006 8:17:00PM	0.58	0.58	ug/L	U
034010	Toluene	N	E84282	8260B	3/6/2006 8:17:00PM	0.51	0.51	ug/L	U
034511	1,1,2-Trichloroethane	N	E84282	8260B	3/6/2006 8:17:00PM	0.47	0.47	ug/L	U
077443	1,2,3-Trichloropropane	N	E84282	8260B	3/6/2006 8:17:00PM	0.15	0.15	ug/L	U
034536	1,2-Dichlorobenzene	N	E84282	8260B	3/6/2006 8:17:00PM	0.44	0.44	ug/L	U
034531	1,2-Dichloroethane	N	E84282	8260B	3/6/2006 8:17:00PM	0.57	0.57	ug/L	U
034541	1,2-Dichloropropane	N	E84282	8260B	3/6/2006 8:17:00PM	0.52	0.52	ug/L	U
000299	Oxygen, Dissolved	N	E84282	Field Sampling	2/23/2006 10:04:00AM	0.9		mg/L	
032101	Bromodichloromethane	N	E84282	8260B	3/6/2006 8:17:00PM	0.35	0.35	ug/L	U

Total Parameters Monitored: 75

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Trail Ridge Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 33628
 WACS Testsite ID #: 17184
 WACS Testsite Name: MWB7D
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 2/23/2006 10:23:00AM
 Sampling Method: Unknown
 Permitted
 Well Type: CO

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	3/6/2006 8:41:00PM	0.14	0.14	ug/L	U
077128	Styrene	N	E84282	8260B	3/6/2006 8:41:00PM	0.98	0.98	ug/L	U
034423	Methylene Chloride	N	E84282	8260B	3/6/2006 8:41:00PM	4	4	ug/L	U
034010	Toluene	N	E84282	8260B	3/6/2006 8:41:00PM	0.51	0.51	ug/L	U
034546	trans-1,2-Dichloroethene	N	E84282	8260B	3/6/2006 8:41:00PM	0.44	0.44	ug/L	U
034531	1,2-Dichloroethane	N	E84282	8260B	3/6/2006 8:41:00PM	0.57	0.57	ug/L	U
000406	Field pH	N	E84282	Field Sampling	2/23/2006 10:23:00AM	7.39		SU	
000299	Oxygen, Dissolved	N	E84282	Field Sampling	2/23/2006 10:23:00AM	0.8		mg/L	
001077	Silver	N	E84282	200.7 Rev 4.4	3/6/2006 6:13:00PM	1.9	1.9	ug/L	U
000094	Specific Conductance	N	E84282	Field Sampling	2/23/2006 10:23:00AM	342		umhos/cm	
034506	1,1,1-Trichloroethane	N	E84282	8260B	3/6/2006 8:41:00PM	0.46	0.46	ug/L	U
034501	1,1-Dichloroethene	N	E84282	8260B	3/6/2006 8:41:00PM	0.45	0.45	ug/L	U
001045	Iron	N	E84282	200.7 Rev 4.4	3/6/2006 6:13:00PM	190	22	ug/L	
000900	Mercury	N	E84282	245.1	3/2/2006 12:44:00PM	0.072	0.072	ug/L	U
000959	Thallium	N	E87052	200.8	3/2/2006 8:05:00AM	0.25	0.25	ug/L	U
001092	Zinc	N	E84282	200.7 Rev 4.4	3/6/2006 6:13:00PM	5.9	5.9	ug/L	U
001087	Vanadium	N	E84282	200.7 Rev 4.4	3/6/2006 6:13:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E84282	200.7 Rev 4.4	3/6/2006 6:13:00PM	4.7	0.31	mg/L	
032106	Chloroform	N	E84282	8260B	3/6/2006 8:41:00PM	0.9	0.9	ug/L	U
034699	trans-1,3-Dichloropropene	N	E84282	8260B	3/6/2006 8:41:00PM	0.14	0.14	ug/L	U
000610	Ammonia	N	E84282	350.1	2/28/2006 11:54:00AM	0.13	0.04	mg/L	
000620	Nitrate Nitrogen	N	E84282	353.2	2/24/2006 12:37:00PM	0.023	0.01	mg/L	I
000010	Field Temperature	N	E84282	Field Sampling	2/23/2006 10:23:00AM	21.7		Degrees C	
001002	Arsenic	N	E84282	200.7 Rev 4.4	3/6/2006 6:13:00PM	4.8	4.8	ug/L	U
001034	Chromium	N	E84282	200.7 Rev 4.4	3/6/2006 6:13:00PM	1.7	1.7	ug/L	U
034311	Chloroethane	N	E84282	8260B	3/6/2006 8:41:00PM	0.8	0.8	ug/L	U
034301	Chlorobenzene	N	E84282	8260B	3/6/2006 8:41:00PM	0.63	0.63	ug/L	U
034511	1,1,2-Trichloroethane	N	E84282	8260B	3/6/2006 8:41:00PM	0.47	0.47	ug/L	U
001067	Nickel	N	E84282	200.7 Rev 4.4	3/6/2006 6:13:00PM	4.7	4.7	ug/L	U
077093	cis-1,2-Dichloroethene	N	E84282	8260B	3/6/2006 8:41:00PM	0.65	0.65	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E84282	8260B	3/6/2006 8:41:00PM	2.5	2.5	ug/L	U
039180	Trichloroethene	N	E84282	8260B	3/6/2006 8:41:00PM	0.28	0.28	ug/L	U
077562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	3/6/2006 8:41:00PM	0.63	0.63	ug/L	U
034536	1,2-Dichlorobenzene	N	E84282	8260B	3/6/2006 8:41:00PM	0.44	0.44	ug/L	U
077596	Methylene bromide	N	E84282	8260B	3/6/2006 8:41:00PM	0.41	0.41	ug/L	U
077651	Ethylene Dibromide	N	E84282	504.1	3/8/2006 7:49:00AM	0.0089	0.0089	ug/L	U
077443	1,2,3-Trichloropropane	N	E84282	8260B	3/6/2006 8:41:00PM	0.15	0.15	ug/L	U
039175	Vinyl chloride	N	E84282	8260B	3/6/2006 8:41:00PM	0.5	0.5	ug/L	U
001097	Antimony	N	E84282	200.7 Rev 4.4	3/6/2006 6:13:00PM	3.6	3.6	ug/L	U
032104	Bromoform	N	E84282	8260B	3/6/2006 8:41:00PM	0.58	0.58	ug/L	U
032101	Bromodichloromethane	N	E84282	8260B	3/6/2006 8:41:00PM	0.35	0.35	ug/L	U
073085	Bromochloromethane	N	E84282	8260B	3/6/2006 8:41:00PM	0.58	0.58	ug/L	U
000124	Benzene	N	E84282	8260B	3/6/2006 8:41:00PM	0.27	0.27	ug/L	U
000327	Cadmium	N	E84282	200.7 Rev 4.4	3/6/2006 6:13:00PM	0.71	0.71	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 33628
 WACS Testsite ID #: 17184
 WACS Testsite Name: MWB7D
 Water Classification: G-II
 (LC - Leachate, G-II, SW-III(F))

Sample Date/Time: 2/23/2006 10:23:00AM
 Sampling Method: Unknown
 Permitted
 Well Type: CO

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001012	Beryllium	N	E84282	200.7 Rev 4.4	3/6/2006 6:13:00PM	0.74	0.74	ug/L	U
072020	Water Level	N	E84282	Field Sampling	2/23/2006 10:23:00AM	120.37		ft	
082079	Turbidity	N	E84282	Field Sampling	2/23/2006 10:23:00AM	0.1		NTU	
034704	cis-1,3-Dichloropropene	N	E84282	8260B	3/6/2006 8:41:00PM	0.14	0.14	ug/L	U
034541	1,2-Dichloropropane	N	E84282	8260B	3/6/2006 8:41:00PM	0.52	0.52	ug/L	U
077041	Carbon disulfide	N	E84282	8260B	3/6/2006 8:41:00PM	0.85	0.85	ug/L	U
077103	2-Hexanone	N	E84282	8260B	3/6/2006 8:41:00PM	4.4	4.4	ug/L	U
001147	Selenium	N	E84282	200.7 Rev 4.4	3/6/2006 6:13:00PM	5.9	5.9	ug/L	U
081596	4-Methyl-2-pentanone	N	E84282	8260B	3/6/2006 8:41:00PM	3.8	3.8	ug/L	U
034496	1,1-Dichloroethane	N	E84282	8260B	3/6/2006 8:41:00PM	0.52	0.52	ug/L	U
081552	Acetone	N	E84282	8260B	3/6/2006 8:41:00PM	9.9	9.9	ug/L	U
034418	Chloromethane	N	E84282	8260B	3/6/2006 8:41:00PM	0.64	0.64	ug/L	U
081551	Xylenes, Total	N	E84282	8260B	3/6/2006 8:41:00PM	0.3	0.3	ug/L	U
038437	1,2-Dibromo-3-Chloropropane	N	E84282	504.1	3/8/2006 7:49:00AM	0.0031	0.0031	ug/L	U
001051	Lead	N	E84282	200.7 Rev 4.4	3/6/2006 6:13:00PM	1.6	1.6	ug/L	U
034475	Tetrachloroethene	N	E84282	8260B	3/6/2006 8:41:00PM	0.34	0.34	ug/L	U
001042	Copper	N	E84282	200.7 Rev 4.4	3/6/2006 6:13:00PM	2.9	2.9	ug/L	U
001037	Cobalt	N	E84282	200.7 Rev 4.4	3/6/2006 6:13:00PM	1.6	1.6	ug/L	U
077057	Vinyl acetate	N	E84282	8260B	3/6/2006 8:41:00PM	1.5	1.5	ug/L	U
034488	Trichlorofluoromethane	N	E84282	8260B	3/6/2006 8:41:00PM	0.98	0.98	ug/L	U
034215	Acrylonitrile	N	E84282	8260B	3/6/2006 8:41:00PM	1.2	1.2	ug/L	U
00102	Carbon tetrachloride	N	E84282	8260B	3/6/2006 8:41:00PM	0.42	0.42	ug/L	U
001413	Bromomethane	N	E84282	8260B	3/6/2006 8:41:00PM	0.66	0.66	ug/L	U
001007	Barium	N	E84282	200.7 Rev 4.4	3/6/2006 6:13:00PM	81	1.2	ug/L	
081595	Methyl Ethyl Ketone	N	E84282	8260B	3/6/2006 8:41:00PM	8.4	8.4	ug/L	U
077424	Iodomethane	N	E84282	8260B	3/6/2006 8:41:00PM	0.67	0.67	ug/L	U
034371	Ethylbenzene	N	E84282	8260B	3/6/2006 8:41:00PM	0.44	0.44	ug/L	U
070300	Total Dissolved Solids	N	E84282	160.1	2/27/2006 12:08:00PM	190	5	mg/L	
032105	Dibromochloromethane	N	E84282	8260B	3/6/2006 8:41:00PM	0.34	0.34	ug/L	U
034571	1,4-Dichlorobenzene	N	E84282	8260B	3/6/2006 8:41:00PM	0.52	0.52	ug/L	U
000940	Chloride	N	E84282	325.2	2/28/2006 4:59:00PM	4.5	0.9	mg/L	

Total Parameters Monitored: 75

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Trail Ridge Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 33628
 WACS Testsite ID #: 17186
 WACS Testsite Name: MWB7S
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIF)

Sample Date/Time: 2/23/2006 10:45:00AM
 Sampling Method: Unknown
 Permitted
 Well Type: CO

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001077	Silver	N	E84282	200.7 Rev 4.4	3/6/2006 6:07:00PM	1.9	1.9	ug/L	U
000929	Sodium	N	E84282	200.7 Rev 4.4	3/6/2006 6:07:00PM	5.2	0.31	mg/L	
001147	Selenium	N	E84282	200.7 Rev 4.4	3/6/2006 6:07:00PM	5.9	5.9	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E84282	8260B	3/6/2006 9:06:00PM	2.5	2.5	ug/L	U
034699	trans-1,3-Dichloropropene	N	E84282	8260B	3/6/2006 9:06:00PM	0.14	0.14	ug/L	U
000406	Field pH	N	E84282	Field Sampling	2/23/2006 10:45:00AM	5.22		SU	
000010	Field Temperature	N	E84282	Field Sampling	2/23/2006 10:45:00AM	21.2		Degrees C	
034215	Acrylonitrile	N	E84282	8260B	3/6/2006 9:06:00PM	1.2	1.2	ug/L	U
000094	Specific Conductance	N	E84282	Field Sampling	2/23/2006 10:45:00AM	100		umhos/cm	
032104	Bromoform	N	E84282	8260B	3/6/2006 9:06:00PM	0.58	0.58	ug/L	U
072020	Water Level	N	E84282	Field Sampling	2/23/2006 10:45:00AM	115.34		ft	
034571	1,4-Dichlorobenzene	N	E84282	8260B	3/6/2006 9:06:00PM	0.52	0.52	ug/L	U
001034	Chromium	N	E84282	200.7 Rev 4.4	3/6/2006 6:07:00PM	1.7	1.7	ug/L	U
001103	2-Hexanone	N	E84282	8260B	3/6/2006 9:06:00PM	4.4	4.4	ug/L	U
001552	Acetone	N	E84282	8260B	3/6/2006 9:06:00PM	9.9	9.9	ug/L	U
034541	1,2-Dichloropropane	N	E84282	8260B	3/6/2006 9:06:00PM	0.52	0.52	ug/L	U
071900	Mercury	N	E84282	245.1	3/2/2006 12:49:00PM	0.072	0.072	ug/L	U
001012	Beryllium	N	E84282	200.7 Rev 4.4	3/6/2006 6:07:00PM	0.74	0.74	ug/L	U
078124	Benzene	N	E84282	8260B	3/6/2006 9:06:00PM	0.27	0.27	ug/L	U
077041	Carbon disulfide	N	E84282	8260B	3/6/2006 9:06:00PM	0.85	0.85	ug/L	U
077596	Methylene bromide	N	E84282	8260B	3/6/2006 9:06:00PM	0.41	0.41	ug/L	U
034423	Methylene Chloride	N	E84282	8260B	3/6/2006 9:06:00PM	4	4	ug/L	U
034475	Tetrachloroethene	N	E84282	8260B	3/6/2006 9:06:00PM	0.34	0.34	ug/L	U
001059	Thallium	N	E87052	200.8	3/2/2006 8:13:00AM	0.25	0.25	ug/L	U
001087	Vanadium	N	E84282	200.7 Rev 4.4	3/6/2006 6:07:00PM	2.6	2.5	ug/L	I
001037	Cobalt	N	E84282	200.7 Rev 4.4	3/6/2006 6:07:00PM	1.6	1.6	ug/L	U
034413	Bromomethane	N	E84282	8260B	3/6/2006 9:06:00PM	0.66	0.66	ug/L	U
081596	4-Methyl-2-pentanone	N	E84282	8260B	3/6/2006 9:06:00PM	3.8	3.8	ug/L	U
034010	Toluene	N	E84282	8260B	3/6/2006 9:06:00PM	0.51	0.51	ug/L	U
082079	Turbidity	N	E84282	Field Sampling	2/23/2006 10:45:00AM	14.4		NTU	
001092	Zinc	N	E84282	200.7 Rev 4.4	3/6/2006 6:07:00PM	5.9	5.9	ug/L	U
077128	Styrene	N	E84282	8260B	3/6/2006 9:06:00PM	0.98	0.98	ug/L	U
077424	Iodomethane	N	E84282	8260B	3/6/2006 9:06:00PM	0.67	0.67	ug/L	U
073085	Bromochloromethane	N	E84282	8260B	3/6/2006 9:06:00PM	0.58	0.58	ug/L	U
000620	Nitrate Nitrogen	N	E84282	353.2	2/24/2006 12:37:00PM	0.032	0.01	mg/L	I
034516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	3/6/2006 9:06:00PM	0.14	0.14	ug/L	U
077057	Vinyl acetate	N	E84282	8260B	3/6/2006 9:06:00PM	1.5	1.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E84282	8260B	3/6/2006 9:06:00PM	0.65	0.65	ug/L	U
001007	Barium	N	E84282	200.7 Rev 4.4	3/6/2006 6:07:00PM	5.4	1.2	ug/L	I
001097	Antimony	N	E84282	200.7 Rev 4.4	3/6/2006 6:07:00PM	3.6	3.6	ug/L	U
001027	Cadmium	N	E84282	200.7 Rev 4.4	3/6/2006 6:07:00PM	0.71	0.71	ug/L	U
001042	Copper	N	E84282	200.7 Rev 4.4	3/6/2006 6:07:00PM	2.9	2.9	ug/L	U
940	Chloride	N	E84282	325.2	2/28/2006 4:59:00PM	10	0.9	mg/L	U
511	1,1,2-Trichloroethane	N	E84282	8260B	3/6/2006 9:06:00PM	0.47	0.47	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 4/3/2006

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 33628
 WACS Testsite ID #: 17186
 WACS Testsite Name: MWB7S
 Water Classification: G-II
(C - Leachate, G-II, SW-III/F)

Sample Date/Time: 2/23/2006 10:45:00AM
 Sampling Method: Unknown
 Permitted Well Type: CO

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034704	cis-1,3-Dichloropropene	N	E84282	8260B	3/6/2006 9:06:00PM	0.14	0.14	ug/L	U
032105	Dibromochloromethane	N	E84282	8260B	3/6/2006 9:06:00PM	0.34	0.34	ug/L	U
001002	Arsenic	N	E84282	200.7 Rev 4.4	3/6/2006 6:07:00PM	4.8	4.8	ug/L	U
034371	Ethylbenzene	N	E84282	8260B	3/6/2006 9:06:00PM	0.44	0.44	ug/L	U
081595	Methyl Ethyl Ketone	N	E84282	8260B	3/6/2006 9:06:00PM	8.4	8.4	ug/L	U
039175	Vinyl chloride	N	E84282	8260B	3/6/2006 9:06:00PM	0.5	0.5	ug/L	U
081551	Xylenes, Total	N	E84282	8260B	3/6/2006 9:06:00PM	0.3	0.3	ug/L	U
070300	Total Dissolved Solids	N	E84282	160.1	2/27/2006 12:08:00PM	90	5	mg/L	
000610	Ammonia	N	E84282	350.1	2/28/2006 11:54:00AM	0.25	0.04	mg/L	
034501	1,1-Dichloroethene	N	E84282	8260B	3/6/2006 9:06:00PM	0.45	0.45	ug/L	U
032101	Bromodichloromethane	N	E84282	8260B	3/6/2006 9:06:00PM	0.35	0.35	ug/L	U
000299	Oxygen, Dissolved	N	E84282	Field Sampling	2/23/2006 10:45:00AM	0.9		mg/L	
077562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	3/6/2006 9:06:00PM	0.63	0.63	ug/L	U
032106	Chloroform	N	E84282	8260B	3/6/2006 9:06:00PM	0.9	0.9	ug/L	U
034311	Chloroethane	N	E84282	8260B	3/6/2006 9:06:00PM	0.8	0.8	ug/L	U
034301	Chlorobenzene	N	E84282	8260B	3/6/2006 9:06:00PM	0.63	0.63	ug/L	U
032102	Carbon tetrachloride	N	E84282	8260B	3/6/2006 9:06:00PM	0.42	0.42	ug/L	U
034531	1,2-Dichloroethane	N	E84282	8260B	3/6/2006 9:06:00PM	0.57	0.57	ug/L	U
034488	Trichlorofluoromethane	N	E84282	8260B	3/6/2006 9:06:00PM	0.98	0.98	ug/L	U
077443	1,2,3-Trichloropropane	N	E84282	8260B	3/6/2006 9:06:00PM	0.15	0.15	ug/L	U
001045	Iron	N	E84282	200.7 Rev 4.4	3/6/2006 6:07:00PM	110	22	ug/L	
001418	Chloromethane	N	E84282	8260B	3/6/2006 9:06:00PM	0.64	0.64	ug/L	U
0014506	1,1,1-Trichloroethane	N	E84282	8260B	3/6/2006 9:06:00PM	0.46	0.46	ug/L	U
034496	1,1-Dichloroethane	N	E84282	8260B	3/6/2006 9:06:00PM	0.52	0.52	ug/L	U
077651	Ethylene Dibromide	N	E84282	504.1	3/8/2006 8:12:00AM	0.0093	0.0093	ug/L	U
038437	1,2-Dibromo-3-Chloropropane	N	E84282	504.1	3/8/2006 8:12:00AM	0.0032	0.0032	ug/L	U
001067	Nickel	N	E84282	200.7 Rev 4.4	3/6/2006 6:07:00PM	4.7	4.7	ug/L	U
001051	Lead	N	E84282	200.7 Rev 4.4	3/6/2006 6:07:00PM	1.6	1.6	ug/L	U
039180	Trichloroethene	N	E84282	8260B	3/6/2006 9:06:00PM	0.28	0.28	ug/L	U
034546	trans-1,2-Dichloroethene	N	E84282	8260B	3/6/2006 9:06:00PM	0.44	0.44	ug/L	U
034536	1,2-Dichlorobenzene	N	E84282	8260B	3/6/2006 9:06:00PM	0.44	0.44	ug/L	U

Total Parameters Monitored: 75

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Trail Ridge Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 33628
 WACS Testsite ID #: 17357
 WACS Testsite Name: MWB13S
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-III/F)

Sample Date/Time: 2/23/2006 11:01:00AM
 Sampling Method: Unknown
 Permitted Well Type: CO

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
073085	Bromochloromethane	N	E84282	8260B	3/6/2006 9:31:00PM	0.58	0.58	ug/L	U
077562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	3/6/2006 9:31:00PM	0.63	0.63	ug/L	U
001027	Cadmium	N	E84282	200.7 Rev 4.4	3/6/2006 6:02:00PM	0.71	0.71	ug/L	U
001051	Lead	N	E84282	200.7 Rev 4.4	3/6/2006 6:02:00PM	1.6	1.6	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	3/6/2006 9:31:00PM	0.14	0.14	ug/L	U
034511	1,1,2-Trichloroethane	N	E84282	8260B	3/6/2006 9:31:00PM	0.47	0.47	ug/L	U
001007	Barium	N	E84282	200.7 Rev 4.4	3/6/2006 6:02:00PM	11	1.2	ug/L	U
077128	Styrene	N	E84282	8260B	3/6/2006 9:31:00PM	0.98	0.98	ug/L	U
077596	Methylene bromide	N	E84282	8260B	3/6/2006 9:31:00PM	0.41	0.41	ug/L	U
081595	Methyl Ethyl Ketone	N	E84282	8260B	3/6/2006 9:31:00PM	8.4	8.4	ug/L	U
077424	Iodomethane	N	E84282	8260B	3/6/2006 9:31:00PM	0.67	0.67	ug/L	U
034371	Ethylbenzene	N	E84282	8260B	3/6/2006 9:31:00PM	0.44	0.44	ug/L	U
001092	Zinc	N	E84282	200.7 Rev 4.4	3/6/2006 6:02:00PM	7.2	5.9	ug/L	I
034475	Tetrachloroethene	N	E84282	8260B	3/6/2006 9:31:00PM	0.34	0.34	ug/L	U
034501	1,1-Dichloroethene	N	E84282	8260B	3/6/2006 9:31:00PM	0.45	0.45	ug/L	U
034699	trans-1,3-Dichloropropene	N	E84282	8260B	3/6/2006 9:31:00PM	0.14	0.14	ug/L	U
077041	Carbon disulfide	N	E84282	8260B	3/6/2006 9:31:00PM	0.85	0.85	ug/L	U
034301	Chlorobenzene	N	E84282	8260B	3/6/2006 9:31:00PM	0.63	0.63	ug/L	U
034311	Chloroethane	N	E84282	8260B	3/6/2006 9:31:00PM	0.8	0.8	ug/L	U
071900	Mercury	N	E84282	245.1	3/2/2006 12:50:00PM	0.072	0.072	ug/L	U
001059	Thallium	N	E87052	200.8	3/2/2006 8:20:00AM	0.25	0.25	ug/L	U
077443	1,2,3-Trichloropropane	N	E84282	8260B	3/6/2006 9:31:00PM	0.15	0.15	ug/L	U
034541	1,2-Dichloropropane	N	E84282	8260B	3/6/2006 9:31:00PM	0.52	0.52	ug/L	U
034215	Acrylonitrile	N	E84282	8260B	3/6/2006 9:31:00PM	1.2	1.2	ug/L	U
000620	Nitrate Nitrogen	N	E84282	353.2	2/24/2006 2:48:00PM	0.071	0.01	mg/L	U
034418	Chloromethane	N	E84282	8260B	3/6/2006 9:31:00PM	0.64	0.64	ug/L	U
081552	Acetone	N	E84282	8260B	3/6/2006 9:31:00PM	9.9	9.9	ug/L	U
077093	cis-1,2-Dichloroethene	N	E84282	8260B	3/6/2006 9:31:00PM	0.65	0.65	ug/L	U
081596	4-Methyl-2-pentanone	N	E84282	8260B	3/6/2006 9:31:00PM	3.8	3.8	ug/L	U
000610	Ammonia	N	E84282	350.1	2/28/2006 11:54:00AM	0.47	0.04	mg/L	U
034571	1,4-Dichlorobenzene	N	E84282	8260B	3/6/2006 9:31:00PM	0.52	0.52	ug/L	U
034496	1,1-Dichloroethane	N	E84282	8260B	3/6/2006 9:31:00PM	0.52	0.52	ug/L	U
034704	cis-1,3-Dichloropropene	N	E84282	8260B	3/6/2006 9:31:00PM	0.14	0.14	ug/L	U
034536	1,2-Dichlorobenzene	N	E84282	8260B	3/6/2006 9:31:00PM	0.44	0.44	ug/L	U
001097	Antimony	N	E84282	200.7 Rev 4.4	3/6/2006 6:02:00PM	3.6	3.6	ug/L	U
001002	Arsenic	N	E84282	200.7 Rev 4.4	3/6/2006 6:02:00PM	4.8	4.8	ug/L	U
034531	1,2-Dichloroethane	N	E84282	8260B	3/6/2006 9:31:00PM	0.57	0.57	ug/L	U
032105	Dibromochloromethane	N	E84282	8260B	3/6/2006 9:31:00PM	0.34	0.34	ug/L	U
032102	Carbon tetrachloride	N	E84282	8260B	3/6/2006 9:31:00PM	0.42	0.42	ug/L	U
077103	2-Hexanone	N	E84282	8260B	3/6/2006 9:31:00PM	4.4	4.4	ug/L	U
001067	Nickel	N	E84282	200.7 Rev 4.4	3/6/2006 6:02:00PM	4.7	4.7	ug/L	U
000406	Field pH	N	E84282	Field Sampling	2/23/2006 11:01:00AM	5.41		SU	
0007020	Water Level	N	E84282	Field Sampling	2/23/2006 11:01:00AM	111.86		ft	
0000037	1,2-Dibromo-3-Chloropropane	N	E84282	504.1	3/8/2006 8:36:00AM	0.003	0.003	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 4/3/2006

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 33628
 WACS Testsite ID #: 17357
 WACS Testsite Name: MWB13S
 Water Classification: G-II
LC - Leachate, G-II, SW-IIIIF

Sample Date/Time: 2/23/2006 11:01:00AM
 Sampling Method: Unknown
 Permitted
 Well Type: CO

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000929	Sodium	N	E84282	200.7 Rev 4.4	3/6/2006 6:02:00PM	10	0.31	mg/L	
077651	Ethylene Dibromide	N	E84282	504.1	3/8/2006 8:36:00AM	0.0087	0.0087	ug/L	U
034413	Bromomethane	N	E84282	8260B	3/6/2006 9:31:00PM	0.66	0.66	ug/L	U
000010	Field Temperature	N	E84282	Field Sampling	2/23/2006 11:01:00AM	19.2		Degrees C	
001037	Cobalt	N	E84282	200.7 Rev 4.4	3/6/2006 6:02:00PM	1.9	1.6	ug/L	I
001042	Copper	N	E84282	200.7 Rev 4.4	3/6/2006 6:02:00PM	19	2.9	ug/L	I
078124	Benzene	N	E84282	8260B	3/6/2006 9:31:00PM	0.27	0.27	ug/L	U
034488	Trichlorofluoromethane	N	E84282	8260B	3/6/2006 9:31:00PM	0.98	0.98	ug/L	U
077057	Vinyl acetate	N	E84282	8260B	3/6/2006 9:31:00PM	1.5	1.5	ug/L	U
039175	Vinyl chloride	N	E84282	8260B	3/6/2006 9:31:00PM	0.5	0.5	ug/L	U
081551	Xylenes, Total	N	E84282	8260B	3/6/2006 9:31:00PM	0.3	0.3	ug/L	U
070300	Total Dissolved Solids	N	E84282	160.1	2/27/2006 12:08:00PM	120	5	mg/L	
000940	Chloride	N	E84282	325.2	2/28/2006 4:59:00PM	21	0.9	mg/L	
034506	1,1,1-Trichloroethane	N	E84282	8260B	3/6/2006 9:31:00PM	0.46	0.46	ug/L	U
034546	trans-1,2-Dichloroethene	N	E84282	8260B	3/6/2006 9:31:00PM	0.44	0.44	ug/L	U
001147	Selenium	N	E84282	200.7 Rev 4.4	3/6/2006 6:02:00PM	31	5.9	ug/L	
001034	Chromium	N	E84282	200.7 Rev 4.4	3/6/2006 6:02:00PM	6	1.7	ug/L	I
032104	Bromoform	N	E84282	8260B	3/6/2006 9:31:00PM	0.58	0.58	ug/L	U
000299	Oxygen, Dissolved	N	E84282	Field Sampling	2/23/2006 11:01:00AM	1.8		mg/L	
001087	Vanadium	N	E84282	200.7 Rev 4.4	3/6/2006 6:02:00PM	47	2.5	ug/L	
049263	trans-1,4-Dichloro-2-butene	N	E84282	8260B	3/6/2006 9:31:00PM	2.5	2.5	ug/L	U
09180	Trichloroethene	N	E84282	8260B	3/6/2006 9:31:00PM	0.28	0.28	ug/L	U
02101	Bromodichloromethane	N	E84282	8260B	3/6/2006 9:31:00PM	0.35	0.35	ug/L	U
001012	Beryllium	N	E84282	200.7 Rev 4.4	3/6/2006 6:02:00PM	0.74	0.74	ug/L	U
034010	Toluene	N	E84282	8260B	3/6/2006 9:31:00PM	0.51	0.51	ug/L	U
001045	Iron	N	E84282	200.7 Rev 4.4	3/6/2006 6:02:00PM	760	22	ug/L	
082079	Turbidity	N	E84282	Field Sampling	2/23/2006 11:01:00AM	13.7		NTU	
001077	Silver	N	E84282	200.7 Rev 4.4	3/6/2006 6:02:00PM	1.9	1.9	ug/L	U
000094	Specific Conductance	N	E84282	Field Sampling	2/23/2006 11:01:00AM	177		umhos/cm	
034423	Methylene Chloride	N	E84282	8260B	3/6/2006 9:31:00PM	4	4	ug/L	U
032106	Chloroform	N	E84282	8260B	3/6/2006 9:31:00PM	0.9	0.9	ug/L	U

Total Parameters Monitored: 75

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Trail Ridge Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 33628
 WACS Testsite ID #: 17187
 WACS Testsite Name: MWB11I (R)
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 2/23/2006 11:47:00AM
 Sampling Method: Unknown
 Permitted
 Well Type: CO

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
081552	Acetone	N	E84282	8260B	3/6/2006 9:56:00PM	9.9	9.9	ug/L	U
001097	Antimony	N	E84282	200.7 Rev 4.4	3/6/2006 5:56:00PM	3.6	3.6	ug/L	U
001002	Arsenic	N	E84282	200.7 Rev 4.4	3/6/2006 5:56:00PM	4.8	4.8	ug/L	U
001007	Barium	N	E84282	200.7 Rev 4.4	3/6/2006 5:56:00PM	75	1.2	ug/L	U
001012	Beryllium	N	E84282	200.7 Rev 4.4	3/6/2006 5:56:00PM	0.74	0.74	ug/L	U
001027	Cadmium	N	E84282	200.7 Rev 4.4	3/6/2006 5:56:00PM	0.71	0.71	ug/L	U
001034	Chromium	N	E84282	200.7 Rev 4.4	3/6/2006 5:56:00PM	25	1.7	ug/L	U
001037	Cobalt	N	E84282	200.7 Rev 4.4	3/6/2006 5:56:00PM	1.6	1.6	ug/L	U
081596	4-Methyl-2-pentanone	N	E84282	8260B	3/6/2006 9:56:00PM	3.8	3.8	ug/L	U
077562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	3/6/2006 9:56:00PM	0.63	0.63	ug/L	U
001147	Selenium	N	E84282	200.7 Rev 4.4	3/6/2006 5:56:00PM	5.9	5.9	ug/L	U
034488	Trichlorofluoromethane	N	E84282	8260B	3/6/2006 9:56:00PM	0.98	0.98	ug/L	U
000094	Specific Conductance	N	E84282	Field Sampling	2/23/2006 11:47:00AM	38		umhos/cm	
011595	Methyl Ethyl Ketone	N	E84282	8260B	3/6/2006 9:56:00PM	8.4	8.4	ug/L	U
00929	Sodium	N	E84282	200.7 Rev 4.4	3/6/2006 5:56:00PM	3.1	0.31	mg/L	U
034506	1,1,1-Trichloroethane	N	E84282	8260B	3/6/2006 9:56:00PM	0.46	0.46	ug/L	U
077103	2-Hexanone	N	E84282	8260B	3/6/2006 9:56:00PM	4.4	4.4	ug/L	U
034571	1,4-Dichlorobenzene	N	E84282	8260B	3/6/2006 9:56:00PM	0.52	0.52	ug/L	U
034541	1,2-Dichloropropane	N	E84282	8260B	3/6/2006 9:56:00PM	0.52	0.52	ug/L	U
034531	1,2-Dichloroethane	N	E84282	8260B	3/6/2006 9:56:00PM	0.57	0.57	ug/L	U
034536	1,2-Dichlorobenzene	N	E84282	8260B	3/6/2006 9:56:00PM	0.44	0.44	ug/L	U
077443	1,2,3-Trichloropropane	N	E84282	8260B	3/6/2006 9:56:00PM	0.15	0.15	ug/L	U
034501	1,1-Dichloroethene	N	E84282	8260B	3/6/2006 9:56:00PM	0.45	0.45	ug/L	U
034496	1,1-Dichloroethane	N	E84282	8260B	3/6/2006 9:56:00PM	0.52	0.52	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	3/6/2006 9:56:00PM	0.14	0.14	ug/L	U
000940	Chloride	N	E84282	325.2	2/28/2006 4:59:00PM	9.1	0.9	mg/L	U
070300	Total Dissolved Solids	N	E84282	160.1	2/27/2006 12:08:00PM	46	5	mg/L	U
077041	Carbon disulfide	N	E84282	8260B	3/6/2006 9:56:00PM	0.85	0.85	ug/L	U
034418	Chloromethane	N	E84282	8260B	3/6/2006 9:56:00PM	0.64	0.64	ug/L	U
082079	Turbidity	N	E84282	Field Sampling	2/23/2006 11:47:00AM	46.7		NTU	
038437	1,2-Dibromo-3-Chloropropane	N	E84282	504.1	3/8/2006 10:31:00AM	0.0032	0.0032	ug/L	U
077651	Ethylene Dibromide	N	E84282	504.1	3/8/2006 10:31:00AM	0.0093	0.0093	ug/L	U
000010	Field Temperature	N	E84282	Field Sampling	2/23/2006 11:47:00AM	23.4		Degrees C	
000406	Field pH	N	E84282	Field Sampling	2/23/2006 11:47:00AM	5.17		SU	
034511	1,1,2-Trichloroethane	N	E84282	8260B	3/6/2006 9:56:00PM	0.47	0.47	ug/L	U
032106	Chloroform	N	E84282	8260B	3/6/2006 9:56:00PM	0.9	0.9	ug/L	U
034423	Methylene Chloride	N	E84282	8260B	3/6/2006 9:56:00PM	4	4	ug/L	U
077093	cis-1,2-Dichloroethene	N	E84282	8260B	3/6/2006 9:56:00PM	0.65	0.65	ug/L	U
034704	cis-1,3-Dichloropropene	N	E84282	8260B	3/6/2006 9:56:00PM	0.14	0.14	ug/L	U
032105	Dibromochloromethane	N	E84282	8260B	3/6/2006 9:56:00PM	0.34	0.34	ug/L	U
034371	Ethylbenzene	N	E84282	8260B	3/6/2006 9:56:00PM	0.44	0.44	ug/L	U
077424	Iodomethane	N	E84282	8260B	3/6/2006 9:56:00PM	0.67	0.67	ug/L	U
04215	Acrylonitrile	N	E84282	8260B	3/6/2006 9:56:00PM	1.2	1.2	ug/L	U
020	Water Level	N	E84282	Field Sampling	2/23/2006 11:47:00AM	0		ft	

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 4/3/2006

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 33628
 WACS Testsite ID #: 17187
 WACS Testsite Name: MWB11I (R)
 Water Classification: G-II
 (LC - Leachate, G-II, SW-III(F))

Sample Date/Time: 2/23/2006 11:47:00AM
 Sampling Method: Unknown
 Permitted
 Well Type: CO

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

Well Purged prior to
 Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034301	Chlorobenzene	N	E84282	8260B	3/6/2006 9:56:00PM	0.63	0.63	ug/L	U
001042	Copper	N	E84282	200.7 Rev 4.4	3/6/2006 5:56:00PM	2.9	2.9	ug/L	U
039180	Trichloroethene	N	E84282	8260B	3/6/2006 9:56:00PM	0.28	0.28	ug/L	U
077596	Methylene bromide	N	E84282	8260B	3/6/2006 9:56:00PM	0.41	0.41	ug/L	U
000610	Ammonia	N	E84282	350.1	2/28/2006 11:54:00AM	0.04	0.04	mg/L	U
071900	Mercury	N	E84282	245.1	3/2/2006 12:52:00PM	0.072	0.072	ug/L	U
001059	Thallium	N	E87052	200.8	3/2/2006 8:27:00AM	0.25	0.25	ug/L	U
001092	Zinc	N	E84282	200.7 Rev 4.4	3/6/2006 5:56:00PM	6.1	5.9	ug/L	I
001087	Vanadium	N	E84282	200.7 Rev 4.4	3/6/2006 5:56:00PM	38	2.5	ug/L	
001077	Silver	N	E84282	200.7 Rev 4.4	3/6/2006 5:56:00PM	1.9	1.9	ug/L	U
000299	Oxygen, Dissolved	N	E84282	Field Sampling	2/23/2006 11:47:00AM	1.3		mg/L	
001067	Nickel	N	E84282	200.7 Rev 4.4	3/6/2006 5:56:00PM	4.7	4.7	ug/L	U
001051	Lead	N	E84282	200.7 Rev 4.4	3/6/2006 5:56:00PM	7.1	1.6	ug/L	
001045	Iron	N	E84282	200.7 Rev 4.4	3/6/2006 5:56:00PM	1500	22	ug/L	
034311	Chloroethane	N	E84282	8260B	3/6/2006 9:56:00PM	0.8	0.8	ug/L	U
039175	Vinyl chloride	N	E84282	8260B	3/6/2006 9:56:00PM	0.5	0.5	ug/L	U
034699	trans-1,3-Dichloropropene	N	E84282	8260B	3/6/2006 9:56:00PM	0.14	0.14	ug/L	U
034546	trans-1,2-Dichloroethene	N	E84282	8260B	3/6/2006 9:56:00PM	0.44	0.44	ug/L	U
034010	Toluene	N	E84282	8260B	3/6/2006 9:56:00PM	0.51	0.51	ug/L	U
034475	Tetrachloroethene	N	E84282	8260B	3/6/2006 9:56:00PM	0.34	0.34	ug/L	U
077128	Styrene	N	E84282	8260B	3/6/2006 9:56:00PM	0.98	0.98	ug/L	U
1551	Xylenes, Total	N	E84282	8260B	3/6/2006 9:56:00PM	0.3	0.3	ug/L	U
102	Carbon tetrachloride	N	E84282	8260B	3/6/2006 9:56:00PM	0.42	0.42	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E84282	8260B	3/6/2006 9:56:00PM	2.5	2.5	ug/L	U
034413	Bromomethane	N	E84282	8260B	3/6/2006 9:56:00PM	0.66	0.66	ug/L	U
032104	Bromoform	N	E84282	8260B	3/6/2006 9:56:00PM	0.58	0.58	ug/L	U
032101	Bromodichloromethane	N	E84282	8260B	3/6/2006 9:56:00PM	0.35	0.35	ug/L	U
073085	Bromochloromethane	N	E84282	8260B	3/6/2006 9:56:00PM	0.58	0.58	ug/L	U
078124	Benzene	N	E84282	8260B	3/6/2006 9:56:00PM	0.27	0.27	ug/L	U
000620	Nitrate Nitrogen	N	E84282	353.2	2/24/2006 2:48:00PM	0.01	0.01	mg/L	U
077057	Vinyl acetate	N	E84282	8260B	3/6/2006 9:56:00PM	1.5	1.5	ug/L	U

Total Parameters Monitored: 75

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Trail Ridge Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 33628
 WACS Testsite ID #: 17196
 WACS Testsite Name: MWB19D
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 2/22/2006 8:36:00AM
 Sampling Method: Unknown
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	3/7/2006 6:24:00PM	0.63	0.63	ug/L	U
034506	1,1,1-Trichloroethane	N	E84282	8260B	3/7/2006 6:24:00PM	0.46	0.46	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	3/7/2006 6:24:00PM	0.14	0.14	ug/L	U
034511	1,1,2-Trichloroethane	N	E84282	8260B	3/7/2006 6:24:00PM	0.47	0.47	ug/L	U
034496	1,1-Dichloroethane	N	E84282	8260B	3/7/2006 6:24:00PM	0.52	0.52	ug/L	U
034501	1,1-Dichloroethene	N	E84282	8260B	3/7/2006 6:24:00PM	0.45	0.45	ug/L	U
077443	1,2,3-Trichloropropane	N	E84282	8260B	3/7/2006 6:24:00PM	0.15	0.15	ug/L	U
038437	1,2-Dibromo-3-Chloropropane	N	E84282	504.1	3/7/2006 4:44:00PM	0.0031	0.0031	ug/L	U
034536	1,2-Dichlorobenzene	N	E84282	8260B	3/7/2006 6:24:00PM	0.44	0.44	ug/L	U
034531	1,2-Dichloroethane	N	E84282	8260B	3/7/2006 6:24:00PM	0.57	0.57	ug/L	U
034541	1,2-Dichloropropane	N	E84282	8260B	3/7/2006 6:24:00PM	0.52	0.52	ug/L	U
034571	1,4-Dichlorobenzene	N	E84282	8260B	3/7/2006 6:24:00PM	0.52	0.52	ug/L	U
077103	2-Hexanone	N	E84282	8260B	3/7/2006 6:24:00PM	4.4	4.4	ug/L	U
596	4-Methyl-2-pentanone	N	E84282	8260B	3/7/2006 6:24:00PM	3.8	3.8	ug/L	U
1552	Acetone	N	E84282	8260B	3/7/2006 6:24:00PM	9.9	9.9	ug/L	U
034215	Acrylonitrile	N	E84282	8260B	3/7/2006 6:24:00PM	1.2	1.2	ug/L	U
000610	Ammonia	N	E84282	350.1	2/27/2006 10:43:00AM	0.11	0.04	mg/L	
001097	Antimony	N	E84282	200.7 Rev 4.4	3/6/2006 9:40:00AM	3.6	3.6	ug/L	U
001002	Arsenic	N	E84282	200.7 Rev 4.4	3/6/2006 9:40:00AM	4.8	4.8	ug/L	U
001007	Barium	N	E84282	200.7 Rev 4.4	3/6/2006 9:40:00AM	110	1.2	ug/L	
078124	Benzene	N	E84282	8260B	3/7/2006 6:24:00PM	0.27	0.27	ug/L	U
001012	Beryllium	N	E84282	200.7 Rev 4.4	3/6/2006 9:40:00AM	0.74	0.74	ug/L	U
073085	Bromochloromethane	N	E84282	8260B	3/7/2006 6:24:00PM	0.58	0.58	ug/L	U
032101	Bromodichloromethane	N	E84282	8260B	3/7/2006 6:24:00PM	0.35	0.35	ug/L	U
032104	Bromoform	N	E84282	8260B	3/7/2006 6:24:00PM	0.58	0.58	ug/L	U
034413	Bromomethane	N	E84282	8260B	3/7/2006 6:24:00PM	0.66	0.66	ug/L	U
001027	Cadmium	N	E84282	200.7 Rev 4.4	3/6/2006 9:40:00AM	0.71	0.71	ug/L	U
077041	Carbon disulfide	N	E84282	8260B	3/7/2006 6:24:00PM	0.85	0.85	ug/L	U
032102	Carbon tetrachloride	N	E84282	8260B	3/7/2006 6:24:00PM	0.42	0.42	ug/L	U
000940	Chloride	N	E84282	325.2	2/27/2006 2:09:00PM	5.7	0.9	mg/L	
034301	Chlorobenzene	N	E84282	8260B	3/7/2006 6:24:00PM	0.63	0.63	ug/L	U
034311	Chloroethane	N	E84282	8260B	3/7/2006 6:24:00PM	0.8	0.8	ug/L	U
032106	Chloroform	N	E84282	8260B	3/7/2006 6:24:00PM	0.9	0.9	ug/L	U
034418	Chloromethane	N	E84282	8260B	3/7/2006 6:24:00PM	0.64	0.64	ug/L	U
001034	Chromium	N	E84282	200.7 Rev 4.4	3/6/2006 9:40:00AM	5.8	1.7	ug/L	I
077093	cis-1,2-Dichloroethene	N	E84282	8260B	3/7/2006 6:24:00PM	0.65	0.65	ug/L	U
034704	cis-1,3-Dichloropropene	N	E84282	8260B	3/7/2006 6:24:00PM	0.14	0.14	ug/L	U
001037	Cobalt	N	E84282	200.7 Rev 4.4	3/6/2006 9:40:00AM	1.6	1.6	ug/L	U
001042	Copper	N	E84282	200.7 Rev 4.4	3/6/2006 9:40:00AM	2.9	2.9	ug/L	U
032105	Dibromochloromethane	N	E84282	8260B	3/7/2006 6:24:00PM	0.34	0.34	ug/L	U
034371	Ethylbenzene	N	E84282	8260B	3/7/2006 6:24:00PM	0.44	0.44	ug/L	U
077651	Ethylene Dibromide	N	E84282	504.1	3/7/2006 4:44:00PM	0.009	0.009	ug/L	U
106	Field pH	N	E84282	Field Sampling	2/22/2006 8:36:00AM	7.26		SU	
110	Field Temperature	N	E84282	Field Sampling	2/22/2006 8:36:00AM	21.6		Degrees C	

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 33628
 WACS Testsite ID #: 17196
 WACS Testsite Name: MWB19D
 Water Classification: G-II
 (C - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 2/22/2006 8:36:00AM
 Sampling Method: Unknown
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077424	Iodomethane	N	E84282	8260B	3/7/2006 6:24:00PM	0.67	0.67	ug/L	U
001045	Iron	N	E84282	200.7 Rev 4.4	3/6/2006 9:40:00AM	2600	22	ug/L	
001051	Lead	N	E84282	200.7 Rev 4.4	3/6/2006 9:40:00AM	1.6	1.6	ug/L	U
071900	Mercury	N	E84282	245.1	3/2/2006 11:32:00AM	0.072	0.072	ug/L	U
081595	Methyl Ethyl Ketone	N	E84282	8260B	3/7/2006 6:24:00PM	8.4	8.4	ug/L	U
077596	Methylene bromide	N	E84282	8260B	3/7/2006 6:24:00PM	0.41	0.41	ug/L	U
034423	Methylene Chloride	N	E84282	8260B	3/7/2006 6:24:00PM	4	4	ug/L	U
001067	Nickel	N	E84282	200.7 Rev 4.4	3/6/2006 9:40:00AM	4.7	4.7	ug/L	U
000620	Nitrate Nitrogen	N	E84282	353.2	2/24/2006 7:45:00AM	0.011	0.01	mg/L	I
000299	Oxygen, Dissolved	N	E84282	Field Sampling	2/22/2006 8:36:00AM	0.8		mg/L	
001147	Selenium	N	E84282	200.7 Rev 4.4	3/6/2006 9:40:00AM	5.9	5.9	ug/L	U
001077	Silver	N	E84282	200.7 Rev 4.4	3/6/2006 9:40:00AM	1.9	1.9	ug/L	U
000929	Sodium	N	E84282	200.7 Rev 4.4	3/6/2006 9:40:00AM	4.6	0.31	mg/L	
000094	Specific Conductance	N	E84282	Field Sampling	2/22/2006 8:36:00AM	321		umhos/cm	
077128	Styrene	N	E84282	8260B	3/7/2006 6:24:00PM	0.98	0.98	ug/L	U
034475	Tetrachloroethene	N	E84282	8260B	3/7/2006 6:24:00PM	0.34	0.34	ug/L	U
001059	Thallium	N	E87052	200.8	3/3/2006 3:10:00AM	0.61	0.25	ug/L	I
034010	Toluene	N	E84282	8260B	3/7/2006 6:24:00PM	0.51	0.51	ug/L	U
070300	Total Dissolved Solids	N	E84282	160.1	2/24/2006 3:55:00PM	170	5	mg/L	
034546	trans-1,2-Dichloroethene	N	E84282	8260B	3/7/2006 6:24:00PM	0.44	0.44	ug/L	U
034699	trans-1,3-Dichloropropene	N	E84282	8260B	3/7/2006 6:24:00PM	0.14	0.14	ug/L	U
63	trans-1,4-Dichloro-2-butene	N	E84282	8260B	3/7/2006 6:24:00PM	2.5	2.5	ug/L	U
180	Trichloroethene	N	E84282	8260B	3/7/2006 6:24:00PM	0.28	0.28	ug/L	U
034488	Trichlorofluoromethane	N	E84282	8260B	3/7/2006 6:24:00PM	0.98	0.98	ug/L	U
082079	Turbidity	N	E84282	Field Sampling	2/22/2006 8:36:00AM	12.7		NTU	
001087	Vanadium	N	E84282	200.7 Rev 4.4	3/6/2006 9:40:00AM	7.6	2.5	ug/L	I
077057	Vinyl acetate	N	E84282	8260B	3/7/2006 6:24:00PM	1.5	1.5	ug/L	U
039175	Vinyl chloride	N	E84282	8260B	3/7/2006 6:24:00PM	0.5	0.5	ug/L	U
072020	Water Level	N	E84282	Field Sampling	2/22/2006 8:36:00AM	121.21		ft	
081551	Xylenes, Total	N	E84282	8260B	3/7/2006 6:24:00PM	0.3	0.3	ug/L	U
001092	Zinc	N	E84282	200.7 Rev 4.4	3/6/2006 9:40:00AM	5.9	5.9	ug/L	U

Total Parameters Monitored: 75

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Trail Ridge Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 33628
 WACS Testsite ID #: 17205
 WACS Testsite Name: MWB27D
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 2/22/2006 12:13:00PM
 Sampling Method: Unknown
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	3/7/2006 8:53:00PM	0.63	0.63	ug/L	U
034506	1,1,1-Trichloroethane	N	E84282	8260B	3/7/2006 8:53:00PM	0.46	0.46	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	3/7/2006 8:53:00PM	0.14	0.14	ug/L	U
034511	1,1,2-Trichloroethane	N	E84282	8260B	3/7/2006 8:53:00PM	0.47	0.47	ug/L	U
034496	1,1-Dichloroethane	N	E84282	8260B	3/7/2006 8:53:00PM	0.52	0.52	ug/L	U
034501	1,1-Dichloroethene	N	E84282	8260B	3/7/2006 8:53:00PM	0.45	0.45	ug/L	U
077443	1,2,3-Trichloropropane	N	E84282	8260B	3/7/2006 8:53:00PM	0.15	0.15	ug/L	U
038437	1,2-Dibromo-3-Chloropropane	N	E84282	504.1	3/7/2006 10:32:00PM	0.0031	0.0031	ug/L	U
034536	1,2-Dichlorobenzene	N	E84282	8260B	3/7/2006 8:53:00PM	0.44	0.44	ug/L	U
034531	1,2-Dichloroethane	N	E84282	8260B	3/7/2006 8:53:00PM	0.57	0.57	ug/L	U
034541	1,2-Dichloropropane	N	E84282	8260B	3/7/2006 8:53:00PM	0.52	0.52	ug/L	U
034571	1,4-Dichlorobenzene	N	E84282	8260B	3/7/2006 8:53:00PM	0.52	0.52	ug/L	U
077103	2-Hexanone	N	E84282	8260B	3/7/2006 8:53:00PM	4.4	4.4	ug/L	U
034596	4-Methyl-2-pentanone	N	E84282	8260B	3/7/2006 8:53:00PM	3.8	3.8	ug/L	U
034552	Acetone	N	E84282	8260B	3/7/2006 8:53:00PM	9.9	9.9	ug/L	U
034215	Acrylonitrile	N	E84282	8260B	3/7/2006 8:53:00PM	1.2	1.2	ug/L	U
000610	Ammonia	N	E84282	350.1	2/27/2006 10:43:00AM	0.064	0.04	mg/L	
001097	Antimony	N	E84282	200.7 Rev 4.4	3/6/2006 10:42:00AM	3.6	3.6	ug/L	U
001002	Arsenic	N	E84282	200.7 Rev 4.4	3/6/2006 10:42:00AM	4.8	4.8	ug/L	U
001007	Barium	N	E84282	200.7 Rev 4.4	3/6/2006 10:42:00AM	55	1.2	ug/L	
078124	Benzene	N	E84282	8260B	3/7/2006 8:53:00PM	0.27	0.27	ug/L	U
001012	Beryllium	N	E84282	200.7 Rev 4.4	3/6/2006 10:42:00AM	0.74	0.74	ug/L	U
073085	Bromochloromethane	N	E84282	8260B	3/7/2006 8:53:00PM	0.58	0.58	ug/L	U
032101	Bromodichloromethane	N	E84282	8260B	3/7/2006 8:53:00PM	0.35	0.35	ug/L	U
032104	Bromoform	N	E84282	8260B	3/7/2006 8:53:00PM	0.58	0.58	ug/L	U
034413	Bromomethane	N	E84282	8260B	3/7/2006 8:53:00PM	0.66	0.66	ug/L	U
001027	Cadmium	N	E84282	200.7 Rev 4.4	3/6/2006 10:42:00AM	0.71	0.71	ug/L	U
077041	Carbon disulfide	N	E84282	8260B	3/7/2006 8:53:00PM	0.85	0.85	ug/L	U
032102	Carbon tetrachloride	N	E84282	8260B	3/7/2006 8:53:00PM	0.42	0.42	ug/L	U
000940	Chloride	N	E84282	325.2	2/28/2006 12:40:00PM	5.3	0.9	mg/L	
034301	Chlorobenzene	N	E84282	8260B	3/7/2006 8:53:00PM	0.63	0.63	ug/L	U
034311	Chloroethane	N	E84282	8260B	3/7/2006 8:53:00PM	0.8	0.8	ug/L	U
032106	Chloroform	N	E84282	8260B	3/7/2006 8:53:00PM	0.9	0.9	ug/L	U
034418	Chloromethane	N	E84282	8260B	3/7/2006 8:53:00PM	0.64	0.64	ug/L	U
001034	Chromium	N	E84282	200.7 Rev 4.4	3/6/2006 10:42:00AM	1.7	1.7	ug/L	U
077093	cis-1,2-Dichloroethene	N	E84282	8260B	3/7/2006 8:53:00PM	0.65	0.65	ug/L	U
034704	cis-1,3-Dichloropropene	N	E84282	8260B	3/7/2006 8:53:00PM	0.14	0.14	ug/L	U
001037	Cobalt	N	E84282	200.7 Rev 4.4	3/6/2006 10:42:00AM	1.6	1.6	ug/L	U
001042	Copper	N	E84282	200.7 Rev 4.4	3/6/2006 10:42:00AM	2.9	2.9	ug/L	U
032105	Dibromochloromethane	N	E84282	8260B	3/7/2006 8:53:00PM	0.34	0.34	ug/L	U
034371	Ethylbenzene	N	E84282	8260B	3/7/2006 8:53:00PM	0.44	0.44	ug/L	U
077651	Ethylene Dibromide	N	E84282	504.1	3/7/2006 10:32:00PM	0.0091	0.0091	ug/L	U
034506	Field pH	N	E84282	Field Sampling	2/22/2006 12:13:00PM	5.83		SU	
034510	Field Temperature	N	E84282	Field Sampling	2/22/2006 12:13:00PM	19.7		Degrees C	

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 4/6/2006

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 33628
 WACS Testsite ID #: 17205
 WACS Testsite Name: MWB27D
 ter Classification: G-II
.C - Leachate, G-II, SW-III(F)

Sample Date/Time: 2/22/2006 12:13:00PM
 Sampling Method: Unknown
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077424	Iodomethane	N	E84282	8260B	3/7/2006 8:53:00PM	0.67	0.67	ug/L	U
001045	Iron	N	E84282	200.7 Rev 4.4	3/6/2006 10:42:00AM	870	22	ug/L	U
001051	Lead	N	E84282	200.7 Rev 4.4	3/6/2006 10:42:00AM	1.6	1.6	ug/L	U
071900	Mercury	N	E84282	245.1	3/2/2006 11:55:00AM	0.072	0.072	ug/L	U
081595	Methyl Ethyl Ketone	N	E84282	8260B	3/7/2006 8:53:00PM	8.4	8.4	ug/L	U
077596	Methylene bromide	N	E84282	8260B	3/7/2006 8:53:00PM	0.41	0.41	ug/L	U
034423	Methylene Chloride	N	E84282	8260B	3/7/2006 8:53:00PM	4	4	ug/L	U
001067	Nickel	N	E84282	200.7 Rev 4.4	3/6/2006 10:42:00AM	4.7	4.7	ug/L	U
000620	Nitrate Nitrogen	N	E84282	353.2	2/24/2006 7:45:00AM	0.013	0.01	mg/L	I
000299	Oxygen, Dissolved	N	E84282	Field Sampling	2/22/2006 12:13:00PM	1.1		mg/L	
001147	Selenium	N	E84282	200.7 Rev 4.4	3/6/2006 10:42:00AM	5.9	5.9	ug/L	U
001077	Silver	N	E84282	200.7 Rev 4.4	3/6/2006 10:42:00AM	1.9	1.9	ug/L	U
000929	Sodium	N	E84282	200.7 Rev 4.4	3/6/2006 10:42:00AM	3.6	0.31	mg/L	
000094	Specific Conductance	N	E84282	Field Sampling	2/22/2006 12:13:00PM	89		umhos/cm	
077128	Styrene	N	E84282	8260B	3/7/2006 8:53:00PM	0.98	0.98	ug/L	U
034475	Tetrachloroethene	N	E84282	8260B	3/7/2006 8:53:00PM	0.34	0.34	ug/L	U
001059	Thallium	N	E87052	200.8	3/3/2006 4:58:00AM	0.25	0.25	ug/L	U
034010	Toluene	N	E84282	8260B	3/7/2006 8:53:00PM	0.51	0.51	ug/L	U
070300	Total Dissolved Solids	N	E84282	160.1	2/24/2006 3:55:00PM	30	5	mg/L	
034546	trans-1,2-Dichloroethene	N	E84282	8260B	3/7/2006 8:53:00PM	0.44	0.44	ug/L	U
034699	trans-1,3-Dichloropropene	N	E84282	8260B	3/7/2006 8:53:00PM	0.14	0.14	ug/L	U
034663	trans-1,4-Dichloro-2-butene	N	E84282	8260B	3/7/2006 8:53:00PM	2.5	2.5	ug/L	U
034180	Trichloroethene	N	E84282	8260B	3/7/2006 8:53:00PM	0.28	0.28	ug/L	U
034488	Trichlorofluoromethane	N	E84282	8260B	3/7/2006 8:53:00PM	0.98	0.98	ug/L	U
082079	Turbidity	N	E84282	Field Sampling	2/22/2006 12:13:00PM	0.8		NTU	
001087	Vanadium	N	E84282	200.7 Rev 4.4	3/6/2006 10:42:00AM	2.5	2.5	ug/L	U
077057	Vinyl acetate	N	E84282	8260B	3/7/2006 8:53:00PM	1.5	1.5	ug/L	U
039175	Vinyl chloride	N	E84282	8260B	3/7/2006 8:53:00PM	0.5	0.5	ug/L	U
072020	Water Level	N	E84282	Field Sampling	2/22/2006 12:13:00PM	121.78		ft	
081551	Xylenes, Total	N	E84282	8260B	3/7/2006 8:53:00PM	0.3	0.3	ug/L	U
001092	Zinc	N	E84282	200.7 Rev 4.4	3/6/2006 10:42:00AM	5.9	5.9	ug/L	U

Total Parameters Monitored: 75

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Trail Ridge Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 33628
 WACS Testsite ID #: 17207
 WACS Testsite Name: MWB27S
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 2/22/2006 12:32:00PM
 Sampling Method: Unknown
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	3/7/2006 9:18:00PM	0.63	0.63	ug/L	U
034506	1,1,1-Trichloroethane	N	E84282	8260B	3/7/2006 9:18:00PM	0.46	0.46	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	3/7/2006 9:18:00PM	0.14	0.14	ug/L	U
034511	1,1,2-Trichloroethane	N	E84282	8260B	3/7/2006 9:18:00PM	0.47	0.47	ug/L	U
034496	1,1-Dichloroethane	N	E84282	8260B	3/7/2006 9:18:00PM	0.52	0.52	ug/L	U
034501	1,1-Dichloroethene	N	E84282	8260B	3/7/2006 9:18:00PM	0.45	0.45	ug/L	U
077443	1,2,3-Trichloropropane	N	E84282	8260B	3/7/2006 9:18:00PM	0.15	0.15	ug/L	U
038437	1,2-Dibromo-3-Chloropropane	N	E84282	504.1	3/7/2006 10:56:00PM	0.0031	0.0031	ug/L	U
034536	1,2-Dichlorobenzene	N	E84282	8260B	3/7/2006 9:18:00PM	0.44	0.44	ug/L	U
034531	1,2-Dichloroethane	N	E84282	8260B	3/7/2006 9:18:00PM	0.57	0.57	ug/L	U
034541	1,2-Dichloropropane	N	E84282	8260B	3/7/2006 9:18:00PM	0.52	0.52	ug/L	U
034571	1,4-Dichlorobenzene	N	E84282	8260B	3/7/2006 9:18:00PM	0.52	0.52	ug/L	U
077103	2-Hexanone	N	E84282	8260B	3/7/2006 9:18:00PM	4.4	4.4	ug/L	U
034596	4-Methyl-2-pentanone	N	E84282	8260B	3/7/2006 9:18:00PM	3.8	3.8	ug/L	U
034552	Acetone	N	E84282	8260B	3/7/2006 9:18:00PM	9.9	9.9	ug/L	U
034215	Acrylonitrile	N	E84282	8260B	3/7/2006 9:18:00PM	1.2	1.2	ug/L	U
000610	Ammonia	N	E84282	350.1	2/27/2006 10:43:00AM	0.055	0.04	mg/L	
001097	Antimony	N	E84282	200.7 Rev 4.4	3/6/2006 10:48:00AM	3.6	3.6	ug/L	U
001002	Arsenic	N	E84282	200.7 Rev 4.4	3/6/2006 10:48:00AM	4.8	4.8	ug/L	U
001007	Barium	N	E84282	200.7 Rev 4.4	3/6/2006 10:48:00AM	9.5	1.2	ug/L	I
078124	Benzene	N	E84282	8260B	3/7/2006 9:18:00PM	0.27	0.27	ug/L	U
001012	Beryllium	N	E84282	200.7 Rev 4.4	3/6/2006 10:48:00AM	0.74	0.74	ug/L	U
073085	Bromochloromethane	N	E84282	8260B	3/7/2006 9:18:00PM	0.58	0.58	ug/L	U
032101	Bromodichloromethane	N	E84282	8260B	3/7/2006 9:18:00PM	0.35	0.35	ug/L	U
032104	Bromoform	N	E84282	8260B	3/7/2006 9:18:00PM	0.58	0.58	ug/L	U
034413	Bromomethane	N	E84282	8260B	3/7/2006 9:18:00PM	0.66	0.66	ug/L	U
001027	Cadmium	N	E84282	200.7 Rev 4.4	3/6/2006 10:48:00AM	0.71	0.71	ug/L	U
077041	Carbon disulfide	N	E84282	8260B	3/7/2006 9:18:00PM	0.85	0.85	ug/L	U
032102	Carbon tetrachloride	N	E84282	8260B	3/7/2006 9:18:00PM	0.42	0.42	ug/L	U
000940	Chloride	N	E84282	325.2	2/28/2006 12:40:00PM	5.1	0.9	mg/L	
034301	Chlorobenzene	N	E84282	8260B	3/7/2006 9:18:00PM	0.63	0.63	ug/L	U
034311	Chloroethane	N	E84282	8260B	3/7/2006 9:18:00PM	0.8	0.8	ug/L	U
032106	Chloroform	N	E84282	8260B	3/7/2006 9:18:00PM	0.9	0.9	ug/L	U
034418	Chloromethane	N	E84282	8260B	3/7/2006 9:18:00PM	0.64	0.64	ug/L	U
001034	Chromium	N	E84282	200.7 Rev 4.4	3/6/2006 10:48:00AM	1.7	1.7	ug/L	U
077093	cis-1,2-Dichloroethene	N	E84282	8260B	3/7/2006 9:18:00PM	0.65	0.65	ug/L	U
034704	cis-1,3-Dichloropropene	N	E84282	8260B	3/7/2006 9:18:00PM	0.14	0.14	ug/L	U
001037	Cobalt	N	E84282	200.7 Rev 4.4	3/6/2006 10:48:00AM	1.6	1.6	ug/L	U
001042	Copper	N	E84282	200.7 Rev 4.4	3/6/2006 10:48:00AM	2.9	2.9	ug/L	U
032105	Dibromochloromethane	N	E84282	8260B	3/7/2006 9:18:00PM	0.34	0.34	ug/L	U
034371	Ethylbenzene	N	E84282	8260B	3/7/2006 9:18:00PM	0.44	0.44	ug/L	U
077651	Ethylene Dibromide	N	E84282	504.1	3/7/2006 10:56:00PM	0.0091	0.0091	ug/L	U
'06	Field pH	N	E84282	Field Sampling	2/22/2006 12:32:00PM	4.73		SU	
10	Field Temperature	N	E84282	Field Sampling	2/22/2006 12:32:00PM	18.3		Degrees C	

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 33628
 WACS Testsite ID #: 17207
 WACS Testsite Name: MWB27S
 Water Classification: G-II
C - Leachate, G-II, SW-III(F)

Sample Date/Time: 2/22/2006 12:32:00PM
 Sampling Method: Unknown
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077424	Iodomethane	N	E84282	8260B	3/7/2006 9:18:00PM	0.67	0.67	ug/L	U
001045	Iron	N	E84282	200.7 Rev 4.4	3/6/2006 10:48:00AM	53	22	ug/L	
001051	Lead	N	E84282	200.7 Rev 4.4	3/6/2006 10:48:00AM	1.6	1.6	ug/L	U
071900	Mercury	N	E84282	245.1	3/2/2006 11:57:00AM	0.072	0.072	ug/L	U
081595	Methyl Ethyl Ketone	N	E84282	8260B	3/7/2006 9:18:00PM	8.4	8.4	ug/L	U
077596	Methylene bromide	N	E84282	8260B	3/7/2006 9:18:00PM	0.41	0.41	ug/L	U
034423	Methylene Chloride	N	E84282	8260B	3/7/2006 9:18:00PM	4	4	ug/L	U
001067	Nickel	N	E84282	200.7 Rev 4.4	3/6/2006 10:48:00AM	4.7	4.7	ug/L	U
000620	Nitrate Nitrogen	N	E84282	353.2	2/24/2006 7:45:00AM	0.091	0.01	mg/L	
000299	Oxygen, Dissolved	N	E84282	Field Sampling	2/22/2006 12:32:00PM	1.3		mg/L	
001147	Selenium	N	E84282	200.7 Rev 4.4	3/6/2006 10:48:00AM	5.9	5.9	ug/L	U
001077	Silver	N	E84282	200.7 Rev 4.4	3/6/2006 10:48:00AM	1.9	1.9	ug/L	U
000929	Sodium	N	E84282	200.7 Rev 4.4	3/6/2006 10:48:00AM	2.4	0.31	mg/L	
000094	Specific Conductance	N	E84282	Field Sampling	2/22/2006 12:32:00PM	51		umhos/cm	
077128	Styrene	N	E84282	8260B	3/7/2006 9:18:00PM	0.98	0.98	ug/L	U
034475	Tetrachloroethene	N	E84282	8260B	3/7/2006 9:18:00PM	0.34	0.34	ug/L	U
001059	Thallium	N	E87052	200.8	3/3/2006 5:05:00AM	0.25	0.25	ug/L	U
034010	Toluene	N	E84282	8260B	3/7/2006 9:18:00PM	0.51	0.51	ug/L	U
070300	Total Dissolved Solids	N	E84282	160.1	2/24/2006 3:55:00PM	16	5	mg/L	
034546	trans-1,2-Dichloroethene	N	E84282	8260B	3/7/2006 9:18:00PM	0.44	0.44	ug/L	U
034699	trans-1,3-Dichloropropene	N	E84282	8260B	3/7/2006 9:18:00PM	0.14	0.14	ug/L	U
034623	trans-1,4-Dichloro-2-butene	N	E84282	8260B	3/7/2006 9:18:00PM	2.5	2.5	ug/L	U
034180	Trichloroethene	N	E84282	8260B	3/7/2006 9:18:00PM	0.28	0.28	ug/L	U
034488	Trichlorofluoromethane	N	E84282	8260B	3/7/2006 9:18:00PM	0.98	0.98	ug/L	U
082079	Turbidity	N	E84282	Field Sampling	2/22/2006 12:32:00PM	9.2		NTU	
001087	Vanadium	N	E84282	200.7 Rev 4.4	3/6/2006 10:48:00AM	5.8	2.5	ug/L	I
077057	Vinyl acetate	N	E84282	8260B	3/7/2006 9:18:00PM	1.5	1.5	ug/L	U
039175	Vinyl chloride	N	E84282	8260B	3/7/2006 9:18:00PM	0.5	0.5	ug/L	U
072020	Water Level	N	E84282	Field Sampling	2/22/2006 12:32:00PM	121.68		ft	
081551	Xylenes, Total	N	E84282	8260B	3/7/2006 9:18:00PM	0.3	0.3	ug/L	U
001092	Zinc	N	E84282	200.7 Rev 4.4	3/6/2006 10:48:00AM	5.9	5.9	ug/L	U

Total Parameters Monitored: 75

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Trail Ridge Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 33628
 WACS Testsite ID #: 20105
 WACS Testsite Name: MWB29I
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 2/22/2006 1:20:00PM
 Sampling Method: Unknown
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	3/7/2006 9:42:00PM	0.63	0.63	ug/L	U
034506	1,1,1-Trichloroethane	N	E84282	8260B	3/7/2006 9:42:00PM	0.46	0.46	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	3/7/2006 9:42:00PM	0.14	0.14	ug/L	U
034511	1,1,2-Trichloroethane	N	E84282	8260B	3/7/2006 9:42:00PM	0.47	0.47	ug/L	U
034496	1,1-Dichloroethane	N	E84282	8260B	3/7/2006 9:42:00PM	0.52	0.52	ug/L	U
034501	1,1-Dichloroethene	N	E84282	8260B	3/7/2006 9:42:00PM	0.45	0.45	ug/L	U
077443	1,2,3-Trichloropropane	N	E84282	8260B	3/7/2006 9:42:00PM	0.15	0.15	ug/L	U
038437	1,2-Dibromo-3-Chloropropane	N	E84282	504.1	3/7/2006 11:42:00PM	0.0031	0.0031	ug/L	U
034536	1,2-Dichlorobenzene	N	E84282	8260B	3/7/2006 9:42:00PM	0.44	0.44	ug/L	U
034531	1,2-Dichloroethane	N	E84282	8260B	3/7/2006 9:42:00PM	0.57	0.57	ug/L	U
034541	1,2-Dichloropropane	N	E84282	8260B	3/7/2006 9:42:00PM	0.52	0.52	ug/L	U
034571	1,4-Dichlorobenzene	N	E84282	8260B	3/7/2006 9:42:00PM	0.52	0.52	ug/L	U
077103	2-Hexanone	N	E84282	8260B	3/7/2006 9:42:00PM	4.4	4.4	ug/L	U
034596	4-Methyl-2-pentanone	N	E84282	8260B	3/7/2006 9:42:00PM	3.8	3.8	ug/L	U
034552	Acetone	N	E84282	8260B	3/7/2006 9:42:00PM	9.9	9.9	ug/L	U
034215	Acrylonitrile	N	E84282	8260B	3/7/2006 9:42:00PM	1.2	1.2	ug/L	U
000610	Ammonia	N	E84282	350.1	2/27/2006 10:43:00AM	0.04	0.04	mg/L	U
001097	Antimony	N	E84282	200.7 Rev 4.4	3/6/2006 10:53:00AM	3.6	3.6	ug/L	U
001002	Arsenic	N	E84282	200.7 Rev 4.4	3/6/2006 10:53:00AM	4.8	4.8	ug/L	U
001007	Barium	N	E84282	200.7 Rev 4.4	3/6/2006 10:53:00AM	50	1.2	ug/L	U
078124	Benzene	N	E84282	8260B	3/7/2006 9:42:00PM	0.27	0.27	ug/L	U
001012	Beryllium	N	E84282	200.7 Rev 4.4	3/6/2006 10:53:00AM	0.74	0.74	ug/L	U
073085	Bromochloromethane	N	E84282	8260B	3/7/2006 9:42:00PM	0.58	0.58	ug/L	U
032101	Bromodichloromethane	N	E84282	8260B	3/7/2006 9:42:00PM	0.35	0.35	ug/L	U
032104	Bromoform	N	E84282	8260B	3/7/2006 9:42:00PM	0.58	0.58	ug/L	U
034413	Bromomethane	N	E84282	8260B	3/7/2006 9:42:00PM	0.66	0.66	ug/L	U
001027	Cadmium	N	E84282	200.7 Rev 4.4	3/6/2006 10:53:00AM	0.71	0.71	ug/L	U
077041	Carbon disulfide	N	E84282	8260B	3/7/2006 9:42:00PM	0.85	0.85	ug/L	U
032102	Carbon tetrachloride	N	E84282	8260B	3/7/2006 9:42:00PM	0.42	0.42	ug/L	U
000940	Chloride	N	E84282	325.2	2/28/2006 12:40:00PM	5.5	0.9	mg/L	U
034301	Chlorobenzene	N	E84282	8260B	3/7/2006 9:42:00PM	0.63	0.63	ug/L	U
034311	Chloroethane	N	E84282	8260B	3/7/2006 9:42:00PM	0.8	0.8	ug/L	U
032106	Chloroform	N	E84282	8260B	3/7/2006 9:42:00PM	0.9	0.9	ug/L	U
034418	Chloromethane	N	E84282	8260B	3/7/2006 9:42:00PM	0.64	0.64	ug/L	U
001034	Chromium	N	E84282	200.7 Rev 4.4	3/6/2006 10:53:00AM	1.8	1.7	ug/L	I
077093	cis-1,2-Dichloroethene	N	E84282	8260B	3/7/2006 9:42:00PM	0.65	0.65	ug/L	U
034704	cis-1,3-Dichloropropene	N	E84282	8260B	3/7/2006 9:42:00PM	0.14	0.14	ug/L	U
001037	Cobalt	N	E84282	200.7 Rev 4.4	3/6/2006 10:53:00AM	1.6	1.6	ug/L	U
001042	Copper	N	E84282	200.7 Rev 4.4	3/6/2006 10:53:00AM	2.9	2.9	ug/L	U
032105	Dibromochloromethane	N	E84282	8260B	3/7/2006 9:42:00PM	0.34	0.34	ug/L	U
034371	Ethylbenzene	N	E84282	8260B	3/7/2006 9:42:00PM	0.44	0.44	ug/L	U
077651	Ethylene Dibromide	N	E84282	504.1	3/7/2006 11:42:00PM	0.0091	0.0091	ug/L	U
034596	Field pH	N	E84282	Field Sampling	2/22/2006 1:20:00PM	5.12		SU	
034510	Field Temperature	N	E84282	Field Sampling	2/22/2006 1:20:00PM	21.2		Degrees C	

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 4/6/2006

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 33628
 WACS Testsite ID #: 20105
 WACS Testsite Name: MWB29I
 Water Classification: G-II
 (G - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 2/22/2006 1:20:00PM
 Sampling Method: Unknown
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077424	Iodomethane	N	E84282	8260B	3/7/2006 9:42:00PM	0.67	0.67	ug/L	U
001045	Iron	N	E84282	200.7 Rev 4.4	3/6/2006 10:53:00AM	500	22	ug/L	U
001051	Lead	N	E84282	200.7 Rev 4.4	3/6/2006 10:53:00AM	1.6	1.6	ug/L	U
071900	Mercury	N	E84282	245.1	3/2/2006 11:59:00AM	0.072	0.072	ug/L	U
081595	Methyl Ethyl Ketone	N	E84282	8260B	3/7/2006 9:42:00PM	8.4	8.4	ug/L	U
077596	Methylene bromide	N	E84282	8260B	3/7/2006 9:42:00PM	0.41	0.41	ug/L	U
034423	Methylene Chloride	N	E84282	8260B	3/7/2006 9:42:00PM	4	4	ug/L	U
001067	Nickel	N	E84282	200.7 Rev 4.4	3/6/2006 10:53:00AM	4.7	4.7	ug/L	U
000620	Nitrate Nitrogen	N	E84282	353.2	2/24/2006 7:45:00AM	0.01	0.01	mg/L	U
000299	Oxygen, Dissolved	N	E84282	Field Sampling	2/22/2006 1:20:00PM	1		mg/L	
001147	Selenium	N	E84282	200.7 Rev 4.4	3/6/2006 10:53:00AM	5.9	5.9	ug/L	U
001077	Silver	N	E84282	200.7 Rev 4.4	3/6/2006 10:53:00AM	1.9	1.9	ug/L	U
000929	Sodium	N	E84282	200.7 Rev 4.4	3/6/2006 10:53:00AM	3.3	0.31	mg/L	
000094	Specific Conductance	N	E84282	Field Sampling	2/22/2006 1:20:00PM	41		umhos/cm	
077128	Styrene	N	E84282	8260B	3/7/2006 9:42:00PM	0.98	0.98	ug/L	U
034475	Tetrachloroethene	N	E84282	8260B	3/7/2006 9:42:00PM	0.34	0.34	ug/L	U
001059	Thallium	N	E87052	200.8	3/3/2006 5:41:00AM	0.25	0.25	ug/L	U
034010	Toluene	N	E84282	8260B	3/7/2006 9:42:00PM	0.51	0.51	ug/L	U
070300	Total Dissolved Solids	N	E84282	160.1	3/31/2006 4:25:00PM	28	5	mg/L	Q
034546	trans-1,2-Dichloroethene	N	E84282	8260B	3/7/2006 9:42:00PM	0.44	0.44	ug/L	U
034699	trans-1,3-Dichloropropene	N	E84282	8260B	3/7/2006 9:42:00PM	0.14	0.14	ug/L	U
034699	trans-1,4-Dichloro-2-butene	N	E84282	8260B	3/7/2006 9:42:00PM	2.5	2.5	ug/L	U
034699	Trichloroethene	N	E84282	8260B	3/7/2006 9:42:00PM	0.28	0.28	ug/L	U
034488	Trichlorofluoromethane	N	E84282	8260B	3/7/2006 9:42:00PM	0.98	0.98	ug/L	U
082079	Turbidity	N	E84282	Field Sampling	2/22/2006 1:20:00PM	13.3		NTU	
001087	Vanadium	N	E84282	200.7 Rev 4.4	3/6/2006 10:53:00AM	2.5	2.5	ug/L	U
077057	Vinyl acetate	N	E84282	8260B	3/7/2006 9:42:00PM	1.5	1.5	ug/L	U
039175	Vinyl chloride	N	E84282	8260B	3/7/2006 9:42:00PM	0.5	0.5	ug/L	U
072020	Water Level	N	E84282	Field Sampling	2/22/2006 1:20:00PM	131.62		ft	
081551	Xylenes, Total	N	E84282	8260B	3/7/2006 9:42:00PM	0.3	0.3	ug/L	U
001092	Zinc	N	E84282	200.7 Rev 4.4	3/6/2006 10:53:00AM	5.9	5.9	ug/L	U

Total Parameters Monitored: 75

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Trail Ridge Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 33628
 WACS Testsite ID #: 20106
 WACS Testsite Name: MWB29D
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-III(F))

Sample Date/Time: 2/22/2006 1:36:00PM
 Sampling Method: Unknown
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	3/7/2006 10:07:00PM	0.63	0.63	ug/L	U
034506	1,1,1-Trichloroethane	N	E84282	8260B	3/7/2006 10:07:00PM	0.46	0.46	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	3/7/2006 10:07:00PM	0.14	0.14	ug/L	U
034511	1,1,2-Trichloroethane	N	E84282	8260B	3/7/2006 10:07:00PM	0.47	0.47	ug/L	U
034496	1,1-Dichloroethane	N	E84282	8260B	3/7/2006 10:07:00PM	0.52	0.52	ug/L	U
034501	1,1-Dichloroethene	N	E84282	8260B	3/7/2006 10:07:00PM	0.45	0.45	ug/L	U
077443	1,2,3-Trichloropropane	N	E84282	8260B	3/7/2006 10:07:00PM	0.15	0.15	ug/L	U
038437	1,2-Dibromo-3-Chloropropane	N	E84282	504.1	3/8/2006 12:05:00AM	0.0031	0.0031	ug/L	U
034536	1,2-Dichlorobenzene	N	E84282	8260B	3/7/2006 10:07:00PM	0.44	0.44	ug/L	U
034531	1,2-Dichloroethane	N	E84282	8260B	3/7/2006 10:07:00PM	0.57	0.57	ug/L	U
034541	1,2-Dichloropropane	N	E84282	8260B	3/7/2006 10:07:00PM	0.52	0.52	ug/L	U
034571	1,4-Dichlorobenzene	N	E84282	8260B	3/7/2006 10:07:00PM	0.52	0.52	ug/L	U
077103	2-Hexanone	N	E84282	8260B	3/7/2006 10:07:00PM	4.4	4.4	ug/L	U
077596	4-Methyl-2-pentanone	N	E84282	8260B	3/7/2006 10:07:00PM	3.8	3.8	ug/L	U
077552	Acetone	N	E84282	8260B	3/7/2006 10:07:00PM	9.9	9.9	ug/L	U
034215	Acrylonitrile	N	E84282	8260B	3/7/2006 10:07:00PM	1.2	1.2	ug/L	U
000610	Ammonia	N	E84282	350.1	2/27/2006 10:43:00AM	0.08	0.04	mg/L	
001097	Antimony	N	E84282	200.7 Rev 4.4	3/6/2006 11:13:00AM	3.6	3.6	ug/L	U
001002	Arsenic	N	E84282	200.7 Rev 4.4	3/6/2006 11:13:00AM	4.8	4.8	ug/L	U
001007	Barium	N	E84282	200.7 Rev 4.4	3/6/2006 11:13:00AM	54	1.2	ug/L	
078124	Benzene	N	E84282	8260B	3/7/2006 10:07:00PM	0.27	0.27	ug/L	U
001012	Beryllium	N	E84282	200.7 Rev 4.4	3/6/2006 11:13:00AM	0.74	0.74	ug/L	U
073085	Bromochloromethane	N	E84282	8260B	3/7/2006 10:07:00PM	0.58	0.58	ug/L	U
032101	Bromodichloromethane	N	E84282	8260B	3/7/2006 10:07:00PM	0.35	0.35	ug/L	U
032104	Bromoform	N	E84282	8260B	3/7/2006 10:07:00PM	0.58	0.58	ug/L	U
034413	Bromomethane	N	E84282	8260B	3/7/2006 10:07:00PM	0.66	0.66	ug/L	U
001027	Cadmium	N	E84282	200.7 Rev 4.4	3/6/2006 11:13:00AM	0.71	0.71	ug/L	U
077041	Carbon disulfide	N	E84282	8260B	3/7/2006 10:07:00PM	0.85	0.85	ug/L	U
032102	Carbon tetrachloride	N	E84282	8260B	3/7/2006 10:07:00PM	0.42	0.42	ug/L	U
000940	Chloride	N	E84282	325.2	2/28/2006 12:40:00PM	5.8	0.9	mg/L	
034301	Chlorobenzene	N	E84282	8260B	3/7/2006 10:07:00PM	0.63	0.63	ug/L	U
034311	Chloroethane	N	E84282	8260B	3/7/2006 10:07:00PM	0.8	0.8	ug/L	U
032106	Chloroform	N	E84282	8260B	3/7/2006 10:07:00PM	0.9	0.9	ug/L	U
034418	Chloromethane	N	E84282	8260B	3/7/2006 10:07:00PM	0.64	0.64	ug/L	U
001034	Chromium	N	E84282	200.7 Rev 4.4	3/6/2006 11:13:00AM	1.7	1.7	ug/L	U
077093	cis-1,2-Dichloroethene	N	E84282	8260B	3/7/2006 10:07:00PM	0.65	0.65	ug/L	U
034704	cis-1,3-Dichloropropene	N	E84282	8260B	3/7/2006 10:07:00PM	0.14	0.14	ug/L	U
001037	Cobalt	N	E84282	200.7 Rev 4.4	3/6/2006 11:13:00AM	1.6	1.6	ug/L	U
001042	Copper	N	E84282	200.7 Rev 4.4	3/6/2006 11:13:00AM	2.9	2.9	ug/L	U
032105	Dibromochloromethane	N	E84282	8260B	3/7/2006 10:07:00PM	0.34	0.34	ug/L	U
034371	Ethylbenzene	N	E84282	8260B	3/7/2006 10:07:00PM	0.44	0.44	ug/L	U
077651	Ethylene Dibromide	N	E84282	504.1	3/8/2006 12:05:00AM	0.0089	0.0089	ug/L	U
'06	Field pH	N	E84282	Field Sampling	2/22/2006 1:36:00PM	5.68		SU	
10	Field Temperature	N	E84282	Field Sampling	2/22/2006 1:36:00PM	20		Degrees C	

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 33628
 WACS Testsite ID #: 20106
 WACS Testsite Name: MWB29D
 Water Classification: G-II
G - Leachate, G-II, SW-III(F)

Sample Date/Time: 2/22/2006 1:36:00PM
 Sampling Method: Unknown
 Permitted Well Type: CO - Compliance

Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077424	Iodomethane	N	E84282	8260B	3/7/2006 10:07:00PM	0.67	0.67	ug/L	U
001045	Iron	N	E84282	200.7 Rev 4.4	3/6/2006 11:13:00AM	830	22	ug/L	U
001051	Lead	N	E84282	200.7 Rev 4.4	3/6/2006 11:13:00AM	1.6	1.6	ug/L	U
071900	Mercury	N	E84282	245.1	3/2/2006 12:01:00PM	0.072	0.072	ug/L	U
081595	Methyl Ethyl Ketone	N	E84282	8260B	3/7/2006 10:07:00PM	8.4	8.4	ug/L	U
077596	Methylene bromide	N	E84282	8260B	3/7/2006 10:07:00PM	0.41	0.41	ug/L	U
034423	Methylene Chloride	N	E84282	8260B	3/7/2006 10:07:00PM	4	4	ug/L	U
001067	Nickel	N	E84282	200.7 Rev 4.4	3/6/2006 11:13:00AM	4.7	4.7	ug/L	U
000620	Nitrate Nitrogen	N	E84282	353.2	2/24/2006 7:45:00AM	0.01	0.01	mg/L	U
000299	Oxygen, Dissolved	N	E84282	Field Sampling	2/22/2006 1:36:00PM	0.9		mg/L	U
001147	Selenium	N	E84282	200.7 Rev 4.4	3/6/2006 11:13:00AM	5.9	5.9	ug/L	U
001077	Silver	N	E84282	200.7 Rev 4.4	3/6/2006 11:13:00AM	1.9	1.9	ug/L	U
000929	Sodium	N	E84282	200.7 Rev 4.4	3/6/2006 11:13:00AM	3.6	0.31	mg/L	U
000094	Specific Conductance	N	E84282	Field Sampling	2/22/2006 1:36:00PM	66		umhos/cm	U
077128	Styrene	N	E84282	8260B	3/7/2006 10:07:00PM	0.98	0.98	ug/L	U
034475	Tetrachloroethene	N	E84282	8260B	3/7/2006 10:07:00PM	0.34	0.34	ug/L	U
001059	Thallium	N	E87052	200.8	3/3/2006 5:49:00AM	0.25	0.25	ug/L	U
034010	Toluene	N	E84282	8260B	3/7/2006 10:07:00PM	0.51	0.51	ug/L	U
070300	Total Dissolved Solids	N	E84282	160.1	2/24/2006 3:55:00PM	24	5	mg/L	U
034546	trans-1,2-Dichloroethene	N	E84282	8260B	3/7/2006 10:07:00PM	0.44	0.44	ug/L	U
034699	trans-1,3-Dichloropropene	N	E84282	8260B	3/7/2006 10:07:00PM	0.14	0.14	ug/L	U
263	trans-1,4-Dichloro-2-butene	N	E84282	8260B	3/7/2006 10:07:00PM	2.5	2.5	ug/L	U
180	Trichloroethene	N	E84282	8260B	3/7/2006 10:07:00PM	0.28	0.28	ug/L	U
034488	Trichlorofluoromethane	N	E84282	8260B	3/7/2006 10:07:00PM	0.98	0.98	ug/L	U
082079	Turbidity	N	E84282	Field Sampling	2/22/2006 1:36:00PM	1.3		NTU	U
001087	Vanadium	N	E84282	200.7 Rev 4.4	3/6/2006 11:13:00AM	2.5	2.5	ug/L	U
077057	Vinyl acetate	N	E84282	8260B	3/7/2006 10:07:00PM	1.5	1.5	ug/L	U
039175	Vinyl chloride	N	E84282	8260B	3/7/2006 10:07:00PM	0.5	0.5	ug/L	U
072020	Water Level	N	E84282	Field Sampling	2/22/2006 1:36:00PM	131.6		ft	U
081551	Xylenes, Total	N	E84282	8260B	3/7/2006 10:07:00PM	0.3	0.3	ug/L	U
001092	Zinc	N	E84282	200.7 Rev 4.4	3/6/2006 11:13:00AM	5.9	5.9	ug/L	U

Total Parameters Monitored: 75

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Trail Ridge Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 33628
 WACS Testsite ID #: 20104
 WACS Testsite Name: MWB29S
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-III(F))

Sample Date/Time: 2/22/2006 1:55:00PM
 Sampling Method: Unknown
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	3/7/2006 10:32:00PM	0.63	0.63	ug/L	U
034506	1,1,1-Trichloroethane	N	E84282	8260B	3/7/2006 10:32:00PM	0.46	0.46	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	3/7/2006 10:32:00PM	0.14	0.14	ug/L	U
034511	1,1,2-Trichloroethane	N	E84282	8260B	3/7/2006 10:32:00PM	0.47	0.47	ug/L	U
034496	1,1-Dichloroethane	N	E84282	8260B	3/7/2006 10:32:00PM	0.52	0.52	ug/L	U
034501	1,1-Dichloroethene	N	E84282	8260B	3/7/2006 10:32:00PM	0.45	0.45	ug/L	U
077443	1,2,3-Trichloropropane	N	E84282	8260B	3/7/2006 10:32:00PM	0.15	0.15	ug/L	U
038437	1,2-Dibromo-3-Chloropropane	N	E84282	504.1	3/8/2006 12:28:00AM	0.0032	0.0032	ug/L	U
034536	1,2-Dichlorobenzene	N	E84282	8260B	3/7/2006 10:32:00PM	0.44	0.44	ug/L	U
034531	1,2-Dichloroethane	N	E84282	8260B	3/7/2006 10:32:00PM	0.57	0.57	ug/L	U
034541	1,2-Dichloropropane	N	E84282	8260B	3/7/2006 10:32:00PM	0.52	0.52	ug/L	U
034571	1,4-Dichlorobenzene	N	E84282	8260B	3/7/2006 10:32:00PM	0.52	0.52	ug/L	U
077103	2-Hexanone	N	E84282	8260B	3/7/2006 10:32:00PM	4.4	4.4	ug/L	U
596	4-Methyl-2-pentanone	N	E84282	8260B	3/7/2006 10:32:00PM	3.8	3.8	ug/L	U
552	Acetone	N	E84282	8260B	3/7/2006 10:32:00PM	9.9	9.9	ug/L	U
034215	Acrylonitrile	N	E84282	8260B	3/7/2006 10:32:00PM	1.2	1.2	ug/L	U
000610	Ammonia	N	E84282	350.1	2/27/2006 10:43:00AM	0.04	0.04	mg/L	U
001097	Antimony	N	E84282	200.7 Rev 4.4	3/6/2006 11:19:00AM	3.6	3.6	ug/L	U
001002	Arsenic	N	E84282	200.7 Rev 4.4	3/6/2006 11:19:00AM	4.8	4.8	ug/L	U
001007	Barium	N	E84282	200.7 Rev 4.4	3/6/2006 11:19:00AM	10	1.2	ug/L	U
078124	Benzene	N	E84282	8260B	3/7/2006 10:32:00PM	0.27	0.27	ug/L	U
001012	Beryllium	N	E84282	200.7 Rev 4.4	3/6/2006 11:19:00AM	0.74	0.74	ug/L	U
073085	Bromochloromethane	N	E84282	8260B	3/7/2006 10:32:00PM	0.58	0.58	ug/L	U
032101	Bromodichloromethane	N	E84282	8260B	3/7/2006 10:32:00PM	0.35	0.35	ug/L	U
032104	Bromoform	N	E84282	8260B	3/7/2006 10:32:00PM	0.58	0.58	ug/L	U
034413	Bromomethane	N	E84282	8260B	3/7/2006 10:32:00PM	0.66	0.66	ug/L	U
001027	Cadmium	N	E84282	200.7 Rev 4.4	3/6/2006 11:19:00AM	0.71	0.71	ug/L	U
077041	Carbon disulfide	N	E84282	8260B	3/7/2006 10:32:00PM	0.85	0.85	ug/L	U
032102	Carbon tetrachloride	N	E84282	8260B	3/7/2006 10:32:00PM	0.42	0.42	ug/L	U
000940	Chloride	N	E84282	325.2	2/28/2006 12:40:00PM	6.9	0.9	mg/L	U
034301	Chlorobenzene	N	E84282	8260B	3/7/2006 10:32:00PM	0.63	0.63	ug/L	U
034311	Chloroethane	N	E84282	8260B	3/7/2006 10:32:00PM	0.8	0.8	ug/L	U
032106	Chloroform	N	E84282	8260B	3/7/2006 10:32:00PM	0.9	0.9	ug/L	U
034418	Chloromethane	N	E84282	8260B	3/7/2006 10:32:00PM	0.64	0.64	ug/L	U
001034	Chromium	N	E84282	200.7 Rev 4.4	3/6/2006 11:19:00AM	1.7	1.7	ug/L	U
077093	cis-1,2-Dichloroethene	N	E84282	8260B	3/7/2006 10:32:00PM	0.65	0.65	ug/L	U
034704	cis-1,3-Dichloropropene	N	E84282	8260B	3/7/2006 10:32:00PM	0.14	0.14	ug/L	U
001037	Cobalt	N	E84282	200.7 Rev 4.4	3/6/2006 11:19:00AM	2.3	1.6	ug/L	I
001042	Copper	N	E84282	200.7 Rev 4.4	3/6/2006 11:19:00AM	2.9	2.9	ug/L	U
032105	Dibromochloromethane	N	E84282	8260B	3/7/2006 10:32:00PM	0.34	0.34	ug/L	U
034371	Ethylbenzene	N	E84282	8260B	3/7/2006 10:32:00PM	0.44	0.44	ug/L	U
077651	Ethylene Dibromide	N	E84282	504.1	3/8/2006 12:28:00AM	0.0092	0.0092	ug/L	U
106	Field pH	N	E84282	Field Sampling	2/22/2006 1:55:00PM	4.62		SU	
10	Field Temperature	N	E84282	Field Sampling	2/22/2006 1:55:00PM	16.6		Degrees C	

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 33628
 WACS Testsite ID #: 20104
 WACS Testsite Name: MWB29S
 Water Classification: G-II
C - Leachate, G-II, SW-III(F)

Sample Date/Time: 2/22/2006 1:55:00PM
 Sampling Method: Unknown
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077424	Iodomethane	N	E84282	8260B	3/7/2006 10:32:00PM	0.67	0.67	ug/L	U
001045	Iron	N	E84282	200.7 Rev 4.4	3/6/2006 11:19:00AM	350	22	ug/L	
001051	Lead	N	E84282	200.7 Rev 4.4	3/6/2006 11:19:00AM	1.6	1.6	ug/L	U
071900	Mercury	N	E84282	245.1	3/2/2006 12:03:00PM	0.072	0.072	ug/L	U
081595	Methyl Ethyl Ketone	N	E84282	8260B	3/7/2006 10:32:00PM	8.4	8.4	ug/L	U
077596	Methylene bromide	N	E84282	8260B	3/7/2006 10:32:00PM	0.41	0.41	ug/L	U
034423	Methylene Chloride	N	E84282	8260B	3/7/2006 10:32:00PM	4	4	ug/L	U
001067	Nickel	N	E84282	200.7 Rev 4.4	3/6/2006 11:19:00AM	4.7	4.7	ug/L	U
000620	Nitrate Nitrogen	N	E84282	353.2	2/24/2006 7:45:00AM	0.01	0.01	mg/L	U
000299	Oxygen, Dissolved	N	E84282	Field Sampling	2/22/2006 1:55:00PM	1.5		mg/L	
001147	Selenium	N	E84282	200.7 Rev 4.4	3/6/2006 11:19:00AM	5.9	5.9	ug/L	U
001077	Silver	N	E84282	200.7 Rev 4.4	3/6/2006 11:19:00AM	1.9	1.9	ug/L	U
000929	Sodium	N	E84282	200.7 Rev 4.4	3/6/2006 11:19:00AM	3.8	0.31	mg/L	
000094	Specific Conductance	N	E84282	Field Sampling	2/22/2006 1:55:00PM	44		umhos/cm	
077128	Styrene	N	E84282	8260B	3/7/2006 10:32:00PM	0.98	0.98	ug/L	U
034475	Tetrachloroethene	N	E84282	8260B	3/7/2006 10:32:00PM	0.34	0.34	ug/L	U
001059	Thallium	N	E87052	200.8	3/3/2006 5:56:00AM	0.25	0.25	ug/L	U
034010	Toluene	N	E84282	8260B	3/7/2006 10:32:00PM	0.51	0.51	ug/L	U
070300	Total Dissolved Solids	N	E84282	160.1	3/31/2006 4:25:00PM	38	5	mg/L	Q
034546	trans-1,2-Dichloroethene	N	E84282	8260B	3/7/2006 10:32:00PM	0.44	0.44	ug/L	U
034699	trans-1,3-Dichloropropene	N	E84282	8260B	3/7/2006 10:32:00PM	0.14	0.14	ug/L	U
0263	trans-1,4-Dichloro-2-butene	N	E84282	8260B	3/7/2006 10:32:00PM	2.5	2.5	ug/L	U
180	Trichloroethene	N	E84282	8260B	3/7/2006 10:32:00PM	0.28	0.28	ug/L	U
034488	Trichlorofluoromethane	N	E84282	8260B	3/7/2006 10:32:00PM	0.98	0.98	ug/L	U
082079	Turbidity	N	E84282	Field Sampling	2/22/2006 1:55:00PM	1.5		NTU	
001087	Vanadium	N	E84282	200.7 Rev 4.4	3/6/2006 11:19:00AM	2.5	2.5	ug/L	U
077057	Vinyl acetate	N	E84282	8260B	3/7/2006 10:32:00PM	1.5	1.5	ug/L	U
039175	Vinyl chloride	N	E84282	8260B	3/7/2006 10:32:00PM	0.5	0.5	ug/L	U
072020	Water Level	N	E84282	Field Sampling	2/22/2006 1:55:00PM	129.86		ft	
081551	Xylenes, Total	N	E84282	8260B	3/7/2006 10:32:00PM	0.3	0.3	ug/L	U
001092	Zinc	N	E84282	200.7 Rev 4.4	3/6/2006 11:19:00AM	5.9	5.9	ug/L	U

Total Parameters Monitored: 75

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Trail Ridge Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 33628
 WACS Testsite ID #: 17180
 WACS Testsite Name: MWB21
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-III(F))

Sample Date/Time: 2/22/2006 2:31:00PM
 Sampling Method: Unknown
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	3/7/2006 10:57:00PM	0.63	0.63	ug/L	U
034506	1,1,1-Trichloroethane	N	E84282	8260B	3/7/2006 10:57:00PM	0.46	0.46	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	3/7/2006 10:57:00PM	0.14	0.14	ug/L	U
034511	1,1,2-Trichloroethane	N	E84282	8260B	3/7/2006 10:57:00PM	0.47	0.47	ug/L	U
034496	1,1-Dichloroethane	N	E84282	8260B	3/7/2006 10:57:00PM	0.52	0.52	ug/L	U
034501	1,1-Dichloroethene	N	E84282	8260B	3/7/2006 10:57:00PM	0.45	0.45	ug/L	U
077443	1,2,3-Trichloropropane	N	E84282	8260B	3/7/2006 10:57:00PM	0.15	0.15	ug/L	U
038437	1,2-Dibromo-3-Chloropropane	N	E84282	504.1	3/8/2006 12:51:00AM	0.0031	0.0031	ug/L	U
034536	1,2-Dichlorobenzene	N	E84282	8260B	3/7/2006 10:57:00PM	0.44	0.44	ug/L	U
034531	1,2-Dichloroethane	N	E84282	8260B	3/7/2006 10:57:00PM	0.57	0.57	ug/L	U
034541	1,2-Dichloropropane	N	E84282	8260B	3/7/2006 10:57:00PM	0.52	0.52	ug/L	U
034571	1,4-Dichlorobenzene	N	E84282	8260B	3/7/2006 10:57:00PM	0.52	0.52	ug/L	U
077103	2-Hexanone	N	E84282	8260B	3/7/2006 10:57:00PM	4.4	4.4	ug/L	U
077596	4-Methyl-2-pentanone	N	E84282	8260B	3/7/2006 10:57:00PM	3.8	3.8	ug/L	U
077552	Acetone	N	E84282	8260B	3/7/2006 10:57:00PM	9.9	9.9	ug/L	U
034215	Acrylonitrile	N	E84282	8260B	3/7/2006 10:57:00PM	1.2	1.2	ug/L	U
000610	Ammonia	N	E84282	350.1	2/27/2006 10:43:00AM	0.04	0.04	mg/L	U
001097	Antimony	N	E84282	200.7 Rev 4.4	3/6/2006 11:25:00AM	3.6	3.6	ug/L	U
001002	Arsenic	N	E84282	200.7 Rev 4.4	3/6/2006 11:25:00AM	4.8	4.8	ug/L	U
001007	Barium	N	E84282	200.7 Rev 4.4	3/6/2006 11:25:00AM	21	1.2	ug/L	U
078124	Benzene	N	E84282	8260B	3/7/2006 10:57:00PM	0.27	0.27	ug/L	U
001012	Beryllium	N	E84282	200.7 Rev 4.4	3/6/2006 11:25:00AM	0.74	0.74	ug/L	U
073085	Bromochloromethane	N	E84282	8260B	3/7/2006 10:57:00PM	0.58	0.58	ug/L	U
032101	Bromodichloromethane	N	E84282	8260B	3/7/2006 10:57:00PM	0.35	0.35	ug/L	U
032104	Bromoform	N	E84282	8260B	3/7/2006 10:57:00PM	0.58	0.58	ug/L	U
034413	Bromomethane	N	E84282	8260B	3/7/2006 10:57:00PM	0.66	0.66	ug/L	U
001027	Cadmium	N	E84282	200.7 Rev 4.4	3/6/2006 11:25:00AM	0.71	0.71	ug/L	U
077041	Carbon disulfide	N	E84282	8260B	3/7/2006 10:57:00PM	0.85	0.85	ug/L	U
032102	Carbon tetrachloride	N	E84282	8260B	3/7/2006 10:57:00PM	0.42	0.42	ug/L	U
000940	Chloride	N	E84282	325.2	2/28/2006 12:40:00PM	6.4	0.9	mg/L	U
034301	Chlorobenzene	N	E84282	8260B	3/7/2006 10:57:00PM	0.63	0.63	ug/L	U
034311	Chloroethane	N	E84282	8260B	3/7/2006 10:57:00PM	0.8	0.8	ug/L	U
032106	Chloroform	N	E84282	8260B	3/7/2006 10:57:00PM	0.9	0.9	ug/L	U
034418	Chloromethane	N	E84282	8260B	3/7/2006 10:57:00PM	0.64	0.64	ug/L	U
001034	Chromium	N	E84282	200.7 Rev 4.4	3/6/2006 11:25:00AM	1.7	1.7	ug/L	U
077093	cis-1,2-Dichloroethene	N	E84282	8260B	3/7/2006 10:57:00PM	0.65	0.65	ug/L	U
034704	cis-1,3-Dichloropropene	N	E84282	8260B	3/7/2006 10:57:00PM	0.14	0.14	ug/L	U
001037	Cobalt	N	E84282	200.7 Rev 4.4	3/6/2006 11:25:00AM	1.6	1.6	ug/L	U
001042	Copper	N	E84282	200.7 Rev 4.4	3/6/2006 11:25:00AM	2.9	2.9	ug/L	U
032105	Dibromochloromethane	N	E84282	8260B	3/7/2006 10:57:00PM	0.34	0.34	ug/L	U
034371	Ethylbenzene	N	E84282	8260B	3/7/2006 10:57:00PM	0.44	0.44	ug/L	U
077651	Ethylene Dibromide	N	E84282	504.1	3/8/2006 12:51:00AM	0.009	0.009	ug/L	U
06	Field pH	N	E84282	Field Sampling	2/22/2006 2:31:00PM	4.83		SU	
10	Field Temperature	N	E84282	Field Sampling	2/22/2006 2:31:00PM	21.3		Degrees C	

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 33628
 WACS Testsite ID #: 17180
 WACS Testsite Name: MWB21
 Water Classification: G-II
(Leachate, G-II, SW-III(F))

Sample Date/Time: 2/22/2006 2:31:00PM
 Sampling Method: Unknown
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077424	Iodomethane	N	E84282	8260B	3/7/2006 10:57:00PM	0.67	0.67	ug/L	U
001045	Iron	N	E84282	200.7 Rev 4.4	3/6/2006 11:25:00AM	360	22	ug/L	
001051	Lead	N	E84282	200.7 Rev 4.4	3/6/2006 11:25:00AM	1.6	1.6	ug/L	U
071900	Mercury	N	E84282	245.1	3/2/2006 12:05:00PM	0.072	0.072	ug/L	U
081595	Methyl Ethyl Ketone	N	E84282	8260B	3/7/2006 10:57:00PM	8.4	8.4	ug/L	U
077596	Methylene bromide	N	E84282	8260B	3/7/2006 10:57:00PM	0.41	0.41	ug/L	U
034423	Methylene Chloride	N	E84282	8260B	3/7/2006 10:57:00PM	4	4	ug/L	U
001067	Nickel	N	E84282	200.7 Rev 4.4	3/6/2006 11:25:00AM	4.7	4.7	ug/L	U
000620	Nitrate Nitrogen	N	E84282	353.2	2/24/2006 7:45:00AM	0.01	0.01	mg/L	U
000299	Oxygen, Dissolved	N	E84282	Field Sampling	2/22/2006 2:31:00PM	1.1		mg/L	
001147	Selenium	N	E84282	200.7 Rev 4.4	3/6/2006 11:25:00AM	5.9	5.9	ug/L	U
001077	Silver	N	E84282	200.7 Rev 4.4	3/6/2006 11:25:00AM	1.9	1.9	ug/L	U
000929	Sodium	N	E84282	200.7 Rev 4.4	3/6/2006 11:25:00AM	4	0.31	mg/L	
000094	Specific Conductance	N	E84282	Field Sampling	2/22/2006 2:31:00PM	38		umhos/cm	
077128	Styrene	N	E84282	8260B	3/7/2006 10:57:00PM	0.98	0.98	ug/L	U
034475	Tetrachloroethene	N	E84282	8260B	3/7/2006 10:57:00PM	0.34	0.34	ug/L	U
001059	Thallium	N	E87052	200.8	3/3/2006 6:03:00AM	0.25	0.25	ug/L	U
034010	Toluene	N	E84282	8260B	3/7/2006 10:57:00PM	0.51	0.51	ug/L	U
070300	Total Dissolved Solids	N	E84282	160.1	3/31/2006 4:25:00PM	42	5	mg/L	Q
034546	trans-1,2-Dichloroethene	N	E84282	8260B	3/7/2006 10:57:00PM	0.44	0.44	ug/L	U
034699	trans-1,3-Dichloropropene	N	E84282	8260B	3/7/2006 10:57:00PM	0.14	0.14	ug/L	U
034699	trans-1,4-Dichloro-2-butene	N	E84282	8260B	3/7/2006 10:57:00PM	2.5	2.5	ug/L	U
034699	trans-1,4-Dichloro-2-butene	N	E84282	8260B	3/7/2006 10:57:00PM	2.5	2.5	ug/L	U
034488	Trichloroethene	N	E84282	8260B	3/7/2006 10:57:00PM	0.28	0.28	ug/L	U
034488	Trichlorofluoromethane	N	E84282	8260B	3/7/2006 10:57:00PM	0.98	0.98	ug/L	U
082079	Turbidity	N	E84282	Field Sampling	2/22/2006 2:31:00PM	1		NTU	
001087	Vanadium	N	E84282	200.7 Rev 4.4	3/6/2006 11:25:00AM	2.5	2.5	ug/L	U
077057	Vinyl acetate	N	E84282	8260B	3/7/2006 10:57:00PM	1.5	1.5	ug/L	U
039175	Vinyl chloride	N	E84282	8260B	3/7/2006 10:57:00PM	0.5	0.5	ug/L	U
072020	Water Level	N	E84282	Field Sampling	2/22/2006 2:31:00PM	135.75		ft	
081551	Xylenes, Total	N	E84282	8260B	3/7/2006 10:57:00PM	0.3	0.3	ug/L	U
001092	Zinc	N	E84282	200.7 Rev 4.4	3/6/2006 11:25:00AM	5.9	5.9	ug/L	U

Total Parameters Monitored: 75

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Trail Ridge Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 33628
 WACS Testsite ID #: 17181
 WACS Testsite Name: MWB2S
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 2/22/2006 3:17:00PM
 Sampling Method: Unknown
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	3/7/2006 11:22:00PM	0.63	0.63	ug/L	U
034506	1,1,1-Trichloroethane	N	E84282	8260B	3/7/2006 11:22:00PM	0.46	0.46	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	3/7/2006 11:22:00PM	0.14	0.14	ug/L	U
034511	1,1,2-Trichloroethane	N	E84282	8260B	3/7/2006 11:22:00PM	0.47	0.47	ug/L	U
034496	1,1-Dichloroethane	N	E84282	8260B	3/7/2006 11:22:00PM	0.52	0.52	ug/L	U
034501	1,1-Dichloroethene	N	E84282	8260B	3/7/2006 11:22:00PM	0.45	0.45	ug/L	U
077443	1,2,3-Trichloropropane	N	E84282	8260B	3/7/2006 11:22:00PM	0.15	0.15	ug/L	U
038437	1,2-Dibromo-3-Chloropropane	N	E84282	504.1	3/8/2006 1:15:00AM	0.0031	0.0031	ug/L	U
034536	1,2-Dichlorobenzene	N	E84282	8260B	3/7/2006 11:22:00PM	0.44	0.44	ug/L	U
034531	1,2-Dichloroethane	N	E84282	8260B	3/7/2006 11:22:00PM	0.57	0.57	ug/L	U
034541	1,2-Dichloropropane	N	E84282	8260B	3/7/2006 11:22:00PM	0.52	0.52	ug/L	U
034571	1,4-Dichlorobenzene	N	E84282	8260B	3/7/2006 11:22:00PM	0.52	0.52	ug/L	U
077103	2-Hexanone	N	E84282	8260B	3/7/2006 11:22:00PM	4.4	4.4	ug/L	U
96	4-Methyl-2-pentanone	N	E84282	8260B	3/7/2006 11:22:00PM	3.8	3.8	ug/L	U
52	Acetone	N	E84282	8260B	3/7/2006 11:22:00PM	9.9	9.9	ug/L	U
034215	Acrylonitrile	N	E84282	8260B	3/7/2006 11:22:00PM	1.2	1.2	ug/L	U
000610	Ammonia	N	E84282	350.1	2/28/2006 4:40:00PM	0.04	0.04	mg/L	U
001097	Antimony	N	E84282	200.7 Rev 4.4	3/6/2006 11:30:00AM	3.6	3.6	ug/L	U
001002	Arsenic	N	E84282	200.7 Rev 4.4	3/6/2006 11:30:00AM	4.8	4.8	ug/L	U
001007	Barium	N	E84282	200.7 Rev 4.4	3/6/2006 11:30:00AM	15	1.2	ug/L	U
078124	Benzene	N	E84282	8260B	3/7/2006 11:22:00PM	0.27	0.27	ug/L	U
001012	Beryllium	N	E84282	200.7 Rev 4.4	3/6/2006 11:30:00AM	0.74	0.74	ug/L	U
073085	Bromochloromethane	N	E84282	8260B	3/7/2006 11:22:00PM	0.58	0.58	ug/L	U
032101	Bromodichloromethane	N	E84282	8260B	3/7/2006 11:22:00PM	0.35	0.35	ug/L	U
032104	Bromoform	N	E84282	8260B	3/7/2006 11:22:00PM	0.58	0.58	ug/L	U
034413	Bromomethane	N	E84282	8260B	3/7/2006 11:22:00PM	0.66	0.66	ug/L	U
001027	Cadmium	N	E84282	200.7 Rev 4.4	3/6/2006 11:30:00AM	0.71	0.71	ug/L	U
077041	Carbon disulfide	N	E84282	8260B	3/7/2006 11:22:00PM	0.85	0.85	ug/L	U
032102	Carbon tetrachloride	N	E84282	8260B	3/7/2006 11:22:00PM	0.42	0.42	ug/L	U
000940	Chloride	N	E84282	325.2	2/28/2006 12:40:00PM	4.8	0.9	mg/L	U
034301	Chlorobenzene	N	E84282	8260B	3/7/2006 11:22:00PM	0.63	0.63	ug/L	U
034311	Chloroethane	N	E84282	8260B	3/7/2006 11:22:00PM	0.8	0.8	ug/L	U
032106	Chloroform	N	E84282	8260B	3/7/2006 11:22:00PM	0.9	0.9	ug/L	U
034418	Chloromethane	N	E84282	8260B	3/7/2006 11:22:00PM	0.64	0.64	ug/L	U
001034	Chromium	N	E84282	200.7 Rev 4.4	3/6/2006 11:30:00AM	1.7	1.7	ug/L	U
077093	cis-1,2-Dichloroethene	N	E84282	8260B	3/7/2006 11:22:00PM	0.65	0.65	ug/L	U
034704	cis-1,3-Dichloropropene	N	E84282	8260B	3/7/2006 11:22:00PM	0.14	0.14	ug/L	U
001037	Cobalt	N	E84282	200.7 Rev 4.4	3/6/2006 11:30:00AM	1.6	1.6	ug/L	U
001042	Copper	N	E84282	200.7 Rev 4.4	3/6/2006 11:30:00AM	2.9	2.9	ug/L	U
032105	Dibromochloromethane	N	E84282	8260B	3/7/2006 11:22:00PM	0.34	0.34	ug/L	U
034371	Ethylbenzene	N	E84282	8260B	3/7/2006 11:22:00PM	0.44	0.44	ug/L	U
077651	Ethylene Dibromide	N	E84282	504.1	3/8/2006 1:15:00AM	0.009	0.009	ug/L	U
06	Field pH	N	E84282	Field Sampling	2/22/2006 3:17:00PM	4.48		SU	
10	Field Temperature	N	E84282	Field Sampling	2/22/2006 3:17:00PM	18.3		Degrees C	

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 33628
 WACS Testsite ID #: 17181
 WACS Testsite Name: MWB2S
 Water Classification: G-II
(S - Leachate, G-II, SW-III(F))

Sample Date/Time: 2/22/2006 3:17:00PM
 Sampling Method: Unknown
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077424	Iodomethane	N	E84282	8260B	3/7/2006 11:22:00PM	0.67	0.67	ug/L	U
001045	Iron	N	E84282	200.7 Rev 4.4	3/6/2006 11:30:00AM	430	22	ug/L	
001051	Lead	N	E84282	200.7 Rev 4.4	3/6/2006 11:30:00AM	1.6	1.6	ug/L	U
071900	Mercury	N	E84282	245.1	3/2/2006 12:07:00PM	0.072	0.072	ug/L	U
081595	Methyl Ethyl Ketone	N	E84282	8260B	3/7/2006 11:22:00PM	8.4	8.4	ug/L	U
077596	Methylene bromide	N	E84282	8260B	3/7/2006 11:22:00PM	0.41	0.41	ug/L	U
034423	Methylene Chloride	N	E84282	8260B	3/7/2006 11:22:00PM	4	4	ug/L	U
001067	Nickel	N	E84282	200.7 Rev 4.4	3/6/2006 11:30:00AM	4.7	4.7	ug/L	U
000620	Nitrate Nitrogen	N	E84282	353.2	2/24/2006 7:45:00AM	0.01	0.01	mg/L	U
000299	Oxygen, Dissolved	N	E84282	Field Sampling	2/22/2006 3:17:00PM	2.3		mg/L	
001147	Selenium	N	E84282	200.7 Rev 4.4	3/6/2006 11:30:00AM	5.9	5.9	ug/L	U
001077	Silver	N	E84282	200.7 Rev 4.4	3/6/2006 11:30:00AM	1.9	1.9	ug/L	U
000929	Sodium	N	E84282	200.7 Rev 4.4	3/6/2006 11:30:00AM	2.9	0.31	mg/L	
000094	Specific Conductance	N	E84282	Field Sampling	2/22/2006 3:17:00PM	55		umhos/cm	
077128	Styrene	N	E84282	8260B	3/7/2006 11:22:00PM	0.98	0.98	ug/L	U
034475	Tetrachloroethene	N	E84282	8260B	3/7/2006 11:22:00PM	0.34	0.34	ug/L	U
001059	Thallium	N	E87052	200.8	3/3/2006 6:10:00AM	0.25	0.25	ug/L	U
034010	Toluene	N	E84282	8260B	3/7/2006 11:22:00PM	0.54	0.51	ug/L	I
070300	Total Dissolved Solids	N	E84282	160.1	2/24/2006 3:55:00PM	5	5	mg/L	U
034546	trans-1,2-Dichloroethene	N	E84282	8260B	3/7/2006 11:22:00PM	0.44	0.44	ug/L	U
034699	trans-1,3-Dichloropropene	N	E84282	8260B	3/7/2006 11:22:00PM	0.14	0.14	ug/L	U
034633	trans-1,4-Dichloro-2-butene	N	E84282	8260B	3/7/2006 11:22:00PM	2.5	2.5	ug/L	U
034180	Trichloroethene	N	E84282	8260B	3/7/2006 11:22:00PM	0.28	0.28	ug/L	U
034488	Trichlorofluoromethane	N	E84282	8260B	3/7/2006 11:22:00PM	0.98	0.98	ug/L	U
082079	Turbidity	N	E84282	Field Sampling	2/22/2006 3:17:00PM	10		NTU	
001087	Vanadium	N	E84282	200.7 Rev 4.4	3/6/2006 11:30:00AM	2.5	2.5	ug/L	U
077057	Vinyl acetate	N	E84282	8260B	3/7/2006 11:22:00PM	1.5	1.5	ug/L	U
039175	Vinyl chloride	N	E84282	8260B	3/7/2006 11:22:00PM	0.5	0.5	ug/L	U
072020	Water Level	N	E84282	Field Sampling	2/22/2006 3:17:00PM	138.03		ft	
081551	Xylenes, Total	N	E84282	8260B	3/7/2006 11:22:00PM	0.3	0.3	ug/L	U
001092	Zinc	N	E84282	200.7 Rev 4.4	3/6/2006 11:30:00AM	5.9	5.9	ug/L	U

Total Parameters Monitored: 75

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Trail Ridge Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 33628
 WACS Testsite ID #: 17197
 WACS Testsite Name: MWB191
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 2/22/2006 9:15:00AM
 Sampling Method: Unknown
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	3/8/2006 1:01:00AM	0.63	0.63	ug/L	U
034506	1,1,1-Trichloroethane	N	E84282	8260B	3/8/2006 1:01:00AM	0.46	0.46	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	3/8/2006 1:01:00AM	0.14	0.14	ug/L	U
034511	1,1,2-Trichloroethane	N	E84282	8260B	3/8/2006 1:01:00AM	0.47	0.47	ug/L	U
034496	1,1-Dichloroethane	N	E84282	8260B	3/8/2006 1:01:00AM	0.52	0.52	ug/L	U
034501	1,1-Dichloroethene	N	E84282	8260B	3/8/2006 1:01:00AM	0.45	0.45	ug/L	U
077443	1,2,3-Trichloropropane	N	E84282	8260B	3/8/2006 1:01:00AM	0.15	0.15	ug/L	U
038437	1,2-Dibromo-3-Chloropropane	N	E84282	504.1	3/7/2006 5:54:00PM	0.0032	0.0032	ug/L	U
034536	1,2-Dichlorobenzene	N	E84282	8260B	3/8/2006 1:01:00AM	0.44	0.44	ug/L	U
034531	1,2-Dichloroethane	N	E84282	8260B	3/8/2006 1:01:00AM	0.57	0.57	ug/L	U
034541	1,2-Dichloropropane	N	E84282	8260B	3/8/2006 1:01:00AM	0.52	0.52	ug/L	U
034571	1,4-Dichlorobenzene	N	E84282	8260B	3/8/2006 1:01:00AM	0.52	0.52	ug/L	U
077103	2-Hexanone	N	E84282	8260B	3/8/2006 1:01:00AM	4.4	4.4	ug/L	U
034596	4-Methyl-2-pentanone	N	E84282	8260B	3/8/2006 1:01:00AM	3.8	3.8	ug/L	U
034552	Acetone	N	E84282	8260B	3/8/2006 1:01:00AM	9.9	9.9	ug/L	U
034215	Acrylonitrile	N	E84282	8260B	3/8/2006 1:01:00AM	1.2	1.2	ug/L	U
000610	Ammonia	N	E84282	350.1	2/27/2006 10:43:00AM	0.04	0.04	mg/L	U
001097	Antimony	N	E84282	200.7 Rev 4.4	3/6/2006 9:46:00AM	3.6	3.6	ug/L	U
001002	Arsenic	N	E84282	200.7 Rev 4.4	3/6/2006 9:46:00AM	4.8	4.8	ug/L	U
001007	Barium	N	E84282	200.7 Rev 4.4	3/6/2006 9:46:00AM	95	1.2	ug/L	U
078124	Benzene	N	E84282	8260B	3/8/2006 1:01:00AM	0.27	0.27	ug/L	U
001012	Beryllium	N	E84282	200.7 Rev 4.4	3/6/2006 9:46:00AM	0.74	0.74	ug/L	U
073085	Bromochloromethane	N	E84282	8260B	3/8/2006 1:01:00AM	0.58	0.58	ug/L	U
032101	Bromodichloromethane	N	E84282	8260B	3/8/2006 1:01:00AM	0.35	0.35	ug/L	U
032104	Bromoform	N	E84282	8260B	3/8/2006 1:01:00AM	0.58	0.58	ug/L	U
034413	Bromomethane	N	E84282	8260B	3/8/2006 1:01:00AM	0.66	0.66	ug/L	U
001027	Cadmium	N	E84282	200.7 Rev 4.4	3/6/2006 9:46:00AM	0.81	0.71	ug/L	I
077041	Carbon disulfide	N	E84282	8260B	3/8/2006 1:01:00AM	0.85	0.85	ug/L	U
032102	Carbon tetrachloride	N	E84282	8260B	3/8/2006 1:01:00AM	0.42	0.42	ug/L	U
000940	Chloride	N	E84282	325.2	2/27/2006 2:09:00PM	8.6	0.9	mg/L	U
034301	Chlorobenzene	N	E84282	8260B	3/8/2006 1:01:00AM	0.63	0.63	ug/L	U
034311	Chloroethane	N	E84282	8260B	3/8/2006 1:01:00AM	0.8	0.8	ug/L	U
032106	Chloroform	N	E84282	8260B	3/8/2006 1:01:00AM	0.9	0.9	ug/L	U
034418	Chloromethane	N	E84282	8260B	3/8/2006 1:01:00AM	0.64	0.64	ug/L	U
001034	Chromium	N	E84282	200.7 Rev 4.4	3/6/2006 9:46:00AM	5.4	1.7	ug/L	I
077093	cis-1,2-Dichloroethene	N	E84282	8260B	3/8/2006 1:01:00AM	0.65	0.65	ug/L	U
034704	cis-1,3-Dichloropropene	N	E84282	8260B	3/8/2006 1:01:00AM	0.14	0.14	ug/L	U
001037	Cobalt	N	E84282	200.7 Rev 4.4	3/6/2006 9:46:00AM	3.4	1.6	ug/L	I
001042	Copper	N	E84282	200.7 Rev 4.4	3/6/2006 9:46:00AM	2.9	2.9	ug/L	U
032105	Dibromochloromethane	N	E84282	8260B	3/8/2006 1:01:00AM	0.34	0.34	ug/L	U
034371	Ethylbenzene	N	E84282	8260B	3/8/2006 1:01:00AM	0.44	0.44	ug/L	U
077651	Ethylene Dibromide	N	E84282	504.1	3/7/2006 5:54:00PM	0.0093	0.0093	ug/L	U
06	Field pH	N	E84282	Field Sampling	2/22/2006 9:15:00AM	5.15		SU	
10	Field Temperature	N	E84282	Field Sampling	2/22/2006 9:15:00AM	22.1		Degrees C	

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 4/6/2006

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 33628
 WACS Testsite ID #: 17197
 WACS Testsite Name: MWB191
 Protection Classification: G-II
(C - Leachate, G-II, SW-III(F))

Sample Date/Time: 2/22/2006 9:15:00AM
 Sampling Method: Unknown
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077424	Iodomethane	N	E84282	8260B	3/8/2006 1:01:00AM	0.67	0.67	ug/L	U
001045	Iron	N	E84282	200.7 Rev 4.4	3/6/2006 9:46:00AM	1100	.22	ug/L	
001051	Lead	N	E84282	200.7 Rev 4.4	3/6/2006 9:46:00AM	1.6	1.6	ug/L	U
071900	Mercury	N	E84282	245.1	3/2/2006 11:37:00AM	0.072	0.072	ug/L	U
081595	Methyl Ethyl Ketone	N	E84282	8260B	3/8/2006 1:01:00AM	8.4	8.4	ug/L	U
077596	Methylene bromide	N	E84282	8260B	3/8/2006 1:01:00AM	0.41	0.41	ug/L	U
034423	Methylene Chloride	N	E84282	8260B	3/8/2006 1:01:00AM	4	4	ug/L	U
001067	Nickel	N	E84282	200.7 Rev 4.4	3/6/2006 9:46:00AM	6.8	4.7	ug/L	I
000620	Nitrate Nitrogen	N	E84282	353.2	2/24/2006 7:45:00AM	0.01	0.01	mg/L	U
000299	Oxygen, Dissolved	N	E84282	Field Sampling	2/22/2006 9:15:00AM	1.1		mg/L	
001147	Selenium	N	E84282	200.7 Rev 4.4	3/6/2006 9:46:00AM	5.9	5.9	ug/L	U
001077	Silver	N	E84282	200.7 Rev 4.4	3/6/2006 9:46:00AM	1.9	1.9	ug/L	U
000929	Sodium	N	E84282	200.7 Rev 4.4	3/6/2006 9:46:00AM	3.5	0.31	mg/L	
000094	Specific Conductance	N	E84282	Field Sampling	2/22/2006 9:15:00AM	40		umhos/cm	
077128	Styrene	N	E84282	8260B	3/8/2006 1:01:00AM	0.98	0.98	ug/L	U
034475	Tetrachloroethene	N	E84282	8260B	3/8/2006 1:01:00AM	0.34	0.34	ug/L	U
001059	Thallium	N	E87052	200.8	3/3/2006 3:46:00AM	0.57	0.25	ug/L	I
034010	Toluene	N	E84282	8260B	3/8/2006 1:01:00AM	0.51	0.51	ug/L	U
070300	Total Dissolved Solids	N	E84282	160.1	2/24/2006 3:55:00PM	26	5	mg/L	
034546	trans-1,2-Dichloroethene	N	E84282	8260B	3/8/2006 1:01:00AM	0.44	0.44	ug/L	U
034699	trans-1,3-Dichloropropene	N	E84282	8260B	3/8/2006 1:01:00AM	0.14	0.14	ug/L	U
034663	trans-1,4-Dichloro-2-butene	N	E84282	8260B	3/8/2006 1:01:00AM	2.5	2.5	ug/L	U
034180	Trichloroethene	N	E84282	8260B	3/8/2006 1:01:00AM	0.28	0.28	ug/L	U
034488	Trichlorofluoromethane	N	E84282	8260B	3/8/2006 1:01:00AM	0.98	0.98	ug/L	U
082079	Turbidity	N	E84282	Field Sampling	2/22/2006 9:15:00AM	27.3		NTU	
001087	Vanadium	N	E84282	200.7 Rev 4.4	3/6/2006 9:46:00AM	7.5	2.5	ug/L	I
077057	Vinyl acetate	N	E84282	8260B	3/8/2006 1:01:00AM	1.5	1.5	ug/L	U
039175	Vinyl chloride	N	E84282	8260B	3/8/2006 1:01:00AM	0.5	0.5	ug/L	U
072020	Water Level	N	E84282	Field Sampling	2/22/2006 9:15:00AM	120.65		ft	
081551	Xylenes, Total	N	E84282	8260B	3/8/2006 1:01:00AM	0.3	0.3	ug/L	U
001092	Zinc	N	E84282	200.7 Rev 4.4	3/6/2006 9:46:00AM	20	5.9	ug/L	

Total Parameters Monitored: 75

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Trail Ridge Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 33628
 WACS Testsite ID #: 17198
 WACS Testsite Name: MWB19S
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II; SW-III-F)

Sample Date/Time: 2/22/2006 9:34:00AM
 Sampling Method: Unknown
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	3/8/2006 12:36:00AM	0.63	0.63	ug/L	U
034506	1,1,1-Trichloroethane	N	E84282	8260B	3/8/2006 12:36:00AM	0.46	0.46	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	3/8/2006 12:36:00AM	0.14	0.14	ug/L	U
034511	1,1,2-Trichloroethane	N	E84282	8260B	3/8/2006 12:36:00AM	0.47	0.47	ug/L	U
034496	1,1-Dichloroethane	N	E84282	8260B	3/8/2006 12:36:00AM	0.52	0.52	ug/L	U
034501	1,1-Dichloroethene	N	E84282	8260B	3/8/2006 12:36:00AM	0.45	0.45	ug/L	U
077443	1,2,3-Trichloropropane	N	E84282	8260B	3/8/2006 12:36:00AM	0.15	0.15	ug/L	U
038437	1,2-Dibromo-3-Chloropropane	N	E84282	504.1	3/7/2006 6:40:00PM	0.0032	0.0032	ug/L	U
034536	1,2-Dichlorobenzene	N	E84282	8260B	3/8/2006 12:36:00AM	0.44	0.44	ug/L	U
034531	1,2-Dichloroethane	N	E84282	8260B	3/8/2006 12:36:00AM	0.57	0.57	ug/L	U
034541	1,2-Dichloropropane	N	E84282	8260B	3/8/2006 12:36:00AM	0.52	0.52	ug/L	U
034571	1,4-Dichlorobenzene	N	E84282	8260B	3/8/2006 12:36:00AM	0.52	0.52	ug/L	U
077103	2-Hexanone	N	E84282	8260B	3/8/2006 12:36:00AM	4.4	4.4	ug/L	U
96	4-Methyl-2-pentanone	N	E84282	8260B	3/8/2006 12:36:00AM	3.8	3.8	ug/L	U
352	Acetone	N	E84282	8260B	3/8/2006 12:36:00AM	9.9	9.9	ug/L	U
034215	Acrylonitrile	N	E84282	8260B	3/8/2006 12:36:00AM	1.2	1.2	ug/L	U
000610	Ammonia	N	E84282	350.1	2/27/2006 10:43:00AM	0.37	0.04	mg/L	U
001097	Antimony	N	E84282	200.7 Rev 4.4	3/6/2006 10:03:00AM	3.6	3.6	ug/L	U
001002	Arsenic	N	E84282	200.7 Rev 4.4	3/6/2006 10:03:00AM	4.8	4.8	ug/L	U
001007	Barium	N	E84282	200.7 Rev 4.4	3/6/2006 10:03:00AM	24	1.2	ug/L	U
078124	Benzene	N	E84282	8260B	3/8/2006 12:36:00AM	0.27	0.27	ug/L	U
001012	Beryllium	N	E84282	200.7 Rev 4.4	3/6/2006 10:03:00AM	0.74	0.74	ug/L	U
073085	Bromochloromethane	N	E84282	8260B	3/8/2006 12:36:00AM	0.58	0.58	ug/L	U
032101	Bromodichloromethane	N	E84282	8260B	3/8/2006 12:36:00AM	0.35	0.35	ug/L	U
032104	Bromoform	N	E84282	8260B	3/8/2006 12:36:00AM	0.58	0.58	ug/L	U
034413	Bromomethane	N	E84282	8260B	3/8/2006 12:36:00AM	0.66	0.66	ug/L	U
001027	Cadmium	N	E84282	200.7 Rev 4.4	3/6/2006 10:03:00AM	0.71	0.71	ug/L	U
077041	Carbon disulfide	N	E84282	8260B	3/8/2006 12:36:00AM	0.85	0.85	ug/L	U
032102	Carbon tetrachloride	N	E84282	8260B	3/8/2006 12:36:00AM	0.42	0.42	ug/L	U
000940	Chloride	N	E84282	325.2	2/27/2006 2:09:00PM	9.3	0.9	mg/L	U
034301	Chlorobenzene	N	E84282	8260B	3/8/2006 12:36:00AM	0.63	0.63	ug/L	U
034311	Chloroethane	N	E84282	8260B	3/8/2006 12:36:00AM	0.8	0.8	ug/L	U
032106	Chloroform	N	E84282	8260B	3/8/2006 12:36:00AM	0.9	0.9	ug/L	U
034418	Chloromethane	N	E84282	8260B	3/8/2006 12:36:00AM	0.64	0.64	ug/L	U
001034	Chromium	N	E84282	200.7 Rev 4.4	3/6/2006 10:03:00AM	2.3	1.7	ug/L	I
077093	cis-1,2-Dichloroethene	N	E84282	8260B	3/8/2006 12:36:00AM	0.65	0.65	ug/L	U
034704	cis-1,3-Dichloropropene	N	E84282	8260B	3/8/2006 12:36:00AM	0.14	0.14	ug/L	U
001037	Cobalt	N	E84282	200.7 Rev 4.4	3/6/2006 10:03:00AM	2.6	1.6	ug/L	I
001042	Copper	N	E84282	200.7 Rev 4.4	3/6/2006 10:03:00AM	2.9	2.9	ug/L	U
032105	Dibromochloromethane	N	E84282	8260B	3/8/2006 12:36:00AM	0.34	0.34	ug/L	U
034371	Ethylbenzene	N	E84282	8260B	3/8/2006 12:36:00AM	0.44	0.44	ug/L	U
077651	Ethylene Dibromide	N	E84282	504.1	3/7/2006 6:40:00PM	0.0092	0.0092	ug/L	U
06	Field pH	N	E84282	Field Sampling	2/22/2006 9:34:00AM	5.29		SU	
10	Field Temperature	N	E84282	Field Sampling	2/22/2006 9:34:00AM	20.9		Degrees C	

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 33628
 WACS Testsite ID #: 17198
 WACS Testsite Name: MWB19S
 Water Classification: G-II
 (C - Leachate, G-II, SW-III(F))

Sample Date/Time: 2/22/2006 9:34:00AM
 Sampling Method: Unknown
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077424	Iodomethane	N	E84282	8260B	3/8/2006 12:36:00AM	0.67	0.67	ug/L	U
001045	Iron	N	E84282	200.7 Rev 4.4	3/6/2006 10:03:00AM	460	22	ug/L	
001051	Lead	N	E84282	200.7 Rev 4.4	3/6/2006 10:03:00AM	1.6	1.6	ug/L	U
071900	Mercury	N	E84282	245.1	3/2/2006 11:39:00AM	0.072	0.072	ug/L	U
081595	Methyl Ethyl Ketone	N	E84282	8260B	3/8/2006 12:36:00AM	8.4	8.4	ug/L	U
077596	Methylene bromide	N	E84282	8260B	3/8/2006 12:36:00AM	0.41	0.41	ug/L	U
034423	Methylene Chloride	N	E84282	8260B	3/8/2006 12:36:00AM	4	4	ug/L	U
001067	Nickel	N	E84282	200.7 Rev 4.4	3/6/2006 10:03:00AM	4.7	4.7	ug/L	U
000620	Nitrate Nitrogen	N	E84282	353.2	2/24/2006 7:45:00AM	0.01	0.01	mg/L	U
000299	Oxygen, Dissolved	N	E84282	Field Sampling	2/22/2006 9:34:00AM	1.3		mg/L	
001147	Selenium	N	E84282	200.7 Rev 4.4	3/6/2006 10:03:00AM	5.9	5.9	ug/L	U
001077	Silver	N	E84282	200.7 Rev 4.4	3/6/2006 10:03:00AM	1.9	1.9	ug/L	U
000929	Sodium	N	E84282	200.7 Rev 4.4	3/6/2006 10:03:00AM	5.5	0.31	mg/L	
000094	Specific Conductance	N	E84282	Field Sampling	2/22/2006 9:34:00AM	106		umhos/cm	
077128	Styrene	N	E84282	8260B	3/8/2006 12:36:00AM	0.98	0.98	ug/L	U
034475	Tetrachloroethene	N	E84282	8260B	3/8/2006 12:36:00AM	0.34	0.34	ug/L	U
001059	Thallium	N	E87052	200.8	3/3/2006 3:53:00AM	0.25	0.25	ug/L	U
034010	Toluene	N	E84282	8260B	3/8/2006 12:36:00AM	0.51	0.51	ug/L	U
070300	Total Dissolved Solids	N	E84282	160.1	2/24/2006 3:55:00PM	52	5	mg/L	
034546	trans-1,2-Dichloroethene	N	E84282	8260B	3/8/2006 12:36:00AM	0.44	0.44	ug/L	U
034699	trans-1,3-Dichloropropene	N	E84282	8260B	3/8/2006 12:36:00AM	0.14	0.14	ug/L	U
034663	trans-1,4-Dichloro-2-butene	N	E84282	8260B	3/8/2006 12:36:00AM	2.5	2.5	ug/L	U
034180	Trichloroethene	N	E84282	8260B	3/8/2006 12:36:00AM	0.28	0.28	ug/L	U
034488	Trichlorofluoromethane	N	E84282	8260B	3/8/2006 12:36:00AM	0.98	0.98	ug/L	U
082079	Turbidity	N	E84282	Field Sampling	2/22/2006 9:34:00AM	10.1		NTU	
001087	Vanadium	N	E84282	200.7 Rev 4.4	3/6/2006 10:03:00AM	2.5	2.5	ug/L	U
077057	Vinyl acetate	N	E84282	8260B	3/8/2006 12:36:00AM	1.5	1.5	ug/L	U
039175	Vinyl chloride	N	E84282	8260B	3/8/2006 12:36:00AM	0.5	0.5	ug/L	U
072020	Water Level	N	E84282	Field Sampling	2/22/2006 9:34:00AM	120.82		ft	
081551	Xylenes, Total	N	E84282	8260B	3/8/2006 12:36:00AM	0.3	0.3	ug/L	U
001092	Zinc	N	E84282	200.7 Rev 4.4	3/6/2006 10:03:00AM	5.9	5.9	ug/L	U

Total Parameters Monitored: 75

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Trail Ridge Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 33628
 WACS Testsite ID #: 17190
 WACS Testsite Name: MWB12I
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-III(F))

Sample Date/Time: 2/22/2006 10:15:00AM
 Sampling Method: Unknown
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	3/7/2006 6:49:00PM	0.63	0.63	ug/L	U
034506	1,1,1-Trichloroethane	N	E84282	8260B	3/7/2006 6:49:00PM	0.46	0.46	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	3/7/2006 6:49:00PM	0.14	0.14	ug/L	U
034511	1,1,2-Trichloroethane	N	E84282	8260B	3/7/2006 6:49:00PM	0.47	0.47	ug/L	U
034496	1,1-Dichloroethane	N	E84282	8260B	3/7/2006 6:49:00PM	0.52	0.52	ug/L	U
034501	1,1-Dichloroethene	N	E84282	8260B	3/7/2006 6:49:00PM	0.45	0.45	ug/L	U
077443	1,2,3-Trichloropropane	N	E84282	8260B	3/7/2006 6:49:00PM	0.15	0.15	ug/L	U
038437	1,2-Dibromo-3-Chloropropane	N	E84282	504.1	3/7/2006 7:04:00PM	0.0031	0.0031	ug/L	U
034536	1,2-Dichlorobenzene	N	E84282	8260B	3/7/2006 6:49:00PM	0.44	0.44	ug/L	U
034531	1,2-Dichloroethane	N	E84282	8260B	3/7/2006 6:49:00PM	0.57	0.57	ug/L	U
034541	1,2-Dichloropropane	N	E84282	8260B	3/7/2006 6:49:00PM	0.52	0.52	ug/L	U
034571	1,4-Dichlorobenzene	N	E84282	8260B	3/7/2006 6:49:00PM	0.52	0.52	ug/L	U
077103	2-Hexanone	N	E84282	8260B	3/7/2006 6:49:00PM	4.4	4.4	ug/L	U
196	4-Methyl-2-pentanone	N	E84282	8260B	3/7/2006 6:49:00PM	3.8	3.8	ug/L	U
.552	Acetone	N	E84282	8260B	3/7/2006 6:49:00PM	9.9	9.9	ug/L	U
034215	Acrylonitrile	N	E84282	8260B	3/7/2006 6:49:00PM	1.2	1.2	ug/L	U
000610	Ammonia	N	E84282	350.1	2/27/2006 10:43:00AM	0.04	0.04	mg/L	U
001097	Antimony	N	E84282	200.7 Rev 4.4	3/6/2006 10:09:00AM	3.6	3.6	ug/L	U
001002	Arsenic	N	E84282	200.7 Rev 4.4	3/6/2006 10:09:00AM	4.8	4.8	ug/L	U
001007	Barium	N	E84282	200.7 Rev 4.4	3/6/2006 10:09:00AM	52	1.2	ug/L	U
078124	Benzene	N	E84282	8260B	3/7/2006 6:49:00PM	0.27	0.27	ug/L	U
001012	Beryllium	N	E84282	200.7 Rev 4.4	3/6/2006 10:09:00AM	0.74	0.74	ug/L	U
073085	Bromochloromethane	N	E84282	8260B	3/7/2006 6:49:00PM	0.58	0.58	ug/L	U
032101	Bromodichloromethane	N	E84282	8260B	3/7/2006 6:49:00PM	0.35	0.35	ug/L	U
032104	Bromoform	N	E84282	8260B	3/7/2006 6:49:00PM	0.58	0.58	ug/L	U
034413	Bromomethane	N	E84282	8260B	3/7/2006 6:49:00PM	0.66	0.66	ug/L	U
001027	Cadmium	N	E84282	200.7 Rev 4.4	3/6/2006 10:09:00AM	0.71	0.71	ug/L	U
077041	Carbon disulfide	N	E84282	8260B	3/7/2006 6:49:00PM	0.85	0.85	ug/L	U
032102	Carbon tetrachloride	N	E84282	8260B	3/7/2006 6:49:00PM	0.42	0.42	ug/L	U
000940	Chloride	N	E84282	325.2	2/27/2006 2:09:00PM	5.8	0.9	mg/L	U
034301	Chlorobenzene	N	E84282	8260B	3/7/2006 6:49:00PM	0.63	0.63	ug/L	U
034311	Chloroethane	N	E84282	8260B	3/7/2006 6:49:00PM	0.8	0.8	ug/L	U
032106	Chloroform	N	E84282	8260B	3/7/2006 6:49:00PM	0.9	0.9	ug/L	U
034418	Chloromethane	N	E84282	8260B	3/7/2006 6:49:00PM	0.64	0.64	ug/L	U
001034	Chromium	N	E84282	200.7 Rev 4.4	3/6/2006 10:09:00AM	1.7	1.7	ug/L	U
077093	cis-1,2-Dichloroethene	N	E84282	8260B	3/7/2006 6:49:00PM	0.65	0.65	ug/L	U
034704	cis-1,3-Dichloropropene	N	E84282	8260B	3/7/2006 6:49:00PM	0.14	0.14	ug/L	U
001037	Cobalt	N	E84282	200.7 Rev 4.4	3/6/2006 10:09:00AM	1.8	1.6	ug/L	U
001042	Copper	N	E84282	200.7 Rev 4.4	3/6/2006 10:09:00AM	2.9	2.9	ug/L	U
032105	Dibromochloromethane	N	E84282	8260B	3/7/2006 6:49:00PM	0.34	0.34	ug/L	U
034371	Ethylbenzene	N	E84282	8260B	3/7/2006 6:49:00PM	0.44	0.44	ug/L	U
077651	Ethylene Dibromide	N	E84282	504.1	3/7/2006 7:04:00PM	0.0089	0.0089	ug/L	U
106	Field pH	N	E84282	Field Sampling	2/22/2006 10:15:00AM	5.33		SU	
10	Field Temperature	N	E84282	Field Sampling	2/22/2006 10:15:00AM	22.8		Degrees C	

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 33628
 WACS Testsite ID #: 17190
 WACS Testsite Name: MWB12I
 Water Classification: G-II
(C - Leachate, G-II, SW-III(F))

Sample Date/Time: 2/22/2006 10:15:00AM
 Sampling Method: Unknown
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077424	Iodomethane	N	E84282	8260B	3/7/2006 6:49:00PM	0.67	0.67	ug/L	U
001045	Iron	N	E84282	200.7 Rev 4.4	3/6/2006 10:09:00AM	440	22	ug/L	U
001051	Lead	N	E84282	200.7 Rev 4.4	3/6/2006 10:09:00AM	1.6	1.6	ug/L	U
071900	Mercury	N	E84282	245.1	3/2/2006 11:41:00AM	0.072	0.072	ug/L	U
081595	Methyl Ethyl Ketone	N	E84282	8260B	3/7/2006 6:49:00PM	8.4	8.4	ug/L	U
077596	Methylene bromide	N	E84282	8260B	3/7/2006 6:49:00PM	0.41	0.41	ug/L	U
034423	Methylene Chloride	N	E84282	8260B	3/7/2006 6:49:00PM	4	4	ug/L	U
001067	Nickel	N	E84282	200.7 Rev 4.4	3/6/2006 10:09:00AM	4.7	4.7	ug/L	U
000620	Nitrate Nitrogen	N	E84282	353.2	2/24/2006 7:45:00AM	0.01	0.01	mg/L	U
000299	Oxygen, Dissolved	N	E84282	Field Sampling	2/22/2006 10:15:00AM	0.9		mg/L	U
001147	Selenium	N	E84282	200.7 Rev 4.4	3/6/2006 10:09:00AM	5.9	5.9	ug/L	U
001077	Silver	N	E84282	200.7 Rev 4.4	3/6/2006 10:09:00AM	1.9	1.9	ug/L	U
000929	Sodium	N	E84282	200.7 Rev 4.4	3/6/2006 10:09:00AM	3.1	0.31	mg/L	U
000094	Specific Conductance	N	E84282	Field Sampling	2/22/2006 10:15:00AM	41		umhos/cm	U
077128	Styrene	N	E84282	8260B	3/7/2006 6:49:00PM	0.98	0.98	ug/L	U
034475	Tetrachloroethene	N	E84282	8260B	3/7/2006 6:49:00PM	0.34	0.34	ug/L	U
001059	Thallium	N	E87052	200.8	3/3/2006 4:15:00AM	0.25	0.25	ug/L	U
034010	Toluene	N	E84282	8260B	3/7/2006 6:49:00PM	0.51	0.51	ug/L	U
070300	Total Dissolved Solids	N	E84282	160.1	2/24/2006 3:55:00PM	16	5	mg/L	U
034546	trans-1,2-Dichloroethene	N	E84282	8260B	3/7/2006 6:49:00PM	0.44	0.44	ug/L	U
034699	trans-1,3-Dichloropropene	N	E84282	8260B	3/7/2006 6:49:00PM	0.14	0.14	ug/L	U
263	trans-1,4-Dichloro-2-butene	N	E84282	8260B	3/7/2006 6:49:00PM	2.5	2.5	ug/L	U
180	Trichloroethene	N	E84282	8260B	3/7/2006 6:49:00PM	0.28	0.28	ug/L	U
034488	Trichlorofluoromethane	N	E84282	8260B	3/7/2006 6:49:00PM	0.98	0.98	ug/L	U
082079	Turbidity	N	E84282	Field Sampling	2/22/2006 10:15:00AM	4.4		NTU	U
001087	Vanadium	N	E84282	200.7 Rev 4.4	3/6/2006 10:09:00AM	2.5	2.5	ug/L	U
077057	Vinyl acetate	N	E84282	8260B	3/7/2006 6:49:00PM	1.5	1.5	ug/L	U
039175	Vinyl chloride	N	E84282	8260B	3/7/2006 6:49:00PM	0.5	0.5	ug/L	U
072020	Water Level	N	E84282	Field Sampling	2/22/2006 10:15:00AM	116.82		ft	U
081551	Xylenes, Total	N	E84282	8260B	3/7/2006 6:49:00PM	0.3	0.3	ug/L	U
001092	Zinc	N	E84282	200.7 Rev 4.4	3/6/2006 10:09:00AM	5.9	5.9	ug/L	U

Total Parameters Monitored: 75

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Trail Ridge Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 33628
 WACS Testsite ID #: 17189
 WACS Testsite Name: MWB12D
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 2/22/2006 10:32:00AM
 Sampling Method: Unknown
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	3/8/2006 12:11:00AM	0.63	0.63	ug/L	U
034506	1,1,1-Trichloroethane	N	E84282	8260B	3/8/2006 12:11:00AM	0.46	0.46	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	3/8/2006 12:11:00AM	0.14	0.14	ug/L	U
034511	1,1,2-Trichloroethane	N	E84282	8260B	3/8/2006 12:11:00AM	0.47	0.47	ug/L	U
034496	1,1-Dichloroethane	N	E84282	8260B	3/8/2006 12:11:00AM	0.52	0.52	ug/L	U
034501	1,1-Dichloroethene	N	E84282	8260B	3/8/2006 12:11:00AM	0.45	0.45	ug/L	U
077443	1,2,3-Trichloropropane	N	E84282	8260B	3/8/2006 12:11:00AM	0.15	0.15	ug/L	U
038437	1,2-Dibromo-3-Chloropropane	N	E84282	504.1	3/7/2006 7:27:00PM	0.0032	0.0032	ug/L	U
034536	1,2-Dichlorobenzene	N	E84282	8260B	3/8/2006 12:11:00AM	0.44	0.44	ug/L	U
034531	1,2-Dichloroethane	N	E84282	8260B	3/8/2006 12:11:00AM	0.57	0.57	ug/L	U
034541	1,2-Dichloropropane	N	E84282	8260B	3/8/2006 12:11:00AM	0.52	0.52	ug/L	U
034571	1,4-Dichlorobenzene	N	E84282	8260B	3/8/2006 12:11:00AM	0.52	0.52	ug/L	U
077103	2-Hexanone	N	E84282	8260B	3/8/2006 12:11:00AM	4.4	4.4	ug/L	U
596	4-Methyl-2-pentanone	N	E84282	8260B	3/8/2006 12:11:00AM	3.8	3.8	ug/L	U
552	Acetone	N	E84282	8260B	3/8/2006 12:11:00AM	9.9	9.9	ug/L	U
034215	Acrylonitrile	N	E84282	8260B	3/8/2006 12:11:00AM	1.2	1.2	ug/L	U
000610	Ammonia	N	E84282	350.1	2/27/2006 10:43:00AM	0.19	0.04	mg/L	
001097	Antimony	N	E84282	200.7 Rev 4.4	3/6/2006 10:14:00AM	3.6	3.6	ug/L	U
001002	Arsenic	N	E84282	200.7 Rev 4.4	3/6/2006 10:14:00AM	4.8	4.8	ug/L	U
001007	Barium	N	E84282	200.7 Rev 4.4	3/6/2006 10:14:00AM	120	1.2	ug/L	
078124	Benzene	N	E84282	8260B	3/8/2006 12:11:00AM	0.27	0.27	ug/L	U
001012	Beryllium	N	E84282	200.7 Rev 4.4	3/6/2006 10:14:00AM	0.74	0.74	ug/L	U
073085	Bromochloromethane	N	E84282	8260B	3/8/2006 12:11:00AM	0.58	0.58	ug/L	U
032101	Bromodichloromethane	N	E84282	8260B	3/8/2006 12:11:00AM	0.35	0.35	ug/L	U
032104	Bromoform	N	E84282	8260B	3/8/2006 12:11:00AM	0.58	0.58	ug/L	U
034413	Bromomethane	N	E84282	8260B	3/8/2006 12:11:00AM	0.66	0.66	ug/L	U
001027	Cadmium	N	E84282	200.7 Rev 4.4	3/6/2006 10:14:00AM	0.71	0.71	ug/L	U
077041	Carbon disulfide	N	E84282	8260B	3/8/2006 12:11:00AM	0.85	0.85	ug/L	U
032102	Carbon tetrachloride	N	E84282	8260B	3/8/2006 12:11:00AM	0.42	0.42	ug/L	U
000940	Chloride	N	E84282	325.2	2/27/2006 2:09:00PM	6.6	0.9	mg/L	
034301	Chlorobenzene	N	E84282	8260B	3/8/2006 12:11:00AM	0.63	0.63	ug/L	U
034311	Chloroethane	N	E84282	8260B	3/8/2006 12:11:00AM	0.8	0.8	ug/L	U
032106	Chloroform	N	E84282	8260B	3/8/2006 12:11:00AM	0.9	0.9	ug/L	U
034418	Chloromethane	N	E84282	8260B	3/8/2006 12:11:00AM	0.64	0.64	ug/L	U
001034	Chromium	N	E84282	200.7 Rev 4.4	3/6/2006 10:14:00AM	1.7	1.7	ug/L	U
077093	cis-1,2-Dichloroethene	N	E84282	8260B	3/8/2006 12:11:00AM	0.65	0.65	ug/L	U
034704	cis-1,3-Dichloropropene	N	E84282	8260B	3/8/2006 12:11:00AM	0.14	0.14	ug/L	U
001037	Cobalt	N	E84282	200.7 Rev 4.4	3/6/2006 10:14:00AM	1.6	1.6	ug/L	U
001042	Copper	N	E84282	200.7 Rev 4.4	3/6/2006 10:14:00AM	2.9	2.9	ug/L	U
032105	Dibromochloromethane	N	E84282	8260B	3/8/2006 12:11:00AM	0.34	0.34	ug/L	U
034371	Ethylbenzene	N	E84282	8260B	3/8/2006 12:11:00AM	0.44	0.44	ug/L	U
077651	Ethylene Dibromide	N	E84282	504.1	3/7/2006 7:27:00PM	0.0093	0.0093	ug/L	U
'06	Field pH	N	E84282	Field Sampling	2/22/2006 10:32:00AM	7.18		SU	
10	Field Temperature	N	E84282	Field Sampling	2/22/2006 10:32:00AM	22		Degrees C	

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 33628
 WACS Testsite ID #: 17189
 WACS Testsite Name: MWB12D
 Water Classification: G-II
(C - Leachate, G-II, SW-III(F))

Sample Date/Time: 2/22/2006 10:32:00AM
 Sampling Method: Unknown
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077424	Iodomethane	N	E84282	8260B	3/8/2006 12:11:00AM	0.67	0.67	ug/L	U
001045	Iron	N	E84282	200.7 Rev 4.4	3/6/2006 10:14:00AM	710	22	ug/L	U
001051	Lead	N	E84282	200.7 Rev 4.4	3/6/2006 10:14:00AM	1.6	1.6	ug/L	U
071900	Mercury	N	E84282	245.1	3/2/2006 11:43:00AM	0.072	0.072	ug/L	U
081595	Methyl Ethyl Ketone	N	E84282	8260B	3/8/2006 12:11:00AM	8.4	8.4	ug/L	U
077596	Methylene bromide	N	E84282	8260B	3/8/2006 12:11:00AM	0.41	0.41	ug/L	U
034423	Methylene Chloride	N	E84282	8260B	3/8/2006 12:11:00AM	4	4	ug/L	U
001067	Nickel	N	E84282	200.7 Rev 4.4	3/6/2006 10:14:00AM	4.7	4.7	ug/L	U
000620	Nitrate Nitrogen	N	E84282	353.2	2/24/2006 7:45:00AM	0.01	0.01	mg/L	U
000299	Oxygen, Dissolved	N	E84282	Field Sampling	2/22/2006 10:32:00AM	0.8		mg/L	U
001147	Selenium	N	E84282	200.7 Rev 4.4	3/6/2006 10:14:00AM	5.9	5.9	ug/L	U
001077	Silver	N	E84282	200.7 Rev 4.4	3/6/2006 10:14:00AM	1.9	1.9	ug/L	U
000929	Sodium	N	E84282	200.7 Rev 4.4	3/6/2006 10:14:00AM	5.8	0.31	mg/L	U
000094	Specific Conductance	N	E84282	Field Sampling	2/22/2006 10:32:00AM	394		umhos/cm	U
077128	Styrene	N	E84282	8260B	3/8/2006 12:11:00AM	0.98	0.98	ug/L	U
034475	Tetrachloroethene	N	E84282	8260B	3/8/2006 12:11:00AM	0.34	0.34	ug/L	U
001059	Thallium	N	E87052	200.8	3/3/2006 4:22:00AM	0.25	0.25	ug/L	U
034010	Toluene	N	E84282	8260B	3/8/2006 12:11:00AM	0.51	0.51	ug/L	U
070300	Total Dissolved Solids	N	E84282	160.1	2/24/2006 3:55:00PM	180	5	mg/L	U
034546	trans-1,2-Dichloroethene	N	E84282	8260B	3/8/2006 12:11:00AM	0.44	0.44	ug/L	U
034699	trans-1,3-Dichloropropene	N	E84282	8260B	3/8/2006 12:11:00AM	0.14	0.14	ug/L	U
763	trans-1,4-Dichloro-2-butene	N	E84282	8260B	3/8/2006 12:11:00AM	2.5	2.5	ug/L	U
180	Trichloroethene	N	E84282	8260B	3/8/2006 12:11:00AM	0.28	0.28	ug/L	U
034488	Trichlorofluoromethane	N	E84282	8260B	3/8/2006 12:11:00AM	0.98	0.98	ug/L	U
082079	Turbidity	N	E84282	Field Sampling	2/22/2006 10:32:00AM	0.8		NTU	U
001087	Vanadium	N	E84282	200.7 Rev 4.4	3/6/2006 10:14:00AM	2.5	2.5	ug/L	U
077057	Vinyl acetate	N	E84282	8260B	3/8/2006 12:11:00AM	1.5	1.5	ug/L	U
039175	Vinyl chloride	N	E84282	8260B	3/8/2006 12:11:00AM	0.5	0.5	ug/L	U
072020	Water Level	N	E84282	Field Sampling	2/22/2006 10:32:00AM	119.26		ft	U
081551	Xylenes, Total	N	E84282	8260B	3/8/2006 12:11:00AM	0.3	0.3	ug/L	U
001092	Zinc	N	E84282	200.7 Rev 4.4	3/6/2006 10:14:00AM	5.9	5.9	ug/L	U

Total Parameters Monitored: 75

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Trail Ridge Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 33628
 WACS Testsite ID #: 17191
 WACS Testsite Name: MWB12S
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 2/22/2006 10:48:00AM
 Sampling Method: Unknown
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	3/7/2006 7:13:00PM	0.63	0.63	ug/L	U
034506	1,1,1-Trichloroethane	N	E84282	8260B	3/7/2006 7:13:00PM	0.46	0.46	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	3/7/2006 7:13:00PM	0.14	0.14	ug/L	U
034511	1,1,2-Trichloroethane	N	E84282	8260B	3/7/2006 7:13:00PM	0.47	0.47	ug/L	U
034496	1,1-Dichloroethane	N	E84282	8260B	3/7/2006 7:13:00PM	0.52	0.52	ug/L	U
034501	1,1-Dichloroethene	N	E84282	8260B	3/7/2006 7:13:00PM	0.45	0.45	ug/L	U
077443	1,2,3-Trichloropropane	N	E84282	8260B	3/7/2006 7:13:00PM	0.15	0.15	ug/L	U
038437	1,2-Dibromo-3-Chloropropane	N	E84282	504.1	3/7/2006 7:50:00PM	0.0031	0.0031	ug/L	U
034536	1,2-Dichlorobenzene	N	E84282	8260B	3/7/2006 7:13:00PM	0.44	0.44	ug/L	U
034531	1,2-Dichloroethane	N	E84282	8260B	3/7/2006 7:13:00PM	0.57	0.57	ug/L	U
034541	1,2-Dichloropropane	N	E84282	8260B	3/7/2006 7:13:00PM	0.52	0.52	ug/L	U
034571	1,4-Dichlorobenzene	N	E84282	8260B	3/7/2006 7:13:00PM	0.52	0.52	ug/L	U
077103	2-Hexanone	N	E84282	8260B	3/7/2006 7:13:00PM	4.4	4.4	ug/L	U
077196	4-Methyl-2-pentanone	N	E84282	8260B	3/7/2006 7:13:00PM	3.8	3.8	ug/L	U
077152	Acetone	N	E84282	8260B	3/7/2006 7:13:00PM	9.9	9.9	ug/L	U
034215	Acrylonitrile	N	E84282	8260B	3/7/2006 7:13:00PM	1.2	1.2	ug/L	U
000610	Ammonia	N	E84282	350.1	2/27/2006 10:43:00AM	0.2	0.04	mg/L	
001097	Antimony	N	E84282	200.7 Rev 4.4	3/6/2006 10:20:00AM	3.6	3.6	ug/L	U
001002	Arsenic	N	E84282	200.7 Rev 4.4	3/6/2006 10:20:00AM	4.8	4.8	ug/L	U
001007	Barium	N	E84282	200.7 Rev 4.4	3/6/2006 10:20:00AM	10	1.2	ug/L	
078124	Benzene	N	E84282	8260B	3/7/2006 7:13:00PM	0.27	0.27	ug/L	U
001012	Beryllium	N	E84282	200.7 Rev 4.4	3/6/2006 10:20:00AM	0.74	0.74	ug/L	U
073085	Bromochloromethane	N	E84282	8260B	3/7/2006 7:13:00PM	0.58	0.58	ug/L	U
032101	Bromodichloromethane	N	E84282	8260B	3/7/2006 7:13:00PM	0.35	0.35	ug/L	U
032104	Bromoform	N	E84282	8260B	3/7/2006 7:13:00PM	0.58	0.58	ug/L	U
034413	Bromomethane	N	E84282	8260B	3/7/2006 7:13:00PM	0.66	0.66	ug/L	U
001027	Cadmium	N	E84282	200.7 Rev 4.4	3/6/2006 10:20:00AM	0.71	0.71	ug/L	U
077041	Carbon disulfide	N	E84282	8260B	3/7/2006 7:13:00PM	0.85	0.85	ug/L	U
032102	Carbon tetrachloride	N	E84282	8260B	3/7/2006 7:13:00PM	0.42	0.42	ug/L	U
000940	Chloride	N	E84282	325.2	2/27/2006 2:09:00PM	10	0.9	mg/L	
034301	Chlorobenzene	N	E84282	8260B	3/7/2006 7:13:00PM	0.63	0.63	ug/L	U
034311	Chloroethane	N	E84282	8260B	3/7/2006 7:13:00PM	0.8	0.8	ug/L	U
032106	Chloroform	N	E84282	8260B	3/7/2006 7:13:00PM	0.9	0.9	ug/L	U
034418	Chloromethane	N	E84282	8260B	3/7/2006 7:13:00PM	0.64	0.64	ug/L	U
001034	Chromium	N	E84282	200.7 Rev 4.4	3/6/2006 10:20:00AM	5.4	1.7	ug/L	I
077093	cis-1,2-Dichloroethene	N	E84282	8260B	3/7/2006 7:13:00PM	0.65	0.65	ug/L	U
034704	cis-1,3-Dichloropropene	N	E84282	8260B	3/7/2006 7:13:00PM	0.14	0.14	ug/L	U
001037	Cobalt	N	E84282	200.7 Rev 4.4	3/6/2006 10:20:00AM	1.6	1.6	ug/L	U
001042	Copper	N	E84282	200.7 Rev 4.4	3/6/2006 10:20:00AM	3.4	2.9	ug/L	I
032105	Dibromochloromethane	N	E84282	8260B	3/7/2006 7:13:00PM	0.34	0.34	ug/L	U
034371	Ethylbenzene	N	E84282	8260B	3/7/2006 7:13:00PM	0.44	0.44	ug/L	U
077651	Ethylene Dibromide	N	E84282	504.1	3/7/2006 7:50:00PM	0.0091	0.0091	ug/L	U
077106	Field pH	N	E84282	Field Sampling	2/22/2006 10:48:00AM	5.59		SU	
077110	Field Temperature	N	E84282	Field Sampling	2/22/2006 10:48:00AM	20.3		Degrees C	

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 33628
 WACS Testsite ID #: 17191
 WACS Testsite Name: MWB12S
 'er Classification: G-II
 (C - Leachate, G-II, SW-III(F))

Sample Date/Time: 2/22/2006 10:48:00AM
 Sampling Method: Unknown
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077424	Iodomethane	N	E84282	8260B	3/7/2006 7:13:00PM	0.67	0.67	ug/L	U
001045	Iron	N	E84282	200.7 Rev 4.4	3/6/2006 10:20:00AM	110	22	ug/L	
001051	Lead	N	E84282	200.7 Rev 4.4	3/6/2006 10:20:00AM	1.6	1.6	ug/L	U
071900	Mercury	N	E84282	245.1	3/2/2006 11:45:00AM	0.072	0.072	ug/L	U
081595	Methyl Ethyl Ketone	N	E84282	8260B	3/7/2006 7:13:00PM	8.4	8.4	ug/L	U
077596	Methylene bromide	N	E84282	8260B	3/7/2006 7:13:00PM	0.41	0.41	ug/L	U
034423	Methylene Chloride	N	E84282	8260B	3/7/2006 7:13:00PM	4	4	ug/L	U
001067	Nickel	N	E84282	200.7 Rev 4.4	3/6/2006 10:20:00AM	4.7	4.7	ug/L	U
000620	Nitrate Nitrogen	N	E84282	353.2	2/24/2006 7:45:00AM	0.029	0.01	mg/L	I
000299	Oxygen, Dissolved	N	E84282	Field Sampling	2/22/2006 10:48:00AM	2.6		mg/L	
001147	Selenium	N	E84282	200.7 Rev 4.4	3/6/2006 10:20:00AM	6.8	5.9	ug/L	I
001077	Silver	N	E84282	200.7 Rev 4.4	3/6/2006 10:20:00AM	1.9	1.9	ug/L	U
000929	Sodium	N	E84282	200.7 Rev 4.4	3/6/2006 10:20:00AM	2.8	0.31	mg/L	
000094	Specific Conductance	N	E84282	Field Sampling	2/22/2006 10:48:00AM	125		umhos/cm	
077128	Styrene	N	E84282	8260B	3/7/2006 7:13:00PM	0.98	0.98	ug/L	U
034475	Tetrachloroethene	N	E84282	8260B	3/7/2006 7:13:00PM	0.34	0.34	ug/L	U
001059	Thallium	N	E87052	200.8	3/3/2006 4:29:00AM	0.25	0.25	ug/L	U
034010	Toluene	N	E84282	8260B	3/7/2006 7:13:00PM	0.51	0.51	ug/L	U
070300	Total Dissolved Solids	N	E84282	160.1	2/24/2006 3:55:00PM	62	5	mg/L	
034546	trans-1,2-Dichloroethene	N	E84282	8260B	3/7/2006 7:13:00PM	0.44	0.44	ug/L	U
034699	trans-1,3-Dichloropropene	N	E84282	8260B	3/7/2006 7:13:00PM	0.14	0.14	ug/L	U
63	trans-1,4-Dichloro-2-butene	N	E84282	8260B	3/7/2006 7:13:00PM	2.5	2.5	ug/L	U
180	Trichloroethene	N	E84282	8260B	3/7/2006 7:13:00PM	0.28	0.28	ug/L	U
034488	Trichlorofluoromethane	N	E84282	8260B	3/7/2006 7:13:00PM	0.98	0.98	ug/L	U
082079	Turbidity	N	E84282	Field Sampling	2/22/2006 10:48:00AM	19.6		NTU	
001087	Vanadium	N	E84282	200.7 Rev 4.4	3/6/2006 10:20:00AM	32	2.5	ug/L	
077057	Vinyl acetate	N	E84282	8260B	3/7/2006 7:13:00PM	1.5	1.5	ug/L	U
039175	Vinyl chloride	N	E84282	8260B	3/7/2006 7:13:00PM	0.5	0.5	ug/L	U
072020	Water Level	N	E84282	Field Sampling	2/22/2006 10:48:00AM	114.21		ft	
081551	Xylenes, Total	N	E84282	8260B	3/7/2006 7:13:00PM	0.3	0.3	ug/L	U
001092	Zinc	N	E84282	200.7 Rev 4.4	3/6/2006 10:20:00AM	5.9	5.9	ug/L	U

Total Parameters Monitored: 75

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Trail Ridge Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 33628
 WACS Testsite ID #: 17201
 WACS Testsite Name: MWB22S
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-III(F))

Sample Date/Time: 2/22/2006 11:07:00AM
 Sampling Method: Unknown
 Permitted Well Type: CO - Compliance

* Well Purged prior to
 Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	3/7/2006 7:38:00PM	0.63	0.63	ug/L	U
034506	1,1,1-Trichloroethane	N	E84282	8260B	3/7/2006 7:38:00PM	0.46	0.46	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	3/7/2006 7:38:00PM	0.14	0.14	ug/L	U
034511	1,1,2-Trichloroethane	N	E84282	8260B	3/7/2006 7:38:00PM	0.47	0.47	ug/L	U
034496	1,1-Dichloroethane	N	E84282	8260B	3/7/2006 7:38:00PM	0.52	0.52	ug/L	U
034501	1,1-Dichloroethene	N	E84282	8260B	3/7/2006 7:38:00PM	0.45	0.45	ug/L	U
077443	1,2,3-Trichloropropane	N	E84282	8260B	3/7/2006 7:38:00PM	0.15	0.15	ug/L	U
038437	1,2-Dibromo-3-Chloropropane	N	E84282	504.1	3/7/2006 8:13:00PM	0.0032	0.0032	ug/L	U
034536	1,2-Dichlorobenzene	N	E84282	8260B	3/7/2006 7:38:00PM	0.44	0.44	ug/L	U
034531	1,2-Dichloroethane	N	E84282	8260B	3/7/2006 7:38:00PM	0.57	0.57	ug/L	U
034541	1,2-Dichloropropane	N	E84282	8260B	3/7/2006 7:38:00PM	0.52	0.52	ug/L	U
034571	1,4-Dichlorobenzene	N	E84282	8260B	3/7/2006 7:38:00PM	0.52	0.52	ug/L	U
077103	2-Hexanone	N	E84282	8260B	3/7/2006 7:38:00PM	4.4	4.4	ug/L	U
796	4-Methyl-2-pentanone	N	E84282	8260B	3/7/2006 7:38:00PM	3.8	3.8	ug/L	U
552	Acetone	N	E84282	8260B	3/7/2006 7:38:00PM	9.9	9.9	ug/L	U
034215	Acrylonitrile	N	E84282	8260B	3/7/2006 7:38:00PM	1.2	1.2	ug/L	U
000610	Ammonia	N	E84282	350.1	2/27/2006 10:43:00AM	0.41	0.04	mg/L	
001097	Antimony	N	E84282	200.7 Rev 4.4	3/6/2006 10:25:00AM	3.6	3.6	ug/L	U
001002	Arsenic	N	E84282	200.7 Rev 4.4	3/6/2006 10:25:00AM	4.8	4.8	ug/L	U
001007	Barium	N	E84282	200.7 Rev 4.4	3/6/2006 10:25:00AM	5.8	1.2	ug/L	I
078124	Benzene	N	E84282	8260B	3/7/2006 7:38:00PM	0.27	0.27	ug/L	U
001012	Beryllium	N	E84282	200.7 Rev 4.4	3/6/2006 10:25:00AM	0.74	0.74	ug/L	U
073085	Bromochloromethane	N	E84282	8260B	3/7/2006 7:38:00PM	0.58	0.58	ug/L	U
032101	Bromodichloromethane	N	E84282	8260B	3/7/2006 7:38:00PM	0.35	0.35	ug/L	U
032104	Bromoform	N	E84282	8260B	3/7/2006 7:38:00PM	0.58	0.58	ug/L	U
034413	Bromomethane	N	E84282	8260B	3/7/2006 7:38:00PM	0.66	0.66	ug/L	U
001027	Cadmium	N	E84282	200.7 Rev 4.4	3/6/2006 10:25:00AM	0.71	0.71	ug/L	U
077041	Carbon disulfide	N	E84282	8260B	3/7/2006 7:38:00PM	0.85	0.85	ug/L	U
032102	Carbon tetrachloride	N	E84282	8260B	3/7/2006 7:38:00PM	0.42	0.42	ug/L	U
000940	Chloride	N	E84282	325.2	2/27/2006 2:09:00PM	9.2	0.9	mg/L	
034301	Chlorobenzene	N	E84282	8260B	3/7/2006 7:38:00PM	0.63	0.63	ug/L	U
034311	Chloroethane	N	E84282	8260B	3/7/2006 7:38:00PM	0.8	0.8	ug/L	U
032106	Chloroform	N	E84282	8260B	3/7/2006 7:38:00PM	0.9	0.9	ug/L	U
034418	Chloromethane	N	E84282	8260B	3/7/2006 7:38:00PM	0.64	0.64	ug/L	U
001034	Chromium	N	E84282	200.7 Rev 4.4	3/6/2006 10:25:00AM	2.1	1.7	ug/L	I
077093	cis-1,2-Dichloroethene	N	E84282	8260B	3/7/2006 7:38:00PM	0.65	0.65	ug/L	U
034704	cis-1,3-Dichloropropene	N	E84282	8260B	3/7/2006 7:38:00PM	0.14	0.14	ug/L	U
001037	Cobalt	N	E84282	200.7 Rev 4.4	3/6/2006 10:25:00AM	2	1.6	ug/L	I
001042	Copper	N	E84282	200.7 Rev 4.4	3/6/2006 10:25:00AM	2.9	2.9	ug/L	U
032105	Dibromochloromethane	N	E84282	8260B	3/7/2006 7:38:00PM	0.34	0.34	ug/L	U
034371	Ethylbenzene	N	E84282	8260B	3/7/2006 7:38:00PM	0.44	0.44	ug/L	U
077651	Ethylene Dibromide	N	E84282	504.1	3/7/2006 8:13:00PM	0.0093	0.0093	ug/L	U
106	Field pH	N	E84282	Field Sampling	2/22/2006 11:07:00AM	5.86		SU	
10	Field Temperature	N	E84282	Field Sampling	2/22/2006 11:07:00AM	19.2		Degrees C	

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 4/6/2006

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 33628
 WACS Testsite ID #: 17201
 WACS Testsite Name: MWB22S
 ter Classification: G-II
 (- Leachate, G-II, SW-IIIIF)

Sample Date/Time: 2/22/2006 11:07:00AM
 Sampling Method: Unknown
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077424	Iodomethane	N	E84282	8260B	3/7/2006 7:38:00PM	0.67	0.67	ug/L	U
001045	Iron	N	E84282	200.7 Rev 4.4	3/6/2006 10:25:00AM	140	22	ug/L	U
001051	Lead	N	E84282	200.7 Rev 4.4	3/6/2006 10:25:00AM	1.6	1.6	ug/L	U
071900	Mercury	N	E84282	245.1	3/2/2006 11:46:00AM	0.072	0.072	ug/L	U
081595	Methyl Ethyl Ketone	N	E84282	8260B	3/7/2006 7:38:00PM	8.4	8.4	ug/L	U
077596	Methylene bromide	N	E84282	8260B	3/7/2006 7:38:00PM	0.41	0.41	ug/L	U
034423	Methylene Chloride	N	E84282	8260B	3/7/2006 7:38:00PM	4	4	ug/L	U
001067	Nickel	N	E84282	200.7 Rev 4.4	3/6/2006 10:25:00AM	4.7	4.7	ug/L	U
000620	Nitrate Nitrogen	N	E84282	353.2	2/24/2006 7:45:00AM	0.01	0.01	mg/L	U
000299	Oxygen, Dissolved	N	E84282	Field Sampling	2/22/2006 11:07:00AM	1.9		mg/L	U
001147	Selenium	N	E84282	200.7 Rev 4.4	3/6/2006 10:25:00AM	5.9	5.9	ug/L	U
001077	Silver	N	E84282	200.7 Rev 4.4	3/6/2006 10:25:00AM	1.9	1.9	ug/L	U
000929	Sodium	N	E84282	200.7 Rev 4.4	3/6/2006 10:25:00AM	6.2	0.31	mg/L	U
000094	Specific Conductance	N	E84282	Field Sampling	2/22/2006 11:07:00AM	227		umhos/cm	U
077128	Styrene	N	E84282	8260B	3/7/2006 7:38:00PM	0.98	0.98	ug/L	U
034475	Tetrachloroethene	N	E84282	8260B	3/7/2006 7:38:00PM	0.34	0.34	ug/L	U
001059	Thallium	N	E87052	200.8	3/3/2006 4:36:00AM	0.25	0.25	ug/L	U
034010	Toluene	N	E84282	8260B	3/7/2006 7:38:00PM	0.51	0.51	ug/L	U
070300	Total Dissolved Solids	N	E84282	160.1	2/24/2006 3:55:00PM	110	5	mg/L	U
034546	trans-1,2-Dichloroethene	N	E84282	8260B	3/7/2006 7:38:00PM	0.44	0.44	ug/L	U
034699	trans-1,3-Dichloropropene	N	E84282	8260B	3/7/2006 7:38:00PM	0.14	0.14	ug/L	U
763	trans-1,4-Dichloro-2-butene	N	E84282	8260B	3/7/2006 7:38:00PM	2.5	2.5	ug/L	U
180	Trichloroethene	N	E84282	8260B	3/7/2006 7:38:00PM	0.28	0.28	ug/L	U
034488	Trichlorofluoromethane	N	E84282	8260B	3/7/2006 7:38:00PM	0.98	0.98	ug/L	U
082079	Turbidity	N	E84282	Field Sampling	2/22/2006 11:07:00AM	4.9		NTU	U
001087	Vanadium	N	E84282	200.7 Rev 4.4	3/6/2006 10:25:00AM	2.5	2.5	ug/L	U
077057	Vinyl acetate	N	E84282	8260B	3/7/2006 7:38:00PM	1.5	1.5	ug/L	U
039175	Vinyl chloride	N	E84282	8260B	3/7/2006 7:38:00PM	0.5	0.5	ug/L	U
072020	Water Level	N	E84282	Field Sampling	2/22/2006 11:07:00AM	114.88		ft	U
081551	Xylenes, Total	N	E84282	8260B	3/7/2006 7:38:00PM	0.3	0.3	ug/L	U
001092	Zinc	N	E84282	200.7 Rev 4.4	3/6/2006 10:25:00AM	5.9	5.9	ug/L	U

Total Parameters Monitored: 75

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Trail Ridge Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 33628
 WACS Testsite ID #: 17206
 WACS Testsite Name: MWB271
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-III(F))

Sample Date/Time: 2/22/2006 11:46:00AM
 Sampling Method: Unknown
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	3/7/2006 8:03:00PM	0.63	0.63	ug/L	U
034506	1,1,1-Trichloroethane	N	E84282	8260B	3/7/2006 8:03:00PM	0.46	0.46	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	3/7/2006 8:03:00PM	0.14	0.14	ug/L	U
034511	1,1,2-Trichloroethane	N	E84282	8260B	3/7/2006 8:03:00PM	0.47	0.47	ug/L	U
034496	1,1-Dichloroethane	N	E84282	8260B	3/7/2006 8:03:00PM	0.52	0.52	ug/L	U
034501	1,1-Dichloroethene	N	E84282	8260B	3/7/2006 8:03:00PM	0.45	0.45	ug/L	U
077443	1,2,3-Trichloropropane	N	E84282	8260B	3/7/2006 8:03:00PM	0.15	0.15	ug/L	U
038437	1,2-Dibromo-3-Chloropropane	N	E84282	504.1	3/7/2006 8:36:00PM	0.0032	0.0032	ug/L	U
034536	1,2-Dichlorobenzene	N	E84282	8260B	3/7/2006 8:03:00PM	0.44	0.44	ug/L	U
034531	1,2-Dichloroethane	N	E84282	8260B	3/7/2006 8:03:00PM	0.57	0.57	ug/L	U
034541	1,2-Dichloropropane	N	E84282	8260B	3/7/2006 8:03:00PM	0.52	0.52	ug/L	U
034571	1,4-Dichlorobenzene	N	E84282	8260B	3/7/2006 8:03:00PM	0.52	0.52	ug/L	U
077103	2-Hexanone	N	E84282	8260B	3/7/2006 8:03:00PM	4.4	4.4	ug/L	U
596	4-Methyl-2-pentanone	N	E84282	8260B	3/7/2006 8:03:00PM	3.8	3.8	ug/L	U
001552	Acetone	N	E84282	8260B	3/7/2006 8:03:00PM	9.9	9.9	ug/L	U
034215	Acrylonitrile	N	E84282	8260B	3/7/2006 8:03:00PM	1.2	1.2	ug/L	U
000610	Ammonia	N	E84282	350.1	2/27/2006 10:43:00AM	0.053	0.04	mg/L	
001097	Antimony	N	E84282	200.7 Rev 4.4	3/6/2006 10:31:00AM	3.6	3.6	ug/L	U
001002	Arsenic	N	E84282	200.7 Rev 4.4	3/6/2006 10:31:00AM	4.8	4.8	ug/L	U
001007	Barium	N	E84282	200.7 Rev 4.4	3/6/2006 10:31:00AM	55	1.2	ug/L	
078124	Benzene	N	E84282	8260B	3/7/2006 8:03:00PM	0.27	0.27	ug/L	U
001012	Beryllium	N	E84282	200.7 Rev 4.4	3/6/2006 10:31:00AM	0.74	0.74	ug/L	U
073085	Bromochloromethane	N	E84282	8260B	3/7/2006 8:03:00PM	0.58	0.58	ug/L	U
032101	Bromodichloromethane	N	E84282	8260B	3/7/2006 8:03:00PM	0.35	0.35	ug/L	U
032104	Bromoform	N	E84282	8260B	3/7/2006 8:03:00PM	0.58	0.58	ug/L	U
034413	Bromomethane	N	E84282	8260B	3/7/2006 8:03:00PM	0.66	0.66	ug/L	U
001027	Cadmium	N	E84282	200.7 Rev 4.4	3/6/2006 10:31:00AM	0.71	0.71	ug/L	U
077041	Carbon disulfide	N	E84282	8260B	3/7/2006 8:03:00PM	0.85	0.85	ug/L	U
032102	Carbon tetrachloride	N	E84282	8260B	3/7/2006 8:03:00PM	0.42	0.42	ug/L	U
000940	Chloride	N	E84282	325.2	2/27/2006 2:09:00PM	6.2	0.9	mg/L	
034301	Chlorobenzene	N	E84282	8260B	3/7/2006 8:03:00PM	0.63	0.63	ug/L	U
034311	Chloroethane	N	E84282	8260B	3/7/2006 8:03:00PM	0.8	0.8	ug/L	U
032106	Chloroform	N	E84282	8260B	3/7/2006 8:03:00PM	0.9	0.9	ug/L	U
034418	Chloromethane	N	E84282	8260B	3/7/2006 8:03:00PM	0.64	0.64	ug/L	U
001034	Chromium	N	E84282	200.7 Rev 4.4	3/6/2006 10:31:00AM	1.7	1.7	ug/L	U
077093	cis-1,2-Dichloroethene	N	E84282	8260B	3/7/2006 8:03:00PM	0.65	0.65	ug/L	U
034704	cis-1,3-Dichloropropene	N	E84282	8260B	3/7/2006 8:03:00PM	0.14	0.14	ug/L	U
001037	Cobalt	N	E84282	200.7 Rev 4.4	3/6/2006 10:31:00AM	1.6	1.6	ug/L	U
001042	Copper	N	E84282	200.7 Rev 4.4	3/6/2006 10:31:00AM	2.9	2.9	ug/L	U
032105	Dibromochloromethane	N	E84282	8260B	3/7/2006 8:03:00PM	0.34	0.34	ug/L	U
034371	Ethylbenzene	N	E84282	8260B	3/7/2006 8:03:00PM	0.44	0.44	ug/L	U
077651	Ethylene Dibromide	N	E84282	504.1	3/7/2006 8:36:00PM	0.0091	0.0091	ug/L	U
106	Field pH	N	E84282	Field Sampling	2/22/2006 11:46:00AM	5.58		SU	
J10	Field Temperature	N	E84282	Field Sampling	2/22/2006 11:46:00AM	20.6		Degrees C	

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 33628
 WACS Testsite ID #: 17206
 WACS Testsite Name: MWB271
 Water Classification: G-II
 (Leachate, G-II, SW-III(F))

Sample Date/Time: 2/22/2006 11:46:00AM
 Sampling Method: Unknown
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077424	Iodomethane	N	E84282	8260B	3/7/2006 8:03:00PM	0.67	0.67	ug/L	U
001045	Iron	N	E84282	200.7 Rev 4.4	3/6/2006 10:31:00AM	500	22	ug/L	
001051	Lead	N	E84282	200.7 Rev 4.4	3/6/2006 10:31:00AM	1.6	1.6	ug/L	U
071900	Mercury	N	E84282	245.1	3/2/2006 11:48:00AM	0.072	0.072	ug/L	U
081595	Methyl Ethyl Ketone	N	E84282	8260B	3/7/2006 8:03:00PM	8.4	8.4	ug/L	U
077596	Methylene bromide	N	E84282	8260B	3/7/2006 8:03:00PM	0.41	0.41	ug/L	U
034423	Methylene Chloride	N	E84282	8260B	3/7/2006 8:03:00PM	4	4	ug/L	U
001067	Nickel	N	E84282	200.7 Rev 4.4	3/6/2006 10:31:00AM	4.7	4.7	ug/L	U
000620	Nitrate Nitrogen	N	E84282	353.2	2/24/2006 7:45:00AM	0.021	0.01	mg/L	I
000299	Oxygen, Dissolved	N	E84282	Field Sampling	2/22/2006 11:46:00AM	1.1		mg/L	
001147	Selenium	N	E84282	200.7 Rev 4.4	3/6/2006 10:31:00AM	5.9	5.9	ug/L	U
001077	Silver	N	E84282	200.7 Rev 4.4	3/6/2006 10:31:00AM	1.9	1.9	ug/L	U
000929	Sodium	N	E84282	200.7 Rev 4.4	3/6/2006 10:31:00AM	3.3	0.31	mg/L	
000094	Specific Conductance	N	E84282	Field Sampling	2/22/2006 11:46:00AM	58		umhos/cm	
077128	Styrene	N	E84282	8260B	3/7/2006 8:03:00PM	0.98	0.98	ug/L	U
034475	Tetrachloroethene	N	E84282	8260B	3/7/2006 8:03:00PM	0.34	0.34	ug/L	U
001059	Thallium	N	E87052	200.8	3/3/2006 4:44:00AM	0.25	0.25	ug/L	U
034010	Toluene	N	E84282	8260B	3/7/2006 8:03:00PM	0.51	0.51	ug/L	U
070300	Total Dissolved Solids	N	E84282	160.1	2/24/2006 3:55:00PM	22	5	mg/L	
034546	trans-1,2-Dichloroethene	N	E84282	8260B	3/7/2006 8:03:00PM	0.44	0.44	ug/L	U
034699	trans-1,3-Dichloropropene	N	E84282	8260B	3/7/2006 8:03:00PM	0.14	0.14	ug/L	U
763	trans-1,4-Dichloro-2-butene	N	E84282	8260B	3/7/2006 8:03:00PM	2.5	2.5	ug/L	U
80	Trichloroethene	N	E84282	8260B	3/7/2006 8:03:00PM	0.28	0.28	ug/L	U
034488	Trichlorofluoromethane	N	E84282	8260B	3/7/2006 8:03:00PM	0.98	0.98	ug/L	U
082079	Turbidity	N	E84282	Field Sampling	2/22/2006 11:46:00AM	10.2		NTU	
001087	Vanadium	N	E84282	200.7 Rev 4.4	3/6/2006 10:31:00AM	2.5	2.5	ug/L	U
077057	Vinyl acetate	N	E84282	8260B	3/7/2006 8:03:00PM	1.5	1.5	ug/L	U
039175	Vinyl chloride	N	E84282	8260B	3/7/2006 8:03:00PM	0.5	0.5	ug/L	U
072020	Water Level	N	E84282	Field Sampling	2/22/2006 11:46:00AM	121.9		ft	
081551	Xylenes, Total	N	E84282	8260B	3/7/2006 8:03:00PM	0.3	0.3	ug/L	U
001092	Zinc	N	E84282	200.7 Rev 4.4	3/6/2006 10:31:00AM	5.9	5.9	ug/L	U

Total Parameters Monitored: 75

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Appendix B

STL Laboratory Reports – Ground Water Sample Points

ANALYTICAL REPORT

Job Number: 660-7427-1

Job Description: Trail Ridge Landfill

For:
HDR Engineering
200 W. Forsyth St., Suite 800
Jacksonville, FL 32202

Attention: Mr. Brad Stone



Nancy Robertson
Project Manager II
nrobertson@stl-inc.com
04/03/2006

Project Manager: Nancy Robertson

DOH Certification #: E84282

These test results meet all the requirements of NELAC. All questions regarding this test report should be directed to the STL Project Manager who signed this test report. The estimated uncertainty associated with these reported results is available upon request.

Severn Trent Laboratories, Inc.

STL Tampa 6712 Benjamin Road Suite 100, Tampa, FL 33634
Tel (813) 885-7427 Fax (813) 885-7049 www.stl-inc.com

EXECUTIVE SUMMARY - Detections

Client: HDR Engineering

Job Number: 660-7427-1

Lab Sample ID Analyte	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
660-7427-1	MWB13I				
Total Dissolved Solids		48	5.0	mg/L	160.1
Chloride		5.8	1.0	mg/L	325.2
Total Recoverable					
Barium		36	10	ug/L	200.7 Rev 4.4
Chromium		3.4	10	ug/L	200.7 Rev 4.4
Iron		480	50	ug/L	200.7 Rev 4.4
Sodium		3.2	0.50	mg/L	200.7 Rev 4.4
Vanadium		3.1	10	ug/L	200.7 Rev 4.4
Thallium		0.70	1.0	ug/L	200.8
660-7427-2	MWB31D				
Total Dissolved Solids		200	5.0	mg/L	160.1
Chloride		5.5	1.0	mg/L	325.2
Nitrate Nitrogen		0.093	0.050	mg/L	353.2
Total Recoverable					
Barium		82	10	ug/L	200.7 Rev 4.4
Iron		49	50	ug/L	200.7 Rev 4.4
Sodium		6.2	0.50	mg/L	200.7 Rev 4.4
Antimony		3.7	6.0	ug/L	200.7 Rev 4.4
Thallium		0.74	1.0	ug/L	200.8
660-7427-3	MWB3S				
Total Dissolved Solids		34	5.0	mg/L	160.1
Chloride		5.8	1.0	mg/L	325.2
Total Recoverable					
Barium		12	10	ug/L	200.7 Rev 4.4
Cobalt		2.2	10	ug/L	200.7 Rev 4.4
Iron		480	50	ug/L	200.7 Rev 4.4
Sodium		3.1	0.50	mg/L	200.7 Rev 4.4
Thallium		0.28	1.0	ug/L	200.8
660-7427-4	MWB3I				
Total Dissolved Solids		22	5.0	mg/L	160.1
Chloride		4.4	1.0	mg/L	325.2
Total Recoverable					
Barium		22	10	ug/L	200.7 Rev 4.4
Iron		660	50	ug/L	200.7 Rev 4.4
Sodium		3.2	0.50	mg/L	200.7 Rev 4.4
Thallium		0.25	1.0	ug/L	200.8

EXECUTIVE SUMMARY - Detections

Client: HDR Engineering

Job Number: 660-7427-1

Lab Sample ID Analyte	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
660-7427-5	MWB7I				
Total Dissolved Solids		44	5.0	mg/L	160.1
Chloride		5.8	1.0	mg/L	325.2
Total Recoverable					
Barium		53	10	ug/L	200.7 Rev 4.4
Iron		370	50	ug/L	200.7 Rev 4.4
Sodium		3.1	0.50	mg/L	200.7 Rev 4.4
660-7427-6	MWB7D				
Total Dissolved Solids		190	5.0	mg/L	160.1
Chloride		4.5	1.0	mg/L	325.2
Ammonia		0.13	0.050	mg/L	350.1
Nitrate Nitrogen		0.023	0.050	mg/L	353.2
Total Recoverable					
Barium		81	10	ug/L	200.7 Rev 4.4
Iron		190	50	ug/L	200.7 Rev 4.4
Sodium		4.7	0.50	mg/L	200.7 Rev 4.4
660-7427-7	MWB7S				
Total Dissolved Solids		90	5.0	mg/L	160.1
Chloride		10	1.0	mg/L	325.2
Ammonia		0.25	0.050	mg/L	350.1
Nitrate Nitrogen		0.032	0.050	mg/L	353.2
Total Recoverable					
Barium		5.4	10	ug/L	200.7 Rev 4.4
Iron		110	50	ug/L	200.7 Rev 4.4
Sodium		5.2	0.50	mg/L	200.7 Rev 4.4
Vanadium		2.6	10	ug/L	200.7 Rev 4.4

EXECUTIVE SUMMARY - Detections

Client: HDR Engineering

Job Number: 660-7427-1

Lab Sample ID Analyte	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
660-7427-8	MWB13S				
Total Dissolved Solids		120	5.0	mg/L	160.1
Chloride		21	1.0	mg/L	325.2
Ammonia		0.47	0.050	mg/L	350.1
Nitrate Nitrogen		0.071	0.050	mg/L	353.2
Total Recoverable					
Barium		11	10	ug/L	200.7 Rev 4.4
Cobalt		1.9	10	ug/L	200.7 Rev 4.4
Chromium		6.0	10	ug/L	200.7 Rev 4.4
Copper		19	20	ug/L	200.7 Rev 4.4
Iron		760	50	ug/L	200.7 Rev 4.4
Sodium		10	0.50	mg/L	200.7 Rev 4.4
Selenium		31	10	ug/L	200.7 Rev 4.4
Vanadium		47	10	ug/L	200.7 Rev 4.4
Zinc		7.2	20	ug/L	200.7 Rev 4.4
660-7427-9	MWB111 (R)				
Total Dissolved Solids		46	5.0	mg/L	160.1
Chloride		9.1	1.0	mg/L	325.2
Total Recoverable					
Barium		75	10	ug/L	200.7 Rev 4.4
Chromium		25	10	ug/L	200.7 Rev 4.4
Iron		1500	50	ug/L	200.7 Rev 4.4
Sodium		3.1	0.50	mg/L	200.7 Rev 4.4
Lead		7.1	5.0	ug/L	200.7 Rev 4.4
Vanadium		38	10	ug/L	200.7 Rev 4.4
Zinc		6.1	20	ug/L	200.7 Rev 4.4
660-7427-10	DUP 02				
Total Dissolved Solids		68	5.0	mg/L	160.1
Chloride		8.3	1.0	mg/L	325.2
Total Recoverable					
Barium		75	10	ug/L	200.7 Rev 4.4
Chromium		25	10	ug/L	200.7 Rev 4.4
Iron		1500	50	ug/L	200.7 Rev 4.4
Sodium		3.0	0.50	mg/L	200.7 Rev 4.4
Lead		6.0	5.0	ug/L	200.7 Rev 4.4
Vanadium		37	10	ug/L	200.7 Rev 4.4
Zinc		6.5	20	ug/L	200.7 Rev 4.4

EXECUTIVE SUMMARY - Detections

Client: HDR Engineering

Job Number: 660-7427-1

Lab Sample ID Analyte	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
660-7427-11	MWB11S				
Total Dissolved Solids		110	5.0	mg/L	160.1
Chloride		14	1.0	mg/L	325.2
Ammonia		0.091	0.050	mg/L	350.1
Total Recoverable					
Barium		81	10	ug/L	200.7 Rev 4.4
Cobalt		1.8	10	ug/L	200.7 Rev 4.4
Iron		1000	50	ug/L	200.7 Rev 4.4
Sodium		8.0	0.50	mg/L	200.7 Rev 4.4
660-7427-12	MWB20S				
Total Dissolved Solids		66	5.0	mg/L	160.1
Chloride		7.6	1.0	mg/L	325.2
Ammonia		0.71	0.050	mg/L	350.1
Total Recoverable					
Barium		17	10	ug/L	200.7 Rev 4.4
Cobalt		1.7	10	ug/L	200.7 Rev 4.4
Iron		400	50	ug/L	200.7 Rev 4.4
Sodium		4.1	0.50	mg/L	200.7 Rev 4.4
660-7427-13	MWB21S				
Total Dissolved Solids		40	5.0	mg/L	160.1
Chloride		7.7	1.0	mg/L	325.2
Ammonia		0.073	0.050	mg/L	350.1
Total Recoverable					
Barium		18	10	ug/L	200.7 Rev 4.4
Iron		600	50	ug/L	200.7 Rev 4.4
Sodium		3.0	0.50	mg/L	200.7 Rev 4.4
660-7427-14	MWB17S				
Total Dissolved Solids		52	5.0	mg/L	160.1
Chloride		7.7	1.0	mg/L	325.2
Ammonia		0.085	0.050	mg/L	350.1
Total Recoverable					
Barium		3.1	10	ug/L	200.7 Rev 4.4
Cobalt		1.7	10	ug/L	200.7 Rev 4.4
Chromium		1.8	10	ug/L	200.7 Rev 4.4
Iron		150	50	ug/L	200.7 Rev 4.4
Sodium		3.6	0.50	mg/L	200.7 Rev 4.4
Thallium		0.28	1.0	ug/L	200.8

EXECUTIVE SUMMARY - Detections

Client: HDR Engineering

Job Number: 660-7427-1

Lab Sample ID Analyte	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
660-7427-15	DUP 03				
Total Dissolved Solids		52	5.0	mg/L	160.1
Chloride		8.5	1.0	mg/L	325.2
Ammonia		0.088	0.050	mg/L	350.1
Total Recoverable					
Barium		3.3	10	ug/L	200.7 Rev 4.4
Iron		160	50	ug/L	200.7 Rev 4.4
Sodium		3.7	0.50	mg/L	200.7 Rev 4.4
660-7427-16	MWB171				
Total Dissolved Solids		32	5.0	mg/L	160.1
Chloride		6.1	1.0	mg/L	325.2
Total Recoverable					
Barium		38	10	ug/L	200.7 Rev 4.4
Iron		390	50	ug/L	200.7 Rev 4.4
Sodium		3.2	0.50	mg/L	200.7 Rev 4.4
660-7427-17	MWB34D				
Total Dissolved Solids		220	5.0	mg/L	160.1
Chloride		5.8	1.0	mg/L	325.2
Ammonia		0.21	0.050	mg/L	350.1
Total Recoverable					
Barium		100	10	ug/L	200.7 Rev 4.4
Iron		480	50	ug/L	200.7 Rev 4.4
Sodium		6.1	0.50	mg/L	200.7 Rev 4.4
660-7427-18	MWB34I				
Total Dissolved Solids		42	5.0	mg/L	160.1
Chloride		6.3	1.0	mg/L	325.2
Total Recoverable					
Barium		53	10	ug/L	200.7 Rev 4.4
Chromium		2.1	10	ug/L	200.7 Rev 4.4
Iron		590	50	ug/L	200.7 Rev 4.4
Sodium		3.3	0.50	mg/L	200.7 Rev 4.4

EXECUTIVE SUMMARY - Detections

Client: HDR Engineering

Job Number: 660-7427-1

Lab Sample ID Analyte	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
660-7427-19	MWB34S				
Benzene		0.52	1.0	ug/L	8260B
Total Dissolved Solids		520	5.0	mg/L	160.1
Chloride		150	20	mg/L	325.2
Ammonia		16	1.3	mg/L	350.1
Nitrate Nitrogen		3.7	0.050	mg/L	353.2
Total Recoverable					
Barium		7.3	10	ug/L	200.7 Rev 4.4
Cobalt		1.7	10	ug/L	200.7 Rev 4.4
Chromium		3.7	10	ug/L	200.7 Rev 4.4
Copper		19	20	ug/L	200.7 Rev 4.4
Iron		120	50	ug/L	200.7 Rev 4.4
Sodium		86	0.50	mg/L	200.7 Rev 4.4
Nickel		5.7	40	ug/L	200.7 Rev 4.4
Antimony		4.6	6.0	ug/L	200.7 Rev 4.4
Vanadium		22	10	ug/L	200.7 Rev 4.4
Zinc		79	20	ug/L	200.7 Rev 4.4
660-7427-20	MWB33S				
Total Dissolved Solids		78	5.0	mg/L	160.1
Chloride		9.4	1.0	mg/L	325.2
Ammonia		0.76	0.050	mg/L	350.1
Total Recoverable					
Barium		30	10	ug/L	200.7 Rev 4.4
Iron		650	50	ug/L	200.7 Rev 4.4
Sodium		5.1	0.50	mg/L	200.7 Rev 4.4
Vanadium		3.3	10	ug/L	200.7 Rev 4.4
660-7427-21	MWB32D				
Total Dissolved Solids		130	5.0	mg/L	160.1
Chloride		10	1.0	mg/L	325.2
Ammonia		0.13	0.050	mg/L	350.1
Total Recoverable					
Barium		98	10	ug/L	200.7 Rev 4.4
Chromium		8.8	10	ug/L	200.7 Rev 4.4
Copper		5.6	20	ug/L	200.7 Rev 4.4
Iron		2300	50	ug/L	200.7 Rev 4.4
Sodium		5.1	0.50	mg/L	200.7 Rev 4.4
Lead		6.8	5.0	ug/L	200.7 Rev 4.4
Vanadium		9.7	10	ug/L	200.7 Rev 4.4
Thallium		0.41	1.0	ug/L	200.8

EXECUTIVE SUMMARY - Detections

Client: HDR Engineering

Job Number: 660-7427-1

Lab Sample ID	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
660-7427-22	MWB32I				
Total Dissolved Solids		80	5.0	mg/L	160.1
Chloride		8.4	1.0	mg/L	325.2
Total Recoverable					
Barium		54	10	ug/L	200.7 Rev 4.4
Chromium		6.0	10	ug/L	200.7 Rev 4.4
Iron		530	50	ug/L	200.7 Rev 4.4
Sodium		2.7	0.50	mg/L	200.7 Rev 4.4
Lead		5.5	5.0	ug/L	200.7 Rev 4.4
Vanadium		6.8	10	ug/L	200.7 Rev 4.4
Zinc		11	20	ug/L	200.7 Rev 4.4
660-7427-23	MWB32S				
Total Dissolved Solids		74	5.0	mg/L	160.1
Chloride		9.2	1.0	mg/L	325.2
Ammonia		0.25	0.050	mg/L	350.1
Total Recoverable					
Barium		25	10	ug/L	200.7 Rev 4.4
Cobalt		1.7	10	ug/L	200.7 Rev 4.4
Chromium		2.7	10	ug/L	200.7 Rev 4.4
Iron		520	50	ug/L	200.7 Rev 4.4
Sodium		5.4	0.50	mg/L	200.7 Rev 4.4
Vanadium		2.8	10	ug/L	200.7 Rev 4.4
660-7427-24	MWB17D				
Methylene Chloride		18	5.0	ug/L	8260B
Total Dissolved Solids		36	5.0	mg/L	160.1
Chloride		6.9	1.0	mg/L	325.2
Total Recoverable					
Barium		36	10	ug/L	200.7 Rev 4.4
Iron		510	50	ug/L	200.7 Rev 4.4
Sodium		3.1	0.50	mg/L	200.7 Rev 4.4

METHOD SUMMARY

Client: HDR Engineering

Job Number: 660-7427-1

Description	Lab Location	Method	Preparation Method
Matrix: Water			
Volatile Organic Compounds by GC/MS	STL-TAM	SW846 8260B	
Purge-and-Trap	STL-TAM		SW846 5030B
EDB, DBCP, and 123TCP in Water by Microextraction and Gas Chromatography	STL-TAM	EPA-01 504.1	
EDB, DBCP, and 123TCP in Water by	STL-TAM		EPA-DW 504.1
ICP Metals by 200.7	STL-TAM	EPA 200.7 Rev 4.4	
Total Recoverable Metals Digestion for 200.7	STL-TAM		40CFR136A 200.7 Appx C
ICPMS Metals by 200.8 CWA	STL-SAV	EPA 200.8	
Total Recoverable Metals for 200.8	STL-SAV		MCAWW 4.1.4
Mercury in Water by CVAA	STL-TAM	EPA 245.1	
Digestion for CVAA Mercury in Waters	STL-TAM		EPA 245.1
Field Sampling	STL-TAM	EPA Field Sampling	
Residue, Filterable, Gravimetric, Dried at 180°C (TDS)	STL-TAM	MCAWW 160.1	
Chloride (Colorimetric, Automated Ferricyanide)	STL-TAM	MCAWW 325.2	
Nitrogen (Ammonia, Colorimetric, Automated Phenate)	STL-TAM	MCAWW 350.1	
Nitrogen, Nitrate-Nitrite (Colorimetric, Automated, Cadmium Reduction)	STL-TAM	MCAWW 353.2	

LAB REFERENCES:

STL-SAV = STL-Savannah
STL-TAM = STL-Tampa

METHOD REFERENCES:

EPA - US Environmental Protection Agency

EPA-01 - "Methods For The Determination Of Nonconventional Pesticides In Municipal And Industrial Wastewater", EPA/821/R/92/002, April 1992.

MCAWW - "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

SW846 - "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

METHOD / ANALYST SUMMARY

Client: HDR Engineering

Job Number: 660-7427-1

Method	Analyst	Analyst ID
SW846 8260B	Ballard, Patricia	PB
EPA-01 504.1	Ballard, James	JB
EPA 200.7 Rev 4.4	Fox, Greg	GF
EPA 200.8	Eaton, Cliff	CE
EPA 245.1	Phan, Qui	QP
EPA Field Sampling	Sampler, Field	FS
MCAWW 160.1	Johnson, Amanda N	ANJ
MCAWW 325.2	Robarge, Andrea	AR
MCAWW 350.1	Robarge, Andrea	AR
MCAWW 353.2	Steward, Tiffany	TS

SAMPLE SUMMARY

Client: HDR Engineering

Job Number: 660-7427-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
660-7427-1	MWB13I	Water	02/23/2006 0733	02/24/2006 0915
660-7427-2	MWB31D	Water	02/23/2006 0806	02/24/2006 0915
660-7427-3	MWB3S	Water	02/23/2006 0842	02/24/2006 0915
660-7427-4	MWB3I	Water	02/23/2006 0924	02/24/2006 0915
660-7427-5	MWB7I	Water	02/23/2006 1004	02/24/2006 0915
660-7427-6	MWB7D	Water	02/23/2006 1023	02/24/2006 0915
660-7427-7	MWB7S	Water	02/23/2006 1045	02/24/2006 0915
660-7427-8	MWB13S	Water	02/23/2006 1101	02/24/2006 0915
660-7427-9	MWB11I (R)	Water	02/23/2006 1147	02/24/2006 0915
660-7427-10	Dup 02	Water	02/23/2006 1147	02/24/2006 0915
660-7427-11	MWB11S	Water	02/23/2006 1208	02/24/2006 0915
660-7427-12	MWB20S	Water	02/23/2006 1229	02/24/2006 0915
660-7427-13	MWB21S	Water	02/23/2006 1254	02/24/2006 0915
660-7427-14	MWB17S	Water	02/23/2006 1218	02/24/2006 0915
660-7427-15	Dup 03	Water	02/23/2006 1218	02/24/2006 0915
660-7427-16	MWB17I	Water	02/23/2006 1305	02/24/2006 0915
660-7427-17	MWB34D	Water	02/23/2006 0756	02/24/2006 0915
660-7427-18	MWB34I	Water	02/23/2006 0828	02/24/2006 0915
660-7427-19	MWB34S	Water	02/23/2006 0746	02/24/2006 0915
660-7427-20	MWB33S	Water	02/23/2006 1120	02/24/2006 0915
660-7427-21	MWB32D	Water	02/23/2006 1027	02/24/2006 0915
660-7427-22	MWB32I	Water	02/23/2006 1004	02/24/2006 0915
660-7427-23	MWB32S	Water	02/23/2006 0920	02/24/2006 0915
660-7427-24	MWB17D	Water	02/23/2006 1245	02/24/2006 0915
660-7427-25	Field Blank	Water	02/23/2006 1315	02/24/2006 0915
660-7427-26	Equipment Blank	Water	02/23/2006 1325	02/24/2006 0915
660-7427-27	Trip Blank	Water	02/23/2006 0000	02/24/2006 0915

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB131

Lab Sample ID: 660-7427-1

Date Sampled: 02/23/2006 0733

Client Matrix: Water

Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method:	8260B	Analysis Batch: 660-21634	Instrument ID: BVMJ GC/MS
Preparation:	5030B		Lab File ID: 1JC0313.D
Dilution:	1.0		Initial Weight/Volume: 5 mL
Date Analyzed:	03/03/2006 2120		Final Weight/Volume: 5 mL
Date Prepared:	03/03/2006 2120		

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Acetone	9.9	U	9.9	20
Acrylonitrile	1.2	U	1.2	100
Benzene	0.27	U	0.27	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Bromomethane	0.66	U	0.66	1.0
Methyl Ethyl Ketone	8.4	U	8.4	10
Carbon disulfide	0.85	U	0.85	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Bromochloromethane	0.58	U	0.58	1.0
Chloroethane	0.80	U	0.80	1.0
Chloroform	0.90	U	0.90	1.0
1,2-Dichlorobenzene	0.44	U	0.44	1.0
Chloromethane	0.64	U	0.64	1.0
Dibromochloromethane	0.34	U	0.34	1.0
Methylene bromide	0.41	U	0.41	1.0
trans-1,4-Dichloro-2-butene	2.5	U	2.5	10
1,4-Dichlorobenzene	0.52	U	0.52	1.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,1-Dichloroethene	0.45	U	0.45	1.0
cis-1,2-Dichloroethene	0.65	U	0.65	1.0
trans-1,2-Dichloroethene	0.44	U	0.44	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
Ethylbenzene	0.44	U	0.44	1.0
2-Hexanone	4.4	U	4.4	10
Iodomethane	0.67	U	0.67	1.0
4-Methyl-2-pentanone	3.8	U	3.8	10
Methylene Chloride	4.0	U	4.0	5.0
Styrene	0.98	U	0.98	1.0
1,1,2,2-Tetrachloroethane	0.14	U	0.14	1.0
1,1,1,2-Tetrachloroethane	0.63	U	0.63	1.0
Tetrachloroethene	0.34	U	0.34	1.0
Toluene	0.51	U	0.51	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethene	0.28	U	0.28	1.0
Trichlorofluoromethane	0.98	U	0.98	1.0
1,2,3-Trichloropropane	0.15	U	0.15	1.0
Vinyl acetate	1.5	U	1.5	10

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB13I

Lab Sample ID: 660-7427-1

Date Sampled: 02/23/2006 0733

Client Matrix: Water

Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method: 8260B

Analysis Batch: 660-21634

Instrument ID: BVMJ GC/MS

Preparation: 5030B

Lab File ID: 1JC0313.D

Dilution: 1.0

Initial Weight/Volume: 5 mL

Date Analyzed: 03/03/2006 2120

Final Weight/Volume: 5 mL

Date Prepared: 03/03/2006 2120

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	0.50	U	0.50	1.0
Xylenes, Total	0.30	U	0.30	1.0
Surrogate	%Rec		Acceptance Limits	
4-Bromofluorobenzene	85		74 - 126	
Dibromofluoromethane	86		70 - 130	
Toluene-d8	93		77 - 122	

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB31D

Lab Sample ID: 660-7427-2

Date Sampled: 02/23/2006 0806

Client Matrix: Water

Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 03/03/2006 2144
Date Prepared: 03/03/2006 2144

Analysis Batch: 660-21634

Instrument ID: BVMJ GC/MS
Lab File ID: 1JC0314.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Acetone	9.9	U	9.9	20
Acrylonitrile	1.2	U	1.2	100
Benzene	0.27	U	0.27	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Bromomethane	0.66	U	0.66	1.0
Methyl Ethyl Ketone	8.4	U	8.4	10
Carbon disulfide	0.85	U	0.85	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Bromochloromethane	0.58	U	0.58	1.0
Chloroethane	0.80	U	0.80	1.0
Chloroform	0.90	U	0.90	1.0
1,2-Dichlorobenzene	0.44	U	0.44	1.0
Chloromethane	0.64	U	0.64	1.0
Dibromochloromethane	0.34	U	0.34	1.0
Methylene bromide	0.41	U	0.41	1.0
trans-1,4-Dichloro-2-butene	2.5	U	2.5	10
1,4-Dichlorobenzene	0.52	U	0.52	1.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,1-Dichloroethene	0.45	U	0.45	1.0
cis-1,2-Dichloroethene	0.65	U	0.65	1.0
trans-1,2-Dichloroethene	0.44	U	0.44	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
Ethylbenzene	0.44	U	0.44	1.0
2-Hexanone	4.4	U	4.4	10
Iodomethane	0.67	U	0.67	1.0
4-Methyl-2-pentanone	3.8	U	3.8	10
Methylene Chloride	4.0	U	4.0	5.0
Styrene	0.98	U	0.98	1.0
1,1,1,2-Tetrachloroethane	0.14	U	0.14	1.0
1,1,1,2-Tetrachloroethane	0.63	U	0.63	1.0
Tetrachloroethene	0.34	U	0.34	1.0
Toluene	0.51	U	0.51	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethene	0.28	U	0.28	1.0
Trichlorofluoromethane	0.98	U	0.98	1.0
1,2,3-Trichloropropane	0.15	U	0.15	1.0
Vinyl acetate	1.5	U	1.5	10

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB31D

Lab Sample ID: 660-7427-2

Date Sampled: 02/23/2006 0806

Client Matrix: Water

Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method: 8260B

Analysis Batch: 660-21634

Instrument ID: BVMJ GC/MS

Preparation: 5030B

Lab File ID: 1JC0314.D

Dilution: 1.0

Initial Weight/Volume: 5 mL

Date Analyzed: 03/03/2006 2144

Final Weight/Volume: 5 mL

Date Prepared: 03/03/2006 2144

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	0.50	U	0.50	1.0
Xylenes, Total	0.30	U	0.30	1.0
Surrogate	%Rec		Acceptance Limits	
4-Bromofluorobenzene	76		74 - 126	
Dibromofluoromethane	81		70 - 130	
Toluene-d8	85		77 - 122	

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB3S

Lab Sample ID: 660-7427-3

Date Sampled: 02/23/2006 0842

Client Matrix: Water

Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method:	8260B	Analysis Batch: 660-21634	Instrument ID: BVMJ GC/MS
Preparation:	5030B		Lab File ID: 1JC0315.D
Dilution:	1.0		Initial Weight/Volume: 5 mL
Date Analyzed:	03/03/2006 2209		Final Weight/Volume: 5 mL
Date Prepared:	03/03/2006 2209		

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Acetone	9.9	U	9.9	20
Acrylonitrile	1.2	U	1.2	100
Benzene	0.27	U	0.27	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Bromomethane	0.66	U	0.66	1.0
Methyl Ethyl Ketone	8.4	U	8.4	10
Carbon disulfide	0.85	U	0.85	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Bromochloromethane	0.58	U	0.58	1.0
Chloroethane	0.80	U	0.80	1.0
Chloroform	0.90	U	0.90	1.0
1,2-Dichlorobenzene	0.44	U	0.44	1.0
Chloromethane	0.64	U	0.64	1.0
Dibromochloromethane	0.34	U	0.34	1.0
Methylene bromide	0.41	U	0.41	1.0
trans-1,4-Dichloro-2-butene	2.5	U	2.5	10
1,4-Dichlorobenzene	0.52	U	0.52	1.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,1-Dichloroethene	0.45	U	0.45	1.0
cis-1,2-Dichloroethene	0.65	U	0.65	1.0
trans-1,2-Dichloroethene	0.44	U	0.44	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
Ethylbenzene	0.44	U	0.44	1.0
2-Hexanone	4.4	U	4.4	10
Iodomethane	0.67	U	0.67	1.0
4-Methyl-2-pentanone	3.8	U	3.8	10
Methylene Chloride	4.0	U	4.0	5.0
Styrene	0.98	U	0.98	1.0
1,1,2,2-Tetrachloroethane	0.14	U	0.14	1.0
1,1,1,2-Tetrachloroethane	0.63	U	0.63	1.0
Tetrachloroethene	0.34	U	0.34	1.0
Toluene	0.51	U	0.51	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethene	0.28	U	0.28	1.0
Trichlorofluoromethane	0.98	U	0.98	1.0
1,2,3-Trichloropropane	0.15	U	0.15	1.0
Vinyl acetate	1.5	U	1.5	10

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB3S

Lab Sample ID: 660-7427-3

Client Matrix: Water

Date Sampled: 02/23/2006 0842

Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method: 8260B

Analysis Batch: 660-21634

Instrument ID: BVMJ GC/MS

Preparation: 5030B

Lab File ID: 1JC0315.D

Dilution: 1.0

Initial Weight/Volume: 5 mL

Date Analyzed: 03/03/2006 2209

Final Weight/Volume: 5 mL

Date Prepared: 03/03/2006 2209

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	0.50	U	0.50	1.0
Xylenes, Total	0.30	U	0.30	1.0
Surrogate	%Rec		Acceptance Limits	
4-Bromofluorobenzene	77		74 - 126	
Dibromofluoromethane	79		70 - 130	
Toluene-d8	85		77 - 122	

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB3I

Lab Sample ID: 660-7427-4

Date Sampled: 02/23/2006 0924

Client Matrix: Water

Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method:	8260B	Analysis Batch:	660-21634	Instrument ID:	BVMJ GC/MS
Preparation:	5030B			Lab File ID:	1JC0316.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Date Analyzed:	03/03/2006 2234			Final Weight/Volume:	5 mL
Date Prepared:	03/03/2006 2234				

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Acetone	9.9	U	9.9	20
Acrylonitrile	1.2	U	1.2	100
Benzene	0.27	U	0.27	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Bromomethane	0.66	U	0.66	1.0
Methyl Ethyl Ketone	8.4	U	8.4	10
Carbon disulfide	0.85	U	0.85	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Bromochloromethane	0.58	U	0.58	1.0
Chloroethane	0.80	U	0.80	1.0
Chloroform	0.90	U	0.90	1.0
1,2-Dichlorobenzene	0.44	U	0.44	1.0
Chloromethane	0.64	U	0.64	1.0
Dibromochloromethane	0.34	U	0.34	1.0
Methylene bromide	0.41	U	0.41	1.0
trans-1,4-Dichloro-2-butene	2.5	U	2.5	10
1,4-Dichlorobenzene	0.52	U	0.52	1.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,1-Dichloroethene	0.45	U	0.45	1.0
cis-1,2-Dichloroethene	0.65	U	0.65	1.0
trans-1,2-Dichloroethene	0.44	U	0.44	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
Ethylbenzene	0.44	U	0.44	1.0
2-Hexanone	4.4	U	4.4	10
Iodomethane	0.67	U	0.67	1.0
4-Methyl-2-pentanone	3.8	U	3.8	10
Methylene Chloride	4.0	U	4.0	5.0
Styrene	0.98	U	0.98	1.0
1,1,2,2-Tetrachloroethane	0.14	U	0.14	1.0
1,1,1,2-Tetrachloroethane	0.63	U	0.63	1.0
Tetrachloroethene	0.34	U	0.34	1.0
Toluene	0.51	U	0.51	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethene	0.28	U	0.28	1.0
Trichlorofluoromethane	0.98	U	0.98	1.0
1,2,3-Trichloropropane	0.15	U	0.15	1.0
Vinyl acetate	1.5	U	1.5	10

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB3I

Lab Sample ID: 660-7427-4

Client Matrix: Water

Date Sampled: 02/23/2006 0924

Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method: 8260B

Analysis Batch: 660-21634

Instrument ID: BVMJ GC/MS

Preparation: 5030B

Lab File ID: 1JC0316.D

Dilution: 1.0

Initial Weight/Volume: 5 mL

Date Analyzed: 03/03/2006 2234

Final Weight/Volume: 5 mL

Date Prepared: 03/03/2006 2234

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	0.50	U	0.50	1.0
Xylenes, Total	0.30	U	0.30	1.0
Surrogate	%Rec		Acceptance Limits	
4-Bromofluorobenzene	76		74 - 126	
Dibromofluoromethane	79		70 - 130	
Toluene-d8	84		77 - 122	

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB71

Lab Sample ID: 660-7427-5

Date Sampled: 02/23/2006 1004

Client Matrix: Water

Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method:	8260B	Analysis Batch:	660-21714	Instrument ID:	BVMJ GC/MS
Preparation:	5030B			Lab File ID:	1JC0619.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Date Analyzed:	03/06/2006 2017			Final Weight/Volume:	5 mL
Date Prepared:	03/06/2006 2017				

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Acetone	9.9	U	9.9	20
Acrylonitrile	1.2	U	1.2	100
Benzene	0.27	U	0.27	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Bromomethane	0.66	U	0.66	1.0
Methyl Ethyl Ketone	8.4	U	8.4	10
Carbon disulfide	0.85	U	0.85	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Bromochloromethane	0.58	U	0.58	1.0
Chloroethane	0.80	U	0.80	1.0
Chloroform	0.90	U	0.90	1.0
1,2-Dichlorobenzene	0.44	U	0.44	1.0
Chloromethane	0.64	U	0.64	1.0
Dibromochloromethane	0.34	U	0.34	1.0
Methylene bromide	0.41	U	0.41	1.0
trans-1,4-Dichloro-2-butene	2.5	U	2.5	10
1,4-Dichlorobenzene	0.52	U	0.52	1.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,1-Dichloroethene	0.45	U	0.45	1.0
cis-1,2-Dichloroethene	0.65	U	0.65	1.0
trans-1,2-Dichloroethene	0.44	U	0.44	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
Ethylbenzene	0.44	U	0.44	1.0
2-Hexanone	4.4	U	4.4	10
Iodomethane	0.67	U	0.67	1.0
4-Methyl-2-pentanone	3.8	U	3.8	10
Methylene Chloride	4.0	U	4.0	5.0
Styrene	0.98	U	0.98	1.0
1,1,2,2-Tetrachloroethane	0.14	U	0.14	1.0
1,1,1,2-Tetrachloroethane	0.63	U	0.63	1.0
Tetrachloroethene	0.34	U	0.34	1.0
Toluene	0.51	U	0.51	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethene	0.28	U	0.28	1.0
Trichlorofluoromethane	0.98	U	0.98	1.0
1,2,3-Trichloropropane	0.15	U	0.15	1.0
Vinyl acetate	1.5	U	1.5	10

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB71

Lab Sample ID: 660-7427-5

Date Sampled: 02/23/2006 1004

Client Matrix: Water

Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method:	8260B	Analysis Batch:	660-21714	Instrument ID:	BVMJ GC/MS
Preparation:	5030B			Lab File ID:	1JC0619.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Date Analyzed:	03/06/2006 2017			Final Weight/Volume:	5 mL
Date Prepared:	03/06/2006 2017				

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	0.50	U	0.50	1.0
Xylenes, Total	0.30	U	0.30	1.0
Surrogate	%Rec		Acceptance Limits	
4-Bromofluorobenzene	97		74 - 126	
Dibromofluoromethane	105		70 - 130	
Toluene-d8	114		77 - 122	

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB7D

Lab Sample ID: 660-7427-6

Date Sampled: 02/23/2006 1023

Client Matrix: Water

Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method:	8260B	Analysis Batch: 660-21714	Instrument ID:	BVMJ GC/MS
Preparation:	5030B		Lab File ID:	1JC0620.D
Dilution:	1.0		Initial Weight/Volume:	5 mL
Date Analyzed:	03/06/2006 2041		Final Weight/Volume:	5 mL
Date Prepared:	03/06/2006 2041			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Acetone	9.9	U	9.9	20
Acrylonitrile	1.2	U	1.2	100
Benzene	0.27	U	0.27	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Bromomethane	0.66	U	0.66	1.0
Methyl Ethyl Ketone	8.4	U	8.4	10
Carbon disulfide	0.85	U	0.85	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Bromochloromethane	0.58	U	0.58	1.0
Chloroethane	0.80	U	0.80	1.0
Chloroform	0.90	U	0.90	1.0
Chloromethane	0.64	U	0.64	1.0
1,2-Dichlorobenzene	0.44	U	0.44	1.0
Dibromochloromethane	0.34	U	0.34	1.0
Methylene bromide	0.41	U	0.41	1.0
trans-1,4-Dichloro-2-butene	2.5	U	2.5	10
1,4-Dichlorobenzene	0.52	U	0.52	1.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,1-Dichloroethene	0.45	U	0.45	1.0
cis-1,2-Dichloroethene	0.65	U	0.65	1.0
trans-1,2-Dichloroethene	0.44	U	0.44	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
Ethylbenzene	0.44	U	0.44	1.0
2-Hexanone	4.4	U	4.4	10
Iodomethane	0.67	U	0.67	1.0
4-Methyl-2-pentanone	3.8	U	3.8	10
Methylene Chloride	4.0	U	4.0	5.0
Styrene	0.98	U	0.98	1.0
1,1,2,2-Tetrachloroethane	0.14	U	0.14	1.0
1,1,1,2-Tetrachloroethane	0.63	U	0.63	1.0
Tetrachloroethene	0.34	U	0.34	1.0
Toluene	0.51	U	0.51	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethene	0.28	U	0.28	1.0
Trichlorofluoromethane	0.98	U	0.98	1.0
1,2,3-Trichloropropane	0.15	U	0.15	1.0
Vinyl acetate	1.5	U	1.5	10

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB7D

Lab Sample ID: 660-7427-6

Date Sampled: 02/23/2006 1023

Client Matrix: Water

Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 03/06/2006 2041
Date Prepared: 03/06/2006 2041

Analysis Batch: 660-21714

Instrument ID: BVMJ GC/MS
Lab File ID: 1JC0620.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	0.50	U	0.50	1.0
Xylenes, Total	0.30	U	0.30	1.0
Surrogate	%Rec	Acceptance Limits		
4-Bromofluorobenzene	94	74 - 126		
Dibromofluoromethane	99	70 - 130		
Toluene-d8	110	77 - 122		

Client: HDR Engineering

Client Sample ID: MWB7S

Lab Sample ID: 660-7427-7

Date Sampled: 02/23/2006 1045

Client Matrix: Water

Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method:	8260B	Analysis Batch: 660-21714	Instrument ID:	BVMJ GC/MS
Preparation:	5030B		Lab File ID:	1JC0621.D
Dilution:	1.0		Initial Weight/Volume:	5 mL
Date Analyzed:	03/06/2006 2106		Final Weight/Volume:	5 mL
Date Prepared:	03/06/2006 2106			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Acetone	9.9	U	9.9	20
Acrylonitrile	1.2	U	1.2	100
Benzene	0.27	U	0.27	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Bromomethane	0.66	U	0.66	1.0
Methyl Ethyl Ketone	8.4	U	8.4	10
Carbon disulfide	0.85	U	0.85	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Bromochloromethane	0.58	U	0.58	1.0
Chloroethane	0.80	U	0.80	1.0
Chloroform	0.90	U	0.90	1.0
Chloromethane	0.64	U	0.64	1.0
1,2-Dichlorobenzene	0.44	U	0.44	1.0
Dibromochloromethane	0.34	U	0.34	1.0
Methylene bromide	0.41	U	0.41	1.0
trans-1,4-Dichloro-2-butene	2.5	U	2.5	10
1,4-Dichlorobenzene	0.52	U	0.52	1.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,1-Dichloroethene	0.45	U	0.45	1.0
cis-1,2-Dichloroethene	0.65	U	0.65	1.0
trans-1,2-Dichloroethene	0.44	U	0.44	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
Ethylbenzene	0.44	U	0.44	1.0
2-Hexanone	4.4	U	4.4	10
Iodomethane	0.67	U	0.67	1.0
4-Methyl-2-pentanone	3.8	U	3.8	10
Methylene Chloride	4.0	U	4.0	5.0
Styrene	0.98	U	0.98	1.0
1,1,2,2-Tetrachloroethane	0.14	U	0.14	1.0
1,1,1,2-Tetrachloroethane	0.63	U	0.63	1.0
Tetrachloroethene	0.34	U	0.34	1.0
Toluene	0.51	U	0.51	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethene	0.28	U	0.28	1.0
Trichlorofluoromethane	0.98	U	0.98	1.0
1,2,3-Trichloropropane	0.15	U	0.15	1.0
Vinyl acetate	1.5	U	1.5	10

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB7S

Lab Sample ID: 660-7427-7

Date Sampled: 02/23/2006 1045

Client Matrix: Water

Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 03/06/2006 2106
Date Prepared: 03/06/2006 2106

Analysis Batch: 660-21714

Instrument ID: BVMJ GC/MS
Lab File ID: 1JC0621.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	0.50	U	0.50	1.0
Xylenes, Total	0.30	U	0.30	1.0
Surrogate	%Rec	Acceptance Limits		
4-Bromofluorobenzene	97	74 - 126		
Dibromofluoromethane	102	70 - 130		
Toluene-d8	113	77 - 122		

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB13S

Lab Sample ID: 660-7427-8

Date Sampled: 02/23/2006 1101

Client Matrix: Water

Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method:	8260B	Analysis Batch:	660-21714	Instrument ID:	BVMJ GC/MS
Preparation:	5030B			Lab File ID:	1JC0622.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Date Analyzed:	03/06/2006 2131			Final Weight/Volume:	5 mL
Date Prepared:	03/06/2006 2131				

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Acetone	9.9	U	9.9	20
Acrylonitrile	1.2	U	1.2	100
Benzene	0.27	U	0.27	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Bromomethane	0.66	U	0.66	1.0
Methyl Ethyl Ketone	8.4	U	8.4	10
Carbon disulfide	0.85	U	0.85	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Bromochloromethane	0.58	U	0.58	1.0
Chloroethane	0.80	U	0.80	1.0
Chloroform	0.90	U	0.90	1.0
Chloromethane	0.64	U	0.64	1.0
1,2-Dichlorobenzene	0.44	U	0.44	1.0
Dibromochloromethane	0.34	U	0.34	1.0
Methylene bromide	0.41	U	0.41	1.0
trans-1,4-Dichloro-2-butene	2.5	U	2.5	10
1,4-Dichlorobenzene	0.52	U	0.52	1.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,1-Dichloroethene	0.45	U	0.45	1.0
cis-1,2-Dichloroethene	0.65	U	0.65	1.0
trans-1,2-Dichloroethene	0.44	U	0.44	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
Ethylbenzene	0.44	U	0.44	1.0
2-Hexanone	4.4	U	4.4	10
Iodomethane	0.67	U	0.67	1.0
4-Methyl-2-pentanone	3.8	U	3.8	10
Methylene Chloride	4.0	U	4.0	5.0
Styrene	0.98	U	0.98	1.0
1,1,2,2-Tetrachloroethane	0.14	U	0.14	1.0
1,1,1,2-Tetrachloroethane	0.63	U	0.63	1.0
Tetrachloroethene	0.34	U	0.34	1.0
Toluene	0.51	U	0.51	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethene	0.28	U	0.28	1.0
Trichlorofluoromethane	0.98	U	0.98	1.0
1,2,3-Trichloropropane	0.15	U	0.15	1.0
Vinyl acetate	1.5	U	1.5	10

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB13S

Lab Sample ID: 660-7427-8

Client Matrix: Water

Date Sampled: 02/23/2006 1101

Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method: 8260B

Analysis Batch: 660-21714

Instrument ID: BVMJ GC/MS

Preparation: 5030B

Lab File ID: 1JC0622.D

Dilution: 1.0

Initial Weight/Volume: 5 mL

Date Analyzed: 03/06/2006 2131

Final Weight/Volume: 5 mL

Date Prepared: 03/06/2006 2131

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	0.50	U	0.50	1.0
Xylenes, Total	0.30	U	0.30	1.0
Surrogate	%Rec		Acceptance Limits	
4-Bromofluorobenzene	95		74 - 126	
Dibromofluoromethane	101		70 - 130	
Toluene-d8	112		77 - 122	

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB11I (R)

Lab Sample ID: 660-7427-9

Date Sampled: 02/23/2006 1147

Client Matrix: Water

Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method:	8260B	Analysis Batch: 660-21714	Instrument ID: BVMJ GC/MS
Preparation:	5030B		Lab File ID: 1JC0623.D
Dilution:	1.0		Initial Weight/Volume: 5 mL
Date Analyzed:	03/06/2006 2156		Final Weight/Volume: 5 mL
Date Prepared:	03/06/2006 2156		

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Acetone	9.9	U	9.9	20
Acrylonitrile	1.2	U	1.2	100
Benzene	0.27	U	0.27	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Bromomethane	0.66	U	0.66	1.0
Methyl Ethyl Ketone	8.4	U	8.4	10
Carbon disulfide	0.85	U	0.85	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Bromochloromethane	0.58	U	0.58	1.0
Chloroethane	0.80	U	0.80	1.0
Chloroform	0.90	U	0.90	1.0
Chloromethane	0.64	U	0.64	1.0
1,2-Dichlorobenzene	0.44	U	0.44	1.0
Dibromochloromethane	0.34	U	0.34	1.0
Methylene bromide	0.41	U	0.41	1.0
trans-1,4-Dichloro-2-butene	2.5	U	2.5	10
1,4-Dichlorobenzene	0.52	U	0.52	1.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,1-Dichloroethene	0.45	U	0.45	1.0
cis-1,2-Dichloroethene	0.65	U	0.65	1.0
trans-1,2-Dichloroethene	0.44	U	0.44	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
Ethylbenzene	0.44	U	0.44	1.0
2-Hexanone	4.4	U	4.4	10
Iodomethane	0.67	U	0.67	1.0
4-Methyl-2-pentanone	3.8	U	3.8	10
Methylene Chloride	4.0	U	4.0	5.0
Styrene	0.98	U	0.98	1.0
1,1,2,2-Tetrachloroethane	0.14	U	0.14	1.0
1,1,1,2-Tetrachloroethane	0.63	U	0.63	1.0
Tetrachloroethene	0.34	U	0.34	1.0
Toluene	0.51	U	0.51	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethene	0.28	U	0.28	1.0
Trichlorofluoromethane	0.98	U	0.98	1.0
1,2,3-Trichloropropane	0.15	U	0.15	1.0
Vinyl acetate	1.5	U	1.5	10

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB11I (R)

Lab Sample ID: 660-7427-9
Client Matrix: Water

Date Sampled: 02/23/2006 1147
Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 03/06/2006 2156
Date Prepared: 03/06/2006 2156

Analysis Batch: 660-21714

Instrument ID: BVMJ GC/MS
Lab File ID: 1JC0623.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	0.50	U	0.50	1.0
Xylenes, Total	0.30	U	0.30	1.0
Surrogate	%Rec		Acceptance Limits	
4-Bromofluorobenzene	93		74 - 126	
Dibromofluoromethane	98		70 - 130	
Toluene-d8	111		77 - 122	

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: Dup 02

Lab Sample ID: 660-7427-10

Date Sampled: 02/23/2006 1147

Client Matrix: Water

Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method:	8260B	Analysis Batch:	660-21714	Instrument ID:	BVMJ GC/MS
Preparation:	5030B			Lab File ID:	1JC0624.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Date Analyzed:	03/06/2006 2221			Final Weight/Volume:	5 mL
Date Prepared:	03/06/2006 2221				

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Acetone	9.9	U	9.9	20
Acrylonitrile	1.2	U	1.2	100
Benzene	0.27	U	0.27	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Bromomethane	0.66	U	0.66	1.0
Methyl Ethyl Ketone	8.4	U	8.4	10
Carbon disulfide	0.85	U	0.85	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Bromochloromethane	0.58	U	0.58	1.0
Chloroethane	0.80	U	0.80	1.0
Chloroform	0.90	U	0.90	1.0
Chloromethane	0.64	U	0.64	1.0
1,2-Dichlorobenzene	0.44	U	0.44	1.0
Dibromochloromethane	0.34	U	0.34	1.0
Methylene bromide	0.41	U	0.41	1.0
trans-1,4-Dichloro-2-butene	2.5	U	2.5	10
1,4-Dichlorobenzene	0.52	U	0.52	1.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,1-Dichloroethene	0.45	U	0.45	1.0
cis-1,2-Dichloroethene	0.65	U	0.65	1.0
trans-1,2-Dichloroethene	0.44	U	0.44	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
Ethylbenzene	0.44	U	0.44	1.0
2-Hexanone	4.4	U	4.4	10
Iodomethane	0.67	U	0.67	1.0
4-Methyl-2-pentanone	3.8	U	3.8	10
Methylene Chloride	4.0	U	4.0	5.0
Styrene	0.98	U	0.98	1.0
1,1,2,2-Tetrachloroethane	0.14	U	0.14	1.0
1,1,1,2-Tetrachloroethane	0.63	U	0.63	1.0
Tetrachloroethene	0.34	U	0.34	1.0
Toluene	0.51	U	0.51	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethene	0.28	U	0.28	1.0
Trichlorofluoromethane	0.98	U	0.98	1.0
1,2,3-Trichloropropane	0.15	U	0.15	1.0
Vinyl acetate	1.5	U	1.5	10

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: Dup 02

Lab Sample ID: 660-7427-10

Client Matrix: Water

Date Sampled: 02/23/2006 1147

Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 03/06/2006 2221
Date Prepared: 03/06/2006 2221

Analysis Batch: 660-21714

Instrument ID: BVMJ GC/MS
Lab File ID: 1JC0624.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	0.50	U	0.50	1.0
Xylenes, Total	0.30	U	0.30	1.0
Surrogate	%Rec		Acceptance Limits	
4-Bromofluorobenzene	94		74 - 126	
Dibromofluoromethane	97		70 - 130	
Toluene-d8	111		77 - 122	

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB11S

Lab Sample ID: 660-7427-11

Date Sampled: 02/23/2006 1208

Client Matrix: Water

Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 03/06/2006 2245
Date Prepared: 03/06/2006 2245

Analysis Batch: 660-21714

Instrument ID: BVMJ GC/MS
Lab File ID: 1JC0625.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Acetone	9.9	U	9.9	20
Acrylonitrile	1.2	U	1.2	100
Benzene	0.27	U	0.27	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Bromomethane	0.66	U	0.66	1.0
Methyl Ethyl Ketone	8.4	U	8.4	10
Carbon disulfide	0.85	U	0.85	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Bromochloromethane	0.58	U	0.58	1.0
Chloroethane	0.80	U	0.80	1.0
Chloroform	0.90	U	0.90	1.0
Chloromethane	0.64	U	0.64	1.0
1,2-Dichlorobenzene	0.44	U	0.44	1.0
Dibromochloromethane	0.34	U	0.34	1.0
Methylene bromide	0.41	U	0.41	1.0
trans-1,4-Dichloro-2-butene	2.5	U	2.5	10
1,4-Dichlorobenzene	0.52	U	0.52	1.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,1-Dichloroethene	0.45	U	0.45	1.0
cis-1,2-Dichloroethene	0.65	U	0.65	1.0
trans-1,2-Dichloroethene	0.44	U	0.44	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
Ethylbenzene	0.44	U	0.44	1.0
2-Hexanone	4.4	U	4.4	10
Iodomethane	0.67	U	0.67	1.0
4-Methyl-2-pentanone	3.8	U	3.8	10
Methylene Chloride	4.0	U	4.0	5.0
Styrene	0.98	U	0.98	1.0
1,1,2,2-Tetrachloroethane	0.14	U	0.14	1.0
1,1,1,2-Tetrachloroethane	0.63	U	0.63	1.0
Tetrachloroethene	0.34	U	0.34	1.0
Toluene	0.51	U	0.51	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethene	0.28	U	0.28	1.0
Trichlorofluoromethane	0.98	U	0.98	1.0
1,2,3-Trichloropropane	0.15	U	0.15	1.0
Vinyl acetate	1.5	U	1.5	10

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB11S

Lab Sample ID: 660-7427-11

Date Sampled: 02/23/2006 1208

Client Matrix: Water

Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method: 8260B

Analysis Batch: 660-21714

Instrument ID: BVMJ GC/MS

Preparation: 5030B

Lab File ID: 1JC0625.D

Dilution: 1.0

Initial Weight/Volume: 5 mL

Date Analyzed: 03/06/2006 2245

Final Weight/Volume: 5 mL

Date Prepared: 03/06/2006 2245

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	0.50	U	0.50	1.0
Xylenes, Total	0.30	U	0.30	1.0
Surrogate	%Rec		Acceptance Limits	
4-Bromofluorobenzene	94		74 - 126	
Dibromofluoromethane	99		70 - 130	
Toluene-d8	111		77 - 122	

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB20S

Lab Sample ID: 660-7427-12

Date Sampled: 02/23/2006 1229

Client Matrix: Water

Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method: 8260B

Analysis Batch: 660-21714

Instrument ID: BVMJ GC/MS

Preparation: 5030B

Lab File ID: 1JC0626.D

Dilution: 1.0

Initial Weight/Volume: 5 mL

Date Analyzed: 03/06/2006 2310

Final Weight/Volume: 5 mL

Date Prepared: 03/06/2006 2310

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Acetone	9.9	U	9.9	20
Acrylonitrile	1.2	U	1.2	100
Benzene	0.27	U	0.27	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Bromomethane	0.66	U	0.66	1.0
Methyl Ethyl Ketone	8.4	U	8.4	10
Carbon disulfide	0.85	U	0.85	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Bromochloromethane	0.58	U	0.58	1.0
Chloroethane	0.80	U	0.80	1.0
Chloroform	0.90	U	0.90	1.0
Chloromethane	0.64	U	0.64	1.0
1,2-Dichlorobenzene	0.44	U	0.44	1.0
Dibromochloromethane	0.34	U	0.34	1.0
Methylene bromide	0.41	U	0.41	1.0
trans-1,4-Dichloro-2-butene	2.5	U	2.5	10
1,4-Dichlorobenzene	0.52	U	0.52	1.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,1-Dichloroethene	0.45	U	0.45	1.0
cis-1,2-Dichloroethene	0.65	U	0.65	1.0
trans-1,2-Dichloroethene	0.44	U	0.44	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
Ethylbenzene	0.44	U	0.44	1.0
2-Hexanone	4.4	U	4.4	10
Iodomethane	0.67	U	0.67	1.0
4-Methyl-2-pentanone	3.8	U	3.8	10
Methylene Chloride	4.0	U	4.0	5.0
Styrene	0.98	U	0.98	1.0
1,1,1,2-Tetrachloroethane	0.14	U	0.14	1.0
1,1,1,2-Tetrachloroethane	0.63	U	0.63	1.0
Tetrachloroethene	0.34	U	0.34	1.0
Toluene	0.51	U	0.51	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethene	0.28	U	0.28	1.0
Trichlorofluoromethane	0.98	U	0.98	1.0
1,2,3-Trichloropropane	0.15	U	0.15	1.0
Vinyl acetate	1.5	U	1.5	10

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB20S

Lab Sample ID: 660-7427-12

Date Sampled: 02/23/2006 1229

Client Matrix: Water

Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 03/06/2006 2310
Date Prepared: 03/06/2006 2310

Analysis Batch: 660-21714

Instrument ID: BVMJ GC/MS
Lab File ID: 1JC0626.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	0.50	U	0.50	1.0
Xylenes, Total	0.30	U	0.30	1.0
Surrogate	%Rec		Acceptance Limits	
4-Bromofluorobenzene	95		74 - 126	
Dibromofluoromethane	103		70 - 130	
Toluene-d8	110		77 - 122	

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB21S

Lab Sample ID: 660-7427-13

Date Sampled: 02/23/2006 1254

Client Matrix: Water

Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 03/06/2006 2335
Date Prepared: 03/06/2006 2335

Analysis Batch: 660-21714

Instrument ID: BVMJ GC/MS
Lab File ID: 1JC0627.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Acetone	9.9	U	9.9	20
Acrylonitrile	1.2	U	1.2	100
Benzene	0.27	U	0.27	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Bromomethane	0.66	U	0.66	1.0
Methyl Ethyl Ketone	8.4	U	8.4	10
Carbon disulfide	0.85	U	0.85	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Bromochloromethane	0.58	U	0.58	1.0
Chloroethane	0.80	U	0.80	1.0
Chloroform	0.90	U	0.90	1.0
Chloromethane	0.64	U	0.64	1.0
1,2-Dichlorobenzene	0.44	U	0.44	1.0
Dibromochloromethane	0.34	U	0.34	1.0
Methylene bromide	0.41	U	0.41	1.0
trans-1,4-Dichloro-2-butene	2.5	U	2.5	10
1,4-Dichlorobenzene	0.52	U	0.52	1.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,1-Dichloroethene	0.45	U	0.45	1.0
cis-1,2-Dichloroethene	0.65	U	0.65	1.0
trans-1,2-Dichloroethene	0.44	U	0.44	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
Ethylbenzene	0.44	U	0.44	1.0
2-Hexanone	4.4	U	4.4	10
Iodomethane	0.67	U	0.67	1.0
4-Methyl-2-pentanone	3.8	U	3.8	10
Methylene Chloride	4.0	U	4.0	5.0
Styrene	0.98	U	0.98	1.0
1,1,2,2-Tetrachloroethane	0.14	U	0.14	1.0
1,1,1,2-Tetrachloroethane	0.63	U	0.63	1.0
Tetrachloroethene	0.34	U	0.34	1.0
Toluene	0.51	U	0.51	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethene	0.28	U	0.28	1.0
Trichlorofluoromethane	0.98	U	0.98	1.0
1,2,3-Trichloropropane	0.15	U	0.15	1.0
Vinyl acetate	1.5	U	1.5	10

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB21S

Lab Sample ID: 660-7427-13

Date Sampled: 02/23/2006 1254

Client Matrix: Water

Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 03/06/2006 2335
Date Prepared: 03/06/2006 2335

Analysis Batch: 660-21714

Instrument ID: BVMJ GC/MS
Lab File ID: 1JC0627.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	0.50	U	0.50	1.0
Xylenes, Total	0.30	U	0.30	1.0
Surrogate	%Rec	Acceptance Limits		
4-Bromofluorobenzene	95	74 - 126		
Dibromofluoromethane	99	70 - 130		
Toluene-d8	111	77 - 122		

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB17S

Lab Sample ID: 660-7427-14

Date Sampled: 02/23/2006 1218

Client Matrix: Water

Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method:	8260B	Analysis Batch:	660-21714	Instrument ID:	BVMJ GC/MS
Preparation:	5030B			Lab File ID:	1JC0628.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Date Analyzed:	03/07/2006 0000			Final Weight/Volume:	.5 mL
Date Prepared:	03/07/2006 0000				

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Acetone	9.9	U	9.9	20
Acrylonitrile	1.2	U	1.2	100
Benzene	0.27	U	0.27	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Bromomethane	0.66	U	0.66	1.0
Methyl Ethyl Ketone	8.4	U	8.4	10
Carbon disulfide	0.85	U	0.85	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Bromochloromethane	0.58	U	0.58	1.0
Chloroethane	0.80	U	0.80	1.0
Chloroform	0.90	U	0.90	1.0
Chloromethane	0.64	U	0.64	1.0
1,2-Dichlorobenzene	0.44	U	0.44	1.0
Dibromochloromethane	0.34	U	0.34	1.0
Methylene bromide	0.41	U	0.41	1.0
trans-1,4-Dichloro-2-butene	2.5	U	2.5	10
1,4-Dichlorobenzene	0.52	U	0.52	1.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,1-Dichloroethene	0.45	U	0.45	1.0
cis-1,2-Dichloroethene	0.65	U	0.65	1.0
trans-1,2-Dichloroethene	0.44	U	0.44	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
Ethylbenzene	0.44	U	0.44	1.0
2-Hexanone	4.4	U	4.4	10
Iodomethane	0.67	U	0.67	1.0
4-Methyl-2-pentanone	3.8	U	3.8	10
Methylene Chloride	4.0	U	4.0	5.0
Styrene	0.98	U	0.98	1.0
1,1,2,2-Tetrachloroethane	0.14	U	0.14	1.0
1,1,1,2-Tetrachloroethane	0.63	U	0.63	1.0
Tetrachloroethene	0.34	U	0.34	1.0
Toluene	0.51	U	0.51	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethene	0.28	U	0.28	1.0
Trichlorofluoromethane	0.98	U	0.98	1.0
1,2,3-Trichloropropane	0.15	U	0.15	1.0
Vinyl acetate	1.5	U	1.5	10

Analytical Data



Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB17S

Lab Sample ID: 660-7427-14

Client Matrix: Water

Date Sampled: 02/23/2006 1218

Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 03/07/2006 0000
Date Prepared: 03/07/2006 0000

Analysis Batch: 660-21714

Instrument ID: BVMJ GC/MS
Lab File ID: 1JC0628.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	0.50	U	0.50	1.0
Xylenes, Total	0.30	U	0.30	1.0
Surrogate	%Rec		Acceptance Limits	
4-Bromofluorobenzene	95		74 - 126	
Dibromofluoromethane	101		70 - 130	
Toluene-d8	111		77 - 122	

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: Dup 03

Lab Sample ID: 660-7427-15

Date Sampled: 02/23/2006 1218

Client Matrix: Water

Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method:	8260B	Analysis Batch: 660-21714	Instrument ID:	BVMJ GC/MS
Preparation:	5030B		Lab File ID:	1JC0629.D
Dilution:	1.0		Initial Weight/Volume:	5 mL
Date Analyzed:	03/07/2006 0025		Final Weight/Volume:	5 mL
Date Prepared:	03/07/2006 0025			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Acetone	9.9	U	9.9	20
Acrylonitrile	1.2	U	1.2	100
Benzene	0.27	U	0.27	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Bromomethane	0.66	U	0.66	1.0
Methyl Ethyl Ketone	8.4	U	8.4	10
Carbon disulfide	0.85	U	0.85	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Bromochloromethane	0.58	U	0.58	1.0
Chloroethane	0.80	U	0.80	1.0
Chloroform	0.90	U	0.90	1.0
Chloromethane	0.64	U	0.64	1.0
1,2-Dichlorobenzene	0.44	U	0.44	1.0
Dibromochloromethane	0.34	U	0.34	1.0
Methylene bromide	0.41	U	0.41	1.0
trans-1,4-Dichloro-2-butene	2.5	U	2.5	10
1,4-Dichlorobenzene	0.52	U	0.52	1.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,1-Dichloroethene	0.45	U	0.45	1.0
cis-1,2-Dichloroethene	0.65	U	0.65	1.0
trans-1,2-Dichloroethene	0.44	U	0.44	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
Ethylbenzene	0.44	U	0.44	1.0
2-Hexanone	4.4	U	4.4	10
Iodomethane	0.67	U	0.67	1.0
4-Methyl-2-pentanone	3.8	U	3.8	10
Methylene Chloride	4.0	U	4.0	5.0
Styrene	0.98	U	0.98	1.0
1,1,2,2-Tetrachloroethane	0.14	U	0.14	1.0
1,1,1,2-Tetrachloroethane	0.63	U	0.63	1.0
Tetrachloroethene	0.34	U	0.34	1.0
Toluene	0.51	U	0.51	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethene	0.28	U	0.28	1.0
Trichlorofluoromethane	0.98	U	0.98	1.0
1,2,3-Trichloropropane	0.15	U	0.15	1.0
Vinyl acetate	1.5	U	1.5	10

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: Dup 03

Lab Sample ID: 660-7427-15

Date Sampled: 02/23/2006 1218

Client Matrix: Water

Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method:	8260B	Analysis Batch: 660-21714	Instrument ID:	BVMJ GC/MS
Preparation:	5030B		Lab File ID:	1JC0629.D
Dilution:	1.0		Initial Weight/Volume:	5 mL
Date Analyzed:	03/07/2006 0025		Final Weight/Volume:	5 mL
Date Prepared:	03/07/2006 0025			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	0.50	U	0.50	1.0
Xylenes, Total	0.30	U	0.30	1.0
Surrogate	%Rec		Acceptance Limits	
4-Bromofluorobenzene	93		74 - 126	
Dibromofluoromethane	98		70 - 130	
Toluene-d8	111		77 - 122	

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB171

Lab Sample ID: 660-7427-16

Date Sampled: 02/23/2006 1305

Client Matrix: Water

Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 03/07/2006 0049
Date Prepared: 03/07/2006 0049

Analysis Batch: 660-21714

Instrument ID: BVMJ GC/MS
Lab File ID: 1JC0630.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Acetone	9.9	U	9.9	20
Acrylonitrile	1.2	U	1.2	100
Benzene	0.27	U	0.27	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Bromomethane	0.66	U	0.66	1.0
Methyl Ethyl Ketone	8.4	U	8.4	10
Carbon disulfide	0.85	U	0.85	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Bromochloromethane	0.58	U	0.58	1.0
Chloroethane	0.80	U	0.80	1.0
Chloroform	0.90	U	0.90	1.0
Chloromethane	0.64	U	0.64	1.0
1,2-Dichlorobenzene	0.44	U	0.44	1.0
Dibromochloromethane	0.34	U	0.34	1.0
Methylene bromide	0.41	U	0.41	1.0
trans-1,4-Dichloro-2-butene	2.5	U	2.5	10
1,4-Dichlorobenzene	0.52	U	0.52	1.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,1-Dichloroethene	0.45	U	0.45	1.0
cis-1,2-Dichloroethene	0.65	U	0.65	1.0
trans-1,2-Dichloroethene	0.44	U	0.44	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
Ethylbenzene	0.44	U	0.44	1.0
2-Hexanone	4.4	U	4.4	10
Iodomethane	0.67	U	0.67	1.0
4-Methyl-2-pentanone	3.8	U	3.8	10
Methylene Chloride	4.0	U	4.0	5.0
Styrene	0.98	U	0.98	1.0
1,1,2,2-Tetrachloroethane	0.14	U	0.14	1.0
1,1,1,2-Tetrachloroethane	0.63	U	0.63	1.0
Tetrachloroethene	0.34	U	0.34	1.0
Toluene	0.51	U	0.51	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethene	0.28	U	0.28	1.0
Trichlorofluoromethane	0.98	U	0.98	1.0
1,2,3-Trichloropropane	0.15	U	0.15	1.0
Vinyl acetate	1.5	U	1.5	10

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB171

Lab Sample ID: 660-7427-16

Client Matrix: Water

Date Sampled: 02/23/2006 1305

Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 03/07/2006 0049
Date Prepared: 03/07/2006 0049

Analysis Batch: 660-21714

Instrument ID: BVMJ GC/MS
Lab File ID: 1JC0630.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	0.50	U	0.50	1.0
Xylenes, Total	0.30	U	0.30	1.0
Surrogate	%Rec		Acceptance Limits	
4-Bromofluorobenzene	95		74 - 126	
Dibromofluoromethane	101		70 - 130	
Toluene-d8	112		77 - 122	

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB34D

Lab Sample ID: 660-7427-17

Date Sampled: 02/23/2006 0756

Client Matrix: Water

Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 03/07/2006 0458
Date Prepared: 03/07/2006 0458

Analysis Batch: 660-21755

Instrument ID: BVMJ GC/MS
Lab File ID: 2JC0640.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Acetone	9.9	U	9.9	20
Acrylonitrile	1.2	U	1.2	100
Benzene	0.27	U	0.27	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Bromomethane	0.66	U	0.66	1.0
Methyl Ethyl Ketone	8.4	U	8.4	10
Carbon disulfide	0.85	U	0.85	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Bromochloromethane	0.58	U	0.58	1.0
Chloroethane	0.80	U	0.80	1.0
Chloroform	0.90	U	0.90	1.0
Chloromethane	0.64	U	0.64	1.0
1,2-Dichlorobenzene	0.44	U	0.44	1.0
Dibromochloromethane	0.34	U	0.34	1.0
Methylene bromide	0.41	U	0.41	1.0
trans-1,4-Dichloro-2-butene	2.5	U	2.5	10
1,4-Dichlorobenzene	0.52	U	0.52	1.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,1-Dichloroethene	0.45	U	0.45	1.0
cis-1,2-Dichloroethene	0.65	U	0.65	1.0
trans-1,2-Dichloroethene	0.44	U	0.44	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
Ethylbenzene	0.44	U	0.44	1.0
2-Hexanone	4.4	U	4.4	10
Iodomethane	0.67	U	0.67	1.0
4-Methyl-2-pentanone	3.8	U	3.8	10
Methylene Chloride	4.0	U	4.0	5.0
Styrene	0.98	U	0.98	1.0
1,1,2,2-Tetrachloroethane	0.14	U	0.14	1.0
1,1,1,2-Tetrachloroethane	0.63	U	0.63	1.0
Tetrachloroethene	0.34	U	0.34	1.0
Toluene	0.51	U	0.51	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethene	0.28	U	0.28	1.0
Trichlorofluoromethane	0.98	U	0.98	1.0
1,2,3-Trichloropropane	0.15	U	0.15	1.0
Vinyl acetate	1.5	U	1.5	10

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB34D

Lab Sample ID: 660-7427-17
Client Matrix: Water

Date Sampled: 02/23/2006 0756
Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method:	8260B	Analysis Batch:	660-21755	Instrument ID:	BVMJ GC/MS
Preparation:	5030B			Lab File ID:	2JC0640.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Date Analyzed:	03/07/2006 0458			Final Weight/Volume:	5 mL
Date Prepared:	03/07/2006 0458				

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	0.50	U	0.50	1.0
Xylenes, Total	0.30	U	0.30	1.0
Surrogate	%Rec		Acceptance Limits	
4-Bromofluorobenzene	95		74 - 126	
Dibromofluoromethane	101		70 - 130	
Toluene-d8	112		77 - 122	

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB34I

Lab Sample ID: 660-7427-18

Date Sampled: 02/23/2006 0828

Client Matrix: Water

Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method:	8260B	Analysis Batch:	660-21755	Instrument ID:	BVMJ GC/MS
Preparation:	5030B			Lab File ID:	2JC0641.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Date Analyzed:	03/07/2006 0523			Final Weight/Volume:	5 mL
Date Prepared:	03/07/2006 0523				

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Acetone	9.9	U	9.9	20
Acrylonitrile	1.2	U	1.2	100
Benzene	0.27	U	0.27	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Bromomethane	0.66	U	0.66	1.0
Methyl Ethyl Ketone	8.4	U	8.4	10
Carbon disulfide	0.85	U	0.85	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Bromochloromethane	0.58	U	0.58	1.0
Chloroethane	0.80	U	0.80	1.0
Chloroform	0.90	U	0.90	1.0
Chloromethane	0.64	U	0.64	1.0
1,2-Dichlorobenzene	0.44	U	0.44	1.0
Dibromochloromethane	0.34	U	0.34	1.0
Methylene bromide	0.41	U	0.41	1.0
trans-1,4-Dichloro-2-butene	2.5	U	2.5	10
1,4-Dichlorobenzene	0.52	U	0.52	1.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,1-Dichloroethene	0.45	U	0.45	1.0
cis-1,2-Dichloroethene	0.65	U	0.65	1.0
trans-1,2-Dichloroethene	0.44	U	0.44	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
Ethylbenzene	0.44	U	0.44	1.0
2-Hexanone	4.4	U	4.4	10
Iodomethane	0.67	U	0.67	1.0
4-Methyl-2-pentanone	3.8	U	3.8	10
Methylene Chloride	4.0	U	4.0	5.0
Styrene	0.98	U	0.98	1.0
1,1,2,2-Tetrachloroethane	0.14	U	0.14	1.0
1,1,1,2-Tetrachloroethane	0.63	U	0.63	1.0
Tetrachloroethene	0.34	U	0.34	1.0
Toluene	0.51	U	0.51	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethene	0.28	U	0.28	1.0
Trichlorofluoromethane	0.98	U	0.98	1.0
1,2,3-Trichloropropane	0.15	U	0.15	1.0
Vinyl acetate	1.5	U	1.5	10

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB34I

Lab Sample ID: 660-7427-18

Date Sampled: 02/23/2006 0828

Client Matrix: Water

Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 03/07/2006 0523
Date Prepared: 03/07/2006 0523

Analysis Batch: 660-21755

Instrument ID: BVMJ GC/MS
Lab File ID: 2JC0641.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	0.50	U	0.50	1.0
Xylenes, Total	0.30	U	0.30	1.0
Surrogate	%Rec		Acceptance Limits	
4-Bromofluorobenzene	93		74 - 126	
Dibromofluoromethane	97		70 - 130	
Toluene-d8	112		77 - 122	

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB34S

Lab Sample ID: 660-7427-19

Date Sampled: 02/23/2006 0746

Client Matrix: Water

Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 03/07/2006 0548
Date Prepared: 03/07/2006 0548

Analysis Batch: 660-21755

Instrument ID: BVMJ GC/MS
Lab File ID: 2JC0642.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Acetone	9.9	U	9.9	20
Acrylonitrile	1.2	U	1.2	100
Benzene	0.52	I	0.27	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Bromomethane	0.66	U	0.66	1.0
Methyl Ethyl Ketone	8.4	U	8.4	10
Carbon disulfide	0.85	U	0.85	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Bromochloromethane	0.58	U	0.58	1.0
Chloroethane	0.80	U	0.80	1.0
Chloroform	0.90	U	0.90	1.0
Chloromethane	0.64	U	0.64	1.0
1,2-Dichlorobenzene	0.44	U	0.44	1.0
Dibromochloromethane	0.34	U	0.34	1.0
Methylene bromide	0.41	U	0.41	1.0
trans-1,4-Dichloro-2-butene	2.5	U	2.5	10
1,4-Dichlorobenzene	0.52	U	0.52	1.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,1-Dichloroethene	0.45	U	0.45	1.0
cis-1,2-Dichloroethene	0.65	U	0.65	1.0
trans-1,2-Dichloroethene	0.44	U	0.44	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
Ethylbenzene	0.44	U	0.44	1.0
2-Hexanone	4.4	U	4.4	10
Iodomethane	0.67	U	0.67	1.0
4-Methyl-2-pentanone	3.8	U	3.8	10
Methylene Chloride	4.0	U	4.0	5.0
Styrene	0.98	U	0.98	1.0
1,1,2,2-Tetrachloroethane	0.14	U	0.14	1.0
1,1,1,2-Tetrachloroethane	0.63	U	0.63	1.0
Tetrachloroethene	0.34	U	0.34	1.0
Toluene	0.51	U	0.51	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethene	0.28	U	0.28	1.0
Trichlorofluoromethane	0.98	U	0.98	1.0
1,2,3-Trichloropropane	0.15	U	0.15	1.0
Vinyl acetate	1.5	U	1.5	10

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB34S

Lab Sample ID: 660-7427-19

Date Sampled: 02/23/2006 0746

Client Matrix: Water

Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 03/07/2006 0548
Date Prepared: 03/07/2006 0548

Analysis Batch: 660-21755

Instrument ID: BVMJ GC/MS
Lab File ID: 2JC0642.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	0.50	U	0.50	1.0
Xylenes, Total	0.30	U	0.30	1.0
Surrogate	%Rec		Acceptance Limits	
4-Bromofluorobenzene	94		74 - 126	
Dibromofluoromethane	100		70 - 130	
Toluene-d8	112		77 - 122	

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB33S

Lab Sample ID: 660-7427-20

Date Sampled: 02/23/2006 1120

Client Matrix: Water

Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method:	8260B	Analysis Batch:	660-21755	Instrument ID:	BVMJ GC/MS
Preparation:	5030B			Lab File ID:	2JC0643.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Date Analyzed:	03/07/2006 0613			Final Weight/Volume:	5 mL
Date Prepared:	03/07/2006 0613				

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Acetone	9.9	U	9.9	20
Acrylonitrile	1.2	U	1.2	100
Benzene	0.27	U	0.27	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Bromomethane	0.66	U	0.66	1.0
Methyl Ethyl Ketone	8.4	U	8.4	10
Carbon disulfide	0.85	U	0.85	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Bromochloromethane	0.58	U	0.58	1.0
Chloroethane	0.80	U	0.80	1.0
Chloroform	0.90	U	0.90	1.0
Chloromethane	0.64	U	0.64	1.0
1,2-Dichlorobenzene	0.44	U	0.44	1.0
Dibromochloromethane	0.34	U	0.34	1.0
Methylene bromide	0.41	U	0.41	1.0
trans-1,4-Dichloro-2-butene	2.5	U	2.5	10
1,4-Dichlorobenzene	0.52	U	0.52	1.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,1-Dichloroethene	0.45	U	0.45	1.0
cis-1,2-Dichloroethene	0.65	U	0.65	1.0
trans-1,2-Dichloroethene	0.44	U	0.44	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
Ethylbenzene	0.44	U	0.44	1.0
2-Hexanone	4.4	U	4.4	10
Iodomethane	0.67	U	0.67	1.0
4-Methyl-2-pentanone	3.8	U	3.8	10
Methylene Chloride	4.0	U	4.0	5.0
Styrene	0.98	U	0.98	1.0
1,1,1,2-Tetrachloroethane	0.14	U	0.14	1.0
1,1,1,2-Tetrachloroethane	0.63	U	0.63	1.0
Tetrachloroethene	0.34	U	0.34	1.0
Toluene	0.51	U	0.51	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethene	0.28	U	0.28	1.0
Trichlorofluoromethane	0.98	U	0.98	1.0
1,2,3-Trichloropropane	0.15	U	0.15	1.0
Vinyl acetate	1.5	U	1.5	10

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB33S

Lab Sample ID: 660-7427-20

Date Sampled: 02/23/2006 1120

Client Matrix: Water

Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 03/07/2006 0613
Date Prepared: 03/07/2006 0613

Analysis Batch: 660-21755

Instrument ID: BVMJ GC/MS
Lab File ID: 2JC0643.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	0.50	U	0.50	1.0
Xylenes, Total	0.30	U	0.30	1.0
Surrogate	%Rec		Acceptance Limits	
4-Bromofluorobenzene	93		74 - 126	
Dibromofluoromethane	98		70 - 130	
Toluene-d8	110		77 - 122	

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB32D

Lab Sample ID: 660-7427-21

Date Sampled: 02/23/2006 1027

Client Matrix: Water

Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 03/07/2006 0637
Date Prepared: 03/07/2006 0637

Analysis Batch: 660-21755

Instrument ID: BVMJ GC/MS
Lab File ID: 2JC0644.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Acetone	9.9	U	9.9	20
Acrylonitrile	1.2	U	1.2	100
Benzene	0.27	U	0.27	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Bromomethane	0.66	U	0.66	1.0
Methyl Ethyl Ketone	8.4	U	8.4	10
Carbon disulfide	0.85	U	0.85	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Bromochloromethane	0.58	U	0.58	1.0
Chloroethane	0.80	U	0.80	1.0
Chloroform	0.90	U	0.90	1.0
1,2-Dichlorobenzene	0.44	U	0.44	1.0
Chloromethane	0.64	U	0.64	1.0
Dibromochloromethane	0.34	U	0.34	1.0
Methylene bromide	0.41	U	0.41	1.0
trans-1,4-Dichloro-2-butene	2.5	U	2.5	10
1,4-Dichlorobenzene	0.52	U	0.52	1.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,1-Dichloroethene	0.45	U	0.45	1.0
cis-1,2-Dichloroethene	0.65	U	0.65	1.0
trans-1,2-Dichloroethene	0.44	U	0.44	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
Ethylbenzene	0.44	U	0.44	1.0
2-Hexanone	4.4	U	4.4	10
Iodomethane	0.67	U	0.67	1.0
4-Methyl-2-pentanone	3.8	U	3.8	10
Methylene Chloride	4.0	U	4.0	5.0
Styrene	0.98	U	0.98	1.0
1,1,2,2-Tetrachloroethane	0.14	U	0.14	1.0
1,1,1,2-Tetrachloroethane	0.63	U	0.63	1.0
Tetrachloroethene	0.34	U	0.34	1.0
Toluene	0.51	U	0.51	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethene	0.28	U	0.28	1.0
Trichlorofluoromethane	0.98	U	0.98	1.0
1,2,3-Trichloropropane	0.15	U	0.15	1.0
Vinyl acetate	1.5	U	1.5	10

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB32D

Lab Sample ID: 660-7427-21

Date Sampled: 02/23/2006 1027

Client Matrix: Water

Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method:	8260B	Analysis Batch:	660-21755	Instrument ID:	BVMJ GC/MS
Preparation:	5030B			Lab File ID:	2JC0644.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Date Analyzed:	03/07/2006 0637			Final Weight/Volume:	5 mL
Date Prepared:	03/07/2006 0637				

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	0.50	U	0.50	1.0
Xylenes, Total	0.30	U	0.30	1.0
Surrogate	%Rec		Acceptance Limits	
4-Bromofluorobenzene	97		74 - 126	
Dibromofluoromethane	99		70 - 130	
Toluene-d8	112		77 - 122	

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB32I

Lab Sample ID: 660-7427-22

Date Sampled: 02/23/2006 1004

Client Matrix: Water

Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 03/07/2006 0702
Date Prepared: 03/07/2006 0702

Analysis Batch: 660-21755

Instrument ID: BVMJ GC/MS
Lab File ID: 2JC0645.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Acetone	9.9	U	9.9	20
Acrylonitrile	1.2	U	1.2	100
Benzene	0.27	U	0.27	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Bromomethane	0.66	U	0.66	1.0
Methyl Ethyl Ketone	8.4	U	8.4	10
Carbon disulfide	0.85	U	0.85	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Bromochloromethane	0.58	U	0.58	1.0
Chloroethane	0.80	U	0.80	1.0
Chloroform	0.90	U	0.90	1.0
Chloromethane	0.64	U	0.64	1.0
1,2-Dichlorobenzene	0.44	U	0.44	1.0
Dibromochloromethane	0.34	U	0.34	1.0
Methylene bromide	0.41	U	0.41	1.0
trans-1,4-Dichloro-2-butene	2.5	U	2.5	10
1,4-Dichlorobenzene	0.52	U	0.52	1.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,1-Dichloroethene	0.45	U	0.45	1.0
cis-1,2-Dichloroethene	0.65	U	0.65	1.0
trans-1,2-Dichloroethene	0.44	U	0.44	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
Ethylbenzene	0.44	U	0.44	1.0
2-Hexanone	4.4	U	4.4	10
Iodomethane	0.67	U	0.67	1.0
4-Methyl-2-pentanone	3.8	U	3.8	10
Methylene Chloride	4.0	U	4.0	5.0
Styrene	0.98	U	0.98	1.0
1,1,2,2-Tetrachloroethane	0.14	U	0.14	1.0
1,1,1,2-Tetrachloroethane	0.63	U	0.63	1.0
Tetrachloroethene	0.34	U	0.34	1.0
Toluene	0.51	U	0.51	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethene	0.28	U	0.28	1.0
Trichlorofluoromethane	0.98	U	0.98	1.0
1,2,3-Trichloropropane	0.15	U	0.15	1.0
Vinyl acetate	1.5	U	1.5	10

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB32I

Lab Sample ID: 660-7427-22

Date Sampled: 02/23/2006 1004

Client Matrix: Water

Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method: 8260B

Analysis Batch: 660-21755

Instrument ID: BVMJ GC/MS

Preparation: 5030B

Lab File ID: 2JC0645.D

Dilution: 1.0

Initial Weight/Volume: 5 mL

Date Analyzed: 03/07/2006 0702

Final Weight/Volume: 5 mL

Date Prepared: 03/07/2006 0702

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	0.50	U	0.50	1.0
Xylenes, Total	0.30	U	0.30	1.0
Surrogate	%Rec		Acceptance Limits	
4-Bromofluorobenzene	96		74 - 126	
Dibromofluoromethane	98		70 - 130	
Toluene-d8	112		77 - 122	

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB32S

Lab Sample ID: 660-7427-23

Date Sampled: 02/23/2006 0920

Client Matrix: Water

Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method: 8260B

Analysis Batch: 660-21755

Instrument ID: BVMJ GC/MS

Preparation: 5030B

Lab File ID: 2JC0646.D

Dilution: 1.0

Initial Weight/Volume: 5 mL

Date Analyzed: 03/07/2006 0727

Final Weight/Volume: 5 mL

Date Prepared: 03/07/2006 0727

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Acetone	9.9	U	9.9	20
Acrylonitrile	1.2	U	1.2	100
Benzene	0.27	U	0.27	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Bromomethane	0.66	U	0.66	1.0
Methyl Ethyl Ketone	8.4	U	8.4	10
Carbon disulfide	0.85	U	0.85	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Bromochloromethane	0.58	U	0.58	1.0
Chloroethane	0.80	U	0.80	1.0
Chloroform	0.90	U	0.90	1.0
Chloromethane	0.64	U	0.64	1.0
1,2-Dichlorobenzene	0.44	U	0.44	1.0
Dibromochloromethane	0.34	U	0.34	1.0
Methylene bromide	0.41	U	0.41	1.0
trans-1,4-Dichloro-2-butene	2.5	U	2.5	10
1,4-Dichlorobenzene	0.52	U	0.52	1.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,1-Dichloroethene	0.45	U	0.45	1.0
cis-1,2-Dichloroethene	0.65	U	0.65	1.0
trans-1,2-Dichloroethene	0.44	U	0.44	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
Ethylbenzene	0.44	U	0.44	1.0
2-Hexanone	4.4	U	4.4	10
Iodomethane	0.67	U	0.67	1.0
4-Methyl-2-pentanone	3.8	U	3.8	10
Methylene Chloride	4.0	U	4.0	5.0
Styrene	0.98	U	0.98	1.0
1,1,2,2-Tetrachloroethane	0.14	U	0.14	1.0
1,1,1,2-Tetrachloroethane	0.63	U	0.63	1.0
Tetrachloroethene	0.34	U	0.34	1.0
Toluene	0.51	U	0.51	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethene	0.28	U	0.28	1.0
Trichlorofluoromethane	0.98	U	0.98	1.0
1,2,3-Trichloropropane	0.15	U	0.15	1.0
Vinyl acetate	1.5	U	1.5	10

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB32S

Lab Sample ID: 660-7427-23

Date Sampled: 02/23/2006 0920

Client Matrix: Water

Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method: 8260B

Analysis Batch: 660-21755

Instrument ID: BVMJ GC/MS

Preparation: 5030B

Lab File ID: 2JC0646.D

Dilution: 1.0

Initial Weight/Volume: 5 mL

Date Analyzed: 03/07/2006 0727

Final Weight/Volume: 5 mL

Date Prepared: 03/07/2006 0727

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	0.50	U	0.50	1.0
Xylenes, Total	0.30	U	0.30	1.0
Surrogate	%Rec	Acceptance Limits		
4-Bromofluorobenzene	97	74 - 126		
Dibromofluoromethane	103	70 - 130		
Toluene-d8	117	77 - 122		

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB17D

Lab Sample ID: 660-7427-24

Date Sampled: 02/23/2006 1245

Client Matrix: Water

Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 03/07/2006 0752
Date Prepared: 03/07/2006 0752

Analysis Batch: 660-21755

Instrument ID: BVMJ GC/MS
Lab File ID: 2JC0647.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Acetone	9.9	U	9.9	20
Acrylonitrile	1.2	U	1.2	100
Benzene	0.27	U	0.27	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Bromomethane	0.66	U	0.66	1.0
Methyl Ethyl Ketone	8.4	U	8.4	10
Carbon disulfide	0.85	U	0.85	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Bromochloromethane	0.58	U	0.58	1.0
Chloroethane	0.80	U	0.80	1.0
Chloroform	0.90	U	0.90	1.0
Chloromethane	0.64	U	0.64	1.0
1,2-Dichlorobenzene	0.44	U	0.44	1.0
Dibromochloromethane	0.34	U	0.34	1.0
Methylene bromide	0.41	U	0.41	1.0
trans-1,4-Dichloro-2-butene	2.5	U	2.5	10
1,4-Dichlorobenzene	0.52	U	0.52	1.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,1-Dichloroethene	0.45	U	0.45	1.0
cis-1,2-Dichloroethene	0.65	U	0.65	1.0
trans-1,2-Dichloroethene	0.44	U	0.44	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
Ethylbenzene	0.44	U	0.44	1.0
2-Hexanone	4.4	U	4.4	10
Iodomethane	0.67	U	0.67	1.0
4-Methyl-2-pentanone	3.8	U	3.8	10
Methylene Chloride	18	U	4.0	5.0
Styrene	0.98	U	0.98	1.0
1,1,1,2-Tetrachloroethane	0.14	U	0.14	1.0
1,1,1,2-Tetrachloroethane	0.63	U	0.63	1.0
Tetrachloroethene	0.34	U	0.34	1.0
Toluene	0.51	U	0.51	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethene	0.28	U	0.28	1.0
Trichlorofluoromethane	0.98	U	0.98	1.0
1,2,3-Trichloropropane	0.15	U	0.15	1.0
Vinyl acetate	1.5	U	1.5	10

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB17D

Lab Sample ID: 660-7427-24

Date Sampled: 02/23/2006 1245

Client Matrix: Water

Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 03/07/2006 0752
Date Prepared: 03/07/2006 0752

Analysis Batch: 660-21755

Instrument ID: BVMJ GC/MS
Lab File ID: 2JC0647.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	0.50	U	0.50	1.0
Xylenes, Total	0.30	U	0.30	1.0
Surrogate	%Rec		Acceptance Limits	
4-Bromofluorobenzene	93		74 - 126	
Dibromofluoromethane	98		70 - 130	
Toluene-d8	110		77 - 122	

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: Field Blank

Lab Sample ID: 660-7427-25

Date Sampled: 02/23/2006 1315

Client Matrix: Water

Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 03/07/2006 0817
Date Prepared: 03/07/2006 0817

Analysis Batch: 660-21755

Instrument ID: BVMJ GC/MS
Lab File ID: 2JC0648.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Acetone	9.9	U	9.9	20
Acrylonitrile	1.2	U	1.2	100
Benzene	0.27	U	0.27	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Bromomethane	0.66	U	0.66	1.0
Methyl Ethyl Ketone	8.4	U	8.4	10
Carbon disulfide	0.85	U	0.85	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Bromochloromethane	0.58	U	0.58	1.0
Chloroethane	0.80	U	0.80	1.0
Chloroform	0.90	U	0.90	1.0
Chloromethane	0.64	U	0.64	1.0
1,2-Dichlorobenzene	0.44	U	0.44	1.0
Dibromochloromethane	0.34	U	0.34	1.0
Methylene bromide	0.41	U	0.41	1.0
trans-1,4-Dichloro-2-butene	2.5	U	2.5	10
1,4-Dichlorobenzene	0.52	U	0.52	1.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,1-Dichloroethene	0.45	U	0.45	1.0
cis-1,2-Dichloroethene	0.65	U	0.65	1.0
trans-1,2-Dichloroethene	0.44	U	0.44	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
Ethylbenzene	0.44	U	0.44	1.0
2-Hexanone	4.4	U	4.4	10
Iodomethane	0.67	U	0.67	1.0
4-Methyl-2-pentanone	3.8	U	3.8	10
Methylene Chloride	4.0	U	4.0	5.0
Styrene	0.98	U	0.98	1.0
1,1,2,2-Tetrachloroethane	0.14	U	0.14	1.0
1,1,1,2-Tetrachloroethane	0.63	U	0.63	1.0
Tetrachloroethene	0.34	U	0.34	1.0
Toluene	0.51	U	0.51	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethene	0.28	U	0.28	1.0
Trichlorofluoromethane	0.98	U	0.98	1.0
1,2,3-Trichloropropane	0.15	U	0.15	1.0
Vinyl acetate	1.5	U	1.5	10

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: Field Blank

Lab Sample ID: 660-7427-25

Date Sampled: 02/23/2006 1315

Client Matrix: Water

Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 03/07/2006 0817
Date Prepared: 03/07/2006 0817

Analysis Batch: 660-21755

Instrument ID: BVMJ GC/MS
Lab File ID: 2JC0648.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	0.50	U	0.50	1.0
Xylenes, Total	0.30	U	0.30	1.0
Surrogate	%Rec		Acceptance Limits	
4-Bromofluorobenzene	97		74 - 126	
Dibromofluoromethane	101		70 - 130	
Toluene-d8	114		77 - 122	

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: Equipment Blank

Lab Sample ID: 660-7427-26

Date Sampled: 02/23/2006 1325

Client Matrix: Water

Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method:	8260B	Analysis Batch: 660-21634	Instrument ID:	BVMJ GC/MS
Preparation:	5030B		Lab File ID:	1JC0312.D
Dilution:	1.0		Initial Weight/Volume:	5 mL
Date Analyzed:	03/03/2006 2055		Final Weight/Volume:	5 mL
Date Prepared:	03/03/2006 2055			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Acetone	9.9	U	9.9	20
Acrylonitrile	1.2	U	1.2	100
Benzene	0.27	U	0.27	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Bromomethane	0.66	U	0.66	1.0
Methyl Ethyl Ketone	8.4	U	8.4	10
Carbon disulfide	0.85	U	0.85	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Bromochloromethane	0.58	U	0.58	1.0
Chloroethane	0.80	U	0.80	1.0
Chloroform	0.90	U	0.90	1.0
1,2-Dichlorobenzene	0.44	U	0.44	1.0
Chloromethane	0.64	U	0.64	1.0
Dibromochloromethane	0.34	U	0.34	1.0
Methylene bromide	0.41	U	0.41	1.0
trans-1,4-Dichloro-2-butene	2.5	U	2.5	10
1,4-Dichlorobenzene	0.52	U	0.52	1.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,1-Dichloroethene	0.45	U	0.45	1.0
cis-1,2-Dichloroethene	0.65	U	0.65	1.0
trans-1,2-Dichloroethene	0.44	U	0.44	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
Ethylbenzene	0.44	U	0.44	1.0
2-Hexanone	4.4	U	4.4	10
Iodomethane	0.67	U	0.67	1.0
4-Methyl-2-pentanone	3.8	U	3.8	10
Methylene Chloride	4.0	U	4.0	5.0
Styrene	0.98	U	0.98	1.0
1,1,2,2-Tetrachloroethane	0.14	U	0.14	1.0
1,1,1,2-Tetrachloroethane	0.63	U	0.63	1.0
Tetrachloroethene	0.34	U	0.34	1.0
Toluene	0.51	U	0.51	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethene	0.28	U	0.28	1.0
Trichlorofluoromethane	0.98	U	0.98	1.0
1,2,3-Trichloropropane	0.15	U	0.15	1.0
Vinyl acetate	1.5	U	1.5	10

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: Equipment Blank

Lab Sample ID: 660-7427-26

Date Sampled: 02/23/2006 1325

Client Matrix: Water

Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method:	8260B	Analysis Batch: 660-21634	Instrument ID:	BVMJ GC/MS
Preparation:	5030B		Lab File ID:	1JC0312.D
Dilution:	1.0		Initial Weight/Volume:	5 mL
Date Analyzed:	03/03/2006 2055		Final Weight/Volume:	5 mL
Date Prepared:	03/03/2006 2055			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	0.50	U	0.50	1.0
Xylenes, Total	0.30	U	0.30	1.0
Surrogate	%Rec		Acceptance Limits	
4-Bromofluorobenzene	77		74 - 126	
Dibromofluoromethane	78		70 - 130	
Toluene-d8	85		77 - 122	

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: Trip Blank

Lab Sample ID: 660-7427-27

Date Sampled: 02/23/2006 0000

Client Matrix: Water

Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method:	8260B	Analysis Batch:	660-21634	Instrument ID:	BVMJ GC/MS
Preparation:	5030B			Lab File ID:	1JC0311.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Date Analyzed:	03/03/2006 2030			Final Weight/Volume:	5 mL
Date Prepared:	03/03/2006 2030				

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Acetone	9.9	U	9.9	20
Acrylonitrile	1.2	U	1.2	100
Benzene	0.27	U	0.27	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Bromomethane	0.66	U	0.66	1.0
Methyl Ethyl Ketone	8.4	U	8.4	10
Carbon disulfide	0.85	U	0.85	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Bromochloromethane	0.58	U	0.58	1.0
Chloroethane	0.80	U	0.80	1.0
Chloroform	0.90	U	0.90	1.0
1,2-Dichlorobenzene	0.44	U	0.44	1.0
Chloromethane	0.64	U	0.64	1.0
Dibromochloromethane	0.34	U	0.34	1.0
Methylene bromide	0.41	U	0.41	1.0
trans-1,4-Dichloro-2-butene	2.5	U	2.5	10
1,4-Dichlorobenzene	0.52	U	0.52	1.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,1-Dichloroethene	0.45	U	0.45	1.0
cis-1,2-Dichloroethene	0.65	U	0.65	1.0
trans-1,2-Dichloroethene	0.44	U	0.44	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
Ethylbenzene	0.44	U	0.44	1.0
2-Hexanone	4.4	U	4.4	10
Iodomethane	0.67	U	0.67	1.0
4-Methyl-2-pentanone	3.8	U	3.8	10
Methylene Chloride	4.0	U	4.0	5.0
Styrene	0.98	U	0.98	1.0
1,1,2,2-Tetrachloroethane	0.14	U	0.14	1.0
1,1,1,2-Tetrachloroethane	0.63	U	0.63	1.0
Tetrachloroethene	0.34	U	0.34	1.0
Toluene	0.51	U	0.51	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethene	0.28	U	0.28	1.0
Trichlorofluoromethane	0.98	U	0.98	1.0
1,2,3-Trichloropropane	0.15	U	0.15	1.0
Vinyl acetate	1.5	U	1.5	10

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: Trip Blank

Lab Sample ID: 660-7427-27

Date Sampled: 02/23/2006 0000

Client Matrix: Water

Date Received: 02/24/2006 0915

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 03/03/2006 2030
Date Prepared: 03/03/2006 2030

Analysis Batch: 660-21634

Instrument ID: BVMJ GC/MS
Lab File ID: 1JC0311.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	0.50	U	0.50	1.0
Xylenes, Total	0.30	U	0.30	1.0
Surrogate	%Rec		Acceptance Limits	
4-Bromofluorobenzene	76		74 - 126	
Dibromofluoromethane	79		70 - 130	
Toluene-d8	84		77 - 122	

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB13I

Lab Sample ID: 660-7427-1

Date Sampled: 02/23/2006 0733

Client Matrix: Water

Date Received: 02/24/2006 0915

504.1 EDB, DBCP, and 123TCP In Water by Microextraction and Gas Chromatography

Method:	504.1	Analysis Batch:	660-21882	Instrument ID:	HP 5890 Series II ECD1/2
Preparation:	504.1	Prep Batch:	660-21770	Lab File ID:	1C08S007.D
Dilution:	1.0			Initial Weight/Volume:	34.2380 g
Date Analyzed:	03/08/2006 1518			Final Weight/Volume:	3 mL
Date Prepared:	03/07/2006 1400			Injection Volume:	
				Column ID:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,2-Dibromo-3-Chloropropane	0.0031	U	0.0031	0.020
Ethylene Dibromide	0.0089	U	0.0089	0.020

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB31D

Lab Sample ID: 660-7427-2

Date Sampled: 02/23/2006 0806

Client Matrix: Water

Date Received: 02/24/2006 0915

504.1 EDB, DBCP, and 123TCP in Water by Microextraction and Gas Chromatography

Method: 504.1

Analysis Batch: 660-21882

Instrument ID: HP 5890 Series II ECD1/2

Preparation: 504.1

Prep Batch: 660-21770

Lab File ID: 1C07S052.D

Dilution: 1.0

Initial Weight/Volume: 34.5722 g

Date Analyzed: 03/08/2006 0553

Final Weight/Volume: 3 mL

Date Prepared: 03/07/2006 1400

Injection Volume:

Column ID: PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,2-Dibromo-3-Chloropropane	0.0030	U	0.0030	0.020
Ethylene Dibromide	0.0088	U	0.0088	0.020

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB3S

Lab Sample ID: 660-7427-3

Date Sampled: 02/23/2006 0842

Client Matrix: Water

Date Received: 02/24/2006 0915

504.1 EDB, DBCP, and 123TCP In Water by Microextraction and Gas Chromatography

Method: 504.1
Preparation: 504.1
Dilution: 1.0
Date Analyzed: 03/08/2006 1651
Date Prepared: 03/07/2006 1400

Analysis Batch: 660-21882
Prep Batch: 660-21770

Instrument ID: HP 5890 Series II ECD1/2
Lab File ID: 1C08S011.D
Initial Weight/Volume: 34.1487 g
Final Weight/Volume: 3 mL
Injection Volume:
Column ID: PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,2-Dibromo-3-Chloropropane	0.0031	U	0.0031	0.020
Ethylene Dibromide	0.0089	U	0.0089	0.020

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB3I

Lab Sample ID: 660-7427-4

Date Sampled: 02/23/2006 0924

Client Matrix: Water

Date Received: 02/24/2006 0915

504.1 EDB, DBCP, and 123TCP in Water by Microextraction and Gas Chromatography

Method:	504.1	Analysis Batch:	660-21882	Instrument ID:	HP 5890 Series II ECD1/2
Preparation:	504.1	Prep Batch:	660-21770	Lab File ID:	1C07S055.D
Dilution:	1.0			Initial Weight/Volume:	33.4510 g
Date Analyzed:	03/08/2006 0703			Final Weight/Volume:	3 mL
Date Prepared:	03/07/2006 1400			Injection Volume:	
				Column ID:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,2-Dibromo-3-Chloropropane	0.0031	U	0.0031	0.021
Ethylene Dibromide	0.0091	U	0.0091	0.021

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB71

Lab Sample ID: 660-7427-5

Date Sampled: 02/23/2006 1004

Client Matrix: Water

Date Received: 02/24/2006 0915

504.1 EDB, DBCP, and 123TCP In Water by Microextraction and Gas Chromatography

Method: 504.1

Analysis Batch: 660-21882

Instrument ID: HP 5890 Series II ECD1/2

Preparation: 504.1

Prep Batch: 660-21770

Lab File ID: 1C07S056.D

Dilution: 1.0

Initial Weight/Volume: 34.9122 g

Date Analyzed: 03/08/2006 0726

Final Weight/Volume: 3 mL

Date Prepared: 03/07/2006 1400

Injection Volume:

Column ID: PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,2-Dibromo-3-Chloropropane	0.0030	U	0.0030	0.020
Ethylene Dibromide	0.0087	U	0.0087	0.020

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB7D

Lab Sample ID: 660-7427-6

Date Sampled: 02/23/2006 1023

Client Matrix: Water

Date Received: 02/24/2006 0915

504.1 EDB, DBCP, and 123TCP in Water by Microextraction and Gas Chromatography

Method: 504.1

Analysis Batch: 660-21882

Instrument ID: HP 5890 Series II ECD1/2

Preparation: 504.1

Prep Batch: 660-21770

Lab File ID: 1C07S057.D

Dilution: 1.0

Initial Weight/Volume: 34.2070 g

Date Analyzed: 03/08/2006 0749

Final Weight/Volume: 3 mL

Date Prepared: 03/07/2006 1400

Injection Volume:

Column ID: PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,2-Dibromo-3-Chloropropane	0.0031	U	0.0031	0.020
Ethylene Dibromide	0.0089	U	0.0089	0.020

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB7S

Lab Sample ID: 660-7427-7

Date Sampled: 02/23/2006 1045

Client Matrix: Water

Date Received: 02/24/2006 0915

504.1 EDB, DBCP, and 123TCP in Water by Microextraction and Gas Chromatography

Method: 504.1

Analysis Batch: 660-21882

Instrument ID: HP 5890 Series II ECD1/2

Preparation: 504.1

Prep Batch: 660-21770

Lab File ID: 1C07S058.D

Dilution: 1.0

Initial Weight/Volume: 32.6179 g

Date Analyzed: 03/08/2006 0812

Final Weight/Volume: 3 mL

Date Prepared: 03/07/2006 1400

Injection Volume:

Column ID: PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,2-Dibromo-3-Chloropropane	0.0032	U	0.0032	0.021
Ethylene Dibromide	0.0093	U	0.0093	0.021

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB13S

Lab Sample ID: 660-7427-8

Date Sampled: 02/23/2006 1101

Client Matrix: Water

Date Received: 02/24/2006 0915

504.1 EDB, DBCP, and 123TCP in Water by Microextraction and Gas Chromatography

Method: 504.1

Analysis Batch: 660-21882

Instrument ID: HP 5890 Series II ECD1/2

Preparation: 504.1

Prep. Batch: 660-21770

Lab File ID: 1C07S059.D

Dilution: 1.0

Initial Weight/Volume: 34.9157 g

Date Analyzed: 03/08/2006 0836

Final Weight/Volume: 3 mL

Date Prepared: 03/07/2006 1400

Injection Volume:

Column ID: PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,2-Dibromo-3-Chloropropane	0.0030	U	0.0030	0.020
Ethylene Dibromide	0.0087	U	0.0087	0.020

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB11I (R)

Lab Sample ID: 660-7427-9

Date Sampled: 02/23/2006 1147

Client Matrix: Water

Date Received: 02/24/2006 0915

504.1 EDB, DBCP, and 123TCP in Water by Microextraction and Gas Chromatography

Method: 504.1

Analysis Batch: 660-21882

Instrument ID: HP 5890 Series II ECD1/2

Preparation: 504.1

Prep Batch: 660-21770

Lab File ID: 1C07S063.D

Dilution: 1.0

Initial Weight/Volume: 32.6943 g

Date Analyzed: 03/08/2006 1031

Final Weight/Volume: 3 mL

Date Prepared: 03/07/2006 1400

Injection Volume:

Column ID: PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,2-Dibromo-3-Chloropropane	0.0032	U	0.0032	0.021
Ethylene Dibromide	0.0093	U	0.0093	0.021

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: Dup 02

Lab Sample ID: 660-7427-10

Client Matrix: Water

Date Sampled: 02/23/2006 1147

Date Received: 02/24/2006 0915

504.1 EDB, DBCP, and 123TCP in Water by Microextraction and Gas Chromatography

Method: 504.1
Preparation: 504.1
Dilution: 1.0
Date Analyzed: 03/08/2006 1054
Date Prepared: 03/07/2006 1400

Analysis Batch: 660-21882
Prep Batch: 660-21770

Instrument ID: HP 5890 Series II ECD1/2
Lab File ID: 1C07S064.D
Initial Weight/Volume: 33.9969 g
Final Weight/Volume: 3 mL
Injection Volume:
Column ID: PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,2-Dibromo-3-Chloropropane	0.0031	U	0.0031	0.021
Ethylene Dibromide	0.0090	U	0.0090	0.021

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB11S

Lab Sample ID: 660-7427-11

Date Sampled: 02/23/2006 1208

Client Matrix: Water

Date Received: 02/24/2006 0915

504.1 EDB, DBCP, and 123TCP in Water by Microextraction and Gas Chromatography

Method: 504.1
Preparation: 504.1
Dilution: 1.0
Date Analyzed: 03/08/2006 1117
Date Prepared: 03/07/2006 1400

Analysis Batch: 660-21882
Prep Batch: 660-21770

Instrument ID: HP 5890 Series II ECD1/2
Lab File ID: 1C07S065.D
Initial Weight/Volume: 34.2397 g
Final Weight/Volume: 3 mL
Injection Volume:
Column ID: PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,2-Dibromo-3-Chloropropane	0.0031	U	0.0031	0.020
Ethylene Dibromide	0.0089	U	0.0089	0.020

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB20S

Lab Sample ID: 660-7427-12

Date Sampled: 02/23/2006 1229

Client Matrix: Water

Date Received: 02/24/2006 0915

504.1 EDB, DBCP, and 123TCP in Water by Microextraction and Gas Chromatography

Method: 504.1

Analysis Batch: 660-21882

Instrument ID: HP 5890 Series II ECD1/2

Preparation: 504.1

Prep Batch: 660-21770

Lab File ID: 1C07S067.D

Dilution: 1.0

Initial Weight/Volume: 33.1434 g

Date Analyzed: 03/08/2006 1203

Final Weight/Volume: 3 mL

Date Prepared: 03/07/2006 1400

Injection Volume:

Column ID: PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,2-Dibromo-3-Chloropropane	0.0032	U	0.0032	0.021
Ethylene Dibromide	0.0092	U	0.0092	0.021

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB21S

Lab Sample ID: 660-7427-13

Date Sampled: 02/23/2006 1254

Client Matrix: Water

Date Received: 02/24/2006 0915

504.1 EDB, DBCP, and 123TCP in Water by Microextraction and Gas Chromatography

Method: 504.1

Analysis Batch: 660-21882

Instrument ID: HP 5890 Series II ECD1/2

Preparation: 504.1

Prep Batch: 660-21770

Lab File ID: 1C07S068.D

Dilution: 1.0

Initial Weight/Volume: 33.4332 g

Date Analyzed: 03/08/2006 1227

Final Weight/Volume: 3 mL

Date Prepared: 03/07/2006 1400

Injection Volume:

Column ID: PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,2-Dibromo-3-Chloropropane	0.0031	U	0.0031	0.021
Ethylene Dibromide	0.0091	U	0.0091	0.021

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB17S

Lab Sample ID: 660-7427-14

Date Sampled: 02/23/2006 1218

Client Matrix: Water

Date Received: 02/24/2006 0915

504.1 EDB, DBCP, and 123TCP In Water by Microextraction and Gas Chromatography

Method:	504.1	Analysis Batch:	660-21882	Instrument ID:	HP 5890 Series II ECD1/2
Preparation:	504.1	Prep Batch:	660-21770	Lab File ID:	1C08S010.D
Dilution:	1.0			Initial Weight/Volume:	32.1780 g
Date Analyzed:	03/08/2006 1628			Final Weight/Volume:	3 mL
Date Prepared:	03/07/2006 1400			Injection Volume:	
				Column ID:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,2-Dibromo-3-Chloropropane	0.0033	U	0.0033	0.022
Ethylene Dibromide	0.0095	U	0.0095	0.022

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: Dup 03

Lab Sample ID: 660-7427-15

Date Sampled: 02/23/2006 1218

Client Matrix: Water

Date Received: 02/24/2006 0915

504.1 EDB, DBCP, and 123TCP in Water by Microextraction and Gas Chromatography

Method: 504.1	Analysis Batch: 660-21882	Instrument ID: HP 5890 Series II ECD1/2
Preparation: 504.1	Prep Batch: 660-21770	Lab File ID: 1C08S012.D
Dilution: 1.0		Initial Weight/Volume: 32.3040 g
Date Analyzed: 03/08/2006 1730		Final Weight/Volume: 3 mL
Date Prepared: 03/07/2006 1400		Injection Volume:
		Column ID: PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,2-Dibromo-3-Chloropropane	0.0033	U	0.0033	0.022
Ethylene Dibromide	0.0094	U	0.0094	0.022

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB171

Lab Sample ID: 660-7427-16

Date Sampled: 02/23/2006 1305

Client Matrix: Water

Date Received: 02/24/2006 0915

504.1 EDB, DBCP, and 123TCP In Water by Microextraction and Gas Chromatography

Method: 504.1
Preparation: 504.1
Dilution: 1.0
Date Analyzed: 03/08/2006 1754
Date Prepared: 03/07/2006 1400

Analysis Batch: 660-21882
Prep Batch: 660-21770

Instrument ID: HP 5890 Series II ECD1/2
Lab File ID: 1C08S013.D
Initial Weight/Volume: 34.3059 g
Final Weight/Volume: 3 mL
Injection Volume:
Column ID: PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,2-Dibromo-3-Chloropropane	0.0031	U	0.0031	0.020
Ethylene Dibromide	0.0089	U	0.0089	0.020

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB34D

Lab Sample ID: 660-7427-17

Date Sampled: 02/23/2006 0756

Client Matrix: Water

Date Received: 02/24/2006 0915

504.1 EDB, DBCP, and 123TCP in Water by Microextraction and Gas Chromatography

Method: 504.1
Preparation: 504.1
Dilution: 1.0
Date Analyzed: 03/08/2006 1817
Date Prepared: 03/07/2006 1400

Analysis Batch: 660-21882
Prep Batch: 660-21770

Instrument ID: HP 5890 Series II ECD1/2
Lab File ID: 1C08S014.D
Initial Weight/Volume: 34.6745 g
Final Weight/Volume: 3 mL
Injection Volume:
Column ID: PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,2-Dibromo-3-Chloropropane	0.0030	U	0.0030	0.020
Ethylene Dibromide	0.0088	U	0.0088	0.020

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB34I

Lab Sample ID: 660-7427-18

Date Sampled: 02/23/2006 0828

Client Matrix: Water

Date Received: 02/24/2006 0915

504.1 EDB, DBCP, and 123TCP in Water by Microextraction and Gas Chromatography

Method: 504.1

Analysis Batch: 660-21890

Instrument ID: HP 5890 Series II ECD1/2

Preparation: 504.1

Prep Batch: 660-21839

Lab File ID: 1C08S034.D

Dilution: 1.0

Initial Weight/Volume: 35.9197 g

Date Analyzed: 03/09/2006 0202

Final Weight/Volume: 3 mL

Date Prepared: 03/08/2006 1500

Injection Volume:

Column ID: PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,2-Dibromo-3-Chloropropane	0.0029	U	0.0029	0.019
Ethylene Dibromide	0.0085	U	0.0085	0.019

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB34S

Lab Sample ID: 660-7427-19

Date Sampled: 02/23/2006 0746

Client Matrix: Water

Date Received: 02/24/2006 0915

504.1 EDB, DBCP, and 123TCP in Water by Microextraction and Gas Chromatography

Method: 504.1
Preparation: 504.1
Dilution: 1.0
Date Analyzed: 03/09/2006 0312
Date Prepared: 03/08/2006 1500

Analysis Batch: 660-21890
Prep Batch: 660-21839

Instrument ID: HP 5890 Series II ECD1/2
Lab File ID: 1C08S037.D
Initial Weight/Volume: 33.3135 g
Final Weight/Volume: 3 mL
Injection Volume:
Column ID: PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,2-Dibromo-3-Chloropropane	0.0032	U	0.0032	0.021
Ethylene Dibromide	0.0091	U	0.0091	0.021

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB33S

Lab Sample ID: 660-7427-20

Date Sampled: 02/23/2006 1120

Client Matrix: Water

Date Received: 02/24/2006 0915

504.1 EDB, DBCP, and 123TCP In Water by Microextraction and Gas Chromatography

Method:	504.1	Analysis Batch:	660-21890	Instrument ID:	HP 5890 Series II ECD1/2
Preparation:	504.1	Prep Batch:	660-21839	Lab File ID:	1C08S039.D
Dilution:	1.0			Initial Weight/Volume:	33.9389 g
Date Analyzed:	03/09/2006 0358			Final Weight/Volume:	3 mL
Date Prepared:	03/08/2006 1500			Injection Volume:	
				Column ID:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,2-Dibromo-3-Chloropropane	0.0031	U	0.0031	0.021
Ethylene Dibromide	0.0090	U	0.0090	0.021

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB32D

Lab Sample ID: 660-7427-21

Date Sampled: 02/23/2006 1027

Client Matrix: Water

Date Received: 02/24/2006 0915

504.1 EDB, DBCP, and 123TCP in Water by Microextraction and Gas Chromatography

Method:	504.1	Analysis Batch:	660-21890	Instrument ID:	HP 5890 Series II ECD1/2
Preparation:	504.1	Prep Batch:	660-21839	Lab File ID:	1C08S040.D
Dilution:	1.0			Initial Weight/Volume:	35.2109 g
Date Analyzed:	03/09/2006 0421			Final Weight/Volume:	3 mL
Date Prepared:	03/08/2006 1500			Injection Volume:	
				Column ID:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,2-Dibromo-3-Chloropropane	0.0030	U	0.0030	0.020
Ethylene Dibromide	0.0086	U	0.0086	0.020

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB32I

Lab Sample ID: 660-7427-22

Date Sampled: 02/23/2006 1004

Client Matrix: Water

Date Received: 02/24/2006 0915

504.1 EDB, DBCP, and 123TCP In Water by Microextraction and Gas Chromatography

Method:	504.1	Analysis Batch:	660-21890	Instrument ID:	HP 5890 Series II ECD1/2
Preparation:	504.1	Prep Batch:	660-21839	Lab File ID:	1C08S041.D
Dilution:	1.0			Initial Weight/Volume:	34.2048 g
Date Analyzed:	03/09/2006 0445			Final Weight/Volume:	3 mL
Date Prepared:	03/08/2006 1500			Injection Volume:	
				Column ID:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,2-Dibromo-3-Chloropropane	0.0031	U	0.0031	0.020
Ethylene Dibromide	0.0089	U	0.0089	0.020

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB32S

Lab Sample ID: 660-7427-23

Date Sampled: 02/23/2006 0920

Client Matrix: Water

Date Received: 02/24/2006 0915

504.1 EDB, DBCP, and 123TCP in Water by Microextraction and Gas Chromatography

Method: 504.1

Analysis Batch: 660-21890

Instrument ID: HP 5890 Series II ECD1/2

Preparation: 504.1

Prep Batch: 660-21839

Lab File ID: 1C08S042.D

Dilution: 1.0

Initial Weight/Volume: 32.2565 g

Date Analyzed: 03/09/2006 0508

Final Weight/Volume: 3 mL

Date Prepared: 03/08/2006 1500

Injection Volume:

Column ID: PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,2-Dibromo-3-Chloropropane	0.0033	U	0.0033	0.022
Ethylene Dibromide	0.0094	U	0.0094	0.022

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB17D

Lab Sample ID: 660-7427-24

Date Sampled: 02/23/2006 1245

Client Matrix: Water

Date Received: 02/24/2006 0915

504.1 EDB, DBCP, and 123TCP In Water by Microextraction and Gas Chromatography

Method: 504.1

Analysis Batch: 660-21890

Instrument ID: HP 5890 Series II ECD1/2

Preparation: 504.1

Prep Batch: 660-21839

Lab File ID: 1C08S043.D

Dilution: 1.0

Initial Weight/Volume: 33.6720 g

Date Analyzed: 03/09/2006 0531

Final Weight/Volume: 3 mL

Date Prepared: 03/08/2006 1500

Injection Volume:

Column ID: PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,2-Dibromo-3-Chloropropane	0.0031	U	0.0031	0.021
Ethylene Dibromide	0.0090	U	0.0090	0.021

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: Field Blank

Lab Sample ID: 660-7427-25

Date Sampled: 02/23/2006 1315

Client Matrix: Water

Date Received: 02/24/2006 0915

504.1 EDB, DBCP, and 123TCP in Water by Microextraction and Gas Chromatography

Method: 504.1

Analysis Batch: 660-21890

Instrument ID: HP 5890 Series II ECD1/2

Preparation: 504.1

Prep Batch: 660-21839

Lab File ID: 1C08S044.D

Dilution: 1.0

Initial Weight/Volume: 33.8439 g

Date Analyzed: 03/09/2006 0554

Final Weight/Volume: 3 mL

Date Prepared: 03/08/2006 1500

Injection Volume:

Column ID: PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,2-Dibromo-3-Chloropropane	0.0031	U	0.0031	0.021
Ethylene Dibromide	0.0090	U	0.0090	0.021

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: Equipment Blank

Lab Sample ID: 660-7427-26

Date Sampled: 02/23/2006 1325

Client Matrix: Water

Date Received: 02/24/2006 0915

504.1 EDB, DBCP, and 123TCP In Water by Microextraction and Gas Chromatography

Method: 504.1

Analysis Batch: 660-21890

Instrument ID: HP 5890 Series II ECD1/2

Preparation: 504.1

Prep Batch: 660-21839

Lab File ID: 1C08S045.D

Dilution: 1.0

Initial Weight/Volume: 34.7515 g

Date Analyzed: 03/09/2006 0617

Final Weight/Volume: 3 mL

Date Prepared: 03/08/2006 1500

Injection Volume:

Column ID: PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,2-Dibromo-3-Chloropropane	0.0030	U	0.0030	0.020
Ethylene Dibromide	0.0088	U	0.0088	0.020

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: Trip Blank

Lab Sample ID: 660-7427-27

Date Sampled: 02/23/2006 0000

Client Matrix: Water

Date Received: 02/24/2006 0915

504.1 EDB, DBCP, and 123TCP In Water by Microextraction and Gas Chromatography

Method: 504.1

Analysis Batch: 660-21890

Instrument ID: HP 5890 Series II ECD1/2

Preparation: 504.1

Prep Batch: 660-21839

Lab File ID: 1C08S048.D

Dilution: 1.0

Initial Weight/Volume: 33.3667 g

Date Analyzed: 03/09/2006 0727

Final Weight/Volume: 3 mL

Date Prepared: 03/08/2006 1500

Injection Volume:

Column ID: PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,2-Dibromo-3-Chloropropane	0.0031	U	0.0031	0.021
Ethylene Dibromide	0.0091	U	0.0091	0.021

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB131

Lab Sample ID: 660-7427-1

Date Sampled: 02/23/2006 0733

Client Matrix: Water

Date Received: 02/24/2006 0915

200.7 Rev 4.4 ICP Metals by 200.7-Total Recoverable

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21517	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/06/2006 1851		Final Weight/Volume:	50 mL
Date Prepared:	03/02/2006 1636			

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Sodium	3.2		0.31	0.50

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21517	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/06/2006 1851		Final Weight/Volume:	50 mL
Date Prepared:	03/02/2006 1636			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Silver	1.9	U	1.9	10
Arsenic	4.8	U	4.8	10
Barium	36		1.2	10
Beryllium	0.74	U	0.74	4.0
Cadmium	0.71	U	0.71	5.0
Cobalt	1.6	U	1.6	10
Chromium	3.4	I	1.7	10
Copper	2.9	U	2.9	20
Iron	480		22	50
Nickel	4.7	U	4.7	40
Antimony	3.6	U	3.6	6.0
Lead	1.6	U	1.6	5.0
Selenium	5.9	U	5.9	10
Vanadium	3.1	I	2.5	10
Zinc	5.9	U	5.9	20

200.8 ICPMS Metals by 200.8 CWA-Total Recoverable

Method:	200.8	Analysis Batch: 680-37821	Instrument ID:	ICP MS
Preparation:	4.1.4	Prep Batch: 680-37379	Lab File ID:	N/A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/02/2006 0646		Final Weight/Volume:	250 mL
Date Prepared:	02/27/2006 1211			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Thallium	0.70	I	0.25	1.0

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB13I

Lab Sample ID: 660-7427-1

Date Sampled: 02/23/2006 0733

Client Matrix: Water

Date Received: 02/24/2006 0915

245.1 Mercury in Water by CVAA

Method: 245.1
Preparation: 245.1
Dilution: 1.0
Date Analyzed: 03/02/2006 1236
Date Prepared: 03/02/2006 0815

Analysis Batch: 660-21493
Prep Batch: 660-21448

Instrument ID: Hg Analyzer
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Mercury	0.072	U	0.072	0.20

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB31D

Lab Sample ID: 660-7427-2
Client Matrix: Water

Date Sampled: 02/23/2006 0806
Date Received: 02/24/2006 0915

200.7 Rev 4.4 ICP Metals by 200.7-Total Recoverable

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21517	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/06/2006 1846		Final Weight/Volume:	50 mL
Date Prepared:	03/02/2006 1636			

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Sodium	6.2		0.31	0.50

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21517	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/06/2006 1846		Final Weight/Volume:	50 mL
Date Prepared:	03/02/2006 1636			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Silver	1.9	U	1.9	10
Arsenic	4.8	U	4.8	10
Barium	82		1.2	10
Beryllium	0.74	U	0.74	4.0
Cadmium	0.71	U	0.71	5.0
Cobalt	1.6	U	1.6	10
Chromium	1.7	U	1.7	10
Copper	2.9	U	2.9	20
Iron	49	I	22	50
Nickel	4.7	U	4.7	40
Antimony	3.7	I	3.6	6.0
Lead	1.6	U	1.6	5.0
Selenium	5.9	U	5.9	10
Vanadium	2.5	U	2.5	10
Zinc	5.9	U	5.9	20

200.8 ICPMS Metals by 200.8 CWA-Total Recoverable

Method:	200.8	Analysis Batch: 680-37821	Instrument ID:	ICP MS
Preparation:	4.1.4	Prep Batch: 680-37379	Lab File ID:	N/A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/02/2006 0722		Final Weight/Volume:	250 mL
Date Prepared:	02/27/2006 1211			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Thallium	0.74	I	0.25	1.0

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB31D

Lab Sample ID: 660-7427-2
Client Matrix: Water

Date Sampled: 02/23/2006 0806
Date Received: 02/24/2006 0915

245.1 Mercury In Water by CVAA

Method: 245.1
Preparation: 245.1
Dilution: 1.0
Date Analyzed: 03/02/2006 1238
Date Prepared: 03/02/2006 0815

Analysis Batch: 660-21493
Prep Batch: 660-21448

Instrument ID: Hg Analyzer
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Mercury	0.072	U	0.072	0.20

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB3S

Lab Sample ID: 660-7427-3
Client Matrix: Water

Date Sampled: 02/23/2006 0842
Date Received: 02/24/2006 0915

200.7 Rev 4.4 ICP Metals by 200.7-Total Recoverable

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21517	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/06/2006 1840		Final Weight/Volume:	50 mL
Date Prepared:	03/02/2006 1636			

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Sodium	3.1		0.31	0.50

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21517	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/06/2006 1840		Final Weight/Volume:	50 mL
Date Prepared:	03/02/2006 1636			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Silver	1.9	U	1.9	10
Arsenic	4.8	U	4.8	10
Barium	12		1.2	10
Beryllium	0.74	U	0.74	4.0
Cadmium	0.71	U	0.71	5.0
Cobalt	2.2	I	1.6	10
Chromium	1.7	U	1.7	10
Copper	2.9	U	2.9	20
Iron	480		22	50
Nickel	4.7	U	4.7	40
Antimony	3.6	U	3.6	6.0
Lead	1.6	U	1.6	5.0
Selenium	5.9	U	5.9	10
Vanadium	2.5	U	2.5	10
Zinc	5.9	U	5.9	20

200.8 ICPMS Metals by 200.8 CWA-Total Recoverable

Method:	200.8	Analysis Batch: 680-37821	Instrument ID:	ICP MS
Preparation:	4.1.4	Prep Batch: 680-37379	Lab File ID:	N/A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/02/2006 0729		Final Weight/Volume:	250 mL
Date Prepared:	02/27/2006 1211			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Thallium	0.28	I	0.25	1.0

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB3S

Lab Sample ID: 660-7427-3
Client Matrix: Water

Date Sampled: 02/23/2006 0842
Date Received: 02/24/2006 0915

245.1 Mercury in Water by CVAA

Method: 245.1
Preparation: 245.1
Dilution: 1.0
Date Analyzed: 03/02/2006 1240
Date Prepared: 03/02/2006 0815

Analysis Batch: 660-21493
Prep Batch: 660-21448

Instrument ID: Hg Analyzer
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Mercury	0.072	U	0.072	0.20

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB31

Lab Sample ID: 660-7427-4
Client Matrix: Water

Date Sampled: 02/23/2006 0924
Date Received: 02/24/2006 0915

200.7 Rev 4.4 ICP Metals by 200.7-Total Recoverable

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21517	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/06/2006 1824		Final Weight/Volume:	50 mL
Date Prepared:	03/02/2006 1636			

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Sodium	3.2		0.31	0.50

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21517	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/06/2006 1824		Final Weight/Volume:	50 mL
Date Prepared:	03/02/2006 1636			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Silver	1.9	U	1.9	10
Arsenic	4.8	U	4.8	10
Barium	22		1.2	10
Beryllium	0.74	U	0.74	4.0
Cadmium	0.71	U	0.71	5.0
Cobalt	1.6	U	1.6	10
Chromium	1.7	U	1.7	10
Copper	2.9	U	2.9	20
Iron	660		22	50
Nickel	4.7	U	4.7	40
Antimony	3.6	U	3.6	6.0
Lead	1.6	U	1.6	5.0
Selenium	5.9	U	5.9	10
Vanadium	2.5	U	2.5	10
Zinc	5.9	U	5.9	20

200.8 ICPMS Metals by 200.8 CWA-Total Recoverable

Method:	200.8	Analysis Batch: 680-37821	Instrument ID:	ICP MS
Preparation:	4.1.4	Prep Batch: 680-37379	Lab File ID:	N/A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/02/2006 0751		Final Weight/Volume:	250 mL
Date Prepared:	02/27/2006 1211			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Thallium	0.25	I	0.25	1.0

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB3I

Lab Sample ID: 660-7427-4
Client Matrix: Water

Date Sampled: 02/23/2006 0924
Date Received: 02/24/2006 0915

245.1 Mercury in Water by CVAA

Method: 245.1
Preparation: 245.1
Dilution: 1.0
Date Analyzed: 03/02/2006 1241
Date Prepared: 03/02/2006 0815

Analysis Batch: 660-21493
Prep Batch: 660-21448

Instrument ID: Hg Analyzer
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Mercury	0.072	U	0.072	0.20

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB7I

Lab Sample ID: 660-7427-5
Client Matrix: Water

Date Sampled: 02/23/2006 1004
Date Received: 02/24/2006 0915

200.7 Rev 4.4 ICP Metals by 200.7-Total Recoverable

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21517	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/06/2006 1818		Final Weight/Volume:	50 mL
Date Prepared:	03/02/2006 1636			

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Sodium	3.1		0.31	0.50

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21517	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/06/2006 1818		Final Weight/Volume:	50 mL
Date Prepared:	03/02/2006 1636			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Silver	1.9	U	1.9	10
Arsenic	4.8	U	4.8	10
Barium	53		1.2	10
Beryllium	0.74	U	0.74	4.0
Cadmium	0.71	U	0.71	5.0
Cobalt	1.6	U	1.6	10
Chromium	1.7	U	1.7	10
Copper	2.9	U	2.9	20
Iron	370		22	50
Nickel	4.7	U	4.7	40
Antimony	3.6	U	3.6	6.0
Lead	1.6	U	1.6	5.0
Selenium	5.9	U	5.9	10
Vanadium	2.5	U	2.5	10
Zinc	5.9	U	5.9	20

200.8 ICPMS Metals by 200.8 CWA-Total Recoverable

Method:	200.8	Analysis Batch: 680-37821	Instrument ID:	ICP MS
Preparation:	4.1.4	Prep Batch: 680-37379	Lab File ID:	N/A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/02/2006 0758		Final Weight/Volume:	250 mL
Date Prepared:	02/27/2006 1211			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Thallium	0.25	U	0.25	1.0

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB7I

Lab Sample ID: 660-7427-5

Date Sampled: 02/23/2006 1004

Client Matrix: Water

Date Received: 02/24/2006 0915

245.1 Mercury in Water by CVAA

Method: 245.1
Preparation: 245.1
Dilution: 1.0
Date Analyzed: 03/02/2006 1243
Date Prepared: 03/02/2006 0815

Analysis Batch: 660-21493
Prep Batch: 660-21448

Instrument ID: Hg Analyzer
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Mercury	0.072	U	0.072	0.20

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB7D

Lab Sample ID: 660-7427-6
Client Matrix: Water

Date Sampled: 02/23/2006 1023
Date Received: 02/24/2006 0915

200.7 Rev 4.4 ICP Metals by 200.7-Total Recoverable

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21517	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/06/2006 1813		Final Weight/Volume:	50 mL
Date Prepared:	03/02/2006 1636			

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Sodium	4.7		0.31	0.50

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21517	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/06/2006 1813		Final Weight/Volume:	50 mL
Date Prepared:	03/02/2006 1636			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Silver	1.9	U	1.9	10
Arsenic	4.8	U	4.8	10
Barium	81		1.2	10
Beryllium	0.74	U	0.74	4.0
Cadmium	0.71	U	0.71	5.0
Cobalt	1.6	U	1.6	10
Chromium	1.7	U	1.7	10
Copper	2.9	U	2.9	20
Iron	190		22	50
Nickel	4.7	U	4.7	40
Antimony	3.6	U	3.6	6.0
Lead	1.6	U	1.6	5.0
Selenium	5.9	U	5.9	10
Vanadium	2.5	U	2.5	10
Zinc	5.9	U	5.9	20

200.8 ICPMS Metals by 200.8 CWA-Total Recoverable

Method:	200.8	Analysis Batch: 680-37821	Instrument ID:	ICP MS
Preparation:	4.1.4	Prep Batch: 680-37379	Lab File ID:	N/A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/02/2006 0805		Final Weight/Volume:	250 mL
Date Prepared:	02/27/2006 1211			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Thallium	0.25	U	0.25	1.0

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB7D

Lab Sample ID: 660-7427-6
Client Matrix: Water

Date Sampled: 02/23/2006 1023
Date Received: 02/24/2006 0915

245.1 Mercury in Water by CVAA

Method: 245.1
Preparation: 245.1
Dilution: 1.0
Date Analyzed: 03/02/2006 1244
Date Prepared: 03/02/2006 0815

Analysis Batch: 660-21493
Prep Batch: 660-21448

Instrument ID: Hg Analyzer
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Mercury	0.072	U	0.072	0.20

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB7S

Lab Sample ID: 660-7427-7
Client Matrix: Water

Date Sampled: 02/23/2006 1045
Date Received: 02/24/2006 0915

200.7 Rev 4.4 ICP Metals by 200.7-Total Recoverable

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21517	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/06/2006 1807		Final Weight/Volume:	50 mL
Date Prepared:	03/02/2006 1636			

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Sodium	5.2		0.31	0.50

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21517	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/06/2006 1807		Final Weight/Volume:	50 mL
Date Prepared:	03/02/2006 1636			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Silver	1.9	U	1.9	10
Arsenic	4.8	U	4.8	10
Barium	5.4	I	1.2	10
Beryllium	0.74	U	0.74	4.0
Cadmium	0.71	U	0.71	5.0
Cobalt	1.6	U	1.6	10
Chromium	1.7	U	1.7	10
Copper	2.9	U	2.9	20
Iron	110		22	50
Nickel	4.7	U	4.7	40
Antimony	3.6	U	3.6	6.0
Lead	1.6	U	1.6	5.0
Selenium	5.9	U	5.9	10
Vanadium	2.6	I	2.5	10
Zinc	5.9	U	5.9	20

200.8 ICPMS Metals by 200.8 CWA-Total Recoverable

Method:	200.8	Analysis Batch: 680-37821	Instrument ID:	ICP MS
Preparation:	4.1.4	Prep Batch: 680-37379	Lab File ID:	N/A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/02/2006 0813		Final Weight/Volume:	250 mL
Date Prepared:	02/27/2006 1211			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Thallium	0.25	U	0.25	1.0

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB7S

Lab Sample ID: 660-7427-7
Client Matrix: Water

Date Sampled: 02/23/2006 1045
Date Received: 02/24/2006 0915

245.1 Mercury in Water by CVAA

Method: 245.1
Preparation: 245.1
Dilution: 1.0
Date Analyzed: 03/02/2006 1249
Date Prepared: 03/02/2006 0815

Analysis Batch: 660-21493
Prep Batch: 660-21448

Instrument ID: Hg Analyzer
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Mercury	0.072	U	0.072	0.20

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB13S

Lab Sample ID: 660-7427-8
Client Matrix: Water

Date Sampled: 02/23/2006 1101
Date Received: 02/24/2006 0915

200.7 Rev 4.4 ICP Metals by 200.7-Total Recoverable

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21517	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/06/2006 1802		Final Weight/Volume:	50 mL
Date Prepared:	03/02/2006 1636			

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Sodium	10		0.31	0.50

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21517	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/06/2006 1802		Final Weight/Volume:	50 mL
Date Prepared:	03/02/2006 1636			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Silver	1.9	U	1.9	10
Arsenic	4.8	U	4.8	10
Barium	11		1.2	10
Beryllium	0.74	U	0.74	4.0
Cadmium	0.71	U	0.71	5.0
Cobalt	1.9	I	1.6	10
Chromium	6.0	I	1.7	10
Copper	19	I	2.9	20
Iron	760		22	50
Nickel	4.7	U	4.7	40
Antimony	3.6	U	3.6	6.0
Lead	1.6	U	1.6	5.0
Selenium	31		5.9	10
Vanadium	47		2.5	10
Zinc	7.2	I	5.9	20

200.8 ICPMS Metals by 200.8 CWA-Total Recoverable

Method:	200.8	Analysis Batch: 680-37821	Instrument ID:	ICP MS
Preparation:	4.1.4	Prep Batch: 680-37379	Lab File ID:	N/A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/02/2006 0820		Final Weight/Volume:	250 mL
Date Prepared:	02/27/2006 1211			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Thallium	0.25	U	0.25	1.0

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB13S

Lab Sample ID: 660-7427-8
Client Matrix: Water

Date Sampled: 02/23/2006 1101
Date Received: 02/24/2006 0915

245.1 Mercury in Water by CVAA

Method: 245.1
Preparation: 245.1
Dilution: 1.0
Date Analyzed: 03/02/2006 1250
Date Prepared: 03/02/2006 0815

Analysis Batch: 660-21493
Prep Batch: 660-21448

Instrument ID: Hg Analyzer
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Mercury	0.072	U	0.072	0.20

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB111 (R)

Lab Sample ID: 660-7427-9
Client Matrix: Water

Date Sampled: 02/23/2006 1147
Date Received: 02/24/2006 0915

200.7 Rev 4.4 ICP Metals by 200.7-Total Recoverable

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21517	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/06/2006 1756		Final Weight/Volume:	50 mL
Date Prepared:	03/02/2006 1636			

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Sodium	3.1		0.31	0.50

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21517	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/06/2006 1756		Final Weight/Volume:	50 mL
Date Prepared:	03/02/2006 1636			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Silver	1.9	U	1.9	10
Arsenic	4.8	U	4.8	10
Barium	75		1.2	10
Beryllium	0.74	U	0.74	4.0
Cadmium	0.71	U	0.71	5.0
Cobalt	1.6	U	1.6	10
Chromium	25		1.7	10
Copper	2.9	U	2.9	20
Iron	1500		22	50
Nickel	4.7	U	4.7	40
Antimony	3.6	U	3.6	6.0
Lead	7.1		1.6	5.0
Selenium	5.9	U	5.9	10
Vanadium	38		2.5	10
Zinc	6.1	I	5.9	20

200.8 ICPMS Metals by 200.8 CWA-Total Recoverable

Method:	200.8	Analysis Batch: 680-37821	Instrument ID:	ICP MS
Preparation:	4.1.4	Prep Batch: 680-37379	Lab File ID:	N/A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/02/2006 0827		Final Weight/Volume:	250 mL
Date Prepared:	02/27/2006 1211			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Thallium	0.25	U	0.25	1.0

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB11I (R)

Lab Sample ID: 660-7427-9
Client Matrix: Water

Date Sampled: 02/23/2006 1147
Date Received: 02/24/2006 0915

245.1 Mercury in Water by CVAA

Method: 245.1
Preparation: 245.1
Dilution: 1.0
Date Analyzed: 03/02/2006 1252
Date Prepared: 03/02/2006 0815

Analysis Batch: 660-21493
Prep Batch: 660-21448

Instrument ID: Hg Analyzer
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Mercury	0.072	U	0.072	0.20

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: Dup 02

Lab Sample ID: 660-7427-10
Client Matrix: Water

Date Sampled: 02/23/2006 1147
Date Received: 02/24/2006 0915

200.7 Rev 4.4 ICP Metals by 200.7-Total Recoverable

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21517	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/06/2006 1751		Final Weight/Volume:	50 mL
Date Prepared:	03/02/2006 1636			

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Sodium	3.0		0.31	0.50
Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21517	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/06/2006 1751		Final Weight/Volume:	50 mL
Date Prepared:	03/02/2006 1636			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Silver	1.9	U	1.9	10
Arsenic	4.8	U	4.8	10
Barium	75		1.2	10
Beryllium	0.74	U	0.74	4.0
Cadmium	0.71	U	0.71	5.0
Cobalt	1.6	U	1.6	10
Chromium	25		1.7	10
Copper	2.9	U	2.9	20
Iron	1500		22	50
Nickel	4.7	U	4.7	40
Antimony	3.6	U	3.6	6.0
Lead	6.0		1.6	5.0
Selenium	5.9	U	5.9	10
Vanadium	37		2.5	10
Zinc	6.5	I	5.9	20

200.8 ICPMS Metals by 200.8 CWA-Total Recoverable

Method:	200.8	Analysis Batch: 680-37821	Instrument ID:	ICP MS
Preparation:	4.1.4	Prep Batch: 680-37379	Lab File ID:	N/A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/02/2006 0834		Final Weight/Volume:	250 mL
Date Prepared:	02/27/2006 1211			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Thallium	0.25	U	0.25	1.0

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: Dup 02

Lab Sample ID: 660-7427-10
Client Matrix: Water

Date Sampled: 02/23/2006 1147
Date Received: 02/24/2006 0915

245.1 Mercury in Water by CVAA

Method: 245.1
Preparation: 245.1
Dilution: 1.0
Date Analyzed: 03/02/2006 1254
Date Prepared: 03/02/2006 0815

Analysis Batch: 660-21493
Prep Batch: 660-21448

Instrument ID: Hg Analyzer
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Mercury	0.072	U	0.072	0.20

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB11S

Lab Sample ID: 660-7427-11
Client Matrix: Water

Date Sampled: 02/23/2006 1208
Date Received: 02/24/2006 0915

200.7 Rev 4.4 ICP Metals by 200.7-Total Recoverable

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21517	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/06/2006 1745		Final Weight/Volume:	50 mL
Date Prepared:	03/02/2006 1636			

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Sodium	8.0		0.31	0.50

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21517	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/06/2006 1745		Final Weight/Volume:	50 mL
Date Prepared:	03/02/2006 1636			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Silver	1.9	U	1.9	10
Arsenic	4.8	U	4.8	10
Barium	81		1.2	10
Beryllium	0.74	U	0.74	4.0
Cadmium	0.71	U	0.71	5.0
Cobalt	1.8	I	1.6	10
Chromium	1.7	U	1.7	10
Copper	2.9	U	2.9	20
Iron	1000		22	50
Nickel	4.7	U	4.7	40
Antimony	3.6	U	3.6	6.0
Lead	1.6	U	1.6	5.0
Selenium	5.9	U	5.9	10
Vanadium	2.5	U	2.5	10
Zinc	5.9	U	5.9	20

200.8 ICPMS Metals by 200.8 CWA-Total Recoverable

Method:	200.8	Analysis Batch: 680-37821	Instrument ID:	ICP MS
Preparation:	4.1.4	Prep Batch: 680-37379	Lab File ID:	N/A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/02/2006 0842		Final Weight/Volume:	250 mL
Date Prepared:	02/27/2006 1211			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Thallium	0.25	U	0.25	1.0

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB11S

Lab Sample ID: 660-7427-11
Client Matrix: Water

Date Sampled: 02/23/2006 1208
Date Received: 02/24/2006 0915

245.1 Mercury in Water by CVAA

Method: 245.1
Preparation: 245.1
Dilution: 1.0
Date Analyzed: 03/02/2006 1255
Date Prepared: 03/02/2006 0815

Analysis Batch: 660-21493
Prep Batch: 660-21448

Instrument ID: Hg Analyzer
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Mercury	0.072	U	0.072	0.20

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB20S

Lab Sample ID: 660-7427-12
Client Matrix: Water

Date Sampled: 02/23/2006 1229
Date Received: 02/24/2006 0915

200.7 Rev 4.4 ICP Metals by 200.7-Total Recoverable

Method: 200.7 Rev 4.4 Analysis Batch: 660-21640 Instrument ID: TJA ICP TRACE
Preparation: 200.7 Appx C Prep Batch: 660-21517 Lab File ID: 6C06A
Dilution: 1.0 Initial Weight/Volume: 50 mL
Date Analyzed: 03/06/2006 1740 Final Weight/Volume: 50 mL
Date Prepared: 03/02/2006 1636

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Sodium	4.1		0.31	0.50
Method: 200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID: TJA ICP TRACE		
Preparation: 200.7 Appx C	Prep Batch: 660-21517	Lab File ID: 6C06A		
Dilution: 1.0		Initial Weight/Volume: 50 mL		
Date Analyzed: 03/06/2006 1740		Final Weight/Volume: 50 mL		
Date Prepared: 03/02/2006 1636				

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Silver	1.9	U	1.9	10
Arsenic	4.8	U	4.8	10
Barium	17		1.2	10
Beryllium	0.74	U	0.74	4.0
Cadmium	0.71	U	0.71	5.0
Cobalt	1.7	I	1.6	10
Chromium	1.7	U	1.7	10
Copper	2.9	U	2.9	20
Iron	400		22	50
Nickel	4.7	U	4.7	40
Antimony	3.6	U	3.6	6.0
Lead	1.6	U	1.6	5.0
Selenium	5.9	U	5.9	10
Vanadium	2.5	U	2.5	10
Zinc	5.9	U	5.9	20

200.8 ICPMS Metals by 200.8 CWA-Total Recoverable

Method: 200.8 Analysis Batch: 680-37821 Instrument ID: ICP MS
Preparation: 4.1.4 Prep Batch: 680-37379 Lab File ID: N/A
Dilution: 1.0 Initial Weight/Volume: 50 mL
Date Analyzed: 03/02/2006 0849 Final Weight/Volume: 250 mL
Date Prepared: 02/27/2006 1211

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Thallium	0.25	U	0.25	1.0

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB20S

Lab Sample ID: 660-7427-12
Client Matrix: Water

Date Sampled: 02/23/2006 1229
Date Received: 02/24/2006 0915

245.1 Mercury in Water by CVAA

Method: 245.1
Preparation: 245.1
Dilution: 1.0
Date Analyzed: 03/02/2006 1257
Date Prepared: 03/02/2006 0815

Analysis Batch: 660-21493
Prep Batch: 660-21448

Instrument ID: Hg Analyzer
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Mercury	0.072	U	0.072	0.20

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB21S

Lab Sample ID: 660-7427-13
Client Matrix: Water

Date Sampled: 02/23/2006 1254
Date Received: 02/24/2006 0915

200.7 Rev 4.4 ICP Metals by 200.7-Total Recoverable

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21517	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/06/2006 1734		Final Weight/Volume:	50 mL
Date Prepared:	03/02/2006 1636			

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Sodium	3.0		0.31	0.50

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21517	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/06/2006 1734		Final Weight/Volume:	50 mL
Date Prepared:	03/02/2006 1636			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Silver	1.9	U	1.9	10
Arsenic	4.8	U	4.8	10
Barium	18		1.2	10
Beryllium	0.74	U	0.74	4.0
Cadmium	0.71	U	0.71	5.0
Cobalt	1.6	U	1.6	10
Chromium	1.7	U	1.7	10
Copper	2.9	U	2.9	20
Iron	600		22	50
Nickel	4.7	U	4.7	40
Antimony	3.6	U	3.6	6.0
Lead	1.6	U	1.6	5.0
Selenium	5.9	U	5.9	10
Vanadium	2.5	U	2.5	10
Zinc	5.9	U	5.9	20

200.8 ICPMS Metals by 200.8 CWA-Total Recoverable

Method:	200.8	Analysis Batch: 680-37821	Instrument ID:	ICP MS
Preparation:	4.1.4	Prep Batch: 680-37379	Lab File ID:	N/A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/02/2006 0856		Final Weight/Volume:	250 mL
Date Prepared:	02/27/2006 1211			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Thallium	0.25	U	0.25	1.0

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB21S

Lab Sample ID: 660-7427-13
Client Matrix: Water

Date Sampled: 02/23/2006 1254
Date Received: 02/24/2006 0915

245.1 Mercury in Water by CVAA

Method: 245.1
Preparation: 245.1
Dilution: 1.0
Date Analyzed: 03/02/2006 1304
Date Prepared: 03/02/2006 0816

Analysis Batch: 660-21493
Prep Batch: 660-21449

Instrument ID: Hg Analyzer
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Mercury	0.072	U	0.072	0.20

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB17S

Lab Sample ID: 660-7427-14
Client Matrix: Water

Date Sampled: 02/23/2006 1218
Date Received: 02/24/2006 0915

200.7 Rev 4.4 ICP Metals by 200.7-Total Recoverable

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21517	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/06/2006 1718		Final Weight/Volume:	50 mL
Date Prepared:	03/02/2006 1636			

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Sodium	3.6		0.31	0.50

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21517	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/06/2006 1718		Final Weight/Volume:	50 mL
Date Prepared:	03/02/2006 1636			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Silver	1.9	U	1.9	10
Arsenic	4.8	U	4.8	10
Barium	3.1	I	1.2	10
Beryllium	0.74	U	0.74	4.0
Cadmium	0.71	U	0.71	5.0
Cobalt	1.7	I	1.6	10
Chromium	1.8	I	1.7	10
Copper	2.9	U	2.9	20
Iron	150		22	50
Nickel	4.7	U	4.7	40
Antimony	3.6	U	3.6	6.0
Lead	1.6	U	1.6	5.0
Selenium	5.9	U	5.9	10
Vanadium	2.5	U	2.5	10
Zinc	5.9	U	5.9	20

200.8 ICPMS Metals by 200.8 CWA-Total Recoverable

Method:	200.8	Analysis Batch: 680-37821	Instrument ID:	ICP MS
Preparation:	4.1.4	Prep Batch: 680-37379	Lab File ID:	N/A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/02/2006 0918		Final Weight/Volume:	250 mL
Date Prepared:	02/27/2006 1211			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Thallium	0.28	I	0.25	1.0

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB17S

Lab Sample ID: 660-7427-14

Date Sampled: 02/23/2006 1218

Client Matrix: Water

Date Received: 02/24/2006 0915

245.1 Mercury in Water by CVAA

Method: 245.1
Preparation: 245.1
Dilution: 1.0
Date Analyzed: 03/02/2006 1313
Date Prepared: 03/02/2006 0816

Analysis Batch: 660-21493
Prep Batch: 660-21449

Instrument ID: Hg Analyzer
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Mercury	0.072	U	0.072	0.20

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: Dup 03

Lab Sample ID: 660-7427-15

Date Sampled: 02/23/2006 1218

Client Matrix: Water

Date Received: 02/24/2006 0915

200.7 Rev 4.4 ICP Metals by 200.7-Total Recoverable

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21517	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/06/2006 1712		Final Weight/Volume:	50 mL
Date Prepared:	03/02/2006 1636			

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Sodium	3.7		0.31	0.50

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21517	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/06/2006 1712		Final Weight/Volume:	50 mL
Date Prepared:	03/02/2006 1636			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Silver	1.9	U	1.9	10
Arsenic	4.8	U	4.8	10
Barium	3.3	I	1.2	10
Beryllium	0.74	U	0.74	4.0
Cadmium	0.71	U	0.71	5.0
Cobalt	1.6	U	1.6	10
Chromium	1.7	U	1.7	10
Copper	2.9	U	2.9	20
Iron	160		22	50
Nickel	4.7	U	4.7	40
Antimony	3.6	U	3.6	6.0
Lead	1.6	U	1.6	5.0
Selenium	5.9	U	5.9	10
Vanadium	2.5	U	2.5	10
Zinc	5.9	U	5.9	20

200.8 ICPMS Metals by 200.8 CWA-Total Recoverable

Method:	200.8	Analysis Batch: 680-37821	Instrument ID:	ICP MS
Preparation:	4.1.4	Prep Batch: 680-37379	Lab File ID:	N/A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/02/2006 0951		Final Weight/Volume:	250 mL
Date Prepared:	02/27/2006 1211			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Thallium	0.25	U	0.25	1.0

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: Dup 03

Lab Sample ID: 660-7427-15
Client Matrix: Water

Date Sampled: 02/23/2006 1218
Date Received: 02/24/2006 0915

245.1 Mercury in Water by CVAA

Method: 245.1
Preparation: 245.1
Dilution: 1.0
Date Analyzed: 03/02/2006 1315
Date Prepared: 03/02/2006 0816

Analysis Batch: 660-21493
Prep Batch: 660-21449

Instrument ID: Hg Analyzer
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Mercury	0.072	U	0.072	0.20

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB171

Lab Sample ID: 660-7427-16
Client Matrix: Water

Date Sampled: 02/23/2006 1305
Date Received: 02/24/2006 0915

200.7 Rev 4.4 ICP Metals by 200.7-Total Recoverable

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21517	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/06/2006 1707		Final Weight/Volume:	50 mL
Date Prepared:	03/02/2006 1636			

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Sodium	3.2		0.31	0.50

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21517	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/06/2006 1707		Final Weight/Volume:	50 mL
Date Prepared:	03/02/2006 1636			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Silver	1.9	U	1.9	10
Arsenic	4.8	U	4.8	10
Barium	38		1.2	10
Beryllium	0.74	U	0.74	4.0
Cadmium	0.71	U	0.71	5.0
Cobalt	1.6	U	1.6	10
Chromium	1.7	U	1.7	10
Copper	2.9	U	2.9	20
Iron	390		22	50
Nickel	4.7	U	4.7	40
Antimony	3.6	U	3.6	6.0
Lead	1.6	U	1.6	5.0
Selenium	5.9	U	5.9	10
Vanadium	2.5	U	2.5	10
Zinc	5.9	U	5.9	20

200.8 ICPMS Metals by 200.8 CWA-Total Recoverable

Method:	200.8	Analysis Batch: 680-37821	Instrument ID:	ICP MS
Preparation:	4.1.4	Prep Batch: 680-37379	Lab File ID:	N/A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/02/2006 0958		Final Weight/Volume:	250 mL
Date Prepared:	02/27/2006 1211			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Thallium	0.25	U	0.25	1.0

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB171

Lab Sample ID: 660-7427-16

Date Sampled: 02/23/2006 1305

Client Matrix: Water

Date Received: 02/24/2006 0915

245.1 Mercury in Water by CVAA

Method: 245.1
Preparation: 245.1
Dilution: 1.0
Date Analyzed: 03/02/2006 1316
Date Prepared: 03/02/2006 0816

Analysis Batch: 660-21493
Prep Batch: 660-21449

Instrument ID: Hg Analyzer
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Mercury	0.072	U	0.072	0.20

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB34D

Lab Sample ID: 660-7427-17
Client Matrix: Water

Date Sampled: 02/23/2006 0756
Date Received: 02/24/2006 0915

200.7 Rev 4.4 ICP Metals by 200.7-Total Recoverable

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21517	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/06/2006 1701		Final Weight/Volume:	50 mL
Date Prepared:	03/02/2006 1636			

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Sodium	6.1		0.31	0.50

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21517	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/06/2006 1701		Final Weight/Volume:	50 mL
Date Prepared:	03/02/2006 1636			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Silver	1.9	U	1.9	10
Arsenic	4.8	U	4.8	10
Barium	100		1.2	10
Beryllium	0.74	U	0.74	4.0
Cadmium	0.71	U	0.71	5.0
Cobalt	1.6	U	1.6	10
Chromium	1.7	U	1.7	10
Copper	2.9	U	2.9	20
Iron	480		22	50
Nickel	4.7	U	4.7	40
Antimony	3.6	U	3.6	6.0
Lead	1.6	U	1.6	5.0
Selenium	5.9	U	5.9	10
Vanadium	2.5	U	2.5	10
Zinc	5.9	U	5.9	20

200.8 ICPMS Metals by 200.8 CWA-Total Recoverable

Method:	200.8	Analysis Batch: 680-37821	Instrument ID:	ICP MS
Preparation:	4.1.4	Prep Batch: 680-37379	Lab File ID:	N/A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/02/2006 0944		Final Weight/Volume:	250 mL
Date Prepared:	02/27/2006 1211			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Thallium	0.25	U	0.25	1.0

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB34D

Lab Sample ID: 660-7427-17
Client Matrix: Water

Date Sampled: 02/23/2006 0756
Date Received: 02/24/2006 0915

245.1 Mercury in Water by CVAA

Method: 245.1
Preparation: 245.1
Dilution: 1.0
Date Analyzed: 03/02/2006 1318
Date Prepared: 03/02/2006 0816

Analysis Batch: 660-21493
Prep Batch: 660-21449

Instrument ID: Hg Analyzer
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Mercury	0.072	U	0.072	0.20

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB34I

Lab Sample ID: 660-7427-18
Client Matrix: Water

Date Sampled: 02/23/2006 0828
Date Received: 02/24/2006 0915

200.7 Rev 4.4 ICP Metals by 200.7-Total Recoverable

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21517	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/06/2006 1656		Final Weight/Volume:	50 mL
Date Prepared:	03/02/2006 1636			

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Sodium	3.3		0.31	0.50

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21517	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/06/2006 1656		Final Weight/Volume:	50 mL
Date Prepared:	03/02/2006 1636			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Silver	1.9	U	1.9	10
Arsenic	4.8	U	4.8	10
Barium	53		1.2	10
Beryllium	0.74	U	0.74	4.0
Cadmium	0.71	U	0.71	5.0
Cobalt	1.6	U	1.6	10
Chromium	2.1	I	1.7	10
Copper	2.9	U	2.9	20
Iron	590		22	50
Nickel	4.7	U	4.7	40
Antimony	3.6	U	3.6	6.0
Lead	1.6	U	1.6	5.0
Selenium	5.9	U	5.9	10
Vanadium	2.5	U	2.5	10
Zinc	5.9	U	5.9	20

200.8 ICPMS Metals by 200.8 CWA-Total Recoverable

Method:	200.8	Analysis Batch: 680-37821	Instrument ID:	ICP MS
Preparation:	4.1.4	Prep Batch: 680-37379	Lab File ID:	N/A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/02/2006 1005		Final Weight/Volume:	250 mL
Date Prepared:	02/27/2006 1211			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Thallium	0.25	U	0.25	1.0

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB34I

Lab Sample ID: 660-7427-18
Client Matrix: Water

Date Sampled: 02/23/2006 0828
Date Received: 02/24/2006 0915

245.1 Mercury in Water by CVAA

Method: 245.1
Preparation: 245.1
Dilution: 1.0
Date Analyzed: 03/02/2006 1319
Date Prepared: 03/02/2006 0816

Analysis Batch: 660-21493
Prep Batch: 660-21449

Instrument ID: Hg Analyzer
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Mercury	0.072	U	0.072	0.20

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB34S

Lab Sample ID: 660-7427-19
Client Matrix: Water

Date Sampled: 02/23/2006 0746
Date Received: 02/24/2006 0915

200.7 Rev 4.4 ICP Metals by 200.7-Total Recoverable

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21517	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/06/2006 1650		Final Weight/Volume:	50 mL
Date Prepared:	03/02/2006 1636			

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Sodium	86		0.31	0.50

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21517	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/06/2006 1650		Final Weight/Volume:	50 mL
Date Prepared:	03/02/2006 1636			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Silver	1.9	U	1.9	10
Arsenic	4.8	U	4.8	10
Barium	7.3	I	1.2	10
Beryllium	0.74	U	0.74	4.0
Cadmium	0.71	U	0.71	5.0
Cobalt	1.7	I	1.6	10
Chromium	3.7	I	1.7	10
Copper	19	I	2.9	20
Iron	120		22	50
Nickel	5.7	I	4.7	40
Antimony	4.6	I	3.6	6.0
Lead	1.6	U	1.6	5.0
Selenium	5.9	U	5.9	10
Vanadium	22		2.5	10
Zinc	79		5.9	20

200.8 ICPMS Metals by 200.8 CWA-Total Recoverable

Method:	200.8	Analysis Batch: 680-37821	Instrument ID:	ICP MS
Preparation:	4.1.4	Prep Batch: 680-37379	Lab File ID:	N/A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/02/2006 1013		Final Weight/Volume:	250 mL
Date Prepared:	02/27/2006 1211			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Thallium	0.25	U	0.25	1.0

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB34S

Lab Sample ID: 660-7427-19
Client Matrix: Water

Date Sampled: 02/23/2006 0746
Date Received: 02/24/2006 0915

245.1 Mercury in Water by CVAA

Method: 245.1
Preparation: 245.1
Dilution: 1.0
Date Analyzed: 03/02/2006 1321
Date Prepared: 03/02/2006 0816

Analysis Batch: 660-21493
Prep Batch: 660-21449

Instrument ID: Hg Analyzer
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Mercury	0.072	U	0.072	0.20

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB33S

Lab Sample ID: 660-7427-20
Client Matrix: Water

Date Sampled: 02/23/2006 1120
Date Received: 02/24/2006 0915

200.7 Rev 4.4 ICP Metals by 200.7-Total Recoverable

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21517	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/06/2006 1634		Final Weight/Volume:	50 mL
Date Prepared:	03/02/2006 1636			

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Sodium	5.1		0.31	0.50

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21517	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/06/2006 1634		Final Weight/Volume:	50 mL
Date Prepared:	03/02/2006 1636			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Silver	1.9	U	1.9	10
Arsenic	4.8	U	4.8	10
Barium	30		1.2	10
Beryllium	0.74	U	0.74	4.0
Cadmium	0.71	U	0.71	5.0
Cobalt	1.6	U	1.6	10
Chromium	1.7	U	1.7	10
Copper	2.9	U	2.9	20
Iron	650		22	50
Nickel	4.7	U	4.7	40
Antimony	3.6	U	3.6	6.0
Lead	1.6	U	1.6	5.0
Selenium	5.9	U	5.9	10
Vanadium	3.3	I	2.5	10
Zinc	5.9	U	5.9	20

200.8 ICPMS Metals by 200.8 CWA-Total Recoverable

Method:	200.8	Analysis Batch: 680-37821	Instrument ID:	ICP MS
Preparation:	4.1.4	Prep Batch: 680-37379	Lab File ID:	N/A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/02/2006 1020		Final Weight/Volume:	250 mL
Date Prepared:	02/27/2006 1211			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Thallium	0.25	U	0.25	1.0

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB33S

Lab Sample ID: 660-7427-20
Client Matrix: Water

Date Sampled: 02/23/2006 1120
Date Received: 02/24/2006 0915

245.1 Mercury in Water by CVAA

Method: 245.1
Preparation: 245.1
Dilution: 1.0
Date Analyzed: 03/02/2006 1322
Date Prepared: 03/02/2006 0816

Analysis Batch: 660-21493
Prep Batch: 660-21449

Instrument ID: Hg Analyzer
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Mercury	0.072	U	0.072	0.20

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB32D

Lab Sample ID: 660-7427-21
Client Matrix: Water

Date Sampled: 02/23/2006 1027
Date Received: 02/24/2006 0915

200.7 Rev 4.4 ICP Metals by 200.7-Total Recoverable

Method:	200.7 Rev 4.4	Analysis Batch: 660-21727	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21519	Lab File ID:	6C07A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/07/2006 1007		Final Weight/Volume:	50 mL
Date Prepared:	03/02/2006 1641			

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Sodium	5.1		0.31	0.50

Method:	200.7 Rev 4.4	Analysis Batch: 660-21727	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21519	Lab File ID:	6C07A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/07/2006 1007		Final Weight/Volume:	50 mL
Date Prepared:	03/02/2006 1641			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Silver	1.9	U	1.9	10
Arsenic	4.8	U	4.8	10
Barium	98		1.2	10
Beryllium	0.74	U	0.74	4.0
Cadmium	0.71	U	0.71	5.0
Cobalt	1.6	U	1.6	10
Chromium	8.8	I	1.7	10
Copper	5.6	I	2.9	20
Iron	2300		22	50
Nickel	4.7	U	4.7	40
Antimony	3.6	U	3.6	6.0
Lead	6.8		1.6	5.0
Selenium	5.9	U	5.9	10
Vanadium	9.7	I	2.5	10
Zinc	5.9	U	5.9	20

200.8 ICPMS Metals by 200.8 CWA-Total Recoverable

Method:	200.8	Analysis Batch: 680-37848	Instrument ID:	ICP MS
Preparation:	4.1.4	Prep Batch: 680-37477	Lab File ID:	N/A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/02/2006 2110		Final Weight/Volume:	250 mL
Date Prepared:	02/28/2006 1040			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Thallium	0.41	I	0.25	1.0

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB32D

Lab Sample ID: 660-7427-21

Date Sampled: 02/23/2006 1027

Client Matrix: Water

Date Received: 02/24/2006 0915

245.1 Mercury in Water by CVAA

Method: 245.1
Preparation: 245.1
Dilution: 1.0
Date Analyzed: 03/02/2006 1327
Date Prepared: 03/02/2006 0816

Analysis Batch: 660-21493
Prep Batch: 660-21449

Instrument ID: Hg Analyzer
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Mercury	0.072	U	0.072	0.20

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB321

Lab Sample ID: 660-7427-22
Client Matrix: Water

Date Sampled: 02/23/2006 1004
Date Received: 02/24/2006 0915

200.7 Rev 4.4 ICP Metals by 200.7-Total Recoverable

Method:	200.7 Rev 4.4	Analysis Batch: 660-21727	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21519	Lab File ID:	6C07A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/07/2006 1024		Final Weight/Volume:	50 mL
Date Prepared:	03/02/2006 1641			

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Sodium	2.7		0.31	0.50

Method:	200.7 Rev 4.4	Analysis Batch: 660-21727	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21519	Lab File ID:	6C07A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/07/2006 1024		Final Weight/Volume:	50 mL
Date Prepared:	03/02/2006 1641			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Silver	1.9	U	1.9	10
Arsenic	4.8	U	4.8	10
Barium	54		1.2	10
Beryllium	0.74	U	0.74	4.0
Cadmium	0.71	U	0.71	5.0
Cobalt	1.6	U	1.6	10
Chromium	6.0	I	1.7	10
Copper	2.9	U	2.9	20
Iron	530		22	50
Nickel	4.7	U	4.7	40
Antimony	3.6	U	3.6	6.0
Lead	5.5		1.6	5.0
Selenium	5.9	U	5.9	10
Vanadium	6.8	I	2.5	10
Zinc	11	I	5.9	20

200.8 ICPMS Metals by 200.8 CWA-Total Recoverable

Method:	200.8	Analysis Batch: 680-37848	Instrument ID:	ICP MS
Preparation:	4.1.4	Prep Batch: 680-37477	Lab File ID:	N/A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/02/2006 2117		Final Weight/Volume:	250 mL
Date Prepared:	02/28/2006 1040			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Thallium	0.25	U	0.25	1.0

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB321

Lab Sample ID: 660-7427-22
Client Matrix: Water

Date Sampled: 02/23/2006 1004
Date Received: 02/24/2006 0915

245.1 Mercury in Water by CVAA

Method: 245.1
Preparation: 245.1
Dilution: 1.0
Date Analyzed: 03/02/2006 1328
Date Prepared: 03/02/2006 0816

Analysis Batch: 660-21493
Prep Batch: 660-21449

Instrument ID: Hg Analyzer
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Mercury	0.072	U	0.072	0.20

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB32S

Lab Sample ID: 660-7427-23
Client Matrix: Water

Date Sampled: 02/23/2006 0920
Date Received: 02/24/2006 0915

200.7 Rev 4.4 ICP Metals by 200.7-Total Recoverable

Method: 200.7 Rev 4.4 Analysis Batch: 660-21727 Instrument ID: TJA ICP TRACE
Preparation: 200.7 Appx C Prep Batch: 660-21519 Lab File ID: 6C07A
Dilution: 1.0 Initial Weight/Volume: 50 mL
Date Analyzed: 03/07/2006 1030 Final Weight/Volume: 50 mL
Date Prepared: 03/02/2006 1641

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Sodium	5.4		0.31	0.50

Method: 200.7 Rev 4.4 Analysis Batch: 660-21727 Instrument ID: TJA ICP TRACE
Preparation: 200.7 Appx C Prep Batch: 660-21519 Lab File ID: 6C07A
Dilution: 1.0 Initial Weight/Volume: 50 mL
Date Analyzed: 03/07/2006 1030 Final Weight/Volume: 50 mL
Date Prepared: 03/02/2006 1641

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Silver	1.9	U	1.9	10
Arsenic	4.8	U	4.8	10
Barium	25		1.2	10
Beryllium	0.74	U	0.74	4.0
Cadmium	0.71	U	0.71	5.0
Cobalt	1.7	I	1.6	10
Chromium	2.7	I	1.7	10
Copper	2.9	U	2.9	20
Iron	520		22	50
Nickel	4.7	U	4.7	40
Antimony	3.6	U	3.6	6.0
Lead	1.6	U	1.6	5.0
Selenium	5.9	U	5.9	10
Vanadium	2.8	I	2.5	10
Zinc	5.9	U	5.9	20

200.8 ICPMS Metals by 200.8 CWA-Total Recoverable

Method: 200.8 Analysis Batch: 680-37848 Instrument ID: ICP MS
Preparation: 4.1.4 Prep Batch: 680-37477 Lab File ID: N/A
Dilution: 1.0 Initial Weight/Volume: 50 mL
Date Analyzed: 03/02/2006 2124 Final Weight/Volume: 250 mL
Date Prepared: 02/28/2006 1040

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Thallium	0.25	U	0.25	1.0

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB32S

Lab Sample ID: 660-7427-23
Client Matrix: Water

Date Sampled: 02/23/2006 0920
Date Received: 02/24/2006 0915

245.1 Mercury In Water by CVAA

Method: 245.1
Preparation: 245.1
Dilution: 1.0
Date Analyzed: 03/02/2006 1330
Date Prepared: 03/02/2006 0816

Analysis Batch: 660-21493
Prep Batch: 660-21449

Instrument ID: Hg Analyzer
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Mercury	0.072	U	0.072	0.20

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB17D

Lab Sample ID: 660-7427-24
Client Matrix: Water

Date Sampled: 02/23/2006 1245
Date Received: 02/24/2006 0915

200.7 Rev 4.4 ICP Metals by 200.7-Total Recoverable

Method:	200.7 Rev 4.4	Analysis Batch: 660-21727	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21519	Lab File ID:	6C07A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/07/2006 1035		Final Weight/Volume:	50 mL
Date Prepared:	03/02/2006 1641			

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Sodium	3.1		0.31	0.50

Method:	200.7 Rev 4.4	Analysis Batch: 660-21727	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21519	Lab File ID:	6C07A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/07/2006 1035		Final Weight/Volume:	50 mL
Date Prepared:	03/02/2006 1641			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Silver	1.9	U	1.9	10
Arsenic	4.8	U	4.8	10
Barium	36		1.2	10
Beryllium	0.74	U	0.74	4.0
Cadmium	0.71	U	0.71	5.0
Cobalt	1.6	U	1.6	10
Chromium	1.7	U	1.7	10
Copper	2.9	U	2.9	20
Iron	510		22	50
Nickel	4.7	U	4.7	40
Antimony	3.6	U	3.6	6.0
Lead	1.6	U	1.6	5.0
Selenium	5.9	U	5.9	10
Vanadium	2.5	U	2.5	10
Zinc	5.9	U	5.9	20

200.8 ICPMS Metals by 200.8 CWA-Total Recoverable

Method:	200.8	Analysis Batch: 680-37848	Instrument ID:	ICP MS
Preparation:	4.1.4	Prep Batch: 680-37477	Lab File ID:	N/A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/02/2006 2131		Final Weight/Volume:	250 mL
Date Prepared:	02/28/2006 1040			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Thallium	0.25	U	0.25	1.0

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: MWB17D

Lab Sample ID: 660-7427-24
Client Matrix: Water

Date Sampled: 02/23/2006 1245
Date Received: 02/24/2006 0915

245.1 Mercury In Water by CVAA

Method: 245.1
Preparation: 245.1
Dilution: 1.0
Date Analyzed: 03/02/2006 1331
Date Prepared: 03/02/2006 0816

Analysis Batch: 660-21493
Prep Batch: 660-21449

Instrument ID: Hg Analyzer
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Mercury	0.072	U	0.072	0.20

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: Field Blank

Lab Sample ID: 660-7427-25
Client Matrix: Water

Date Sampled: 02/23/2006 1315
Date Received: 02/24/2006 0915

200.7 Rev 4.4 ICP Metals by 200.7-Total Recoverable

Method:	200.7 Rev 4.4	Analysis Batch: 660-21727	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21519	Lab File ID:	6C07A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/07/2006 1041		Final Weight/Volume:	50 mL
Date Prepared:	03/02/2006 1641			

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Sodium	0.31	U	0.31	0.50

Method:	200.7 Rev 4.4	Analysis Batch: 660-21727	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21519	Lab File ID:	6C07A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/07/2006 1041		Final Weight/Volume:	50 mL
Date Prepared:	03/02/2006 1641			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Silver	1.9	U	1.9	10
Arsenic	4.8	U	4.8	10
Barium	1.2	U	1.2	10
Beryllium	0.74	U	0.74	4.0
Cadmium	0.71	U	0.71	5.0
Cobalt	1.6	U	1.6	10
Chromium	1.7	U	1.7	10
Copper	2.9	U	2.9	20
Iron	22	U	22	50
Nickel	4.7	U	4.7	40
Antimony	3.6	U	3.6	6.0
Lead	1.6	U	1.6	5.0
Selenium	5.9	U	5.9	10
Vanadium	2.5	U	2.5	10
Zinc	5.9	U	5.9	20

200.8 ICPMS Metals by 200.8 CWA-Total Recoverable

Method:	200.8	Analysis Batch: 680-37848	Instrument ID:	ICP MS
Preparation:	4.1.4	Prep Batch: 680-37477	Lab File ID:	N/A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/02/2006 2139		Final Weight/Volume:	250 mL
Date Prepared:	02/28/2006 1040			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Thallium	0.25	U	0.25	1.0

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: Field Blank

Lab Sample ID: 660-7427-25
Client Matrix: Water

Date Sampled: 02/23/2006 1315
Date Received: 02/24/2006 0915

245.1 Mercury in Water by CVAA

Method: 245.1
Preparation: 245.1
Dilution: 1.0
Date Analyzed: 03/02/2006 1333
Date Prepared: 03/02/2006 0816

Analysis Batch: 660-21493
Prep Batch: 660-21449

Instrument ID: Hg Analyzer
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Mercury	0.072	U	0.072	0.20

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: Equipment Blank

Lab Sample ID: 660-7427-26
Client Matrix: Water

Date Sampled: 02/23/2006 1325
Date Received: 02/24/2006 0915

200.7 Rev 4.4 ICP Metals by 200.7-Total Recoverable

Method:	200.7 Rev 4.4	Analysis Batch: 660-21727	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21519	Lab File ID:	6C07A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/07/2006 1047		Final Weight/Volume:	50 mL
Date Prepared:	03/02/2006 1641			

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Sodium	0.31	U	0.31	0.50

Method:	200.7 Rev 4.4	Analysis Batch: 660-21727	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21519	Lab File ID:	6C07A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/07/2006 1047		Final Weight/Volume:	50 mL
Date Prepared:	03/02/2006 1641			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Silver	1.9	U	1.9	10
Arsenic	4.8	U	4.8	10
Barium	1.2	U	1.2	10
Beryllium	0.74	U	0.74	4.0
Cadmium	0.71	U	0.71	5.0
Cobalt	1.6	U	1.6	10
Chromium	1.7	U	1.7	10
Copper	2.9	U	2.9	20
Iron	22	U	22	50
Nickel	4.7	U	4.7	40
Antimony	3.6	U	3.6	6.0
Lead	1.6	U	1.6	5.0
Selenium	5.9	U	5.9	10
Vanadium	2.5	U	2.5	10
Zinc	5.9	U	5.9	20

200.8 ICPMS Metals by 200.8 CWA-Total Recoverable

Method:	200.8	Analysis Batch: 680-37848	Instrument ID:	ICP MS
Preparation:	4.1.4	Prep Batch: 680-37477	Lab File ID:	N/A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/02/2006 2146		Final Weight/Volume:	250 mL
Date Prepared:	02/28/2006 1040			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Thallium	0.25	U	0.25	1.0

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Client Sample ID: Equipment Blank

Lab Sample ID: 660-7427-26

Date Sampled: 02/23/2006 1325

Client Matrix: Water

Date Received: 02/24/2006 0915

245.1 Mercury in Water by CVAA

Method: 245.1
Preparation: 245.1
Dilution: 1.0
Date Analyzed: 03/02/2006 1335
Date Prepared: 03/02/2006 0816

Analysis Batch: 660-21493
Prep Batch: 660-21449

Instrument ID: Hg Analyzer
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Mercury	0.072	U	0.072	0.20

Client: HDR Engineering

Job Number: 660-7427-1

Field Service / Mobile Lab

Client Sample ID: MWB13I

Lab Sample ID: 660-7427-1

Date Sampled: 02/23/2006 0733

Client Matrix: Water

% Moisture:

Date Received: 02/24/2006 0915

Analyte	Result	Qual	Units	Dil	Method	Analysis Batch	Date Analyzed
Field pH	5.11		SU	1.0	Field	660-2133	02/23/2006 0733
Field Temperature	22.4		Degrees C	1.0	Field	660-2133	02/23/2006 0733
Oxygen, Dissolved	1.3		mg/L	1.0	Field	660-2133	02/23/2006 0733
Specific Conductance	37		umhos/cm	1.0	Field	660-2133	02/23/2006 0733
Turbidity	12.5		NTU	1.0	Field	660-2133	02/23/2006 0733
Water Level	108.51		ft	1.0	Field	660-2133	02/23/2006 0733
Well Depth	60.48		ft	1.0	Field	660-2133	02/23/2006 0733

Client Sample ID: MWB31D

Lab Sample ID: 660-7427-2

Date Sampled: 02/23/2006 0806

Client Matrix: Water

% Moisture:

Date Received: 02/24/2006 0915

Analyte	Result	Qual	Units	Dil	Method	Analysis Batch	Date Analyzed
Field pH	6.81		SU	1.0	Field	660-2133	02/23/2006 0806
Field Temperature	19.9		Degrees C	1.0	Field	660-2133	02/23/2006 0806
Oxygen, Dissolved	0.7		mg/L	1.0	Field	660-2133	02/23/2006 0806
Specific Conductance	348		umhos/cm	1.0	Field	660-2133	02/23/2006 0806
Turbidity	1.2		NTU	1.0	Field	660-2133	02/23/2006 0806
Water Level	138.40		ft	1.0	Field	660-2133	02/23/2006 0806
Well Depth	129.00		ft	1.0	Field	660-2133	02/23/2006 0806

Client: HDR Engineering

Job Number: 660-7427-1

Field Service / Mobile Lab

Client Sample ID: MWB3S

Lab Sample ID: 660-7427-3

Date Sampled: 02/23/2006 0842

Client Matrix: Water

% Moisture:

Date Received: 02/24/2006 0915

Analyte	Result	Qual	Units	Dil	Method	Analysis Batch	Date Analyzed
Field pH	4.79		SU	1.0	Field	660-2133	02/23/2006 0842
Field Temperature	17.5		Degrees C	1.0	Field	660-2133	02/23/2006 0842
Oxygen, Dissolved	2.6		mg/L	1.0	Field	660-2133	02/23/2006 0842
Specific Conductance	47		umhos/cm	1.0	Field	660-2133	02/23/2006 0842
Turbidity	2.5		NTU	1.0	Field	660-2133	02/23/2006 0842
Water Level	145.96		ft	1.0	Field	660-2133	02/23/2006 0842
Well Depth	20.00		ft	1.0	Field	660-2133	02/23/2006 0842

Client Sample ID: MWB3I

Lab Sample ID: 660-7427-4

Date Sampled: 02/23/2006 0924

Client Matrix: Water

% Moisture:

Date Received: 02/24/2006 0915

Analyte	Result	Qual	Units	Dil	Method	Analysis Batch	Date Analyzed
Field pH	4.90		SU	1.0	Field	660-2133	02/23/2006 0924
Field Temperature	20.7		Degrees C	1.0	Field	660-2133	02/23/2006 0924
Oxygen, Dissolved	1.0		mg/L	1.0	Field	660-2133	02/23/2006 0924
Specific Conductance	35		umhos/cm	1.0	Field	660-2133	02/23/2006 0924
Turbidity	0		NTU	1.0	Field	660-2133	02/23/2006 0924
Water Level	139.02		ft	1.0	Field	660-2133	02/23/2006 0924
Well Depth	62.00		ft	1.0	Field	660-2133	02/23/2006 0924

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Field Service / Mobile Lab

Client Sample ID: **MWB71**

Lab Sample ID: 660-7427-5
Client Matrix: Water

% Moisture:

Date Sampled: 02/23/2006 1004
Date Received: 02/24/2006 0915

Analyte	Result	Qual	Units	Dil	Method	Analysis Batch	Date Analyzed
Field pH	5.37		SU	1.0	Field	660-2133	02/23/2006 1004
Field Temperature	22.0		Degrees C	1.0	Field	660-2133	02/23/2006 1004
Oxygen, Dissolved	0.9		mg/L	1.0	Field	660-2133	02/23/2006 1004
Specific Conductance	43		umhos/cm	1.0	Field	660-2133	02/23/2006 1004
Turbidity	0.8		NTU	1.0	Field	660-2133	02/23/2006 1004
Water Level	117.60		ft	1.0	Field	660-2133	02/23/2006 1004
Well Depth	65.00		ft	1.0	Field	660-2133	02/23/2006 1004

Client Sample ID: **MWB7D**

Lab Sample ID: 660-7427-6
Client Matrix: Water

% Moisture:

Date Sampled: 02/23/2006 1023
Date Received: 02/24/2006 0915

Analyte	Result	Qual	Units	Dil	Method	Analysis Batch	Date Analyzed
Field pH	7.39		SU	1.0	Field	660-2133	02/23/2006 1023
Field Temperature	21.7		Degrees C	1.0	Field	660-2133	02/23/2006 1023
Oxygen, Dissolved	0.8		mg/L	1.0	Field	660-2133	02/23/2006 1023
Specific Conductance	342		umhos/cm	1.0	Field	660-2133	02/23/2006 1023
Turbidity	0.1		NTU	1.0	Field	660-2133	02/23/2006 1023
Water Level	120.37		ft	1.0	Field	660-2133	02/23/2006 1023
Well Depth	117.00		ft	1.0	Field	660-2133	02/23/2006 1023

Client: HDR Engineering

Job Number: 660-7427-1

Field Service / Mobile Lab

Client Sample ID: MWB7S

Lab Sample ID: 660-7427-7

Date Sampled: 02/23/2006 1045

Client Matrix: Water

% Moisture:

Date Received: 02/24/2006 0915

Analyte	Result	Qual	Units	Dil	Method	Analysis Batch	Date Analyzed
Field pH	5.22		SU	1.0	Field	660-2133	02/23/2006 1045
Field Temperature	21.2		Degrees C	1.0	Field	660-2133	02/23/2006 1045
Oxygen, Dissolved	0.9		mg/L	1.0	Field	660-2133	02/23/2006 1045
Specific Conductance	100		umhos/cm	1.0	Field	660-2133	02/23/2006 1045
Turbidity	14.4		NTU	1.0	Field	660-2133	02/23/2006 1045
Water Level	115.34		ft	1.0	Field	660-2133	02/23/2006 1045
Well Depth	20.00		ft	1.0	Field	660-2133	02/23/2006 1045

Client Sample ID: MWB13S

Lab Sample ID: 660-7427-8

Date Sampled: 02/23/2006 1101

Client Matrix: Water

% Moisture:

Date Received: 02/24/2006 0915

Analyte	Result	Qual	Units	Dil	Method	Analysis Batch	Date Analyzed
Field pH	5.41		SU	1.0	Field	660-2133	02/23/2006 1101
Field Temperature	19.2		Degrees C	1.0	Field	660-2133	02/23/2006 1101
Oxygen, Dissolved	1.8		mg/L	1.0	Field	660-2133	02/23/2006 1101
Specific Conductance	177		umhos/cm	1.0	Field	660-2133	02/23/2006 1101
Turbidity	13.7		NTU	1.0	Field	660-2133	02/23/2006 1101
Water Level	111.86		ft	1.0	Field	660-2133	02/23/2006 1101
Well Depth	26.56		ft	1.0	Field	660-2133	02/23/2006 1101

Client: HDR Engineering

Job Number: 660-7427-1

Field Service / Mobile Lab

Client Sample ID: MWB111 (R)

Lab Sample ID: 660-7427-9

Date Sampled: 02/23/2006 1147

Client Matrix: Water

% Moisture:

Date Received: 02/24/2006 0915

Analyte	Result	Qual	Units	Dil	Method	Analysis Batch	Date Analyzed
Field pH	5.17		SU	1.0	Field	660-2133	02/23/2006 1147
Field Temperature	23.4		Degrees C	1.0	Field	660-2133	02/23/2006 1147
Oxygen, Dissolved	1.3		mg/L	1.0	Field	660-2133	02/23/2006 1147
Specific Conductance	38		umhos/cm	1.0	Field	660-2133	02/23/2006 1147
Turbidity	46.7		NTU	1.0	Field	660-2133	02/23/2006 1147
Water Level	0		ft	1.0	Field	660-2133	02/23/2006 1147
Well Depth	55.00		ft	1.0	Field	660-2133	02/23/2006 1147

Client Sample ID: MWB11S

Lab Sample ID: 660-7427-11

Date Sampled: 02/23/2006 1208

Client Matrix: Water

% Moisture:

Date Received: 02/24/2006 0915

Analyte	Result	Qual	Units	Dil	Method	Analysis Batch	Date Analyzed
Field pH	4.10		SU	1.0	Field	660-2133	02/23/2006 1208
Field Temperature	20.2		Degrees C	1.0	Field	660-2133	02/23/2006 1208
Oxygen, Dissolved	1.6		mg/L	1.0	Field	660-2133	02/23/2006 1208
Specific Conductance	165		umhos/cm	1.0	Field	660-2133	02/23/2006 1208
Turbidity	2.0		NTU	1.0	Field	660-2133	02/23/2006 1208
Water Level	109.52		ft	1.0	Field	660-2133	02/23/2006 1208
Well Depth	19.50		ft	1.0	Field	660-2133	02/23/2006 1208

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Field Service / Mobile Lab

Client Sample ID: MWB20S

Lab Sample ID: 660-7427-12

Date Sampled: 02/23/2006 1229

Client Matrix: Water

% Moisture:

Date Received: 02/24/2006 0915

Analyte	Result	Qual	Units	Dil	Method	Analysis Batch	Date Analyzed
Field pH	4.34		SU	1.0	Field	660-2133	02/23/2006 1229
Field Temperature	25.3		Degrees C	1.0	Field	660-2133	02/23/2006 1229
Oxygen, Dissolved	0.9		mg/L	1.0	Field	660-2133	02/23/2006 1229
Specific Conductance	96		umhos/cm	1.0	Field	660-2133	02/23/2006 1229
Turbidity	2.2		NTU	1.0	Field	660-2133	02/23/2006 1229
Water Level	113.40		ft	1.0	Field	660-2133	02/23/2006 1229
Well Depth	20.00		ft	1.0	Field	660-2133	02/23/2006 1229

Client Sample ID: MWB21S

Lab Sample ID: 660-7427-13

Date Sampled: 02/23/2006 1254

Client Matrix: Water

% Moisture:

Date Received: 02/24/2006 0915

Analyte	Result	Qual	Units	Dil	Method	Analysis Batch	Date Analyzed
Field pH	4.91		SU	1.0	Field	660-2133	02/23/2006 1254
Field Temperature	21.5		Degrees C	1.0	Field	660-2133	02/23/2006 1254
Oxygen, Dissolved	1.0		mg/L	1.0	Field	660-2133	02/23/2006 1254
Specific Conductance	41		umhos/cm	1.0	Field	660-2133	02/23/2006 1254
Turbidity	7.0		NTU	1.0	Field	660-2133	02/23/2006 1254
Water Level	112.30		ft	1.0	Field	660-2133	02/23/2006 1254
Well Depth	18.00		ft	1.0	Field	660-2133	02/23/2006 1254

Client: HDR Engineering

Job Number: 660-7427-1

Field Service / Mobile Lab

Client Sample ID: MWB17S

Lab Sample ID: 660-7427-14
Client Matrix: Water

% Moisture:

Date Sampled: 02/23/2006 1218
Date Received: 02/24/2006 0915

Analyte	Result	Qual	Units	Dil	Method	Analysis Batch	Date Analyzed
Field pH	5.25		SU	1.0	Field	660-2133	02/23/2006 1218
Field Temperature	20.8		Degrees C	1.0	Field	660-2133	02/23/2006 1218
Oxygen, Dissolved	2.2		mg/L	1.0	Field	660-2133	02/23/2006 1218
Specific Conductance	55		umhos/cm	1.0	Field	660-2133	02/23/2006 1218
Turbidity	11.9		NTU	1.0	Field	660-2133	02/23/2006 1218
Water Level	130.94		ft	1.0	Field	660-2133	02/23/2006 1218
Well Depth	18.31		ft	1.0	Field	660-2133	02/23/2006 1218

Client Sample ID: MWB17I

Lab Sample ID: 660-7427-16
Client Matrix: Water

% Moisture:

Date Sampled: 02/23/2006 1305
Date Received: 02/24/2006 0915

Analyte	Result	Qual	Units	Dil	Method	Analysis Batch	Date Analyzed
Field pH	4.93		SU	1.0	Field	660-2133	02/23/2006 1305
Field Temperature	22.2		Degrees C	1.0	Field	660-2133	02/23/2006 1305
Oxygen, Dissolved	1.4		mg/L	1.0	Field	660-2133	02/23/2006 1305
Specific Conductance	29		umhos/cm	1.0	Field	660-2133	02/23/2006 1305
Turbidity	12.3		NTU	1.0	Field	660-2133	02/23/2006 1305
Water Level	134.85		ft	1.0	Field	660-2133	02/23/2006 1305
Well Depth	60.13		ft	1.0	Field	660-2133	02/23/2006 1305

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Field Service / Mobile Lab

Client Sample ID: **MWB34D**

Lab Sample ID: 660-7427-17

Date Sampled: 02/23/2006 0756

Client Matrix: Water

% Moisture:

Date Received: 02/24/2006 0915

Analyte	Result	Qual	Units	Dil	Method	Analysis Batch	Date Analyzed
Field pH	6.91		SU	1.0	Field	660-2133	02/23/2006 0756
Field Temperature	21.3		Degrees C	1.0	Field	660-2133	02/23/2006 0756
Oxygen, Dissolved	1.0		mg/L	1.0	Field	660-2133	02/23/2006 0756
Specific Conductance	375		umhos/cm	1.0	Field	660-2133	02/23/2006 0756
Turbidity	0.7		NTU	1.0	Field	660-2133	02/23/2006 0756
Water Level	115.87		ft	1.0	Field	660-2133	02/23/2006 0756
Well Depth	100.78		ft	1.0	Field	660-2133	02/23/2006 0756

Client Sample ID: **MWB34I**

Lab Sample ID: 660-7427-18

Date Sampled: 02/23/2006 0828

Client Matrix: Water

% Moisture:

Date Received: 02/24/2006 0915

Analyte	Result	Qual	Units	Dil	Method	Analysis Batch	Date Analyzed
Field pH	5.89		SU	1.0	Field	660-2133	02/23/2006 0828
Field Temperature	21.7		Degrees C	1.0	Field	660-2133	02/23/2006 0828
Oxygen, Dissolved	0.9		mg/L	1.0	Field	660-2133	02/23/2006 0828
Specific Conductance	40		umhos/cm	1.0	Field	660-2133	02/23/2006 0828
Turbidity	17.3		NTU	1.0	Field	660-2133	02/23/2006 0828
Water Level	115.91		ft	1.0	Field	660-2133	02/23/2006 0828
Well Depth	53.95		ft	1.0	Field	660-2133	02/23/2006 0828

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Field Service / Mobile Lab

Client Sample ID: MWB34S

Lab Sample ID: 660-7427-19

Date Sampled: 02/23/2006 0746

Client Matrix: Water

% Moisture:

Date Received: 02/24/2006 0915

Analyte	Result	Qual	Units	Dil	Method	Analysis Batch	Date Analyzed
Field pH	6.38		SU	1.0	Field	660-2133	02/23/2006 0746
Field Temperature	19.9		Degrees C	1.0	Field	660-2133	02/23/2006 0746
Oxygen, Dissolved	1.2		mg/L	1.0	Field	660-2133	02/23/2006 0746
Specific Conductance	972		umhos/cm	1.0	Field	660-2133	02/23/2006 0746
Turbidity	10.3		NTU	1.0	Field	660-2133	02/23/2006 0746
Water Level	114.98		ft	1.0	Field	660-2133	02/23/2006 0746
Well Depth	10.8		ft	1.0	Field	660-2133	02/23/2006 0746

Client Sample ID: MWB33S

Lab Sample ID: 660-7427-20

Date Sampled: 02/23/2006 1120

Client Matrix: Water

% Moisture:

Date Received: 02/24/2006 0915

Analyte	Result	Qual	Units	Dil	Method	Analysis Batch	Date Analyzed
Field pH	5.10		SU	1.0	Field	660-2133	02/23/2006 1120
Field Temperature	19.8		Degrees C	1.0	Field	660-2133	02/23/2006 1120
Oxygen, Dissolved	0.8		mg/L	1.0	Field	660-2133	02/23/2006 1120
Specific Conductance	100		umhos/cm	1.0	Field	660-2133	02/23/2006 1120
Turbidity	5.5		NTU	1.0	Field	660-2133	02/23/2006 1120
Water Level	114.45		ft	1.0	Field	660-2133	02/23/2006 1120
Well Depth	20.30		ft	1.0	Field	660-2133	02/23/2006 1120

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Field Service / Mobile Lab

Client Sample ID: **MWB32D**

Lab Sample ID: 660-7427-21

Client Matrix: Water

% Moisture:

Date Sampled: 02/23/2006 1027

Date Received: 02/24/2006 0915

Analyte	Result	Qual	Units	Dil	Method	Analysis Batch	Date Analyzed
Field pH	5.89		SU	1.0	Field	660-2133	02/23/2006 1027
Field Temperature	20.7		Degrees C	1.0	Field	660-2133	02/23/2006 1027
Oxygen, Dissolved	0.8		mg/L	1.0	Field	660-2133	02/23/2006 1027
Specific Conductance	140		umhos/cm	1.0	Field	660-2133	02/23/2006 1027
Turbidity	115.1		NTU	1.0	Field	660-2133	02/23/2006 1027
Water Level	116.00		ft	1.0	Field	660-2133	02/23/2006 1027
Well Depth	108.81		ft	1.0	Field	660-2133	02/23/2006 1027

Client Sample ID: **MWB32I**

Lab Sample ID: 660-7427-22

Client Matrix: Water

% Moisture:

Date Sampled: 02/23/2006 1004

Date Received: 02/24/2006 0915

Analyte	Result	Qual	Units	Dil	Method	Analysis Batch	Date Analyzed
Field pH	5.31		SU	1.0	Field	660-2133	02/23/2006 1004
Field Temperature	20.8		Degrees C	1.0	Field	660-2133	02/23/2006 1004
Oxygen, Dissolved	0.9		mg/L	1.0	Field	660-2133	02/23/2006 1004
Specific Conductance	37		umhos/cm	1.0	Field	660-2133	02/23/2006 1004
Turbidity	236.1		NTU	1.0	Field	660-2133	02/23/2006 1004
Water Level	116.17		ft	1.0	Field	660-2133	02/23/2006 1004
Well Depth	64.56		ft	1.0	Field	660-2133	02/23/2006 1004

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

Field Service / Mobile Lab

Client Sample ID: **MWB32S**

Lab Sample ID: 660-7427-23

Client Matrix: Water

% Moisture:

Date Sampled: 02/23/2006 0920

Date Received: 02/24/2006 0915

Analyte	Result	Qual	Units	Dil	Method	Analysis Batch	Date Analyzed
Field pH	5.33		SU	1.0	Field	660-2131	02/23/2006 0920
Field Temperature	20.1		Degrees C	1.0	Field	660-2131	02/23/2006 0920
Oxygen, Dissolved	0.8		mg/L	1.0	Field	660-2131	02/23/2006 0920
Specific Conductance	99		umhos/cm	1.0	Field	660-2131	02/23/2006 0920
Turbidity	31.9		NTU	1.0	Field	660-2131	02/23/2006 0920
Water Level	115.26		ft	1.0	Field	660-2131	02/23/2006 0920
Well Depth	19.90		ft	1.0	Field	660-2131	02/23/2006 0920

Client Sample ID: **MWB17D**

Lab Sample ID: 660-7427-24

Client Matrix: Water

% Moisture:

Date Sampled: 02/23/2006 1245

Date Received: 02/24/2006 0915

Analyte	Result	Qual	Units	Dil	Method	Analysis Batch	Date Analyzed
Field pH	5.41		SU	1.0	Field	660-2131	02/23/2006 1245
Field Temperature	21.7		Degrees C	1.0	Field	660-2131	02/23/2006 1245
Oxygen, Dissolved	1.1		mg/L	1.0	Field	660-2131	02/23/2006 1245
Specific Conductance	61		umhos/cm	1.0	Field	660-2131	02/23/2006 1245
Turbidity	0.1		NTU	1.0	Field	660-2131	02/23/2006 1245
Water Level	130.72		ft	1.0	Field	660-2131	02/23/2006 1245
Well Depth	127.32		ft	1.0	Field	660-2131	02/23/2006 1245

Client: HDR Engineering

Job Number: 660-7427-1

General Chemistry

Client Sample ID: **MWB13I**

Lab Sample ID: 660-7427-1
Client Matrix: Water

Date Sampled: 02/23/2006 0733
Date Received: 02/24/2006 0915

Analyte	Result	Qual	Units	MDL	PQL	Dil	Method
Chloride	5.8		mg/L	0.90	1.0	1.0	325.2
	Anly Batch: 660-21383		Date Analyzed 02/28/2006 1659				
Ammonia	0.040	U	mg/L	0.040	0.050	1.0	350.1
	Anly Batch: 660-21357		Date Analyzed 02/28/2006 1154				
Nitrate Nitrogen	0.010	U	mg/L	0.010	0.050	1.0	353.2
	Anly Batch: 660-21179		Date Analyzed 02/24/2006 1237				

Analyte	Result	Qual	Units	RL	PQL	Dil	Method
Total Dissolved Solids	48		mg/L	5.0	5.0	1.0	160.1
	Anly Batch: 660-21388		Date Analyzed 02/28/2006 1421				

Client Sample ID: **MWB31D**

Lab Sample ID: 660-7427-2
Client Matrix: Water

Date Sampled: 02/23/2006 0806
Date Received: 02/24/2006 0915

Analyte	Result	Qual	Units	MDL	PQL	Dil	Method
Chloride	5.5		mg/L	0.90	1.0	1.0	325.2
	Anly Batch: 660-21383		Date Analyzed 02/28/2006 1659				
Ammonia	0.040	U	mg/L	0.040	0.050	1.0	350.1
	Anly Batch: 660-21357		Date Analyzed 02/28/2006 1154				
Nitrate Nitrogen	0.093		mg/L	0.010	0.050	1.0	353.2
	Anly Batch: 660-21179		Date Analyzed 02/24/2006 1237				

Analyte	Result	Qual	Units	RL	PQL	Dil	Method
Total Dissolved Solids	200		mg/L	5.0	5.0	1.0	160.1
	Anly Batch: 660-21388		Date Analyzed 02/28/2006 1421				

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

General Chemistry

Client Sample ID: **MWB3S**

Lab Sample ID: 660-7427-3
Client Matrix: Water

Date Sampled: 02/23/2006 0842
Date Received: 02/24/2006 0915

Analyte	Result	Qual	Units	MDL	PQL	Dil	Method
Chloride	5.8		mg/L	0.90	1.0	1.0	325.2
	Any Batch: 660-21383		Date Analyzed	02/28/2006 1659			
Ammonia	0.040	U	mg/L	0.040	0.050	1.0	350.1
	Any Batch: 660-21357		Date Analyzed	02/28/2006 1154			
Nitrate Nitrogen	0.010	U	mg/L	0.010	0.050	1.0	353.2
	Any Batch: 660-21179		Date Analyzed	02/24/2006 1237			

Analyte	Result	Qual	Units	RL	PQL	Dil	Method
Total Dissolved Solids	34		mg/L	5.0	5.0	1.0	160.1
	Any Batch: 660-21386		Date Analyzed	02/27/2006 1208			

Client Sample ID: **MWB3I**

Lab Sample ID: 660-7427-4
Client Matrix: Water

Date Sampled: 02/23/2006 0924
Date Received: 02/24/2006 0915

Analyte	Result	Qual	Units	MDL	PQL	Dil	Method
Chloride	4.4		mg/L	0.90	1.0	1.0	325.2
	Any Batch: 660-21383		Date Analyzed	02/28/2006 1659			
Ammonia	0.040	U	mg/L	0.040	0.050	1.0	350.1
	Any Batch: 660-21357		Date Analyzed	02/28/2006 1154			
Nitrate Nitrogen	0.010	U	mg/L	0.010	0.050	1.0	353.2
	Any Batch: 660-21179		Date Analyzed	02/24/2006 1237			

Analyte	Result	Qual	Units	RL	PQL	Dil	Method
Total Dissolved Solids	22		mg/L	5.0	5.0	1.0	160.1
	Any Batch: 660-21386		Date Analyzed	02/27/2006 1208			

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

General Chemistry

Client Sample ID: MWB7I

Lab Sample ID: 660-7427-5
Client Matrix: Water

Date Sampled: 02/23/2006 1004
Date Received: 02/24/2006 0915

Analyte	Result	Qual	Units	MDL	PQL	Dil	Method
Chloride	5.8		mg/L	0.90	1.0	1.0	325.2
	Anly Batch: 660-21383	Date Analyzed	02/28/2006	1659			
Ammonia	0.040	U	mg/L	0.040	0.050	1.0	350.1
	Anly Batch: 660-21357	Date Analyzed	02/28/2006	1154			
Nitrate Nitrogen	0.010	U	mg/L	0.010	0.050	1.0	353.2
	Anly Batch: 660-21179	Date Analyzed	02/24/2006	1237			

Analyte	Result	Qual	Units	RL	PQL	Dil	Method
Total Dissolved Solids	44		mg/L	5.0	5.0	1.0	160.1
	Anly Batch: 660-21386	Date Analyzed	02/27/2006	1208			

Client Sample ID: MWB7D

Lab Sample ID: 660-7427-6
Client Matrix: Water

Date Sampled: 02/23/2006 1023
Date Received: 02/24/2006 0915

Analyte	Result	Qual	Units	MDL	PQL	Dil	Method
Chloride	4.5		mg/L	0.90	1.0	1.0	325.2
	Anly Batch: 660-21383	Date Analyzed	02/28/2006	1659			
Ammonia	0.13		mg/L	0.040	0.050	1.0	350.1
	Anly Batch: 660-21357	Date Analyzed	02/28/2006	1154			
Nitrate Nitrogen	0.023	I	mg/L	0.010	0.050	1.0	353.2
	Anly Batch: 660-21179	Date Analyzed	02/24/2006	1237			

Analyte	Result	Qual	Units	RL	PQL	Dil	Method
Total Dissolved Solids	190		mg/L	5.0	5.0	1.0	160.1
	Anly Batch: 660-21386	Date Analyzed	02/27/2006	1208			

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

General Chemistry

Client Sample ID: **MWB7S**

Lab Sample ID: 660-7427-7

Date Sampled: 02/23/2006 1045

Client Matrix: Water

Date Received: 02/24/2006 0915

Analyte	Result	Qual	Units	MDL	PQL	Dil	Method
Chloride	10		mg/L	0.90	1.0	1.0	325.2
	Anly Batch: 660-21383		Date Analyzed	02/28/2006 1659			
Ammonia	0.25		mg/L	0.040	0.050	1.0	350.1
	Anly Batch: 660-21357		Date Analyzed	02/28/2006 1154			
Nitrate Nitrogen	0.032	I	mg/L	0.010	0.050	1.0	353.2
	Anly Batch: 660-21179		Date Analyzed	02/24/2006 1237			

Analyte	Result	Qual	Units	RL	PQL	Dil	Method
Total Dissolved Solids	90		mg/L	5.0	5.0	1.0	160.1
	Anly Batch: 660-21386		Date Analyzed	02/27/2006 1208			

Client Sample ID: **MWB13S**

Lab Sample ID: 660-7427-8

Date Sampled: 02/23/2006 1101

Client Matrix: Water

Date Received: 02/24/2006 0915

Analyte	Result	Qual	Units	MDL	PQL	Dil	Method
Chloride	21		mg/L	0.90	1.0	1.0	325.2
	Anly Batch: 660-21383		Date Analyzed	02/28/2006 1659			
Ammonia	0.47		mg/L	0.040	0.050	1.0	350.1
	Anly Batch: 660-21357		Date Analyzed	02/28/2006 1154			
Nitrate Nitrogen	0.071		mg/L	0.010	0.050	1.0	353.2
	Anly Batch: 660-21180		Date Analyzed	02/24/2006 1448			

Analyte	Result	Qual	Units	RL	PQL	Dil	Method
Total Dissolved Solids	120		mg/L	5.0	5.0	1.0	160.1
	Anly Batch: 660-21386		Date Analyzed	02/27/2006 1208			

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

General Chemistry

Client Sample ID: **MWB11I (R)**

Lab Sample ID: 660-7427-9

Date Sampled: 02/23/2006 1147

Client Matrix: Water

Date Received: 02/24/2006 0915

Analyte	Result	Qual	Units	MDL	PQL	Dil	Method
Chloride	9.1		mg/L	0.90	1.0	1.0	325.2
	Anly Batch: 660-21383		Date Analyzed	02/28/2006 1659			
Ammonia	0.040	U	mg/L	0.040	0.050	1.0	350.1
	Anly Batch: 660-21357		Date Analyzed	02/28/2006 1154			
Nitrate Nitrogen	0.010	U	mg/L	0.010	0.050	1.0	353.2
	Anly Batch: 660-21180		Date Analyzed	02/24/2006 1448			

Analyte	Result	Qual	Units	RL	PQL	Dil	Method
Total Dissolved Solids	46		mg/L	5.0	5.0	1.0	160.1
	Anly Batch: 660-21386		Date Analyzed	02/27/2006 1208			

Client Sample ID: **Dup 02**

Lab Sample ID: 660-7427-10

Date Sampled: 02/23/2006 1147

Client Matrix: Water

Date Received: 02/24/2006 0915

Analyte	Result	Qual	Units	MDL	PQL	Dil	Method
Chloride	8.3		mg/L	0.90	1.0	1.0	325.2
	Anly Batch: 660-21383		Date Analyzed	02/28/2006 1659			
Ammonia	0.040	U	mg/L	0.040	0.050	1.0	350.1
	Anly Batch: 660-21357		Date Analyzed	02/28/2006 1154			
Nitrate Nitrogen	0.010	U	mg/L	0.010	0.050	1.0	353.2
	Anly Batch: 660-21180		Date Analyzed	02/24/2006 1448			

Analyte	Result	Qual	Units	RL	PQL	Dil	Method
Total Dissolved Solids	68		mg/L	5.0	5.0	1.0	160.1
	Anly Batch: 660-21386		Date Analyzed	02/27/2006 1208			

Client: HDR Engineering

Job Number: 660-7427-1

General Chemistry

Client Sample ID: **MWB11S**

Lab Sample ID: 660-7427-11
Client Matrix: Water

Date Sampled: 02/23/2006 1208
Date Received: 02/24/2006 0915

Analyte	Result	Qual	Units	MDL	PQL	Dil	Method
Chloride	14		mg/L	0.90	1.0	1.0	325.2
	Anly Batch: 660-21383	Date Analyzed	02/28/2006	1659			
Ammonia	0.091		mg/L	0.040	0.050	1.0	350.1
	Anly Batch: 660-21357	Date Analyzed	02/28/2006	1154			
Nitrate Nitrogen	0.010	U	mg/L	0.010	0.050	1.0	353.2
	Anly Batch: 660-21180	Date Analyzed	02/24/2006	1448			

Analyte	Result	Qual	Units	RL	PQL	Dil	Method
Total Dissolved Solids	110		mg/L	5.0	5.0	1.0	160.1
	Anly Batch: 660-21386	Date Analyzed	02/27/2006	1208			

Client Sample ID: **MWB20S**

Lab Sample ID: 660-7427-12
Client Matrix: Water

Date Sampled: 02/23/2006 1229
Date Received: 02/24/2006 0915

Analyte	Result	Qual	Units	MDL	PQL	Dil	Method
Chloride	7.6		mg/L	0.90	1.0	1.0	325.2
	Anly Batch: 660-21383	Date Analyzed	02/28/2006	1659			
Ammonia	0.71		mg/L	0.040	0.050	1.0	350.1
	Anly Batch: 660-21357	Date Analyzed	02/28/2006	1154			
Nitrate Nitrogen	0.010	U	mg/L	0.010	0.050	1.0	353.2
	Anly Batch: 660-21180	Date Analyzed	02/24/2006	1448			

Analyte	Result	Qual	Units	RL	PQL	Dil	Method
Total Dissolved Solids	66		mg/L	5.0	5.0	1.0	160.1
	Anly Batch: 660-21386	Date Analyzed	02/27/2006	1208			

Client: HDR Engineering

Job Number: 660-7427-1

General Chemistry

Client Sample ID: **MWB21S**

Lab Sample ID: 660-7427-13
Client Matrix: Water

Date Sampled: 02/23/2006 1254
Date Received: 02/24/2006 0915

Analyte	Result	Qual	Units	MDL	PQL	Dil	Method
Chloride	7.7		mg/L	0.90	1.0	1.0	325.2
	Any Batch: 660-21383		Date Analyzed	02/28/2006 1659			
Ammonia	0.073		mg/L	0.040	0.050	1.0	350.1
	Any Batch: 660-21357		Date Analyzed	02/28/2006 1154			
Nitrate Nitrogen	0.010	U	mg/L	0.010	0.050	1.0	353.2
	Any Batch: 660-21180		Date Analyzed	02/24/2006 1448			

Analyte	Result	Qual	Units	RL	PQL	Dil	Method
Total Dissolved Solids	40		mg/L	5.0	5.0	1.0	160.1
	Any Batch: 660-21386		Date Analyzed	02/27/2006 1208			

Client Sample ID: **MWB17S**

Lab Sample ID: 660-7427-14
Client Matrix: Water

Date Sampled: 02/23/2006 1218
Date Received: 02/24/2006 0915

Analyte	Result	Qual	Units	MDL	PQL	Dil	Method
Chloride	7.7		mg/L	0.90	1.0	1.0	325.2
	Any Batch: 660-21383		Date Analyzed	02/28/2006 1659			
Ammonia	0.085		mg/L	0.040	0.050	1.0	350.1
	Any Batch: 660-21357		Date Analyzed	02/28/2006 1154			
Nitrate Nitrogen	0.010	U	mg/L	0.010	0.050	1.0	353.2
	Any Batch: 660-21180		Date Analyzed	02/24/2006 1448			

Analyte	Result	Qual	Units	RL	PQL	Dil	Method
Total Dissolved Solids	52		mg/L	5.0	5.0	1.0	160.1
	Any Batch: 660-21386		Date Analyzed	02/27/2006 1208			

Client: HDR Engineering

Job Number: 660-7427-1

General Chemistry

Client Sample ID: Dup 03

Lab Sample ID: 660-7427-15
Client Matrix: Water

Date Sampled: 02/23/2006 1218
Date Received: 02/24/2006 0915

Analyte	Result	Qual	Units	MDL	PQL	Dil	Method
Chloride	8.5		mg/L	0.90	1.0	1.0	325.2
	Anly Batch: 660-21506	Date Analyzed	03/02/2006	1044			
Ammonia	0.088		mg/L	0.040	0.050	1.0	350.1
	Anly Batch: 660-21357	Date Analyzed	02/28/2006	1154			
Nitrate Nitrogen	0.010	U	mg/L	0.010	0.050	1.0	353.2
	Anly Batch: 660-21180	Date Analyzed	02/24/2006	1448			

Analyte	Result	Qual	Units	RL	PQL	Dil	Method
Total Dissolved Solids	52		mg/L	5.0	5.0	1.0	160.1
	Anly Batch: 660-21386	Date Analyzed	02/27/2006	1208			

Client Sample ID: MWB171

Lab Sample ID: 660-7427-16
Client Matrix: Water

Date Sampled: 02/23/2006 1305
Date Received: 02/24/2006 0915

Analyte	Result	Qual	Units	MDL	PQL	Dil	Method
Chloride	6.1		mg/L	0.90	1.0	1.0	325.2
	Anly Batch: 660-21506	Date Analyzed	03/02/2006	1044			
Ammonia	0.040	U	mg/L	0.040	0.050	1.0	350.1
	Anly Batch: 660-21357	Date Analyzed	02/28/2006	1154			
Nitrate Nitrogen	0.010	U	mg/L	0.010	0.050	1.0	353.2
	Anly Batch: 660-21180	Date Analyzed	02/24/2006	1448			

Analyte	Result	Qual	Units	RL	PQL	Dil	Method
Total Dissolved Solids	32		mg/L	5.0	5.0	1.0	160.1
	Anly Batch: 660-21386	Date Analyzed	02/27/2006	1208			

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

General Chemistry

Client Sample ID: **MWB34D**

Lab Sample ID: 660-7427-17
Client Matrix: Water

Date Sampled: 02/23/2006 0756
Date Received: 02/24/2006 0915

Analyte	Result	Qual	Units	MDL	PQL	Dil	Method
Chloride	5.8		mg/L	0.90	1.0	1.0	325.2
	Any Batch: 660-21506		Date Analyzed	03/02/2006 1044			
Ammonia	0.21		mg/L	0.040	0.050	1.0	350.1
	Any Batch: 660-21357		Date Analyzed	02/28/2006 1154			
Nitrate Nitrogen	0.010	U	mg/L	0.010	0.050	1.0	353.2
	Any Batch: 660-21180		Date Analyzed	02/24/2006 1448			

Analyte	Result	Qual	Units	RL	PQL	Dil	Method
Total Dissolved Solids	220		mg/L	5.0	5.0	1.0	160.1
	Any Batch: 660-21386		Date Analyzed	02/27/2006 1208			

Client Sample ID: **MWB34I**

Lab Sample ID: 660-7427-18
Client Matrix: Water

Date Sampled: 02/23/2006 0828
Date Received: 02/24/2006 0915

Analyte	Result	Qual	Units	MDL	PQL	Dil	Method
Chloride	6.3		mg/L	0.90	1.0	1.0	325.2
	Any Batch: 660-21506		Date Analyzed	03/02/2006 1044			
Ammonia	0.040	U	mg/L	0.040	0.050	1.0	350.1
	Any Batch: 660-21357		Date Analyzed	02/28/2006 1154			
Nitrate Nitrogen	0.010	U	mg/L	0.010	0.050	1.0	353.2
	Any Batch: 660-21180		Date Analyzed	02/24/2006 1448			

Analyte	Result	Qual	Units	RL	PQL	Dil	Method
Total Dissolved Solids	42		mg/L	5.0	5.0	1.0	160.1
	Any Batch: 660-21386		Date Analyzed	02/27/2006 1208			

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

General Chemistry

Client Sample ID: **MWB34S**

Lab Sample ID: 660-7427-19

Date Sampled: 02/23/2006 0746

Client Matrix: Water

Date Received: 02/24/2006 0915

Analyte	Result	Qual	Units	MDL	PQL	Dil	Method
Chloride	150		mg/L	18	20	20	325.2
	Anly Batch: 660-21506		Date Analyzed	03/02/2006	1044		
Ammonia	16		mg/L	1.0	1.3	25	350.1
	Anly Batch: 660-21357		Date Analyzed	02/28/2006	1154		
Nitrate Nitrogen	3.7		mg/L	0.010	0.050	1.0	353.2
	Anly Batch: 660-21180		Date Analyzed	02/24/2006	1448		

Analyte	Result	Qual	Units	RL	PQL	Dil	Method
Total Dissolved Solids	520		mg/L	5.0	5.0	1.0	160.1
	Anly Batch: 660-21386		Date Analyzed	02/27/2006	1208		

Client Sample ID: **MWB33S**

Lab Sample ID: 660-7427-20

Date Sampled: 02/23/2006 1120

Client Matrix: Water

Date Received: 02/24/2006 0915

Analyte	Result	Qual	Units	MDL	PQL	Dil	Method
Chloride	9.4		mg/L	0.90	1.0	1.0	325.2
	Anly Batch: 660-21506		Date Analyzed	03/02/2006	1044		
Ammonia	0.76		mg/L	0.040	0.050	1.0	350.1
	Anly Batch: 660-21357		Date Analyzed	02/28/2006	1154		
Nitrate Nitrogen	0.010	U	mg/L	0.010	0.050	1.0	353.2
	Anly Batch: 660-21180		Date Analyzed	02/24/2006	1448		

Analyte	Result	Qual	Units	RL	PQL	Dil	Method
Total Dissolved Solids	78		mg/L	5.0	5.0	1.0	160.1
	Anly Batch: 660-21386		Date Analyzed	02/27/2006	1208		

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

General Chemistry

Client Sample ID: **MWB32D**

Lab Sample ID: 660-7427-21

Date Sampled: 02/23/2006 1027

Client Matrix: Water

Date Received: 02/24/2006 0915

Analyte	Result	Qual	Units	MDL	PQL	Dil	Method
Chloride	10		mg/L	0.90	1.0	1.0	325.2
	Any Batch: 660-21506		Date Analyzed	03/02/2006	1044		
Ammonia	0.13		mg/L	0.040	0.050	1.0	350.1
	Any Batch: 660-21401		Date Analyzed	03/01/2006	1016		
Nitrate Nitrogen	0.010	U	mg/L	0.010	0.050	1.0	353.2
	Any Batch: 660-21180		Date Analyzed	02/24/2006	1448		

Analyte	Result	Qual	Units	RL	PQL	Dil	Method
Total Dissolved Solids	130		mg/L	5.0	5.0	1.0	160.1
	Any Batch: 660-21386		Date Analyzed	02/27/2006	1208		

Client Sample ID: **MWB32I**

Lab Sample ID: 660-7427-22

Date Sampled: 02/23/2006 1004

Client Matrix: Water

Date Received: 02/24/2006 0915

Analyte	Result	Qual	Units	MDL	PQL	Dil	Method
Chloride	8.4		mg/L	0.90	1.0	1.0	325.2
	Any Batch: 660-21506		Date Analyzed	03/02/2006	1044		
Ammonia	0.040	U	mg/L	0.040	0.050	1.0	350.1
	Any Batch: 660-21401		Date Analyzed	03/01/2006	1016		
Nitrate Nitrogen	0.010	U	mg/L	0.010	0.050	1.0	353.2
	Any Batch: 660-21180		Date Analyzed	02/24/2006	1448		

Analyte	Result	Qual	Units	RL	PQL	Dil	Method
Total Dissolved Solids	80		mg/L	5.0	5.0	1.0	160.1
	Any Batch: 660-21386		Date Analyzed	02/27/2006	1208		

Analytical Data

Client: HDR Engineering

Job Number: 660-7427-1

General Chemistry

Client Sample ID: **MWB32S**

Lab Sample ID: 660-7427-23
Client Matrix: Water

Date Sampled: 02/23/2006 0920
Date Received: 02/24/2006 0915

Analyte	Result	Qual	Units	MDL	PQL	Dil	Method
Chloride	9.2		mg/L	0.90	1.0	1.0	325.2
	Anly Batch: 660-21506	Date Analyzed	03/02/2006	1044			
Ammonia	0.25		mg/L	0.040	0.050	1.0	350.1
	Anly Batch: 660-21401	Date Analyzed	03/01/2006	1016			
Nitrate Nitrogen	0.010	U	mg/L	0.010	0.050	1.0	353.2
	Anly Batch: 660-21180	Date Analyzed	02/24/2006	1448			

Analyte	Result	Qual	Units	RL	PQL	Dil	Method
Total Dissolved Solids	74		mg/L	5.0	5.0	1.0	160.1
	Anly Batch: 660-21389	Date Analyzed	02/27/2006	1554			

Client Sample ID: **MWB17D**

Lab Sample ID: 660-7427-24
Client Matrix: Water

Date Sampled: 02/23/2006 1245
Date Received: 02/24/2006 0915

Analyte	Result	Qual	Units	MDL	PQL	Dil	Method
Chloride	6.9		mg/L	0.90	1.0	1.0	325.2
	Anly Batch: 660-21506	Date Analyzed	03/02/2006	1044			
Ammonia	0.040	U	mg/L	0.040	0.050	1.0	350.1
	Anly Batch: 660-21401	Date Analyzed	03/01/2006	1016			
Nitrate Nitrogen	0.010	U	mg/L	0.010	0.050	1.0	353.2
	Anly Batch: 660-21180	Date Analyzed	02/24/2006	1448			

Analyte	Result	Qual	Units	RL	PQL	Dil	Method
Total Dissolved Solids	36		mg/L	5.0	5.0	1.0	160.1
	Anly Batch: 660-21389	Date Analyzed	02/27/2006	1554			

Client: HDR Engineering

Job Number: 660-7427-1

General Chemistry

Client Sample ID: Field Blank

Lab Sample ID: 660-7427-25
Client Matrix: Water

Date Sampled: 02/23/2006 1315
Date Received: 02/24/2006 0915

Analyte	Result	Qual	Units	MDL	PQL	Dil	Method
Chloride	0.90	U	mg/L	0.90	1.0	1.0	325.2
	Anly Batch: 660-21506		Date Analyzed	03/02/2006 1044			
Ammonia	0.040	U	mg/L	0.040	0.050	1.0	350.1
	Anly Batch: 660-21401		Date Analyzed	03/01/2006 1016			
Nitrate Nitrogen	0.010	U	mg/L	0.010	0.050	1.0	353.2
	Anly Batch: 660-21180		Date Analyzed	02/24/2006 1448			

Analyte	Result	Qual	Units	RL	PQL	Dil	Method
Total Dissolved Solids	5.0	U	mg/L	5.0	5.0	1.0	160.1
	Anly Batch: 660-21389		Date Analyzed	02/27/2006 1554			

Client Sample ID: Equipment Blank

Lab Sample ID: 660-7427-26
Client Matrix: Water

Date Sampled: 02/23/2006 1325
Date Received: 02/24/2006 0915

Analyte	Result	Qual	Units	MDL	PQL	Dil	Method
Chloride	0.90	U	mg/L	0.90	1.0	1.0	325.2
	Anly Batch: 660-21506		Date Analyzed	03/02/2006 1044			
Ammonia	0.040	U	mg/L	0.040	0.050	1.0	350.1
	Anly Batch: 660-21401		Date Analyzed	03/01/2006 1016			
Nitrate Nitrogen	0.010	U	mg/L	0.010	0.050	1.0	353.2
	Anly Batch: 660-21180		Date Analyzed	02/24/2006 1448			

Analyte	Result	Qual	Units	RL	PQL	Dil	Method
Total Dissolved Solids	5.0	U	mg/L	5.0	5.0	1.0	160.1
	Anly Batch: 660-21389		Date Analyzed	02/27/2006 1554			

DATA REPORTING QUALIFIERS

Client: HDR Engineering

Job Number: 660-7427-1

Lab Section	Qualifier	Description
GC/MS VOA		
	U	Indicates that the compound was analyzed for but not detected.
	I	The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
GC Semi VOA		
	J3	Estimated value; value may not be accurate. The reported value fails to meet the established quality control criteria for either precision or accuracy.
	U	Indicates that the compound was analyzed for but not detected.
Metals		
	U	Indicates that the compound was analyzed for but not detected.
	I	The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
General Chemistry		
	U	Indicates that the compound was analyzed for but not detected.
	I	The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7427-1

Method Blank - Batch: 660-21634

**Method: 8260B
Preparation: 5030B**

Lab Sample ID: MB 660-21634/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/03/2006 1916
Date Prepared: 03/03/2006 1916

Analysis Batch: 660-21634
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JC0308.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
Acetone	9.9	U	9.9	20
Acrylonitrile	1.2	U	1.2	100
Benzene	0.27	U	0.27	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Bromomethane	0.66	U	0.66	1.0
Methyl Ethyl Ketone	8.4	U	8.4	10
Carbon disulfide	0.85	U	0.85	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Bromochloromethane	0.58	U	0.58	1.0
Chloroethane	0.80	U	0.80	1.0
Chloroform	0.90	U	0.90	1.0
1,2-Dichlorobenzene	0.44	U	0.44	1.0
Chloromethane	0.64	U	0.64	1.0
Dibromochloromethane	0.34	U	0.34	1.0
Methylene bromide	0.41	U	0.41	1.0
trans-1,4-Dichloro-2-butene	2.5	U	2.5	10
1,4-Dichlorobenzene	0.52	U	0.52	1.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,1-Dichloroethene	0.45	U	0.45	1.0
cis-1,2-Dichloroethene	0.65	U	0.65	1.0
trans-1,2-Dichloroethene	0.44	U	0.44	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
Ethylbenzene	0.44	U	0.44	1.0
2-Hexanone	4.4	U	4.4	10
Iodomethane	0.67	U	0.67	1.0
4-Methyl-2-pentanone	3.8	U	3.8	10
Methylene Chloride	4.0	U	4.0	5.0
Styrene	0.98	U	0.98	1.0
1,1,2,2-Tetrachloroethane	0.14	U	0.14	1.0
1,1,1,2-Tetrachloroethane	0.63	U	0.63	1.0
Tetrachloroethene	0.34	U	0.34	1.0
Toluene	0.51	U	0.51	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethene	0.28	U	0.28	1.0
Trichlorofluoromethane	0.98	U	0.98	1.0

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7427-1

Method Blank - Batch: 660-21634

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 660-21634/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/03/2006 1916
Date Prepared: 03/03/2006 1916

Analysis Batch: 660-21634
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JC0308.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
1,2,3-Trichloropropane	0.15	U	0.15	1.0
Vinyl acetate	1.5	U	1.5	10
Vinyl chloride	0.50	U	0.50	1.0
Xylenes, Total	0.30	U	0.30	1.0

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	78	74 - 126
Dibromofluoromethane	81	70 - 130
Toluene-d8	84	77 - 122

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-21634**

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 660-21634/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/03/2006 1752
Date Prepared: 03/03/2006 1752

Analysis Batch: 660-21634
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JC0305.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-21634/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/03/2006 1816
Date Prepared: 03/03/2006 1816

Analysis Batch: 660-21634
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JC0306.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Benzene	95	94	62 - 135	1	37		
Chlorobenzene	96	93	72 - 127	3	22		
1,1-Dichloroethene	113	110	46 - 147	3	30		
Toluene	95	90	68 - 131	6	33		
Trichloroethene	92	91	56 - 143	0	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7427-1

**Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-21634**

**Method: 8260B
Preparation: 5030B**

MS Lab Sample ID: 660-7427-2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/08/2006 1934
Date Prepared: 03/08/2006 1934

Analysis Batch: 660-21634
Prep Batch: N/A

Instrument ID: BVMJ GC/MS
Lab File ID: 1JC0812.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

MSD Lab Sample ID: 660-7427-2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/08/2006 1959
Date Prepared: 03/08/2006 1959

Analysis Batch: 660-21634
Prep Batch: N/A

Instrument ID: BVMJ GC/MS
Lab File ID: 1JC0813.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
Benzene	117	111	62 - 135	5	37		
Chlorobenzene	113	109	72 - 127	3	22		
1,1-Dichloroethene	128	125	46 - 147	3	30		
Toluene	117	116	68 - 131	1	33		
Trichloroethene	111	106	56 - 143	5	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7427-1

Method Blank - Batch: 660-21714

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 660-21714/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/06/2006 1837
Date Prepared: 03/06/2006 1837

Analysis Batch: 660-21714
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JC0615.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
Acetone	9.9	U	9.9	20
Acrylonitrile	1.2	U	1.2	100
Benzene	0.27	U	0.27	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Bromomethane	0.66	U	0.66	1.0
Methyl Ethyl Ketone	8.4	U	8.4	10
Carbon disulfide	0.85	U	0.85	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Bromochloromethane	0.58	U	0.58	1.0
Chloroethane	0.80	U	0.80	1.0
Chloroform	0.90	U	0.90	1.0
Chloromethane	0.64	U	0.64	1.0
1,2-Dichlorobenzene	0.44	U	0.44	1.0
Dibromochloromethane	0.34	U	0.34	1.0
Methylene bromide	0.41	U	0.41	1.0
trans-1,4-Dichloro-2-butene	2.5	U	2.5	10
1,1-Dichloroethane	0.52	U	0.52	1.0
1,4-Dichlorobenzene	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,1-Dichloroethene	0.45	U	0.45	1.0
cis-1,2-Dichloroethene	0.65	U	0.65	1.0
trans-1,2-Dichloroethene	0.44	U	0.44	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
Ethylbenzene	0.44	U	0.44	1.0
2-Hexanone	4.4	U	4.4	10
Iodomethane	0.67	U	0.67	1.0
4-Methyl-2-pentanone	3.8	U	3.8	10
Methylene Chloride	4.0	U	4.0	5.0
Styrene	0.98	U	0.98	1.0
1,1,2,2-Tetrachloroethane	0.14	U	0.14	1.0
1,1,1,2-Tetrachloroethane	0.63	U	0.63	1.0
Tetrachloroethene	0.34	U	0.34	1.0
Toluene	0.51	U	0.51	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethene	0.28	U	0.28	1.0
Trichlorofluoromethane	0.98	U	0.98	1.0

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7427-1

Method Blank - Batch: 660-21714

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 660-21714/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/06/2006 1837
Date Prepared: 03/06/2006 1837

Analysis Batch: 660-21714
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JC0615.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
1,2,3-Trichloropropane	0.15	U	0.15	1.0
Vinyl acetate	1.5	U	1.5	10
Vinyl chloride	0.50	U	0.50	1.0
Xylenes, Total	0.30	U	0.30	1.0

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	94	74 - 126
Dibromofluoromethane	98	70 - 130
Toluene-d8	101	77 - 122

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-21714**

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 660-21714/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/06/2006 1723
Date Prepared: 03/06/2006 1723

Analysis Batch: 660-21714
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JC0612.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-21714/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/06/2006 1748
Date Prepared: 03/06/2006 1748

Analysis Batch: 660-21714
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JC0613.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Benzene	103	106	62 - 135	3	37		
Chlorobenzene	102	106	72 - 127	4	22		
1,1-Dichloroethene	107	112	46 - 147	5	30		
Toluene	104	107	68 - 131	3	33		
Trichloroethene	98	101	56 - 143	3	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7427-1

**Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-21714**

**Method: 8260B
Preparation: 5030B**

MS Lab Sample ID: 660-7427-11
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/08/2006 1845
Date Prepared: 03/08/2006 1845

Analysis Batch: 660-21714
Prep Batch: N/A

Instrument ID: BVMJ GC/MS
Lab File ID: 1JC0810.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

MSD Lab Sample ID: 660-7427-11
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/08/2006 1910
Date Prepared: 03/08/2006 1910

Analysis Batch: 660-21714
Prep Batch: N/A

Instrument ID: BVMJ GC/MS
Lab File ID: 1JC0811.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
Benzene	116	115	62 - 135	1	37		
Chlorobenzene	113	112	72 - 127	1	22		
1,1-Dichloroethene	130	128	46 - 147	1	30		
Toluene	115	117	68 - 131	2	33		
Trichloroethene	113	111	56 - 143	2	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7427-1

Method Blank - Batch: 660-21755

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 660-21755/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/07/2006 0433
Date Prepared: 03/07/2006 0433

Analysis Batch: 660-21755
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 2JC0639.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
Acetone	9.9	U	9.9	20
Acrylonitrile	1.2	U	1.2	100
Benzene	0.27	U	0.27	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Bromomethane	0.66	U	0.66	1.0
Methyl Ethyl Ketone	8.4	U	8.4	10
Carbon disulfide	0.85	U	0.85	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Bromochloromethane	0.58	U	0.58	1.0
Chloroethane	0.80	U	0.80	1.0
Chloroform	0.90	U	0.90	1.0
Chloromethane	0.64	U	0.64	1.0
1,2-Dichlorobenzene	0.44	U	0.44	1.0
Dibromochloromethane	0.34	U	0.34	1.0
Methylene bromide	0.41	U	0.41	1.0
trans-1,4-Dichloro-2-butene	2.5	U	2.5	10
1,4-Dichlorobenzene	0.52	U	0.52	1.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,1-Dichloroethene	0.45	U	0.45	1.0
cis-1,2-Dichloroethene	0.65	U	0.65	1.0
trans-1,2-Dichloroethene	0.44	U	0.44	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
Ethylbenzene	0.44	U	0.44	1.0
2-Hexanone	4.4	U	4.4	10
Iodomethane	0.67	U	0.67	1.0
4-Methyl-2-pentanone	3.8	U	3.8	10
Methylene Chloride	4.0	U	4.0	5.0
Styrene	0.98	U	0.98	1.0
1,1,2,2-Tetrachloroethane	0.14	U	0.14	1.0
1,1,1,2-Tetrachloroethane	0.63	U	0.63	1.0
Tetrachloroethene	0.34	U	0.34	1.0
Toluene	0.51	U	0.51	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethene	0.28	U	0.28	1.0
Trichlorofluoromethane	0.98	U	0.98	1.0

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7427-1

Method Blank - Batch: 660-21755

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 660-21755/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/07/2006 0433
Date Prepared: 03/07/2006 0433

Analysis Batch: 660-21755
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 2JC0639.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
1,2,3-Trichloropropane	0.15	U	0.15	1.0
Vinyl acetate	1.5	U	1.5	10
Vinyl chloride	0.50	U	0.50	1.0
Xylenes, Total	0.30	U	0.30	1.0

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	81	74 - 126
Dibromofluoromethane	84	70 - 130
Toluene-d8	90	77 - 122

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-21755**

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 660-21755/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/07/2006 0319
Date Prepared: 03/07/2006 0319

Analysis Batch: 660-21755
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 2JC0636.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-21755/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/07/2006 0344
Date Prepared: 03/07/2006 0344

Analysis Batch: 660-21755
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 2JC0637.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Benzene	110	111	62 - 135	0	37		
Chlorobenzene	105	105	72 - 127	0	22		
1,1-Dichloroethene	125	119	46 - 147	5	30		
Toluene	107	108	68 - 131	0	33		
Trichloroethene	107	106	56 - 143	1	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7427-1

**Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-21755**

**Method: 8260B
Preparation: 5030B**

MS Lab Sample ID: 660-7427-21
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/08/2006 1755
Date Prepared: 03/08/2006 1755

Analysis Batch: 660-21755
Prep Batch: N/A

Instrument ID: BVMJ GC/MS
Lab File ID: 1JC0808.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

MSD Lab Sample ID: 660-7427-21
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/08/2006 1820
Date Prepared: 03/08/2006 1820

Analysis Batch: 660-21755
Prep Batch: N/A

Instrument ID: BVMJ GC/MS
Lab File ID: 1JC0809.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
Benzene	114	116	62 - 135	1	37		
Chlorobenzene	112	112	72 - 127	0	22		
1,1-Dichloroethene	125	126	46 - 147	1	30		
Toluene	117	115	68 - 131	2	33		
Trichloroethene	111	111	56 - 143	0	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7427-1

Method Blank - Batch: 660-21770

Method: 504.1
Preparation: 504.1

Lab Sample ID: MB 660-21770/1-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/08/2006 1409
Date Prepared: 03/07/2006 1400

Analysis Batch: 660-21882
Prep Batch: 660-21770
Units: ug/L

Instrument ID: HP 5890 Series II ECD1/2
Lab File ID: 1C08S004.D
Initial Weight/Volume: 34.1690 g
Final Weight/Volume: 3 mL
Injection Volume:
Column ID: PRIMARY

Analyte	Result	Qual	MDL	PQL
1,2-Dibromo-3-Chloropropane	0.0031	U	0.0031	0.020
Ethylene Dibromide	0.0089	U	0.0089	0.020

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-21770**

Method: 504.1
Preparation: 504.1

LCS Lab Sample ID: LCS 660-21770/2-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/08/2006 1432
Date Prepared: 03/07/2006 1400

Analysis Batch: 660-21882
Prep Batch: 660-21770
Units: ug/L

Instrument ID: HP 5890 Series II ECD1/2
Lab File ID: 1C08S005.D
Initial Weight/Volume: 34.0570 g
Final Weight/Volume: 3 mL
Injection Volume:
Column ID: PRIMARY

LCSD Lab Sample ID: LCSD 660-21770/3-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/08/2006 1455
Date Prepared: 03/07/2006 1400

Analysis Batch: 660-21882
Prep Batch: 660-21770
Units: ug/L

Instrument ID: HP 5890 Series II ECD1/2
Lab File ID: 1C08S006.D
Initial Weight/Volume: 33.8800 g
Final Weight/Volume: 3 mL
Injection Volume:
Column ID: PRIMARY

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
1,2-Dibromo-3-Chloropropane	76	83	70 - 130	9	30		
Ethylene Dibromide	88	102	70 - 130	16	30		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7427-1

**Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-21770**

**Method: 504.1
Preparation: 504.1**

MS Lab Sample ID: 660-7427-1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/08/2006 1541
Date Prepared: 03/07/2006 1400

Analysis Batch: 660-21882
Prep Batch: 660-21770

Instrument ID: HP 5890 Series II ECD1/2
Lab File ID: 1C08S008.D
Initial Weight/Volume: 34.5928 g
Final Weight/Volume: 3 mL
Injection Volume:
Column ID: PRIMARY

MSD Lab Sample ID: 660-7427-1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/08/2006 1605
Date Prepared: 03/07/2006 1400

Analysis Batch: 660-21882
Prep Batch: 660-21770

Instrument ID: HP 5890 Series II ECD1/2
Lab File ID: 1C08S009.D
Initial Weight/Volume: 34.8654 g
Final Weight/Volume: 3 mL
Injection Volume:
Column ID: PRIMARY

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
1,2-Dibromo-3-Chloropropane	86	73	70 - 130	18	30		
Ethylene Dibromide	97	85	70 - 130	14	30		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7427-1

Method Blank - Batch: 660-21839

Method: 504.1
Preparation: 504.1

Lab Sample ID: MB 660-21839/1-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/09/2006 0052
Date Prepared: 03/08/2006 1500

Analysis Batch: 660-21890
Prep Batch: 660-21839
Units: ug/L

Instrument ID: HP 5890 Series II ECD1/2
Lab File ID: 1C08S031.D
Initial Weight/Volume: 33.8000 g
Final Weight/Volume: 3 mL
Injection Volume:
Column ID: PRIMARY

Analyte	Result	Qual	MDL	PQL
1,2-Dibromo-3-Chloropropane	0.0031	U	0.0031	0.021
Ethylene Dibromide	0.0090	U	0.0090	0.021

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-21839**

Method: 504.1
Preparation: 504.1

LCS Lab Sample ID: LCS 660-21839/2-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/09/2006 0116
Date Prepared: 03/08/2006 1500

Analysis Batch: 660-21890
Prep Batch: 660-21839
Units: ug/L

Instrument ID: HP 5890 Series II ECD1/2
Lab File ID: 1C08S032.D
Initial Weight/Volume: 33.1849 g
Final Weight/Volume: 3 mL
Injection Volume:
Column ID: PRIMARY

LCSD Lab Sample ID: LCSD 660-21839/3-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/09/2006 0139
Date Prepared: 03/08/2006 1500

Analysis Batch: 660-21890
Prep Batch: 660-21839
Units: ug/L

Instrument ID: HP 5890 Series II ECD1/2
Lab File ID: 1C08S033.D
Initial Weight/Volume: 34.0883 g
Final Weight/Volume: 3 mL
Injection Volume:
Column ID: PRIMARY

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
1,2-Dibromo-3-Chloropropane	111	110	70 - 130	3	30		
Ethylene Dibromide	126	127	70 - 130	2	30		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7427-1

**Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-21839**

**Method: 504.1
Preparation: 504.1**

MS Lab Sample ID: 660-7427-18
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/09/2006 0225
Date Prepared: 03/08/2006 1500

Analysis Batch: 660-21890
Prep Batch: 660-21839

Instrument ID: HP 5890 Series II ECD1/2
Lab File ID: 1C08S035.D
Initial Weight/Volume: 32.9493 g
Final Weight/Volume: 3 mL
Injection Volume:
Column ID: PRIMARY

MSD Lab Sample ID: 660-7427-18
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/09/2006 0248
Date Prepared: 03/08/2006 1500

Analysis Batch: 660-21890
Prep Batch: 660-21839

Instrument ID: HP 5890 Series II ECD1/2
Lab File ID: 1C08S036.D
Initial Weight/Volume: 33.9587 g
Final Weight/Volume: 3 mL
Injection Volume:
Column ID: PRIMARY

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
1,2-Dibromo-3-Chloropropane	131	115	70 - 130	15	30	J3	
Ethylene Dibromide	132	125	70 - 130	9	30	J3	

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7427-1

Method Blank - Batch: 660-21517

Lab Sample ID: MB 660-21517/1-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/06/2006 1558
Date Prepared: 03/02/2006 1636

Analysis Batch: 660-21640
Prep Batch: 660-21517
Units: mg/L

Method: 200.7 Rev 4.4
Preparation: 200.7 Appx C
Total Recoverable

Instrument ID: TJA ICP TRACE
Lab File ID: 6C06A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result	Qual	MDL	PQL
Sodium	0.31	U	0.31	0.50

Method Blank - Batch: 660-21517

Lab Sample ID: MB 660-21517/1-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/06/2006 1558
Date Prepared: 03/02/2006 1636

Analysis Batch: 660-21640
Prep Batch: 660-21517
Units: ug/L

Method: 200.7 Rev 4.4
Preparation: 200.7 Appx C
Total Recoverable

Instrument ID: TJA ICP TRACE
Lab File ID: 6C06A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result	Qual	MDL	PQL
Silver	1.9	U	1.9	10
Arsenic	4.8	U	4.8	10
Barium	1.2	U	1.2	10
Beryllium	0.74	U	0.74	4.0
Cadmium	0.71	U	0.71	5.0
Cobalt	1.6	U	1.6	10
Chromium	1.7	U	1.7	10
Copper	2.9	U	2.9	20
Iron	22	U	22	50
Nickel	4.7	U	4.7	40
Antimony	3.6	U	3.6	6.0
Lead	1.6	U	1.6	5.0
Selenium	5.9	U	5.9	10
Vanadium	2.5	U	2.5	10
Zinc	5.9	U	5.9	20

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7427-1

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-21517**

**Method: 200.7 Rev 4.4
Preparation: 200.7 Appx C
Total Recoverable**

LCS Lab Sample ID: LCS 660-21517/2-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/06/2006 1606
Date Prepared: 03/02/2006 1636

Analysis Batch: 660-21640
Prep Batch: 660-21517
Units: mg/L

Instrument ID: TJA ICP TRACE
Lab File ID: 6C06A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

LCSD Lab Sample ID: LCSD 660-21517/3-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/06/2006 1612
Date Prepared: 03/02/2006 1636

Analysis Batch: 660-21640
Prep Batch: 660-21517
Units: mg/L

Instrument ID: TJA ICP TRACE
Lab File ID: 6C06A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Sodium	92	95	85 - 115	3	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7427-1

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-21517**

**Method: 200.7 Rev 4.4
Preparation: 200.7 Appx C
Total Recoverable**

LCS Lab Sample ID: LCS 660-21517/2-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/06/2006 1606
Date Prepared: 03/02/2006 1636

Analysis Batch: 660-21640
Prep Batch: 660-21517
Units: ug/L

Instrument ID: TJA ICP TRACE
Lab File ID: 6C06A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

LCSD Lab Sample ID: LCSD 660-21517/3-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/06/2006 1612
Date Prepared: 03/02/2006 1636

Analysis Batch: 660-21640
Prep Batch: 660-21517
Units:ug/L

Instrument ID: TJA ICP TRACE
Lab File ID: 6C06A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Silver	97	100	85 - 115	3	20		
Arsenic	100	102	85 - 115	2	20		
Barium	101	105	85 - 115	4	20		
Beryllium	101	104	85 - 115	2	20		
Cadmium	102	104	85 - 115	2	20		
Cobalt	101	103	85 - 115	2	20		
Chromium	104	106	85 - 115	2	20		
Copper	100	103	85 - 115	3	20		
Iron	102	105	85 - 115	3	20		
Nickel	104	107	85 - 115	2	20		
Antimony	95	97	85 - 115	2	20		
Lead	100	101	85 - 115	1	20		
Selenium	99	101	85 - 115	2	20		
Vanadium	104	107	85 - 115	2	20		
Zinc	105	106	85 - 115	2	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7427-1

**Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-21517**

**Method: 200.7 Rev 4.4
Preparation: 200.7 Appx C
Total Recoverable**

MS Lab Sample ID: 660-7427-20
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/06/2006 1639
Date Prepared: 03/02/2006 1636

Analysis Batch: 660-21640
Prep Batch: 660-21517

Instrument ID: TJA ICP TRACE
Lab File ID: 6C06A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

MSD Lab Sample ID: 660-7427-20
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/06/2006 1645
Date Prepared: 03/02/2006 1636

Analysis Batch: 660-21640
Prep Batch: 660-21517

Instrument ID: TJA ICP TRACE
Lab File ID: 6C06A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
Sodium	97	95	85 - 115	1	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7427-1

**Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-21517**

**Method: 200.7 Rev 4.4
Preparation: 200.7 Appx C
Total Recoverable**

MS Lab Sample ID: 660-7427-20
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/06/2006 1639
Date Prepared: 03/02/2006 1636

Analysis Batch: 660-21640
Prep Batch: 660-21517

Instrument ID: TJA ICP TRACE
Lab File ID: 6C06A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

MSD Lab Sample ID: 660-7427-20
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/06/2006 1645
Date Prepared: 03/02/2006 1636

Analysis Batch: 660-21640
Prep Batch: 660-21517

Instrument ID: TJA ICP TRACE
Lab File ID: 6C06A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
Silver	99	99	85 - 115	0	20		
Arsenic	100	100	85 - 115	0	20		
Barium	103	104	85 - 115	0	20		
Beryllium	103	103	85 - 115	0	20		
Cadmium	102	102	85 - 115	0	20		
Cobalt	101	101	85 - 115	0	20		
Chromium	105	105	85 - 115	0	20		
Copper	100	101	85 - 115	1	20		
Iron	107	105	85 - 115	1	20		
Nickel	105	105	85 - 115	0	20		
Antimony	95	95	85 - 115	0	20		
Lead	101	100	85 - 115	1	20		
Selenium	100	99	85 - 115	1	20		
Vanadium	105	105	85 - 115	0	20		
Zinc	106	105	85 - 115	0	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7427-1

Method Blank - Batch: 660-21519

Lab Sample ID: MB 660-21519/1-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/07/2006 0916
Date Prepared: 03/02/2006 1641

Analysis Batch: 660-21727
Prep Batch: 660-21519
Units: mg/L

Method: 200.7 Rev 4.4
Preparation: 200.7 Appx C
Total Recoverable

Instrument ID: TJA ICP TRACE
Lab File ID: 6C07A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result	Qual	MDL	PQL
Sodium	0.31	U	0.31	0.50

Method Blank - Batch: 660-21519

Lab Sample ID: MB 660-21519/1-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/07/2006 0916
Date Prepared: 03/02/2006 1641

Analysis Batch: 660-21727
Prep Batch: 660-21519
Units: ug/L

Method: 200.7 Rev 4.4
Preparation: 200.7 Appx C
Total Recoverable

Instrument ID: TJA ICP TRACE
Lab File ID: 6C07A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result	Qual	MDL	PQL
Silver	1.9	U	1.9	10
Arsenic	4.8	U	4.8	10
Barium	1.2	U	1.2	10
Beryllium	0.74	U	0.74	4.0
Cadmium	0.71	U	0.71	5.0
Cobalt	1.6	U	1.6	10
Chromium	1.7	U	1.7	10
Copper	2.9	U	2.9	20
Iron	22	U	22	50
Nickel	4.7	U	4.7	40
Antimony	3.6	U	3.6	6.0
Lead	1.6	U	1.6	5.0
Selenium	5.9	U	5.9	10
Vanadium	2.5	U	2.5	10
Zinc	5.9	U	5.9	20

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7427-1

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-21519**

**Method: 200.7 Rev 4.4
Preparation: 200.7 Appx C
Total Recoverable**

LCS Lab Sample ID: LCS 660-21519/2-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/07/2006 0921
Date Prepared: 03/02/2006 1641

Analysis Batch: 660-21727
Prep Batch: 660-21519
Units: mg/L

Instrument ID: TJA ICP TRACE
Lab File ID: 6C07A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

LCSD Lab Sample ID: LCSD 660-21519/3-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/07/2006 0927
Date Prepared: 03/02/2006 1641

Analysis Batch: 660-21727
Prep Batch: 660-21519
Units: mg/L

Instrument ID: TJA ICP TRACE
Lab File ID: 6C07A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Sodium	89	96	85 - 115	8	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7427-1

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-21519**

**Method: 200.7 Rev 4.4
Preparation: 200.7 Appx C
Total Recoverable**

LCS Lab Sample ID: LCS 660-21519/2-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/07/2006 0921
Date Prepared: 03/02/2006 1641

Analysis Batch: 660-21727
Prep Batch: 660-21519
Units: ug/L

Instrument ID: TJA ICP TRACE
Lab File ID: 6C07A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

LCSD Lab Sample ID: LCSD 660-21519/3-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/07/2006 0927
Date Prepared: 03/02/2006 1641

Analysis Batch: 660-21727
Prep Batch: 660-21519
Units: ug/L

Instrument ID: TJA ICP TRACE
Lab File ID: 6C07A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Silver	97	96	85 - 115	2	20		
Arsenic	99	98	85 - 115	2	20		
Barium	103	102	85 - 115	1	20		
Beryllium	99	97	85 - 115	2	20		
Cadmium	103	101	85 - 115	2	20		
Cobalt	101	98	85 - 115	2	20		
Chromium	103	101	85 - 115	2	20		
Copper	100	98	85 - 115	1	20		
Iron	104	102	85 - 115	2	20		
Nickel	103	101	85 - 115	2	20		
Antimony	94	93	85 - 115	2	20		
Lead	99	98	85 - 115	2	20		
Selenium	98	98	85 - 115	1	20		
Vanadium	103	101	85 - 115	2	20		
Zinc	103	101	85 - 115	1	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7427-1

**Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-21519**

**Method: 200.7 Rev 4.4
Preparation: 200.7 Appx C
Total Recoverable**

MS Lab Sample ID: 660-7396-N-3-F MS^R Analysis Batch: 660-21727
 Client Matrix: Water Prep Batch: 660-21519
 Dilution: 1.0
 Date Analyzed: 03/07/2006 0944
 Date Prepared: 03/02/2006 1641

Instrument ID: TJA ICP TRACE
 Lab File ID: 6C07A
 Initial Weight/Volume: 50 mL
 Final Weight/Volume: 50 mL

MSD Lab Sample ID: 660-7396-N-3-G MSD^R Analysis Batch: 660-21727
 Client Matrix: Water Prep Batch: 660-21519
 Dilution: 1.0
 Date Analyzed: 03/07/2006 0950
 Date Prepared: 03/02/2006 1641

Instrument ID: TJA ICP TRACE
 Lab File ID: 6C07A
 Initial Weight/Volume: 50 mL
 Final Weight/Volume: 50 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
Sodium	89	88	85 - 115	1	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7427-1

**Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-21519**

**Method: 200.7 Rev 4.4
Preparation: 200.7 Appx C
Total Recoverable**

MS Lab Sample ID: 660-7396-N-3-F MS^R Analysis Batch: 660-21727
Client Matrix: Water Prep Batch: 660-21519
Dilution: 1.0
Date Analyzed: 03/07/2006 0944
Date Prepared: 03/02/2006 1641

Instrument ID: TJA ICP TRACE
Lab File ID: 6C07A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

MSD Lab Sample ID: 660-7396-N-3-G MSD^R Analysis Batch: 660-21727
Client Matrix: Water Prep Batch: 660-21519
Dilution: 1.0
Date Analyzed: 03/07/2006 0950
Date Prepared: 03/02/2006 1641

Instrument ID: TJA ICP TRACE
Lab File ID: 6C07A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
Silver	97	96	85 - 115	1	20		
Arsenic	100	99	85 - 115	1	20		
Barium	103	102	85 - 115	1	20		
Beryllium	100	98	85 - 115	2	20		
Cadmium	103	102	85 - 115	2	20		
Cobalt	101	100	85 - 115	2	20		
Chromium	104	102	85 - 115	2	20		
Copper	101	100	85 - 115	1	20		
Iron	102	100	85 - 115	2	20		
Nickel	104	102	85 - 115	2	20		
Antimony	95	94	85 - 115	1	20		
Lead	100	99	85 - 115	1	20		
Selenium	99	99	85 - 115	1	20		
Vanadium	104	102	85 - 115	2	20		
Zinc	103	102	85 - 115	1	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7427-1

Method Blank - Batch: 680-37379

Method: 200.8
Preparation: 4.1.4
Total Recoverable

Lab Sample ID: MB 680-37379/21-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/02/2006 0624
Date Prepared: 02/27/2006 1211

Analysis Batch: 680-37821
Prep Batch: 680-37379
Units: ug/L

Instrument ID: ICP MS
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 250 mL

Analyte	Result	Qual	MDL	PQL
Thallium	0.25	U	0.25	1.0

Laboratory Control/

Laboratory Control Duplicate Recovery Report - Batch: 680-37379

Method: 200.8
Preparation: 4.1.4
Total Recoverable

LCS Lab Sample ID: LCS 680-37379/22-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/02/2006 0631
Date Prepared: 02/27/2006 1211

Analysis Batch: 680-37821
Prep Batch: 680-37379
Units: ug/L

Instrument ID: ICP MS
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 250 mL

LCSD Lab Sample ID: LCSD 680-37379/23-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/02/2006 0638
Date Prepared: 02/27/2006 1211

Analysis Batch: 680-37821
Prep Batch: 680-37379
Units: ug/L

Instrument ID: ICP MS
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 250 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Thallium	102	103	85 - 115	1	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7427-1

**Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 680-37379**

**Method: 200.8
Preparation: 4.1.4
Total Recoverable**

MS Lab Sample ID: 660-7427-1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/02/2006 0707
Date Prepared: 02/27/2006 1211

Analysis Batch: 680-37821
Prep Batch: 680-37379

Instrument ID: ICP MS
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 250 mL

MSD Lab Sample ID: 660-7427-1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/02/2006 0715
Date Prepared: 02/27/2006 1211

Analysis Batch: 680-37821
Prep Batch: 680-37379

Instrument ID: ICP MS
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 250 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
Thallium	101	102	75 - 125	1	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7427-1

Method Blank - Batch: 680-37477

Lab Sample ID: MB 680-37477/8-A
 Client Matrix: Water
 Dilution: 1.0
 Date Analyzed: 03/02/2006 2048
 Date Prepared: 02/28/2006 1040

Analysis Batch: 680-37848
 Prep Batch: 680-37477
 Units: ug/L

**Method: 200.8
 Preparation: 4.1.4
 Total Recoverable**

Instrument ID: ICP MS
 Lab File ID: N/A
 Initial Weight/Volume: 50 mL
 Final Weight/Volume: 250 mL

Analyte	Result	Qual	MDL	PQL
Thallium	0.25	U	0.25	1.0

**Laboratory Control/
 Laboratory Control Duplicate Recovery Report - Batch: 680-37477**

LCS Lab Sample ID: LCS 680-37477/9-A
 Client Matrix: Water
 Dilution: 1.0
 Date Analyzed: 03/02/2006 2055
 Date Prepared: 02/28/2006 1040

Analysis Batch: 680-37848
 Prep Batch: 680-37477
 Units: ug/L

**Method: 200.8
 Preparation: 4.1.4
 Total Recoverable**

Instrument ID: ICP MS
 Lab File ID: N/A
 Initial Weight/Volume: 50 mL
 Final Weight/Volume: 250 mL

LCSD Lab Sample ID: LCSD 680-37477/10-A
 Client Matrix: Water
 Dilution: 1.0
 Date Analyzed: 03/02/2006 2103
 Date Prepared: 02/28/2006 1040

Analysis Batch: 680-37848
 Prep Batch: 680-37477
 Units: ug/L

Instrument ID: ICP MS
 Lab File ID: N/A
 Initial Weight/Volume: 50 mL
 Final Weight/Volume: 250 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Thallium	101	99	85 - 115	2	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7427-1

**Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 680-37477**

**Method: 200.8
Preparation: 4.1.4
Total Recoverable**

MS Lab Sample ID: 680-13984-A-1-B MS^R Analysis Batch: 680-37848
 Client Matrix: Water Prep Batch: 680-37477
 Dilution: 1.0
 Date Analyzed: 03/02/2006 2229
 Date Prepared: 02/28/2006 1040

Instrument ID: ICP MS
 Lab File ID: N/A
 Initial Weight/Volume: 50 mL
 Final Weight/Volume: 250 mL

MSD Lab Sample ID: 680-13984-A-1-C Analysis Batch: 680-37848
 Client Matrix: Water Prep Batch: 680-37477
 Dilution: 1.0
 Date Analyzed: 03/02/2006 2236
 Date Prepared: 02/28/2006 1040

Instrument ID: ICP MS
 Lab File ID: N/A
 Initial Weight/Volume: 50 mL
 Final Weight/Volume: 250 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
Thallium	97	98	75 - 125	1	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7427-1

Method Blank - Batch: 660-21448

**Method: 245.1
Preparation: 245.1**

Lab Sample ID: MB 660-21448/1-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/02/2006 1211
Date Prepared: 03/02/2006 0815

Analysis Batch: 660-21493
Prep Batch: 660-21448
Units: ug/L

Instrument ID: Hg Analyzer
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result	Qual	MDL	PQL
Mercury	0.072	U	0.072	0.20

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-21448**

**Method: 245.1
Preparation: 245.1**

LCS Lab Sample ID: LCS 660-21448/2-B
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/02/2006 1213
Date Prepared: 03/02/2006 0815

Analysis Batch: 660-21493
Prep Batch: 660-21448
Units: ug/L

Instrument ID: Hg Analyzer
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

LCSD Lab Sample ID: LCSD 660-21448/3-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/02/2006 1214
Date Prepared: 03/02/2006 0815

Analysis Batch: 660-21493
Prep Batch: 660-21448
Units: ug/L

Instrument ID: Hg Analyzer
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Mercury	89	90	80 - 120	1	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7427-1

**Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-21448**

**Method: 245.1
Preparation: 245.1**

MS Lab Sample ID: 660-7341-B-1-B MS
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/02/2006 1219
Date Prepared: 03/02/2006 0815

Analysis Batch: 660-21493
Prep Batch: 660-21448

Instrument ID: Hg Analyzer
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

MSD Lab Sample ID: 660-7341-B-1-C MSD
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/02/2006 1220
Date Prepared: 03/02/2006 0815

Analysis Batch: 660-21493
Prep Batch: 660-21448

Instrument ID: Hg Analyzer
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
Mercury	91	94	80 - 120	3	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7427-1

Method Blank - Batch: 660-21449

Method: 245.1
Preparation: 245.1

Lab Sample ID: MB 660-21449/1-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/02/2006 1259
Date Prepared: 03/02/2006 0816

Analysis Batch: 660-21493
Prep Batch: 660-21449
Units: ug/L

Instrument ID: Hg Analyzer
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result	Qual	MDL	PQL
Mercury	0.072	U	0.072	0.20

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-21449**

Method: 245.1
Preparation: 245.1

LCS Lab Sample ID: LCS 660-21449/2-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/02/2006 1300
Date Prepared: 03/02/2006 0816

Analysis Batch: 660-21493
Prep Batch: 660-21449
Units: ug/L

Instrument ID: Hg Analyzer
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

LCSD Lab Sample ID: LCSD 660-21449/3-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/02/2006 1302
Date Prepared: 03/02/2006 0816

Analysis Batch: 660-21493
Prep Batch: 660-21449
Units: ug/L

Instrument ID: Hg Analyzer
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Mercury	90	84	80 - 120	7	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7427-1

Method Blank - Batch: 660-21386

Method: 160.1
Preparation: N/A

Lab Sample ID: MB 660-21386/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/27/2006 1208
Date Prepared: N/A

Analysis Batch: 660-21386
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result	Qual	RL	PQL
Total Dissolved Solids	5.0	U	5.0	5.0

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-21386**

Method: 160.1
Preparation: N/A

LCS Lab Sample ID: LCS 660-21386/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/27/2006 1208
Date Prepared: N/A

Analysis Batch: 660-21386
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

LCSD Lab Sample ID: LCSD 660-21386/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/27/2006 1208
Date Prepared: N/A

Analysis Batch: 660-21386
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Total Dissolved Solids	97	100	80 - 120	3	25		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7427-1

**Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-21386**

**Method: 160.1
Preparation: N/A**

MS Lab Sample ID: 660-7427-3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/27/2006 1208
Date Prepared: N/A

Analysis Batch: 660-21386
Prep Batch: N/A

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

MSD Lab Sample ID: 660-7427-3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/27/2006 1208
Date Prepared: N/A

Analysis Batch: 660-21386
Prep Batch: N/A

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
Total Dissolved Solids	100	101	80 - 120	0	25		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7427-1

Method Blank - Batch: 660-21388

Method: 160.1
Preparation: N/A

Lab Sample ID: MB 660-21388/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/28/2006 1421
Date Prepared: N/A

Analysis Batch: 660-21388
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result	Qual	RL	PQL
Total Dissolved Solids	5.0	U	5.0	5.0

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-21388**

Method: 160.1
Preparation: N/A

LCS Lab Sample ID: LCS 660-21388/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/28/2006 1421
Date Prepared: N/A

Analysis Batch: 660-21388
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

LCSD Lab Sample ID: LCSD 660-21388/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/28/2006 1421
Date Prepared: N/A

Analysis Batch: 660-21388
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Total Dissolved Solids	95	99	80 - 120	4	25		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7427-1

Method Blank - Batch: 660-21389

Method: 160.1
Preparation: N/A

Lab Sample ID: MB 660-21389/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/27/2006 1554
Date Prepared: N/A

Analysis Batch: 660-21389
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result	Qual	RL	PQL
Total Dissolved Solids	5.0	U	5.0	5.0

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-21389**

Method: 160.1
Preparation: N/A

LCS Lab Sample ID: LCS 660-21389/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/27/2006 1554
Date Prepared: N/A

Analysis Batch: 660-21389
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

LCSD Lab Sample ID: LCSD 660-21389/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/27/2006 1554
Date Prepared: N/A

Analysis Batch: 660-21389
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Total Dissolved Solids	99	99	80 -120	0	25		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7427-1

**Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-21389**

**Method: 160.1
Preparation: N/A**

MS Lab Sample ID: 660-7368-A-2 MS
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/27/2006 1554
Date Prepared: N/A

Analysis Batch: 660-21389
Prep Batch: N/A

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

MSD Lab Sample ID: 660-7368-A-2 MSD
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/27/2006 1554
Date Prepared: N/A

Analysis Batch: 660-21389
Prep Batch: N/A

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
Total Dissolved Solids	99	99	80 - 120	0	25		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7427-1

Method Blank - Batch: 660-21383

Method: 325.2
Preparation: N/A

Lab Sample ID: MB 660-21383/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/28/2006 1659
Date Prepared: N/A

Analysis Batch: 660-21383
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 2 mL
Final Weight/Volume: 2 mL

Analyte	Result	Qual	MDL	PQL
Chloride	0.90	U	0.90	1.0

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-21383**

Method: 325.2
Preparation: N/A

LCS Lab Sample ID: LCS 660-21383/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/28/2006 1659
Date Prepared: N/A

Analysis Batch: 660-21383
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 2 mL
Final Weight/Volume: 2 mL

LCSD Lab Sample ID: LCSD 660-21383/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/28/2006 1659
Date Prepared: N/A

Analysis Batch: 660-21383
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 2 mL
Final Weight/Volume: 2 mL

Analyte	.% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Chloride	100	99	90 - 110	1	30		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7427-1

**Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-21383**

**Method: 325.2
Preparation: N/A**

MS Lab Sample ID: 660-7394-C-1 MS
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/28/2006 1659
Date Prepared: N/A

Analysis Batch: 660-21383
Prep Batch: N/A

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 2 mL
Final Weight/Volume: 2 mL

MSD Lab Sample ID: 660-7394-C-1 MSD
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/28/2006 1659
Date Prepared: N/A

Analysis Batch: 660-21383
Prep Batch: N/A

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 2 mL
Final Weight/Volume: 2 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
Chloride	92	107	90 - 110	4	30		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7427-1

Method Blank - Batch: 660-21506

Method: 325.2
Preparation: N/A

Lab Sample ID: MB 660-21506/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/02/2006 1044
Date Prepared: N/A

Analysis Batch: 660-21506
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 2 mL
Final Weight/Volume: 2 mL

Analyte	Result	Qual	MDL	PQL
Chloride	0.90	U	0.90	1.0

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-21506**

Method: 325.2
Preparation: N/A

LCS Lab Sample ID: LCS 660-21506/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/02/2006 1044
Date Prepared: N/A

Analysis Batch: 660-21506
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 2 mL
Final Weight/Volume: 2 mL

LCSD Lab Sample ID: LCSD 660-21506/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/02/2006 1044
Date Prepared: N/A

Analysis Batch: 660-21506
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 2 mL
Final Weight/Volume: 2 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Chloride	102	101	90 - 110	0	30		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7427-1

**Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-21506**

**Method: 325.2
Preparation: N/A**

MS Lab Sample ID: 660-7427-15 Analysis Batch: 660-21506
 Client Matrix: Water Prep Batch: N/A
 Dilution: 1.0
 Date Analyzed: 03/02/2006 1044
 Date Prepared: N/A

Instrument ID: No Equipment Assigned
 Lab File ID: N/A
 Initial Weight/Volume: 2 mL
 Final Weight/Volume: 2 mL

MSD Lab Sample ID: 660-7427-15 Analysis Batch: 660-21506
 Client Matrix: Water Prep Batch: N/A
 Dilution: 1.0
 Date Analyzed: 03/02/2006 1044
 Date Prepared: N/A

Instrument ID: No Equipment Assigned
 Lab File ID: N/A
 Initial Weight/Volume: 2 mL
 Final Weight/Volume: 2 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
Chloride	141	164	90 - 110	12	30		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7427-1

Method Blank - Batch: 660-21357

Method: 350.1
Preparation: N/A

Lab Sample ID: MB 660-21357/1
 Client Matrix: Water
 Dilution: 1.0
 Date Analyzed: 02/28/2006 1154
 Date Prepared: N/A
 Analysis Batch: 660-21357
 Prep Batch: N/A
 Units: mg/L

Instrument ID: No Equipment Assigned
 Lab File ID: N/A
 Initial Weight/Volume: 2 mL
 Final Weight/Volume: 2 mL

Analyte	Result	Qual	MDL	PQL
Ammonia	0.040	I	0.040	0.050

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-21357**

Method: 350.1
Preparation: N/A

LCS Lab Sample ID: LCS 660-21357/2
 Client Matrix: Water
 Dilution: 1.0
 Date Analyzed: 02/28/2006 1154
 Date Prepared: N/A
 Analysis Batch: 660-21357
 Prep Batch: N/A
 Units: mg/L

Instrument ID: No Equipment Assigned
 Lab File ID: N/A
 Initial Weight/Volume: 2 mL
 Final Weight/Volume: 2 mL

LCSD Lab Sample ID: LCSD 660-21357/3
 Client Matrix: Water
 Dilution: 1.0
 Date Analyzed: 02/28/2006 1154
 Date Prepared: N/A
 Analysis Batch: 660-21357
 Prep Batch: N/A
 Units: mg/L

Instrument ID: No Equipment Assigned
 Lab File ID: N/A
 Initial Weight/Volume: 2 mL
 Final Weight/Volume: 2 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Ammonia	103	104	90 - 110	1	30		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7427-1

**Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-21357**

**Method: 350.1
Preparation: N/A**

MS Lab Sample ID: 660-7427-1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/28/2006 1154
Date Prepared: N/A

Analysis Batch: 660-21357
Prep Batch: N/A

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 2 mL
Final Weight/Volume: 2 mL

MSD Lab Sample ID: 660-7427-1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/28/2006 1154
Date Prepared: N/A

Analysis Batch: 660-21357
Prep Batch: N/A

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 2 mL
Final Weight/Volume: 2 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
Ammonia	121	120	90 - 110	1	30		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7427-1

Method Blank - Batch: 660-21401

Method: 350.1
Preparation: N/A

Lab Sample ID: MB 660-21401/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/01/2006 1016
Date Prepared: N/A

Analysis Batch: 660-21401
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 2 mL
Final Weight/Volume: 2 mL

Analyte	Result	Qual	MDL	PQL
Ammonia	0.040	U	0.040	0.050

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-21401**

Method: 350.1
Preparation: N/A

LCS Lab Sample ID: LCS 660-21401/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/01/2006 1016
Date Prepared: N/A

Analysis Batch: 660-21401
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 2 mL
Final Weight/Volume: 2 mL

LCSD Lab Sample ID: LCSD 660-21401/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/01/2006 1016
Date Prepared: N/A

Analysis Batch: 660-21401
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 2 mL
Final Weight/Volume: 2 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Ammonia	102	102	90 - 110	0	30		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7427-1

**Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-21401**

**Method: 350.1
Preparation: N/A**

MS Lab Sample ID: 660-7368-B-1 MS
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/01/2006 1016
Date Prepared: N/A

Analysis Batch: 660-21401
Prep Batch: N/A

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 2 mL
Final Weight/Volume: 2 mL

MSD Lab Sample ID: 660-7368-B-1 MSD
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/01/2006 1016
Date Prepared: N/A

Analysis Batch: 660-21401
Prep Batch: N/A

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 2 mL
Final Weight/Volume: 2 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
Ammonia	115	115	90 - 110	0	30		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7427-1

Method Blank - Batch: 660-21179

Method: 353.2
Preparation: N/A

Lab Sample ID: MB 660-21179/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/24/2006 1237
Date Prepared: N/A

Analysis Batch: 660-21179
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result	Qual	MDL	PQL
Nitrate Nitrogen	0.010	U	0.010	0.050

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-21179**

Method: 353.2
Preparation: N/A

LCS Lab Sample ID: LCS 660-21179/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/24/2006 1237
Date Prepared: N/A

Analysis Batch: 660-21179
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 100 mL
Final Weight/Volume: 100 mL

LCSD Lab Sample ID: LCSD 660-21179/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/24/2006 1237
Date Prepared: N/A

Analysis Batch: 660-21179
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 100 mL
Final Weight/Volume: 100 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Nitrate Nitrogen	86	84	80 - 120	1	30		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7427-1

Method Blank - Batch: 660-21180

Method: 353.2
Preparation: N/A

Lab Sample ID: MB 660-21180/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/24/2006 1448
Date Prepared: N/A

Analysis Batch: 660-21180
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result	Qual	MDL	PQL
Nitrate Nitrogen	0.010	U	0.010	0.050

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-21180**

Method: 353.2
Preparation: N/A

LCS Lab Sample ID: LCS 660-21180/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/24/2006 1448
Date Prepared: N/A

Analysis Batch: 660-21180
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 100 mL
Final Weight/Volume: 100 mL

LCSD Lab Sample ID: LCSD 660-21180/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/24/2006 1448
Date Prepared: N/A

Analysis Batch: 660-21180
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 100 mL
Final Weight/Volume: 100 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Nitrate Nitrogen	85	85	80 - 120	0	30		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7427-1

**Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-21180**

**Method: 353.2
Preparation: N/A**

MS Lab Sample ID: 660-7427-8
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/24/2006 1448
Date Prepared: N/A

Analysis Batch: 660-21180
Prep Batch: N/A

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

MSD Lab Sample ID: 660-7427-8
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/24/2006 1448
Date Prepared: N/A

Analysis Batch: 660-21180
Prep Batch: N/A

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
Nitrate Nitrogen	98	105	80 - 120	5	30		

Calculations are performed before rounding to avoid round-off errors in calculated results.

LOGIN SAMPLE RECEIPT CHECK LIST

Client: HDR Engineering

Job Number: 660-7427-1

Login Number: 7427

Question	T/F/NA	Comment
Radioactivity either was not measured or, if measured, is at or below background	NA	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	


ANALYTICAL REPORT

Job Number: 660-7387-1

Job Description: Trail Ridge Landfill

For:
HDR Engineering
200 W. Forsyth St., Suite 800
Jacksonville, FL 32202

Attention: Mr. Brad Stone



Nancy Robertson
Project Manager II
nrobertson@stl-inc.com
04/06/2006

Project Manager: Nancy Robertson

DOH Certification #: E84282

These test results meet all the requirements of NELAC. All questions regarding this test report should be directed to the STL Project Manager who signed this test report. The estimated uncertainty associated with these reported results is available upon request.

Severn Trent Laboratories, Inc.

STL Tampa 6712 Benjamin Road Suite 100, Tampa, FL 33634
Tel (813) 885-7427 Fax (813) 885-7049 www.stl-inc.com

Case Narrative: STL Project 660-7387

Client: HDR Engineering

Project: Trail Ridge Landfill

Laboratory: STL Tampa

Sixteen liquid samples and a trip blank were received on February 23, 2006 and logged in as STL Project 660-7387.

TDS

The original results for TDS on samples MWB29I, MWB29S and MWB2I were reported non detect at 5.0 U mg/l. Due to the correlation between chloride and TDS the lab re analyzed these samples for TDS and the results were higher than originally reported. We are reporting the re analyzed results. The samples were re analyzed after the EPA recommended hold time had exceeded. The results are flagged with a "Q".

EXECUTIVE SUMMARY - Detections

Client: HDR Engineering

Job Number: 660-7387-1

Lab Sample ID Analyte	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
660-7387-1	MWB19D				
Total Dissolved Solids		170	5.0	mg/L	160.1
Chloride		5.7	1.0	mg/L	325.2
Ammonia		0.11	0.050	mg/L	350.1
Nitrate Nitrogen		0.011	0.050	mg/L	353.2
Total Recoverable					
Barium		110	10	ug/L	200.7 Rev 4.4
Chromium		5.8	10	ug/L	200.7 Rev 4.4
Iron		2600	50	ug/L	200.7 Rev 4.4
Sodium		4.6	0.50	mg/L	200.7 Rev 4.4
Vanadium		7.6	10	ug/L	200.7 Rev 4.4
Thallium		0.61	1.0	ug/L	200.8
660-7387-2	MWB19I				
Total Dissolved Solids		26	5.0	mg/L	160.1
Chloride		8.6	1.0	mg/L	325.2
Total Recoverable					
Barium		95	10	ug/L	200.7 Rev 4.4
Cadmium		0.81	5.0	ug/L	200.7 Rev 4.4
Cobalt		3.4	10	ug/L	200.7 Rev 4.4
Chromium		5.4	10	ug/L	200.7 Rev 4.4
Iron		1100	50	ug/L	200.7 Rev 4.4
Sodium		3.5	0.50	mg/L	200.7 Rev 4.4
Nickel		6.8	40	ug/L	200.7 Rev 4.4
Vanadium		7.5	10	ug/L	200.7 Rev 4.4
Zinc		20	20	ug/L	200.7 Rev 4.4
Thallium		0.57	1.0	ug/L	200.8
660-7387-3	MWB19S				
Total Dissolved Solids		52	5.0	mg/L	160.1
Chloride		9.3	1.0	mg/L	325.2
Ammonia		0.37	0.050	mg/L	350.1
Total Recoverable					
Barium		24	10	ug/L	200.7 Rev 4.4
Cobalt		2.6	10	ug/L	200.7 Rev 4.4
Chromium		2.3	10	ug/L	200.7 Rev 4.4
Iron		460	50	ug/L	200.7 Rev 4.4
Sodium		5.5	0.50	mg/L	200.7 Rev 4.4

EXECUTIVE SUMMARY - Detections

Client: HDR Engineering

Job Number: 660-7387-1

Lab Sample ID Analyte	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
660-7387-4	MWB12I				
Total Dissolved Solids		16	5.0	mg/L	160.1
Chloride		5.8	1.0	mg/L	325.2
Total Recoverable					
Barium		52	10	ug/L	200.7 Rev 4.4
Cobalt		1.8	10	ug/L	200.7 Rev 4.4
Iron		440	50	ug/L	200.7 Rev 4.4
Sodium		3.1	0.50	mg/L	200.7 Rev 4.4
660-7387-5	MWB12D				
Total Dissolved Solids		180	5.0	mg/L	160.1
Chloride		6.6	1.0	mg/L	325.2
Ammonia		0.19	0.050	mg/L	350.1
Total Recoverable					
Barium		120	10	ug/L	200.7 Rev 4.4
Iron		710	50	ug/L	200.7 Rev 4.4
Sodium		5.8	0.50	mg/L	200.7 Rev 4.4
660-7387-6	MWB12S				
Total Dissolved Solids		62	5.0	mg/L	160.1
Chloride		10	1.0	mg/L	325.2
Ammonia		0.20	0.050	mg/L	350.1
Nitrate Nitrogen		0.029	0.050	mg/L	353.2
Total Recoverable					
Barium		10	10	ug/L	200.7 Rev 4.4
Chromium		5.4	10	ug/L	200.7 Rev 4.4
Copper		3.4	20	ug/L	200.7 Rev 4.4
Iron		110	50	ug/L	200.7 Rev 4.4
Sodium		2.8	0.50	mg/L	200.7 Rev 4.4
Selenium		6.8	10	ug/L	200.7 Rev 4.4
Vanadium		32	10	ug/L	200.7 Rev 4.4

EXECUTIVE SUMMARY - Detections

Client: HDR Engineering

Job Number: 660-7387-1

Lab Sample ID Analyte	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
660-7387-7	MWB22S				
Total Dissolved Solids		110	5.0	mg/L	160.1
Chloride		9.2	1.0	mg/L	325.2
Ammonia		0.41	0.050	mg/L	350.1
Total Recoverable					
Barium		5.8	10	ug/L	200.7 Rev 4.4
Cobalt		2.0	10	ug/L	200.7 Rev 4.4
Chromium		2.1	10	ug/L	200.7 Rev 4.4
Iron		140	50	ug/L	200.7 Rev 4.4
Sodium		6.2	0.50	mg/L	200.7 Rev 4.4
660-7387-8	MWB27I				
Total Dissolved Solids		22	5.0	mg/L	160.1
Chloride		6.2	1.0	mg/L	325.2
Ammonia		0.053	0.050	mg/L	350.1
Nitrate Nitrogen		0.021	0.050	mg/L	353.2
Total Recoverable					
Barium		55	10	ug/L	200.7 Rev 4.4
Iron		500	50	ug/L	200.7 Rev 4.4
Sodium		3.3	0.50	mg/L	200.7 Rev 4.4
660-7387-9	DUP01				
Total Dissolved Solids		18	5.0	mg/L	160.1
Chloride		6.1	1.0	mg/L	325.2
Ammonia		0.055	0.050	mg/L	350.1
Nitrate Nitrogen		0.021	0.050	mg/L	353.2
Total Recoverable					
Barium		56	10	ug/L	200.7 Rev 4.4
Iron		520	50	ug/L	200.7 Rev 4.4
Sodium		3.4	0.50	mg/L	200.7 Rev 4.4
660-7387-10	MWB27D				
Total Dissolved Solids		30	5.0	mg/L	160.1
Chloride		5.3	1.0	mg/L	325.2
Ammonia		0.064	0.050	mg/L	350.1
Nitrate Nitrogen		0.013	0.050	mg/L	353.2
Total Recoverable					
Barium		55	10	ug/L	200.7 Rev 4.4
Iron		870	50	ug/L	200.7 Rev 4.4
Sodium		3.6	0.50	mg/L	200.7 Rev 4.4

EXECUTIVE SUMMARY - Detections

Client: HDR Engineering

Job Number: 660-7387-1

Lab Sample ID Analyte	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
660-7387-11	MWB27S				
Total Dissolved Solids		16	5.0	mg/L	160.1
Chloride		5.1	1.0	mg/L	325.2
Ammonia		0.055	0.050	mg/L	350.1
Nitrate Nitrogen		0.091	0.050	mg/L	353.2
Total Recoverable					
Barium		9.5 I	10	ug/L	200.7 Rev 4.4
Iron		53	50	ug/L	200.7 Rev 4.4
Sodium		2.4	0.50	mg/L	200.7 Rev 4.4
Vanadium		5.8 I	10	ug/L	200.7 Rev 4.4
660-7387-12	MWB29I				
Total Dissolved Solids		28 Q	5.0	mg/L	160.1
Chloride		5.5	1.0	mg/L	325.2
Total Recoverable					
Barium		50	10	ug/L	200.7 Rev 4.4
Chromium		1.8 I	10	ug/L	200.7 Rev 4.4
Iron		500	50	ug/L	200.7 Rev 4.4
Sodium		3.3	0.50	mg/L	200.7 Rev 4.4
660-7387-13	MWB29D				
Total Dissolved Solids		24	5.0	mg/L	160.1
Chloride		5.8	1.0	mg/L	325.2
Ammonia		0.080	0.050	mg/L	350.1
Total Recoverable					
Barium		54	10	ug/L	200.7 Rev 4.4
Iron		830	50	ug/L	200.7 Rev 4.4
Sodium		3.6	0.50	mg/L	200.7 Rev 4.4
660-7387-14	MWB29S				
Total Dissolved Solids		38 Q	5.0	mg/L	160.1
Chloride		6.9	1.0	mg/L	325.2
Total Recoverable					
Barium		10	10	ug/L	200.7 Rev 4.4
Cobalt		2.3 I	10	ug/L	200.7 Rev 4.4
Iron		350	50	ug/L	200.7 Rev 4.4
Sodium		3.8	0.50	mg/L	200.7 Rev 4.4

EXECUTIVE SUMMARY - Detections

Client: HDR Engineering

Job Number: 660-7387-1

Lab Sample ID Analyte	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
660-7387-15	MWB2I				
Total Dissolved Solids		42 Q	5.0	mg/L	160.1
Chloride		6.4	1.0	mg/L	325.2
Total Recoverable					
Barium		21	10	ug/L	200.7 Rev 4.4
Iron		360	50	ug/L	200.7 Rev 4.4
Sodium		4.0	0.50	mg/L	200.7 Rev 4.4
660-7387-16	MWB2S				
Toluene		0.54 I	1.0	ug/L	8260B
Chloride		4.8	1.0	mg/L	325.2
Total Recoverable					
Barium		15	10	ug/L	200.7 Rev 4.4
Iron		430	50	ug/L	200.7 Rev 4.4
Sodium		2.9	0.50	mg/L	200.7 Rev 4.4

METHOD SUMMARY

Client: HDR Engineering

Job Number: 660-7387-1

Description	Lab Location	Method	Preparation Method
Matrix: Water			
Volatile Organic Compounds by GC/MS	STL-TAM	SW846 8260B	
Purge-and-Trap	STL-TAM		SW846 5030B
EDB, DBCP, and 123TCP in Water by Microextraction and Gas Chromatography	STL-TAM	EPA-01 504.1	
EDB, DBCP, and 123TCP in Water by	STL-TAM		EPA-DW 504.1
ICP Metals by 200.7	STL-TAM	EPA 200.7 Rev 4.4	
Total Recoverable Metals Digestion for 200.7	STL-TAM		40CFR136A 200.7 Appx C
ICPMS Metals by 200.8 CWA	STL-SAV	EPA 200.8	
Total Recoverable Metals for 200.8	STL-SAV		MCAWW 4.1.4
Mercury in Water by CVAA	STL-TAM	EPA 245.1	
Digestion for CVAA Mercury in Waters	STL-TAM		EPA 245.1
Field Sampling	STL-TAM	EPA Field Sampling	
Residue, Filterable, Gravimetric, Dried at 180°C (TDS)	STL-TAM	MCAWW 160.1	
Chloride (Colorimetric, Automated Ferricyanide)	STL-TAM	MCAWW 325.2	
Nitrogen (Ammonia, Colorimetric, Automated Phenate)	STL-TAM	MCAWW 350.1	
Nitrogen, Nitrate-Nitrite (Colorimetric, Automated, Cadmium Reduction)	STL-TAM	MCAWW 353.2	

LAB REFERENCES:

STL-TAM = STL-Tampa
 STL-SAV = STL-Savannah

METHOD REFERENCES:

EPA - US Environmental Protection Agency

EPA-01 - "Methods For The Determination Of Nonconventional Pesticides In Municipal And Industrial Wastewater", EPA/821/R/92/002, April 1992.

MCAWW - "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

SW846 - "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

METHOD / ANALYST SUMMARY

Client: HDR Engineering

Job Number: 660-7387-1

Method	Analyst	Analyst ID
SW846 8260B	Ballard, Patricia	PB
EPA-01 504.1	Ballard, James	JB
EPA 200.7 Rev 4.4	Fox, Greg	GF
EPA 200.8	Boyuk, Brian	BB
EPA 245.1	Phan, Qui	QP
EPA Field Sampling	Sampler, Field	FS
MCAWW 160.1	Johnson, Amanda N	ANJ
MCAWW 325.2	Robarge, Andrea	AR
MCAWW 350.1	Robarge, Andrea	AR
MCAWW 353.2	Steward, Tiffany	TS

SAMPLE SUMMARY

Client: HDR Engineering

Job Number: 660-7387-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
660-7387-1	MWB19D	Water	02/22/2006 0836	02/23/2006 0941
660-7387-2	MWB19I	Water	02/22/2006 0915	02/23/2006 0941
660-7387-3	MWB19S	Water	02/22/2006 0934	02/23/2006 0941
660-7387-4	MWB12I	Water	02/22/2006 1015	02/23/2006 0941
660-7387-5	MWB12D	Water	02/22/2006 1032	02/23/2006 0941
660-7387-6	MWB12S	Water	02/22/2006 1048	02/23/2006 0941
660-7387-7	MWB22S	Water	02/22/2006 1107	02/23/2006 0941
660-7387-8	MWB27I	Water	02/22/2006 1146	02/23/2006 0941
660-7387-9	Dup01	Water	02/22/2006 1146	02/23/2006 0941
660-7387-10	MWB27D	Water	02/22/2006 1213	02/23/2006 0941
660-7387-11	MWB27S	Water	02/22/2006 1232	02/23/2006 0941
660-7387-12	MWB29I	Water	02/22/2006 1320	02/23/2006 0941
660-7387-13	MWB29D	Water	02/22/2006 1336	02/23/2006 0941
660-7387-14	MWB29S	Water	02/22/2006 1355	02/23/2006 0941
660-7387-15	MWB2I	Water	02/22/2006 1431	02/23/2006 0941
660-7387-16	MWB2S	Water	02/22/2006 1517	02/23/2006 0941
660-7387-17	Trip Blank	Water	02/22/2006 0000	02/23/2006 0941

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB19D

Lab Sample ID: 660-7387-1

Date Sampled: 02/22/2006 0836

Client Matrix: Water

Date Received: 02/23/2006 0941

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 03/07/2006 1824
Date Prepared: 03/07/2006 1824

Analysis Batch: 660-21747

Instrument ID: BVMJ GC/MS
Lab File ID: 1JC0712.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Acetone	9.9	U	9.9	20
Acrylonitrile	1.2	U	1.2	100
Benzene	0.27	U	0.27	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Bromomethane	0.66	U	0.66	1.0
Methyl Ethyl Ketone	8.4	U	8.4	10
Carbon disulfide	0.85	U	0.85	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Bromochloromethane	0.58	U	0.58	1.0
Chloroethane	0.80	U	0.80	1.0
Chloroform	0.90	U	0.90	1.0
1,2-Dichlorobenzene	0.44	U	0.44	1.0
Chloromethane	0.64	U	0.64	1.0
Dibromochloromethane	0.34	U	0.34	1.0
Methylene bromide	0.41	U	0.41	1.0
trans-1,4-Dichloro-2-butene	2.5	U	2.5	10
1,4-Dichlorobenzene	0.52	U	0.52	1.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,1-Dichloroethene	0.45	U	0.45	1.0
cis-1,2-Dichloroethene	0.65	U	0.65	1.0
trans-1,2-Dichloroethene	0.44	U	0.44	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
Ethylbenzene	0.44	U	0.44	1.0
2-Hexanone	4.4	U	4.4	10
Iodomethane	0.67	U	0.67	1.0
4-Methyl-2-pentanone	3.8	U	3.8	10
Methylene Chloride	4.0	U	4.0	5.0
Styrene	0.98	U	0.98	1.0
1,1,2,2-Tetrachloroethane	0.14	U	0.14	1.0
1,1,1,2-Tetrachloroethane	0.63	U	0.63	1.0
Tetrachloroethene	0.34	U	0.34	1.0
Toluene	0.51	U	0.51	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethene	0.28	U	0.28	1.0
Trichlorofluoromethane	0.98	U	0.98	1.0
1,2,3-Trichloropropane	0.15	U	0.15	1.0
Vinyl acetate	1.5	U	1.5	10

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB19D

Lab Sample ID: 660-7387-1
Client Matrix: Water

Date Sampled: 02/22/2006 0836
Date Received: 02/23/2006 0941

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 03/07/2006 1824
Date Prepared: 03/07/2006 1824

Analysis Batch: 660-21747

Instrument ID: BVMJ GC/MS
Lab File ID: 1JC0712.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	0.50	U	0.50	1.0
Xylenes, Total	0.30	U	0.30	1.0
Surrogate	%Rec		Acceptance Limits	
4-Bromofluorobenzene	99		74 - 126	
Dibromofluoromethane	99		70 - 130	
Toluene-d8	114		77 - 122	

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB19I

Lab Sample ID: 660-7387-2

Date Sampled: 02/22/2006 0915

Client Matrix: Water

Date Received: 02/23/2006 0941

8260B Volatile Organic Compounds by GC/MS

Method:	8260B	Analysis Batch:	660-21747	Instrument ID:	BVMJ GC/MS
Preparation:	5030B			Lab File ID:	1JC0728.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Date Analyzed:	03/08/2006 0101			Final Weight/Volume:	5 mL
Date Prepared:	03/08/2006 0101				

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Acetone	9.9	U	9.9	20
Acrylonitrile	1.2	U	1.2	100
Benzene	0.27	U	0.27	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Bromomethane	0.66	U	0.66	1.0
Methyl Ethyl Ketone	8.4	U	8.4	10
Carbon disulfide	0.85	U	0.85	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Bromochloromethane	0.58	U	0.58	1.0
Chloroethane	0.80	U	0.80	1.0
Chloroform	0.90	U	0.90	1.0
Chloromethane	0.64	U	0.64	1.0
1,2-Dichlorobenzene	0.44	U	0.44	1.0
Dibromochloromethane	0.34	U	0.34	1.0
Methylene bromide	0.41	U	0.41	1.0
trans-1,4-Dichloro-2-butene	2.5	U	2.5	10
1,4-Dichlorobenzene	0.52	U	0.52	1.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,1-Dichloroethene	0.45	U	0.45	1.0
cis-1,2-Dichloroethene	0.65	U	0.65	1.0
trans-1,2-Dichloroethene	0.44	U	0.44	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
Ethylbenzene	0.44	U	0.44	1.0
2-Hexanone	4.4	U	4.4	10
Iodomethane	0.67	U	0.67	1.0
4-Methyl-2-pentanone	3.8	U	3.8	10
Methylene Chloride	4.0	U	4.0	5.0
Styrene	0.98	U	0.98	1.0
1,1,2,2-Tetrachloroethane	0.14	U	0.14	1.0
1,1,1,2-Tetrachloroethane	0.63	U	0.63	1.0
Tetrachloroethene	0.34	U	0.34	1.0
Toluene	0.51	U	0.51	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethene	0.28	U	0.28	1.0
Trichlorofluoromethane	0.98	U	0.98	1.0
1,2,3-Trichloropropane	0.15	U	0.15	1.0
Vinyl acetate	1.5	U	1.5	10

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB19I

Lab Sample ID: 660-7387-2

Date Sampled: 02/22/2006 0915

Client Matrix: Water

Date Received: 02/23/2006 0941

8260B Volatile Organic Compounds by GC/MS

Method: 8260B

Analysis Batch: 660-21747

Instrument ID: BVMJ GC/MS

Preparation: 5030B

Lab File ID: 1JC0728.D

Dilution: 1.0

Initial Weight/Volume: 5 mL

Date Analyzed: 03/08/2006 0101

Final Weight/Volume: 5 mL

Date Prepared: 03/08/2006 0101

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	0.50	U	0.50	1.0
Xylenes, Total	0.30	U	0.30	1.0
Surrogate	%Rec		Acceptance Limits	
4-Bromofluorobenzene	97		74 - 126	
Dibromofluoromethane	99		70 - 130	
Toluene-d8	113		77 - 122	

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB19S

Lab Sample ID: 660-7387-3

Date Sampled: 02/22/2006 0934

Client Matrix: Water

Date Received: 02/23/2006 0941

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 03/08/2006 0036
Date Prepared: 03/08/2006 0036

Analysis Batch: 660-21747

Instrument ID: BVMJ GC/MS
Lab File ID: 1JC0727.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Acetone	9.9	U	9.9	20
Acrylonitrile	1.2	U	1.2	100
Benzene	0.27	U	0.27	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Bromomethane	0.66	U	0.66	1.0
Methyl Ethyl Ketone	8.4	U	8.4	10
Carbon disulfide	0.85	U	0.85	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Bromochloromethane	0.58	U	0.58	1.0
Chloroethane	0.80	U	0.80	1.0
Chloroform	0.90	U	0.90	1.0
1,2-Dichlorobenzene	0.44	U	0.44	1.0
Chloromethane	0.64	U	0.64	1.0
Dibromochloromethane	0.34	U	0.34	1.0
Methylene bromide	0.41	U	0.41	1.0
trans-1,4-Dichloro-2-butene	2.5	U	2.5	10
1,4-Dichlorobenzene	0.52	U	0.52	1.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,1-Dichloroethene	0.45	U	0.45	1.0
cis-1,2-Dichloroethene	0.65	U	0.65	1.0
trans-1,2-Dichloroethene	0.44	U	0.44	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
Ethylbenzene	0.44	U	0.44	1.0
2-Hexanone	4.4	U	4.4	10
Iodomethane	0.67	U	0.67	1.0
4-Methyl-2-pentanone	3.8	U	3.8	10
Methylene Chloride	4.0	U	4.0	5.0
Styrene	0.98	U	0.98	1.0
1,1,1,2-Tetrachloroethane	0.14	U	0.14	1.0
1,1,1,2-Tetrachloroethane	0.63	U	0.63	1.0
Tetrachloroethene	0.34	U	0.34	1.0
Toluene	0.51	U	0.51	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethene	0.28	U	0.28	1.0
Trichlorofluoromethane	0.98	U	0.98	1.0
1,2,3-Trichloropropane	0.15	U	0.15	1.0
Vinyl acetate	1.5	U	1.5	10

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB19S

Lab Sample ID: 660-7387-3
Client Matrix: Water

Date Sampled: 02/22/2006 0934
Date Received: 02/23/2006 0941

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 03/08/2006 0036
Date Prepared: 03/08/2006 0036

Analysis Batch: 660-21747

Instrument ID: BVMJ GC/MS
Lab File ID: 1JC0727.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	0.50	U	0.50	1.0
Xylenes, Total	0.30	U	0.30	1.0
Surrogate	%Rec		Acceptance Limits	
4-Bromofluorobenzene	91		74 - 126	
Dibromofluoromethane	91		70 - 130	
Toluene-d8	108		77 - 122	

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB121

Lab Sample ID: 660-7387-4

Client Matrix: Water

Date Sampled: 02/22/2006 1015

Date Received: 02/23/2006 0941

8260B Volatile Organic Compounds by GC/MS

Method:	8260B	Analysis Batch:	660-21747	Instrument ID:	BVMJ GC/MS
Preparation:	5030B			Lab File ID:	1JC0713.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Date Analyzed:	03/07/2006 1849			Final Weight/Volume:	5 mL
Date Prepared:	03/07/2006 1849				

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Acetone	9.9	U	9.9	20
Acrylonitrile	1.2	U	1.2	100
Benzene	0.27	U	0.27	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Bromomethane	0.66	U	0.66	1.0
Methyl Ethyl Ketone	8.4	U	8.4	10
Carbon disulfide	0.85	U	0.85	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Bromochloromethane	0.58	U	0.58	1.0
Chloroethane	0.80	U	0.80	1.0
Chloroform	0.90	U	0.90	1.0
1,2-Dichlorobenzene	0.44	U	0.44	1.0
Chloromethane	0.64	U	0.64	1.0
Dibromochloromethane	0.34	U	0.34	1.0
Methylene bromide	0.41	U	0.41	1.0
trans-1,4-Dichloro-2-butene	2.5	U	2.5	10
1,4-Dichlorobenzene	0.52	U	0.52	1.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,1-Dichloroethene	0.45	U	0.45	1.0
cis-1,2-Dichloroethene	0.65	U	0.65	1.0
trans-1,2-Dichloroethene	0.44	U	0.44	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
Ethylbenzene	0.44	U	0.44	1.0
2-Hexanone	4.4	U	4.4	10
Iodomethane	0.67	U	0.67	1.0
4-Methyl-2-pentanone	3.8	U	3.8	10
Methylene Chloride	4.0	U	4.0	5.0
Styrene	0.98	U	0.98	1.0
1,1,2,2-Tetrachloroethane	0.14	U	0.14	1.0
1,1,1,2-Tetrachloroethane	0.63	U	0.63	1.0
Tetrachloroethene	0.34	U	0.34	1.0
Toluene	0.51	U	0.51	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethene	0.28	U	0.28	1.0
Trichlorofluoromethane	0.98	U	0.98	1.0
1,2,3-Trichloropropane	0.15	U	0.15	1.0
Vinyl acetate	1.5	U	1.5	10

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB12I

Lab Sample ID: 660-7387-4

Date Sampled: 02/22/2006 1015

Client Matrix: Water

Date Received: 02/23/2006 0941

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 03/07/2006 1849
Date Prepared: 03/07/2006 1849

Analysis Batch: 660-21747

Instrument ID: BVMJ GC/MS
Lab File ID: 1JC0713.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	0.50	U	0.50	1.0
Xylenes, Total	0.30	U	0.30	1.0
Surrogate	%Rec -		Acceptance Limits	
4-Bromofluorobenzene	93		74 - 126	
Dibromofluoromethane	95		70 - 130	
Toluene-d8	107		77 - 122	

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB12D

Lab Sample ID: 660-7387-5

Date Sampled: 02/22/2006 1032

Client Matrix: Water

Date Received: 02/23/2006 0941

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 03/08/2006 0011
Date Prepared: 03/08/2006 0011

Analysis Batch: 660-21747

Instrument ID: BVMJ GC/MS
Lab File ID: 1JC0726.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Acetone	9.9	U	9.9	20
Acrylonitrile	1.2	U	1.2	100
Benzene	0.27	U	0.27	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Bromomethane	0.66	U	0.66	1.0
Methyl Ethyl Ketone	8.4	U	8.4	10
Carbon disulfide	0.85	U	0.85	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Bromochloromethane	0.58	U	0.58	1.0
Chloroethane	0.80	U	0.80	1.0
Chloroform	0.90	U	0.90	1.0
Chloromethane	0.64	U	0.64	1.0
1,2-Dichlorobenzene	0.44	U	0.44	1.0
Dibromochloromethane	0.34	U	0.34	1.0
Methylene bromide	0.41	U	0.41	1.0
trans-1,4-Dichloro-2-butene	2.5	U	2.5	10
1,4-Dichlorobenzene	0.52	U	0.52	1.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,1-Dichloroethene	0.45	U	0.45	1.0
cis-1,2-Dichloroethene	0.65	U	0.65	1.0
trans-1,2-Dichloroethene	0.44	U	0.44	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
Ethylbenzene	0.44	U	0.44	1.0
2-Hexanone	4.4	U	4.4	10
Iodomethane	0.67	U	0.67	1.0
4-Methyl-2-pentanone	3.8	U	3.8	10
Methylene Chloride	4.0	U	4.0	5.0
Styrene	0.98	U	0.98	1.0
1,1,2,2-Tetrachloroethane	0.14	U	0.14	1.0
1,1,1,2-Tetrachloroethane	0.63	U	0.63	1.0
Tetrachloroethene	0.34	U	0.34	1.0
Toluene	0.51	U	0.51	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethene	0.28	U	0.28	1.0
Trichlorofluoromethane	0.98	U	0.98	1.0
1,2,3-Trichloropropane	0.15	U	0.15	1.0
Vinyl acetate	1.5	U	1.5	10

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB12D

Lab Sample ID: 660-7387-5

Client Matrix: Water

Date Sampled: 02/22/2006 1032

Date Received: 02/23/2006 0941

8260B Volatile Organic Compounds by GC/MS

Method: 8260B

Analysis Batch: 660-21747

Instrument ID: BVMJ GC/MS

Preparation: 5030B

Lab File ID: 1JC0726.D

Dilution: 1.0

Initial Weight/Volume: 5 mL

Date Analyzed: 03/08/2006 0011

Final Weight/Volume: 5 mL

Date Prepared: 03/08/2006 0011

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	0.50	U	0.50	1.0
Xylenes, Total	0.30	U	0.30	1.0
Surrogate	%Rec		Acceptance Limits	
4-Bromofluorobenzene	98		74 - 126	
Dibromofluoromethane	98		70 - 130	
Toluene-d8	113		77 - 122	

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB12S

Lab Sample ID: 660-7387-6

Date Sampled: 02/22/2006 1048

Client Matrix: Water

Date Received: 02/23/2006 0941

8260B Volatile Organic Compounds by GC/MS

Method: 8260B

Analysis Batch: 660-21747

Instrument ID: BVMJ GC/MS

Preparation: 5030B

Lab File ID: 1JC0714.D

Dilution: 1.0

Initial Weight/Volume: 5 mL

Date Analyzed: 03/07/2006 1913

Final Weight/Volume: 5 mL

Date Prepared: 03/07/2006 1913

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Acetone	9.9	U	9.9	20
Acrylonitrile	1.2	U	1.2	100
Benzene	0.27	U	0.27	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Bromomethane	0.66	U	0.66	1.0
Methyl Ethyl Ketone	8.4	U	8.4	10
Carbon disulfide	0.85	U	0.85	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Bromochloromethane	0.58	U	0.58	1.0
Chloroethane	0.80	U	0.80	1.0
Chloroform	0.90	U	0.90	1.0
Chloromethane	0.64	U	0.64	1.0
1,2-Dichlorobenzene	0.44	U	0.44	1.0
Dibromochloromethane	0.34	U	0.34	1.0
Methylene bromide	0.41	U	0.41	1.0
trans-1,4-Dichloro-2-butene	2.5	U	2.5	10
1,4-Dichlorobenzene	0.52	U	0.52	1.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,1-Dichloroethene	0.45	U	0.45	1.0
cis-1,2-Dichloroethene	0.65	U	0.65	1.0
trans-1,2-Dichloroethene	0.44	U	0.44	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
Ethylbenzene	0.44	U	0.44	1.0
2-Hexanone	4.4	U	4.4	10
Iodomethane	0.67	U	0.67	1.0
4-Methyl-2-pentanone	3.8	U	3.8	10
Methylene Chloride	4.0	U	4.0	5.0
Styrene	0.98	U	0.98	1.0
1,1,2,2-Tetrachloroethane	0.14	U	0.14	1.0
1,1,1,2-Tetrachloroethane	0.63	U	0.63	1.0
Tetrachloroethene	0.34	U	0.34	1.0
Toluene	0.51	U	0.51	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethene	0.28	U	0.28	1.0
Trichlorofluoromethane	0.98	U	0.98	1.0
1,2,3-Trichloropropane	0.15	U	0.15	1.0
Vinyl acetate	1.5	U	1.5	10

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB12S

Lab Sample ID: 660-7387-6

Client Matrix: Water

Date Sampled: 02/22/2006 1048

Date Received: 02/23/2006 0941

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 03/07/2006 1913
Date Prepared: 03/07/2006 1913

Analysis Batch: 660-21747

Instrument ID: BVMJ GC/MS
Lab File ID: 1JC0714.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	0.50	U	0.50	1.0
Xylenes, Total	0.30	U	0.30	1.0
Surrogate	%Rec		Acceptance Limits	
4-Bromofluorobenzene	93		74 - 126	
Dibromofluoromethane	95		70 - 130	
Toluene-d8	110		77 - 122	

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB22S

Lab Sample ID: 660-7387-7

Date Sampled: 02/22/2006 1107

Client Matrix: Water

Date Received: 02/23/2006 0941

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 03/07/2006 1938
Date Prepared: 03/07/2006 1938

Analysis Batch: 660-21747

Instrument ID: BVMJ GC/MS
Lab File ID: 1JC0715.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Acetone	9.9	U	9.9	20
Acrylonitrile	1.2	U	1.2	100
Benzene	0.27	U	0.27	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Bromomethane	0.66	U	0.66	1.0
Methyl Ethyl Ketone	8.4	U	8.4	10
Carbon disulfide	0.85	U	0.85	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Bromochloromethane	0.58	U	0.58	1.0
Chloroethane	0.80	U	0.80	1.0
Chloroform	0.90	U	0.90	1.0
Chloromethane	0.64	U	0.64	1.0
1,2-Dichlorobenzene	0.44	U	0.44	1.0
Dibromochloromethane	0.34	U	0.34	1.0
Methylene bromide	0.41	U	0.41	1.0
trans-1,4-Dichloro-2-butene	2.5	U	2.5	10
1,4-Dichlorobenzene	0.52	U	0.52	1.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,1-Dichloroethene	0.45	U	0.45	1.0
cis-1,2-Dichloroethene	0.65	U	0.65	1.0
trans-1,2-Dichloroethene	0.44	U	0.44	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
Ethylbenzene	0.44	U	0.44	1.0
2-Hexanone	4.4	U	4.4	10
Iodomethane	0.67	U	0.67	1.0
4-Methyl-2-pentanone	3.8	U	3.8	10
Methylene Chloride	4.0	U	4.0	5.0
Styrene	0.98	U	0.98	1.0
1,1,2,2-Tetrachloroethane	0.14	U	0.14	1.0
1,1,1,2-Tetrachloroethane	0.63	U	0.63	1.0
Tetrachloroethene	0.34	U	0.34	1.0
Toluene	0.51	U	0.51	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethene	0.28	U	0.28	1.0
Trichlorofluoromethane	0.98	U	0.98	1.0
1,2,3-Trichloropropane	0.15	U	0.15	1.0
Vinyl acetate	1.5	U	1.5	10

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB22S

Lab Sample ID: 660-7387-7

Date Sampled: 02/22/2006 1107

Client Matrix: Water

Date Received: 02/23/2006 0941

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 03/07/2006 1938
Date Prepared: 03/07/2006 1938

Analysis Batch: 660-21747

Instrument ID: BVMJ GC/MS
Lab File ID: 1JC0715.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	0.50	U	0.50	1.0
Xylenes, Total	0.30	U	0.30	1.0
Surrogate	%Rec	Acceptance Limits		
4-Bromofluorobenzene	92	74 - 126		
Dibromofluoromethane	95	70 - 130		
Toluene-d8	109	77 - 122		

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB27I

Lab Sample ID: 660-7387-8

Date Sampled: 02/22/2006 1146

Client Matrix: Water

Date Received: 02/23/2006 0941

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 03/07/2006 2003
Date Prepared: 03/07/2006 2003

Analysis Batch: 660-21747

Instrument ID: BVMJ GC/MS
Lab File ID: 1JC0716.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Acetone	9.9	U	9.9	20
Acrylonitrile	1.2	U	1.2	100
Benzene	0.27	U	0.27	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Bromomethane	0.66	U	0.66	1.0
Methyl Ethyl Ketone	8.4	U	8.4	10
Carbon disulfide	0.85	U	0.85	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Bromochloromethane	0.58	U	0.58	1.0
Chloroethane	0.80	U	0.80	1.0
Chloroform	0.90	U	0.90	1.0
Chloromethane	0.64	U	0.64	1.0
1,2-Dichlorobenzene	0.44	U	0.44	1.0
Dibromochloromethane	0.34	U	0.34	1.0
Methylene bromide	0.41	U	0.41	1.0
trans-1,4-Dichloro-2-butene	2.5	U	2.5	10
1,1-Dichloroethane	0.52	U	0.52	1.0
1,4-Dichlorobenzene	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,1-Dichloroethene	0.45	U	0.45	1.0
cis-1,2-Dichloroethene	0.65	U	0.65	1.0
trans-1,2-Dichloroethene	0.44	U	0.44	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
Ethylbenzene	0.44	U	0.44	1.0
2-Hexanone	4.4	U	4.4	10
Iodomethane	0.67	U	0.67	1.0
4-Methyl-2-pentanone	3.8	U	3.8	10
Methylene Chloride	4.0	U	4.0	5.0
Styrene	0.98	U	0.98	1.0
1,1,2,2-Tetrachloroethane	0.14	U	0.14	1.0
1,1,1,2-Tetrachloroethane	0.63	U	0.63	1.0
Tetrachloroethene	0.34	U	0.34	1.0
Toluene	0.51	U	0.51	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethene	0.28	U	0.28	1.0
Trichlorofluoromethane	0.98	U	0.98	1.0
1,2,3-Trichloropropane	0.15	U	0.15	1.0
Vinyl acetate	1.5	U	1.5	10

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB271

Lab Sample ID: 660-7387-8

Date Sampled: 02/22/2006 1146

Client Matrix: Water

Date Received: 02/23/2006 0941

8260B Volatile Organic Compounds by GC/MS

Method:	8260B	Analysis Batch: 660-21747	Instrument ID:	BVMJ GC/MS
Preparation:	5030B		Lab File ID:	1JC0716.D
Dilution:	1.0		Initial Weight/Volume:	5 mL
Date Analyzed:	03/07/2006 2003		Final Weight/Volume:	5 mL
Date Prepared:	03/07/2006 2003			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	0.50	U	0.50	1.0
Xylenes, Total	0.30	U	0.30	1.0
Surrogate	%Rec		Acceptance Limits	
4-Bromofluorobenzene	94		74 - 126	
Dibromofluoromethane	94		70 - 130	
Toluene-d8	106		77 - 122	

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: Dup01

Lab Sample ID: 660-7387-9

Date Sampled: 02/22/2006 1146

Client Matrix: Water

Date Received: 02/23/2006 0941

8260B Volatile Organic Compounds by GC/MS

Method:	8260B	Analysis Batch: 660-21747	Instrument ID:	BVMJ GC/MS
Preparation:	5030B		Lab File ID:	1JC0717.D
Dilution:	1.0		Initial Weight/Volume:	5 mL
Date Analyzed:	03/07/2006 2028		Final Weight/Volume:	5 mL
Date Prepared:	03/07/2006 2028			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Acetone	9.9	U	9.9	20
Acrylonitrile	1.2	U	1.2	100
Benzene	0.27	U	0.27	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Bromomethane	0.66	U	0.66	1.0
Methyl Ethyl Ketone	8.4	U	8.4	10
Carbon disulfide	0.85	U	0.85	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Bromochloromethane	0.58	U	0.58	1.0
Chloroethane	0.80	U	0.80	1.0
Chloroform	0.90	U	0.90	1.0
1,2-Dichlorobenzene	0.44	U	0.44	1.0
Chloromethane	0.64	U	0.64	1.0
Dibromochloromethane	0.34	U	0.34	1.0
Methylene bromide	0.41	U	0.41	1.0
trans-1,4-Dichloro-2-butene	2.5	U	2.5	10
1,4-Dichlorobenzene	0.52	U	0.52	1.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,1-Dichloroethene	0.45	U	0.45	1.0
cis-1,2-Dichloroethene	0.65	U	0.65	1.0
trans-1,2-Dichloroethene	0.44	U	0.44	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
Ethylbenzene	0.44	U	0.44	1.0
2-Hexanone	4.4	U	4.4	10
Iodomethane	0.67	U	0.67	1.0
4-Methyl-2-pentanone	3.8	U	3.8	10
Methylene Chloride	4.0	U	4.0	5.0
Styrene	0.98	U	0.98	1.0
1,1,2,2-Tetrachloroethane	0.14	U	0.14	1.0
1,1,1,2-Tetrachloroethane	0.63	U	0.63	1.0
Tetrachloroethene	0.34	U	0.34	1.0
Toluene	0.51	U	0.51	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethene	0.28	U	0.28	1.0
Trichlorofluoromethane	0.98	U	0.98	1.0
1,2,3-Trichloropropane	0.15	U	0.15	1.0
Vinyl acetate	1.5	U	1.5	10

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: Dup01

Lab Sample ID: 660-7387-9

Date Sampled: 02/22/2006 1146

Client Matrix: Water

Date Received: 02/23/2006 0941

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 03/07/2006 2028
Date Prepared: 03/07/2006 2028

Analysis Batch: 660-21747

Instrument ID: BVMJ GC/MS
Lab File ID: 1JC0717.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	0.50	U	0.50	1.0
Xylenes, Total	0.30	U	0.30	1.0
Surrogate	%Rec		Acceptance Limits	
4-Bromofluorobenzene	87		74 - 126	
Dibromofluoromethane	86		70 - 130	
Toluene-d8	93		77 - 122	

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB27D

Lab Sample ID: 660-7387-10

Date Sampled: 02/22/2006 1213

Client Matrix: Water

Date Received: 02/23/2006 0941

8260B Volatile Organic Compounds by GC/MS

Method:	8260B	Analysis Batch:	660-21747	Instrument ID:	BVMJ GC/MS
Preparation:	5030B			Lab File ID:	1JC0718.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Date Analyzed:	03/07/2006 2053			Final Weight/Volume:	5 mL
Date Prepared:	03/07/2006 2053				

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Acetone	9.9	U	9.9	20
Acrylonitrile	1.2	U	1.2	100
Benzene	0.27	U	0.27	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Bromomethane	0.66	U	0.66	1.0
Methyl Ethyl Ketone	8.4	U	8.4	10
Carbon disulfide	0.85	U	0.85	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Bromochloromethane	0.58	U	0.58	1.0
Chloroethane	0.80	U	0.80	1.0
Chloroform	0.90	U	0.90	1.0
Chloromethane	0.64	U	0.64	1.0
1,2-Dichlorobenzene	0.44	U	0.44	1.0
Dibromochloromethane	0.34	U	0.34	1.0
Methylene bromide	0.41	U	0.41	1.0
trans-1,4-Dichloro-2-butene	2.5	U	2.5	10
1,4-Dichlorobenzene	0.52	U	0.52	1.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,1-Dichloroethene	0.45	U	0.45	1.0
cis-1,2-Dichloroethene	0.65	U	0.65	1.0
trans-1,2-Dichloroethene	0.44	U	0.44	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
Ethylbenzene	0.44	U	0.44	1.0
2-Hexanone	4.4	U	4.4	10
Iodomethane	0.67	U	0.67	1.0
4-Methyl-2-pentanone	3.8	U	3.8	10
Methylene Chloride	4.0	U	4.0	5.0
Styrene	0.98	U	0.98	1.0
1,1,2,2-Tetrachloroethane	0.14	U	0.14	1.0
1,1,1,2-Tetrachloroethane	0.63	U	0.63	1.0
Tetrachloroethene	0.34	U	0.34	1.0
Toluene	0.51	U	0.51	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethene	0.28	U	0.28	1.0
Trichlorofluoromethane	0.98	U	0.98	1.0
1,2,3-Trichloropropane	0.15	U	0.15	1.0
Vinyl acetate	1.5	U	1.5	10

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB27D

Lab Sample ID: 660-7387-10

Date Sampled: 02/22/2006 1213

Client Matrix: Water

Date Received: 02/23/2006 0941

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 03/07/2006 2053
Date Prepared: 03/07/2006 2053

Analysis Batch: 660-21747

Instrument ID: BVMJ GC/MS
Lab File ID: 1JC0718.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	0.50	U	0.50	1.0
Xylenes, Total	0.30	U	0.30	1.0
Surrogate	%Rec		Acceptance Limits	
4-Bromofluorobenzene	90		74 - 126	
Dibromofluoromethane	90		70 - 130	
Toluene-d8	106		77 - 122	

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB27S

Lab Sample ID: 660-7387-11

Date Sampled: 02/22/2006 1232

Client Matrix: Water

Date Received: 02/23/2006 0941

8260B Volatile Organic Compounds by GC/MS

Method:	8260B	Analysis Batch:	660-21747	Instrument ID:	BVMJ GC/MS
Preparation:	5030B			Lab File ID:	1JC0719.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Date Analyzed:	03/07/2006 2118			Final Weight/Volume:	5 mL
Date Prepared:	03/07/2006 2118				

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Acetone	9.9	U	9.9	20
Acrylonitrile	1.2	U	1.2	100
Benzene	0.27	U	0.27	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Bromomethane	0.66	U	0.66	1.0
Methyl Ethyl Ketone	8.4	U	8.4	10
Carbon disulfide	0.85	U	0.85	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Bromochloromethane	0.58	U	0.58	1.0
Chloroethane	0.80	U	0.80	1.0
Chloroform	0.90	U	0.90	1.0
Chloromethane	0.64	U	0.64	1.0
1,2-Dichlorobenzene	0.44	U	0.44	1.0
Dibromochloromethane	0.34	U	0.34	1.0
Methylene bromide	0.41	U	0.41	1.0
trans-1,4-Dichloro-2-butene	2.5	U	2.5	10
1,4-Dichlorobenzene	0.52	U	0.52	1.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,1-Dichloroethene	0.45	U	0.45	1.0
cis-1,2-Dichloroethene	0.65	U	0.65	1.0
trans-1,2-Dichloroethene	0.44	U	0.44	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
Ethylbenzene	0.44	U	0.44	1.0
2-Hexanone	4.4	U	4.4	10
Iodomethane	0.67	U	0.67	1.0
4-Methyl-2-pentanone	3.8	U	3.8	10
Methylene Chloride	4.0	U	4.0	5.0
Styrene	0.98	U	0.98	1.0
1,1,2,2-Tetrachloroethane	0.14	U	0.14	1.0
1,1,1,2-Tetrachloroethane	0.63	U	0.63	1.0
Tetrachloroethene	0.34	U	0.34	1.0
Toluene	0.51	U	0.51	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethene	0.28	U	0.28	1.0
Trichlorofluoromethane	0.98	U	0.98	1.0
1,2,3-Trichloropropane	0.15	U	0.15	1.0
Vinyl acetate	1.5	U	1.5	10

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB27S

Lab Sample ID: 660-7387-11

Date Sampled: 02/22/2006 1232

Client Matrix: Water

Date Received: 02/23/2006 0941

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 03/07/2006 2118
Date Prepared: 03/07/2006 2118

Analysis Batch: 660-21747

Instrument ID: BVMJ GC/MS
Lab File ID: 1JC0719.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	0.50	U	0.50	1.0
Xylenes, Total	0.30	U	0.30	1.0
Surrogate	%Rec		Acceptance Limits	
4-Bromofluorobenzene	90		74 - 126	
Dibromofluoromethane	93		70 - 130	
Toluene-d8	105		77 - 122	

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB29I

Lab Sample ID: 660-7387-12

Date Sampled: 02/22/2006 1320

Client Matrix: Water

Date Received: 02/23/2006 0941

8260B Volatile Organic Compounds by GC/MS

Method: 8260B

Analysis Batch: 660-21747

Instrument ID: BVMJ GC/MS

Preparation: 5030B

Lab File ID: 1JC0720.D

Dilution: 1.0

Initial Weight/Volume: 5 mL

Date Analyzed: 03/07/2006 2142

Final Weight/Volume: 5 mL

Date Prepared: 03/07/2006 2142

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Acetone	9.9	U	9.9	20
Acrylonitrile	1.2	U	1.2	100
Benzene	0.27	U	0.27	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Bromomethane	0.66	U	0.66	1.0
Methyl Ethyl Ketone	8.4	U	8.4	10
Carbon disulfide	0.85	U	0.85	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Bromochloromethane	0.58	U	0.58	1.0
Chloroethane	0.80	U	0.80	1.0
Chloroform	0.90	U	0.90	1.0
Chloromethane	0.64	U	0.64	1.0
1,2-Dichlorobenzene	0.44	U	0.44	1.0
Dibromochloromethane	0.34	U	0.34	1.0
Methylene bromide	0.41	U	0.41	1.0
trans-1,4-Dichloro-2-butene	2.5	U	2.5	10
1,4-Dichlorobenzene	0.52	U	0.52	1.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,1-Dichloroethene	0.45	U	0.45	1.0
cis-1,2-Dichloroethene	0.65	U	0.65	1.0
trans-1,2-Dichloroethene	0.44	U	0.44	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
Ethylbenzene	0.44	U	0.44	1.0
2-Hexanone	4.4	U	4.4	10
Iodomethane	0.67	U	0.67	1.0
4-Methyl-2-pentanone	3.8	U	3.8	10
Methylene Chloride	4.0	U	4.0	5.0
Styrene	0.98	U	0.98	1.0
1,1,2,2-Tetrachloroethane	0.14	U	0.14	1.0
1,1,1,2-Tetrachloroethane	0.63	U	0.63	1.0
Tetrachloroethene	0.34	U	0.34	1.0
Toluene	0.51	U	0.51	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethene	0.28	U	0.28	1.0
Trichlorofluoromethane	0.98	U	0.98	1.0
1,2,3-Trichloropropane	0.15	U	0.15	1.0
Vinyl acetate	1.5	U	1.5	10

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB29I

Lab Sample ID: 660-7387-12

Date Sampled: 02/22/2006 1320

Client Matrix: Water

Date Received: 02/23/2006 0941

8260B Volatile Organic Compounds by GC/MS

Method:	8260B	Analysis Batch: 660-21747	Instrument ID:	BVMJ GC/MS
Preparation:	5030B		Lab File ID:	1JC0720.D
Dilution:	1.0		Initial Weight/Volume:	5 mL
Date Analyzed:	03/07/2006 2142		Final Weight/Volume:	5 mL
Date Prepared:	03/07/2006 2142			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	0.50	U	0.50	1.0
Xylenes, Total	0.30	U	0.30	1.0
Surrogate	%Rec		Acceptance Limits	
4-Bromofluorobenzene	88		74 - 126	
Dibromofluoromethane	90		70 - 130	
Toluene-d8	100		77 - 122	

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB29D

Lab Sample ID: 660-7387-13

Date Sampled: 02/22/2006 1336

Client Matrix: Water

Date Received: 02/23/2006 0941

8260B Volatile Organic Compounds by GC/MS

Method: 8260B

Analysis Batch: 660-21747

Instrument ID: BVMJ GC/MS

Preparation: 5030B

Lab File ID: 1JC0721.D

Dilution: 1.0

Initial Weight/Volume: 5 mL

Date Analyzed: 03/07/2006 2207

Final Weight/Volume: 5 mL

Date Prepared: 03/07/2006 2207

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Acetone	9.9	U	9.9	20
Acrylonitrile	1.2	U	1.2	100
Benzene	0.27	U	0.27	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Bromomethane	0.66	U	0.66	1.0
Methyl Ethyl Ketone	8.4	U	8.4	10
Carbon disulfide	0.85	U	0.85	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Bromochloromethane	0.58	U	0.58	1.0
Chloroethane	0.80	U	0.80	1.0
Chloroform	0.90	U	0.90	1.0
Chloromethane	0.64	U	0.64	1.0
1,2-Dichlorobenzene	0.44	U	0.44	1.0
Dibromochloromethane	0.34	U	0.34	1.0
Methylene bromide	0.41	U	0.41	1.0
trans-1,4-Dichloro-2-butene	2.5	U	2.5	10
1,1-Dichloroethane	0.52	U	0.52	1.0
1,4-Dichlorobenzene	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,1-Dichloroethene	0.45	U	0.45	1.0
cis-1,2-Dichloroethene	0.65	U	0.65	1.0
trans-1,2-Dichloroethene	0.44	U	0.44	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
Ethylbenzene	0.44	U	0.44	1.0
2-Hexanone	4.4	U	4.4	10
Iodomethane	0.67	U	0.67	1.0
4-Methyl-2-pentanone	3.8	U	3.8	10
Methylene Chloride	4.0	U	4.0	5.0
Styrene	0.98	U	0.98	1.0
1,1,2,2-Tetrachloroethane	0.14	U	0.14	1.0
1,1,1,2-Tetrachloroethane	0.63	U	0.63	1.0
Tetrachloroethene	0.34	U	0.34	1.0
Toluene	0.51	U	0.51	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethene	0.28	U	0.28	1.0
Trichlorofluoromethane	0.98	U	0.98	1.0
1,2,3-Trichloropropane	0.15	U	0.15	1.0
Vinyl acetate	1.5	U	1.5	10

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB29D

Lab Sample ID: 660-7387-13

Date Sampled: 02/22/2006 1336

Client Matrix: Water

Date Received: 02/23/2006 0941

8260B Volatile Organic Compounds by GC/MS

Method: 8260B

Analysis Batch: 660-21747

Instrument ID: BVMJ GC/MS

Preparation: 5030B

Lab File ID: 1JC0721.D

Dilution: 1.0

Initial Weight/Volume: 5 mL

Date Analyzed: 03/07/2006 2207

Final Weight/Volume: 5 mL

Date Prepared: 03/07/2006 2207

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	0.50	U	0.50	1.0
Xylenes, Total	0.30	U	0.30	1.0
Surrogate	%Rec		Acceptance Limits	
4-Bromofluorobenzene	95		74 - 126	
Dibromofluoromethane	94		70 - 130	
Toluene-d8	109		77 - 122	

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB29S

Lab Sample ID: 660-7387-14

Date Sampled: 02/22/2006 1355

Client Matrix: Water

Date Received: 02/23/2006 0941

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 03/07/2006 2232
Date Prepared: 03/07/2006 2232

Analysis Batch: 660-21747

Instrument ID: BVMJ GC/MS
Lab File ID: 1JC0722.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Acetone	9.9	U	9.9	20
Acrylonitrile	1.2	U	1.2	100
Benzene	0.27	U	0.27	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Bromomethane	0.66	U	0.66	1.0
Methyl Ethyl Ketone	8.4	U	8.4	10
Carbon disulfide	0.85	U	0.85	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Bromochloromethane	0.58	U	0.58	1.0
Chloroethane	0.80	U	0.80	1.0
Chloroform	0.90	U	0.90	1.0
1,2-Dichlorobenzene	0.44	U	0.44	1.0
Chloromethane	0.64	U	0.64	1.0
Dibromochloromethane	0.34	U	0.34	1.0
Methylene bromide	0.41	U	0.41	1.0
trans-1,4-Dichloro-2-butene	2.5	U	2.5	10
1,4-Dichlorobenzene	0.52	U	0.52	1.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,1-Dichloroethene	0.45	U	0.45	1.0
cis-1,2-Dichloroethene	0.65	U	0.65	1.0
trans-1,2-Dichloroethene	0.44	U	0.44	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
Ethylbenzene	0.44	U	0.44	1.0
2-Hexanone	4.4	U	4.4	10
Iodomethane	0.67	U	0.67	1.0
4-Methyl-2-pentanone	3.8	U	3.8	10
Methylene Chloride	4.0	U	4.0	5.0
Styrene	0.98	U	0.98	1.0
1,1,2,2-Tetrachloroethane	0.14	U	0.14	1.0
1,1,1,2-Tetrachloroethane	0.63	U	0.63	1.0
Tetrachloroethene	0.34	U	0.34	1.0
Toluene	0.51	U	0.51	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethene	0.28	U	0.28	1.0
Trichlorofluoromethane	0.98	U	0.98	1.0
1,2,3-Trichloropropane	0.15	U	0.15	1.0
Vinyl acetate	1.5	U	1.5	10

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB29S

Lab Sample ID: 660-7387-14

Client Matrix: Water

Date Sampled: 02/22/2006 1355

Date Received: 02/23/2006 0941

8260B Volatile Organic Compounds by GC/MS

Method: 8260B

Analysis Batch: 660-21747

Instrument ID: BVMJ GC/MS

Preparation: 5030B

Lab File ID: 1JC0722.D

Dilution: 1.0

Initial Weight/Volume: 5 mL

Date Analyzed: 03/07/2006 2232

Final Weight/Volume: 5 mL

Date Prepared: 03/07/2006 2232

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	0.50	U	0.50	1.0
Xylenes, Total	0.30	U	0.30	1.0
Surrogate	%Rec		Acceptance Limits	
4-Bromofluorobenzene	98		74 - 126	
Dibromofluoromethane	97		70 - 130	
Toluene-d8	114		77 - 122	

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB2I

Lab Sample ID: 660-7387-15

Date Sampled: 02/22/2006 1431

Client Matrix: Water

Date Received: 02/23/2006 0941

8260B Volatile Organic Compounds by GC/MS

Method:	8260B	Analysis Batch:	660-21747	Instrument ID:	BVMJ GC/MS
Preparation:	5030B			Lab File ID:	1JC0723.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Date Analyzed:	03/07/2006 2257			Final Weight/Volume:	5 mL
Date Prepared:	03/07/2006 2257				

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Acetone	9.9	U	9.9	20
Acrylonitrile	1.2	U	1.2	100
Benzene	0.27	U	0.27	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Bromomethane	0.66	U	0.66	1.0
Methyl Ethyl Ketone	8.4	U	8.4	10
Carbon disulfide	0.85	U	0.85	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Bromochloromethane	0.58	U	0.58	1.0
Chloroethane	0.80	U	0.80	1.0
Chloroform	0.90	U	0.90	1.0
Chloromethane	0.64	U	0.64	1.0
1,2-Dichlorobenzene	0.44	U	0.44	1.0
Dibromochloromethane	0.34	U	0.34	1.0
Methylene bromide	0.41	U	0.41	1.0
trans-1,4-Dichloro-2-butene	2.5	U	2.5	10
1,4-Dichlorobenzene	0.52	U	0.52	1.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,1-Dichloroethene	0.45	U	0.45	1.0
cis-1,2-Dichloroethene	0.65	U	0.65	1.0
trans-1,2-Dichloroethene	0.44	U	0.44	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
Ethylbenzene	0.44	U	0.44	1.0
2-Hexanone	4.4	U	4.4	10
Iodomethane	0.67	U	0.67	1.0
4-Methyl-2-pentanone	3.8	U	3.8	10
Methylene Chloride	4.0	U	4.0	5.0
Styrene	0.98	U	0.98	1.0
1,1,2,2-Tetrachloroethane	0.14	U	0.14	1.0
1,1,1,2-Tetrachloroethane	0.63	U	0.63	1.0
Tetrachloroethene	0.34	U	0.34	1.0
Toluene	0.51	U	0.51	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethene	0.28	U	0.28	1.0
Trichlorofluoromethane	0.98	U	0.98	1.0
1,2,3-Trichloropropane	0.15	U	0.15	1.0
Vinyl acetate	1.5	U	1.5	10

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB2I

Lab Sample ID: 660-7387-15

Date Sampled: 02/22/2006 1431

Client Matrix: Water

Date Received: 02/23/2006 0941

8260B Volatile Organic Compounds by GC/MS

Method: 8260B

Analysis Batch: 660-21747

Instrument ID: BVMJ GC/MS

Preparation: 5030B

Lab File ID: 1JC0723.D

Dilution: 1.0

Initial Weight/Volume: 5 mL

Date Analyzed: 03/07/2006 2257

Final Weight/Volume: 5 mL

Date Prepared: 03/07/2006 2257

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	0.50	U	0.50	1.0
Xylenes, Total	0.30	U	0.30	1.0
Surrogate	%Rec	Acceptance Limits		
4-Bromofluorobenzene	92	74 - 126		
Dibromofluoromethane	94	70 - 130		
Toluene-d8	105	77 - 122		

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB2S

Lab Sample ID: 660-7387-16

Date Sampled: 02/22/2006 1517

Client Matrix: Water

Date Received: 02/23/2006 0941

8260B Volatile Organic Compounds by GC/MS

Method: 8260B

Analysis Batch: 660-21747

Instrument ID: BVMJ GC/MS

Preparation: 5030B

Lab File ID: 1JC0724.D

Dilution: 1.0

Initial Weight/Volume: 5 mL

Date Analyzed: 03/07/2006 2322

Final Weight/Volume: 5 mL

Date Prepared: 03/07/2006 2322

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Acetone	9.9	U	9.9	20
Acrylonitrile	1.2	U	1.2	100
Benzene	0.27	U	0.27	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Bromomethane	0.66	U	0.66	1.0
Methyl Ethyl Ketone	8.4	U	8.4	10
Carbon disulfide	0.85	U	0.85	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Bromochloromethane	0.58	U	0.58	1.0
Chloroethane	0.80	U	0.80	1.0
Chloroform	0.90	U	0.90	1.0
Chloromethane	0.64	U	0.64	1.0
1,2-Dichlorobenzene	0.44	U	0.44	1.0
Dibromochloromethane	0.34	U	0.34	1.0
Methylene bromide	0.41	U	0.41	1.0
trans-1,4-Dichloro-2-butene	2.5	U	2.5	10
1,4-Dichlorobenzene	0.52	U	0.52	1.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,1-Dichloroethene	0.45	U	0.45	1.0
cis-1,2-Dichloroethene	0.65	U	0.65	1.0
trans-1,2-Dichloroethene	0.44	U	0.44	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
Ethylbenzene	0.44	U	0.44	1.0
2-Hexanone	4.4	U	4.4	10
Iodomethane	0.67	U	0.67	1.0
4-Methyl-2-pentanone	3.8	U	3.8	10
Methylene Chloride	4.0	U	4.0	5.0
Styrene	0.98	U	0.98	1.0
1,1,2,2-Tetrachloroethane	0.14	U	0.14	1.0
1,1,1,2-Tetrachloroethane	0.63	U	0.63	1.0
Tetrachloroethene	0.34	U	0.34	1.0
Toluene	0.54	I	0.51	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethene	0.28	U	0.28	1.0
Trichlorofluoromethane	0.98	U	0.98	1.0
1,2,3-Trichloropropane	0.15	U	0.15	1.0
Vinyl acetate	1.5	U	1.5	10

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB2S

Lab Sample ID: 660-7387-16

Date Sampled: 02/22/2006 1517

Client Matrix: Water

Date Received: 02/23/2006 0941

8260B Volatile Organic Compounds by GC/MS

Method: 8260B

Analysis Batch: 660-21747

Instrument ID: BVMJ GC/MS

Preparation: 5030B

Lab File ID: 1JC0724.D

Dilution: 1.0

Initial Weight/Volume: 5 mL

Date Analyzed: 03/07/2006 2322

Final Weight/Volume: 5 mL

Date Prepared: 03/07/2006 2322

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	0.50	U	0.50	1.0
Xylenes, Total	0.30	U	0.30	1.0
Surrogate	%Rec		Acceptance Limits	
4-Bromofluorobenzene	91		74 - 126	
Dibromofluoromethane	91		70 - 130	
Toluene-d8	105		77 - 122	

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: Trip Blank

Lab Sample ID: 660-7387-17

Date Sampled: 02/22/2006 0000

Client Matrix: Water

Date Received: 02/23/2006 0941

8260B Volatile Organic Compounds by GC/MS

Method: 8260B

Analysis Batch: 660-21747

Instrument ID: BVMJ GC/MS

Preparation: 5030B

Lab File ID: 1JC0725.D

Dilution: 1.0

Initial Weight/Volume: 5 mL

Date Analyzed: 03/07/2006 2346

Final Weight/Volume: 5 mL

Date Prepared: 03/07/2006 2346

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Acetone	9.9	U	9.9	20
Acrylonitrile	1.2	U	1.2	100
Benzene	0.27	U	0.27	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Bromomethane	0.66	U	0.66	1.0
Methyl Ethyl Ketone	8.4	U	8.4	10
Carbon disulfide	0.85	U	0.85	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Bromochloromethane	0.58	U	0.58	1.0
Chloroethane	0.80	U	0.80	1.0
Chloroform	0.90	U	0.90	1.0
Chloromethane	0.64	U	0.64	1.0
1,2-Dichlorobenzene	0.44	U	0.44	1.0
Dibromochloromethane	0.34	U	0.34	1.0
Methylene bromide	0.41	U	0.41	1.0
trans-1,4-Dichloro-2-butene	2.5	U	2.5	10
1,4-Dichlorobenzene	0.52	U	0.52	1.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,1-Dichloroethene	0.45	U	0.45	1.0
cis-1,2-Dichloroethene	0.65	U	0.65	1.0
trans-1,2-Dichloroethene	0.44	U	0.44	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
Ethylbenzene	0.44	U	0.44	1.0
2-Hexanone	4.4	U	4.4	10
Iodomethane	0.67	U	0.67	1.0
4-Methyl-2-pentanone	3.8	U	3.8	10
Methylene Chloride	4.0	U	4.0	5.0
Styrene	0.98	U	0.98	1.0
1,1,2,2-Tetrachloroethane	0.14	U	0.14	1.0
1,1,1,2-Tetrachloroethane	0.63	U	0.63	1.0
Tetrachloroethene	0.34	U	0.34	1.0
Toluene	0.51	U	0.51	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethene	0.28	U	0.28	1.0
Trichlorofluoromethane	0.98	U	0.98	1.0
1,2,3-Trichloropropane	0.15	U	0.15	1.0
Vinyl acetate	1.5	U	1.5	10

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: Trip Blank

Lab Sample ID: 660-7387-17

Date Sampled: 02/22/2006 0000

Client Matrix: Water

Date Received: 02/23/2006 0941

8260B Volatile Organic Compounds by GC/MS

Method: 8260B

Analysis Batch: 660-21747

Instrument ID: BVMJ GC/MS

Preparation: 5030B

Lab File ID: 1JC0725.D

Dilution: 1.0

Initial Weight/Volume: 5 mL

Date Analyzed: 03/07/2006 2346

Final Weight/Volume: 5 mL

Date Prepared: 03/07/2006 2346

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	0.50	U	0.50	1.0
Xylenes, Total	0.30	U	0.30	1.0
Surrogate	%Rec		Acceptance Limits	
4-Bromofluorobenzene	95		74 - 126	
Dibromofluoromethane	99		70 - 130	
Toluene-d8	114		77 - 122	

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB19D

Lab Sample ID: 660-7387-1

Date Sampled: 02/22/2006 0836

Client Matrix: Water

Date Received: 02/23/2006 0941

504.1 EDB, DBCP, and 123TCP in Water by Microextraction and Gas Chromatography

Method: 504.1

Analysis Batch: 660-21876

Instrument ID: HP 5890 Series II ECD1/2

Preparation: 504.1

Prep Batch: 660-21760

Lab File ID: 1C07S018.D

Dilution: 1.0

Initial Weight/Volume: 33.6666 g

Date Analyzed: 03/07/2006 1644

Final Weight/Volume: 3 mL

Date Prepared: 03/07/2006 1030

Injection Volume:

Column ID: PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,2-Dibromo-3-Chloropropane	0.0031	U	0.0031	0.021
Ethylene Dibromide	0.0090	U	0.0090	0.021

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB19I

Lab Sample ID: 660-7387-2

Date Sampled: 02/22/2006 0915

Client Matrix: Water

Date Received: 02/23/2006 0941

504.1 EDB, DBCP, and 123TCP in Water by Microextraction and Gas Chromatography.

Method: 504.1

Analysis Batch: 660-21876

Instrument ID: HP 5890 Series II ECD1/2

Preparation: 504.1

Prep Batch: 660-21760

Lab File ID: 1C07S021.D

Dilution: 1.0

Initial Weight/Volume: 32.8406 g

Date Analyzed: 03/07/2006 1754

Final Weight/Volume: 3 mL

Date Prepared: 03/07/2006 1030

Injection Volume:

Column ID: PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,2-Dibromo-3-Chloropropane	0.0032	U	0.0032	0.021
Ethylene Dibromide	0.0093	U	0.0093	0.021

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB19S

Lab Sample ID: 660-7387-3

Date Sampled: 02/22/2006 0934

Client Matrix: Water

Date Received: 02/23/2006 0941

504.1 EDB, DBCP, and 123TCP In Water by Microextraction and Gas Chromatography

Method: 504.1

Analysis Batch: 660-21876

Instrument ID: HP 5890 Series II ECD1/2

Preparation: 504.1

Prep Batch: 660-21760

Lab File ID: 1C07S023.D

Dilution: 1.0

Initial Weight/Volume: 33.2248 g

Date Analyzed: 03/07/2006 1840

Final Weight/Volume: 3 mL

Date Prepared: 03/07/2006 1030

Injection Volume:

Column ID: PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,2-Dibromo-3-Chloropropane	0.0032	U	0.0032	0.021
Ethylene Dibromide	0.0092	U	0.0092	0.021

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB12I

Lab Sample ID: 660-7387-4

Date Sampled: 02/22/2006 1015

Client Matrix: Water

Date Received: 02/23/2006 0941

504:1 EDB, DBCP, and 123TCP in Water by Microextraction and Gas Chromatography

Method: 504.1
Preparation: 504.1
Dilution: 1.0
Date Analyzed: 03/07/2006 1904
Date Prepared: 03/07/2006 1030

Analysis Batch: 660-21876
Prep Batch: 660-21760

Instrument ID: HP 5890 Series II ECD1/2
Lab File ID: 1C07S024.D
Initial Weight/Volume: 34.0383 g
Final Weight/Volume: 3 mL
Injection Volume:
Column ID: PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,2-Dibromo-3-Chloropropane	0.0031	U	0.0031	0.021
Ethylene Dibromide	0.0089	U	0.0089	0.021

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB12D

Lab Sample ID: 660-7387-5

Date Sampled: 02/22/2006 1032

Client Matrix: Water

Date Received: 02/23/2006 0941

504.1 EDB, DBCP, and 123TCP in Water by Microextraction and Gas Chromatography

Method:	504.1	Analysis Batch:	660-21876	Instrument ID:	HP 5890 Series II ECD1/2
Preparation:	504.1	Prep Batch:	660-21760	Lab File ID:	1C07S025.D
Dilution:	1.0			Initial Weight/Volume:	32.5922 g
Date Analyzed:	03/07/2006 1927			Final Weight/Volume:	3 mL
Date Prepared:	03/07/2006 1030			Injection Volume:	
				Column ID:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,2-Dibromo-3-Chloropropane	0.0032	U	0.0032	0.021
Ethylene Dibromide	0.0093	U	0.0093	0.021

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB12S

Lab Sample ID: 660-7387-6

Date Sampled: 02/22/2006 1048

Client Matrix: Water

Date Received: 02/23/2006 0941

504.1 EDB, DBCP, and 123TCP in Water by Microextraction and Gas Chromatography

Method: 504.1

Analysis Batch: 660-21876

Instrument ID: HP 5890 Series II ECD1/2

Preparation: 504.1

Prep Batch: 660-21760

Lab File ID: 1C07S026.D

Dilution: 1.0

Initial Weight/Volume: 33.4209 g

Date Analyzed: 03/07/2006 1950

Final Weight/Volume: 3 mL

Date Prepared: 03/07/2006 1030

Injection Volume:

Column ID: PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,2-Dibromo-3-Chloropropane	0.0031	U	0.0031	0.021
Ethylene Dibromide	0.0091	U	0.0091	0.021

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB22S

Lab Sample ID: 660-7387-7

Date Sampled: 02/22/2006 1107

Client Matrix: Water

Date Received: 02/23/2006 0941

504.1 EDB, DBCP, and 123TCP In Water by Microextraction and Gas Chromatography

Method: 504.1

Analysis Batch: 660-21876

Instrument ID: HP 5890 Series II ECD1/2

Preparation: 504.1

Prep Batch: 660-21760

Lab File ID: 1C07S027.D

Dilution: 1.0

Initial Weight/Volume: 32.6377 g

Date Analyzed: 03/07/2006 2013

Final Weight/Volume: 3 mL

Date Prepared: 03/07/2006 1030

Injection Volume:

Column ID: PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,2-Dibromo-3-Chloropropane	0.0032	U	0.0032	0.021
Ethylene Dibromide	0.0093	U	0.0093	0.021

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB271

Lab Sample ID: 660-7387-8

Date Sampled: 02/22/2006 1146

Client Matrix: Water

Date Received: 02/23/2006 0941

504.1 EDB, DBCP, and 123TCP In Water by Microextraction and Gas Chromatography

Method:	504.1	Analysis Batch:	660-21876	Instrument ID:	HP 5890 Series II ECD1/2
Preparation:	504.1	Prep Batch:	660-21760	Lab File ID:	1C07S028.D
Dilution:	1.0			Initial Weight/Volume:	33.3128 g
Date Analyzed:	03/07/2006 2036			Final Weight/Volume:	3 mL
Date Prepared:	03/07/2006 1030			Injection Volume:	
				Column ID:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,2-Dibromo-3-Chloropropane	0.0032	U	0.0032	0.021
Ethylene Dibromide	0.0091	U	0.0091	0.021

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: Dup01

Lab Sample ID: 660-7387-9

Date Sampled: 02/22/2006 1146

Client Matrix: Water

Date Received: 02/23/2006 0941

504.1 EDB, DBCP, and 123TCP in Water by Microextraction and Gas Chromatography

Method:	504.1	Analysis Batch:	660-21876	Instrument ID:	HP 5890 Series II ECD1/2
Preparation:	504.1	Prep Batch:	660-21760	Lab File ID:	1C07S029.D
Dilution:	1.0			Initial Weight/Volume:	33.5235 g
Date Analyzed:	03/07/2006 2100			Final Weight/Volume:	3 mL
Date Prepared:	03/07/2006 1030			Injection Volume:	
				Column ID:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,2-Dibromo-3-Chloropropane	0.0031	U	0.0031	0.021
Ethylene Dibromide	0.0091	U	0.0091	0.021

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB27D

Lab Sample ID: 660-7387-10

Date Sampled: 02/22/2006 1213

Client Matrix: Water

Date Received: 02/23/2006 0941

504.1 EDB, DBCP, and 123TCP in Water by Microextraction and Gas Chromatography

Method: 504.1

Analysis Batch: 660-21876

Instrument ID: HP 5890 Series II ECD1/2

Preparation: 504.1

Prep Batch: 660-21760

Lab File ID: 1C07S033.D

Dilution: 1.0

Initial Weight/Volume: 33.4288 g

Date Analyzed: 03/07/2006 2232

Final Weight/Volume: 3 mL

Date Prepared: 03/07/2006 1030

Injection Volume:

Column ID: PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,2-Dibromo-3-Chloropropane	0.0031	U	0.0031	0.021
Ethylene Dibromide	0.0091	U	0.0091	0.021

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB27S

Lab Sample ID: 660-7387-11

Date Sampled: 02/22/2006 1232

Client Matrix: Water

Date Received: 02/23/2006 0941

504.1 EDB, DBCP, and 123TCP in Water by Microextraction and Gas Chromatography

Method: 504.1

Analysis Batch: 660-21876

Instrument ID: HP 5890 Series II ECD1/2

Preparation: 504.1

Prep Batch: 660-21760

Lab File ID: 1C07S034.D

Dilution: 1.0

Initial Weight/Volume: 33.5503 g

Date Analyzed: 03/07/2006 2256

Final Weight/Volume: 3 mL

Date Prepared: 03/07/2006 1030

Injection Volume:

Column ID: PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,2-Dibromo-3-Chloropropane	0.0031	U	0.0031	0.021
Ethylene Dibromide	0.0091	U	0.0091	0.021

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB29I

Lab Sample ID: 660-7387-12

Date Sampled: 02/22/2006 1320

Client Matrix: Water

Date Received: 02/23/2006 0941

504.1 EDB, DBCP, and 123TCP in Water by Microextraction and Gas Chromatography

Method:	504.1	Analysis Batch:	660-21876	Instrument ID:	HP 5890 Series II ECD1/2
Preparation:	504.1	Prep Batch:	660-21760	Lab File ID:	1C07S036.D
Dilution:	1.0			Initial Weight/Volume:	33.6021 g
Date Analyzed:	03/07/2006 2342			Final Weight/Volume:	3 mL
Date Prepared:	03/07/2006 1030			Injection Volume:	
				Column ID:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,2-Dibromo-3-Chloropropane	0.0031	U	0.0031	0.021
Ethylene Dibromide	0.0091	U	0.0091	0.021

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB29D

Lab Sample ID: 660-7387-13

Date Sampled: 02/22/2006 1336

Client Matrix: Water

Date Received: 02/23/2006 0941

504.1 EDB, DBCP, and 123TCP In Water by Microextraction and Gas Chromatography

Method: 504.1

Analysis Batch: 660-21876

Instrument ID: HP 5890 Series II ECD1/2

Preparation: 504.1

Prep Batch: 660-21760

Lab File ID: 1C07S037.D

Dilution: 1.0

Initial Weight/Volume: 34.2807 g

Date Analyzed: 03/08/2006 0005

Final Weight/Volume: 3 mL

Date Prepared: 03/07/2006 1030

Injection Volume:

Column ID: PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,2-Dibromo-3-Chloropropane	0.0031	U	0.0031	0.020
Ethylene Dibromide	0.0089	U	0.0089	0.020

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB29S

Lab Sample ID: 660-7387-14

Date Sampled: 02/22/2006 1355

Client Matrix: Water

Date Received: 02/23/2006 0941

504.1 EDB, DBCP, and 123TCP in Water by Microextraction and Gas Chromatography

Method:	504.1	Analysis Batch:	660-21876	Instrument ID:	HP 5890 Series II ECD1/2
Preparation:	504.1	Prep Batch:	660-21760	Lab File ID:	1C07S038.D
Dilution:	1.0			Initial Weight/Volume:	33.2271 g
Date Analyzed:	03/08/2006 0028			Final Weight/Volume:	3 mL
Date Prepared:	03/07/2006 1030			Injection Volume:	
				Column ID:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,2-Dibromo-3-Chloropropane	0.0032	U	0.0032	0.021
Ethylene Dibromide	0.0092	U	0.0092	0.021

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB2I

Lab Sample ID: 660-7387-15

Date Sampled: 02/22/2006 1431

Client Matrix: Water

Date Received: 02/23/2006 0941

504.1 EDB, DBCP, and 123TCP in Water by Microextraction and Gas Chromatography

Method: 504.1

Analysis Batch: 660-21876

Instrument ID: HP 5890 Series II ECD1/2

Preparation: 504.1

Prep Batch: 660-21760

Lab File ID: 1C07S039.D

Dilution: 1.0

Initial Weight/Volume: 33.7792 g

Date Analyzed: 03/08/2006 0051

Final Weight/Volume: 3 mL

Date Prepared: 03/07/2006 1030

Injection Volume:

Column ID: PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,2-Dibromo-3-Chloropropane	0.0031	U	0.0031	0.021
Ethylene Dibromide	0.0090	U	0.0090	0.021

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB2S

Lab Sample ID: 660-7387-16

Date Sampled: 02/22/2006 1517

Client Matrix: Water

Date Received: 02/23/2006 0941

504.1 EDB, DBCP, and 123TCP in Water by Microextraction and Gas Chromatography

Method:	504.1	Analysis Batch:	660-21876	Instrument ID:	HP 5890 Series II ECD1/2
Preparation:	504.1	Prep Batch:	660-21760	Lab File ID:	1C07S040.D
Dilution:	1.0			Initial Weight/Volume:	33.6578 g
Date Analyzed:	03/08/2006 0115			Final Weight/Volume:	3 mL
Date Prepared:	03/07/2006 1030			Injection Volume:	
				Column ID:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,2-Dibromo-3-Chloropropane	0.0031	U	0.0031	0.021
Ethylene Dibromide	0.0090	U	0.0090	0.021

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB19D

Lab Sample ID: 660-7387-1
Client Matrix: Water

Date Sampled: 02/22/2006 0836
Date Received: 02/23/2006 0941

200.7 Rev 4.4 ICP Metals by 200.7-Total Recoverable

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21464	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50.0 mL
Date Analyzed:	03/06/2006 0940		Final Weight/Volume:	50.0 mL
Date Prepared:	03/02/2006 0953			

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Sodium	4.6		0.31	0.50

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21464	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50.0 mL
Date Analyzed:	03/06/2006 0940		Final Weight/Volume:	50.0 mL
Date Prepared:	03/02/2006 0953			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Silver	1.9	U	1.9	10
Arsenic	4.8	U	4.8	10
Barium	110		1.2	10
Beryllium	0.74	U	0.74	4.0
Cadmium	0.71	U	0.71	5.0
Cobalt	1.6	U	1.6	10
Chromium	5.8	I	1.7	10
Copper	2.9	U	2.9	20
Iron	2600		22	50
Nickel	4.7	U	4.7	40
Antimony	3.6	U	3.6	6.0
Lead	1.6	U	1.6	5.0
Selenium	5.9	U	5.9	10
Vanadium	7.6	I	2.5	10
Zinc	5.9	U	5.9	20

200.8 ICPMS Metals by 200.8 CWA-Total Recoverable

Method:	200.8	Analysis Batch: 680-37847	Instrument ID:	ICP MS
Preparation:	4.1.4	Prep Batch: 680-37401	Lab File ID:	N/A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/03/2006 0310		Final Weight/Volume:	250 mL
Date Prepared:	02/27/2006 1327			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Thallium	0.61	I	0.25	1.0

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB19D

Lab Sample ID: 660-7387-1

Date Sampled: 02/22/2006 0836

Client Matrix: Water

Date Received: 02/23/2006 0941

245.1 Mercury in Water by CVAA

Method: 245.1
Preparation: 245.1
Dilution: 1.0
Date Analyzed: 03/02/2006 1132
Date Prepared: 03/02/2006 0805

Analysis Batch: 660-21504
Prep Batch: 660-21446

Instrument ID: HydraAA Mercury
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Mercury	0.072	U	0.072	0.20

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB19I

Lab Sample ID: 660-7387-2
Client Matrix: Water

Date Sampled: 02/22/2006 0915
Date Received: 02/23/2006 0941

200.7 Rev 4.4 ICP Metals by 200.7-Total Recoverable

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21464	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50.0 mL
Date Analyzed:	03/06/2006 0946		Final Weight/Volume:	50.0 mL
Date Prepared:	03/02/2006 0953			

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Sodium	3.5		0.31	0.50

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21464	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50.0 mL
Date Analyzed:	03/06/2006 0946		Final Weight/Volume:	50.0 mL
Date Prepared:	03/02/2006 0953			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Silver	1.9	U	1.9	10
Arsenic	4.8	U	4.8	10
Barium	95		1.2	10
Beryllium	0.74	U	0.74	4.0
Cadmium	0.81	I	0.71	5.0
Cobalt	3.4	I	1.6	10
Chromium	5.4	I	1.7	10
Copper	2.9	U	2.9	20
Iron	1100		22	50
Nickel	6.8	I	4.7	40
Antimony	3.6	U	3.6	6.0
Lead	1.6	U	1.6	5.0
Selenium	5.9	U	5.9	10
Vanadium	7.5	I	2.5	10
Zinc	20		5.9	20

200.8 ICPMS Metals by 200.8 CWA-Total Recoverable

Method:	200.8	Analysis Batch: 680-37847	Instrument ID:	ICP MS
Preparation:	4.1.4	Prep Batch: 680-37401	Lab File ID:	N/A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/03/2006 0346		Final Weight/Volume:	250 mL
Date Prepared:	02/27/2006 1327			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Thallium	0.57	I	0.25	1.0

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB191

Lab Sample ID: 660-7387-2
Client Matrix: Water

Date Sampled: 02/22/2006 0915
Date Received: 02/23/2006 0941

245.1 Mercury in Water by CVAA

Method: 245.1
Preparation: 245.1
Dilution: 1.0
Date Analyzed: 03/02/2006 1137
Date Prepared: 03/02/2006 0805

Analysis Batch: 660-21504
Prep Batch: 660-21446

Instrument ID: HydraAA Mercury
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Mercury	0.072	U	0.072	0.20

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB19S

Lab Sample ID: 660-7387-3
Client Matrix: Water

Date Sampled: 02/22/2006 0934
Date Received: 02/23/2006 0941

200.7 Rev 4.4 ICP Metals by 200.7-Total Recoverable

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21464	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50.0 mL
Date Analyzed:	03/06/2006 1003		Final Weight/Volume:	50.0 mL
Date Prepared:	03/02/2006 0953			

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Sodium	5.5		0.31	0.50

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21464	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50.0 mL
Date Analyzed:	03/06/2006 1003		Final Weight/Volume:	50.0 mL
Date Prepared:	03/02/2006 0953			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Silver	1.9	U	1.9	10
Arsenic	4.8	U	4.8	10
Barium	24		1.2	10
Beryllium	0.74	U	0.74	4.0
Cadmium	0.71	U	0.71	5.0
Cobalt	2.6	I	1.6	10
Chromium	2.3	I	1.7	10
Copper	2.9	U	2.9	20
Iron	460		22	50
Nickel	4.7	U	4.7	40
Antimony	3.6	U	3.6	6.0
Lead	1.6	U	1.6	5.0
Selenium	5.9	U	5.9	10
Vanadium	2.5	U	2.5	10
Zinc	5.9	U	5.9	20

200.8 ICPMS Metals by 200.8 CWA-Total Recoverable

Method:	200.8	Analysis Batch: 680-37847	Instrument ID:	ICP MS
Preparation:	4.1.4	Prep Batch: 680-37401	Lab File ID:	N/A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/03/2006 0353		Final Weight/Volume:	250 mL
Date Prepared:	02/27/2006 1327			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Thallium	0.25	U	0.25	1.0

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB19S

Lab Sample ID: 660-7387-3
Client Matrix: Water

Date Sampled: 02/22/2006 0934
Date Received: 02/23/2006 0941

245.1 Mercury in Water by CVAA

Method: 245.1
Preparation: 245.1
Dilution: 1.0
Date Analyzed: 03/02/2006 1139
Date Prepared: 03/02/2006 0805

Analysis Batch: 660-21504
Prep Batch: 660-21446

Instrument ID: HydraAA Mercury
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Mercury	0.072	U	0.072	0.20

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB12I

Lab Sample ID: 660-7387-4
Client Matrix: Water

Date Sampled: 02/22/2006 1015
Date Received: 02/23/2006 0941

200.7 Rev 4.4 ICP Metals by 200.7-Total Recoverable

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21464	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50.0 mL
Date Analyzed:	03/06/2006 1009		Final Weight/Volume:	50.0 mL
Date Prepared:	03/02/2006 0953			

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Sodium	3.1		0.31	0.50

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21464	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50.0 mL
Date Analyzed:	03/06/2006 1009		Final Weight/Volume:	50.0 mL
Date Prepared:	03/02/2006 0953			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Silver	1.9	U	1.9	10
Arsenic	4.8	U	4.8	10
Barium	52		1.2	10
Beryllium	0.74	U	0.74	4.0
Cadmium	0.71	U	0.71	5.0
Cobalt	1.8	I	1.6	10
Chromium	1.7	U	1.7	10
Copper	2.9	U	2.9	20
Iron	440		22	50
Nickel	4.7	U	4.7	40
Antimony	3.6	U	3.6	6.0
Lead	1.6	U	1.6	5.0
Selenium	5.9	U	5.9	10
Vanadium	2.5	U	2.5	10
Zinc	5.9	U	5.9	20

200.8 ICPMS Metals by 200.8 CWA-Total Recoverable

Method:	200.8	Analysis Batch: 680-37847	Instrument ID:	ICP MS
Preparation:	4.1.4	Prep Batch: 680-37401	Lab File ID:	N/A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/03/2006 0415		Final Weight/Volume:	250 mL
Date Prepared:	02/27/2006 1327			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Thallium	0.25	U	0.25	1.0

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB12I

Lab Sample ID: 660-7387-4
Client Matrix: Water

Date Sampled: 02/22/2006 1015
Date Received: 02/23/2006 0941

245.1 Mercury in Water by CVAA

Method: 245.1
Preparation: 245.1
Dilution: 1.0
Date Analyzed: 03/02/2006 1141
Date Prepared: 03/02/2006 0805

Analysis Batch: 660-21504
Prep Batch: 660-21446

Instrument ID: HydraAA Mercury
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Mercury	0.072	U	0.072	0.20

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB12D

Lab Sample ID: 660-7387-5
Client Matrix: Water

Date Sampled: 02/22/2006 1032
Date Received: 02/23/2006 0941

200.7 Rev 4.4 ICP Metals by 200.7-Total Recoverable

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21464	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50.0 mL
Date Analyzed:	03/06/2006 1014		Final Weight/Volume:	50.0 mL
Date Prepared:	03/02/2006 0953			

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Sodium	5.8		0.31	0.50

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21464	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50.0 mL
Date Analyzed:	03/06/2006 1014		Final Weight/Volume:	50.0 mL
Date Prepared:	03/02/2006 0953			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Silver	1.9	U	1.9	10
Arsenic	4.8	U	4.8	10
Barium	120		1.2	10
Beryllium	0.74	U	0.74	4.0
Cadmium	0.71	U	0.71	5.0
Cobalt	1.6	U	1.6	10
Chromium	1.7	U	1.7	10
Copper	2.9	U	2.9	20
Iron	710		22	50
Nickel	4.7	U	4.7	40
Antimony	3.6	U	3.6	6.0
Lead	1.6	U	1.6	5.0
Selenium	5.9	U	5.9	10
Vanadium	2.5	U	2.5	10
Zinc	5.9	U	5.9	20

200.8 ICPMS Metals by 200.8 CWA-Total Recoverable

Method:	200.8	Analysis Batch: 680-37847	Instrument ID:	ICP MS
Preparation:	4.1.4	Prep Batch: 680-37401	Lab File ID:	N/A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/03/2006 0422		Final Weight/Volume:	250 mL
Date Prepared:	02/27/2006 1327			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Thallium	0.25	U	0.25	1.0

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB12D

Lab Sample ID: 660-7387-5

Date Sampled: 02/22/2006 1032

Client Matrix: Water

Date Received: 02/23/2006 0941

245.1 Mercury in Water by CVAA

Method: 245.1
Preparation: 245.1
Dilution: 1.0
Date Analyzed: 03/02/2006 1143
Date Prepared: 03/02/2006 0805

Analysis Batch: 660-21504
Prep Batch: 660-21446

Instrument ID: HydraAA Mercury
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Mercury	0.072	U	0.072	0.20

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB12S

Lab Sample ID: 660-7387-6
Client Matrix: Water

Date Sampled: 02/22/2006 1048
Date Received: 02/23/2006 0941

200.7 Rev 4.4 ICP Metals by 200.7-Total Recoverable

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx.C	Prep Batch: 660-21464	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50.0 mL
Date Analyzed:	03/06/2006 1020		Final Weight/Volume:	50.0 mL
Date Prepared:	03/02/2006 0953			

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Sodium	2.8		0.31	0.50

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21464	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50.0 mL
Date Analyzed:	03/06/2006 1020		Final Weight/Volume:	50.0 mL
Date Prepared:	03/02/2006 0953			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Silver	1.9	U	1.9	10
Arsenic	4.8	U	4.8	10
Barium	10		1.2	10
Beryllium	0.74	U	0.74	4.0
Cadmium	0.71	U	0.71	5.0
Cobalt	1.6	U	1.6	10
Chromium	5.4	I	1.7	10
Copper	3.4	I	2.9	20
Iron	110		22	50
Nickel	4.7	U	4.7	40
Antimony	3.6	U	3.6	6.0
Lead	1.6	U	1.6	5.0
Selenium	6.8	I	5.9	10
Vanadium	32		2.5	10
Zinc	5.9	U	5.9	20

200.8 ICPMS Metals by 200.8 CWA-Total Recoverable

Method:	200.8	Analysis Batch: 680-37847	Instrument ID:	ICP MS
Preparation:	4.1.4	Prep Batch: 680-37401	Lab File ID:	N/A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/03/2006 0429		Final Weight/Volume:	250 mL
Date Prepared:	02/27/2006 1327			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Thallium	0.25	U	0.25	1.0

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB12S

Lab Sample ID: 660-7387-6
Client Matrix: Water

Date Sampled: 02/22/2006 1048
Date Received: 02/23/2006 0941

245.1 Mercury in Water by CVAA

Method: 245.1
Preparation: 245.1
Dilution: 1.0
Date Analyzed: 03/02/2006 1145
Date Prepared: 03/02/2006 0805

Analysis Batch: 660-21504
Prep Batch: 660-21446

Instrument ID: HydraAA Mercury
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Mercury	0.072	U	0.072	0.20

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB22S

Lab Sample ID: 660-7387-7
Client Matrix: Water

Date Sampled: 02/22/2006 1107
Date Received: 02/23/2006 0941

200.7 Rev 4.4 ICP Metals by 200.7-Total Recoverable

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21464	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50.0 mL
Date Analyzed:	03/06/2006 1025		Final Weight/Volume:	50.0 mL
Date Prepared:	03/02/2006 0953			

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Sodium	6.2		0.31	0.50

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21464	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50.0 mL
Date Analyzed:	03/06/2006 1025		Final Weight/Volume:	50.0 mL
Date Prepared:	03/02/2006 0953			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Silver	1.9	U	1.9	10
Arsenic	4.8	U	4.8	10
Barium	5.8	I	1.2	10
Beryllium	0.74	U	0.74	4.0
Cadmium	0.71	U	0.71	5.0
Cobalt	2.0	I	1.6	10
Chromium	2.1	I	1.7	10
Copper	2.9	U	2.9	20
Iron	140		22	50
Nickel	4.7	U	4.7	40
Antimony	3.6	U	3.6	6.0
Lead	1.6	U	1.6	5.0
Selenium	5.9	U	5.9	10
Vanadium	2.5	U	2.5	10
Zinc	5.9	U	5.9	20

200.8 ICPMS Metals by 200.8 CWA-Total Recoverable

Method:	200.8	Analysis Batch: 680-37847	Instrument ID:	ICP MS
Preparation:	4.1.4	Prep Batch: 680-37401	Lab File ID:	N/A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/03/2006 0436		Final Weight/Volume:	250 mL
Date Prepared:	02/27/2006 1327			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Thallium	0.25	U	0.25	1.0

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB22S

Lab Sample ID: 660-7387-7

Date Sampled: 02/22/2006 1107

Client Matrix: Water

Date Received: 02/23/2006 0941

245.1 Mercury in Water by CVAA

Method:	245.1	Analysis Batch:	660-21504	Instrument ID:	HydraAA Mercury
Preparation:	245.1	Prep Batch:	660-21446	Lab File ID:	N/A
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	03/02/2006 1146			Final Weight/Volume:	50 mL
Date Prepared:	03/02/2006 0805				

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Mercury	0.072	U	0.072	0.20

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB271

Lab Sample ID: 660-7387-8
Client Matrix: Water

Date Sampled: 02/22/2006 1146
Date Received: 02/23/2006 0941

200.7 Rev 4.4 ICP Metals by 200.7-Total Recoverable

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21464	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50.0 mL
Date Analyzed:	03/06/2006 1031		Final Weight/Volume:	50.0 mL
Date Prepared:	03/02/2006 0953			

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Sodium	3.3		0.31	0.50

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21464	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50.0 mL
Date Analyzed:	03/06/2006 1031		Final Weight/Volume:	50.0 mL
Date Prepared:	03/02/2006 0953			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Silver	1.9	U	1.9	10
Arsenic	4.8	U	4.8	10
Barium	55		1.2	10
Beryllium	0.74	U	0.74	4.0
Cadmium	0.71	U	0.71	5.0
Cobalt	1.6	U	1.6	10
Chromium	1.7	U	1.7	10
Copper	2.9	U	2.9	20
Iron	500		22	50
Nickel	4.7	U	4.7	40
Antimony	3.6	U	3.6	6.0
Lead	1.6	U	1.6	5.0
Selenium	5.9	U	5.9	10
Vanadium	2.5	U	2.5	10
Zinc	5.9	U	5.9	20

200.8 ICPMS Metals by 200.8 CWA-Total Recoverable

Method:	200.8	Analysis Batch: 680-37847	Instrument ID:	ICP MS
Preparation:	4.1.4	Prep Batch: 680-37401	Lab File ID:	N/A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/03/2006 0444		Final Weight/Volume:	250 mL
Date Prepared:	02/27/2006 1327			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Thallium	0.25	U	0.25	1.0

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB271

Lab Sample ID: 660-7387-8

Date Sampled: 02/22/2006 1146

Client Matrix: Water

Date Received: 02/23/2006 0941

245.1 Mercury in Water by CVAA

Method: 245.1
Preparation: 245.1
Dilution: 1.0
Date Analyzed: 03/02/2006 1148
Date Prepared: 03/02/2006 0805

Analysis Batch: 660-21504
Prep Batch: 660-21446

Instrument ID: HydraAA Mercury
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Mercury	0.072	U	0.072	0.20

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: Dup01

Lab Sample ID: 660-7387-9
Client Matrix: Water

Date Sampled: 02/22/2006 1146
Date Received: 02/23/2006 0941

200.7 Rev 4.4 ICP Metals by 200.7-Total Recoverable

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21464	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50.0 mL
Date Analyzed:	03/06/2006 1037		Final Weight/Volume:	50.0 mL
Date Prepared:	03/02/2006 0953			

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Sodium	3.4		0.31	0.50

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21464	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50.0 mL
Date Analyzed:	03/06/2006 1037		Final Weight/Volume:	50.0 mL
Date Prepared:	03/02/2006 0953			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Silver	1.9	U	1.9	10
Arsenic	4.8	U	4.8	10
Barium	56		1.2	10
Beryllium	0.74	U	0.74	4.0
Cadmium	0.71	U	0.71	5.0
Cobalt	1.6	U	1.6	10
Chromium	1.7	U	1.7	10
Copper	2.9	U	2.9	20
Iron	520		22	50
Nickel	4.7	U	4.7	40
Antimony	3.6	U	3.6	6.0
Lead	1.6	U	1.6	5.0
Selenium	5.9	U	5.9	10
Vanadium	2.5	U	2.5	10
Zinc	5.9	U	5.9	20

200.8 ICPMS Metals by 200.8 CWA-Total Recoverable

Method:	200.8	Analysis Batch: 680-37847	Instrument ID:	ICP MS
Preparation:	4.1.4	Prep Batch: 680-37401	Lab File ID:	N/A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/03/2006 0451		Final Weight/Volume:	250 mL
Date Prepared:	02/27/2006 1327			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Thallium	0.25	U	0.25	1.0

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: Dup01

Lab Sample ID: 660-7387-9
Client Matrix: Water

Date Sampled: 02/22/2006 1146
Date Received: 02/23/2006 0941

245.1 Mercury in Water by CVAA

Method: 245.1
Preparation: 245.1
Dilution: 1.0
Date Analyzed: 03/02/2006 1153
Date Prepared: 03/02/2006 0805

Analysis Batch: 660-21504
Prep Batch: 660-21446

Instrument ID: HydraAA Mercury
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Mercury	0.072	U	0.072	0.20

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB27D

Lab Sample ID: 660-7387-10
Client Matrix: Water

Date Sampled: 02/22/2006 1213
Date Received: 02/23/2006 0941

200.7 Rev 4.4 ICP Metals by 200.7-Total Recoverable

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21464	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50.0 mL
Date Analyzed:	03/06/2006 1042		Final Weight/Volume:	50.0 mL
Date Prepared:	03/02/2006 0953			

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Sodium	3.6		0.31	0.50

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21464	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50.0 mL
Date Analyzed:	03/06/2006 1042		Final Weight/Volume:	50.0 mL
Date Prepared:	03/02/2006 0953			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Silver	1.9	U	1.9	10
Arsenic	4.8	U	4.8	10
Barium	55		1.2	10
Beryllium	0.74	U	0.74	4.0
Cadmium	0.71	U	0.71	5.0
Cobalt	1.6	U	1.6	10
Chromium	1.7	U	1.7	10
Copper	2.9	U	2.9	20
Iron	870		22	50
Nickel	4.7	U	4.7	40
Antimony	3.6	U	3.6	6.0
Lead	1.6	U	1.6	5.0
Selenium	5.9	U	5.9	10
Vanadium	2.5	U	2.5	10
Zinc	5.9	U	5.9	20

200.8 ICPMS Metals by 200.8 CWA-Total Recoverable

Method:	200.8	Analysis Batch: 680-37847	Instrument ID:	ICP MS
Preparation:	4.1.4	Prep Batch: 680-37401	Lab File ID:	N/A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/03/2006 0458		Final Weight/Volume:	250 mL
Date Prepared:	02/27/2006 1327			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Thallium	0.25	U	0.25	1.0

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB27D

Lab Sample ID: 660-7387-10
Client Matrix: Water

Date Sampled: 02/22/2006 1213
Date Received: 02/23/2006 0941

245.1 Mercury in Water by CVAA

Method: 245.1
Preparation: 245.1
Dilution: 1.0
Date Analyzed: 03/02/2006 1155
Date Prepared: 03/02/2006 0805

Analysis Batch: 660-21504
Prep Batch: 660-21446

Instrument ID: HydraAA Mercury
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Mercury	0.072	U	0.072	0.20

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB27S

Lab Sample ID: 660-7387-11
Client Matrix: Water

Date Sampled: 02/22/2006 1232
Date Received: 02/23/2006 0941

200.7 Rev 4.4 ICP Metals by 200.7-Total Recoverable

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21464	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50.0 mL
Date Analyzed:	03/06/2006 1048		Final Weight/Volume:	50.0 mL
Date Prepared:	03/02/2006 0953			

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Sodium	2.4		0.31	0.50

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21464	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50.0 mL
Date Analyzed:	03/06/2006 1048		Final Weight/Volume:	50.0 mL
Date Prepared:	03/02/2006 0953			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Silver	1.9	U	1.9	10
Arsenic	4.8	U	4.8	10
Barium	9.5	I	1.2	10
Beryllium	0.74	U	0.74	4.0
Cadmium	0.71	U	0.71	5.0
Cobalt	1.6	U	1.6	10
Chromium	1.7	U	1.7	10
Copper	2.9	U	2.9	20
Iron	53		22	50
Nickel	4.7	U	4.7	40
Antimony	3.6	U	3.6	6.0
Lead	1.6	U	1.6	5.0
Selenium	5.9	U	5.9	10
Vanadium	5.8	I	2.5	10
Zinc	5.9	U	5.9	20

200.8 ICPMS Metals by 200.8 CWA-Total Recoverable

Method:	200.8	Analysis Batch: 680-37847	Instrument ID:	ICP MS
Preparation:	4.1.4	Prep Batch: 680-37401	Lab File ID:	N/A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/03/2006 0505		Final Weight/Volume:	250 mL
Date Prepared:	02/27/2006 1327			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Thallium	0.25	U	0.25	1.0

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB27S

Lab Sample ID: 660-7387-11
Client Matrix: Water

Date Sampled: 02/22/2006 1232
Date Received: 02/23/2006 0941

245.1 Mercury in Water by CVAA

Method: 245.1
Preparation: 245.1
Dilution: 1.0
Date Analyzed: 03/02/2006 1157
Date Prepared: 03/02/2006 0805

Analysis Batch: 660-21504
Prep Batch: 660-21446

Instrument ID: HydraAA Mercury
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Mercury	0.072	U	0.072	0.20

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB29I

Lab Sample ID: 660-7387-12
Client Matrix: Water

Date Sampled: 02/22/2006 1320
Date Received: 02/23/2006 0941

200.7 Rev 4.4 ICP Metals by 200.7-Total Recoverable

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21464	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50.0 mL
Date Analyzed:	03/06/2006 1053		Final Weight/Volume:	50.0 mL
Date Prepared:	03/02/2006 0953			

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Sodium	3.3		0.31	0.50

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21464	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50.0 mL
Date Analyzed:	03/06/2006 1053		Final Weight/Volume:	50.0 mL
Date Prepared:	03/02/2006 0953			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Silver	1.9	U	1.9	10
Arsenic	4.8	U	4.8	10
Barium	50		1.2	10
Beryllium	0.74	U	0.74	4.0
Cadmium	0.71	U	0.71	5.0
Cobalt	1.6	U	1.6	10
Chromium	1.8	I	1.7	10
Copper	2.9	U	2.9	20
Iron	500		22	50
Nickel	4.7	U	4.7	40
Antimony	3.6	U	3.6	6.0
Lead	1.6	U	1.6	5.0
Selenium	5.9	U	5.9	10
Vanadium	2.5	U	2.5	10
Zinc	5.9	U	5.9	20

200.8 ICPMS Metals by 200.8 CWA-Total Recoverable

Method:	200.8	Analysis Batch: 680-37847	Instrument ID:	ICP MS
Preparation:	4.1.4	Prep Batch: 680-37401	Lab File ID:	N/A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/03/2006 0541		Final Weight/Volume:	250 mL
Date Prepared:	02/27/2006 1327			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Thallium	0.25	U	0.25	1.0

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB29I

Lab Sample ID: 660-7387-12
Client Matrix: Water

Date Sampled: 02/22/2006 1320
Date Received: 02/23/2006 0941

245.1 Mercury in Water by CVAA

Method: 245.1
Preparation: 245.1
Dilution: 1.0
Date Analyzed: 03/02/2006 1159
Date Prepared: 03/02/2006 0805

Analysis Batch: 660-21504
Prep Batch: 660-21446

Instrument ID: HydraAA Mercury
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Mercury	0.072	U	0.072	0.20

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB29D

Lab Sample ID: 660-7387-13
Client Matrix: Water

Date Sampled: 02/22/2006 1336
Date Received: 02/23/2006 0941

200.7 Rev 4.4 ICP Metals by 200.7-Total Recoverable

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21464	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50.0 mL
Date Analyzed:	03/06/2006 1113		Final Weight/Volume:	50.0 mL
Date Prepared:	03/02/2006 0953			

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Sodium	3.6		0.31	0.50

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21464	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50.0 mL
Date Analyzed:	03/06/2006 1113		Final Weight/Volume:	50.0 mL
Date Prepared:	03/02/2006 0953			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Silver	1.9	U	1.9	10
Arsenic	4.8	U	4.8	10
Barium	54		1.2	10
Beryllium	0.74	U	0.74	4.0
Cadmium	0.71	U	0.71	5.0
Cobalt	1.6	U	1.6	10
Chromium	1.7	U	1.7	10
Copper	2.9	U	2.9	20
Iron	830		22	50
Nickel	4.7	U	4.7	40
Antimony	3.6	U	3.6	6.0
Lead	1.6	U	1.6	5.0
Selenium	5.9	U	5.9	10
Vanadium	2.5	U	2.5	10
Zinc	5.9	U	5.9	20

200.8 ICPMS Metals by 200.8 CWA-Total Recoverable

Method:	200.8	Analysis Batch: 680-37847	Instrument ID:	ICP MS
Preparation:	4.1.4	Prep Batch: 680-37401	Lab File ID:	N/A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/03/2006 0549		Final Weight/Volume:	250 mL
Date Prepared:	02/27/2006 1327			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Thallium	0.25	U	0.25	1.0

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB29D

Lab Sample ID: 660-7387-13
Client Matrix: Water

Date Sampled: 02/22/2006 1336
Date Received: 02/23/2006 0941

245.1 Mercury in Water by CVAA

Method: 245.1
Preparation: 245.1
Dilution: 1.0
Date Analyzed: 03/02/2006 1201
Date Prepared: 03/02/2006 0805

Analysis Batch: 660-21504
Prep Batch: 660-21446

Instrument ID: HydraAA Mercury
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Mercury	0.072	U	0.072	0.20

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB29S

Lab Sample ID: 660-7387-14
Client Matrix: Water

Date Sampled: 02/22/2006 1355
Date Received: 02/23/2006 0941

200.7 Rev 4.4 ICP Metals by 200.7-Total Recoverable

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21464	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50.0 mL
Date Analyzed:	03/06/2006 1119		Final Weight/Volume:	50.0 mL
Date Prepared:	03/02/2006 0953			

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Sodium	3.8		0.31	0.50

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21464	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50.0 mL
Date Analyzed:	03/06/2006 1119		Final Weight/Volume:	50.0 mL
Date Prepared:	03/02/2006 0953			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Silver	1.9	U	1.9	10
Arsenic	4.8	U	4.8	10
Barium	10		1.2	10
Beryllium	0.74	U	0.74	4.0
Cadmium	0.71	U	0.71	5.0
Cobalt	2.3	I	1.6	10
Chromium	1.7	U	1.7	10
Copper	2.9	U	2.9	20
Iron	350		22	50
Nickel	4.7	U	4.7	40
Antimony	3.6	U	3.6	6.0
Lead	1.6	U	1.6	5.0
Selenium	5.9	U	5.9	10
Vanadium	2.5	U	2.5	10
Zinc	5.9	U	5.9	20

200.8 ICPMS Metals by 200.8 CWA-Total Recoverable

Method:	200.8	Analysis Batch: 680-37847	Instrument ID:	ICP MS
Preparation:	4.1.4	Prep Batch: 680-37401	Lab File ID:	N/A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/03/2006 0556		Final Weight/Volume:	250 mL
Date Prepared:	02/27/2006 1327			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Thallium	0.25	U	0.25	1.0

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB29S

Lab Sample ID: 660-7387-14
Client Matrix: Water

Date Sampled: 02/22/2006 1355
Date Received: 02/23/2006 0941

245.1 Mercury in Water by CVAA

Method: 245.1
Preparation: 245.1
Dilution: 1.0
Date Analyzed: 03/02/2006 1203
Date Prepared: 03/02/2006 0805

Analysis Batch: 660-21504
Prep Batch: 660-21446

Instrument ID: HydraAA Mercury
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Mercury	0.072	U	0.072	0.20

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB2I

Lab Sample ID: 660-7387-15
Client Matrix: Water

Date Sampled: 02/22/2006 1431
Date Received: 02/23/2006 0941

200.7 Rev 4.4 ICP Metals by 200.7-Total Recoverable

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21464	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50.0 mL
Date Analyzed:	03/06/2006 1125		Final Weight/Volume:	50.0 mL
Date Prepared:	03/02/2006 0953			

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Sodium	4.0		0.31	0.50

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21464	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50.0 mL
Date Analyzed:	03/06/2006 1125		Final Weight/Volume:	50.0 mL
Date Prepared:	03/02/2006 0953			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Silver	1.9	U	1.9	10
Arsenic	4.8	U	4.8	10
Barium	21		1.2	10
Beryllium	0.74	U	0.74	4.0
Cadmium	0.71	U	0.71	5.0
Cobalt	1.6	U	1.6	10
Chromium	1.7	U	1.7	10
Copper	2.9	U	2.9	20
Iron	360		22	50
Nickel	4.7	U	4.7	40
Antimony	3.6	U	3.6	6.0
Lead	1.6	U	1.6	5.0
Selenium	5.9	U	5.9	10
Vanadium	2.5	U	2.5	10
Zinc	5.9	U	5.9	20

200.8 ICPMS Metals by 200.8 CWA-Total Recoverable

Method:	200.8	Analysis Batch: 680-37847	Instrument ID:	ICP MS
Preparation:	4.1.4	Prep Batch: 680-37401	Lab File ID:	N/A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/03/2006 0603		Final Weight/Volume:	250 mL
Date Prepared:	02/27/2006 1327			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Thallium	0.25	U	0.25	1.0

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB2I

Lab Sample ID: 660-7387-15
Client Matrix: Water

Date Sampled: 02/22/2006 1431
Date Received: 02/23/2006 0941

245.1 Mercury in Water by CVAA

Method: 245.1
Preparation: 245.1
Dilution: 1.0
Date Analyzed: 03/02/2006 1205
Date Prepared: 03/02/2006 0805

Analysis Batch: 660-21504
Prep Batch: 660-21446

Instrument ID: HydraAA Mercury
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Mercury	0.072	U	0.072	0.20

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB2S

Lab Sample ID: 660-7387-16
Client Matrix: Water

Date Sampled: 02/22/2006 1517
Date Received: 02/23/2006 0941

200.7 Rev 4.4 ICP Metals by 200.7-Total Recoverable

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21464	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50.0 mL
Date Analyzed:	03/06/2006 1130		Final Weight/Volume:	50.0 mL
Date Prepared:	03/02/2006 0953			

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Sodium	2.9		0.31	0.50

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21464	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50.0 mL
Date Analyzed:	03/06/2006 1130		Final Weight/Volume:	50.0 mL
Date Prepared:	03/02/2006 0953			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Silver	1.9	U	1.9	10
Arsenic	4.8	U	4.8	10
Barium	15		1.2	10
Beryllium	0.74	U	0.74	4.0
Cadmium	0.71	U	0.71	5.0
Cobalt	1.6	U	1.6	10
Chromium	1.7	U	1.7	10
Copper	2.9	U	2.9	20
Iron	430		22	50
Nickel	4.7	U	4.7	40
Antimony	3.6	U	3.6	6.0
Lead	1.6	U	1.6	5.0
Selenium	5.9	U	5.9	10
Vanadium	2.5	U	2.5	10
Zinc	5.9	U	5.9	20

200.8 ICPMS Metals by 200.8 CWA-Total Recoverable

Method:	200.8	Analysis Batch: 680-37847	Instrument ID:	ICP MS
Preparation:	4.1.4	Prep Batch: 680-37401	Lab File ID:	N/A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/03/2006 0610		Final Weight/Volume:	250 mL
Date Prepared:	02/27/2006 1327			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Thallium	0.25	U	0.25	1.0

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Client Sample ID: MWB2S

Lab Sample ID: 660-7387-16

Date Sampled: 02/22/2006 1517

Client Matrix: Water

Date Received: 02/23/2006 0941

245.1 Mercury In Water by CVAA

Method: 245.1
Preparation: 245.1
Dilution: 1.0
Date Analyzed: 03/02/2006 1207
Date Prepared: 03/02/2006 0805

Analysis Batch: 660-21504
Prep Batch: 660-21446

Instrument ID: HydraAA Mercury
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Mercury	0.072	U	0.072	0.20

Client: HDR Engineering

Job Number: 660-7387-1

Field Service / Mobile Lab

Client Sample ID: MWB19D

Lab Sample ID: 660-7387-1

Client Matrix: Water

% Moisture:

Date Sampled: 02/22/2006 0836

Date Received: 02/23/2006 0941

Analyte	Result	Qual	Units	Dil	Method	Analysis Batch	Date Analyzed
Field pH	7.26		SU	1.0	Field	660-2133	02/22/2006 0836
Field Temperature	21.6		Degrees C	1.0	Field	660-2133	02/22/2006 0836
Oxygen, Dissolved	0.8		mg/L	1.0	Field	660-2133	02/22/2006 0836
Specific Conductance	321		umhos/cm	1.0	Field	660-2133	02/22/2006 0836
Turbidity	12.7		NTU	1.0	Field	660-2133	02/22/2006 0836
Water Level	121.21		ft	1.0	Field	660-2133	02/22/2006 0836
Well Depth	115.50		ft	1.0	Field	660-2133	02/22/2006 0836

Client Sample ID: MWB19I

Lab Sample ID: 660-7387-2

Client Matrix: Water

% Moisture:

Date Sampled: 02/22/2006 0915

Date Received: 02/23/2006 0941

Analyte	Result	Qual	Units	Dil	Method	Analysis Batch	Date Analyzed
Field pH	5.15		SU	1.0	Field	660-2133	02/22/2006 0915
Field Temperature	22.1		Degrees C	1.0	Field	660-2133	02/22/2006 0915
Oxygen, Dissolved	1.1		mg/L	1.0	Field	660-2133	02/22/2006 0915
Specific Conductance	40		umhos/cm	1.0	Field	660-2133	02/22/2006 0915
Turbidity	27.3		NTU	1.0	Field	660-2133	02/22/2006 0915
Water Level	120.65		ft	1.0	Field	660-2133	02/22/2006 0915
Well Depth	59.00		ft	1.0	Field	660-2133	02/22/2006 0915

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Field Service / Mobile Lab

Client Sample ID: MWB19S

Lab Sample ID: 660-7387-3

Client Matrix: Water

% Moisture:

Date Sampled: 02/22/2006 0934

Date Received: 02/23/2006 0941

Analyte	Result	Qual	Units	Dil	Method	Analysis Batch	Date Analyzed
Field pH	5.29		SU	1.0	Field	660-2133	02/22/2006 0934
Field Temperature	20.9		Degrees C	1.0	Field	660-2133	02/22/2006 0934
Oxygen, Dissolved	1.3		mg/L	1.0	Field	660-2133	02/22/2006 0934
Specific Conductance	106		umhos/cm	1.0	Field	660-2133	02/22/2006 0934
Turbidity	10.1		NTU	1.0	Field	660-2133	02/22/2006 0934
Water Level	120.82		ft	1.0	Field	660-2133	02/22/2006 0934
Well Depth	20.00		ft	1.0	Field	660-2133	02/22/2006 0934

Client Sample ID: MWB12I

Lab Sample ID: 660-7387-4

Client Matrix: Water

% Moisture:

Date Sampled: 02/22/2006 1015

Date Received: 02/23/2006 0941

Analyte	Result	Qual	Units	Dil	Method	Analysis Batch	Date Analyzed
Field pH	5.33		SU	1.0	Field	660-2133	02/22/2006 1015
Field Temperature	22.8		Degrees C	1.0	Field	660-2133	02/22/2006 1015
Oxygen, Dissolved	0.9		mg/L	1.0	Field	660-2133	02/22/2006 1015
Specific Conductance	41		umhos/cm	1.0	Field	660-2133	02/22/2006 1015
Turbidity	4.4		NTU	1.0	Field	660-2133	02/22/2006 1015
Water Level	116.82		ft	1.0	Field	660-2133	02/22/2006 1015
Well Depth	71.50		ft	1.0	Field	660-2133	02/22/2006 1015

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Field Service / Mobile Lab

Client Sample ID: MWB12D

Lab Sample ID: 660-7387-5

Date Sampled: 02/22/2006 1032

Client Matrix: Water

% Moisture:

Date Received: 02/23/2006 0941

Analyte	Result	Qual	Units	Dil	Method	Analysis Batch	Date Analyzed
Field pH	7.18		SU	1.0	Field	660-2133	02/22/2006 1032
Field Temperature	22.0		Degrees C	1.0	Field	660-2133	02/22/2006 1032
Oxygen, Dissolved	0.8		mg/L	1.0	Field	660-2133	02/22/2006 1032
Specific Conductance	394		umhos/cm	1.0	Field	660-2133	02/22/2006 1032
Turbidity	0.8		NTU	1.0	Field	660-2133	02/22/2006 1032
Water Level	119.26		ft	1.0	Field	660-2133	02/22/2006 1032
Well Depth	112.00		ft	1.0	Field	660-2133	02/22/2006 1032

Client Sample ID: MWB12S

Lab Sample ID: 660-7387-6

Date Sampled: 02/22/2006 1048

Client Matrix: Water

% Moisture:

Date Received: 02/23/2006 0941

Analyte	Result	Qual	Units	Dil	Method	Analysis Batch	Date Analyzed
Field pH	5.59		SU	1.0	Field	660-2133	02/22/2006 1048
Field Temperature	20.3		Degrees C	1.0	Field	660-2133	02/22/2006 1048
Oxygen, Dissolved	2.6		mg/L	1.0	Field	660-2133	02/22/2006 1048
Specific Conductance	125		umhos/cm	1.0	Field	660-2133	02/22/2006 1048
Turbidity	19.6		NTU	1.0	Field	660-2133	02/22/2006 1048
Water Level	114.21		ft	1.0	Field	660-2133	02/22/2006 1048
Well Depth	24.50		ft	1.0	Field	660-2133	02/22/2006 1048

Client: HDR Engineering

Job Number: 660-7387-1

Field Service / Mobile Lab

Client Sample ID: **MWB22S**

Lab Sample ID: 660-7387-7

Date Sampled: 02/22/2006 1107

Client Matrix: Water

% Moisture:

Date Received: 02/23/2006 0941

Analyte	Result	Qual	Units	Dil	Method	Analysis Batch	Date Analyzed
Field pH	5.86		SU	1.0	Field	660-2133	02/22/2006 1107
Field Temperature	19.2		Degrees C	1.0	Field	660-2133	02/22/2006 1107
Oxygen, Dissolved	1.9		mg/L	1.0	Field	660-2133	02/22/2006 1107
Specific Conductance	227		umhos/cm	1.0	Field	660-2133	02/22/2006 1107
Turbidity	4.9		NTU	1.0	Field	660-2133	02/22/2006 1107
Water Level	114.88		ft	1.0	Field	660-2133	02/22/2006 1107
Well Depth	26.00		ft	1.0	Field	660-2133	02/22/2006 1107

Client Sample ID: **MWB27I**

Lab Sample ID: 660-7387-8

Date Sampled: 02/22/2006 1146

Client Matrix: Water

% Moisture:

Date Received: 02/23/2006 0941

Analyte	Result	Qual	Units	Dil	Method	Analysis Batch	Date Analyzed
Field pH	5.58		SU	1.0	Field	660-2133	02/22/2006 1146
Field Temperature	20.6		Degrees C	1.0	Field	660-2133	02/22/2006 1146
Oxygen, Dissolved	1.1		mg/L	1.0	Field	660-2133	02/22/2006 1146
Specific Conductance	58		umhos/cm	1.0	Field	660-2133	02/22/2006 1146
Turbidity	10.2		NTU	1.0	Field	660-2133	02/22/2006 1146
Water Level	121.90		ft	1.0	Field	660-2133	02/22/2006 1146
Well Depth	62.50		ft	1.0	Field	660-2133	02/22/2006 1146

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Field Service / Mobile Lab

Client Sample ID: **MWB27D**

Lab Sample ID: 660-7387-10

Client Matrix: Water

% Moisture:

Date Sampled: 02/22/2006 1213

Date Received: 02/23/2006 0941

Analyte	Result	Qual	Units	Dil	Method	Analysis Batch	Date Analyzed
Field pH	5.83		SU	1.0	Field	660-2133	02/22/2006 1213
Field Temperature	19.7		Degrees C	1.0	Field	660-2133	02/22/2006 1213
Oxygen, Dissolved	1.1		mg/L	1.0	Field	660-2133	02/22/2006 1213
Specific Conductance	89		umhos/cm	1.0	Field	660-2133	02/22/2006 1213
Turbidity	0.8		NTU	1.0	Field	660-2133	02/22/2006 1213
Water Level	121.78		ft	1.0	Field	660-2133	02/22/2006 1213
Well Depth	110.00		ft	1.0	Field	660-2133	02/22/2006 1213

Client Sample ID: **MWB27S**

Lab Sample ID: 660-7387-11

Client Matrix: Water

% Moisture:

Date Sampled: 02/22/2006 1232

Date Received: 02/23/2006 0941

Analyte	Result	Qual	Units	Dil	Method	Analysis Batch	Date Analyzed
Field pH	4.73		SU	1.0	Field	660-2133	02/22/2006 1232
Field Temperature	18.3		Degrees C	1.0	Field	660-2133	02/22/2006 1232
Oxygen, Dissolved	1.3		mg/L	1.0	Field	660-2133	02/22/2006 1232
Specific Conductance	51		umhos/cm	1.0	Field	660-2133	02/22/2006 1232
Turbidity	9.2		NTU	1.0	Field	660-2133	02/22/2006 1232
Water Level	121.68		ft	1.0	Field	660-2133	02/22/2006 1232
Well Depth	15.50		ft	1.0	Field	660-2133	02/22/2006 1232

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Field Service / Mobile Lab

Client Sample ID: MWB29I

Lab Sample ID: 660-7387-12

Client Matrix: Water

% Moisture:

Date Sampled: 02/22/2006 1320

Date Received: 02/23/2006 0941

Analyte	Result	Qual	Units	Dil	Method	Analysis Batch	Date Analyzed
Field pH	5.12		SU	1.0	Field	660-2133	02/22/2006 1320
Field Temperature	21.2		Degrees C	1.0	Field	660-2133	02/22/2006 1320
Oxygen, Dissolved	1.0		mg/L	1.0	Field	660-2133	02/22/2006 1320
Specific Conductance	41		umhos/cm	1.0	Field	660-2133	02/22/2006 1320
Turbidity	13.3		NTU	1.0	Field	660-2133	02/22/2006 1320
Water Level	131.62		ft	1.0	Field	660-2133	02/22/2006 1320
Well Depth	63.50		ft	1.0	Field	660-2133	02/22/2006 1320

Client Sample ID: MWB29D

Lab Sample ID: 660-7387-13

Client Matrix: Water

% Moisture:

Date Sampled: 02/22/2006 1336

Date Received: 02/23/2006 0941

Analyte	Result	Qual	Units	Dil	Method	Analysis Batch	Date Analyzed
Field pH	5.68		SU	1.0	Field	660-2133	02/22/2006 1336
Field Temperature	20.0		Degrees C	1.0	Field	660-2133	02/22/2006 1336
Oxygen, Dissolved	0.9		mg/L	1.0	Field	660-2133	02/22/2006 1336
Specific Conductance	66		umhos/cm	1.0	Field	660-2133	02/22/2006 1336
Turbidity	1.3		NTU	1.0	Field	660-2133	02/22/2006 1336
Water Level	131.60		ft	1.0	Field	660-2133	02/22/2006 1336
Well Depth	110.50		ft	1.0	Field	660-2133	02/22/2006 1336

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

Field Service / Mobile Lab

Client Sample ID: **MWB29S**

Lab Sample ID: 660-7387-14

Client Matrix: Water

% Moisture:

Date Sampled: 02/22/2006 1355

Date Received: 02/23/2006 0941

Analyte	Result	Qual	Units	Dil	Method	Analysis Batch	Date Analyzed
Field pH	4.62		SU	1.0	Field	660-2133	02/22/2006 1355
Field Temperature	16.6		Degrees C	1.0	Field	660-2133	02/22/2006 1355
Oxygen, Dissolved	1.5		mg/L	1.0	Field	660-2133	02/22/2006 1355
Specific Conductance	44		umhos/cm	1.0	Field	660-2133	02/22/2006 1355
Turbidity	1.5		NTU	1.0	Field	660-2133	02/22/2006 1355
Water Level	129.86		ft	1.0	Field	660-2133	02/22/2006 1355
Well Depth	20.00		ft	1.0	Field	660-2133	02/22/2006 1355

Client Sample ID: **MWB2I**

Lab Sample ID: 660-7387-15

Client Matrix: Water

% Moisture:

Date Sampled: 02/22/2006 1431

Date Received: 02/23/2006 0941

Analyte	Result	Qual	Units	Dil	Method	Analysis Batch	Date Analyzed
Field pH	4.83		SU	1.0	Field	660-2133	02/22/2006 1431
Field Temperature	21.3		Degrees C	1.0	Field	660-2133	02/22/2006 1431
Oxygen, Dissolved	1.1		mg/L	1.0	Field	660-2133	02/22/2006 1431
Specific Conductance	38		umhos/cm	1.0	Field	660-2133	02/22/2006 1431
Turbidity	1.0		NTU	1.0	Field	660-2133	02/22/2006 1431
Water Level	135.75		ft	1.0	Field	660-2133	02/22/2006 1431
Well Depth	61.50		ft	1.0	Field	660-2133	02/22/2006 1431

Client: HDR Engineering

Job Number: 660-7387-1

Field Service / Mobile Lab

Client Sample ID: MWB2S

Lab Sample ID: 660-7387-16

Client Matrix: Water

% Moisture:

Date Sampled: 02/22/2006 1517

Date Received: 02/23/2006 0941

Analyte	Result	Qual	Units	Dil	Method	Analysis Batch	Date Analyzed
Field pH	4.48		SU	1.0	Field	660-2133	02/22/2006 1517
Field Temperature	18.3		Degrees C	1.0	Field	660-2133	02/22/2006 1517
Oxygen, Dissolved	2.3		mg/L	1.0	Field	660-2133	02/22/2006 1517
Specific Conductance	55		umhos/cm	1.0	Field	660-2133	02/22/2006 1517
Turbidity	10.0		NTU	1.0	Field	660-2133	02/22/2006 1517
Water Level	138.03		ft	1.0	Field	660-2133	02/22/2006 1517
Well Depth	20.00		ft	1.0	Field	660-2133	02/22/2006 1517

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

General Chemistry

Client Sample ID: MWB19D

Lab Sample ID: 660-7387-1
Client Matrix: Water

Date Sampled: 02/22/2006 0836
Date Received: 02/23/2006 0941

Analyte	Result	Qual	Units	MDL	PQL	Dil	Method
Chloride	5.7		mg/L	0.90	1.0	1.0	325.2
	Anly Batch: 660-21271	Date Analyzed	02/27/2006	1409			
Ammonia	0.11		mg/L	0.040	0.050	1.0	350.1
	Anly Batch: 660-21276	Date Analyzed	02/27/2006	1043			
Nitrate Nitrogen	0.011	I	mg/L	0.010	0.050	1.0	353.2
	Anly Batch: 660-21103	Date Analyzed	02/24/2006	0745			

Analyte	Result	Qual	Units	RL	PQL	Dil	Method
Total Dissolved Solids	170		mg/L	5.0	5.0	1.0	160.1
	Anly Batch: 660-21227	Date Analyzed	02/24/2006	1555			

Client Sample ID: MWB19I

Lab Sample ID: 660-7387-2
Client Matrix: Water

Date Sampled: 02/22/2006 0915
Date Received: 02/23/2006 0941

Analyte	Result	Qual	Units	MDL	PQL	Dil	Method
Chloride	8.6		mg/L	0.90	1.0	1.0	325.2
	Anly Batch: 660-21271	Date Analyzed	02/27/2006	1409			
Ammonia	0.040	U	mg/L	0.040	0.050	1.0	350.1
	Anly Batch: 660-21276	Date Analyzed	02/27/2006	1043			
Nitrate Nitrogen	0.010	U	mg/L	0.010	0.050	1.0	353.2
	Anly Batch: 660-21103	Date Analyzed	02/24/2006	0745			

Analyte	Result	Qual	Units	RL	PQL	Dil	Method
Total Dissolved Solids	26		mg/L	5.0	5.0	1.0	160.1
	Anly Batch: 660-21227	Date Analyzed	02/24/2006	1555			

Client: HDR Engineering

Job Number: 660-7387-1

General Chemistry

Client Sample ID: **MWB19S**

Lab Sample ID: 660-7387-3

Date Sampled: 02/22/2006 0934

Client Matrix: Water

Date Received: 02/23/2006 0941

Analyte	Result	Qual	Units	MDL	PQL	Dil	Method
Chloride	9.3		mg/L	0.90	1.0	1.0	325.2
	Anly Batch: 660-21271		Date Analyzed	02/27/2006 1409			
Ammonia	0.37		mg/L	0.040	0.050	1.0	350.1
	Anly Batch: 660-21276		Date Analyzed	02/27/2006 1043			
Nitrate Nitrogen	0.010	U	mg/L	0.010	0.050	1.0	353.2
	Anly Batch: 660-21103		Date Analyzed	02/24/2006 0745			

Analyte	Result	Qual	Units	RL	PQL	Dil	Method
Total Dissolved Solids	52		mg/L	5.0	5.0	1.0	160.1
	Anly Batch: 660-21227		Date Analyzed	02/24/2006 1555			

Client Sample ID: **MWB12I**

Lab Sample ID: 660-7387-4

Date Sampled: 02/22/2006 1015

Client Matrix: Water

Date Received: 02/23/2006 0941

Analyte	Result	Qual	Units	MDL	PQL	Dil	Method
Chloride	5.8		mg/L	0.90	1.0	1.0	325.2
	Anly Batch: 660-21271		Date Analyzed	02/27/2006 1409			
Ammonia	0.040	U	mg/L	0.040	0.050	1.0	350.1
	Anly Batch: 660-21276		Date Analyzed	02/27/2006 1043			
Nitrate Nitrogen	0.010	U	mg/L	0.010	0.050	1.0	353.2
	Anly Batch: 660-21103		Date Analyzed	02/24/2006 0745			

Analyte	Result	Qual	Units	RL	PQL	Dil	Method
Total Dissolved Solids	16		mg/L	5.0	5.0	1.0	160.1
	Anly Batch: 660-21227		Date Analyzed	02/24/2006 1555			

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

General Chemistry

Client Sample ID: **MWB12D**

Lab Sample ID: 660-7387-5
Client Matrix: Water

Date Sampled: 02/22/2006 1032
Date Received: 02/23/2006 0941

Analyte	Result	Qual	Units	MDL	PQL	Dil	Method
Chloride	6.6		mg/L	0.90	1.0	1.0	325.2
	Any Batch: 660-21271		Date Analyzed	02/27/2006 1409			
Ammonia	0.19		mg/L	0.040	0.050	1.0	350.1
	Any Batch: 660-21276		Date Analyzed	02/27/2006 1043			
Nitrate Nitrogen	0.010	U	mg/L	0.010	0.050	1.0	353.2
	Any Batch: 660-21103		Date Analyzed	02/24/2006 0745			

Analyte	Result	Qual	Units	RL	PQL	Dil	Method
Total Dissolved Solids	180		mg/L	5.0	5.0	1.0	160.1
	Any Batch: 660-21227		Date Analyzed	02/24/2006 1555			

Client Sample ID: **MWB12S**

Lab Sample ID: 660-7387-6
Client Matrix: Water

Date Sampled: 02/22/2006 1048
Date Received: 02/23/2006 0941

Analyte	Result	Qual	Units	MDL	PQL	Dil	Method
Chloride	10		mg/L	0.90	1.0	1.0	325.2
	Any Batch: 660-21271		Date Analyzed	02/27/2006 1409			
Ammonia	0.20		mg/L	0.040	0.050	1.0	350.1
	Any Batch: 660-21276		Date Analyzed	02/27/2006 1043			
Nitrate Nitrogen	0.029	I	mg/L	0.010	0.050	1.0	353.2
	Any Batch: 660-21103		Date Analyzed	02/24/2006 0745			

Analyte	Result	Qual	Units	RL	PQL	Dil	Method
Total Dissolved Solids	62		mg/L	5.0	5.0	1.0	160.1
	Any Batch: 660-21227		Date Analyzed	02/24/2006 1555			

Client: HDR Engineering

Job Number: 660-7387-1

General Chemistry

Client Sample ID: MWB22S

Lab Sample ID: 660-7387-7
Client Matrix: Water

Date Sampled: 02/22/2006 1107
Date Received: 02/23/2006 0941

Analyte	Result	Qual	Units	MDL	PQL	Dil	Method
Chloride	9.2		mg/L	0.90	1.0	1.0	325.2
	Anly Batch: 660-21271	Date Analyzed	02/27/2006	1409			
Ammonia	0.41		mg/L	0.040	0.050	1.0	350.1
	Anly Batch: 660-21276	Date Analyzed	02/27/2006	1043			
Nitrate Nitrogen	0.010	U	mg/L	0.010	0.050	1.0	353.2
	Anly Batch: 660-21103	Date Analyzed	02/24/2006	0745			

Analyte	Result	Qual	Units	RL	PQL	Dil	Method
Total Dissolved Solids	110		mg/L	5.0	5.0	1.0	160.1
	Anly Batch: 660-21227	Date Analyzed	02/24/2006	1555			

Client Sample ID: MWB271

Lab Sample ID: 660-7387-8
Client Matrix: Water

Date Sampled: 02/22/2006 1146
Date Received: 02/23/2006 0941

Analyte	Result	Qual	Units	MDL	PQL	Dil	Method
Chloride	6.2		mg/L	0.90	1.0	1.0	325.2
	Anly Batch: 660-21271	Date Analyzed	02/27/2006	1409			
Ammonia	0.053		mg/L	0.040	0.050	1.0	350.1
	Anly Batch: 660-21276	Date Analyzed	02/27/2006	1043			
Nitrate Nitrogen	0.021	I	mg/L	0.010	0.050	1.0	353.2
	Anly Batch: 660-21103	Date Analyzed	02/24/2006	0745			

Analyte	Result	Qual	Units	RL	PQL	Dil	Method
Total Dissolved Solids	22		mg/L	5.0	5.0	1.0	160.1
	Anly Batch: 660-21227	Date Analyzed	02/24/2006	1555			

Client: HDR Engineering

Job Number: 660-7387-1

General Chemistry

Client Sample ID: Dup01

Lab Sample ID: 660-7387-9
Client Matrix: Water

Date Sampled: 02/22/2006 1146
Date Received: 02/23/2006 0941

Analyte	Result	Qual	Units	MDL	PQL	Dil	Method
Chloride	6.1		mg/L	0.90	1.0	1.0	325.2
	Anly Batch: 660-21271		Date Analyzed	02/27/2006 1409			
Ammonia	0.055		mg/L	0.040	0.050	1.0	350.1
	Anly Batch: 660-21276		Date Analyzed	02/27/2006 1043			
Nitrate Nitrogen	0.021	I	mg/L	0.010	0.050	1.0	353.2
	Anly Batch: 660-21103		Date Analyzed	02/24/2006 0745			

Analyte	Result	Qual	Units	RL	PQL	Dil	Method
Total Dissolved Solids	18		mg/L	5.0	5.0	1.0	160.1
	Anly Batch: 660-21227		Date Analyzed	02/24/2006 1555			

Client Sample ID: MWB27D

Lab Sample ID: 660-7387-10
Client Matrix: Water

Date Sampled: 02/22/2006 1213
Date Received: 02/23/2006 0941

Analyte	Result	Qual	Units	MDL	PQL	Dil	Method
Chloride	5.3		mg/L	0.90	1.0	1.0	325.2
	Anly Batch: 660-21358		Date Analyzed	02/28/2006 1240			
Ammonia	0.064		mg/L	0.040	0.050	1.0	350.1
	Anly Batch: 660-21276		Date Analyzed	02/27/2006 1043			
Nitrate Nitrogen	0.013	I	mg/L	0.010	0.050	1.0	353.2
	Anly Batch: 660-21103		Date Analyzed	02/24/2006 0745			

Analyte	Result	Qual	Units	RL	PQL	Dil	Method
Total Dissolved Solids	30		mg/L	5.0	5.0	1.0	160.1
	Anly Batch: 660-21227		Date Analyzed	02/24/2006 1555			

Client: HDR Engineering

Job Number: 660-7387-1

General Chemistry

Client Sample ID: **MWB27S**

Lab Sample ID: 660-7387-11
Client Matrix: Water

Date Sampled: 02/22/2006 1232
Date Received: 02/23/2006 0941

Analyte	Result	Qual	Units	MDL	PQL	Dil	Method
Chloride	5.1		mg/L	0.90	1.0	1.0	325.2
	Anly Batch: 660-21358		Date Analyzed	02/28/2006 1240			
Ammonia	0.055		mg/L	0.040	0.050	1.0	350.1
	Anly Batch: 660-21276		Date Analyzed	02/27/2006 1043			
Nitrate Nitrogen	0.091		mg/L	0.010	0.050	1.0	353.2
	Anly Batch: 660-21103		Date Analyzed	02/24/2006 0745			

Analyte	Result	Qual	Units	RL	PQL	Dil	Method
Total Dissolved Solids	16		mg/L	5.0	5.0	1.0	160.1
	Anly Batch: 660-21227		Date Analyzed	02/24/2006 1555			

Client Sample ID: **MWB29I**

Lab Sample ID: 660-7387-12
Client Matrix: Water

Date Sampled: 02/22/2006 1320
Date Received: 02/23/2006 0941

Analyte	Result	Qual	Units	MDL	PQL	Dil	Method
Chloride	5.5		mg/L	0.90	1.0	1.0	325.2
	Anly Batch: 660-21358		Date Analyzed	02/28/2006 1240			
Ammonia	0.040	U	mg/L	0.040	0.050	1.0	350.1
	Anly Batch: 660-21276		Date Analyzed	02/27/2006 1043			
Nitrate Nitrogen	0.010	U	mg/L	0.010	0.050	1.0	353.2
	Anly Batch: 660-21103		Date Analyzed	02/24/2006 0745			

Analyte	Result	Qual	Units	RL	PQL	Dil	Method
Total Dissolved Solids	28	Q	mg/L	5.0	5.0	1.0	160.1
	Anly Batch: 660-23035		Date Analyzed	03/31/2006 1625			

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

General Chemistry

Client Sample ID: MWB29D

Lab Sample ID: 660-7387-13
Client Matrix: Water

Date Sampled: 02/22/2006 1336
Date Received: 02/23/2006 0941

Analyte	Result	Qual	Units	MDL	PQL	Dil	Method
Chloride	5.8		mg/L	0.90	1.0	1.0	325.2
	Anly Batch: 660-21358		Date Analyzed	02/28/2006	1240		
Ammonia	0.080		mg/L	0.040	0.050	1.0	350.1
	Anly Batch: 660-21276		Date Analyzed	02/27/2006	1043		
Nitrate Nitrogen	0.010	U	mg/L	0.010	0.050	1.0	353.2
	Anly Batch: 660-21103		Date Analyzed	02/24/2006	0745		

Analyte	Result	Qual	Units	RL	PQL	Dil	Method
Total Dissolved Solids	24		mg/L	5.0	5.0	1.0	160.1
	Anly Batch: 660-21227		Date Analyzed	02/24/2006	1555		

Client Sample ID: MWB29S

Lab Sample ID: 660-7387-14
Client Matrix: Water

Date Sampled: 02/22/2006 1355
Date Received: 02/23/2006 0941

Analyte	Result	Qual	Units	MDL	PQL	Dil	Method
Chloride	6.9		mg/L	0.90	1.0	1.0	325.2
	Anly Batch: 660-21358		Date Analyzed	02/28/2006	1240		
Ammonia	0.040	U	mg/L	0.040	0.050	1.0	350.1
	Anly Batch: 660-21276		Date Analyzed	02/27/2006	1043		
Nitrate Nitrogen	0.010	U	mg/L	0.010	0.050	1.0	353.2
	Anly Batch: 660-21103		Date Analyzed	02/24/2006	0745		

Analyte	Result	Qual	Units	RL	PQL	Dil	Method
Total Dissolved Solids	38	Q	mg/L	5.0	5.0	1.0	160.1
	Anly Batch: 660-23035		Date Analyzed	03/31/2006	1625		

Analytical Data

Client: HDR Engineering

Job Number: 660-7387-1

General Chemistry

Client Sample ID: MWB2I

Lab Sample ID: 660-7387-15
Client Matrix: Water

Date Sampled: 02/22/2006 1431
Date Received: 02/23/2006 0941

Analyte	Result	Qual	Units	MDL	PQL	Dil	Method
Chloride	6.4		mg/L	0.90	1.0	1.0	325.2
	Anly Batch: 660-21358		Date Analyzed: 02/28/2006 1240				
Ammonia	0.040	U	mg/L	0.040	0.050	1.0	350.1
	Anly Batch: 660-21276		Date Analyzed: 02/27/2006 1043				
Nitrate Nitrogen	0.010	U	mg/L	0.010	0.050	1.0	353.2
	Anly Batch: 660-21103		Date Analyzed: 02/24/2006 0745				

Analyte	Result	Qual	Units	RL	PQL	Dil	Method
Total Dissolved Solids	42	Q	mg/L	5.0	5.0	1.0	160.1
	Anly Batch: 660-23035		Date Analyzed: 03/31/2006 1625				

Client Sample ID: MWB2S

Lab Sample ID: 660-7387-16
Client Matrix: Water

Date Sampled: 02/22/2006 1517
Date Received: 02/23/2006 0941

Analyte	Result	Qual	Units	MDL	PQL	Dil	Method
Chloride	4.8		mg/L	0.90	1.0	1.0	325.2
	Anly Batch: 660-21358		Date Analyzed: 02/28/2006 1240				
Ammonia	0.040	U	mg/L	0.040	0.050	1.0	350.1
	Anly Batch: 660-21368		Date Analyzed: 02/28/2006 1640				
Nitrate Nitrogen	0.010	U	mg/L	0.010	0.050	1.0	353.2
	Anly Batch: 660-21103		Date Analyzed: 02/24/2006 0745				

Analyte	Result	Qual	Units	RL	PQL	Dil	Method
Total Dissolved Solids	5.0	U	mg/L	5.0	5.0	1.0	160.1
	Anly Batch: 660-21227		Date Analyzed: 02/24/2006 1555				

DATA REPORTING QUALIFIERS

Client: HDR Engineering

Job Number: 660-7387-1

Lab Section	Qualifier	Description
GC/MS VOA	U	Indicates that the compound was analyzed for but not detected.
	I	The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
GC Semi VOA	U	Indicates that the compound was analyzed for but not detected.
Metals	U	Indicates that the compound was analyzed for but not detected.
	I	The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
General Chemistry	U	Indicates that the compound was analyzed for but not detected.
	Q	Sample held beyond the accepted holding time.
	I	The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7387-1

Method Blank - Batch: 660-21747

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 660-21747/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/07/2006 1645
Date Prepared: 03/07/2006 1645

Analysis Batch: 660-21747
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JC0708.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
Acetone	9.9	U	9.9	20
Acrylonitrile	1.2	U	1.2	100
Benzene	0.27	U	0.27	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Bromomethane	0.66	U	0.66	1.0
Methyl Ethyl Ketone	8.4	U	8.4	10
Carbon disulfide	0.85	U	0.85	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Bromochloromethane	0.58	U	0.58	1.0
Chloroethane	0.80	U	0.80	1.0
Chloroform	0.90	U	0.90	1.0
1,2-Dichlorobenzene	0.44	U	0.44	1.0
Chloromethane	0.64	U	0.64	1.0
Dibromochloromethane	0.34	U	0.34	1.0
Methylene bromide	0.41	U	0.41	1.0
trans-1,4-Dichloro-2-butene	2.5	U	2.5	10
1,4-Dichlorobenzene	0.52	U	0.52	1.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,1-Dichloroethene	0.45	U	0.45	1.0
cis-1,2-Dichloroethene	0.65	U	0.65	1.0
trans-1,2-Dichloroethene	0.44	U	0.44	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
Ethylbenzene	0.44	U	0.44	1.0
2-Hexanone	4.4	U	4.4	10
Iodomethane	0.67	U	0.67	1.0
4-Methyl-2-pentanone	3.8	U	3.8	10
Methylene Chloride	4.0	U	4.0	5.0
Styrene	0.98	U	0.98	1.0
1,1,2,2-Tetrachloroethane	0.14	U	0.14	1.0
1,1,1,2-Tetrachloroethane	0.63	U	0.63	1.0
Tetrachloroethene	0.34	U	0.34	1.0
Toluene	0.51	U	0.51	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethene	0.28	U	0.28	1.0
Trichlorofluoromethane	0.98	U	0.98	1.0

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7387-1

Method Blank - Batch: 660-21747

**Method: 8260B
Preparation: 5030B**

Lab Sample ID: MB 660-21747/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/07/2006 1645
Date Prepared: 03/07/2006 1645

Analysis Batch: 660-21747
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JC0708.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
1,2,3-Trichloropropane	0.15	U	0.15	1.0
Vinyl acetate	1.5	U	1.5	10
Vinyl chloride	0.50	U	0.50	1.0
Xylenes, Total	0.30	U	0.30	1.0

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	92	74 - 126
Dibromofluoromethane	89	70 - 130
Toluene-d8	100	77 - 122

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-21747**

**Method: 8260B
Preparation: 5030B**

LCS Lab Sample ID: LCS 660-21747/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/07/2006 1530
Date Prepared: 03/07/2006 1530

Analysis Batch: 660-21747
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JC0705.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-21747/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/07/2006 1555
Date Prepared: 03/07/2006 1555

Analysis Batch: 660-21747
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JC0706.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Benzene	108	109	62 - 135	1	37		
Chlorobenzene	110	108	72 - 127	2	22		
1,1-Dichloroethene	110	112	46 - 147	3	30		
Toluene	109	110	68 - 131	1	33		
Trichloroethene	101	103	56 - 143	3	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7387-1

Method Blank - Batch: 660-21760

Method: 504.1
Preparation: 504.1

Lab Sample ID: MB 660-21760/1-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/07/2006 1534
Date Prepared: 03/07/2006 1030

Analysis Batch: 660-21876
Prep Batch: 660-21760
Units: ug/L

Instrument ID: HP 5890 Series II ECD1/2
Lab File ID: 1C07S015.D
Initial Weight/Volume: 33.9424 g
Final Weight/Volume: 3 mL
Injection Volume:
Column ID: PRIMARY

Analyte	Result	Qual	MDL	PQL
1,2-Dibromo-3-Chloropropane	0.0031	U	0.0031	0.021
Ethylene Dibromide	0.0090	U	0.0090	0.021

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-21760**

Method: 504.1
Preparation: 504.1

LCS Lab Sample ID: LCS 660-21760/2-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/07/2006 1558
Date Prepared: 03/07/2006 1030

Analysis Batch: 660-21876
Prep Batch: 660-21760
Units: ug/L

Instrument ID: HP 5890 Series II ECD1/2
Lab File ID: 1C07S016.D
Initial Weight/Volume: 32.9557 g
Final Weight/Volume: 3 mL
Injection Volume:
Column ID: PRIMARY

LCSD Lab Sample ID: LCSD 660-21760/3-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/07/2006 1621
Date Prepared: 03/07/2006 1030

Analysis Batch: 660-21876
Prep Batch: 660-21760
Units: ug/L

Instrument ID: HP 5890 Series II ECD1/
Lab File ID: 1C07S017.D
Initial Weight/Volume: 34.1756 g
Final Weight/Volume: 3 mL
Injection Volume:
Column ID: PRIMARY

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
1,2-Dibromo-3-Chloropropane	108	103	70 - 130	8	30		
Ethylene Dibromide	126	117	70 - 130	11	30		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7387-1

**Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-21760**

**Method: 504.1
Preparation: 504.1**

MS Lab Sample ID: 660-7387-1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/07/2006 1707
Date Prepared: 03/07/2006 1030

Analysis Batch: 660-21876
Prep Batch: 660-21760

Instrument ID: HP 5890 Series II ECD1/2
Lab File ID: 1C07S019.D
Initial Weight/Volume: 33.9552 g
Final Weight/Volume: 3 mL
Injection Volume:
Column ID: PRIMARY

MSD Lab Sample ID: 660-7387-1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/07/2006 1731
Date Prepared: 03/07/2006 1030

Analysis Batch: 660-21876
Prep Batch: 660-21760

Instrument ID: HP 5890 Series II ECD1/2
Lab File ID: 1C07S020.D
Initial Weight/Volume: 34.3998 g
Final Weight/Volume: 3 mL
Injection Volume:
Column ID: PRIMARY

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
1,2-Dibromo-3-Chloropropane	95	93	70 - 130	3	30		
Ethylene Dibromide	106	109	70 - 130	1	30		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7387-1

Method Blank - Batch: 660-21464

Lab Sample ID: MB 660-21464/1-A
 Client Matrix: Water
 Dilution: 1.0
 Date Analyzed: 03/06/2006 0855
 Date Prepared: 03/02/2006 0953

Analysis Batch: 660-21640
 Prep Batch: 660-21464
 Units: mg/L

**Method: 200.7 Rev 4.4
 Preparation: 200.7 Appx C
 Total Recoverable**

Instrument ID: TJA ICP TRACE
 Lab File ID: 6C06A
 Initial Weight/Volume: 50.0 mL
 Final Weight/Volume: 50.0 mL

Analyte	Result	Qual	MDL	PQL
Sodium	0.31	U	0.31	0.50

Method Blank - Batch: 660-21464

Lab Sample ID: MB 660-21464/1-A
 Client Matrix: Water
 Dilution: 1.0
 Date Analyzed: 03/06/2006 0855
 Date Prepared: 03/02/2006 0953

Analysis Batch: 660-21640
 Prep Batch: 660-21464
 Units: ug/L

**Method: 200.7 Rev 4.4
 Preparation: 200.7 Appx C
 Total Recoverable**

Instrument ID: TJA ICP TRACE
 Lab File ID: 6C06A
 Initial Weight/Volume: 50.0 mL
 Final Weight/Volume: 50.0 mL

Analyte	Result	Qual	MDL	PQL
Silver	1.9	U	1.9	10
Arsenic	4.8	U	4.8	10
Barium	1.2	U	1.2	10
Beryllium	0.74	U	0.74	4.0
Cadmium	0.71	U	0.71	5.0
Cobalt	1.6	U	1.6	10
Chromium	1.7	U	1.7	10
Copper	2.9	U	2.9	20
Iron	22	U	22	50
Nickel	4.7	U	4.7	40
Antimony	3.6	U	3.6	6.0
Lead	1.6	U	1.6	5.0
Selenium	5.9	U	5.9	10
Vanadium	2.5	U	2.5	10
Zinc	5.9	U	5.9	20

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7387-1

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-21464**

**Method: 200.7 Rev 4.4
Preparation: 200.7 Appx C
Total Recoverable**

LCS Lab Sample ID: LCS 660-21464/2-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/06/2006 0901
Date Prepared: 03/02/2006 0953

Analysis Batch: 660-21640
Prep Batch: 660-21464
Units: mg/L

Instrument ID: TJA ICP TRACE
Lab File ID: 6C06A
Initial Weight/Volume: 50.0 mL
Final Weight/Volume: 50.0 mL

LCSD Lab Sample ID: LCSD 660-21464/3-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/06/2006 0907
Date Prepared: 03/02/2006 0953

Analysis Batch: 660-21640
Prep Batch: 660-21464
Units: mg/L

Instrument ID: TJA ICP TRACE
Lab File ID: 6C06A
Initial Weight/Volume: 50.0 mL
Final Weight/Volume: 50.0 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Sodium	95	95	85 - 115	1	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7387-1

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-21464**

**Method: 200.7 Rev 4.4
Preparation: 200.7 Appx C
Total Recoverable**

LCS Lab Sample ID: LCS 660-21464/2-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/06/2006 0901
Date Prepared: 03/02/2006 0953

Analysis Batch: 660-21640
Prep Batch: 660-21464
Units: ug/L

Instrument ID: TJA ICP TRACE
Lab File ID: 6C06A
Initial Weight/Volume: 50.0 mL
Final Weight/Volume: 50.0 mL

LCSD Lab Sample ID: LCSD 660-21464/3-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/06/2006 0907
Date Prepared: 03/02/2006 0953

Analysis Batch: 660-21640
Prep Batch: 660-21464
Units: ug/L

Instrument ID: TJA ICP TRACE
Lab File ID: 6C06A
Initial Weight/Volume: 50.0 mL
Final Weight/Volume: 50.0 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Silver	97	97	85 - 115	0	20		
Arsenic	100	101	85 - 115	0	20		
Barium	100	101	85 - 115	0	20		
Beryllium	100	101	85 - 115	1	20		
Cadmium	104	105	85 - 115	1	20		
Cobalt	102	103	85 - 115	1	20		
Chromium	104	105	85 - 115	1	20		
Copper	99	100	85 - 115	1	20		
Iron	103	105	85 - 115	3	20		
Nickel	104	105	85 - 115	1	20		
Antimony	94	95	85 - 115	1	20		
Lead	101	102	85 - 115	1	20		
Selenium	100	101	85 - 115	1	20		
Vanadium	103	104	85 - 115	1	20		
Zinc	106	108	85 - 115	2	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7387-1

**Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-21464**

**Method: 200.7 Rev 4.4
Preparation: 200.7 Appx C
Total Recoverable**

MS Lab Sample ID: 660-7386-D-1-C MS^R Analysis Batch: 660-21640
Client Matrix: Water Prep Batch: 660-21464
Dilution: 1.0
Date Analyzed: 03/06/2006 0923
Date Prepared: 03/02/2006 0953

Instrument ID: TJA ICP TRACE
Lab File ID: 6C06A
Initial Weight/Volume: 50.0 mL
Final Weight/Volume: 50.0 mL

MSD Lab Sample ID: 660-7386-D-1-D MSD^R Analysis Batch: 660-21640
Client Matrix: Water Prep Batch: 660-21464
Dilution: 1.0
Date Analyzed: 03/06/2006 0929
Date Prepared: 03/02/2006 0953

Instrument ID: TJA ICP TRACE
Lab File ID: 6C06A
Initial Weight/Volume: 50.0 mL
Final Weight/Volume: 50.0 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
Sodium	93	92	85 - 115	0	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7387-1

**Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-21464**

**Method: 200.7 Rev 4.4
Preparation: 200.7 Appx C
Total Recoverable**

MS Lab Sample ID: 660-7386-D-1-C MS^R Analysis Batch: 660-21640
Client Matrix: Water Prep Batch: 660-21464
Dilution: 1.0
Date Analyzed: 03/06/2006 0923
Date Prepared: 03/02/2006 0953

Instrument ID: TJA ICP TRACE
Lab File ID: 6C06A
Initial Weight/Volume: 50.0 mL
Final Weight/Volume: 50.0 mL

MSD Lab Sample ID: 660-7386-D-1-D MSD^R Analysis Batch: 660-21640
Client Matrix: Water Prep Batch: 660-21464
Dilution: 1.0
Date Analyzed: 03/06/2006 0929
Date Prepared: 03/02/2006 0953

Instrument ID: TJA ICP TRACE
Lab File ID: 6C06A
Initial Weight/Volume: 50.0 mL
Final Weight/Volume: 50.0 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
Silver	96	96	85 - 115	1	20		
Arsenic	99	101	85 - 115	2	20		
Barium	100	101	85 - 115	1	20		
Beryllium	99	101	85 - 115	2	20		
Cadmium	103	105	85 - 115	1	20		
Cobalt	101	102	85 - 115	1	20		
Chromium	103	104	85 - 115	1	20		
Copper	98	99	85 - 115	1	20		
Iron	102	104	85 - 115	2	20		
Nickel	103	105	85 - 115	1	20		
Antimony	93	94	85 - 115	1	20		
Lead	100	101	85 - 115	1	20		
Selenium	99	101	85 - 115	2	20		
Vanadium	102	104	85 - 115	1	20		
Zinc	105	106	85 - 115	1	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7387-1

Method Blank - Batch: 680-37401

Method: 200.8
Preparation: 4.1.4
Total Recoverable

Lab Sample ID: MB,680-37401/17-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/03/2006 0248
Date Prepared: 02/27/2006 1327

Analysis Batch: 680-37847
Prep Batch: 680-37401
Units: ug/L

Instrument ID: ICP MS
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 250 mL

Analyte	Result	Qual	MDL	PQL
Thallium	0.25	U	0.25	1.0

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 680-37401**

Method: 200.8
Preparation: 4.1.4
Total Recoverable

LCS Lab Sample ID: LCS 680-37401/18-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/03/2006 0256
Date Prepared: 02/27/2006 1327

Analysis Batch: 680-37847
Prep Batch: 680-37401
Units: ug/L

Instrument ID: ICP MS
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 250 mL

LCSD Lab Sample ID: LCSD 680-37401/19-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/03/2006 0303
Date Prepared: 02/27/2006 1327

Analysis Batch: 680-37847
Prep Batch: 680-37401
Units: ug/L

Instrument ID: ICP MS
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 250 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Thallium	101	103	85 - 115	2	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7387-1

**Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 680-37401**

**Method: 200.8
Preparation: 4.1.4
Total Recoverable**

MS Lab Sample ID: 660-7387-1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/03/2006 0331
Date Prepared: 02/27/2006 1327

Analysis Batch: 680-37847
Prep Batch: 680-37401

Instrument ID: ICP MS
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 250 mL

MSD Lab Sample ID: 660-7387-1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/03/2006 0339
Date Prepared: 02/27/2006 1327

Analysis Batch: 680-37847
Prep Batch: 680-37401

Instrument ID: ICP MS
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 250 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
Thallium	101	98	75 - 125	3	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7387-1

Method Blank - Batch: 660-21446

Method: 245.1
Preparation: 245.1

Lab Sample ID: MB 660-21446/1-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/02/2006 1121
Date Prepared: 03/02/2006 0805

Analysis Batch: 660-21504
Prep Batch: 660-21446
Units: ug/L

Instrument ID: HydraAA Mercury Analyzer
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result	Qual	MDL	PQL
Mercury	0.072	U	0.072	0.20

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-21446**

Method: 245.1
Preparation: 245.1

LCS Lab Sample ID: LCS 660-21446/2-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/02/2006 1123
Date Prepared: 03/02/2006 0805

Analysis Batch: 660-21504
Prep Batch: 660-21446
Units: ug/L

Instrument ID: HydraAA Mercury Analyzer
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

LCSD Lab Sample ID: LCSD 660-21446/3-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/02/2006 1125
Date Prepared: 03/02/2006 0805

Analysis Batch: 660-21504
Prep Batch: 660-21446
Units: ug/L

Instrument ID: HydraAA Mercury Analyzer
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Mercury	91	91	80-120	0	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7387-1

**Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-21446**

**Method: 245.1
Preparation: 245.1**

MS Lab Sample ID: 660-7387-1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/02/2006 1134
Date Prepared: 03/02/2006 0805

Analysis Batch: 660-21504
Prep Batch: 660-21446

Instrument ID: HydraAA Mercury Analyzi
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

MSD Lab Sample ID: 660-7387-1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/02/2006 1136
Date Prepared: 03/02/2006 0805

Analysis Batch: 660-21504
Prep Batch: 660-21446

Instrument ID: HydraAA Mercury Analyzer
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
Mercury	90	90	80 - 120	0	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7387-1

Method Blank - Batch: 660-21227

Method: 160.1
Preparation: N/A

Lab Sample ID: MB 660-21227/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/24/2006 1555
Date Prepared: N/A

Analysis Batch: 660-21227
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result	Qual	RL	PQL
Total Dissolved Solids	5.0	U	5.0	5.0

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-21227**

Method: 160.1
Preparation: N/A

LCS Lab Sample ID: LCS 660-21227/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/24/2006 1555
Date Prepared: N/A

Analysis Batch: 660-21227
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

LCSD Lab Sample ID: LCSD 660-21227/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/24/2006 1555
Date Prepared: N/A

Analysis Batch: 660-21227
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Total Dissolved Solids	98	97	80 - 120	1	25		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7387-1

**Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-21227**

**Method: 160.1
Preparation: N/A**

MS Lab Sample ID: 660-7384-D-1 MS
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/24/2006 1555
Date Prepared: N/A

Analysis Batch: 660-21227
Prep Batch: N/A

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

MSD Lab Sample ID: 660-7384-D-1 MSD
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/24/2006 1555
Date Prepared: N/A

Analysis Batch: 660-21227
Prep Batch: N/A

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
Total Dissolved Solids	100	100	80 - 120	1	25		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7387-1

Method Blank - Batch: 660-23035

Method: 160.1
Preparation: N/A

Lab Sample ID: MB 660-23035/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/31/2006 1625
Date Prepared: N/A

Analysis Batch: 660-23035
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume:
Final Weight/Volume:

Analyte	Result	Qual	RL	PQL
Total Dissolved Solids	5.0	U	5.0	5.0

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-23035**

Method: 160.1
Preparation: N/A

LCS Lab Sample ID: LCS 660-23035/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/31/2006 1625
Date Prepared: N/A

Analysis Batch: 660-23035
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume:
Final Weight/Volume:

LCSD Lab Sample ID: LCSD 660-23035/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/31/2006 1625
Date Prepared: N/A

Analysis Batch: 660-23035
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume:
Final Weight/Volume:

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Total Dissolved Solids	98	99	80 - 120	1	25		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7387-1

Method Blank - Batch: 660-21271

Method: 325.2
Preparation: N/A

Lab Sample ID: MB 660-21271/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/27/2006 1409
Date Prepared: N/A

Analysis Batch: 660-21271
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 2 mL
Final Weight/Volume: 2 mL

Analyte	Result	Qual	MDL	PQL
Chloride	0.90	U	0.90	1.0

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-21271**

Method: 325.2
Preparation: N/A

LCS Lab Sample ID: LCS 660-21271/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/27/2006 1409
Date Prepared: N/A

Analysis Batch: 660-21271
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 2 mL
Final Weight/Volume: 2 mL

LCSD Lab Sample ID: LCSD 660-21271/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/27/2006 1409
Date Prepared: N/A

Analysis Batch: 660-21271
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 2 mL
Final Weight/Volume: 2 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Chloride	104	100	90 - 110	4	30		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7387-1

**Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-21271**

**Method: 325.2
Preparation: N/A**

MS Lab Sample ID: 660-7293-B-2 MS
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/27/2006 1409
Date Prepared: N/A

Analysis Batch: 660-21271
Prep Batch: N/A

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 2 mL
Final Weight/Volume: 2 mL

MSD Lab Sample ID: 660-7293-B-2 MSD
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/27/2006 1409
Date Prepared: N/A

Analysis Batch: 660-21271
Prep Batch: N/A

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 2 mL
Final Weight/Volume: 2 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
Chloride	3	4	90 - 110	3	30		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7387-1

Method Blank - Batch: 660-21358

Method: 325.2
Preparation: N/A

Lab Sample ID: MB 660-21358/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/28/2006 1240
Date Prepared: N/A

Analysis Batch: 660-21358
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 2 mL
Final Weight/Volume: 2 mL

Analyte	Result	Qual	MDL	PQL
Chloride	0.90	U	0.90	1.0

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-21358**

Method: 325.2
Preparation: N/A

LCS Lab Sample ID: LCS 660-21358/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/28/2006 1240
Date Prepared: N/A

Analysis Batch: 660-21358
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 2 mL
Final Weight/Volume: 2 mL

LCSD Lab Sample ID: LCSD 660-21358/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/28/2006 1240
Date Prepared: N/A

Analysis Batch: 660-21358
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 2 mL
Final Weight/Volume: 2 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Chloride	100	99	90 - 110	1	30		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7387-1

**Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-21358**

**Method: 325.2
Preparation: N/A**

MS Lab Sample ID: 660-7387-10
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/28/2006 1240
Date Prepared: N/A

Analysis Batch: 660-21358
Prep Batch: N/A

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 2 mL
Final Weight/Volume: 2 mL

MSD Lab Sample ID: 660-7387-10
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/28/2006 1240
Date Prepared: N/A

Analysis Batch: 660-21358
Prep Batch: N/A

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 2 mL
Final Weight/Volume: 2 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
Chloride	103	114	90 - 110	9	30		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7387-1

Method Blank - Batch: 660-21276

Method: 350.1
Preparation: N/A

Lab Sample ID: MB 660-21276/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/27/2006 1043
Date Prepared: N/A

Analysis Batch: 660-21276
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 2 mL
Final Weight/Volume: 2 mL

Analyte	Result	Qual	MDL	PQL
Ammonia	0.040	U	0.040	0.050

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-21276**

Method: 350.1
Preparation: N/A

LCS Lab Sample ID: LCS 660-21276/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/27/2006 1043
Date Prepared: N/A

Analysis Batch: 660-21276
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 2 mL
Final Weight/Volume: 2 mL

LCSD Lab Sample ID: LCSD 660-21276/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/27/2006 1043
Date Prepared: N/A

Analysis Batch: 660-21276
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 2 mL
Final Weight/Volume: 2 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Ammonia	104	104	90 - 110	0	30		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7387-1

**Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-21276**

**Method: 350.1
Preparation: N/A**

MS Lab Sample ID: 660-7387-1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/27/2006 1043
Date Prepared: N/A

Analysis Batch: 660-21276
Prep Batch: N/A

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 2 mL
Final Weight/Volume: 2 mL

MSD Lab Sample ID: 660-7387-1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/27/2006 1043
Date Prepared: N/A

Analysis Batch: 660-21276
Prep Batch: N/A

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 2 mL
Final Weight/Volume: 2 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
Ammonia	119	119	90 - 110	0	30		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7387-1

Method Blank - Batch: 660-21368

Method: 350.1
Preparation: N/A

Lab Sample ID: MB 660-21368/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/28/2006 1608
Date Prepared: N/A

Analysis Batch: 660-21368
Prep Batch: N/A
Units: mg/L

Instrument ID: Seal Autoanalyzer
Lab File ID: N/A
Initial Weight/Volume: 2 mL
Final Weight/Volume: 2 mL

Analyte	Result	Qual	MDL	PQL
Ammonia	0.040	U	0.040	0.050

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-21368**

Method: 350.1
Preparation: N/A

LCS Lab Sample ID: LCS 660-21368/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/28/2006 1610
Date Prepared: N/A

Analysis Batch: 660-21368
Prep Batch: N/A
Units: mg/L

Instrument ID: Seal Autoanalyzer
Lab File ID: N/A
Initial Weight/Volume: 2 mL
Final Weight/Volume: 2 mL

LCSD Lab Sample ID: LCSD 660-21368/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/28/2006 1612
Date Prepared: N/A

Analysis Batch: 660-21368
Prep Batch: N/A
Units: mg/L

Instrument ID: Seal Autoanalyzer
Lab File ID: N/A
Initial Weight/Volume: 2 mL
Final Weight/Volume: 2 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Ammonia	102	102	90 - 110	0	30		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7387-1

**Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-21368**

**Method: 350.1
Preparation: N/A**

MS Lab Sample ID: 660-7341-A-1 MS
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/28/2006 1617
Date Prepared: N/A

Analysis Batch: 660-21368
Prep Batch: N/A

Instrument ID: Seal Autoanalyzer
Lab File ID: N/A
Initial Weight/Volume: 2 mL
Final Weight/Volume: 2 mL

MSD Lab Sample ID: 660-7341-A-1 MSD
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/28/2006 1619
Date Prepared: N/A

Analysis Batch: 660-21368
Prep Batch: N/A

Instrument ID: Seal Autoanalyzer
Lab File ID: N/A
Initial Weight/Volume: 2 mL
Final Weight/Volume: 2 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
Ammonia	117	117	90 - 110	1	30		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7387-1

Method Blank - Batch: 660-21103

Method: 353.2
Preparation: N/A

Lab Sample ID: MB 660-21103/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/24/2006 0745
Date Prepared: N/A

Analysis Batch: 660-21103
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result	Qual	MDL	PQL
Nitrate Nitrogen	0.010	U	0.010	0.050

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-21103**

Method: 353.2
Preparation: N/A

LCS Lab Sample ID: LCS 660-21103/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/24/2006 0745
Date Prepared: N/A

Analysis Batch: 660-21103
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 100 mL
Final Weight/Volume: 100 mL

LCSD Lab Sample ID: LCSD 660-21103/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/24/2006 0745
Date Prepared: N/A

Analysis Batch: 660-21103
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 100 mL
Final Weight/Volume: 100 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Nitrate Nitrogen	81	85	80 - 120	4	30		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7387-1

**Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-21103**

**Method: 353.2
Preparation: N/A**

MS Lab Sample ID: 660-7387-1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/24/2006 0745
Date Prepared: N/A

Analysis Batch: 660-21103
Prep Batch: N/A

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

MSD Lab Sample ID: 660-7387-1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/24/2006 0745
Date Prepared: N/A

Analysis Batch: 660-21103
Prep Batch: N/A

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
Nitrate Nitrogen	102	101	80 - 120	0	30		

Calculations are performed before rounding to avoid round-off errors in calculated results.

LOGIN SAMPLE RECEIPT CHECK LIST

Client: HDR Engineering

Job Number: 660-7387-1

Login Number: 7387

Question	T/F/NA	Comment
Radioactivity either was not measured or, if measured, is at or below background	NA	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	

Appendix C

Field Information Forms

ANALYSIS REQUEST AND CHAIN OF CUSTODY RECORD

**SEVERN
TRENT**

STL

STL Tampa
6712 Benjamin Road, Suite 100
Tampa, FL 33634

Website: www.stl-inc.com
Phone: (813) 885-7427
Fax: (813) 885-7049

Alternate Laboratory Name/Location

Phone:
Fax:

PROJECT REFERENCE City of Jacksonville	PROJECT NO.	PROJECT LOCATION (STATE) FL	MATRIX TYPE	REQUIRED ANALYSIS								PAGE 2	OF 3
SAMPLER'S SIGNATURE <i>[Signature]</i>	P.O. NUMBER	CONTRACT NO.	COMPOSITE (C) OR GRAB (G) INDICATE AQUEOUS (WATER) SOLID OR SEMISOLID AIR NONAQUEOUS LIQUID (OIL, SOLVENT, ...)	TDS, log. CI	EDG	B260 App I	Meths - Totl	NHg	PRESERVATIVE	STANDARD REPORT DELIVERY			DATE DUE
CLIENT (SITE) PM AL BURSON	CLIENT PHONE 904 259 7792	CLIENT FAX								EXPEDITED REPORT DELIVERY (SURCHARGE)			DATE DUE
CLIENT NAME TRAIL RIDGE	CLIENT E-MAIL									NUMBER OF COOLERS SUBMITTED PER SHIPMENT:			
CLIENT ADDRESS 510 HWY 301, BALOWIN FL 32234		COMPANY CONTRACTING THIS WORK (if applicable)											

SAMPLE		SAMPLE IDENTIFICATION	COMPOSITE (C) OR GRAB (G) INDICATE	AQUEOUS (WATER)	SOLID OR SEMISOLID	AIR	NONAQUEOUS LIQUID (OIL, SOLVENT, ...)	NUMBER OF CONTAINERS SUBMITTED								REMARKS	
DATE	TIME							1	2	3	4	5	6	7	8		9
2-23	1254	MWB215	G	X				1	3	3	1	1					
2-23	1218	MWB175	G	X				1	3	3	1	1					
2-23	1218	DUP03	G	X				1	3	3	1	1					
2-23	1305	MWB17I	G	X				1	3	3	1	1					
2-23	0756	MWB34D	G	X				1	3	3	1	1					
2-23	0828	MWB34I	G	X				1	3	3	1	1					
2-23	0746	MWB34S	G	X				1	3	3	1	1					
2-23	1120	MWB33S	G	X				1	3	3	1	1					
2-23	1027	MWB32D	G	X				1	3	3	1	1					
2-23	1004	MWB32I	G	X				1	3	3	1	1					
2-23	0920	MWB32S	G	X				1	3	3	1	1					
2-23	1245	MWB17D	G	X				1	3	3	1	1					

RELINQUISHED BY: (SIGNATURE) <i>[Signature]</i>	DATE 2/24/06	TIME 1520	RELINQUISHED BY: (SIGNATURE) <i>[Signature]</i>	DATE 2-23-06	TIME 1900	RELINQUISHED BY: (SIGNATURE)	DATE	TIME
RECEIVED BY: (SIGNATURE) <i>[Signature]</i>	DATE	TIME	RECEIVED BY: (SIGNATURE) <i>[Signature]</i>	DATE 2/24/06	TIME 9515	RECEIVED BY: (SIGNATURE)	DATE	TIME

RECEIVED FOR LABORATORY BY: (SIGNATURE)	DATE	TIME	CUSTODY INTACT YES <input type="radio"/> NO <input type="radio"/>	CUSTODY SEAL NO.	STL TAMPA LOG NO. 7427	LABORATORY REMARKS 1, 5, 1, 1, 5
---	------	------	---	------------------	----------------------------------	--

Page 217 of 297

SEVERN

ANALYSIS REQUEST AND CHAIN OF CUSTODY RECORD

**SEVERN
TRENT**

STL

STL Tampa
6712 Benjamin Road, Suite 100
Tampa, FL 33634

Website: www.stl-inc.com
Phone: (813) 885-7427
Fax: (813) 885-7049

Alternate Laboratory Name/Location

Phone:
Fax:

PROJECT REFERENCE CITY OF JACKSONVILLE	PROJECT NO.	PROJECT LOCATION (STATE) FL	MATRIX TYPE	REQUIRED ANALYSIS						PAGE 3	OF 3																																																																			
SAMPLER'S SIGNATURE <i>[Signature]</i>	P.O. NUMBER	CONTRACT NO.	COMPOSITE (C) OR GRAB (G) INDICATE AQUEOUS (WATER) SOLID OR SEMISOLID AIR NONAQUEOUS LIQUID (OIL, SOLVENT, ...)	TDS, NO ₃ , CI	EDB	8260 App I	Metals - Total	NH ₃	STANDARD REPORT DELIVERY <input checked="" type="checkbox"/>																																																																					
CLIENT (SITE) PM AL BURSEN	CLIENT PHONE	CLIENT FAX							DATE DUE _____																																																																					
CLIENT NAME TRAIL RIDGE	CLIENT E-MAIL								EXPEDITED REPORT DELIVERY (SURCHARGE) <input type="checkbox"/>																																																																					
CLIENT ADDRESS 5110 HWY 301 BAYWIND FL 32234	COMPANY CONTRACTING THIS WORK (if applicable)								DATE DUE _____																																																																					
				<table border="1"> <tr> <th>DATE</th> <th>TIME</th> <th>SAMPLE IDENTIFICATION</th> <th>COMPOSITE (C) OR GRAB (G) INDICATE</th> <th>AQUEOUS (WATER)</th> <th>SOLID OR SEMISOLID</th> <th>AIR</th> <th>NONAQUEOUS LIQUID (OIL, SOLVENT, ...)</th> <th colspan="6">NUMBER OF CONTAINERS SUBMITTED</th> <th>REMARKS</th> </tr> <tr> <td>2-23</td> <td>1315</td> <td>FB</td> <td>G</td> <td>X</td> <td></td> <td></td> <td></td> <td>1</td> <td>3</td> <td>3</td> <td>1</td> <td>1</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>2-23</td> <td>1325</td> <td>EB</td> <td>G</td> <td>X</td> <td></td> <td></td> <td></td> <td>1</td> <td>3</td> <td>3</td> <td>1</td> <td>1</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>2-23</td> <td>-</td> <td>TRIP</td> <td>G</td> <td>X</td> <td></td> <td></td> <td></td> <td>4</td> <td>4</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>						DATE	TIME	SAMPLE IDENTIFICATION	COMPOSITE (C) OR GRAB (G) INDICATE	AQUEOUS (WATER)	SOLID OR SEMISOLID	AIR	NONAQUEOUS LIQUID (OIL, SOLVENT, ...)	NUMBER OF CONTAINERS SUBMITTED						REMARKS	2-23	1315	FB	G	X				1	3	3	1	1						2-23	1325	EB	G	X				1	3	3	1	1						2-23	-	TRIP	G	X				4	4								
DATE	TIME	SAMPLE IDENTIFICATION	COMPOSITE (C) OR GRAB (G) INDICATE	AQUEOUS (WATER)	SOLID OR SEMISOLID	AIR	NONAQUEOUS LIQUID (OIL, SOLVENT, ...)	NUMBER OF CONTAINERS SUBMITTED						REMARKS																																																																
2-23	1315	FB	G	X				1	3	3	1	1																																																																		
2-23	1325	EB	G	X				1	3	3	1	1																																																																		
2-23	-	TRIP	G	X				4	4																																																																					

RELINQUISHED BY: (SIGNATURE) <i>[Signature]</i>	DATE 2/15/06	TIME 1:50	RELINQUISHED BY: (SIGNATURE) <i>[Signature]</i>	DATE 2-23-06	TIME 1900	RELINQUISHED BY: (SIGNATURE)	DATE	TIME
RECEIVED BY: (SIGNATURE) <i>[Signature]</i>	DATE	TIME	RECEIVED BY: (SIGNATURE) <i>Burns McLaughlin</i>	DATE 2/24/06	TIME 9:15	RECEIVED BY: (SIGNATURE)	DATE	TIME

RECEIVED FOR LABORATORY BY: (SIGNATURE)	DATE	TIME	CUSTODY INTACT YES <input type="checkbox"/> NO <input type="checkbox"/>	CUSTODY SEAL NO	STL TAMPA LOG NO 7427	LABORATORY REMARKS 1, 5, 1, 1, 5
---	------	------	---	-----------------	---------------------------------	--

Page 218 of 297

SEVERN

FIELD INFORMATION FORM



Site: TRAIL RIDGE
 Sample Point: MWB325
 Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID: _____

PURGE INFO: 022306 PURGE DATE (MM DD YY)
0910 PURGE TIME (2400 Hr Clock)
0016 ELAPSED HRS (hrs:min)
17 WATER VOL IN CASING (Gallons)
75 ACTUAL VOL PURGED (Gallons)
44 WELL VOLs PURGED

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT: Purging and Sampling Equipment ... Dedicated: or N
 Filter Device: Y or N (0.45 µ) or _____ µ (circle or fill in)
 Purging Device: C A-Submersible Pump D-Bailer
 Filter Type: - A-In-line Disposable C-Vacuum
 B-Peristaltic Pump E-Piston Pump B-Pressure X-Other
 Sampling Device: C C-QED Bladder Pump F-Dipper/Bottle
 Sample Tube Type: A A-Teflon C-PVC X-Other: _____
 B-Stainless Steel D-Polypropylene

WELL DATA: Well Elevation (at TOC) 12464 (ft/msl) Depth to Water (DTW) (from TOC) 938 (ft) Groundwater Elevation (site datum, from TOC) 11526 (ft/msl)
 Total Well Depth (from TOC) 1990 (ft) Stick Up (from ground elevation) _____ (ft) Casing ID 2 (in) Casing Material PVC

Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by State/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

Sample Time (2400 Hr Clock)	Rate/Unit (gpm)	pH (std)	Conductance (SC/EC) (µmhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
09115	75	5.34	1110	19.9	331	1.0		
09117	75	5.29	92	19.9	328	0.9		
09119	75	5.33	99	20.1	319	0.8		

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. --, Turbidity --, D.O. +/- 10%, eH/ORP +/- 25 mV, DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/State. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA: SAMPLE DATE (MM DD YY) 022306 pH (std) 5.33 CONDUCTANCE (µmhos/cm @ 25°C) 99 TEMP. (°C) 20.1 TURBIDITY (ntu) 319 DO (mg/L - ppm) 0.8 eH/ORP (mV) _____ Other: _____ Units _____

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/State).

Sample Appearance: SUT. CLOUDY Odr: NONE Color: YLT, TAN Other: NO SHEEN
 Weather Conditions (required daily, or as conditions change): _____ Direction/Speed: CALM Outlook: CLOUDY, 80°F Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):
CALC: 19.90 - 9.38 = 10.52 x 0.163 = 1.71 x 3 = 5.14 GAL.
Flow 1 20 x 4 = 80 ÷ 60 = 1.33 x 5.14 = 6.84 MIN.
ACTUAL = 10.00 ÷ 1.33 = 7.52 GAL.
 SAMPLE TIME: 0920

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
02/23/06 BEN RANGAWAN Ben Rangawan PRO-TECH
 Date Name Signature Company

FIELD INFORMATION FORM



Site Name: TRAIL RIDGE

This Waste Management Field Information Form is Required. This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

Sample Point: MWB17D

PURGE INFO: PURGE DATE 022306, PURGE TIME 1145, ELAPSED HRS 0100, WATER VOL IN CASING 200, ACTUAL VOL PURGED 600, WELL VOLS PURGED 30

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT: Purging and Sampling Equipment... Dedicated: [Y] or [N], Filter Device: [Y] or [N], Purging Device: [C], Sampling Device: [C], X-Other: [], Filter Type: [], Sample Tube Type: [A]

WELL DATA: Well Elevation (at TOC) 13852, Depth to Water (DTW) (from TOC) 780, Groundwater Elevation (site datum, from TOC) 13072, Total Well Depth (from TOC) 12732, Casing ID 2, Casing Material PVC

Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by State/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

Table with columns: Sample Time, Rate/Unit, pH, Conductance, Temp, Turbidity, D.O., eH/ORP, DTW. Includes handwritten data for three samples at 12:40, 12:42, and 12:44.

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, D.O. +/- 10%, eH/ORP +/- 25 mV, DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/State. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. (If more fields above are needed, use separate sheet or form.)

FIELD DATA: SAMPLE DATE 022306, pH 5.41, CONDUCTANCE 61, TEMP 21.7, TURBIDITY 0.1, DO 1.1, eH/ORP 11

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/State.)

Sample Appearance: CLEAR, Odor: NONE, Color: NONE, Other: No Sheen, Weather Conditions: CALM, Direction/Speed: CALM, Outlook: CLOUDY, 80F, Precipitation: Y or N

Specific Comments (including purge/well volume calculations if required): CALC: 127.32 - 7.80 = 119.52 x 0.163 = 19.48 x 3 = 58.44 GAL. FLOW: 15 x 4 = 60 / 60 = 1.00 x 58.44 = 58.44 GAL. ACTUAL: 60.00 / 1.00 = 60.00 GAL. SAMPLE TIME: 1245

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign): 02/23/06 BEN RAMIREZ, Ben Ramirez, PRO-TECH

FIELD INFORMATION FORM



Site Name: TRAIL RIDGE
 Sample Point: MWB13I
 Sample ID

This Waste Management Field Information Form is Required.
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO
 PURGE DATE (MM DD YY): 022306 PURGE TIME (2400 Hr Clock): 0706 ELAPSED HRS (hrs:min): 27 WATER VOL IN CASING (Gallons): 70 ACTUAL VOL PURGED (Gallons): 250 WELL VOLs PURGED: 36
 Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N Filter Device: Y or N 0.45 μ or _____ μ (circle or fill in)
 Purging Device: C A-Submersible Pump D-Bailer Filter Type: - A-In-line Disposable C-Vacuum
 B-Peristaltic Pump E-Piston Pump B-Pressure X-Other _____
 Sampling Device: C C-OED Bladder Pump F-Dipper/Bottle
 X-Other: _____ Sample Tube Type: A A-Teflon C-PVC X-Other: _____
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC): 12598 (ft/msl) Depth to Water (DTW) (from TOC): 1747 (ft) Groundwater Elevation (site datum, from TOC): 10851 (ft/msl)
 Total Well Depth (from TOC): 6048 (ft) Stick Up (from ground elevation): _____ (ft) Casing ID: 2 (in) Casing Material: PVC
 Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by State/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (μ mhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
07128	0.94 1"	5.04	37	22.4	1.19	1.4		
07130	0.74 2"	5.07	37	22.4	1.23	1.3		
07132	0.94 3"	5.11	37	22.4	1.25	1.3		

Suggested range for 3 consec. readings or note Permit/State requirements:
 pH: ± 0.2 Conductance: $\pm 3\%$ D.O.: $\pm 10\%$ eH/ORP: ± 25 mV Stabilize

FIELD DATA
 SAMPLE DATE (MM DD YY): 022306 pH (std): 5.11 CONDUCTANCE (μ mhos/cm @ 25°C): 37 TEMP. (°C): 22.4 TURBIDITY (ntu): 1.25 DO (mg/L-ppm): 1.3 eH/ORP (mV): _____ Other: _____ Units: _____
 Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: Very Slight Color: None Other: No Sheen
 Weather Conditions (required daily, or as conditions change): _____ Direction/Speed: Calm Outlook: overcast 50°F Precipitation: Y or N

Specific Comments (including purge/well volume calculations if required):
CALC: 60.48 - 17.47 = 43.01 x 0.163 = 7.01 x 3 = 21.03
Flow: 16 x 4 = 64 : 60 = 1.067 x 21.03 = 22.43
ACTUAL: 27 : 1.067 = 25.30

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
2/23/06 Dan Armour [Signature] Pro-Tec
 Date Name Signature Company

FIELD INFORMATION FORM



Site Name: TRAIL RIDGE

This Waste Management Field Information Form is Required. This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

Sample Point: MW831D

PURGE INFO: PURGE DATE 022306, PURGE TIME 0753, ELAPSED HRS 113, WATER VOL IN CASING 24, ACTUAL VOL PURGED 108, WELL VOLS PURGED 46

PURGE/SAMPLE EQUIPMENT: Purging and Sampling Equipment... Dedicated: [X] or [N], Filter Device: [Y] or [N], Purging Device: [C], Sampling Device: [C], X-Other: [], Filter Type: [], Sample Tube Type: [A]

WELL DATA: Well Elevation (at TOC) 156.15, Depth to Water (DTW) 177.5, Groundwater Elevation (site datum, from TOC) 138.40, Total Well Depth (from TOC) 129.00, Casing ID 2, Casing Material PVC

Table with 9 columns: Sample Time, Rate/Unit, pH, Conductance, Temp., Turbidity, D.O., eH/ORP, DTW. Contains 3 rows of data.

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site.

FIELD DATA: SAMPLE DATE 022306, pH 6.81, CONDUCTANCE 348, TEMP. 19.9, TURBIDITY 1.2, DO 0.7, eH/ORP [], Other: []

Sample Appearance: CLEAR, Odor: NONE, Color: NONE, Other: No other. Weather Conditions: [], Direction/Speed: SE 0-5, Outlook: cloudy 55°F, Precipitation: [] or [N]. Specific Comments: Purge Mism out @ 114.50 ft.

FIELD COMMENTS: CALC: 129.00 - 114.50 = 14.50 x 0.163 = 2.363 x 3 = 7.09. Flow: 18 x 4 = 72 / 60 = 1.2 x 7.09 = 8.51. ACTUAL: 13 / 1.2 = 10.83

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign): Date 2/23/06, Name Dan Amara, Signature [], Company Pro-Touch

FIELD INFORMATION FORM



Site No.: TRAIL R. 066
Sample Point: MW 035
Sample ID

This Waste Management Field Information Form is Required
This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO
PURGE DATE: 02/23/06 PURGE TIME: 08:30 ELAPSED HRS: 1:12 WATER VOL IN CASING: 20 ACTUAL VOL PURGED: 9.5 WELL VOLS PURGED: 47

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ "Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged". Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
Purging and Sampling Equipment ... Dedicated: Y or N
Filter Device: Y or N 0.45 μ or μ (circle or fill in)
Purging Device: C A-Submersible Pump D-Bailer
Filter Type: B-In-line Disposable C-Vacuum
Sampling Device: C B-Peristaltic Pump E-Piston Pump
X-Other: B-Pressure X-Other:
Sample Tube Type: A A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
Well Elevation (at TOC): 15348 (ft/msl) Depth to Water (DTW) (from TOC): 152 (ft) Groundwater Elevation (site datum, from TOC): 14596 (ft/msl)
Total Well Depth (from TOC): 2000 (ft) Slick Up (from ground elevation): (ft) Casing ID: 2 (in) Casing Material: PVC
Note: Total Well Depth, Slick Up, Casing Id, etc. are optional and can be from historical data, unless required by State/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (μ mhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
08:37	0.79	4.88	47	17.5	28	2.6		
08:39	0.79	4.83	47	17.5	26	2.6		
08:41	0.79	4.79	47	17.5	25	2.6		

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, D.O. +/- 10%, eH/ORP +/- 25 mV, Stabilize
Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required, by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
SAMPLE DATE (MM DD YY): 02/23/06 pH (std): 4.79 CONDUCTANCE (μ mhos/cm @ 25°C): 47 TEMP. (°C): 17.5 TURBIDITY (ntu): 25 DO (mg/L-ppm): 2.6 eH/ORP (mV): Other:
Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: CLEAR Odor: None Color: None Other: None
Weather Conditions (required daily, or as conditions change): Direction/Speed: SE 0-5 Outlook: Cloudy 60°F Precipitation: or N

Specific Comments (including purge/well volume calculations if required):
Calc: 20.00 - 7.52 = 12.48 x 0.163 = 2.03 x 3 = 6.10
Flow: 19 x 4 = 76 / 60 = 1.267 x 6.10 = 7.73
Actual: 12 / 1.267 = 9.5

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
2/23/06 Dan Armour Proctor
Date Name Signature Company

FIELD INFORMATION FORM



Site Name: TRAIL RIDGE
Sample Point: MW03I

This Waste Management Field Information Form is Required. This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO: PURGE DATE 02/23/06, PURGE TIME 0852, ELAPSED HRS 32, WATER VOL IN CASING 80, ACTUAL VOL PURGED 28.3, WELL VOLS PURGED 3.5

PURGE/SAMPLE EQUIPMENT: Purging and Sampling Equipment... Dedicated: [Y] or [N], Filter Device: [Y] or [N], Purging Device: [C], Sampling Device: [C], Sample Tube Type: [A]

WELL DATA: Well Elevation (at TOC) 1518.6, Depth to Water (DTW) 128.4, Groundwater Elevation (site datum, from TOC) 139.02, Total Well Depth (from TOC) 62.00, Casing ID 2, Casing Material PVC

Table with 9 columns: Sample Time, Rate/Unit, pH, Conductance (SC/EC), Temp., Turbidity, D.O., eH/ORP, DTW. Includes handwritten data for three samples.

FIELD DATA: SAMPLE DATE 02/23/06, pH 4.90, CONDUCTANCE 35, TEMP. 20.7, TURBIDITY 0.0, DO 1.0, eH/ORP

Sample Appearance: CLEAR, Odor: SLIGHT, Color: NONE, Weather Conditions, Direction/Speed: SE 0.5, Outlook: cloudy 55°F, Precipitation: Y or N

FIELD COMMENTS: CALC: 62.00 - 12.84 = 49.16 x 0.163 = 8.01 x 3 = 24.04, Flow: 1.7 x 4 = 6.8 / 60 = 1.13 x 24.04 = 27.25, ACTUAL: 32 / 1.13 = 28.3

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign): Date 2/23/06, Name Dan Armour, Signature, Company Pro-Tech

FIELD INFORMATION FORM



Site Name: TRAIL RIDGE

This Waste Management Field Information Form is Required. This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

Sample Point: MW07I Sample ID

PURGE INFO: PURGE DATE (022006), PURGE TIME (0933), ELAPSED HRS (31), WATER VOL IN CASING (100), ACTUAL VOL PURGED (33.2), WELL VOL PURGED (33)

PURGE/SAMPLE EQUIPMENT: Purging and Sampling Equipment Dedicated (D), Filter Device (Y), Purging Device (C), Sampling Device (C), Sample Tube Type (A)

WELL DATA: Well Elevation (121.53), Depth to Water (DTW) (39.3), Groundwater Elevation (117.60), Total Well Depth (65.00), Casing ID (2), Casing Material (PVC)

Table with 9 columns: Sample Time, Rate/Unit, pH, Conductance, Temp., Turbidity, D.O., eH/ORP, DTW. Includes 3 rows of data and suggested ranges.

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State).

FIELD DATA: SAMPLE DATE (022006), pH (5.37), CONDUCTANCE (43), TEMP. (22.0), TURBIDITY (0.8), DO (0.9)

Sample Appearance: CLEAR, Odor: None, Color: None, Other: No Sheen, Weather Conditions, Direction/Speed: SE 0.5, Outlook: cloudy 60°F, Precipitation: Y or (D)

FIELD COMMENTS: CALC: 65.00 - 3.93 = 61.07 x 0.163 = 9.95 x 3 = 29.86, Flow: 14 x 4 = 56 ÷ 60 = 0.933 x 29.86 = 27.86, ACTUAL: 31 ÷ 0.933 = 33.2

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign): Date (2/23/06), Name (DAN ARMOUR), Signature, Company (Pro-Tech)

FIELD INFORMATION FORM



Site Name: TRAIL RIDGE
 Sample Point: MWB7D
 Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID: _____

PURGE INFO
 PURGE DATE (MM DD YY): 02 23 06
 PURGE TIME (2400 Hr Clock): 11 08
 ELAPSED HRS (hrs:min): 15
 WATER VOL IN CASING (Gallons): 29
 ACTUAL VOL PURGED (Gallons): 118
 WELL VOLS PURGED: 91

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N
 Purging Device: C A-Submersible Pump D-Bailer
 Sampling Device: C B-Peristaltic Pump E-Piston Pump
 X-Other: _____ F-Dipper/Bottle
 Filter Device: Y or N 0.45 µ or _____ µ (circle or fill in)
 Filter Type: - A-In-line Disposable C-Vacuum
 Sample Tube Type: A B-Pressure X-Other _____
 A-Teflon C-PVC X-Other: _____
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC): 112165 (ft/msl) Depth to Water (DTW) (from TOC): 128 (ft)
 Groundwater Elevation (site datum, from TOC): 12037 (ft/msl)
 Total Well Depth (from TOC): 11700 (ft) Stick Up (from ground elevation): _____ (ft)
 Casing ID: 2 (in) Casing Material: PVC

Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by State/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (µmhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
<u>10118</u>	<u>0.79</u>	<u>7.34</u>	<u>343</u>	<u>21.6</u>	<u>0.1</u>	<u>0.8</u>		
<u>10120</u>	<u>0.79</u>	<u>7.38</u>	<u>342</u>	<u>21.7</u>	<u>0.1</u>	<u>0.8</u>		
<u>10122</u>	<u>0.79</u>	<u>7.39</u>	<u>342</u>	<u>21.7</u>	<u>0.1</u>	<u>0.8</u>		

Suggested range for 3 consec. readings or more Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. --, Turbidity --, D.O. +/- 10%, eH/ORP +/- 25 mV, Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 02 23 06
 pH (std): 7.39
 CONDUCTANCE (µmhos/cm @ 25°C): 342
 TEMP. (°C): 21.2
 TURBIDITY (ntu): 0.1
 DO (mg/L - ppm): 0.8
 eH/ORP (mV): _____
 Other: _____

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: CLEAR Odor: NONE Color: NONE Other: NO SMELL
 Weather Conditions (required daily, or as conditions change): _____ Direction/Speed: SE 0.5 Outlook: cloudy 60% Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required): Purge Meter set @ 99.00 ft

FIELD COMMENTS
CALC: 117.00 - 99.00 = 18.00 x 0.163 = 2.9 x 3 = 8.8
Flow: 19 x 4 = 76 ÷ 60 = 1.267 x 8.8 = 11.15
ACTUAL: 15 ÷ 1.269 = 11.8

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
2/23/06 DAW ARMOUR _____ Pro-Tech
 Date Name Signature Company

FIELD INFORMATION FORM



Site Name: TRAIL RIDGE
Sample Point: MW 875

This Waste Management Field Information Form is Required
This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers.

Laboratory Use Only/Lab ID:

PURGE INFO: PURGE DATE 022306, PURGE TIME 1034, ELAPSED HRS 111, WATER VOL IN CASING 20, ACTUAL VOL PURGED 103, WELL VOL PURGED 53

PURGE/SAMPLE EQUIPMENT: Purging and Sampling Equipment... Dedicated: [D] or [N], Filter Device: [Y] or [N], Purging Device: [C], Sampling Device: [C], Sample Tube Type: [A]

WELL DATA: Well Elevation (at TOC) 12329, Depth to Water (DTW) 795, Groundwater Elevation 11534, Total Well Depth 2000, Casing ID 2, Casing Material PVC

Table with 9 columns: Sample Time, Rate/Unit, pH, Conductance, Temp., Turbidity, D.O., eH/ORP, DTW. Contains 3 rows of data.

FIELD DATA: SAMPLE DATE 022306, pH 5.22, CONDUCTANCE 100, TEMP. 21.2, TURBIDITY 144, DO 0.9

Sample Appearance: CLEAR, Odor: Sulfur, Color: Brown tint, Weather Conditions: SE 0-5, Outlook: cloudy 60F

FIELD COMMENTS: CALC: 20.00 - 7.95 = 12.05 x 0.163 = 1.96 x 3 = 5.89, Flow: 16 x 4 = 64 / 60 = 1.067 x 5.89 = 6.29, ACTUAL: 11 + 1.064 = 10.3

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols... Date: 2/23/06, Name: Dan Armour, Signature: [Signature], Company: Pro-Tech

FIELD INFORMATION FORM



Site Name: TRAIL RIDGE
Sample Point: MWB135
Sample ID

This Waste Management Field Information Form is Required
This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO: PURGE DATE 022806, PURGE TIME 0738, ELAPSED HRS 104, WATER VOL IN CASING 20, ACTUAL VOL PURGED 24, WELL VOLS PURGED 112

PURGE/SAMPLE EQUIPMENT: Purging and Sampling Equipment... Dedicated: [Y] or [N], Filter Device: [Y] or [N], Purging Device: [C], Sampling Device: [C], X-Other: [], Filter Type: [], Sample Tube Type: [A]

WELL DATA: Well Elevation (at TOC) 12606, Depth to Water (DTW) (from TOC) 1420, Groundwater Elevation (site datum, from TOC) 11186, Total Well Depth (from TOC) 2656, Stick Up (from ground elevation) [], Casing ID [2], Casing Material PVC

Table with 9 columns: Sample Time, Rate/Unit, pH, Conductance, Temp., Turbidity, D.O., eH/ORP, DTW. Includes handwritten data for 1st and 2nd readings.

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site.

FIELD DATA: SAMPLE DATE 022806, pH 541, CONDUCTANCE 177, TEMP 19.7, TURBIDITY 137, DO 1.8, eH/ORP [], Other: []

Sample Appearance: SLT. CLOUDY, Odor: SLIGHT, Color: Brownish, Other: No Sheen, Weather Conditions, Direction/Speed: SE 0-5, Outlook: cloudy 55%, Precipitation: Y or [N]

FIELD COMMENTS: CALC: 26.56 - 14.20 = 12.36 x 0.163 = 2.01 x 3 = 6.04, Flow: 25 x 4 = 100 / 60 = 1.667 x 6.04 = 10.07, ACTUAL: 4 / 1.667 = 2.4, Well Purged dry @ yellow - sampled upon recovery

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign): Date 2/23/06, Name Dan Armour, Signature [Signature], Company Pro-Tech

FIELD INFORMATION FORM



Site Name: TRAIL RIDGE
 Sample Point: MWB11I
 Sample ID: (R)

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID: _____

PURGE INFO
 PURGE DATE: 022306 PURGE TIME: 1118 ELAPSED HRS: 29 WATER VOL IN CASING: 71 ACTUAL VOL PURGED: 257 WELL VOLS PURGED: 36
 (MM DD YY) (2400 Hr Clock) (hrs:min) (Gallons) (Gallons)

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGESAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: or Filter Device: or 0.45 µ or _____ µ (circle or fill in)
 Purging Device: C A- Submersible Pump D-Bailer Filter Type: - A-In-line Disposable C-Vacuum
 B-Peristaltic Pump E-Piston Pump B-Pressure X-Other _____
 Sampling Device: C C-QED Bladder Pump F-Dipper/Bottle A-Teflon C-PVC X-Other: _____
 X-Other: _____ Sample Tube Type: A B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC): NA (ft/msl) Depth to Water (DTW) (from TOC): 1117 (ft) Groundwater Elevation (site datum, from TOC): NA (ft/msl)
 Total Well Depth (from TOC): 5500 (ft) Stick Up (from ground elevation): _____ (ft) Casing ID: 2 (in) Casing Material: PVC
 Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by State/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

ATA (Optional)	Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (µmhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
	<u>11142</u>	<u>0.88</u>	<u>5.19</u>	<u>39</u>	<u>23.4</u>	<u>491</u>	<u>1.3</u>		
	<u>11144</u>	<u>0.88</u>	<u>5.19</u>	<u>38</u>	<u>23.4</u>	<u>493</u>	<u>1.3</u>		
	<u>11146</u>	<u>0.88</u>	<u>5.17</u>	<u>38</u>	<u>23.4</u>	<u>467</u>	<u>1.3</u>		

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, D.O. +/- 10%, eH/ORP +/- 25 mV, Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. (If more fields above are needed, use separate sheet or form.)

FIELD DATA
 SAMPLE DATE: 022306 pH: 5.17 CONDUCTANCE: 38 TEMP.: 23.4 TURBIDITY: 467 DO: 1.3 eH/ORP: _____ Other: _____
 (MM DD YY) (std) (µmhos/cm @ 25°C) (°C) (ntu) (mg/L-ppm) (mV) Units

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site.)

Sample Appearance: SLT. CLAY Odor: SLIGHT Color: BROWN Other: NO STEIN
 Weather Conditions (required daily, or as conditions change): _____ Direction/Speed: SE 0-5 Outlook: cloudy 65° Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required): _____

FIELD COMMENTS
CALC: 55.00 - 11.17 = 43.83 x 0.163 = 7.14 x 3 = 21.43
Flow: 17 x 4 = 68 + 60 = 1.13 x 21.43 = 24.3
ACTUAL: 29 ÷ 1.13 = 25.7
Completed DUP 02 e MWB11I (R)

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
2/23/06 Don Armour [Signature] [Signature]
 Date Name Signature Company

FIELD INFORMATION FORM



Site Name: TRAIL RIDGE
Sample Point: MW811S

This Waste Management Field Information Form is Required
This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO: PURGE DATE 022306, PURGE TIME 1155, ELAPSED HRS 113, WATER VOL IN CASING 13, ACTUAL VOL PURGED 70, WELL VOLS PURGED 52

PURGE/SAMPLE EQUIPMENT: Purging and Sampling Equipment Dedicated: [Y] or [N], Filter Device: [Y] or [N], Purging Device: C, Sampling Device: C, X-Other: []

WELL DATA: Well Elevation (at TOC) 12081, Depth to Water (DTW) (from TOC) 1129, Groundwater Elevation (site datum, from TOC) 10952, Total Well Depth (from TOC) 1950, Casing ID 2, Casing Material PVC

Table with 9 columns: Sample Time, Rate/Unit, pH, Conductance, Temp, Turbidity, D.O., eH/ORP, DTW. Contains 3 rows of data.

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site.

FIELD DATA: SAMPLE DATE 022306, pH 410, CONDUCTANCE 165, TEMP 202, TURBIDITY 20, DO 16, eH/ORP []

Sample Appearance: CLEAR, Odor: NONE, Color: NONE, Other: NO SHEEN
Weather Conditions: [], Direction/Speed: SE 0-5, Outlook: cloudy 65°F, Precipitation: Y or (N)

FIELD COMMENTS: CALC: 19.50-11.29 = 8.21 x 0.163 = 1.34 x 3 = 4.01
Flow: 28 x 4 = 112 ÷ 60 = 1.867 x 4.01 = 7.49
Actual: 13 ÷ 1.867 = 7.0

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
Date: 2/23/06 Name: DAN ARMOUR Signature: [] Company: []

FIELD INFORMATION FORM



Site Name: TRAIL RIDGE
Sample Point: ANB20S

This Waste Management Field Information Form is Required
This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO: PURGE DATE 02/23/06, PURGE TIME 12:17, ELAPSED HRS 1:12, WATER VOL IN CASING 20, ACTUAL VOL PURGED 100, WELL VOL PURGED 50

PURGE/SAMPLE EQUIPMENT: Purging and Sampling Equipment Dedicated: D, Filter Device: Y, Purging Device: C, Sampling Device: C, Sample Tube Type: A

WELL DATA: Well Elevation 12101, Depth to Water (DTW) 7.61, Groundwater Elevation 11340, Total Well Depth 2000, Casing ID 2, Casing Material PVC

Table with 9 columns: Sample Time, Rate/Unit, pH, Conductance, Temp., Turbidity, D.O., eH/ORP, DTW. Contains 3 rows of data.

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State).

FIELD DATA: SAMPLE DATE 02/23/06, pH 4.34, CONDUCTANCE 96, TEMP. 25.3, TURBIDITY 2.2, DO 0.9

Sample Appearance: CLEAR, Odor: NONE, Color: NONE, Weather Conditions: SE 0-5, Direction/Speed: SE 0-5, Outlook: cloudy 65°F

FIELD COMMENTS: CALC: 20.00 - 7.61 = 12.39 x 0.163 = 2.02 x 3 = 6.06
Flow: 18 x 4 = 72 ÷ 60 = 1.2 x 6.06 = 7.27
ACTUAL: 12 ÷ 1.2 = 10.0

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
2/23/06 Dan Armour, Signature, Pro-Tech

FIELD INFORMATION FORM



Site Name: TRAIL RIDGE
Sample Point: MW18215
Sample ID

This Waste Management Field Information Form is Required
This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO: PURGE DATE (02/23/06), PURGE TIME (12:42), ELAPSED HRS (1:12), WATER VOL IN CASING (112), ACTUAL VOL PURGED (72), WELL VOLS PURGED (59)

PURGE/SAMPLE EQUIPMENT: Purging and Sampling Equipment... Dedicated: (Y) or (N)
Filter Device: (Y) or (N)
Purging Device: C
Sampling Device: C
Sample Tube Type: A

WELL DATA: Well Elevation (12284), Depth to Water (DTW) (1054), Groundwater Elevation (11230), Total Well Depth (1800), Casing ID (2), Casing Material (PVC)

Table with 9 columns: Sample Time, Rate/Unit, pH, Conductance, Temp, Turbidity, D.O., eH/ORP, DTW. Includes data for three samples at 12:49, 12:51, and 12:53.

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site.

FIELD DATA: SAMPLE DATE (02/23/06), pH (4.91), CONDUCTANCE (41), TEMP (21.5), TURBIDITY (7.0), DO (1.0)

Sample Appearance: CLEAR, Odor: Very Slight, Color: NONE, Other: NO OIL
Weather Conditions: Direction/Speed: SE 2-5, Outlook: cloudy 65°F, Precipitation: Y or (D)

FIELD COMMENTS: CALC: 18.00 - 10.54 = 7.46 x 0.163 = 1.22 x 3 = 3.65
Flow: 25 x 4 = 100 / 60 = 1.67 x 3.65 = 6.11
ACTUAL: 12 / 1.67 = 7.2

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
Date: 2/23/06, Name: DAN ARMOUR, Signature: [Signature], Company: Pro-Tech

FIELD INFORMATION FORM



Site Name: TRAIL RIDGE

This Waste Management Field Information Form is Required. This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

Sample Point: MKWB17S
Sample ID

PURGE INFO: PURGE DATE 02/23/06, PURGE TIME 12:07, ELAPSED HRS 00:11, WATER VOL IN CASING 18, ACTUAL VOL PURGED 9.9, WELL VOLS PURGED 5.6

PURGE/SAMPLE EQUIPMENT: Purging and Sampling Equipment... Dedicated: [X] or [N], Filter Device: [Y] or [N], Purging Device: [C], Sampling Device: [C], Sample Tube Type: [A]

WELL DATA: Well Elevation (at TOC) 1383, Depth to Water (DTW) 737, Groundwater Elevation (site datum, from TOC) 1309.4, Total Well Depth (from TOC) 1831, Casing ID 2, Casing Material PVC

Table with 9 columns: Sample Time, Rate/Unit, pH, Conductance (SC/EC), Temp., Turbidity, D.O., eH/ORP, DTW. Includes handwritten data for three samples at 12:12, 12:14, and 12:16.

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site.

FIELD DATA: SAMPLE DATE 02/23/06, pH 5.25, CONDUCTANCE 55, TEMP. 20.8, TURBIDITY 1.19, DO 2.2

Sample Appearance: CLEAR, Odor: YES, Color: NONE, Weather Conditions: CALM, Direction/Speed: CALM, Outlook: CLOUDY, 80°F, Precipitation: Y or [X]

FIELD COMMENTS: CALC: 18.31 - 7.37 = 10.94 x 0.63 = 1.78 x 3 = 5.35 GAL. FLAW: 16 x 4 = 64 ÷ 60 = 1.067 x 5.35 = 5.71 MIN. ACTUAL: 11.00 ÷ 1.067 = 9.93 GAL. SAMPLE TIME: 12:18 DUPO3 COMPLETED AT MKWB17S

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign): 02/23/06 BEN RANGAWAN Ben Rangawan PRO TECH

FIELD INFORMATION FORM



Site Name: TRAIL RIDGE
Sample Point: MW1B17I

This Waste Management Field Information Form is Required. This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO: PURGE DATE 022306, PURGE TIME 1234, ELAPSED HRS 0031, WATER VOL IN CASING 92, ACTUAL VOL PURGED 310, WELL VOLS PURGED 34

PURGE/SAMPLE EQUIPMENT: Purging and Sampling Equipment... Dedicated: [X] or [N], Filter Device: [Y] or [N], Purging Device: [C], Sampling Device: [C], Filter Type: [], Sample Tube Type: [A]

WELL DATA: Well Elevation (at TOC) 13843, Depth to Water (DTW) (from TOC) 358, Groundwater Elevation (site datum, from TOC) 113405, Total Well Depth (from TOC) 6013, Casing ID 2, Casing Material PVC

Table with 9 columns: Sample Time, Rate/Unit, pH, Conductance, Temp., Turbidity, D.O., eH/ORP, DTW. Includes data for three samples and suggested ranges for readings.

FIELD DATA: SAMPLE DATE 022306, pH 4.93, CONDUCTANCE 29, TEMP. 22.2, TURBIDITY 1.23, DO 1.4

Sample Appearance: CLEAR, Odor: SLIGHT, Color: NONE, Weather Conditions: CALM, Outlook: CLOUDY, 80°F

FIELD COMMENTS: CALC: 60.13 - 3.58 = 56.55 x 0.163 = 9.22 x 3 = 27.65 GAL.
Flow: 15.00 x 4 = 60 / 60 = 1.00 x 27.65 = 27.65 MIN.
ACTUAL: 31.00 / 1.00 = 31.00 GAL.
SAMPLE TIME: 1305

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
Date: 02 23 06, Name: BEN RAMSAYAN, Signature: Ben Ramsayan, Company: PRO-TECH

FIELD INFORMATION FORM



Site Name: TRAIL RIDGE
Sample Point: MWB34D

This Waste Management Field Information Form is Required
This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO: PURGE DATE 02/23/06, PURGE TIME 07:05, ELAPSED HRS 00:51, WATER VOL IN CASING 148, ACTUAL VOL PURGED 51.0, WELL VOL PURGED 34

PURGE/SAMPLE EQUIPMENT: Purging and Sampling Equipment... Dedicated: [Y] or [N], Filter Device: [Y] or [N], Purging Device: C, Sampling Device: C, Sample Tube Type: D

WELL DATA: Well Elevation (at TOC) 12592, Depth to Water (DTW) 1005, Groundwater Elevation (site datum, from TOC) 11587, Total Well Depth (from TOC) 10078, Casing ID 2, Casing Material PVC

Table with 9 columns: Sample Time, Rate/Unit, pH, Conductance, Temp., Turbidity, D.O., eH/ORP, DTW. Includes data for three samples at 07:50, 07:52, and 07:54.

FIELD DATA: SAMPLE DATE 02/23/06, pH 6.91, CONDUCTANCE 375, TEMP 21.3, TURBIDITY 0.7, DO 1.0

Sample Appearance: CLEAR, Odor: NONE, Color: NONE, Weather Conditions, Direction/Speed: CALM, Outlook: CLOUDY 65F, Precipitation: Y or N

FIELD COMMENTS: CALC: 100.78 - 10.05 = 90.73 x 0.163 = 14.79 x 3 = 44.36 GAL, FLOW: 15 x 4 = 60 / 60 = 1.00 x 44.36 = 44.36 gpm, ACTUAL: 51 / 1.00 = 51.00 GAL, SAMPLE TIME: 07:56

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign): 02/23/06 BEN RANNEY, Ben Ranney, PRO-TBCH

FIELD INFORMATION FORM



Site Name: TRAIL RIDGE

This Waste Management Field Information Form is Required. This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

Sample Point: MKB34I

PURGE INFO: PURGE DATE 022306, PURGE TIME 0800, ELAPSED HRS 0028, WATER VOL IN CASING 72, ACTUAL VOL PURGED 280, WELL VOLS PURGED 39

PURGE/SAMPLE EQUIPMENT: Purging and Sampling Equipment... Dedicated: [C] or [N], Filter Device: [Y] or [N], Purging Device: [C], Sampling Device: [C], X-Other: [], Filter Type: [], Sample Tube Type: [A]

WELL DATA: Well Elevation (at TOC) 12580, Depth to Water (DTW) 989, Groundwater Elevation (site datum, from TOC) 11591, Total Well Depth (from TOC) 5395, Stick Up (from ground elevation) [], Casing ID 2, Casing Material PVC

Table with columns: Sample Time (2400 Hr Clock), Rate/Unit (gpm), pH (std), Conductance (SC/EC) (umhos/cm @ 25 °C), Temp. (°C), Turbidity (ntu), D.O. (mg/L - ppm), eH/ORP (mV), DTW (ft). Includes data for three samples at 08:20, 08:22, and 08:26.

FIELD DATA: SAMPLE DATE 022306, pH 5.89, CONDUCTANCE 40, TEMP. 21.7, TURBIDITY 1.73, DO 0.9, eH/ORP [], Other: []

Sample Appearance: CLEAR, Odor: NONE, Color: NONE, Other: NO OIL, Weather Conditions: [], Direction/Speed: CALM, Outlook: OVERCAST, 65°F, Precipitation: [Y] or [N]

FIELD COMMENTS: CALC: 53.95 - 9.89 = 44.06 x 0.163 = 7.18 x 3 = 21.54 GAL. FLOW: 15 x 4 = 60 ÷ 60 = 1.00 x 21.54 = 21.54 MIN. ACTUAL: 28.00 ÷ 1.00 = 28.00 GAL. SAMPLE TIME: 0828

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign): 022306 BEN RANJEAWAN Ben Ranjeawan PRO-TECH

FIELD INFORMATION FORM



Site Name: TRAIL RIDGE
Sample Point: MWB345

This Waste Management Field Information Form is Required
This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO: PURGE DATE 02/23/06, PURGE TIME 07:37, ELAPSED HRS 00:09, WATER VOL IN CASING 12, ACTUAL VOL PURGED 65, WELL VOLs PURGED 55

PURGE/SAMPLE EQUIPMENT: Purging and Sampling Equipment... Dedicated: [C] or [N], Filter Device: [Y] or [N], Purging Device: [C], Sampling Device: [C], Sample Tube Type: [A]

WELL DATA: Well Elevation (at TOC) 12578, Depth to Water (DTW) (from TOC) 1080, Groundwater Elevation (site datum, from TOC) 11498, Total Well Depth (from TOC) 1836, Casing ID 2, Casing Material PVC

Table with 9 columns: Sample Time, Rate/Unit, pH, Conductance, Temp., Turbidity, D.O., eH/ORP, DTW. Includes data for three samples at 07:40, 07:42, and 07:44.

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site.

FIELD DATA: SAMPLE DATE 02/23/06, pH 6.38, CONDUCTANCE 972, TEMP. 19.9, TURBIDITY 1.03, DO 1.2

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: CLEAR, Odor: YES, Color: YELLOW BUNT, Other: NO STRAIN
Weather Conditions (required daily, or as conditions change): Direction/Speed: CALM, Outlook: CLOUDY, 65°F, Precipitation: Y or [N]

Specific Comments (including purge/well volume calculations if required):
CALC: 18.36 - 10.80 = 7.56 x 0.163 = 1.23 x 3 = 3.69 GAL.
FLOW: 20 x 4 = 80 / 60 = 1.33 x 3.69 = 4.92 MIN.
ACTUAL: 9.00 / 1.33 = 6.77 GAL.
SAMPLE TIME: 0746

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
Date: 02/23/06, Name: BEN RAMJEANAN, Signature: Ben Ramjeanana, Company: PRO-TECH

FIELD INFORMATION FORM



Site Name: TRAIL RIDGE
Sample Point: MJB33S

This Waste Management Field Information Form is Required
This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO: PURGE DATE 022306, PURGE TIME 1109, ELAPSED HRS 0011, WATER VOL IN CASING 114, ACTUAL VOL PURGED 92, WELL VOLS PURGED 62

PURGE/SAMPLE EQUIPMENT: Purging and Sampling Equipment... Dedicated: [X] or [N], Filter Device: [Y] or [N], Purging Device: [C], Sampling Device: [C], Sample Tube Type: [A]

WELL DATA: Well Elevation (at TOC) 12590, Depth to Water (DTW) 1145, Groundwater Elevation (site datum, from TOC) 11445, Total Well Depth (from TOC) 2030, Casing ID 2, Casing Material PVC

Table with 8 columns: Sample Time, Rate/Unit, pH, Conductance (SC/EC), Temp, Turbidity, D.O., cH/ORP, DTW. Includes stabilization data fields.

FIELD DATA: SAMPLE DATE 022306, pH 5.10, CONDUCTANCE 100, TEMP 19.8, TURBIDITY 55, DO 0.8, eH/ORP 1.9

Sample Appearance: clear, Odor: NONE, Color: NONE, Other: NO OIL, Weather Conditions, Direction/Speed: CALM, Outlook: CLOUDY 80°F, Precipitation: Y or [X]

FIELD COMMENTS: CALC: 20.30 - 11.45 = 8.85 x 0.163 = 1.439 x 3 = 4.318 GAL, FLOW: 1.8 x 4 = 7.2; 60 = 1.2 x 4.18 = 5.02 MIN, ACTUAL: 11.00 / 1.2 = 9.17 GAL, SAMPLE TIME: 1120

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign): Date 02/23/06, Name SEN RAMSBAUGH, Signature Ben Ramsbaugh, Company PRO-TECH

FIELD INFORMATION FORM



Site Name: TRAIL RIDGE

This Waste Management Field Information Form is Required. This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers.

Laboratory Use Only/Lab ID:

Sample Point: MW1B32D

PURGE INFO: PURGE DATE 022306, PURGE TIME 1015, ELAPSED HRS 0012, WATER VOL IN CASING 21, ACTUAL VOL PURGED 90, WELL VOL PURGED 43

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT: Purging and Sampling Equipment... Dedicated: [X] or [N], Filter Device: [Y] or [N], Purging Device: [C], Sampling Device: [C], Sample Tube Type: [A]

WELL DATA: Well Elevation (at TOC) 12493, Depth to Water (DTW) 893, Groundwater Elevation (site datum, from TOC) 11600, Total Well Depth (from TOC) 10881, Casing ID 2, Casing Material PVC

Table with 9 columns: Sample Time, Rate/Unit, pH, Conductance, Temp., Turbidity, D.O., eH/ORP, DTW. Includes data for three samples at 10:22, 10:24, and 10:26.

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site.

FIELD DATA: SAMPLE DATE 022306, pH 5.89, CONDUCTANCE 140, TEMP. 20.7, TURBIDITY 1.51, DO 0.8

Sample Appearance: CLOUDY, Odor: NONE, Color: WHITE TINT, Other: NO SHEEN, Weather Conditions: CALM, Outlook: CLOUDY 80°F, Precipitation: Y or [X]

Specific Comments: PURGE METER SET @ 96.00 FT., CALC: 108.81 - 96.00 = 12.81 x 0.163 = 2.09 x 3 = 6.26 GAL, FLOW: 20 x 4 = 80 / 60 = 1.33 x 6.26 = 8.32 MIN, ACTUAL: 12.00 / 1.33 = 9.02 GAL, SAMPLE TIME: 1027

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign): 02/23/06 BEN RANGAWAN, Ben Rangawan, PRO-TECH

FIELD INFORMATION FORM



Site Name: TRAIL RIDGE
Sample Point: MWB 32T
Sample ID

This Waste Management Field Information Form is Required
This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO: PURGE DATE 022306, PURGE TIME 0937, ELAPSED HRS 0028, WATER VOL IN CASING 91, ACTUAL VOL PURGED 289, WELL VOLS PURGED 32

PURGE/SAMPLE EQUIPMENT: Purging and Sampling Equipment... Dedicated: [X] or [N], Purging Device: [C], Sampling Device: [C], Filter Device: [Y] or [N], Filter Type: [], Sample Tube Type: [A]

WELL DATA: Well Elevation (at TOC) 12479, Depth to Water (DTW) 862, Groundwater Elevation (site datum, from TOC) 11617, Total Well Depth (from TOC) 6456, Casing ID 2, Casing Material PVC

Table with columns: Sample Time, Rate/Unit, pH, Conductance (SC/EC), Temp, Turbidity, D.O., eH/ORP, DTW. Includes 4 rows of data and suggested ranges for 3 consec. readings.

FIELD DATA: SAMPLE DATE 022306, pH 5.31, CONDUCTANCE 37, TEMP 20.8, TURBIDITY 23.61, DO 0.9

Sample Appearance: CLOUDY, Odor: NONE, Color: WHITE TAST, Weather Conditions: (required daily, or as conditions change):, Direction/Speed: CALM, Outlook: CLOUDY 80F, Precipitation: Y or [X]

FIELD COMMENTS: CALC: 64.56 - 8.62 = 55.94 x 0.163 = 9.12 x 3 = 27.35 GAL, FLOW: 14 x 4 = 56 / 60 = 0.933 x 27.35 = 25.53 MIN, ACTUAL: 27.00 / 0.933 = 28.93 GAL, SAMPLE TIME: 1004

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
Date: 02/23/06, Name: BEN RANNEAUAN, Signature: Ben Ranneauan, Company: PRO-TECH

FIELD INFORMATION FORM



Site Name: TRAIL RIDGE

This Waste Management Field Information Form is Required. This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use: Only/Lab ID:

PURGE INFO table with columns: PURGE DATE, PURGE TIME, ELAPSED HRS, WATER VOL IN CASING, ACTUAL VOL PURGED, WELL VOLS PURGED

PURGE/SAMPLE EQUIPMENT section with checkboxes for Purging and Sampling Equipment, Purging Device, Sampling Device, X-Other: Sample Bottle, Filter Device, Filter Type, Sample Tube Type

WELL DATA section with fields for Well Elevation, Depth to Water (DTW), Groundwater Elevation, Total Well Depth, Stick Up, Casing ID, Casing Material

STABILIZATION DATA (Optional) table with columns: Sample Time, Rate/Unit, pH, Conductance, Temp., Turbidity, D.O., eH/ORP, DTW

FIELD DATA section with fields for SAMPLE DATE, pH, CONDUCTANCE, TEMP., TURBIDITY, DO, eH/ORP, Other: Units

Sample Appearance: CLEAR, Odor: NONE, Color: NONE, Other: No Sheen, Weather Conditions, Direction/Speed: SE 0-5, Outlook: cloudy, Precipitation: 0 or N

Specific Comments (including purge/well volume calculations if required):

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols. If more than one sampler, all should sign: 2/23/06 DAN ARMOUR, Pro-Tech

FIELD INFORMATION FORM



Site Name: TRAIL RIDGE
Sample Point: FB

This Waste Management Field Information Form is Required. This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO table with columns: PURGE DATE (022306), PURGE TIME, ELAPSED HRS, WATER VOL IN CASING, ACTUAL VOL PURGED, WELL VOLS PURGED.

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT section including Purging and Sampling Equipment, Purging Device, Sampling Device, Filter Device, Filter Type, and Sample Tube Type.

WELL DATA section including Well Elevation, Depth to Water (DTW), Groundwater Elevation, Total Well Depth, Stick Up, Casing ID, and Casing Material.

Main data table with columns: Sample Time, Rate/Unit, pH, Conductance, Temp, Turbidity, D.O., eH/ORP, DTW. Includes STA (Optional) and STABILIZATI. rows.

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, D.O. +/- 10%, eH/ORP +/- 25 mV.

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site.

FIELD DATA summary table with columns: SAMPLE DATE, pH, CONDUCTANCE, TEMP, TURBIDITY, DO, eH/ORP, Other.

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: CLEAN, Odor: None, Color: None, Other: No sheen. Weather Conditions, Direction/Speed, Outlook, Precipitation.

FIELD COMMENTS section for handwritten notes.

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign): 2,23,06 DAN ARMOUR

Date, Name, Signature, Company fields.

ANALYSIS REQUEST AND CHAIN OF CUSTODY RECORD

SEVERN
TRENT **STL**

STL Tampa
6712 Benjamin Road, Suite 100
Tampa, FL 33634

Website: www.stl-inc.com
Phone: (813) 885-7427
Fax: (813) 885-7049

Alternate Laboratory Name/Location

Phone:
Fax:

PROJECT REFERENCE CITY OF JACKSONVILLE	PROJECT NO.	PROJECT LOCATION (STATE)	MATRIX TYPE	REQUIRED ANALYSIS								PAGE 1 OF 2	
SAMPLER'S SIGNATURE <i>[Signature]</i>	P.O. NUMBER	CONTRACT NO.	COMPOSITE (C) OR GRAB (G) INDICATE AQUEOUS (WATER) SOLID OR SEMISOLID AIR NONAQUEOUS LIQUID (OIL, SOLVENT...) <i>Water</i> <i>Metals, NO₃-C</i> <i>PCB</i> <i>8260 App I</i> <i>Metals - Total</i> <i>NH₃</i>	RESERVATIVE	STANDARD REPORT DELIVERY <input checked="" type="checkbox"/>								DATE DUE _____
CLIENT (SITE) PM AL BURSON	CLIENT PHONE 904 289 4792	CLIENT FAX			EXPEDITED REPORT DELIVERY (SURCHARGE) <input type="checkbox"/>								DATE DUE _____
CLIENT NAME TRAIL RIDGE	CLIENT E-MAIL				NUMBER OF COOLERS SUBMITTED PER SHIPMENT:								
CLIENT ADDRESS 5110 HWY 301 BALOWIN, FL 32234	COMPANY CONTRACTING THIS WORK (if applicable)												

SAMPLE		SAMPLE IDENTIFICATION	COMPOSITE (C) OR GRAB (G) INDICATE	AQUEOUS (WATER)	SOLID OR SEMISOLID	AIR	NONAQUEOUS LIQUID (OIL, SOLVENT...)	NUMBER OF CONTAINERS SUBMITTED								REMARKS	
DATE	TIME							1	2	3	4	5	6	7	8		9
2-22	0836	MWB19D	G	X				1	3	3	1	1					
2-22	0915	MWB19I	G	X				1	3	3	1	1					
2-22	0934	MWB19S	G	X				1	3	3	1	1					
2-22	1015	MWB12I	G	X				1	3	3	1	1					
2-22	1032	MWB12D	G	X				1	3	3	1	1					
2-22	1048	MWB12S	G	X				1	3	3	1	1					
2-22	1107	MWB22S	G	X				1	3	3	1	1					
2-22	1146	MWB27I	G	X				1	3	3	1	1					
2-22	1146	DUP01	G	X				1	3	3	1	1					
2-22	1213	MWB27D	G	X				1	3	3	1	1					
2-22	1232	MWB27S	G	X				1	3	3	1	1					
2-22	1320	MWB29I	G	X				1	3	3	1	1					

RELINQUISHED BY: (SIGNATURE) <i>[Signature]</i>	DATE 2/27/06	TIME 1830	RELINQUISHED BY: (SIGNATURE) <i>[Signature]</i>	DATE 2-27-06	TIME 1830	RELINQUISHED BY: (SIGNATURE)	DATE	TIME
RECEIVED BY: (SIGNATURE) <i>[Signature]</i>	DATE	TIME	RECEIVED BY: (SIGNATURE)	DATE	TIME	RECEIVED BY: (SIGNATURE)	DATE	TIME

RECEIVED FOR LABORATORY BY: (SIGNATURE) <i>[Signature]</i>	DATE 2/27/06	TIME 1830	CUSTODY INTACT YES <input type="checkbox"/> NO <input type="checkbox"/>	CUSTODY SEAL NO.	STL TAMPA LOG NO. 1389	LABORATORY REMARKS S/S Pd Ex 48 quarts
---	------------------------	---------------------	---	------------------	----------------------------------	--

Page 136 of 187

SEVERN

Serial Number 30284

ANALYSIS REQUEST AND CHAIN OF CUSTODY RECORD

**SEVERN
TRENT**

STL

STL Tampa
6712 Benjamin Road, Suite 100
Tampa, FL 33634

Website: www.stl-inc.com
Phone: (813) 885-7427
Fax: (813) 885-7049

Alternate Laboratory Name/Location

Phone:
Fax:

PROJECT REFERENCE CITY OF JACKSONVILLE	PROJECT NO.	PROJECT LOCATION (STATE)	MATRIX TYPE	REQUIRED ANALYSIS								PAGE 2	OF 2		
SAMPLER'S SIGNATURE <i>[Signature]</i>	P.O. NUMBER	CONTRACT NO.	COMPOSITE (C) OR GRAB (G) INDICATE AQUEOUS (WATER) SOLID OR SEMISOLID AIR NONAQUEOUS LIQUID (OIL, SOLVENT, ...)	None	HCl	HCl	H ₂ O	H ₂ O	PRESERVATIVE	None	None	None	None	STANDARD REPORT DELIVERY	<input checked="" type="checkbox"/>
CLIENT (SITE) PM AL BURSEN	CLIENT PHONE 904 289 2222	CLIENT FAX												DATE DUE	
CLIENT NAME TRAIL RIDGE	CLIENT E-MAIL													EXPEDITED REPORT DELIVERY (SURCHARGE)	<input type="checkbox"/>
CLIENT ADDRESS 5110 HWY 301 BALOWIN FL 32234														DATE DUE	
COMPANY CONTRACTING THIS WORK (if applicable)														NUMBER OF COOLERS SUBMITTED PER SHIPMENT:	

SAMPLE		SAMPLE IDENTIFICATION	COMPOSITE (C) OR GRAB (G) INDICATE	AQUEOUS (WATER)	SOLID OR SEMISOLID	AIR	NONAQUEOUS LIQUID (OIL, SOLVENT, ...)	NUMBER OF CONTAINERS SUBMITTED								REMARKS
DATE	TIME							1	2	3	4	5	6	7	8	
2-22	1336	MWB29D	G	X				1	3	3	1	1				
2-22	1355	MWB29S	G	X				1	3	3	1	1				
2-22	1431	MWB2I	G	X				1	3	3	1	1				
2-22	1517	MWB2S	G	X				1	3	3	1	1				
2-22	-	TRIP	G	X				2	2							

RELINQUISHED BY: (SIGNATURE) <i>[Signature]</i>	DATE 2/15/06	TIME 1522	RELINQUISHED BY: (SIGNATURE) <i>[Signature]</i>	DATE 2-22-06	TIME 1830	RELINQUISHED BY: (SIGNATURE)	DATE	TIME
RECEIVED BY: (SIGNATURE) <i>[Signature]</i>	DATE	TIME	RECEIVED BY: (SIGNATURE)	DATE	TIME	RECEIVED BY: (SIGNATURE)	DATE	TIME

RECEIVED FOR LABORATORY BY: (SIGNATURE) <i>[Signature]</i>	DATE 2/23/06	TIME 946	CUSTODY INTACT YES <input type="checkbox"/> NO <input type="checkbox"/>	CUSTODY SEAL NO.	STL TAMPA LOG NO. 7389	LABORATORY REMARKS 5.5 Red X
---	------------------------	--------------------	---	------------------	----------------------------------	--

Page 1 of 167

SEVERN

FIELD INFORMATION FORM



Site Name: TRAIL RIDGE
Sample Point: MWB2S

This Waste Management Field Information Form is Required. This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO: PURGE DATE 022206, PURGE TIME 1505, ELAPSED HRS 112, WATER VOL IN CASING 19, ACTUAL VOL PURGED 90, WELL VOLS PURGED 48

PURGE/SAMPLE EQUIPMENT: Purging and Sampling Equipment... Dedicated: Y, Filter Device: Y, Purging Device: C, Sampling Device: C, X-Other: , Sample Tube Type: A

WELL DATA: Well Elevation (at TOC) 114664, Depth to Water (DTW) (from TOC) 861, Groundwater Elevation (site datum, from TOC) 113803, Total Well Depth (from TOC) 2000, Casing ID 2, Casing Material PVC

Table with 9 columns: Sample Time, Rate/Unit, pH, Conductance (SC/EC), Temp., Turbidity, D.O., eH/ORP, DTW. Contains 3 rows of data.

FIELD DATA: SAMPLE DATE 022206, pH 448, CONDUCTANCE 55, TEMP. 183, TURBIDITY 100, DO 23

Sample Appearance: CLEAR, Odor: SLIGHT, Color: BROWN TINT, Other: NO SMOKE, Weather Conditions: , Direction/Speed: CALM, Outlook: CLEAR 70%, Precipitation: Y or N

Specific Comments (Including purge/well volume calculations if required): CALC: 20.00 - 8.61 = 11.39 x 0.163 = 1.86 x 3 = 5.57, FLOW: 20 x 4 = 80 / 60 = 1.33 x 5.57 = 7.43, ACTUAL: 12 / 1.33 = 9.02

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign): Date 2/22/06, Name Dan Arnold, Signature, Company Pro-Tech

FIELD INFORMATION FORM



Site Name: TRAIL RIDGE

This Waste Management Field Information Form is Required. This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

Sample Point: MWB2I

PURGE INFO: PURGE DATE 022206, PURGE TIME 1402, ELAPSED HRS 29, WATER VOL IN CASING 84, ACTUAL VOL PURGED 290, WELL VOLs PURGED 35

PURGE/SAMPLE EQUIPMENT: Purging and Sampling Equipment... Dedicated: [D] or [N], Filter Device: [Y] or [N], Purging Device: [C], Sampling Device: [C], X-Other: [], Sample Tube Type: [A]

WELL DATA: Well Elevation (at TOC) 14573, Depth to Water (DTW) 998, Groundwater Elevation (site datum, from TOC) 13575, Total Well Depth (from TOC) 6150, Casing ID 2, Casing Material PVC

Table with 9 columns: Sample Time, Rate/Unit, pH, Conductance, Temp, Turbidity, D.O., eH/ORP, DTW. Contains 3 rows of data.

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site.

FIELD DATA: SAMPLE DATE 022206, pH 4.83, CONDUCTANCE 38, TEMP 21.3, TURBIDITY 1.0, DO 1.1

Sample Appearance: CLEAR, Odor: NONE, Color: NONE, Other: No sheen, Weather Conditions, Direction/Speed: CALM, Outlook: clear 70%, Precipitation: Y or (N)

Specific Comments (including purge/well volume calculations if required): CALC: 61.50 - 9.98 = 51.52 x 0.163 = 8.40 x 3 = 25.19, Flow: 15 x 4 = 60 / 60 = 1 x 25.19 = 25.19, ACTUAL: 29 / 1 = 29.0

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign): Date 2/22/06, Name DAW ARMOUR, Signature, Company Pro-Tech

FIELD INFORMATION FORM



Site Name: TRAIL RIDGE
Sample Point: MW0293

This Waste Management Field Information Form is Required
This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the Laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO: PURGE DATE 022206, PURGE TIME 1343, ELAPSED HRS 112, WATER VOL IN CASING 119, ACTUAL VOL PURGED 95, WELL VOLS PURGED 99

PURGE/SAMPLE EQUIPMENT: Purging and Sampling Equipment... Dedicated: [Y] or [N], Filter Device: [Y] or [N], Purging Device: [C], Sampling Device: [C], X-Other: [], Filter Type: [], Sample Tube Type: [A]

WELL DATA: Well Elevation (at TOC) 13802, Depth to Water (DTW) 816, Groundwater Elevation (site datum, from TOC) 12986, Total Well Depth (from TOC) 2000, Casing ID 2, Casing Material PVC

Table with 10 columns: Sample Time, Rate/Unit, pH, Conductance, Temp, Turbidity, D.O., eH/ORP, DTW. Contains 3 rows of data.

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site.

FIELD DATA: SAMPLE DATE 022206, pH 462, CONDUCTANCE 44, TEMP 16.6, TURBIDITY 15, DO 15, eH/ORP [], Other: []

Sample Appearance: CLEAR, Odor: Very Slight, Color: None, Other: No Sheen, Weather Conditions: [], Direction/Speed: CALM, Outlook: Clear 70°F, Precipitation: Y or N

FIELD COMMENTS: CALC: 20.00 - 8.16 = 11.84 x 0.163 = 1.93 x 3 = 5.79, FLOW: 19.4 - 76 / 60 = 1.267 x 5.79 = 7.33, ACTUAL: 12 / 1.267 = 9.5

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign): Date 2/22/06, Name DAN ARMOUR, Signature [Signature], Company Pro-Tech

Site Name: TRAIL RIDGE
 Site No.: Sample Point: MWB29I
 Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO
 PURGE DATE (MM DD YY): 022206 PURGE TIME (2400 Hr Clock): 1250 ELAPSED HRS (hrs:min): 30 WATER VOL IN CASING (Gallons): 93 ACTUAL VOL PURGED (Gallons): 32.2 WELL VOLs PURGED: 35
Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: or Filter Device: or 0.45 µ or µ (circle or fill in)
 Purging Device: C A-Submersible Pump D-Bailer A-In-line Disposable C-Vacuum
 B-Peristaltic Pump E-Piston Pump B-Pressure X-Other
 Sampling Device: C C-OED Bladder Pump F-Dipper/Bottle Filter Type:
 X-Other: Sample Tube Type: A A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC): 13808 (ft/msl) Depth to Water (DTW) (from TOC): 646 (ft) Groundwater Elevation (site datum, from TOC): 13162 (ft/msl)
 Total Well Depth (from TOC): 6350 (ft) Stick Up (from ground elevation): (ft) Casing ID: 2 (in) Casing Material: PVC
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by State/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)	Sample Time (2400 Hr Clock)	Rate/Unit (gpm)	pH (std)	Conductance (SC/EC) (µmhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
	13115	1.1	518	41	212	1133	110		
	13117	1.1	515	41	212	1131	110		
	13119	1.1	512	41	212	1133	110		

Suggested range for 3 consec. readings or note Permit/State requirements:
 Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 022206 pH (std): 512 CONDUCTANCE (µmhos/cm @ 25°C): 41 TEMP. (°C): 212 TURBIDITY (ntu): 133 DO (mg/L-ppm): 10 eH/ORP (mV): Other: Units:
Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: CLEAR Odor: SLIGHT Color: NONE Other: NOSHAN
 Weather Conditions (required daily, or as conditions change): Direction/Speed: CALM Outlook: clear 70% Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS
CALC: 63.50 - 6.46 = 57.04 x 0.163 = 9.29 x 3 = 27.89
Flow: 14 x 4 = 56 ÷ 62 = 0.933 x 27.89 = 26.03
ACTUAL: 30 ÷ 0.933 = 32.2

I certify that sampling procedures were in accordance with applicable EPA, State and WM protocols (if more than one sampler, all should sign):
2/22/06 Dan Armoja Pro-Tech
 Date Name Signature Company

FIELD INFORMATION FORM



Site Name: TRAIL RIDGE

This Waste Management Field Information Form is Required. This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

Sample Point: MW 0275

PURGE INFO: PURGE DATE 022206, PURGE TIME 1220, ELAPSED HRS 112, WATER VOL IN CASING 14, ACTUAL VOL PURGED 95, WELL VOLS PURGED 66

PURGE/SAMPLE EQUIPMENT: Purging and Sampling Equipment... Dedicated: (Y) or (N); Filter Device: (Y) or (N); Purging Device: C; Sampling Device: C; X-Other: ; Filter Type: ; Sample Tube Type: A

WELL DATA: Well Elevation (at TOC) 12842, Depth to Water (DTW) (from TOC) 674, Groundwater Elevation (site datum, from TOC) 12168, Total Well Depth (from TOC) 1550, Stick Up (from ground elevation) ; Casing ID 2, Casing Material PVC

Table with 10 columns: Sample Time, Rate/Unit, pH, Conductance, Temp, Turbidity, D.O., eH/ORP, DTW. Includes handwritten data for three samples and suggested ranges.

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site.

FIELD DATA: SAMPLE DATE 022206, pH 473, CONDUCTANCE 51, TEMP 183, TURBIDITY 92, DO 11, eH/ORP ; Units

Sample Appearance: CLEAR; Odor: NONE; Color: None; Other: NO SHEEN; Weather Conditions: ; Direction/Speed: calm; Outlook: clear 65F; Precipitation: Y or (N)

Specific Comments (including purge/well volume calculations if required): CALC: 15.50 - 6.74 = 8.76 x 0.163 = 1.43 x 3 = 4.28; FLOW: 19 x 4 = 76 / 60 = 1.267 x 4.28 = 5.42; ACTUAL: 12 / 1.267 = 9.5

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign): Date 2/22/06, Name JAW Armour, Signature, Company Pro-Tech

FIELD INFORMATION FORM



Site Name: TRAIL RIDGE
Sample Point: MW 827D

This Waste Management Field Information Form is Required
This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO table with columns: PURGE DATE (022206), PURGE TIME (1153), ELAPSED HRS (21), WATER VOL IN CASING (33), ACTUAL VOL PURGED (121), WELL VOLS PURGED (37)

PURGE/SAMPLE EQUIPMENT: Purging and Sampling Equipment... Dedicated: (Y) or (N)
Filter Device: (Y) or (N) 0.45 μ or μ (circle or fill in)
Filter Type:
Sample Tube Type: (A)

WELL DATA: Well Elevation (at TOC) 12888 (ft/msl), Depth to Water (DTW) 710 (ft), Groundwater Elevation (site datum, from TOC) 12178 (ft/msl)
Total Well Depth (from TOC) 11000 (ft), Stick Up (from ground elevation)
Casing ID 2 (in), Casing Material PVC

DATA (Optional) table with columns: Sample Time, Rate/Unit, pH, Conductance (SC/EC), Temp. (°C), Turbidity (ntu), D.O. (mg/L-ppm), eH/ORP (mV), DTW (ft)

FIELD DATA: SAMPLE DATE (022206), pH (583), CONDUCTANCE (89), TEMP. (197), TURBIDITY (08), DO (11), eH/ORP (mV), Other:
Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: CLEAR, Odor: NONE, Color: NONE, Other: No Sheen
Weather Conditions (required daily, or as conditions change):
Direction/Speed: E 2 m, Outlook: clear 65°F, Precipitation: Y or (N)
Specific Comments (including purge/well volume calculations if required): Purge man at @ 90.00 ft.

FIELD COMMENTS: CALC: 110.00-90.00 = 20.00 x 0.163 = 3.26 x 3 = 9.78
Flow: 26 x 4 = 104 + 60 = 1.73 x 9.78 = 16.95
ACTUAL: 21 ÷ 1.73 = 12.1

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
Date: 2/22/06, Name: Dan Armora, Signature: [Signature], Company: Pro-Tech

FIELD INFORMATION FORM



Site Name: TRAIL RIDGE
Sample Point: MW027I

This Waste Management Field Information Form is Required
This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO: PURGE DATE 022206, PURGE TIME 1117, ELAPSED HRS 29, WATER VOL IN CASING 91, ACTUAL VOL PURGED 311, WELL VOLS PURGED 34

PURGE/SAMPLE EQUIPMENT: Purging and Sampling Equipment... Dedicated: [Y] or [N], Filter Device: [Y] or [N], Purging Device: C, Sampling Device: C, X-Other: [], Sample Tube Type: A

WELL DATA: Well Elevation 112863, Depth to Water (DTW) 673, Groundwater Elevation 112190, Total Well Depth 6250, Casing ID 2, Casing Material PVC

Table with 9 columns: Sample Time, Rate/Unit, pH, Conductance, Temp, Turbidity, D.O., eH/ORP, DTW. Contains 3 rows of data.

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site.

FIELD DATA: SAMPLE DATE 022206, pH 558, CONDUCTANCE 58, TEMP 206, TURBIDITY 102, DO 111, eH/ORP [], Other: []

Sample Appearance: CLEAR, Odor: NONE, Color: NONE, Other: NO SHELLEN, Weather Conditions: [], Direction/Speed: CALM, Outlook: P.C. 65°F, Precipitation: Y or []

FIELD COMMENTS: CALC: 62.50 - 6.73 = 55.77 x 0.163 = 9.09 x 3 = 27.3, Flow: 14 x 4 = 56 ÷ 60 = 0.933 x 27.3 = 25.48, Actual: 29 ÷ 0.933 = 31.1, Completed DUP01 @ MW027I

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign): 2/22/06 DAN ARMOUR [Signature] Pro-Tech

FIELD INFORMATION FORM



Site Name: TRAIL RIDGE
Sample Point: MW 0225

This Waste Management Field Information Form is Required!
This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO: PURGE DATE 02/22/06, PURGE TIME 1054, ELAPSED HRS 113, WATER VOL IN CASING 23, ACTUAL VOL PURGED 108, WELL VOLs PURGED 49

PURGE/SAMPLE EQUIPMENT: Purging and Sampling Equipment... Dedicated: D or N, Filter Device: Y or N, Purging Device: C, Sampling Device: C, X-Other: , Sample Tube Type: A

WELL DATA: Well Elevation (at TOC) 1269.7, Depth to Water (DTW) 120.9, Groundwater Elevation (site datum, from TOC) 1148.8, Total Well Depth (from TOC) 2600, Casing ID 2, Casing Material PVC

Table with 9 columns: Sample Time, Rate/Unit, pH, Conductance (SC/EC), Temp., Turbidity, D.O., eH/ORP, DTW. Contains 3 rows of data.

Suggested range for 3 consec. readings or note Permit/State requirements: +/- 0.2, +/- 3%, +/- 10%, +/- 25 mV, Stabilize

FIELD DATA: SAMPLE DATE 02/22/06, pH 58.6, CONDUCTANCE 227, TEMP. 19.2, TURBIDITY 4.9, DO 1.9

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: CLEAR, Odor: NONE, Color: NONE, Other: No skin, Weather Conditions: , Direction/Speed: P.L. 60°E, Outlook: CALM, Precipitation: Y or (N)

FIELD COMMENTS: CALC: 26.00 - 12.09 = 13.91 x 0.163 = 2.27 x 3 = 6.80, Flow: 18 x 4 = 72 ÷ 60 = 1.2 x 6.80 = 8.16, ACTUAL: 13 ÷ 1.2 = 10.83

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign): Date 2/22/06, Name Dan Armour, Signature, Company Pro-Tech

FIELD INFORMATION FORM



Site Name: TRAIL RIDGE

This Waste Management Field Information Form is Required. This form is to be completed in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

Sample Point: MW0125

Sample ID

PURGE INFO: PURGE DATE (MM DD YY), PURGE TIME (2400 Hr Clock), ELAPSED HRS (hrs:min), WATER VOL IN CASING (Gallons), ACTUAL VOL PURGED (Gallons), WELL VOLS PURGED

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT: Purging and Sampling Equipment... Dedicated: (Y) or (N), Filter Device: (Y) or (N), Purging Device: (L), Sampling Device: (L), X-Other: (), Filter Type: (), Sample Tube Type: (A)

WELL DATA: Well Elevation (at TOC), Depth to Water (DTW) (from TOC), Groundwater Elevation (site datum, from TOC), Total Well Depth (from TOC), Stick Up (from ground elevation), Casing ID, Casing Material (PVC)

Table with columns: Sample Time (2400 Hr Clock), Rate/Unit, pH (std), Conductance (SC/EC) (umhos/cm @ 25°C), Temp. (°C), Turbidity (ntu), D.O. (mg/L - ppm), eH/ORP (mV), DTW (ft). Includes suggested ranges and stabilization data fields.

FIELD DATA: SAMPLE DATE (MM DD YY), pH (std), CONDUCTANCE (umhos/cm @ 25°C), TEMP. (°C), TURBIDITY (ntu), DO (mg/L - ppm), eH/ORP (mV), Units

Sample Appearance: SLT, CLAYOY, Odor: NONE, Color: BROWN, Other: NO SHEEN, Weather Conditions, Direction/Speed: CALM, Outlook: Cloudy 60%, Precipitation: Y or (N)

Specific Comments (including purge/well volume calculations if required): CALC: 24.50 - 10.42 = 14.08 x 0.163 = 2.30 x 3 = 6.89, FLOW: 17 x 4 = 68 / 60 = 1.133 x 6.89 = 7.81, ACTUAL: 12 + 1.133 = 10.6

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign): Date: 2/22/06, Name: Dan Armour, Signature: [Signature], Company: Pro-Tech

FIELD INFORMATION FORM



Site Name: TRAIL RIDGE
Sample Point: MWB12I

This Waste Management Field Information Form is Required
This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO: PURGE DATE 022206, PURGE TIME 0942, ELAPSED HRS 33, WATER VOL IN CASING 104, ACTUAL VOL PURGED 354, WELL VOLS PURGED 34

PURGE/SAMPLE EQUIPMENT: Purging and Sampling Equipment... Dedicated: Y or N, Filter Device: Y or N, Purging Device: C, Sampling Device: C, X-Other: , Sample Tube Type: A

WELL DATA: Well Elevation (at TOC) 12462, Depth to Water (DTW) (from TOC) 780, Groundwater Elevation (site datum, from TOC), Total Well Depth (from TOC) 7150, Stick Up (from ground elevation), Casing ID 2, Casing Material PVC

Table with 9 columns: Sample Time, Rate/Unit, pH, Conductance (SC/EC), Temp., Turbidity, D.O., eH/ORP, DTW. Includes handwritten data for three samples.

FIELD DATA: SAMPLE DATE 022206, pH 533, CONDUCTANCE 41, TEMP. 228, TURBIDITY 44, DO 09, eH/ORP

Sample Appearance: CLEAR, Odor: odor, Color: None, Other: No Sheen, Weather Conditions, Direction/Speed: Calm, Outlook: cloudy 60F, Precipitation: Y or N

FIELD COMMENTS: CALL: 71.50 - 7.80 = 63.70 x 0.163 = 10.38 x 3 = 31.15, Flow: 14 x 4 = 56 / 60 = 0.933 x 31.15 = 29.07, ACTUAL: 93 / 0.933 = 35.39

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign): Date 2/22/06, Name Dan Amaral, Signature, Company

FIELD INFORMATION FORM



Site Name: TRAIL RIDGE
Sample Point: MW195

This Waste Management Field Information Form is Required
This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO: PURGE DATE 022206, PURGE TIME 0921, ELAPSED HRS 13, WATER VOL IN CASING 22, ACTUAL VOL PURGED 98, WELL VOLS PURGED 45

PURGE/SAMPLE EQUIPMENT: Purging and Sampling Equipment... Dedicated: [X] or [N], Filter Device: [Y] or [N], Purging Device: [C], Sampling Device: [C], X-Other: [], Filter Type: [], Sample Tube Type: [A]

WELL DATA: Well Elevation (at TOC) 12738, Depth to Water (DTW) (from TOC) 656, Groundwater Elevation (site datum, from TOC) 12082, Total Well Depth (from TOC) 2000, Stick Up (from ground elevation) [], Casing ID 2, Casing Material PVC

Table with 9 columns: Sample Time (2400 Hr Clock), Rate/Unit, pH (std), Conductance (SC/EC) (umhos/cm @ 25°C), Temp. (°C), Turbidity (ntu), D.O. (mg/L - ppm), eH/ORP (mV), DTW (ft). Includes 3 rows of data and stabilization fields.

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site.

FIELD DATA: SAMPLE DATE 022206, pH 5.29, CONDUCTANCE 1.06, TEMP. 20.9, TURBIDITY 1.01, DO 1.3, eH/ORP [], Other: []

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: CLEAR, Odor: ODDR, Color: Brown tint, Other: No Sheen, Weather Conditions: [], Direction/Speed: CALM, Outlook: Cloudy 60°F, Precipitation: Y or []

FIELD COMMENTS: CALC: 20.00 - 6.56 = 13.44 x 0.63 = 2.19 x 3 = 6.57, Flow: 20 x 4 = 80 ÷ 60 = 1.33 x 6.57 = 8.76, ACTUAL: 13 ÷ 1.33 = 9.8

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign): Date 2/22/06, Name DAN ARMOUR, Signature [], Company []

FIELD INFORMATION FORM



Site Name: TRAIL RIDGE
Sample Point: MW819J

This Waste Management Field Information Form is Required
This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO: PURGE DATE 022206, PURGE TIME 0843, ELAPSED HRS 32, WATER VOL IN CASING 84, ACTUAL VOL PURGED 283, WELL VOLS PURGED 34

PURGE/SAMPLE EQUIPMENT: Purging Device C, Sampling Device L, Filter Device Y, Filter Type -, Sample Tube Type A

WELL DATA: Well Elevation 12794, Depth to Water 729, Groundwater Elevation 12065, Total Well Depth 5900, Casing ID 2, Casing Material PVC

Table with 9 columns: Sample Time, Rate/Unit, pH, Conductance, Temp, Turbidity, D.O., eH/ORP, DTW. Includes data for samples 09110, 09112, 09114.

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State).

FIELD DATA: SAMPLE DATE 022206, pH 5.15, CONDUCTANCE 40, TEMP 22.1, TURBIDITY 273, DO 1.1

Sample Appearance: SLT. Cloudy, Odor: None, Color: Lt Tan/Whitish, Weather Conditions, Direction/Speed: Calm, Outlook: cloudy 60F

FIELD COMMENTS: CALC: 59.00 - 7.29 = 51.71 x 0.163 = 8.43 x 3 = 25.29
Flow: 17 x 4 = 68 / 60 = 1.13 x 25.29 = 28.66
ACTUAL: 32 / 1.13 = 28.32

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
Date: 2/22/06, Name: Dan Armour, Signature: [Signature], Company: Pro-Ton

FIELD INFORMATION FORM



Site Name: TRAIL RIDGE
Sample Point: MW 819D

This Waste Management Field Information Form is Required
This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO: PURGE DATE (02/22/06), PURGE TIME (07:28), ELAPSED HRS (1:08), WATER VOL IN CASING (177), ACTUAL VOL PURGED (60.2), WELL VOLS PURGED (34)

PURGE/SAMPLE EQUIPMENT: Purging and Sampling Equipment... Dedicated: (Y) or (N)
Filter Device: (Y) or (N)
Purging Device: (C)
Sampling Device: (C)
X-Other:
Filter Type:
Sample Tube Type: (A)

WELL DATA: Well Elevation (at TOC) (12823), Depth to Water (DTW) (702), Groundwater Elevation (site datum, from TOC) (12121)
Total Well Depth (from TOC) (11550), Stick Up (from ground elevation)
Casing ID (2), Casing Material (PVC)

Table with 9 columns: Sample Time, Rate/Unit, pH, Conductance, Temp, Turbidity, D.O., eH/ORP, DTW. Contains 3 rows of data.

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site.

FIELD DATA: Final Field Readings are required. Table with 8 columns: SAMPLE DATE, pH, CONDUCTANCE, TEMP, TURBIDITY, DO, eH/ORP, Other.

Sample Appearance: CLEAR, Odor: None, Color: None, Other: No Sman
Weather Conditions (required daily, or as conditions change): Direction/Speed: CALM, Outlook: cloudy 60°F, Precipitation: Y or (N)

Specific Comments (including purge/well volume calculations if required):
CALC: 115.50 - 5.73 = 108.48 x 0.163 = 17.68 x 3 = 53.05
Flow: 17.68 x 68 = 1201.76 ÷ 60 = 20.03
ACTUAL: 68 ÷ 1.13 = 60.2

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
Date: 2/22/06, Name: DAN ARMOUR, Signature: [Signature], Company: Pro-Tech

ANALYSIS REQUEST AND CHAIN OF CUSTODY RECORD

SEVERN
TRENT **STL**

STL Tampa
6712 Benjamin Road, Suite 100
Tampa, FL 33634

Website: www.stl-inc.com
Phone: (813) 885-7427
Fax: (813) 885-7049

Alternate Laboratory Name/Location

Phone:
Fax:

PROJECT REFERENCE CITY OF TAMPA Tax	PROJECT NO.	PROJECT LOCATION (STATE) FL	MATRIX TYPE	REQUIRED ANALYSIS										PAGE 1	OF 1		
SAMPLER'S SIGNATURE	P.O. NUMBER	CONTRACT NO.	COMPOSITE (C) OR GRAB (G) INDICATE AQUEOUS (WATER) SOLID OR SEMISOLID AIR NONAQUEOUS LIQUID (OIL, SOLVENT, ...)	Asst	Asst	Asst	Asst	Asst	Asst	Asst	Asst	Asst	Asst	Asst	Asst	STANDARD REPORT DELIVERY <input checked="" type="radio"/>	DATE DUE
CLIENT (SITE) PM AL BURSEN	CLIENT PHONE	CLIENT FAX		TP, NH₃, TN	Asst	Asst	Asst	Asst	Asst	Asst	Asst	Asst	Asst	Asst	Asst	EXPEDITED REPORT DELIVERY (SURCHARGE) <input type="radio"/>	DATE DUE
CLIENT NAME TRAIL RIDGE	CLIENT E-MAIL			Asst	Asst	Asst	Asst	Asst	Asst	Asst	Asst	Asst	Asst	Asst	Asst	NUMBER OF COOLERS SUBMITTED PER SHIPMENT:	DATE DUE
CLIENT ADDRESS 5110 HWY 301 BALDWIN, FL	COMPANY CONTRACTING THIS WORK (if applicable)			Asst	Asst	Asst	Asst	Asst	Asst	Asst	Asst	Asst	Asst	Asst	Asst		

SAMPLE		SAMPLE IDENTIFICATION	COMPOSITE (C) OR GRAB (G) INDICATE	AQUEOUS (WATER)	SOLID OR SEMISOLID	AIR	NONAQUEOUS LIQUID (OIL, SOLVENT, ...)	NUMBER OF CONTAINERS SUBMITTED										REMARKS
DATE	TIME							Asst	Asst	Asst	Asst	Asst	Asst	Asst	Asst	Asst	Asst	
2-24	0730	SW-1	G	X				1	1	1	1	3	3	1	1	1	NOTE: FECAL COLIFORM + CHLOROPHYLL-A SE HAND DELIVERED TO SUB-CONTRACT LAB - AEL	
2-24	0800	SW-2	G	X														
2-24	-	TRIP	G	X														

RELINQUISHED BY: (SIGNATURE) <i>[Signature]</i>	DATE 1-15-06	TIME 1300	RELINQUISHED BY: (SIGNATURE) <i>[Signature]</i>	DATE 2-24-06	TIME 1800	RELINQUISHED BY: (SIGNATURE)	DATE	TIME
RECEIVED BY: (SIGNATURE) <i>[Signature]</i>	DATE	TIME	RECEIVED BY: (SIGNATURE) <i>[Signature]</i>	DATE 2-25-06	TIME 1030	RECEIVED BY: (SIGNATURE)	DATE	TIME

SEVERN	RECEIVED FOR LABORATORY BY: <i>[Signature]</i>	DATE 2-25-06	TIME 1030	CUSTODY INTACT YES <input type="radio"/> NO <input type="radio"/>	CUSTODY SEAL NO.	STL TAMPA LOG NO. 660-7456	LABORATORY REMARKS 50 FY
--------	--	---------------------	------------------	---	------------------	-----------------------------------	---------------------------------

Page 54 of 74

FIELD INFORMATION FORM



Site Name: TRAIL RIDGE
Sample Point: SW-11

This Waste Management Field Information Form is Required
This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO: PURGE DATE 022406, PURGE TIME, ELAPSED HRS, WATER VOL IN CASING, ACTUAL VOL PURGED, WELL VOLS PURGED

PURGE/SAMPLE EQUIPMENT: Purging and Sampling Equipment... Dedicated: Y or N, Filter Device: Y or N, Purging Device, Sampling Device, X-Other: Sample Bottle

WELL DATA: Well Elevation, Depth to Water (DTW), Groundwater Elevation, Total Well Depth, Stick Up, Casing ID, Casing Material

Table with 9 columns: Sample Time, Rate/Unit, pH, Conductance, Temp, Turbidity, D.O., eH/ORP, DTW. Includes handwritten data for 0430 and 0431.

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State).

FIELD DATA: SAMPLE DATE, pH, CONDUCTANCE, TEMP, TURBIDITY, DO, eH/ORP, Units

Final Field Readings are required (i.e. record field measurements, final stabilized readings, possible sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: CLSAC, Odor: None, Color: Yellow tint, Other: No sheen

Weather Conditions (required daily, or as conditions change): Direction/Speed: CALM, Outlook: Clear 45-60, Precipitation: Y or N

Specific Comments (including purge/well volume calculations if required):

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign): Date, Name, Signature, Company

FIELD INFORMATION FORM



Site Name: TRAIL RIDGE
Sample Point: SW-2

This Waste Management Field Information Form is Required
This form is to be completed, in addition to any State Forms...

Laboratory Use Only/Lab ID:

PURGE INFO: PURGE DATE 022406, PURGE TIME, ELAPSED HRS, WATER VOL IN CASING, ACTUAL VOL PURGED, WELL VOL PURGED

PURGE/SAMPLE EQUIPMENT: Purging and Sampling Equipment, Purging Device, Sampling Device, Filter Device, Filter Type, Sample Tube Type

WELL DATA: Well Elevation, Depth to Water (DTW), Groundwater Elevation, Total Well Depth, Stick Up, Casing ID, Casing Material

Table with 9 columns: Sample Time, Rate/Unit, pH, Conductance, Temp., Turbidity, D.O., eH/ORP, DTW. Includes handwritten data for the first row.

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State).

FIELD DATA: SAMPLE DATE, pH, CONDUCTANCE, TEMP., TURBIDITY, DO, eH/ORP, Other

Sample Appearance: CLEAR, Odor: None, Color: None, Other: No Skin
Weather Conditions: CALM, Direction/Speed: CALM, Outlook: Clear 45°F, Precipitation: Y or N

FIELD COMMENTS: Section for handwritten notes and observations.

I certify that sampling procedures were in accordance with applicable EPA, State and WM protocols (if more than one sampler, all should sign):
Date: 2/24/06, Name: Dan Armour, Signature, Company: Pro-Test

Appendix D

FDEP Semi-Annual Surface Water Parameter Monitoring Report Forms

Facility Name: Trail Ridge Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (2 Pages)

WACS Facility ID #: 33628
 WACS Testsite ID #: 17209
 WACS Testsite Name: SW-1
 Water Classification: SW-IIIIF
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 2/24/2006 7:30:00AM
 Sampling Method: Unknown
 Permitted
 Well Type: OT

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia	N	E84282	350.1	3/1/2006 10:16:00AM	0.04	0.04	mg/L	U
000299	Oxygen, Dissolved	N	E84282	Field Sampling	2/24/2006 7:30:00AM	4.1		mg/L	
000340	Chemical Oxygen Demand	N	E84282	5220C	3/3/2006 8:00:00PM	99	20	mg/L	
000680	Total Organic Carbon	N	E84282	415.1	3/7/2006 2:33:00AM	34	5.3	mg/L	
000310	Biochemical Oxygen Demand	N	E84282	405.1	2/25/2006 12:00:00PM	8.9	2	mg/L	
001002	Arsenic	N	E84282	200.7 Rev 4.4	3/6/2006 3:07:00PM	4.8	4.8	ug/L	U
000665	Phosphorus, Total	N	E84282	365.4	3/3/2006 9:15:00AM	0.017	0.017	mg/L	U
001007	Barium	N	E84282	200.7 Rev 4.4	3/6/2006 3:07:00PM	36	1.2	ug/L	
000620	Nitrate Nitrogen	N	E84282	353.2	2/26/2006 6:45:00AM	1.7	0.01	mg/L	
000612	Unionized Ammonia	N	E84282	UnionizedNH3	3/6/2006 8:08:00AM	0.01	0.01	mg/L	U
000625	Nitrogen, Kjeldahl	N	E84282	351.2	3/2/2006 5:05:00PM	0.83	0.12	mg/L	
034541	1,2-Dichloropropane	N	E84282	8260B	3/7/2006 9:57:00AM	0.52	0.52	ug/L	U
000530	Total Suspended Solids	N	E84282	160.2	2/28/2006 3:42:00PM	51	1	mg/L	
000300	Total Dissolved Solids	N	E84282	160.1	2/28/2006 2:16:00PM	84	5	mg/L	
000106	Field pH	N	E84282	Field Sampling	2/24/2006 7:30:00AM	4.59		SU	
0001045	Iron	N	E84282	200.7 Rev 4.4	3/6/2006 3:07:00PM	1500	22	ug/L	
071900	Mercury	N	E84282	245.1	3/2/2006 12:09:00PM	0.072	0.072	ug/L	U
001059	Thallium	N	E87052	200.8	3/3/2006 2:05:00AM	0.6	0.25	ug/L	I
001092	Zinc	N	E84282	200.7 Rev 4.4	3/6/2006 3:07:00PM	22	5.9	ug/L	
001087	Vanadium	N	E84282	200.7 Rev 4.4	3/6/2006 3:07:00PM	3.2	2.5	ug/L	I
000630	Nitrate Nitrite Nitrogen	N	E84282	353.2	2/26/2006 6:45:00AM	1.7	0.01	mg/L	
038437	1,2-Dibromo-3-Chloropropane	N	E84282	504.1	3/8/2006 1:38:00AM	0.003	0.003	ug/L	U
034571	1,4-Dichlorobenzene	N	E84282	8260B	3/7/2006 9:57:00AM	0.52	0.52	ug/L	U
077562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	3/7/2006 9:57:00AM	0.63	0.63	ug/L	U
034531	1,2-Dichloroethane	N	E84282	8260B	3/7/2006 9:57:00AM	0.57	0.57	ug/L	U
034536	1,2-Dichlorobenzene	N	E84282	8260B	3/7/2006 9:57:00AM	0.44	0.44	ug/L	U
077443	1,2,3-Trichloropropane	N	E84282	8260B	3/7/2006 9:57:00AM	0.15	0.15	ug/L	U
034501	1,1-Dichloroethene	N	E84282	8260B	3/7/2006 9:57:00AM	0.45	0.45	ug/L	U
034511	1,1,2-Trichloroethane	N	E84282	8260B	3/7/2006 9:57:00AM	0.47	0.47	ug/L	U
034010	Toluene	N	E84282	8260B	3/7/2006 9:57:00AM	0.51	0.51	ug/L	U
000600	Nitrogen, Total	N	E84282	Total Nitrogen	3/6/2006 8:04:00AM	2.5	0.01	mg/L	
077651	Ethylene Dibromide	N	E84282	504.1	3/8/2006 1:38:00AM	0.0088	0.0088	ug/L	U
001097	Antimony	N	E84282	200.7 Rev 4.4	3/6/2006 3:07:00PM	3.6	3.6	ug/L	U
082079	Turbidity	N	E84282	Field Sampling	2/24/2006 7:30:00AM	14.5		NTU	
000094	Specific Conductance	N	E84282	Field Sampling	2/24/2006 7:30:00AM	120		umhos/cm	
034516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	3/7/2006 9:57:00AM	0.14	0.14	ug/L	U
032238	Chlorophyll A	N	E82574	SM10200H	2/24/2006 10:00:00AM	10	1	mg/m3	
000010	Field Temperature	N	E84282	Field Sampling	2/24/2006 7:30:00AM	11.7		Degrees C	
031616	Fecal Coliform MF	N	E82574	SM9222D	2/24/2006 12:40:00PM	164	1	cfu/100ml	
077103	2-Hexanone	N	E84282	8260B	3/7/2006 9:57:00AM	4.4	4.4	ug/L	U
000615	Nitrite Nitrogen	N	E84282	353.2	2/26/2006 6:45:00AM	0.01	0.01	mg/L	U
034506	1,1,1-Trichloroethane	N	E84282	8260B	3/7/2006 9:57:00AM	0.46	0.46	ug/L	U
034546	trans-1,2-Dichloroethene	N	E84282	8260B	3/7/2006 9:57:00AM	0.44	0.44	ug/L	U
000115	Acrylonitrile	N	E84282	8260B	3/7/2006 9:57:00AM	1.2	1.2	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 4/3/2006

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 33628
 WACS Testsite ID #: 17209
 WACS Testsite Name: SW-1
 Water Classification: SW-IIIF
C - Leachate, G-II, SW-IIIF)

Sample Date/Time: 2/24/2006 7:30:00AM
 Sampling Method: Unknown
 Permitted Well Type: OT

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
081552	Acetone	N	E84282	8260B	3/7/2006 9:57:00AM	9.9	9.9	ug/L	U
081596	4-Methyl-2-pentanone	N	E84282	8260B	3/7/2006 9:57:00AM	3.8	3.8	ug/L	U
077041	Carbon disulfide	N	E84282	8260B	3/7/2006 9:57:00AM	0.85	0.85	ug/L	U
077128	Styrene	N	E84282	8260B	3/7/2006 9:57:00AM	0.98	0.98	ug/L	U
000900	Hardness as calcium carbonate	N	E84282	2340B	3/7/2006 7:38:00AM	88	3.3	mg/L	U
034488	Trichlorofluoromethane	N	E84282	8260B	3/7/2006 9:57:00AM	0.98	0.98	ug/L	U
039180	Trichloroethene	N	E84282	8260B	3/7/2006 9:57:00AM	0.28	0.28	ug/L	U
001077	Silver	N	E84282	200.7 Rev 4.4	3/6/2006 3:07:00PM	1.9	1.9	ug/L	U
034699	trans-1,3-Dichloropropene	N	E84282	8260B	3/7/2006 9:57:00AM	0.14	0.14	ug/L	U
032101	Bromodichloromethane	N	E84282	8260B	3/7/2006 9:57:00AM	0.35	0.35	ug/L	U
077093	cis-1,2-Dichloroethene	N	E84282	8260B	3/7/2006 9:57:00AM	0.65	0.65	ug/L	U
034475	Tetrachloroethene	N	E84282	8260B	3/7/2006 9:57:00AM	0.34	0.34	ug/L	U
039175	Vinyl chloride	N	E84282	8260B	3/7/2006 9:57:00AM	0.5	0.5	ug/L	U
034423	Methylene Chloride	N	E84282	8260B	3/7/2006 9:57:00AM	4	4	ug/L	U
077596	Methylene bromide	N	E84282	8260B	3/7/2006 9:57:00AM	0.41	0.41	ug/L	U
081595	Methyl Ethyl Ketone	N	E84282	8260B	3/7/2006 9:57:00AM	8.4	8.4	ug/L	U
077424	Iodomethane	N	E84282	8260B	3/7/2006 9:57:00AM	0.67	0.67	ug/L	U
034371	Ethylbenzene	N	E84282	8260B	3/7/2006 9:57:00AM	0.44	0.44	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E84282	8260B	3/7/2006 9:57:00AM	2.5	2.5	ug/L	U
081551	Xylenes, Total	N	E84282	8260B	3/7/2006 9:57:00AM	0.3	0.3	ug/L	U
034496	1,1-Dichloroethane	N	E84282	8260B	3/7/2006 9:57:00AM	0.52	0.52	ug/L	U
051	Lead	N	E84282	200.7 Rev 4.4	3/6/2006 3:07:00PM	1.6	1.6	ug/L	U
057	Vinyl acetate	N	E84282	8260B	3/7/2006 9:57:00AM	1.5	1.5	ug/L	U
001042	Copper	N	E84282	200.7 Rev 4.4	3/6/2006 3:07:00PM	2.9	2.9	ug/L	U
001037	Cobalt	N	E84282	200.7 Rev 4.4	3/6/2006 3:07:00PM	1.6	1.6	ug/L	U
001034	Chromium	N	E84282	200.7 Rev 4.4	3/6/2006 3:07:00PM	2.8	1.7	ug/L	I
001027	Cadmium	N	E84282	200.7 Rev 4.4	3/6/2006 3:07:00PM	0.71	0.71	ug/L	U
001012	Beryllium	N	E84282	200.7 Rev 4.4	3/6/2006 3:07:00PM	0.74	0.74	ug/L	U
078124	Benzene	N	E84282	8260B	3/7/2006 9:57:00AM	0.27	0.27	ug/L	U
032104	Bromoform	N	E84282	8260B	3/7/2006 9:57:00AM	0.58	0.58	ug/L	U
073085	Bromochloromethane	N	E84282	8260B	3/7/2006 9:57:00AM	0.58	0.58	ug/L	U
034418	Chloromethane	N	E84282	8260B	3/7/2006 9:57:00AM	0.64	0.64	ug/L	U
032106	Chloroform	N	E84282	8260B	3/7/2006 9:57:00AM	0.9	0.9	ug/L	U
034311	Chloroethane	N	E84282	8260B	3/7/2006 9:57:00AM	0.8	0.8	ug/L	U
034301	Chlorobenzene	N	E84282	8260B	3/7/2006 9:57:00AM	0.63	0.63	ug/L	U
032102	Carbon tetrachloride	N	E84282	8260B	3/7/2006 9:57:00AM	0.42	0.42	ug/L	U
034704	cis-1,3-Dichloropropene	N	E84282	8260B	3/7/2006 9:57:00AM	0.14	0.14	ug/L	U
034413	Bromomethane	N	E84282	8260B	3/7/2006 9:57:00AM	0.66	0.66	ug/L	U
032105	Dibromochloromethane	N	E84282	8260B	3/7/2006 9:57:00AM	0.34	0.34	ug/L	U
001147	Selenium	N	E84282	200.7 Rev 4.4	3/6/2006 3:07:00PM	5.9	5.9	ug/L	U
001067	Nickel	N	E84282	200.7 Rev 4.4	3/6/2006 3:07:00PM	4.7	4.7	ug/L	U

Total Parameters Monitored: 85

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Trail Ridge Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (2 Pages)

WACS Facility ID #: 33628
 WACS Testsite ID #: 17210
 WACS Testsite Name: SW-2
 Water Classification: SW-IIIF
 (i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 2/24/2006 8:00:00AM
 Sampling Method: Unknown
 Permitted
 Well Type: OT

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034546	trans-1,2-Dichloroethene	N	E84282	8260B	3/7/2006 10:22:00AM	0.44	0.44	ug/L	U
032101	Bromodichloromethane	N	E84282	8260B	3/7/2006 10:22:00AM	0.35	0.35	ug/L	U
001012	Beryllium	N	E84282	200.7 Rev 4.4	3/6/2006 3:12:00PM	0.74	0.74	ug/L	U
001007	Barium	N	E84282	200.7 Rev 4.4	3/6/2006 3:12:00PM	69	1.2	ug/L	
001002	Arsenic	N	E84282	200.7 Rev 4.4	3/6/2006 3:12:00PM	4.8	4.8	ug/L	U
001097	Antimony	N	E84282	200.7 Rev 4.4	3/6/2006 3:12:00PM	3.6	3.6	ug/L	U
001034	Chromium	N	E84282	200.7 Rev 4.4	3/6/2006 3:12:00PM	1.7	1.7	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	3/7/2006 10:22:00AM	0.14	0.14	ug/L	U
001037	Cobalt	N	E84282	200.7 Rev 4.4	3/6/2006 3:12:00PM	1.6	1.6	ug/L	U
077103	2-Hexanone	N	E84282	8260B	3/7/2006 10:22:00AM	4.4	4.4	ug/L	U
034571	1,4-Dichlorobenzene	N	E84282	8260B	3/7/2006 10:22:00AM	0.52	0.52	ug/L	U
034541	1,2-Dichloropropane	N	E84282	8260B	3/7/2006 10:22:00AM	0.52	0.52	ug/L	U
034531	1,2-Dichloroethane	N	E84282	8260B	3/7/2006 10:22:00AM	0.57	0.57	ug/L	U
4536	1,2-Dichlorobenzene	N	E84282	8260B	3/7/2006 10:22:00AM	0.44	0.44	ug/L	U
443	1,2,3-Trichloropropane	N	E84282	8260B	3/7/2006 10:22:00AM	0.15	0.15	ug/L	U
001067	Nickel	N	E84282	200.7 Rev 4.4	3/6/2006 3:12:00PM	4.7	4.7	ug/L	U
001087	Vanadium	N	E84282	200.7 Rev 4.4	3/6/2006 3:12:00PM	3.1	2.5	ug/L	I
000610	Ammonia	N	E84282	350.1	3/1/2006 10:16:00AM	0.04	0.04	mg/L	U
001045	Iron	N	E84282	200.7 Rev 4.4	3/6/2006 3:12:00PM	460	22	ug/L	
032238	Chlorophyll A	N	E82574	SM10200H	2/24/2006 10:00:00AM	1	1	mg/m3	U
000900	Hardness as calcium carbonate	N	E84282	2340B	3/7/2006 7:38:00AM	15	3.3	mg/L	
071900	Mercury	N	E84282	245.1	3/2/2006 12:10:00PM	0.072	0.072	ug/L	U
001027	Cadmium	N	E84282	200.7 Rev 4.4	3/6/2006 3:12:00PM	0.71	0.71	ug/L	U
001092	Zinc	N	E84282	200.7 Rev 4.4	3/6/2006 3:12:00PM	5.9	5.9	ug/L	U
034511	1,1,2-Trichloroethane	N	E84282	8260B	3/7/2006 10:22:00AM	0.47	0.47	ug/L	U
001077	Silver	N	E84282	200.7 Rev 4.4	3/6/2006 3:12:00PM	1.9	1.9	ug/L	U
001147	Selenium	N	E84282	200.7 Rev 4.4	3/6/2006 3:12:00PM	5.9	5.9	ug/L	U
000340	Chemical Oxygen Demand	N	E84282	5220C	3/3/2006 8:00:00PM	130	20	mg/L	
001051	Lead	N	E84282	200.7 Rev 4.4	3/6/2006 3:12:00PM	1.6	1.6	ug/L	U
034475	Tetrachloroethene	N	E84282	8260B	3/7/2006 10:22:00AM	0.34	0.34	ug/L	U
001042	Copper	N	E84282	200.7 Rev 4.4	3/6/2006 3:12:00PM	2.9	2.9	ug/L	U
001059	Thallium	N	E87052	200.8	3/3/2006 2:12:00AM	0.25	0.25	ug/L	U
034301	Chlorobenzene	N	E84282	8260B	3/7/2006 10:22:00AM	0.63	0.63	ug/L	U
034371	Ethylbenzene	N	E84282	8260B	3/7/2006 10:22:00AM	0.44	0.44	ug/L	U
032105	Dibromochloromethane	N	E84282	8260B	3/7/2006 10:22:00AM	0.34	0.34	ug/L	U
034704	cis-1,3-Dichloropropene	N	E84282	8260B	3/7/2006 10:22:00AM	0.14	0.14	ug/L	U
081596	4-Methyl-2-pentanone	N	E84282	8260B	3/7/2006 10:22:00AM	3.8	3.8	ug/L	U
034418	Chloromethane	N	E84282	8260B	3/7/2006 10:22:00AM	0.64	0.64	ug/L	U
034501	1,1-Dichloroethene	N	E84282	8260B	3/7/2006 10:22:00AM	0.45	0.45	ug/L	U
034311	Chloroethane	N	E84282	8260B	3/7/2006 10:22:00AM	0.8	0.8	ug/L	U
077596	Methylene bromide	N	E84282	8260B	3/7/2006 10:22:00AM	0.41	0.41	ug/L	U
032102	Carbon tetrachloride	N	E84282	8260B	3/7/2006 10:22:00AM	0.42	0.42	ug/L	U
077041	Carbon disulfide	N	E84282	8260B	3/7/2006 10:22:00AM	0.85	0.85	ug/L	U
116	Fecal Coliform MF	N	E82574	SM9222D	2/24/2006 12:40:00PM	1265	1	cfu/100ml	

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 4/3/2006

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 33628
WACS Testsite ID #: 17210
WACS Testsite Name: SW-2
Water Classification: SW-IIIIF
C - Leachate, G-II, SW-IIIIF

Sample Date/Time: 2/24/2006 8:00:00AM
Sampling Method: Unknown
Permitted
Well Type: OT

(AS) Assessment (IW) Irrigation Well
(BG) Background (OT) Other
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water Supply

Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
032104	Bromoform	N	E84282	8260B	3/7/2006 10:22:00AM	0.58	0.58	ug/L	U
073085	Bromochloromethane	N	E84282	8260B	3/7/2006 10:22:00AM	0.58	0.58	ug/L	U
078124	Benzene	N	E84282	8260B	3/7/2006 10:22:00AM	0.27	0.27	ug/L	U
000406	Field pH	N	E84282	Field Sampling	2/24/2006 8:00:00AM	4.35		SU	
000299	Oxygen, Dissolved	N	E84282	Field Sampling	2/24/2006 8:00:00AM	8.6		mg/L	
034699	trans-1,3-Dichloropropene	N	E84282	8260B	3/7/2006 10:22:00AM	0.14	0.14	ug/L	U
034215	Acrylonitrile	N	E84282	8260B	3/7/2006 10:22:00AM	1.2	1.2	ug/L	U
034506	1,1,1-Trichloroethane	N	E84282	8260B	3/7/2006 10:22:00AM	0.46	0.46	ug/L	U
077562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	3/7/2006 10:22:00AM	0.63	0.63	ug/L	U
077651	Ethylene Dibromide	N	E84282	504.1	3/8/2006 2:01:00AM	0.0087	0.0087	ug/L	U
038437	1,2-Dibromo-3-Chloropropane	N	E84282	504.1	3/8/2006 2:01:00AM	0.003	0.003	ug/L	U
077424	Iodomethane	N	E84282	8260B	3/7/2006 10:22:00AM	0.67	0.67	ug/L	U
000094	Specific Conductance	N	E84282	Field Sampling	2/24/2006 8:00:00AM	55		umhos/cm	
081595	Methyl Ethyl Ketone	N	E84282	8260B	3/7/2006 10:22:00AM	8.4	8.4	ug/L	U
000010	Field Temperature	N	E84282	Field Sampling	2/24/2006 8:00:00AM	13.7		Degrees C	
034496	1,1-Dichloroethane	N	E84282	8260B	3/7/2006 10:22:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E84282	8260B	3/7/2006 10:22:00AM	0.9	0.9	ug/L	U
077128	Styrene	N	E84282	8260B	3/7/2006 10:22:00AM	0.98	0.98	ug/L	U
034423	Methylene Chloride	N	E84282	8260B	3/7/2006 10:22:00AM	4	4	ug/L	U
081552	Acetone	N	E84282	8260B	3/7/2006 10:22:00AM	9.9	9.9	ug/L	U
082079	Turbidity	N	E84282	Field Sampling	2/24/2006 8:00:00AM	2.7		NTU	
07093	cis-1,2-Dichloroethene	N	E84282	8260B	3/7/2006 10:22:00AM	0.65	0.65	ug/L	U
551	Xylenes, Total	N	E84282	8260B	3/7/2006 10:22:00AM	0.3	0.3	ug/L	U
034488	Trichlorofluoromethane	N	E84282	8260B	3/7/2006 10:22:00AM	0.98	0.98	ug/L	U
077057	Vinyl acetate	N	E84282	8260B	3/7/2006 10:22:00AM	1.5	1.5	ug/L	U
034010	Toluene	N	E84282	8260B	3/7/2006 10:22:00AM	0.51	0.51	ug/L	U
000680	Total Organic Carbon	N	E84282	415.1	3/3/2006 12:27:00PM	12	0.53	mg/L	
000310	Biochemical Oxygen Demand	N	E84282	405.1	2/25/2006 12:00:00PM	2	2	mg/L	U
039180	Trichloroethene	N	E84282	8260B	3/7/2006 10:22:00AM	0.28	0.28	ug/L	U
000615	Nitrite Nitrogen	N	E84282	353.2	2/26/2006 6:45:00AM	0.01	0.01	mg/L	U
070300	Total Dissolved Solids	N	E84282	160.1	2/28/2006 2:16:00PM	44	5	mg/L	
000620	Nitrate Nitrogen	N	E84282	353.2	2/26/2006 6:45:00AM	0.028	0.01	mg/L	I
000630	Nitrate Nitrite Nitrogen	N	E84282	353.2	2/26/2006 6:45:00AM	0.036	0.01	mg/L	I
000625	Nitrogen, Kjeldahl	N	E84282	351.2	3/2/2006 5:05:00PM	0.27	0.12	mg/L	I
000600	Nitrogen, Total	N	E84282	Total Nitrogen	3/6/2006 8:04:00AM	0.31	0.01	mg/L	
000530	Total Suspended Solids	N	E84282	160.2	2/28/2006 3:42:00PM	1	1	mg/L	U
000612	Unionized Ammonia	N	E84282	UnionizedNH3	3/6/2006 8:08:00AM	0.01	0.01	mg/L	U
000665	Phosphorus, Total	N	E84282	365.4	3/3/2006 9:15:00AM	0.017	0.017	mg/L	U
049263	trans-1,4-Dichloro-2-butene	N	E84282	8260B	3/7/2006 10:22:00AM	2.5	2.5	ug/L	U
034413	Bromomethane	N	E84282	8260B	3/7/2006 10:22:00AM	0.66	0.66	ug/L	U
039175	Vinyl chloride	N	E84282	8260B	3/7/2006 10:22:00AM	0.5	0.5	ug/L	U

Total Parameters Monitored: 85

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Appendix E

STL Laboratory Reports – Surface Water Sample Points

ANALYTICAL REPORT

Job Number: 660-7456-1

Job Description: City of Jacksonville/Trail Ridge

For:
HDR Engineering
200 W. Forsyth St., Suite 800
Jacksonville, FL 32202

Attention: Mr. Brad Stone



Nancy Robertson
Project Manager II
nrobertson@stl-inc.com

04/03/2006

Project Manager: Nancy Robertson

DOH Certification #: E84282

These test results meet all the requirements of NELAC. All questions regarding this test report should be directed to the STL Project Manager who signed this test report. The estimated uncertainty associated with these reported results is available upon request.

Severn Trent Laboratories, Inc.

STL Tampa: 6712 Benjamin Road Suite 100, Tampa, FL 33634
Tel (813) 885-7427 Fax (813) 885-7049 www.stl-inc.com

EXECUTIVE SUMMARY - Detections

Client: HDR Engineering

Job Number: 660-7456-1

Lab Sample ID Analyte	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
660-7456-1	SW-1				
Hardness as calcium carbonate		88	3.3	mg/L	2340B
Total Dissolved Solids		84	5.0	mg/L	160.1
Total Suspended Solids		51	1.0	mg/L	160.2
Nitrogen, Kjeldahl		0.83	0.50	mg/L	351.2
Nitrate Nitrite Nitrogen		1.7	0.050	mg/L	353.2
Nitrate Nitrogen		1.7	0.050	mg/L	353.2
Biochemical Oxygen Demand		8.9	2.0	mg/L	405.1
Total Organic Carbon		34	10	mg/L	415.1
Chemical Oxygen Demand		99	20	mg/L	5220C
Nitrogen, Total		2.5	0.050	mg/L	Total Nitrogen
Total Recoverable					
Barium		36	10	ug/L	200.7 Rev 4.4
Chromium		2.8	10	ug/L	200.7 Rev 4.4
Iron		1500	50	ug/L	200.7 Rev 4.4
Vanadium		3.2	10	ug/L	200.7 Rev 4.4
Zinc		22	20	ug/L	200.7 Rev 4.4
Thallium		0.60	1.0	ug/L	200.8
660-7456-2	SW-2				
Hardness as calcium carbonate		15	3.3	mg/L	2340B
Total Dissolved Solids		44	5.0	mg/L	160.1
Nitrogen, Kjeldahl		0.27	0.50	mg/L	351.2
Nitrate Nitrite Nitrogen		0.036	0.050	mg/L	353.2
Nitrate Nitrogen		0.028	0.050	mg/L	353.2
Total Organic Carbon		12	1.0	mg/L	415.1
Chemical Oxygen Demand		130	20	mg/L	5220C
Nitrogen, Total		0.31	0.050	mg/L	Total Nitrogen
Total Recoverable					
Barium		69	10	ug/L	200.7 Rev 4.4
Iron		460	50	ug/L	200.7 Rev 4.4
Vanadium		3.1	10	ug/L	200.7 Rev 4.4

METHOD SUMMARY

Client: HDR Engineering

Job Number: 660-7456-1

Description	Lab Location	Method	Preparation Method
Matrix: Water			
Volatile Organic Compounds by GC/MS	STL-TAM	SW846 8260B	
Purge-and-Trap	STL-TAM		SW846 5030B
EDB, DBCP, and 123TCP in Water by Microextraction and Gas Chromatography	STL-TAM	EPA-01 504.1	
EDB, DBCP, and 123TCP in Water by	STL-TAM		EPA-DW 504.1
ICP Metals by 200.7	STL-TAM	EPA 200.7 Rev 4.4	
Total Recoverable Metals Digestion for 200.7	STL-TAM		40CFR136A 200.7 Appx C
ICPMS Metals by 200.8 CWA	STL-SAV	EPA 200.8	
Total Recoverable Metals for 200.8	STL-SAV		MCAWW 4.1.4
Mercury in Water by CVAA	STL-TAM	EPA 245.1	
Digestion for CVAA Mercury in Waters	STL-TAM		EPA 245.1
Hardness by Calculation	STL-TAM	SM20 2340B	
Field Sampling	STL-TAM	EPA Field Sampling	
Residue, Filterable, Gravimetric, Dried at 180°C (TDS)	STL-TAM	MCAWW 160.1	
Residue, Non-Filterable (Gravimetric, Dried at 103-105C)	STL-TAM	MCAWW 160.2	
Nitrogen (Ammonia, Colorimetric, Automated Phenate)	STL-TAM	MCAWW 350.1	
Nitrogen, Total Kjeldahl (Colorimetric, Semi-Automated Block Digester, AAll)	STL-TAM	MCAWW 351.2	
Nitrogen, Total Kjeldahl (Colorimetric,	STL-TAM		MCAWW 351.2
Nitrogen, Nitrate-Nitrite (Colorimetric, Automated, Cadmium Reduction)	STL-TAM	MCAWW 353.2	
Total Phosphorus	STL-TAM	EPA 365.4	
Sample Digestion for Total Phosphorous	STL-TAM		MCAWW 365.2/365.3
Biochemical Oxygen Demand, BOD (5 day, 20 °C)	STL-TAM	MCAWW 405.1	
Total Organic Carbon, Combustion or Oxidation	STL-TAM	MCAWW 415.1	
Chemical Oxygen Demand (Titrimetric)	STL-TAM	SM18 5220C	
Total Nitrogen	STL-TAM	EPA Total Nitrogen	
Unionized Ammonia by Florida DEP SOP	STL-TAM	FL-DEP UnionizedNH3	
Fecal Coliforms	STL-TAM	EPA	

LAB REFERENCES:

STL-TAM = STL-Tampa
STL-SAV = STL-Savannah

STL Tampa

METHOD SUMMARY

Client: HDR Engineering

Job Number: 660-7456-1

METHOD REFERENCES:

EPA - US Environmental Protection Agency

EPA-01 - "Methods For The Determination Of Nonconventional Pesticides In Municipal And Industrial Wastewater", EPA/821/R/92/002, April 1992.

FL-DEP - State Of Florida Department Of Environmental Protection, Florida Administrative Code.

MCAWW - "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

SM18 - "Standard Methods For The Examination Of Water And Wastewater", 18th Edition, 1992.

SM20 - "Standard Methods For The Examination Of Water And Wastewater", 20th Edition."

SW846 - "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

METHOD / ANALYST SUMMARY

Client: HDR Engineering

Job Number: 660-7456-1

Method	Analyst	Analyst ID
SW846 8260B	Ballard, Patricia	PB
EPA-01 504.1	Ballard, James	JB
EPA 200.7 Rev 4.4	Fox, Greg	GF
EPA 200.8	Eaton, Cliff	CE
SM20 2340B	Fox, Greg	GF
EPA 245.1	Phan, Qui	QP
EPA Field Sampling	Sampler, Field	FS
MCAWW 160.1	Johnson, Amanda N	ANJ
MCAWW 160.2	Johnson, Amanda N	ANJ
MCAWW 350.1	Robarge, Andrea	AR
MCAWW 351.2	Robarge, Andrea	AR
MCAWW 353.2	Steward, Tiffany	TS
EPA 365.4	Robarge, Andrea	AR
MCAWW 405.1	Johnson, Aran	AJ
MCAWW 415.1	Johnson, Amanda N	ANJ
MCAWW 415.1	Persbacker, Josh	JP
SM18 5220C	Myers, Randy	RM
EPA Total Nitrogen	Persbacker, Josh	JP
FL-DEP UnionizedNH3	Persbacker, Josh	JP

SAMPLE SUMMARY

Client: HDR Engineering

Job Number: 660-7456-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
660-7456-1	SW-1	Water	02/24/2006 0730	02/25/2006 1030
660-7456-2	SW-2	Water	02/24/2006 0800	02/25/2006 1030
660-7456-3TB	Trip Blank 8260	Water	02/24/2006 0730	02/25/2006 1030
660-7456-4TB	Trip Blank EDB	Water	02/24/2006 0730	02/25/2006 1030

Analytical Data

Client: HDR Engineering

Job Number: 660-7456-1

Client Sample ID: SW-1

Lab Sample ID: 660-7456-1

Date Sampled: 02/24/2006 0730

Client Matrix: Water

Date Received: 02/25/2006 1030

8260B Volatile Organic Compounds by GC/MS

Method: 8260B

Analysis Batch: 660-21755

Instrument ID: BVMJ GC/MS

Preparation: 5030B

Lab File ID: 2JC0652.D

Dilution: 1.0

Initial Weight/Volume: 5 mL

Date Analyzed: 03/07/2006 0957

Final Weight/Volume: 5 mL

Date Prepared: 03/07/2006 0957

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Acetone	9.9	U	9.9	20
Acrylonitrile	1.2	U	1.2	100
Benzene	0.27	U	0.27	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Bromomethane	0.66	U	0.66	1.0
Methyl Ethyl Ketone	8.4	U	8.4	10
Carbon disulfide	0.85	U	0.85	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Bromochloromethane	0.58	U	0.58	1.0
Chloroethane	0.80	U	0.80	1.0
Chloroform	0.90	U	0.90	1.0
1,2-Dichlorobenzene	0.44	U	0.44	1.0
Chloromethane	0.64	U	0.64	1.0
Dibromochloromethane	0.34	U	0.34	1.0
Methylene bromide	0.41	U	0.41	1.0
trans-1,4-Dichloro-2-butene	2.5	U	2.5	10
1,4-Dichlorobenzene	0.52	U	0.52	1.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,1-Dichloroethene	0.45	U	0.45	1.0
cis-1,2-Dichloroethene	0.65	U	0.65	1.0
trans-1,2-Dichloroethene	0.44	U	0.44	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
Ethylbenzene	0.44	U	0.44	1.0
2-Hexanone	4.4	U	4.4	10
Iodomethane	0.67	U	0.67	1.0
4-Methyl-2-pentanone	3.8	U	3.8	10
Methylene Chloride	4.0	U	4.0	5.0
Styrene	0.98	U	0.98	1.0
1,1,2,2-Tetrachloroethane	0.14	U	0.14	1.0
1,1,1,2-Tetrachloroethane	0.63	U	0.63	1.0
Tetrachloroethene	0.34	U	0.34	1.0
Toluene	0.51	U	0.51	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethene	0.28	U	0.28	1.0
Trichlorofluoromethane	0.98	U	0.98	1.0
1,2,3-Trichloropropane	0.15	U	0.15	1.0
Vinyl acetate	1.5	U	1.5	10

Analytical Data

Client: HDR Engineering

Job Number: 660-7456-1

Client Sample ID: SW-1

Lab Sample ID: 660-7456-1

Date Sampled: 02/24/2006 0730

Client Matrix: Water

Date Received: 02/25/2006 1030

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 03/07/2006 0957
Date Prepared: 03/07/2006 0957

Analysis Batch: 660-21755

Instrument ID: BVMJ GC/MS
Lab File ID: 2JC0652.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	0.50	U	0.50	1.0
Xylenes, Total	0.30	U	0.30	1.0
Surrogate	%Rec		Acceptance Limits	
4-Bromofluorobenzene	94		74 - 126	
Dibromofluoromethane	98		70 - 130	
Toluene-d8	112		77 - 122	

Analytical Data

Client: HDR Engineering

Job Number: 660-7456-1

Client Sample ID: SW-2

Lab Sample ID: 660-7456-2

Date Sampled: 02/24/2006 0800

Client Matrix: Water

Date Received: 02/25/2006 1030

8260B Volatile Organic Compounds by GC/MS

Method: 8260B

Analysis Batch: 660-21755

Instrument ID: BVMJ GC/MS

Preparation: 5030B

Lab File ID: 2JC0653.D

Dilution: 1.0

Initial Weight/Volume: 5 mL

Date Analyzed: 03/07/2006 1022

Final Weight/Volume: 5 mL

Date Prepared: 03/07/2006 1022

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Acetone	9.9	U	9.9	20
Acrylonitrile	1.2	U	1.2	100
Benzene	0.27	U	0.27	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Bromomethane	0.66	U	0.66	1.0
Methyl Ethyl Ketone	8.4	U	8.4	10
Carbon disulfide	0.85	U	0.85	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Bromochloromethane	0.58	U	0.58	1.0
Chloroethane	0.80	U	0.80	1.0
Chloroform	0.90	U	0.90	1.0
Chloromethane	0.64	U	0.64	1.0
1,2-Dichlorobenzene	0.44	U	0.44	1.0
Dibromochloromethane	0.34	U	0.34	1.0
Methylene bromide	0.41	U	0.41	1.0
trans-1,4-Dichloro-2-butene	2.5	U	2.5	10
1,1-Dichloroethane	0.52	U	0.52	1.0
1,4-Dichlorobenzene	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,1-Dichloroethene	0.45	U	0.45	1.0
cis-1,2-Dichloroethene	0.65	U	0.65	1.0
trans-1,2-Dichloroethene	0.44	U	0.44	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
Ethylbenzene	0.44	U	0.44	1.0
2-Hexanone	4.4	U	4.4	10
Iodomethane	0.67	U	0.67	1.0
4-Methyl-2-pentanone	3.8	U	3.8	10
Methylene Chloride	4.0	U	4.0	5.0
Styrene	0.98	U	0.98	1.0
1,1,2,2-Tetrachloroethane	0.14	U	0.14	1.0
1,1,1,2-Tetrachloroethane	0.63	U	0.63	1.0
Tetrachloroethene	0.34	U	0.34	1.0
Toluene	0.51	U	0.51	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethene	0.28	U	0.28	1.0
Trichlorofluoromethane	0.98	U	0.98	1.0
1,2,3-Trichloropropane	0.15	U	0.15	1.0
Vinyl acetate	1.5	U	1.5	10

Analytical Data

Client: HDR Engineering

Job Number: 660-7456-1

Client Sample ID: SW-2

Lab Sample ID: 660-7456-2

Date Sampled: 02/24/2006 0800

Client Matrix: Water

Date Received: 02/25/2006 1030

8260B Volatile Organic Compounds by GC/MS

Method: 8260B

Analysis Batch: 660-21755

Instrument ID: BVMJ GC/MS

Preparation: 5030B

Lab File ID: 2JC0653.D

Dilution: 1.0

Initial Weight/Volume: 5 mL

Date Analyzed: 03/07/2006 1022

Final Weight/Volume: 5 mL

Date Prepared: 03/07/2006 1022

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	0.50	U	0.50	1.0
Xylenes, Total	0.30	U	0.30	1.0
Surrogate	%Rec		Acceptance Limits	
4-Bromofluorobenzene	95		74 - 126	
Dibromofluoromethane	101		70 - 130	
Toluene-d8	111		77 - 122	

Client: HDR Engineering

Job Number: 660-7456-1

Client Sample ID: Trip Blank 8260

Lab Sample ID: 660-7456-3TB

Date Sampled: 02/24/2006 0730

Client Matrix: Water

Date Received: 02/25/2006 1030

8260B Volatile Organic Compounds by GC/MS

Method:	8260B	Analysis Batch: 660-21755	Instrument ID:	BVMJ GC/MS
Preparation:	5030B		Lab File ID:	2JC0651.D
Dilution:	1.0		Initial Weight/Volume:	5 mL
Date Analyzed:	03/07/2006 0933		Final Weight/Volume:	5 mL
Date Prepared:	03/07/2006 0933			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Acetone	9.9	U	9.9	20
Acrylonitrile	1.2	U	1.2	100
Benzene	0.27	U	0.27	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Bromomethane	0.66	U	0.66	1.0
Methyl Ethyl Ketone	8.4	U	8.4	10
Carbon disulfide	0.85	U	0.85	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Bromochloromethane	0.58	U	0.58	1.0
Chloroethane	0.80	U	0.80	1.0
Chloroform	0.90	U	0.90	1.0
Chloromethane	0.64	U	0.64	1.0
1,2-Dichlorobenzene	0.44	U	0.44	1.0
Dibromochloromethane	0.34	U	0.34	1.0
Methylene bromide	0.41	U	0.41	1.0
trans-1,4-Dichloro-2-butene	2.5	U	2.5	10
1,1-Dichloroethane	0.52	U	0.52	1.0
1,4-Dichlorobenzene	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,1-Dichloroethene	0.45	U	0.45	1.0
cis-1,2-Dichloroethene	0.65	U	0.65	1.0
trans-1,2-Dichloroethene	0.44	U	0.44	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
Ethylbenzene	0.44	U	0.44	1.0
2-Hexanone	4.4	U	4.4	10
Iodomethane	0.67	U	0.67	1.0
4-Methyl-2-pentanone	3.8	U	3.8	10
Methylene Chloride	4.0	U	4.0	5.0
Styrene	0.98	U	0.98	1.0
1,1,2,2-Tetrachloroethane	0.14	U	0.14	1.0
1,1,1,2-Tetrachloroethane	0.63	U	0.63	1.0
Tetrachloroethene	0.34	U	0.34	1.0
Toluene	0.51	U	0.51	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethene	0.28	U	0.28	1.0
Trichlorofluoromethane	0.98	U	0.98	1.0
1,2,3-Trichloropropane	0.15	U	0.15	1.0
Vinyl acetate	1.5	U	1.5	10

Analytical Data

Client: HDR Engineering

Job Number: 660-7456-1

Client Sample ID: Trip Blank 8260

Lab Sample ID: 660-7456-3TB

Date Sampled: 02/24/2006 0730

Client Matrix: Water

Date Received: 02/25/2006 1030

8260B Volatile Organic Compounds by GC/MS

Method: 8260B

Analysis Batch: 660-21755

Instrument ID: BVMJ GC/MS

Preparation: 5030B

Lab File ID: 2JC0651.D

Dilution: 1.0

Initial Weight/Volume: 5 mL

Date Analyzed: 03/07/2006 0933

Final Weight/Volume: 5 mL

Date Prepared: 03/07/2006 0933

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	0.50	U	0.50	1.0
Xylenes, Total	0.30	U	0.30	1.0
Surrogate	%Rec	Acceptance Limits		
4-Bromofluorobenzene	96	74 - 126		
Dibromofluoromethane	102	70 - 130		
Toluene-d8	113	77 - 122		

Analytical Data

Client: HDR Engineering

Job Number: 660-7456-1

Client Sample ID: SW-1

Lab Sample ID: 660-7456-1

Date Sampled: 02/24/2006 0730

Client Matrix: Water

Date Received: 02/25/2006 1030

504.1 EDB, DBCP, and 123TCP in Water by Microextraction and Gas Chromatography

Method: 504.1

Analysis Batch: 660-21876

Instrument ID: HP 5890 Series II ECD1/2

Preparation: 504.1

Prep Batch: 660-21760

Lab File ID: 1C07S041.D

Dilution: 1.0

Initial Weight/Volume: 34.6501 g

Date Analyzed: 03/08/2006 0138

Final Weight/Volume: 3 mL

Date Prepared: 03/07/2006 1030

Injection Volume:

Column ID: PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,2-Dibromo-3-Chloropropane	0.0030	U	0.0030	0.020
Ethylene Dibromide	0.0088	U	0.0088	0.020

Analytical Data

Client: HDR Engineering

Job Number: 660-7456-1

Client Sample ID: SW-2

Lab Sample ID: 660-7456-2

Date Sampled: 02/24/2006 0800

Client Matrix: Water

Date Received: 02/25/2006 1030

504.1 EDB, DBCP, and 123TCP in Water by Microextraction and Gas Chromatography

Method: 504.1

Analysis Batch: 660-21876

Instrument ID: HP 5890 Series II ECD1/2

Preparation: 504.1

Prep Batch: 660-21760

Lab File ID: 1C07S042.D

Dilution: 1.0

Initial Weight/Volume: 34.9799 g

Date Analyzed: 03/08/2006 0201

Final Weight/Volume: 3 mL

Date Prepared: 03/07/2006 1030

Injection Volume:

Column ID: PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,2-Dibromo-3-Chloropropane	0.0030	U	0.0030	0.020
Ethylene Dibromide	0.0087	U	0.0087	0.020

Analytical Data

Client: HDR Engineering

Job Number: 660-7456-1

Client Sample ID: Trip Blank EDB

Lab Sample ID: 660-7456-4TB

Date Sampled: 02/24/2006 0730

Client Matrix: Water

Date Received: 02/25/2006 1030

504.1 EDB, DBCP, and 123TCP in Water by Microextraction and Gas Chromatography

Method:	504.1	Analysis Batch:	660-21876	Instrument ID:	HP 5890 Series II ECD1/2
Preparation:	504.1	Prep Batch:	660-21760	Lab File ID:	1C07S045.D
Dilution:	1.0			Initial Weight/Volume:	34.7058 g
Date Analyzed:	03/08/2006 0311			Final Weight/Volume:	3 mL
Date Prepared:	03/07/2006 1030			Injection Volume:	
				Column ID:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,2-Dibromo-3-Chloropropane	0.0030	U	0.0030	0.020
Ethylene Dibromide	0.0088	U	0.0088	0.020

Analytical Data

Client: HDR Engineering

Job Number: 660-7456-1

Client Sample ID: SW-1

Lab Sample ID: 660-7456-1
Client Matrix: Water

Date Sampled: 02/24/2006 0730
Date Received: 02/25/2006 1030

200.7 Rev 4.4 ICP Metals by 200.7-Total Recoverable

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21476	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50.0 mL
Date Analyzed:	03/06/2006 1507		Final Weight/Volume:	50.0 mL
Date Prepared:	03/02/2006 1110			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Silver	1.9	U	1.9	10
Arsenic	4.8	U	4.8	10
Barium	36		1.2	10
Beryllium	0.74	U	0.74	4.0
Cadmium	0.71	U	0.71	5.0
Cobalt	1.6	U	1.6	10
Chromium	2.8	I	1.7	10
Copper	2.9	U	2.9	20
Iron	1500		22	50
Nickel	4.7	U	4.7	40
Antimony	3.6	U	3.6	6.0
Lead	1.6	U	1.6	5.0
Selenium	5.9	U	5.9	10
Vanadium	3.2	I	2.5	10
Zinc	22		5.9	20

200.8 ICPMS Metals by 200.8 CWA-Total Recoverable

Method:	200.8	Analysis Batch: 680-37826	Instrument ID:	ICP MS
Preparation:	4.1.4	Prep Batch: 680-37603	Lab File ID:	N/A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/03/2006 0205		Final Weight/Volume:	250 mL
Date Prepared:	03/01/2006 1111			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Thallium	0.60	I	0.25	1.0

Analytical Data

Client: HDR Engineering

Job Number: 660-7456-1

Client Sample ID: SW-1

Lab Sample ID: 660-7456-1
Client Matrix: Water

Date Sampled: 02/24/2006 0730
Date Received: 02/25/2006 1030

2340B Hardness by Calculation

Method: 2340B
Preparation: N/A
Dilution: 1.0
Date Analyzed: 03/07/2006 0738
Date Prepared: N/A

Analysis Batch: 660-21691

Instrument ID: No Equipment
Lab File ID: N/A
Initial Weight/Volume:
Final Weight/Volume:

Analyte	Result (mg/L)	Qualifier	RL	PQL
Hardness as calcium carbonate	88		3.3	3.3

245.1 Mercury in Water by CVAA

Method: 245.1
Preparation: 245.1
Dilution: 1.0
Date Analyzed: 03/02/2006 1209
Date Prepared: 03/02/2006 0805

Analysis Batch: 660-21504
Prep Batch: 660-21446

Instrument ID: HydraAA Mercury
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Mercury	0.072	U	0.072	0.20

Analytical Data

Client: HDR Engineering

Job Number: 660-7456-1

Client Sample ID: SW-2

Lab Sample ID: 660-7456-2
Client Matrix: Water

Date Sampled: 02/24/2006 0800
Date Received: 02/25/2006 1030

200.7 Rev 4.4 ICP Metals by 200.7-Total Recoverable

Method:	200.7 Rev 4.4	Analysis Batch: 660-21640	Instrument ID:	TJA ICP TRACE
Preparation:	200.7 Appx C	Prep Batch: 660-21476	Lab File ID:	6C06A
Dilution:	1.0		Initial Weight/Volume:	50.0 mL
Date Analyzed:	03/06/2006 1512		Final Weight/Volume:	50.0 mL
Date Prepared:	03/02/2006 1110			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Silver	1.9	U	1.9	10
Arsenic	4.8	U	4.8	10
Barium	69		1.2	10
Beryllium	0.74	U	0.74	4.0
Cadmium	0.71	U	0.71	5.0
Cobalt	1.6	U	1.6	10
Chromium	1.7	U	1.7	10
Copper	2.9	U	2.9	20
Iron	460		22	50
Nickel	4.7	U	4.7	40
Antimony	3.6	U	3.6	6.0
Lead	1.6	U	1.6	5.0
Selenium	5.9	U	5.9	10
Vanadium	3.1	I	2.5	10
Zinc	5.9	U	5.9	20

200.8 ICPMS Metals by 200.8 CWA-Total Recoverable

Method:	200.8	Analysis Batch: 680-37826	Instrument ID:	ICP MS
Preparation:	4.1.4	Prep Batch: 680-37603	Lab File ID:	N/A
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	03/03/2006 0212		Final Weight/Volume:	250 mL
Date Prepared:	03/01/2006 1111			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Thallium	0.25	U	0.25	1.0

Analytical Data

Client: HDR Engineering

Job Number: 660-7456-1

Client Sample ID: SW-2

Lab Sample ID: 660-7456-2
Client Matrix: Water

Date Sampled: 02/24/2006 0800
Date Received: 02/25/2006 1030

2340B Hardness by Calculation

Method: 2340B
Preparation: N/A
Dilution: 1.0
Date Analyzed: 03/07/2006 0738
Date Prepared: N/A

Analysis Batch: 660-21691

Instrument ID: No Equipment
Lab File ID: N/A
Initial Weight/Volume:
Final Weight/Volume:

Analyte	Result (mg/L)	Qualifier	RL	PQL
Hardness as calcium carbonate	15		3.3	3.3

245.1 Mercury in Water by CVAA

Method: 245.1
Preparation: 245.1
Dilution: 1.0
Date Analyzed: 03/02/2006 1210
Date Prepared: 03/02/2006 0805

Analysis Batch: 660-21504
Prep Batch: 660-21446

Instrument ID: HydraAA Mercury
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Mercury	0.072	U	0.072	0.20

Client: HDR Engineering

Job Number: 660-7456-1

Field Service / Mobile Lab

Client Sample ID: SW-1

Lab Sample ID: 660-7456-1

Date Sampled: 02/24/2006 0730

Client Matrix: Water

% Moisture:

Date Received: 02/25/2006 1030

Analyte	Result	Qual	Units	Dil	Method	Analysis Batch	Date Analyzed
Field pH	4.59		SU	1.0	Field	660-2131	02/24/2006 0730
Field Temperature	11.7		Degrees C	1.0	Field	660-2131	02/24/2006 0730
Oxygen, Dissolved	4.1		mg/L	1.0	Field	660-2131	02/24/2006 0730
Specific Conductance	120		umhos/cm	1.0	Field	660-2131	02/24/2006 0730
Turbidity	14.5		NTU	1.0	Field	660-2131	02/24/2006 0730

Client Sample ID: SW-2

Lab Sample ID: 660-7456-2

Date Sampled: 02/24/2006 0800

Client Matrix: Water

% Moisture:

Date Received: 02/25/2006 1030

Analyte	Result	Qual	Units	Dil	Method	Analysis Batch	Date Analyzed
Field pH	4.35		SU	1.0	Field	660-2131	02/24/2006 0800
Field Temperature	13.7		Degrees C	1.0	Field	660-2131	02/24/2006 0800
Oxygen, Dissolved	8.6		mg/L	1.0	Field	660-2131	02/24/2006 0800
Specific Conductance	55		umhos/cm	1.0	Field	660-2131	02/24/2006 0800
Turbidity	2.7		NTU	1.0	Field	660-2131	02/24/2006 0800

Client: HDR Engineering

Job Number: 660-7456-1

General Chemistry

Client: HDR Engineering

Job Number: 660-7456-1

General Chemistry

Client Sample ID: SW-1

Lab Sample ID: 660-7456-1

Date Sampled: 02/24/2006 0730

Client Matrix: Water

Date Received: 02/25/2006 1030

Analyte	Result	Qual	Units	MDL	PQL	Dil	Method
Ammonia	0.040	U	mg/L	0.040	0.050	1.0	350.1
	Anly Batch: 660-21401	Date Analyzed	03/01/2006	1016			
Nitrogen, Kjeldahl	0.83		mg/L	0.12	0.50	1.0	351.2
	Anly Batch: 660-21566	Date Analyzed	03/02/2006	1705			
	Prep Batch: 660-21563	Date Prepared:	03/01/2006	1630			
Nitrate Nitrite Nitrogen	1.7		mg/L	0.010	0.050	1.0	353.2
	Anly Batch: 660-21254	Date Analyzed	02/26/2006	0645			
Nitrite Nitrogen	0.010	U	mg/L	0.010	0.050	1.0	353.2
	Anly Batch: 660-21254	Date Analyzed	02/26/2006	0645			
Nitrate Nitrogen	1.7		mg/L	0.010	0.050	1.0	353.2
	Anly Batch: 660-21254	Date Analyzed	02/26/2006	0645			
Phosphorus, Total	0.017	U	mg/L	0.017	0.10	1.0	365.4
	Anly Batch: 660-21565	Date Analyzed	03/03/2006	0915			
	Prep Batch: 660-21564	Date Prepared:	03/01/2006	1630			
Total Organic Carbon	34		mg/L	5.3	10	10	415.1
	Anly Batch: 660-21726	Date Analyzed	03/07/2006	0233			
Nitrogen, Total	2.5		mg/L	0.010	0.050	1.0	Total Nitrogen
	Anly Batch: 660-21604	Date Analyzed	03/06/2006	0804			

Client: HDR Engineering

Job Number: 660-7456-1

General Chemistry

Client Sample ID: SW-1

Lab Sample ID: 660-7456-1
Client Matrix: Water

Date Sampled: 02/24/2006 0730
Date Received: 02/25/2006 1030

Analyte	Result	Qual	Units	RL	PQL	Dil	Method
Total Dissolved Solids	84		mg/L	5.0	5.0	1.0	160.1
	Anly Batch: 660-21455		Date Analyzed	02/28/2006	1416		
Total Suspended Solids	51		mg/L	1.0	1.0	1.0	160.2
	Anly Batch: 660-21460		Date Analyzed	02/28/2006	1542		
Biochemical Oxygen Demand	8.9		mg/L	2.0	2.0	1.0	405.1
	Anly Batch: 660-21492		Date Analyzed	02/25/2006	1200		
Chemical Oxygen Demand	99		mg/L	20	20	1.0	5220C
	Anly Batch: 660-21809		Date Analyzed	03/03/2006	2000		
Unionized Ammonia	0.010	U	mg/L	0.010	0.010	1.0	UnionizedNH3
	Anly Batch: 660-21605		Date Analyzed	03/06/2006	0808		

Client: HDR Engineering

Job Number: 660-7456-1

General Chemistry

Client Sample ID: SW-2

Lab Sample ID: 660-7456-2
Client Matrix: Water

Date Sampled: 02/24/2006 0800
Date Received: 02/25/2006 1030

Analyte	Result	Qual	Units	MDL	PQL	Dil	Method
Ammonia	0.040	U	mg/L	0.040	0.050	1.0	350.1
	Anly Batch: 660-21401		Date Analyzed	03/01/2006 1016			
Nitrogen, Kjeldahl	0.27	I	mg/L	0.12	0.50	1.0	351.2
	Anly Batch: 660-21566		Date Analyzed	03/02/2006 1705			
	Prep Batch: 660-21563		Date Prepared:	03/01/2006 1630			
Nitrate Nitrite Nitrogen	0.036	I	mg/L	0.010	0.050	1.0	353.2
	Anly Batch: 660-21254		Date Analyzed	02/26/2006 0645			
Nitrite Nitrogen	0.010	U	mg/L	0.010	0.050	1.0	353.2
	Anly Batch: 660-21254		Date Analyzed	02/26/2006 0645			
Nitrate Nitrogen	0.028	I	mg/L	0.010	0.050	1.0	353.2
	Anly Batch: 660-21254		Date Analyzed	02/26/2006 0645			
Phosphorus, Total	0.017	U	mg/L	0.017	0.10	1.0	365.4
	Anly Batch: 660-21565		Date Analyzed	03/03/2006 0915			
	Prep Batch: 660-21564		Date Prepared:	03/01/2006 1630			
Total Organic Carbon	12		mg/L	0.53	1.0	1.0	415.1
	Anly Batch: 660-21694		Date Analyzed	03/03/2006 1227			
Nitrogen, Total	0.31		mg/L	0.010	0.050	1.0	Total Nitrogen
	Anly Batch: 660-21604		Date Analyzed	03/06/2006 0804			

Client: HDR Engineering

Job Number: 660-7456-1

General Chemistry

Client Sample ID: SW-2

Lab Sample ID: 660-7456-2

Date Sampled: 02/24/2006 0800

Client Matrix: Water

Date Received: 02/25/2006 1030

Analyte	Result	Qual	Units	RL	PQL	Dil	Method
Total Dissolved Solids	44		mg/L	5.0	5.0	1.0	160.1
	Anly Batch: 660-21455		Date Analyzed	02/28/2006 1416			
Total Suspended Solids	1.0	U	mg/L	1.0	1.0	1.0	160.2
	Anly Batch: 660-21460		Date Analyzed	02/28/2006 1542			
Biochemical Oxygen Demand	2.0	U	mg/L	2.0	2.0	1.0	405.1
	Anly Batch: 660-21492		Date Analyzed	02/25/2006 1200			
Chemical Oxygen Demand	130		mg/L	20	20	1.0	5220C
	Anly Batch: 660-21809		Date Analyzed	03/03/2006 2000			
Unionized Ammonia	0.010	U	mg/L	0.010	0.010	1.0	UnionizedNH3
	Anly Batch: 660-21605		Date Analyzed	03/06/2006 0808			

DATA REPORTING QUALIFIERS

Client: HDR Engineering

Job Number: 660-7456-1

Lab Section	Qualifier	Description
GC/MS VOA		
	U	Indicates that the compound was analyzed for but not detected.
GC Semi VOA		
	U	Indicates that the compound was analyzed for but not detected.
Metals		
	U	Indicates that the compound was analyzed for but not detected.
	I	The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
General Chemistry		
	U	Indicates that the compound was analyzed for but not detected.
	I	The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7456-1

Method Blank - Batch: 660-21755

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 660-21755/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/07/2006 0433
Date Prepared: 03/07/2006 0433

Analysis Batch: 660-21755
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 2JC0639.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
Acetone	9.9	U	9.9	20
Acrylonitrile	1.2	U	1.2	100
Benzene	0.27	U	0.27	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Bromomethane	0.66	U	0.66	1.0
Methyl Ethyl Ketone	8.4	U	8.4	10
Carbon disulfide	0.85	U	0.85	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Bromochloromethane	0.58	U	0.58	1.0
Chloroethane	0.80	U	0.80	1.0
Chloroform	0.90	U	0.90	1.0
1,2-Dichlorobenzene	0.44	U	0.44	1.0
Chloromethane	0.64	U	0.64	1.0
Dibromochloromethane	0.34	U	0.34	1.0
Methylene bromide	0.41	U	0.41	1.0
trans-1,4-Dichloro-2-butene	2.5	U	2.5	10
1,4-Dichlorobenzene	0.52	U	0.52	1.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,1-Dichloroethene	0.45	U	0.45	1.0
cis-1,2-Dichloroethene	0.65	U	0.65	1.0
trans-1,2-Dichloroethene	0.44	U	0.44	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
Ethylbenzene	0.44	U	0.44	1.0
2-Hexanone	4.4	U	4.4	10
Iodomethane	0.67	U	0.67	1.0
4-Methyl-2-pentanone	3.8	U	3.8	10
Methylene Chloride	4.0	U	4.0	5.0
Styrene	0.98	U	0.98	1.0
1,1,2,2-Tetrachloroethane	0.14	U	0.14	1.0
1,1,1,2-Tetrachloroethane	0.63	U	0.63	1.0
Tetrachloroethene	0.34	U	0.34	1.0
Toluene	0.51	U	0.51	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethene	0.28	U	0.28	1.0
Trichlorofluoromethane	0.98	U	0.98	1.0

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7456-1

Method Blank - Batch: 660-21755

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 660-21755/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/07/2006 0433
Date Prepared: 03/07/2006 0433

Analysis Batch: 660-21755
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 2JC0639.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
1,2,3-Trichloropropane	0.15	U	0.15	1.0
Vinyl acetate	1.5	U	1.5	10
Vinyl chloride	0.50	U	0.50	1.0
Xylenes, Total	0.30	U	0.30	1.0

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	81	74 - 126
Dibromofluoromethane	84	70 - 130
Toluene-d8	90	77 - 122

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-21755**

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 660-21755/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/07/2006 0319
Date Prepared: 03/07/2006 0319

Analysis Batch: 660-21755
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 2JC0636.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-21755/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/07/2006 0344
Date Prepared: 03/07/2006 0344

Analysis Batch: 660-21755
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 2JC0637.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Benzene	110	111	62 - 135	0	37		
Chlorobenzene	105	105	72 - 127	0	22		
1,1-Dichloroethene	125	119	46 - 147	5	30		
Toluene	107	108	68 - 131	0	33		
Trichloroethene	107	106	56 - 143	1	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7456-1

**Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-21755**

**Method: 8260B
Preparation: 5030B**

MS Lab Sample ID: 660-7427-J-21 MS Analysis Batch: 660-21755
 Client Matrix: Water Prep Batch: N/A
 Dilution: 1.0
 Date Analyzed: 03/08/2006 1755
 Date Prepared: 03/08/2006 1755

Instrument ID: BVMJ GC/MS
 Lab File ID: 1JC0808.D
 Initial Weight/Volume: 5 mL
 Final Weight/Volume: 5 mL

MSD Lab Sample ID: 660-7427-H-21 MSD Analysis Batch: 660-21755
 Client Matrix: Water Prep Batch: N/A
 Dilution: 1.0
 Date Analyzed: 03/08/2006 1820
 Date Prepared: 03/08/2006 1820

Instrument ID: BVMJ GC/MS
 Lab File ID: 1JC0809.D
 Initial Weight/Volume: 5 mL
 Final Weight/Volume: 5 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
Benzene	114	116	62 - 135	1	37		
Chlorobenzene	112	112	72 - 127	0	22		
1,1-Dichloroethene	125	126	46 - 147	1	30		
Toluene	117	115	68 - 131	2	33		
Trichloroethene	111	111	56 - 143	0	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7456-1

Method Blank - Batch: 660-21760

Method: 504.1
Preparation: 504.1

Lab Sample ID: MB 660-21760/1-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/07/2006 1534
Date Prepared: 03/07/2006 1030

Analysis Batch: 660-21876
Prep Batch: 660-21760
Units: ug/L

Instrument ID: HP 5890 Series II ECD1/2
Lab File ID: 1C07S015.D
Initial Weight/Volume: 33.9424 g
Final Weight/Volume: 3 mL
Injection Volume:
Column ID: PRIMARY

Analyte	Result	Qual	MDL	PQL
1,2-Dibromo-3-Chloropropane	0.0031	U	0.0031	0.021
Ethylene Dibromide	0.0090	U	0.0090	0.021

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-21760**

Method: 504.1
Preparation: 504.1

LCS Lab Sample ID: LCS 660-21760/2-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/07/2006 1558
Date Prepared: 03/07/2006 1030

Analysis Batch: 660-21876
Prep Batch: 660-21760
Units: ug/L

Instrument ID: HP 5890 Series II ECD1/2
Lab File ID: 1C07S016.D
Initial Weight/Volume: 32.9557 g
Final Weight/Volume: 3 mL
Injection Volume:
Column ID: PRIMARY

LCSD Lab Sample ID: LCSD 660-21760/3-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/07/2006 1621
Date Prepared: 03/07/2006 1030

Analysis Batch: 660-21876
Prep Batch: 660-21760
Units: ug/L

Instrument ID: HP 5890 Series II ECD1/
Lab File ID: 1C07S017.D
Initial Weight/Volume: 34.1756 g
Final Weight/Volume: 3 mL
Injection Volume:
Column ID: PRIMARY

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
1,2-Dibromo-3-Chloropropane	108	103	70 - 130	8	30		
Ethylene Dibromide	126	117	70 - 130	11	30		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7456-1

**Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-21760**

**Method: 504.1
Preparation: 504.1**

MS Lab Sample ID: 660-7387-D-1-B MS Analysis Batch: 660-21876
Client Matrix: Water Prep Batch: 660-21760
Dilution: 1.0
Date Analyzed: 03/07/2006 1707
Date Prepared: 03/07/2006 1030

Instrument ID: HP 5890 Series II ECD1/2
Lab File ID: 1C07S019.D
Initial Weight/Volume: 33.9552 g
Final Weight/Volume: 3 mL
Injection Volume:
Column ID: PRIMARY

MSD Lab Sample ID: 660-7387-D-1-C MSD Analysis Batch: 660-21876
Client Matrix: Water Prep Batch: 660-21760
Dilution: 1.0
Date Analyzed: 03/07/2006 1731
Date Prepared: 03/07/2006 1030

Instrument ID: HP 5890 Series II ECD1/2
Lab File ID: 1C07S020.D
Initial Weight/Volume: 34.3998 g
Final Weight/Volume: 3 mL
Injection Volume:
Column ID: PRIMARY

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
1,2-Dibromo-3-Chloropropane	95	93	70 - 130	3	30		
Ethylene Dibromide	106	109	70 - 130	1	30		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7456-1

Method Blank - Batch: 660-21476

Method: 200.7 Rev 4.4
Preparation: 200.7 Appx C
Total Recoverable

Lab Sample ID: MB 660-21476/1-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/06/2006 1208
Date Prepared: 03/02/2006 1110

Analysis Batch: 660-21640
Prep Batch: 660-21476
Units: ug/L

Instrument ID: TJA ICP TRACE
Lab File ID: 6C06A
Initial Weight/Volume: 50.0 mL
Final Weight/Volume: 50.0 mL

Analyte	Result	Qual	MDL	PQL
Silver	1.9	U	1.9	10
Arsenic	4.8	U	4.8	10
Barium	1.2	U	1.2	10
Beryllium	0.74	U	0.74	4.0
Cadmium	0.71	U	0.71	5.0
Cobalt	1.6	U	1.6	10
Chromium	1.7	U	1.7	10
Copper	2.9	U	2.9	20
Iron	22	U	22	50
Nickel	4.7	U	4.7	40
Antimony	3.6	U	3.6	6.0
Lead	1.6	U	1.6	5.0
Selenium	5.9	U	5.9	10
Vanadium	2.5	U	2.5	10
Zinc	5.9	U	5.9	20

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7456-1

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-21476**

**Method: 200.7 Rev 4.4
Preparation: 200.7 Appx C
Total Recoverable**

LCS Lab Sample ID: LCS 660-21476/2-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/06/2006 1214
Date Prepared: 03/02/2006 1110

Analysis Batch: 660-21640
Prep Batch: 660-21476
Units: ug/L

Instrument ID: TJA ICP TRACE
Lab File ID: 6C06A
Initial Weight/Volume: 50.0 mL
Final Weight/Volume: 50.0 mL

LCSD Lab Sample ID: LCSD 660-21476/3-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/06/2006 1219
Date Prepared: 03/02/2006 1110

Analysis Batch: 660-21640
Prep Batch: 660-21476
Units: ug/L

Instrument ID: TJA ICP TRACE
Lab File ID: 6C06A
Initial Weight/Volume: 50.0 mL
Final Weight/Volume: 50.0 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Silver	98	98	85 - 115	0	20		
Arsenic	101	99	85 - 115	2	20		
Barium	101	101	85 - 115	1	20		
Beryllium	103	101	85 - 115	2	20		
Cadmium	104	102	85 - 115	2	20		
Cobalt	101	100	85 - 115	2	20		
Chromium	105	104	85 - 115	1	20		
Copper	100	98	85 - 115	2	20		
Iron	104	102	85 - 115	1	20		
Nickel	105	103	85 - 115	2	20		
Antimony	95	93	85 - 115	2	20		
Lead	102	100	85 - 115	2	20		
Selenium	100	98	85 - 115	2	20		
Vanadium	105	103	85 - 115	2	20		
Zinc	107	105	85 - 115	2	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7456-1

**Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-21476**

**Method: 200.7 Rev 4.4
Preparation: 200.7 Appx C
Total Recoverable**

MS Lab Sample ID: 660-7468-B-1-B MS^R Analysis Batch: 660-21640
Client Matrix: Water Prep Batch: 660-21476
Dilution: 1.0
Date Analyzed: 03/06/2006 1247
Date Prepared: 03/02/2006 1110

Instrument ID: TJA ICP TRACE
Lab File ID: 6C06A
Initial Weight/Volume: 50.0 mL
Final Weight/Volume: 50.0 mL

MSD Lab Sample ID: 660-7468-B-1-C MSD^R Analysis Batch: 660-21640
Client Matrix: Water Prep Batch: 660-21476
Dilution: 1.0
Date Analyzed: 03/06/2006 1253
Date Prepared: 03/02/2006 1110

Instrument ID: TJA ICP TRACE
Lab File ID: 6C06A
Initial Weight/Volume: 50.0 mL
Final Weight/Volume: 50.0 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
Silver	106	103	85 - 115	2	20		
Arsenic	104	102	85 - 115	2	20		
Barium	101	100	85 - 115	2	20		
Beryllium	102	101	85 - 115	2	20		
Cadmium	102	100	85 - 115	2	20		
Cobalt	101	99	85 - 115	2	20		
Chromium	104	103	85 - 115	2	20		
Copper	105	103	85 - 115	2	20		
Iron	104	100	85 - 115	3	20		
Nickel	104	102	85 - 115	2	20		
Antimony	99	97	85 - 115	2	20		
Lead	102	100	85 - 115	2	20		
Selenium	103	101	85 - 115	2	20		
Vanadium	105	104	85 - 115	2	20		
Zinc	106	104	85 - 115	2	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7456-1

Method Blank - Batch: 680-37603

Lab Sample ID: MB 680-37603/4-A
 Client Matrix: Water
 Dilution: 1.0
 Date Analyzed: 03/03/2006 0108
 Date Prepared: 03/01/2006 1111

Analysis Batch: 680-37826
 Prep Batch: 680-37603
 Units: ug/L

**Method: 200.8
 Preparation: 4.1.4
 Total Recoverable**

Instrument ID: ICP MS
 Lab File ID: N/A
 Initial Weight/Volume: 50 mL
 Final Weight/Volume: 250 mL

Analyte	Result	Qual	MDL	PQL
Thallium	0.25	U	0.25	1.0

**Laboratory Control/
 Laboratory Control Duplicate Recovery Report - Batch: 680-37603**

LCS Lab Sample ID: LCS 680-37603/5-A
 Client Matrix: Water
 Dilution: 1.0
 Date Analyzed: 03/03/2006 0115
 Date Prepared: 03/01/2006 1111

Analysis Batch: 680-37826
 Prep Batch: 680-37603
 Units: ug/L

**Method: 200.8
 Preparation: 4.1.4
 Total Recoverable**

Instrument ID: ICP MS
 Lab File ID: N/A
 Initial Weight/Volume: 50 mL
 Final Weight/Volume: 250 mL

LCSD Lab Sample ID: LCSD 680-37603/6-A
 Client Matrix: Water
 Dilution: 1.0
 Date Analyzed: 03/03/2006 0122
 Date Prepared: 03/01/2006 1111

Analysis Batch: 680-37826
 Prep Batch: 680-37603
 Units: ug/L

Instrument ID: ICP MS
 Lab File ID: N/A
 Initial Weight/Volume: 50 mL
 Final Weight/Volume: 250 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Thallium	103	103	85 - 115	1	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7456-1

**Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 680-37603**

**Method: 200.8
Preparation: 4.1.4
Total Recoverable**

MS Lab Sample ID: 660-7455-C-7-B MS^D Analysis Batch: 680-37826
 Client Matrix: Water Prep Batch: 680-37603
 Dilution: 1.0
 Date Analyzed: 03/03/2006 0151
 Date Prepared: 03/01/2006 1111

Instrument ID: ICP MS
 Lab File ID: N/A
 Initial Weight/Volume: 50 mL
 Final Weight/Volume: 250 mL

MSD Lab Sample ID: 660-7455-C-7-C MSD^D Analysis Batch: 680-37826
 Client Matrix: Water Prep Batch: 680-37603
 Dilution: 1.0
 Date Analyzed: 03/03/2006 0158
 Date Prepared: 03/01/2006 1111

Instrument ID: ICP MS
 Lab File ID: N/A
 Initial Weight/Volume: 50 mL
 Final Weight/Volume: 250 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
Thallium	114	119	75 - 125	4	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7456-1

Method Blank - Batch: 660-21446

Method: 245.1
Preparation: 245.1

Lab Sample ID: MB 660-21446/1-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/02/2006 1121
Date Prepared: 03/02/2006 0805

Analysis Batch: 660-21504
Prep Batch: 660-21446
Units: ug/L

Instrument ID: HydraAA Mercury Analyzer
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result	Qual	MDL	PQL
Mercury	0.072	U	0.072	0.20

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-21446**

Method: 245.1
Preparation: 245.1

LCS Lab Sample ID: LCS 660-21446/2-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/02/2006 1123
Date Prepared: 03/02/2006 0805

Analysis Batch: 660-21504
Prep Batch: 660-21446
Units: ug/L

Instrument ID: HydraAA Mercury Analyzer
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

LCSD Lab Sample ID: LCSD 660-21446/3-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/02/2006 1125
Date Prepared: 03/02/2006 0805

Analysis Batch: 660-21504
Prep Batch: 660-21446
Units: ug/L

Instrument ID: HydraAA Mercury Analyzer
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Mercury	91	91	80 - 120	0	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7456-1

**Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-21446**

**Method: 245.1
Preparation: 245.1**

MS Lab Sample ID: 660-7387-H-1-B MS Analysis Batch: 660-21504
Client Matrix: Water Prep Batch: 660-21446
Dilution: 1.0
Date Analyzed: 03/02/2006 1134
Date Prepared: 03/02/2006 0805

Instrument ID: HydraAA Mercury Analyzer
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

MSD Lab Sample ID: 660-7387-H-1-C MSD Analysis Batch: 660-21504
Client Matrix: Water Prep Batch: 660-21446
Dilution: 1.0
Date Analyzed: 03/02/2006 1136
Date Prepared: 03/02/2006 0805

Instrument ID: HydraAA Mercury Analyzer
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
Mercury	90	90	80 - 120	0	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7456-1

Method Blank - Batch: 660-21455

Lab Sample ID: MB 660-21455/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/28/2006 1416
Date Prepared: N/A

Analysis Batch: 660-21455
Prep Batch: N/A
Units: mg/L

Method: 160.1
Preparation: N/A

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result	Qual	RL	PQL
Total Dissolved Solids	5.0	U	5.0	5.0

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-21455**

LCS Lab Sample ID: LCS 660-21455/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/28/2006 1416
Date Prepared: N/A

Analysis Batch: 660-21455
Prep Batch: N/A
Units: mg/L

Method: 160.1
Preparation: N/A

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

LCSD Lab Sample ID: LCSD 660-21455/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/28/2006 1416
Date Prepared: N/A

Analysis Batch: 660-21455
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Total Dissolved Solids	100	98	80 - 120	1	25		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7456-1

**Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-21455**

**Method: 160.1
Preparation: N/A**

MS Lab Sample ID: 660-7384-D-2 MS Analysis Batch: 660-21455
Client Matrix: Water Prep Batch: N/A
Dilution: 1.0
Date Analyzed: 02/28/2006 1416
Date Prepared: N/A

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

MSD Lab Sample ID: 660-7384-D-2 MSD Analysis Batch: 660-21455
Client Matrix: Water Prep Batch: N/A
Dilution: 1.0
Date Analyzed: 02/28/2006 1416
Date Prepared: N/A

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
Total Dissolved Solids	99	99	80 - 120	0	25		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7456-1

Method Blank - Batch: 660-21460

Method: 160.2
Preparation: N/A

Lab Sample ID: MB 660-21460/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/28/2006 1542
Date Prepared: N/A

Analysis Batch: 660-21460
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 250 mL
Final Weight/Volume: 250 mL

Analyte	Result	Qual	RL	PQL
Total Suspended Solids	1.0	U	1.0	1.0

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-21460**

Method: 160.2
Preparation: N/A

LCS Lab Sample ID: LCS 660-21460/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/28/2006 1542
Date Prepared: N/A

Analysis Batch: 660-21460
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 250 mL
Final Weight/Volume: 250 mL

LCSD Lab Sample ID: LCSD 660-21460/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/28/2006 1542
Date Prepared: N/A

Analysis Batch: 660-21460
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 250 mL
Final Weight/Volume: 250 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Total Suspended Solids	83	86	80 - 120	3	25		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7456-1

Method Blank - Batch: 660-21401

Method: 350.1
Preparation: N/A

Lab Sample ID: MB 660-21401/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/01/2006 1016
Date Prepared: N/A

Analysis Batch: 660-21401
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 2 mL
Final Weight/Volume: 2 mL

Analyte	Result	Qual	MDL	PQL
Ammonia	0.040	U	0.040	0.050

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-21401**

Method: 350.1
Preparation: N/A

LCS Lab Sample ID: LCS 660-21401/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/01/2006 1016
Date Prepared: N/A

Analysis Batch: 660-21401
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 2 mL
Final Weight/Volume: 2 mL

LCSD Lab Sample ID: LCSD 660-21401/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/01/2006 1016
Date Prepared: N/A

Analysis Batch: 660-21401
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 2 mL
Final Weight/Volume: 2 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Ammonia	102	102	90 - 110	0	30		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7456-1

**Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-21401**

**Method: 350.1
Preparation: N/A**

MS Lab Sample ID: 660-7368-B-1 MS Analysis Batch: 660-21401
Client Matrix: Water Prep Batch: N/A
Dilution: 1.0
Date Analyzed: 03/01/2006 1016
Date Prepared: N/A

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 2 mL
Final Weight/Volume: 2 mL

MSD Lab Sample ID: 660-7368-B-1 MSD Analysis Batch: 660-21401
Client Matrix: Water Prep Batch: N/A
Dilution: 1.0
Date Analyzed: 03/01/2006 1016
Date Prepared: N/A

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 2 mL
Final Weight/Volume: 2 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
Ammonia	115	115	90 - 110	0	30		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7456-1

Method Blank - Batch: 660-21563

Method: 351.2
Preparation: 351.2

Lab Sample ID: MB 660-21563/1-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/02/2006 1705
Date Prepared: 03/01/2006 1630

Analysis Batch: 660-21566
Prep Batch: 660-21563
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 25 mL
Final Weight/Volume: 25 mL

Analyte	Result	Qual	MDL	PQL
Nitrogen, Kjeldahl	0.12	U	0.12	0.50

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-21563**

Method: 351.2
Preparation: 351.2

LCS Lab Sample ID: LCS 660-21563/2-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/02/2006 1705
Date Prepared: 03/01/2006 1630

Analysis Batch: 660-21566
Prep Batch: 660-21563
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 25 mL
Final Weight/Volume: 25 mL

LCSD Lab Sample ID: LCSD 660-21563/3-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/02/2006 1705
Date Prepared: 03/01/2006 1630

Analysis Batch: 660-21566
Prep Batch: 660-21563
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 25 mL
Final Weight/Volume: 25 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Nitrogen, Kjeldahl	99	93	90 - 110	6	30		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7456-1

**Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-21563**

**Method: 351.2
Preparation: 351.2**

MS Lab Sample ID: 660-7054-B-2-C MS
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/02/2006 1705
Date Prepared: 03/01/2006 1630

Analysis Batch: 660-21566
Prep Batch: 660-21563

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 25 mL
Final Weight/Volume: 25 mL

MSD Lab Sample ID: 660-7054-B-2-D MSD
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/02/2006 1705
Date Prepared: 03/01/2006 1630

Analysis Batch: 660-21566
Prep Batch: 660-21563

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 25 mL
Final Weight/Volume: 25 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
Nitrogen, Kjeldahl	101	103	90 - 110	1	30		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7456-1

Method Blank - Batch: 660-21254

Method: 353.2
Preparation: N/A

Lab Sample ID: MB 660-21254/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/26/2006 0645
Date Prepared: N/A

Analysis Batch: 660-21254
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result	Qual	MDL	PQL
Nitrate Nitrite Nitrogen	0.010	U	0.010	0.050
Nitrite Nitrogen	0.010	U	0.010	0.050
Nitrate Nitrogen	0.010	U	0.010	0.050

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-21254**

Method: 353.2
Preparation: N/A

LCS Lab Sample ID: LCS 660-21254/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/26/2006 0645
Date Prepared: N/A

Analysis Batch: 660-21254
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 100 mL
Final Weight/Volume: 100 mL

LCSD Lab Sample ID: LCSD 660-21254/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/26/2006 0645
Date Prepared: N/A

Analysis Batch: 660-21254
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 100 mL
Final Weight/Volume: 100 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Nitrate Nitrite Nitrogen	91	92	80 - 120	0	30		
Nitrite Nitrogen	103	102	80 - 120	1	30		
Nitrate Nitrogen	80	81	80 - 120	2	30		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7456-1

**Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-21254**

**Method: 353.2
Preparation: N/A**

MS Lab Sample ID: 660-7456-2 Analysis Batch: 660-21254
Client Matrix: Water Prep Batch: N/A
Dilution: 1.0
Date Analyzed: 02/26/2006 0645
Date Prepared: N/A

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

MSD Lab Sample ID: 660-7456-2 Analysis Batch: 660-21254
Client Matrix: Water Prep Batch: N/A
Dilution: 1.0
Date Analyzed: 02/26/2006 0645
Date Prepared: N/A

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
Nitrate Nitrite Nitrogen	106	94	80 - 120	11	30		
Nitrite Nitrogen	100	99	80 - 120	1	30		
Nitrate Nitrogen	113	91	80 - 120	21	30		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7456-1

Method Blank - Batch: 660-21564

Method: 365.4
Preparation: 365.2/365.3

Lab Sample ID: MB 660-21564/1-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/03/2006 0915
Date Prepared: 03/01/2006 1630

Analysis Batch: 660-21565
Prep Batch: 660-21564
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 25 mL
Final Weight/Volume: 25 mL

Analyte	Result	Qual	MDL	PQL
Phosphorus, Total	0.017	U	0.017	0.10

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-21564**

Method: 365.4
Preparation: 365.2/365.3

LCS Lab Sample ID: LCS 660-21564/2-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/03/2006 0915
Date Prepared: 03/01/2006 1630

Analysis Batch: 660-21565
Prep Batch: 660-21564
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 25 mL
Final Weight/Volume: 25 mL

LCSD Lab Sample ID: LCSD 660-21564/3-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/03/2006 0915
Date Prepared: 03/01/2006 1630

Analysis Batch: 660-21565
Prep Batch: 660-21564
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 25 mL
Final Weight/Volume: 25 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Phosphorus, Total	102	101	90 - 110	1	30		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7456-1

Method Blank - Batch: 660-21492

Method: 405.1
Preparation: N/A

Lab Sample ID: USB 660-21492/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/25/2006 1200
Date Prepared: N/A

Analysis Batch: 660-21492
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 300 mL
Final Weight/Volume: 300 mL

Analyte	Result	Qual	RL	PQL
Biochemical Oxygen Demand	2.0	U	2.0	2.0

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-21492**

Method: 405.1
Preparation: N/A

LCS Lab Sample ID: LCS 660-21492/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/25/2006 1200
Date Prepared: N/A

Analysis Batch: 660-21492
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 300 mL
Final Weight/Volume: 300 mL

LCSD Lab Sample ID: LCSD 660-21492/4
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/25/2006 1200
Date Prepared: N/A

Analysis Batch: 660-21492
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 300 mL
Final Weight/Volume: 300 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Biochemical Oxygen Demand	95	93	85 - 115	3	30		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7456-1

Method Blank - Batch: 660-21694

Method: 415.1
Preparation: N/A

Lab Sample ID: MB 660-21694/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/03/2006 1227
Date Prepared: N/A

Analysis Batch: 660-21694
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume:
Final Weight/Volume: 40 mL

Analyte	Result	Qual	MDL	PQL
Total Organic Carbon	0.53	U	0.53	1.0

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-21694**

Method: 415.1
Preparation: N/A

LCS Lab Sample ID: LCS 660-21694/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/03/2006 1227
Date Prepared: N/A

Analysis Batch: 660-21694
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume:
Final Weight/Volume: 40 mL

LCSD Lab Sample ID: LCSD 660-21694/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/03/2006 1227
Date Prepared: N/A

Analysis Batch: 660-21694
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume:
Final Weight/Volume: 40 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Total Organic Carbon	96	96	80 - 120	0	25		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7456-1

Method Blank - Batch: 660-21726

Lab Sample ID: MB 660-21726/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/06/2006 1813
Date Prepared: N/A

Analysis Batch: 660-21726
Prep Batch: N/A
Units: mg/L

Method: 415.1
Preparation: N/A

Instrument ID: OI Analytical TOC Analyzer
Lab File ID: XXX007.rtf
Initial Weight/Volume:
Final Weight/Volume: 40 mL

Analyte	Result	Qual	MDL	PQL
Total Organic Carbon	0.53	U	0.53	1.0

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-21726**

Method: 415.1
Preparation: N/A

LCS Lab Sample ID: LCS 660-21726/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/06/2006 1833
Date Prepared: N/A

Analysis Batch: 660-21726
Prep Batch: N/A
Units: mg/L

Instrument ID: OI Analytical TOC Analyzer
Lab File ID: XXX008.rtf
Initial Weight/Volume:
Final Weight/Volume: 40 mL

LCSD Lab Sample ID: LCSD 660-21726/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/06/2006 1853
Date Prepared: N/A

Analysis Batch: 660-21726
Prep Batch: N/A
Units: mg/L

Instrument ID: OI Analytical TOC Analyzer
Lab File ID: XXX009.rtf
Initial Weight/Volume:
Final Weight/Volume: 40 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Total Organic Carbon	101	99	80 - 120	2	25		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7456-1

Method Blank - Batch: 660-21809

Method: 5220C
Preparation: N/A

Lab Sample ID: MB 660-21809/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/03/2006 2000
Date Prepared: N/A

Analysis Batch: 660-21809
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 2.5 mL
Final Weight/Volume: 2.5 mL

Analyte	Result	Qual	RL	PQL
Chemical Oxygen Demand	20	U	20	20

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-21809**

Method: 5220C
Preparation: N/A

LCS Lab Sample ID: LCS 660-21809/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/03/2006 2000
Date Prepared: N/A

Analysis Batch: 660-21809
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 2.5 mL
Final Weight/Volume: 2.5 mL

LCSD Lab Sample ID: LCSD 660-21809/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/03/2006 2000
Date Prepared: N/A

Analysis Batch: 660-21809
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 2.5 mL
Final Weight/Volume: 2.5 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Chemical Oxygen Demand	102	100	80 - 120	2	40		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7456-1

**Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-21809**

**Method: 5220C
Preparation: N/A**

MS Lab Sample ID: 660-7492-K-1 MS
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/03/2006 2000
Date Prepared: N/A

Analysis Batch: 660-21809
Prep Batch: N/A

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 2.5 mL
Final Weight/Volume: 2.5 mL

MSD Lab Sample ID: 660-7492-K-1 MSD
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/03/2006 2000
Date Prepared: N/A

Analysis Batch: 660-21809
Prep Batch: N/A

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 2.5 mL
Final Weight/Volume: 2.5 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
Chemical Oxygen Demand	102	107	80 - 120	5	40		

Calculations are performed before rounding to avoid round-off errors in calculated results.



Advanced Environmental Laboratories, Inc.

6601 Southpoint Parkway
Jacksonville, Florida 32216
(904) 363-9350
FAX (904) 363-9354

Client: STL Tampa
Project Name: STL-TAMPA (Trailridge 4P)
Project Number:

Report No.: J061386
Date Sampled: 2/24/06
Date Received: 2/24/06 09:40
Date Reported: 3/13/06

Attention: Nancy Robertson
Phone Number: 8138857427
Address: 6712 Benjamin Rd Ste 100
Tampa, FL 33634

Project Description

The analytical results for the samples contained in this report were submitted for analysis as outlined by the Chain of Custody.

Project Name: STL-TAMPA (Trailridge 4P)

Approved By: [Signature] 2006.03.13 10:46:52 -05'00'
Paul Gunsaulies, Project Manager

If there are any questions involving this report, the above named should be contacted.

THIS REPORT SHALL NOT BE REPRODUCED, EXCEPT IN FULL, WITHOUT THE WRITTEN APPROVAL OF THE LABORATORY.

Advanced Environmental Laboratories certifies that the test results in this report meet all requirements of the NELAC standards, unless notated otherwise in the body of the report.

Total Number of Pages = 4 + 3 COC

Advanced Environmental Laboratories, Inc.
Analytical Report

Client: STL Tampa
Project Name: STL-TAMPA (Trailridge 4P)

Report No.: J061386
Date/Time Received: 2/24/06 09:40

Lab Code: J061386-01
Client Sample ID: 1
Site: SW-1
Matrix: Water

Date/Time Sampled: 2/24/06 07:30
Shipping Method: Client drop off
Sampled By: Client
Sampling Method: G

Miscellaneous Analytes

Analytes:	Dilution	Adjusted MDL	Adjusted PQL	Results	Units	Qualifier(s)	Method	Parameter Comment	Lab
Chlorophyll A	1	1.0	1.0	10	mg/m3		SM10200H		T
* Fecal Coliform (MF)	1	1.0	1.0	164.	cfu/100ml		SM9222D		J

J DOH certification #E82574 (AEL-JAX) (FL NELAC certification)
T DOH certification #E84589 (AEL-Tampa) (FL NELAC Certification)
* Comment for Fecal Coliform (MF) -- AVG OF SAMPLE FRACTION A & B

Lab Code: J061386-02
Client Sample ID: 2
Site: SW-2
Matrix: Water

Date/Time Sampled: 2/24/06 08:00
Shipping Method: Client drop off
Sampled By: Client
Sampling Method: G

Miscellaneous Analytes

Analytes:	Dilution	Adjusted MDL	Adjusted PQL	Results	Units	Qualifier(s)	Method	Parameter Comment	Lab
Chlorophyll A	1	1.0	1.0	1.0	mg/m3	U	SM10200H		T
* Fecal Coliform (MF)	1	1.0	1.0	1265.	cfu/100ml		SM9222D		J

U The compound was analyzed for but not detected.
J DOH certification #E82574 (AEL-JAX) (FL NELAC certification)
T DOH certification #E84589 (AEL-Tampa) (FL NELAC Certification)
* Comment for Fecal Coliform (MF) -- AVG OF SAMPLE FRACTION A & B

Advanced Environmental Laboratories, Inc.
Analytical Report

Client: STL Tampa

Report No.: J061386

Project Name: STL-TAMPA (Trailridge 4P)

Date/Time Received: 2/24/06 09:40

Sample Cross Reference Information

Lab Code: J061386-01
Client Sample Number: 1

Site: SW-1
Matrix: Water

Test Description	Analysis Method	Prep Method	Analytical Batch ID	Analysis Date/Time	Analyst	Prep Batch ID	Prep Date/Time
Chlorophyll A	SM10200H	NONE		10:00			
Fecal Coliform (MF)	SM9222D	NONE	MIC-022406-F	2/24/06 12:40	AJL		

If the Analytical Batch ID and Prep Batch IDs null, the analysis was not performed by AEL, and the original report from the subcontracted laboratory will be provided containing this information.

Lab Code: J061386-02
Client Sample Number: 2

Site: SW-2
Matrix: Water

Test Description	Analysis Method	Prep Method	Analytical Batch ID	Analysis Date/Time	Analyst	Prep Batch ID	Prep Date/Time
Chlorophyll A	SM10200H	NONE		10:00			
Fecal Coliform (MF)	SM9222D	NONE	MIC-022406-F	2/24/06 12:40	AJL		

If the Analytical Batch ID and Prep Batch IDs null, the analysis was not performed by AEL, and the original report from the subcontracted laboratory will be provided containing this information.

Advanced Environmental Laboratories, Inc.

Analytical Report

Client: STL Tampa

Report No.: J061386

Project Name: STL-TAMPA (Trailridge 4P)

Date/Time Received: 2/24/06 09:40

Quality Assurance Report

Method Blanks

QCBatchID	Analyte	Miscellaneous Analytes		MDL	Result	Units	Qualifier
		QC Sample Type	Method				
MIC-022406-F	Fecal Coliform (MF)	Pre Filter	SM9222D	1.0	1.0	cfu/100ml	U
MIC-022406-F	Fecal Coliform (MF)	Post Filter	SM9222D	1.0	1.0	cfu/100ml	U

Quality Assurance Qualifiers:

U The compound was analyzed for but not detected.

Definitions:

Water matrix refers to all aqueous matrices except drinking water, including but not limited to, wastewater, ground water, surface water, aqueous wastes and leach

Soil matrix refers to all non-aqueous matrices, including soils, solids, sludges, semi-solids, and non-aqueous waste samples

All results in mg/kg or % are reported in dry weight basis, unless notated otherwise. All results in mg/L are reported in wet weight basis.

MDL Method Detection Limit, without correction for dilution or moisture content

Adjusted Reporting Limit is the MDL accounting for all dilutions and moisture content calculations.

PQL is defined to be 4 times the MDL, for all results qualified with a 'U' qualifier.

Sampling Method; G=Grab, P=Pump, C=Composite

The estimated measurements of uncertainty can be provided upon request.

This is the last page of the analytical report.



Advanced Environmental Labs Inc

Advanced Environmental
6601 Southpoint Parkway
Jacksonville, FL 32216

Client: STL-Tampa

Project name: STL-Tampa (Trailridge)
4P

Date/Time Rcvd: 02/24/00 0940

Log-In request number: J061386

Received by: [Signature]

Completed by: [Signature]

Cooler/Shipping Information:

Courier: AEL Client UPS Pony Express FedEx AES ASAP Other (describe): _____

Type: Cooler Box Other (describe) _____

Cooler temperature: Identify the cooler and document the temperature blank or ice water measurement

Cooler ID					
Temp (°C)	0				
Temp taken from	<input checked="" type="checkbox"/> Sample Bottle <input checked="" type="checkbox"/> Cooler	<input type="checkbox"/> Sample Bottle <input type="checkbox"/> Cooler	<input type="checkbox"/> Sample Bottle <input type="checkbox"/> Cooler	<input type="checkbox"/> Sample Bottle <input type="checkbox"/> Cooler	<input type="checkbox"/> Sample Bottle <input type="checkbox"/> Cooler
Temp measured with	<input checked="" type="checkbox"/> IR gun <input type="checkbox"/> Thermometer (enter ID):	<input type="checkbox"/> IR gun <input type="checkbox"/> Thermometer (enter ID):	<input type="checkbox"/> IR gun <input type="checkbox"/> Thermometer (enter ID):	<input type="checkbox"/> IR gun <input type="checkbox"/> Thermometer (enter ID):	<input type="checkbox"/> IR gun <input type="checkbox"/> Thermometer (enter ID):

Other Information:

Any discrepancies should be explained in the "Comments" section below.

CHECKLIST

YES NO NA

	YES	NO	NA
1. Were custody seals on shipping container(s) intact?			<input checked="" type="checkbox"/>
2. Were custody papers properly included with samples?	<input checked="" type="checkbox"/>		
3. Were custody papers properly filled out (ink, signed, match labels)?	<input checked="" type="checkbox"/>		
4. Did all bottles arrive in good condition (unbroken)?	<input checked="" type="checkbox"/>		
5. Were all bottle labels complete (sample #, date, signed, analysis, preservatives)?	<input checked="" type="checkbox"/>		
6. Did the sample labels agree with the chain of custody?	<input checked="" type="checkbox"/>		
7. Were correct bottles used for the tests indicated?	<input checked="" type="checkbox"/>		
8. Were proper sample preservation techniques indicated on the label?	<input checked="" type="checkbox"/>		
9. Were samples received within holding times?	<input checked="" type="checkbox"/>		
10. Were all VOA vials checked for the presence of air bubbles?			<input checked="" type="checkbox"/>
11. Were there air bubbles present in the VOA vials?			<input checked="" type="checkbox"/>
12. Were samples in direct contact with wet ice? If "No," check one: <input type="checkbox"/> NO ICE <input type="checkbox"/> BLUE ICE	<input checked="" type="checkbox"/>		
13. Was the cooler temperature less than 6°C?	<input checked="" type="checkbox"/>		
14. Were the sample containers provided by AEL?	<input checked="" type="checkbox"/>		
15. Were samples accepted into the laboratory?	<input checked="" type="checkbox"/>		
16. Was it necessary to split samples into other bottles?		<input checked="" type="checkbox"/>	

Comments:

Chain-of-Custody for AEL Jax to AEL Tampa

AEL Jax
6601 Southpoint Parkway
Jacksonville, FL 32216
904-363-9350 Fax 904-363-9354
Contact Person: Sean Hyde

AEL Tampa
9610 Princess Palm Avenue
Tampa, FL 33619
813-630-9616 Fax 813-630-4327
Contact Person: Michael Cammarata

Project #: J061386

Department: Wetchem (Tampa)

CustomerName: STL Tampa

Check if Rush

Collector: Client

Lab Code	Client Sample ID	Test	Matrix	Collect Date / Time	Receive Date	Due Date	# Bottles	Bottle Type (Pres.)
J061386-01 ✓	1	Chlorophyll A (J)	Water	02/24/2006 07:30	2/24/06 09:40	03/10/2006	_____	1L Amber Glass
J061386-02	2	Chlorophyll A (J)	Water	02/24/2006 08:00	2/24/06 09:40	03/10/2006	_____	1L Amber Glass

Page 62 of 71

Jacksonville Relinquisher: W. Satter

Shipping Receiver: B/S
Pony Express

Date/Time: 02/27/2006 1700
15:37:37

Shipping Relinquisher: _____

Tampa Receiver: K. Madell

Date/Time: 2/28/06 09:00

J061386

SEVERN TRENT STL

Severn Trent Laboratories, Inc.

STL Denver
4955 Yarrow Street
Arvada, CO 80002

SEVERN TRENT

STL-4124 (0901)

Client STL-TAMPA		Project Manager NANCY ROBERTSON		Date 2-24-06	Chain of Custody Number 3267060
Address 510 HWY 301		Telephone Number (Area Code)/Fax Number		Lab Number	
City BALDWIN	State FL	Zip Code	Site Contact	Lab Contact	

Project Name and Location (State) STL-TAMPA (TRAILRIDGE 4P)		Carrier/Waybill Number		Analysis (Attach list if more space is needed)		Special Instructions/ Conditions of Receipt
Contract/Purchase Order/Quote No.		Matrix		Containers & Preservatives		

Sample I.D. No. and Description (Containers for each sample may be combined on one line)	Date	Time	Matrix					Containers & Preservatives							Special Instructions/ Conditions of Receipt			
			Air	Aqueous	Sed.	Soil	Unpres.	H2SO4	HNO3	HCl	NaOH	ZnAc/NaOH	Width	Height		Depth		
SW-1	2-24	0730	X					1							2	2	1	01
SW-2	2-24	0800	X					1							2	2	1	02

Possible Hazard Identification	Sample Disposal	(A fee may be assessed if samples are retained longer than 1 month)
<input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison-B <input type="checkbox"/> Unknown	<input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months	

Turn Around Time Required	QC Requirements (Specify)
<input type="checkbox"/> 24 Hours <input type="checkbox"/> 48 Hours <input type="checkbox"/> 7 Days <input type="checkbox"/> 14 Days <input type="checkbox"/> 21 Days <input type="checkbox"/> Other _____	

1. Relinquished By 	Date 2-24-06	Time 0940	1. Received By 	Date 2/24/06	Time 09:40
2. Relinquished By	Date	Time	2. Received By	Date	Time
3. Relinquished By	Date	Time	3. Received By	Date	Time

Comments

Page 63 of 71

LOGIN SAMPLE RECEIPT CHECK LIST

Client: HDR Engineering

Job Number: 660-7456-1

Login Number: 7456

Question	T/F/NA	Comment
Radioactivity either was not measured or, if measured, is at or below background	NA	
The cooler's custody seal, if present, is intact.	NA	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	



Client: STL Tampa
Project Name: STL-TAMPA (Trailridge 4P)
Project Number:

Report No.: J061386
Date Sampled: 2/24/06
Date Received: 2/24/06 09:40
Date Reported: 3/13/06

Attention: Nancy Robertson
Phone Number: 8138857427
Address: 6712 Benjamin Rd Ste 100
Tampa, FL 33634

Project Description

The analytical results for the samples contained in this report were submitted for analysis as outlined by the Chain of Custody.

Project Name: STL-TAMPA (Trailridge 4P)

Approved By:   2006.03.13
10:46:52
-05'00'

Paul Gunsaulies, Project Manager

If there are any questions involving this report, the above named should be contacted.

THIS REPORT SHALL NOT BE REPRODUCED, EXCEPT IN FULL, WITHOUT THE WRITTEN APPROVAL OF THE LABORATORY.

Advanced Environmental Laboratories certifies that the test results in this report meet all requirements of the NELAC standards, unless notated otherwise in the body of the report.

Total Number of Pages = 4 + 3 COC

Advanced Environmental Laboratories, Inc.

Analytical Report

Client: STL Tampa

Report No.: J061386

Project Name: STL-TAMPA (Trailridge 4P)

Date/Time Received: 2/24/06 09:40

Lab Code: J061386-01

Date/Time Sampled: 2/24/06 07:30

Client Sample ID: 1

Shipping Method: Client drop off

Site: SW-1

Sampled By: Client

Matrix: Water

Sampling Method: G

Miscellaneous Analytes

Analytes:	Dilution	Adjusted MDL	Adjusted PQL	Results	Units	Qualifier(s)	Method	Parameter Comment	Lab
Chlorophyll A	1	1.0	1.0	10	mg/m3		SM10200H		T
* Fecal Coliform (MF)	1	1.0	1.0	164.	cfu/100ml		SM9222D		J

J DOH certification #E82574 (AEL-JAX) (FL NELAC certification)

T DOH certification #E84589 (AEL-Tampa) (FL NELAC Certification)

* Comment for Fecal Coliform (MF) -- AVG OF SAMPLE FRACTION A & B

Lab Code: J061386-02

Date/Time Sampled: 2/24/06 08:00

Client Sample ID: 2

Shipping Method: Client drop off

Site: SW-2

Sampled By: Client

Matrix: Water

Sampling Method: G

Miscellaneous Analytes

Analytes:	Dilution	Adjusted MDL	Adjusted PQL	Results	Units	Qualifier(s)	Method	Parameter Comment	Lab
Chlorophyll A	1	1.0	1.0	1.0	mg/m3	U	SM10200H		T
* Fecal Coliform (MF)	1	1.0	1.0	1265.	cfu/100ml		SM9222D		J

U The compound was analyzed for but not detected.

J DOH certification #E82574 (AEL-JAX) (FL NELAC certification)

T DOH certification #E84589 (AEL-Tampa) (FL NELAC Certification)

* Comment for Fecal Coliform (MF) -- AVG OF SAMPLE FRACTION A & B

Advanced Environmental Laboratories, Inc.

Analytical Report

Client: STL Tampa

Report No.: J061386

Project Name: STL-TAMPA (Trailridge 4P)

Date/Time Received: 2/24/06 09:40

Sample Cross Reference Information

Lab Code: J061386-01

Site: SW-1

Client Sample Number: 1

Matrix: Water

Test Description	Analysis Method	Prep Method	Analytical Batch ID	Analysis Date/Time	Analyst	Prep Batch ID	Prep Date/Time
Chlorophyll A	SM10200H	NONE		10:00			
Fecal Coliform (MF)	SM9222D	NONE	MIC-022406-F	2/24/06 12:40	AJL		

If the Analytical Batch ID and Prep Batch ID is null, the analysis was not performed by AEL, and the original report from the subcontracted laboratory will be provided containing this information.

Lab Code: J061386-02

Site: SW-2

Client Sample Number: 2

Matrix: Water

Test Description	Analysis Method	Prep Method	Analytical Batch ID	Analysis Date/Time	Analyst	Prep Batch ID	Prep Date/Time
Chlorophyll A	SM10200H	NONE		10:00			
Fecal Coliform (MF)	SM9222D	NONE	MIC-022406-F	2/24/06 12:40	AJL		

If the Analytical Batch ID and Prep Batch ID is null, the analysis was not performed by AEL, and the original report from the subcontracted laboratory will be provided containing this information.

Advanced Environmental Laboratories, Inc.

Analytical Report

Client: STL Tampa

Report No.: J061386

Project Name: STL-TAMPA (Trailridge 4P)

Date/Time Received: 2/24/06 09:40

Quality Assurance Report

Method Blanks

QCBatchID	Analyte	Miscellaneous Analytes		MDL	Result	Units	Qualifier
		QC Sample Type	Method				
MIC-022406-F	Fecal Coliform (MF)	Pre Filter	SM9222D	1.0	1.0	cfu/100ml	U
MIC-022406-F	Fecal Coliform (MF)	Post Filter	SM9222D	1.0	1.0	cfu/100ml	U

Quality Assurance Qualifiers:

U The compound was analyzed for but not detected.

Definitions:

Water matrix refers to all aqueous matrices except drinking water, including but not limited to, wastewater, ground water, surface water, aqueous wastes and leach

Soil matrix refers to all non-aqueous matrices, including soils, solids, sludges, semi-solids, and non-aqueous waste samples

All results in mg/kg or % are reported in dry weight basis, unless notated otherwise. All results in mg/L are reported in wet weight basis.

MDL Method Detection Limit, without correction for dilution or moisture content

Adjusted Reporting Limit is the MDL accounting for all dilutions and moisture content calculations.

PQL is defined to be 4 times the MDL, for all results qualified with a 'i' qualifier.

Sampling Method; G=Grab, P=Pump, C=Composite

The estimated measurements of uncertainty can be provided upon request

This is the last page of the analytical report.



Advanced Environmental Labs Inc

Advanced Environmental
6601 Southpoint Parkway
Jacksonville, FL 32216

Client: STL-Tampa

Project name: STL-Tampa (Trailridge)
4P

Date/Time Rcvd: 12/24/06 0940

Log-In request number: J061386

Received by: [Signature]

Completed by: [Signature]

Cooler/Shipping Information:

Courier: AEL Client UPS Pony Express FedEx AES ASAP Other (describe): _____

Type: Cooler Box Other (describe) _____

Cooler temperature: Identify the cooler and document the temperature blank or ice water measurement

Cooler ID					
Temp (°C)	0°				
Temp taken from	<input checked="" type="checkbox"/> Sample Bottle <input checked="" type="checkbox"/> Cooler	<input type="checkbox"/> Sample Bottle <input type="checkbox"/> Cooler	<input type="checkbox"/> Sample Bottle <input type="checkbox"/> Cooler	<input type="checkbox"/> Sample Bottle <input type="checkbox"/> Cooler	<input type="checkbox"/> Sample Bottle <input type="checkbox"/> Cooler
Temp measured with	<input checked="" type="checkbox"/> IR gun <input type="checkbox"/> Thermometer (enter ID):	<input type="checkbox"/> IR gun <input type="checkbox"/> Thermometer (enter ID):	<input type="checkbox"/> IR gun <input type="checkbox"/> Thermometer (enter ID):	<input type="checkbox"/> IR gun <input type="checkbox"/> Thermometer (enter ID):	<input type="checkbox"/> IR gun <input type="checkbox"/> Thermometer (enter ID):

Other Information:

Any discrepancies should be explained in the "Comments" section below.

CHECKLIST

YES NO NA

	YES	NO	NA
1. Were custody seals on shipping container(s) intact?			<input checked="" type="checkbox"/>
2. Were custody papers properly included with samples?	<input checked="" type="checkbox"/>		
3. Were custody papers properly filled out (ink, signed, match labels)?	<input checked="" type="checkbox"/>		
4. Did all bottles arrive in good condition (unbroken)?	<input checked="" type="checkbox"/>		
5. Were all bottle labels complete (sample #, date, signed, analysis, preservatives)?	<input checked="" type="checkbox"/>		
6. Did the sample labels agree with the chain of custody?	<input checked="" type="checkbox"/>		
7. Were correct bottles used for the tests indicated?	<input checked="" type="checkbox"/>		
8. Were proper sample preservation techniques indicated on the label?	<input checked="" type="checkbox"/>		
9. Were samples received within holding times?	<input checked="" type="checkbox"/>		
10. Were all VOA vials checked for the presence of air bubbles?			<input checked="" type="checkbox"/>
11. Were there air bubbles present in the VOA vials?			<input checked="" type="checkbox"/>
12. Were samples in direct contact with wet ice? If "No," check one: <input type="checkbox"/> NO ICE <input type="checkbox"/> BLUE ICE	<input checked="" type="checkbox"/>		
13. Was the cooler temperature less than 6°C?	<input checked="" type="checkbox"/>		
14. Were the sample containers provided by AEL?	<input checked="" type="checkbox"/>		
15. Were samples accepted into the laboratory?	<input checked="" type="checkbox"/>		
16. Was it necessary to split samples into other bottles?		<input checked="" type="checkbox"/>	

Comments:

Chain-of-Custody for AEL Jax to AEL Tampa

AEL Jax
 6601 Southpoint Parkway
 Jacksonville, FL 32216
 904-363-9350 Fax 904-363-9354
 Contact Person: Sean Hyde

AEL Tampa
 9610 Princess Palm Avenue
 Tampa, FL 33619
 813-630-9616 Fax 813-630-4327
 Contact Person: Michael Cammarata

Project #: J061386

Department: Wetchem (Tampa)

CustomerName: STL Tampa

Check if Rush

Collector: Client

Lab Code	Client Sample ID	Test	Matrix	Collect Date / Time	Receive Date	Due Date	# Bottles	Bottle Type (Pres.)
J061386-01 ✓	1	Chlorophyll A (J)	Water	02/24/2006 07:30	2/24/06 09:40	03/10/2006	_____	1L Amber Glass
J061386-02	2	Chlorophyll A (J)	Water	02/24/2006 08:00	2/24/06 09:40	03/10/2006	_____	1L Amber Glass

Jacksonville Relinquisher: *D. Satter*

Shipping Receiver: *B/S*
Pony Express

Date/Time: 02/27/2006 15:37:37 ¹⁷⁰⁰

Shipping Relinquisher: _____

Tampa Receiver: *K. Madell*

Date/Time: 2/28/06 09:00

STL-4124 (0901)

Client: **STL-TAMPA** Project Manager: **NANCY ROBERTSON** Date: **2-24-06** Chain of Custody Number: **326706**
 Address: **5110 HWY 301** Telephone Number (Area Code)/Fax Number: _____ Lab Number: _____
 City: **BALWYN** State: **FL** Zip Code: _____ Site Contact: _____ Lab Contact: _____
 Project Name and Location (State): **STL-TAMPA (TRAIL RIDGE 4P)** Carrier/Waybill Number: _____
 Contract/Purchase Order/Quote No.: _____

Sample I.D. No. and Description <small>(Containers for each sample may be combined on one line)</small>	Date	Time	Matrix				Containers & Preservatives							Analysis (Attach list if more space is needed)	Special Instructions/ Conditions of Receipt		
			Air	Aqueous	Sed.	Soil	Unpres.	H2SO4	HNO3	HCl	NaOH	ZnAc/ NaOH	Other				
SW-1	2-24	0730	X				1										01
SW-2	2-24	0800	X				1										02

Possible Hazard Identification: Non-Hazard Flammable Skin Irritant Poison B Unknown Return To Client Disposal By Lab Archive For _____ Months (A fee may be assessed if samples are retained longer than 1 month)

Turn Around Time Required: 24 Hours 48 Hours 7 Days 14 Days 21 Days Other _____ QC Requirements (Specify)

1. Relinquished By:	Date: 2-24-06	Time: 0940	1. Received By:	Date: 2-24-06	Time: 09:40
2. Relinquished By:	Date:	Time:	2. Received By:	Date:	Time:
3. Relinquished By:	Date:	Time:	3. Received By:	Date:	Time:

Comments

ANALYSIS REQUEST AND CHAIN OF CUSTODY RECORD

STL Tampa
6712 Benjamin Road, Suite 100
Tampa, FL 33634

Website: www.stl-inc.com
Phone: (813) 885-7427
Fax: (813) 885-7049

Alternate Laboratory Name/Location

Phone:
Fax:

**SEVERN
TRENT** **STL**

PROJECT REFERENCE CITY OF STL TAMPA JAX	PROJECT NO.	PROJECT LOCATION (STATE) FL	MATRIX TYPE	REQUIRED ANALYSIS										PAGE 1	OF 1
SAMPLER'S SIGNATURE	P.O. NUMBER	CONTRACT NO.	COMPOSITE (C) OR GRAB (G) INDICATE AQUEOUS (WATER) SOLID OR SEMISOLID AIR NONAQUEOUS LIQUID (OIL, SOLVENT...)	TP, NH ₃ , TKN, TN	COD	Metals, Hardness	TOC	8260 App I	ED9	TDS, TSS, NO ₂ , NO ₃	BOD	THALLIUM	STANDARD REPORT DELIVERY <input checked="" type="checkbox"/>		
CLIENT (SITE) PM AL BURSEN Nancy Robertson	CLIENT PHONE	CLIENT FAX											DATE DUE _____		
CLIENT NAME TRAIL RIDGE	CLIENT E-MAIL												EXPEDITED REPORT DELIVERY (SURCHARGE) <input type="checkbox"/>		
CLIENT ADDRESS 5110 HWY 301 BALDWIN, FL		COMPANY CONTRACTING THIS WORK (if applicable)											DATE DUE _____		
				H ₂ O ₂	H ₂ SO ₄	HNO ₃	H ₂ SO ₄	HCl	HCl	HNO ₃	HNO ₃	HNO ₃	NUMBER OF COOLERS SUBMITTED PER SHIPMENT:		

SAMPLE		SAMPLE IDENTIFICATION	COMPOSITE (C) OR GRAB (G) INDICATE	AQUEOUS (WATER)	SOLID OR SEMISOLID	AIR	NONAQUEOUS LIQUID (OIL, SOLVENT...)	NUMBER OF CONTAINERS SUBMITTED										REMARKS
DATE	TIME							H ₂ O ₂	H ₂ SO ₄	HNO ₃	H ₂ SO ₄	HCl	HCl	HNO ₃	HNO ₃	HNO ₃		
2-24	0730	SW-1	G	X				1	1	1	1	3	3	1	1	1	NOTE: FECAL COLIFORM + CHLOROPHYLL-A SE HAND DELIVERED TO SUB-CONTRACT LAB - AEL	
2-24	0800	SW-2	G	X														
2-24	-	TRIP	G	X														

RELINQUISHED BY: (SIGNATURE) <i>[Signature]</i>	DATE 1-15-06	TIME 1300	RELINQUISHED BY: (SIGNATURE) <i>[Signature]</i>	DATE 2-24-06	TIME 1800	RELINQUISHED BY: (SIGNATURE)	DATE	TIME
RECEIVED BY: (SIGNATURE) <i>[Signature]</i>	DATE	TIME	RECEIVED BY: (SIGNATURE) <i>[Signature]</i>	DATE 2-25-06	TIME 1030	RECEIVED BY: (SIGNATURE)	DATE	TIME

LABORATORY USE ONLY								
RECEIVED FOR LABORATORY BY: (SIGNATURE) <i>[Signature]</i>	DATE 2-25-06	TIME 1030	CUSTODY INTACT YES <input type="radio"/> NO <input type="radio"/>	CUSTODY SEAL NO.	STL TAMPA LOG NO. 660-7456	LABORATORY REMARKS 50 FX		

Appendix F

FDEP Semi-Annual Condensate Parameter Monitoring Report Forms

Facility Name: Trail Ridge Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMLC

Description: Semiannual Leachate (1 Pages)

WACS Facility ID #: 33628
 WACS Testsite ID #: 0
 WACS Testsite Name: COND.
 Water Classification: LC
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 2/24/2006 8:30:00AM
 Sampling Method: Unknown
 Permitted
 Well Type: OT

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034621	2,4,6-Trichlorophenol	N	E84282	8270C	3/10/2006 5:52:00PM	24	24	ug/L	U
039340	gamma-BHC (Lindane)	N	E84282	8081A	3/11/2006 7:46:00PM	0.21	0.21	ug/L	U
000299	Oxygen, Dissolved	N	E84282	Field Sampling	2/24/2006 8:30:00AM	4.1		mg/L	
000094	Specific Conductance	N	E84282	Field Sampling	2/24/2006 8:30:00AM	3768		umhos/cm	
082079	Turbidity	N	E84282	Field Sampling	2/24/2006 8:30:00AM	3.7		NTU	
039350	Chlordane (technical)	N	E84282	8081A	3/11/2006 7:46:00PM	3.4	3.4	ug/L	U
039390	Endrin	N	E84282	8081A	3/11/2006 7:46:00PM	0.61	0.61	ug/L	U
039420	Heptachlor epoxide	N	E84282	8081A	3/11/2006 7:46:00PM	0.22	0.22	ug/L	U
039410	Heptachlor	N	E84282	8081A	3/11/2006 7:46:00PM	0.36	0.36	ug/L	U
039032	Pentachlorophenol	N	E84282	8270C	3/10/2006 5:52:00PM	28	28	ug/L	U
039480	Methoxychlor	N	E84282	8081A	3/11/2006 7:46:00PM	0.44	0.44	ug/L	U
039400	Toxaphene	N	E84282	8081A	3/11/2006 7:46:00PM	19	19	ug/L	U
039730	2,4-D	N	E84282	8151A	3/12/2006 7:17:00AM	7.5	7.5	ug/L	U
039760	Silvex (2,4,5-TP)	N	E84282	8151A	3/12/2006 7:17:00AM	1.6	1.6	ug/L	U
0371	1,4-Dichlorobenzene	N	E84282	8270C	3/10/2006 5:52:00PM	38	27	ug/L	I
000406	Field pH	N	E84282	Field Sampling	2/24/2006 8:30:00AM	6.77		SU	
034611	2,4-Dinitrotoluene	N	E84282	8270C	3/10/2006 5:52:00PM	27	27	ug/L	U
077687	2,4,5-Trichlorophenol	N	E84282	8270C	3/10/2006 5:52:00PM	34	34	ug/L	U
039700	Hexachlorobenzene	N	E84282	8270C	3/10/2006 5:52:00PM	24	24	ug/L	U
034391	Hexachlorobutadiene	N	E84282	8270C	3/10/2006 5:52:00PM	32	32	ug/L	U
034396	Hexachloroethane	N	E84282	8270C	3/10/2006 5:52:00PM	32	32	ug/L	U
977148	m & p Cresol	N	E84282	8270C	3/10/2006 5:52:00PM	31	31	ug/L	U
034447	Nitrobenzene	N	E84282	8270C	3/10/2006 5:52:00PM	31	31	ug/L	U
077152	o-Cresol	N	E84282	8270C	3/10/2006 5:52:00PM	130	31	ug/L	I
000010	Field Temperature	N	E84282	Field Sampling	2/24/2006 8:30:00AM	21.9		Degrees C	
077045	Pyridine	N	E84282	8270C	3/10/2006 5:52:00PM	370	43	ug/L	I
001002	Arsenic	N	E84282	6010B	3/6/2006 9:55:00AM	220	120	ug/L	I
001007	Barium	N	E84282	6010B	3/6/2006 9:55:00AM	30	30	ug/L	U
001027	Cadmium	N	E84282	6010B	3/6/2006 9:55:00AM	18	18	ug/L	U
001034	Chromium	N	E84282	6010B	3/6/2006 9:55:00AM	43	43	ug/L	U
001051	Lead	N	E84282	6010B	3/6/2006 9:55:00AM	40	40	ug/L	U
001147	Selenium	N	E84282	6010B	3/6/2006 9:55:00AM	150	150	ug/L	U
001077	Silver	N	E84282	6010B	3/6/2006 9:55:00AM	48	48	ug/L	U
071900	Mercury	N	E84282	7470A	3/6/2006 5:07:00PM	0.8	0.36	ug/L	

Total Parameters Monitored: 34

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Appendix G

STL Laboratory Reports – Condensate Sample Points

ANALYTICAL REPORT

Job Number: 660-7458-1

Job Description: Trail Ridge

For:
HDR Engineering
200 W. Forsyth St., Suite 800
Jacksonville, FL 32202

Attention: Mr. Brad Stone



Nancy Robertson
Project Manager II
nrobertson@stl-inc.com
04/07/2006

Project Manager: Nancy Robertson

DOH Certification #: E84282

These test results meet all the requirements of NELAC. All questions regarding this test report should be directed to the STL Project Manager who signed this test report. The estimated uncertainty associated with these reported results is available upon request.

Severn Trent Laboratories, Inc.

STL Tampa 6712 Benjamin Road Suite 100, Tampa, FL 33634
Tel (813) 885-7427 Fax (813) 885-7049 www.stl-inc.com

Case Narrative: STL Project 660-7458

Client: HDR Engineering

Project: Trail Ridge Landfill COND

Laboratory: STL Tampa

One liquid sample was received on February 25, 2006 and logged in as STL Project 660-7458.

TCLP 8260

Due to a laboratory error, the sample COND was analyzed for total volatiles and not TCLP volatiles. Although the results were below the TCLP limits, the client will re sample for TCLP volatiles.

EXECUTIVE SUMMARY - Detections

Client: HDR Engineering

Job Number: 660-7458-1

Lab Sample ID Analyte	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
660-7458-1	COND.				
<i>TCLP</i>					
Pyridine		370	1300	ug/L	8270C
o-Cresol		130	250	ug/L	8270C
1,4-Dichlorobenzene		38	250	ug/L	8270C
Arsenic		220	1000	ug/L	6010B
Mercury		0.80	0.50	ug/L	7470A

METHOD SUMMARY

Client: HDR Engineering

Job Number: 660-7458-1

Description	Lab Location	Method	Preparation Method
Matrix: Water			
Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	STL-TAM	SW846 8270C	
Toxicity Characteristic Leaching Procedure	STL-TAM		SW846 1311
Continuous Liquid-Liquid Extraction	STL-TAM		SW846 3520C
Organochlorine Pesticides by Gas Chromatography	STL-TAM	SW846 8081A	
Toxicity Characteristic Leaching Procedure	STL-TAM		SW846 1311
Separatory Funnel Liquid-Liquid Extraction	STL-TAM		SW846 3510C
Chlorinated Herbicides by GC Using Methylation or Pentafluorobenzoylation Derivat	STL-TAM	SW846 8151A	
Toxicity Characteristic Leaching Procedure	STL-TAM		SW846 1311
Chlorinated Herbicides by GC - Aqueous Prep	STL-TAM		SW846 8151A
Inductively Coupled Plasma - Atomic Emission Spectrometry	STL-TAM	SW846 6010B	
Toxicity Characteristic Leaching Procedure	STL-TAM		SW846 1311
Acid Digestion of Aqueous Samples and Extracts	STL-TAM		SW846 3010A
Mercury in Liquid Waste (Manual Cold Vapor Technique)	STL-TAM	SW846 7470A	
Toxicity Characteristic Leaching Procedure	STL-TAM		SW846 1311
Mercury in Liquid Waste (Manual Cold Vapor)	STL-TAM		SW846 7470A
Field Sampling	STL-TAM	EPA Field Sampling	
Toxicity Characteristic Leaching Procedure	STL-TAM	SW846 1311	

LAB REFERENCES:

STL-TAM = STL-Tampa

METHOD REFERENCES:

EPA - US Environmental Protection Agency

SW846 - "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986
And Its Updates.

METHOD / ANALYST SUMMARY

Client: HDR Engineering

Job Number: 660-7458-1

Method	Analyst	Analyst ID
SW846 8270C	Carlson, Robyn	RC
SW846 8081A	Ortiz, Raymond	RO
SW846 8151A	Perrin, Todd	TP
SW846 6010B	Fox, Greg	GF
SW846 7470A	Phan, Qui	QP
EPA Field Sampling	Sampler, Field	FS

SAMPLE SUMMARY

Client: HDR Engineering

Job Number: 660-7458-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
660-7458-1	COND.	Water	02/24/2006 0830	02/25/2006 1030

Analytical Data

Client: HDR Engineering

Job Number: 660-7458-1

Client Sample ID: COND.

Lab Sample ID: 660-7458-1

Date Sampled: 02/24/2006 0830

Client Matrix: Water

Date Received: 02/25/2006 1030

8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS) -TCLP

Method:	8270C	Analysis Batch:	660-21824	Instrument ID:	BSMC5973
Preparation:	3520C	Prep Batch:	660-21512	Lab File ID:	1CC10016.D
Dilution:	1.0	Leachate Batch:	660-21436	Initial Weight/Volume:	200 mL
Date Analyzed:	03/10/2006 1752			Final Weight/Volume:	1 mL
Date Prepared:	03/02/2006 1700			Injection Volume:	
Date Leached:	03/01/2006 1728				

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Pyridine	370	I	43	1300
Pentachlorophenol	28	U	28	1300
Nitrobenzene	31	U	31	250
Hexachloroethane	32	U	32	250
Hexachlorobutadiene	32	U	32	250
Hexachlorobenzene	24	U	24	250
o-Cresol	130	I	31	250
m & p - Cresol	31	U	31	250
1,4-Dichlorobenzene	38	I	27	250
2,4-Dinitrotoluene	27	U	27	250
2,4,5-Trichlorophenol	34	U	34	250
2,4,6-Trichlorophenol	24	U	24	250
Surrogate	%Rec		Acceptance Limits	
2,4,6-Tribromophenol	86		39 - 146	
Phenol-d5	80		25 - 126	
Nitrobenzene-d5	72		32 - 131	
2-Fluorobiphenyl	74		40 - 129	
Terphenyl-d14	79		10 - 149	

Client: HDR Engineering

Job Number: 660-7458-1

Client Sample ID: COND.

Lab Sample ID: 660-7458-1

Date Sampled: 02/24/2006 0830

Client Matrix: Water

Date Received: 02/25/2006 1030

8081A Organochlorine Pesticides by Gas Chromatography -TCLP

Method: 8081A	Analysis Batch: 660-21930	Instrument ID: AGILENT GC ECD/ECD
Preparation: 3510C	Prep Batch: 660-21778	Lab File ID: 1C11J025.D
Dilution: 1.0	Leachate Batch: 660-21436	Initial Weight/Volume: 20 mL
Date Analyzed: 03/11/2006 1946		Final Weight/Volume: 2 mL
Date Prepared: 03/08/2006 1326		Injection Volume:
Date Leached: 03/01/2006 1728		Column ID: PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Endrin	0.61	U	0.61	5.0
gamma-BHC (Lindane)	0.21	U	0.21	2.5
Methoxychlor	0.44	U	0.44	25
Chlordane (technical)	3.4	U	3.4	25
Toxaphene	19	U	19	250
Heptachlor	0.36	U	0.36	2.5
Heptachlor epoxide	0.22	U	0.22	2.5
Surrogate	%Rec		Acceptance Limits	
DCB Decachlorobiphenyl	64		30 - 150	
Tetrachloro-m-xylene	47		30 - 150	

Analytical Data

Client: HDR Engineering

Job Number: 660-7458-1

Client Sample ID: COND.

Lab Sample ID: 660-7458-1

Date Sampled: 02/24/2006 0830

Client Matrix: Water

Date Received: 02/25/2006 1030

8151A Chlorinated Herbicides by GC Using Methylation or Pentafluorobenzoylation Derivat -TCLP

Method:	8151A	Analysis Batch: 660-22005	Instrument ID:	AGILENT GC ECD/ECD
Preparation:	8151A	Prep Batch: 660-21794	Lab File ID:	1C11J062.D
Dilution:	1.0	Leachate Batch: 660-21436	Initial Weight/Volume:	10 mL
Date Analyzed:	03/12/2006 0717		Final Weight/Volume:	2 mL
Date Prepared:	03/08/2006 1627		Injection Volume:	
Date Leached:	03/01/2006 1728		Column ID:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	PQL
2,4-D	7.5	U	7.5	25
Silvex (2,4,5-TP)	1.6	U	1.6	25
Surrogate	%Rec		Acceptance Limits	
2,4-Dichlorophenylacetic acid	96		33 - 120	

Analytical Data

Client: HDR Engineering

Job Number: 660-7458-1

Client Sample ID: COND.

Lab Sample ID: 660-7458-1
Client Matrix: Water

Date Sampled: 02/24/2006 0830
Date Received: 02/25/2006 1030

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-TCLP

Method:	6010B	Analysis Batch: 660-21620	Instrument ID:	TJA ICP
Preparation:	3010A	Prep Batch: 660-21601	Lab File ID:	6C06B
Dilution:	5.0	Leachate Batch: 660-21436	Initial Weight/Volume:	50 mL
Date Analyzed:	03/06/2006 0955		Final Weight/Volume:	50 mL
Date Prepared:	03/05/2006 0916			
Date Leached:	03/01/2006 1728			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Silver	48	U	48	500
Arsenic	220	I	120	1000
Barium	30	U	30	500
Cadmium	18	U	18	500
Chromium	43	U	43	1000
Lead	40	U	40	1000
Selenium	150	U	150	500

7470A Mercury in Liquid Waste (Manual Cold Vapor Technique)-TCLP

Method:	7470A	Analysis Batch: 660-21677	Instrument ID:	Hg Analyzer
Preparation:	7470A	Prep Batch: 660-21603	Lab File ID:	N/A
Dilution:	1.0	Leachate Batch: 660-21436	Initial Weight/Volume:	50 mL
Date Analyzed:	03/06/2006 1707		Final Weight/Volume:	50 mL
Date Prepared:	03/05/2006 1311			
Date Leached:	03/01/2006 1728			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Mercury	0.80		0.36	0.50

Client: HDR Engineering

Job Number: 660-7458-1

Field Service / Mobile Lab

Client Sample ID: COND.

Lab Sample ID: 660-7458-1

Date Sampled: 02/24/2006 0830

Client Matrix: Water

% Moisture:

Date Received: 02/25/2006 1030

Analyte	Result	Qual	Units	Dil	Method	Analysis Batch	Date Analyzed
Field pH	6.77		SU	1.0	Field	660-2131	02/24/2006 0830
Field Temperature	21.9		Degrees C	1.0	Field	660-2131	02/24/2006 0830
Oxygen, Dissolved	4.1		mg/L	1.0	Field	660-2131	02/24/2006 0830
Specific Conductance	3768		umhos/cm	1.0	Field	660-2131	02/24/2006 0830
Turbidity	3.7		NTU	1.0	Field	660-2131	02/24/2006 0830

DATA REPORTING QUALIFIERS

Client: HDR Engineering

Job Number: 660-7458-1

Lab Section	Qualifier	Description
GC/MS Semi VOA	U	Indicates that the compound was analyzed for but not detected.
	I	The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
GC Semi VOA	U	Indicates that the compound was analyzed for but not detected.
Metals	U	Indicates that the compound was analyzed for but not detected.
	I	The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7458-1

Method Blank - Batch: 660-21512

Method: 8270C
Preparation: 3520C
TCLP

Lab Sample ID: MB 660-21512/1-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/07/2006 1750
Date Prepared: 03/02/2006 1700

Analysis Batch: 660-21824
Prep Batch: 660-21512
Units: ug/L

Instrument ID: BSMC5973
Lab File ID: 1CC07014.D
Initial Weight/Volume: 200 mL
Final Weight/Volume: 1 mL
Injection Volume:

Analyte	Result	Qual	MDL	PQL
Pyridine	43	U	43	1300
Pentachlorophenol	28	U	28	1300
Nitrobenzene	31	U	31	250
Hexachloroethane	32	U	32	250
Hexachlorobutadiene	32	U	32	250
Hexachlorobenzene	24	U	24	250
o-Cresol	31	U	31	250
m & p - Cresol	31	U	31	250
1,4-Dichlorobenzene	27	U	27	250
2,4-Dinitrotoluene	27	U	27	250
2,4,5-Trichlorophenol	34	U	34	250
2,4,6-Trichlorophenol	24	U	24	250
Surrogate	% Rec	Acceptance Limits		
2,4,6-Tribromophenol	100	39 - 146		
Phenol-d5	95	25 - 126		
Nitrobenzene-d5	105	32 - 131		
2-Fluorobiphenyl	90	40 - 129		
Terphenyl-d14	113	10 - 149		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7458-1

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-21512**

**Method: 8270C
Preparation: 3520C
TCLP**

LCS Lab Sample ID: LCS 660-21512/2-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/08/2006 1433
Date Prepared: 03/02/2006 1700

Analysis Batch: 660-21824
Prep Batch: 660-21512
Units: ug/L

Instrument ID: BSMC5973
Lab File ID: 1CC08012.D
Initial Weight/Volume: 200 mL
Final Weight/Volume: 1 mL
Injection Volume:

LCSD Lab Sample ID: LCSD 660-21512/3-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/07/2006 1838
Date Prepared: 03/02/2006 1700

Analysis Batch: 660-21824
Prep Batch: 660-21512
Units: ug/L

Instrument ID: BSMC5973
Lab File ID: 1CC07016.D
Initial Weight/Volume: 200 mL
Final Weight/Volume: 1 mL
Injection Volume:

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Pyridine	82	77	10 - 134	7	50		
Pentachlorophenol	113	102	34 - 148	10	33		
Nitrobenzene	99	99	34 - 124	0	21		
Hexachloroethane	75	69	21 - 94	9	35		
Hexachlorobutadiene	71	71	26 - 104	1	30		
Hexachlorobenzene	82	87	33 - 124	5	31		
o-Cresol	100	107	38 - 118	7	27		
m & p - Cresol	89	95	38 - 118	6	27		
1,4-Dichlorobenzene	83	77	30 - 95	8	31		
2,4-Dinitrotoluene	101	81	36 - 129	21	32		
2,4,5-Trichlorophenol	83	80	46 - 128	3	28		
2,4,6-Trichlorophenol	89	98	47 - 124	10	22		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7458-1

Method Blank - Batch: 660-21778

Lab Sample ID: MB 660-21778/1-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/11/2006 1847
Date Prepared: 03/08/2006 1326

Analysis Batch: 660-21930
Prep Batch: 660-21778
Units: ug/L

Method: 8081A
Preparation: 3510C
TCLP

Instrument ID: AGILENT GC ECD/ECD
Lab File ID: 1C11J022.D
Initial Weight/Volume: 20 mL
Final Weight/Volume: 2 mL
Injection Volume:
Column ID: PRIMARY

Analyte	Result	Qual	MDL	PQL
Endrin	0.61	U	0.61	5.0
gamma-BHC (Lindane)	0.21	U	0.21	2.5
Methoxychlor	0.44	U	0.44	25
Chlordane (technical)	3.4	U	3.4	25
Toxaphene	19	U	19	250
Heptachlor	0.36	U	0.36	2.5
Heptachlor epoxide	0.22	U	0.22	2.5

Surrogate	% Rec	Acceptance Limits
DCB Decachlorobiphenyl	48	30 - 150
Tetrachloro-m-xylene	48	30 - 150

Laboratory Control/

Laboratory Control Duplicate Recovery Report - Batch: 660-21778

LCS Lab Sample ID: LCS 660-21778/2-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/11/2006 1907
Date Prepared: 03/08/2006 1326

Analysis Batch: 660-21930
Prep Batch: 660-21778
Units: ug/L

Method: 8081A
Preparation: 3510C
TCLP

Instrument ID: AGILENT GC ECD/ECD
Lab File ID: 1C11J023.D
Initial Weight/Volume: 20 mL
Final Weight/Volume: 2 mL
Injection Volume:
Column ID: PRIMARY

LCSD Lab Sample ID: LCSD 660-21778/3-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/11/2006 1926
Date Prepared: 03/08/2006 1326

Analysis Batch: 660-21930
Prep Batch: 660-21778
Units: ug/L

Instrument ID: AGILENT GC ECD/ECD
Lab File ID: 1C11J024.D
Initial Weight/Volume: 20 mL
Final Weight/Volume: 2 mL
Injection Volume:
Column ID: PRIMARY

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Endrin	69	70	36 - 137	2	25		
gamma-BHC (Lindane)	79	82	24 - 118	4	36		
Heptachlor	67	69	34 - 114	3	26		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7458-1

Method Blank - Batch: 660-21794

**Method: 8151A
Preparation: 8151A
TCLP**

Lab Sample ID: MB 660-21794/1-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/12/2006 0549
Date Prepared: 03/08/2006 1627

Analysis Batch: 660-22005
Prep Batch: 660-21794
Units: ug/L

Instrument ID: AGILENT GC ECD/ECD
Lab File ID: 1C11J057.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 2 mL
Injection Volume:
Column ID: PRIMARY

Analyte	Result	Qual	MDL	PQL
2,4-D	7.5	U	7.5	25
Silvex (2,4,5-TP)	1.6	U	1.6	25
Surrogate	% Rec	Acceptance Limits		
2,4-Dichlorophenylacetic acid	83	33 - 120		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7458-1

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-21794**

**Method: 8151A
Preparation: 8151A
TCLP**

LCS Lab Sample ID: LCS 660-21794/2-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/12/2006 0606
Date Prepared: 03/08/2006 1627

Analysis Batch: 660-22005
Prep Batch: 660-21794
Units: ug/L

Instrument ID: AGILENT GC ECD/ECD
Lab File ID: 1C11J058.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 2 mL
Injection Volume:
Column ID: PRIMARY

LCSD Lab Sample ID: LCSD 660-21794/3-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/12/2006 0624
Date Prepared: 03/08/2006 1627

Analysis Batch: 660-22005
Prep Batch: 660-21794
Units: ug/L

Instrument ID: AGILENT GC ECD/ECD
Lab File ID: 1C11J059.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 2 mL
Injection Volume:
Column ID: PRIMARY

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
2,4-D	65	64	10 - 166	2	78		

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-21794**

**Method: 8151A
Preparation: 8151A
TCLP**

LCS Lab Sample ID: LCS 660-21794/2-A
Client Matrix: Water
Dilution: 10
Date Analyzed: 03/12/2006 0641
Date Prepared: 03/08/2006 1627

Analysis Batch: 660-22005
Prep Batch: 660-21794
Units: ug/L

Instrument ID: AGILENT GC ECD/ECD
Lab File ID: 1C11J060.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 2 mL
Injection Volume:
Column ID: PRIMARY

LCSD Lab Sample ID: LCSD 660-21794/3-A
Client Matrix: Water
Dilution: 10
Date Analyzed: 03/12/2006 0659
Date Prepared: 03/08/2006 1627

Analysis Batch: 660-22005
Prep Batch: 660-21794
Units: ug/L

Instrument ID: AGILENT GC ECD/ECD
Lab File ID: 1C11J061.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 2 mL
Injection Volume:
Column ID: PRIMARY

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Silvex (2,4,5-TP)	85	93	25 - 139	10	66		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7458-1

Method Blank - Batch: 660-21601

Method: 6010B
Preparation: 3010A
TCLP

Lab Sample ID: MB 660-21588/1-B
Client Matrix: Water
Dilution: 5.0
Date Analyzed: 03/06/2006 0825
Date Prepared: 03/05/2006 0916
Date Leached: 03/03/2006 1600

Analysis Batch: 660-21620
Prep Batch: 660-21601
Units: ug/L

Instrument ID: TJA ICP
Lab File ID: 6C06B
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result	Qual	MDL	PQL
Silver	48	U	48	500
Arsenic	120	U	120	1000
Barium	30	U	30	500
Cadmium	18	U	18	500
Chromium	43	U	43	1000
Lead	40	U	40	1000
Selenium	150	U	150	500

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-21601**

Method: 6010B
Preparation: 3010A
TCLP

LCS Lab Sample ID: LCS 660-21601/2-A
Client Matrix: Water
Dilution: 5.0
Date Analyzed: 03/06/2006 0830
Date Prepared: 03/05/2006 0916

Analysis Batch: 660-21620
Prep Batch: 660-21601
Units: ug/L

Instrument ID: TJA ICP
Lab File ID: 6C06B
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

LCSD Lab Sample ID: LCSD 660-21601/3-A
Client Matrix: Water
Dilution: 5.0
Date Analyzed: 03/06/2006 0835
Date Prepared: 03/05/2006 0916

Analysis Batch: 660-21620
Prep Batch: 660-21601
Units: ug/L

Instrument ID: TJA ICP
Lab File ID: 6C06B
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Silver	97	96	75 - 125	1	20		
Arsenic	103	100	75 - 125	3	20		
Barium	100	101	75 - 125	1	20		
Cadmium	109	106	75 - 125	4	20		
Chromium	109	106	75 - 125	2	20		
Lead	108	105	75 - 125	3	20		
Selenium	103	102	75 - 125	1	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7458-1

**Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-21601**

**Method: 6010B
Preparation: 3010A
TCLP**

MS Lab Sample ID: 660-7512-A-10-C MS[^]P Analysis Batch: 660-21620
Client Matrix: Water Prep Batch: 660-21601
Dilution: 5.0
Date Analyzed: 03/06/2006 0849
Date Prepared: 03/05/2006 0916
Date Leached: 03/03/2006 1600

Instrument ID: TJA ICP
Lab File ID: 6C06B
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

MSD Lab Sample ID: 660-7512-A-10-D Analysis Batch: 660-21620
Client Matrix: Water Prep Batch: 660-21601
Dilution: 5.0
Date Analyzed: 03/06/2006 0854
Date Prepared: 03/05/2006 0916
Date Leached: 03/03/2006 1600

Instrument ID: TJA ICP
Lab File ID: 6C06B
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
Silver	95	98	75 - 125	3	20		
Arsenic	112	115	75 - 125	3	20		
Barium	97	103	75 - 125	4	20		
Cadmium	104	109	75 - 125	4	20		
Chromium	105	111	75 - 125	5	20		
Lead	101	106	75 - 125	4	20		
Selenium	98	104	75 - 125	6	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-7458-1

Method Blank - Batch: 660-21603

Lab Sample ID: MB 660-21588/1-C
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/06/2006 1537
Date Prepared: 03/05/2006 1311
Date Leached: 03/03/2006 1600

Analysis Batch: 660-21677
Prep Batch: 660-21603
Units: ug/L

Method: 7470A
Preparation: 7470A
TCLP

Instrument ID: Hg Analyzer
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result	Qual	MDL	PQL
Mercury	0.36	U	0.36	0.50

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-21603**

LCS Lab Sample ID: LCS 660-21603/2-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/06/2006 1538
Date Prepared: 03/05/2006 1311

Analysis Batch: 660-21677
Prep Batch: 660-21603
Units: ug/L

Method: 7470A
Preparation: 7470A
TCLP

Instrument ID: Hg Analyzer
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

LCSD Lab Sample ID: LCSD 660-21603/3-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/06/2006 1540
Date Prepared: 03/05/2006 1311

Analysis Batch: 660-21677
Prep Batch: 660-21603
Units: ug/L

Instrument ID: Hg Analyzer
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Mercury	92	92	80 - 120	1	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

FIELD INFORMATION FORM



Site Name: TRAIL RIDGE

This Waste Management Field Information Form is Required. This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

Sample Point: COND

PURGE INFO table with columns: PURGE DATE (022406), PURGE TIME, ELAPSED HRS, WATER VOL IN CASING, ACTUAL VOL PURGED, WELL VOLS PURGED.

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT section with checkboxes for Purging and Sampling Equipment, Filter Device, Purging Device, Sampling Device, and Sample Tube Type.

WELL DATA section with fields for Well Elevation, Depth to Water (DTW), Groundwater Elevation, Total Well Depth, Stick Up, Casing ID, and Casing Material.

Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by State/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

DATA (Optional) table with columns: Sample Time, Rate/Unit, pH, Conductance, Temp., Turbidity, D.O., eH/ORP, DTW. Includes stabilization data fields.

Suggested range for 3 consec. readings or note Permit/State requirements:

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/State. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA table with columns: SAMPLE DATE, pH, CONDUCTANCE, TEMP., TURBIDITY, DO, eH/ORP, Other.

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/State).

Sample Appearance, Odor, Color, Other, Weather Conditions, Direction/Speed, Outlook, Precipitation.

Specific Comments (including purge/well volume calculations if required):

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):

2/24/06 Dan Armour [Signature] Pro-Tech

Facility Name: Trail Ridge Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMLC

Description: Semiannual Leachate (1 Pages)

WACS Facility ID #: 33628
 WACS Testsite ID #: 0
 WACS Testsite Name: COND.
 Water Classification: LC
 (i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 2/24/2006 8:30:00AM
 Sampling Method: Unknown
 Permitted
 Well Type: OT

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034621	2,4,6-Trichlorophenol	N	E84282	8270C	3/10/2006 5:52:00PM	24	24	ug/L	U
039340	gamma-BHC (Lindane)	N	E84282	8081A	3/11/2006 7:46:00PM	0.21	0.21	ug/L	U
000299	Oxygen, Dissolved	N	E84282	Field Sampling	2/24/2006 8:30:00AM	4.1		mg/L	
000094	Specific Conductance	N	E84282	Field Sampling	2/24/2006 8:30:00AM	3768		umhos/cm	
082079	Turbidity	N	E84282	Field Sampling	2/24/2006 8:30:00AM	3.7		NTU	
039350	Chlordane (technical)	N	E84282	8081A	3/11/2006 7:46:00PM	3.4	3.4	ug/L	U
039380	Endrin	N	E84282	8081A	3/11/2006 7:46:00PM	0.61	0.61	ug/L	U
039420	Heptachlor epoxide	N	E84282	8081A	3/11/2006 7:46:00PM	0.22	0.22	ug/L	U
039410	Heptachlor	N	E84282	8081A	3/11/2006 7:46:00PM	0.38	0.38	ug/L	U
039032	Pentachlorophenol	N	E84282	8270C	3/10/2006 5:52:00PM	28	28	ug/L	U
039480	Methoxychlor	N	E84282	8081A	3/11/2006 7:46:00PM	0.44	0.44	ug/L	U
039400	Toxaphene	N	E84282	8081A	3/11/2006 7:46:00PM	19	19	ug/L	U
039730	2,4-D	N	E84282	8151A	3/12/2006 7:17:00AM	7.5	7.5	ug/L	U
039760	Silvex (2,4,6-TP)	N	E84282	8151A	3/12/2006 7:17:00AM	1.6	1.6	ug/L	U
034571	1,4-Dichlorobenzene	N	E84282	8270C	3/10/2006 5:52:00PM	38	27	ug/L	I
000408	Field pH	N	E84282	Field Sampling	2/24/2006 8:30:00AM	6.77		SU	
034611	2,4-Dinitrotoluene	N	E84282	8270C	3/10/2006 5:52:00PM	27	27	ug/L	U
077687	2,4,5-Trichlorophenol	N	E84282	8270C	3/10/2006 5:52:00PM	34	34	ug/L	U
039700	Hexachlorobenzene	N	E84282	8270C	3/10/2006 5:52:00PM	24	24	ug/L	U
034391	Hexachlorobutadiene	N	E84282	8270C	3/10/2006 5:52:00PM	32	32	ug/L	U
034396	Hexachloroethane	N	E84282	8270C	3/10/2006 5:52:00PM	32	32	ug/L	U
977148	m & p Cresol	N	E84282	8270C	3/10/2006 5:52:00PM	31	31	ug/L	U
034447	Nitrobenzene	N	E84282	8270C	3/10/2006 5:52:00PM	31	31	ug/L	U
077152	o-Cresol	N	E84282	8270C	3/10/2006 5:52:00PM	130	31	ug/L	I
000010	Field Temperature	N	E84282	Field Sampling	2/24/2006 8:30:00AM	21.9		Degrees C	
077045	Pyridine	N	E84282	8270C	3/10/2006 5:52:00PM	370	43	ug/L	I
001002	Arsenic	N	E84282	6010B	3/6/2006 9:55:00AM	220	120	ug/L	I
001007	Barium	N	E84282	6010B	3/6/2006 9:55:00AM	30	30	ug/L	U
001027	Cadmium	N	E84282	6010B	3/6/2006 9:55:00AM	18	18	ug/L	U
001034	Chromium	N	E84282	6010B	3/6/2006 9:55:00AM	43	43	ug/L	U
001051	Lead	N	E84282	6010B	3/6/2006 9:55:00AM	40	40	ug/L	U
001147	Selenium	N	E84282	6010B	3/6/2006 9:55:00AM	150	150	ug/L	U
001077	Silver	N	E84282	6010B	3/6/2006 9:55:00AM	48	48	ug/L	U
071900	Mercury	N	E84282	7470A	3/6/2006 5:07:00PM	0.8	0.38	ug/L	

Total Parameters Monitored: 34

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

LOGIN SAMPLE RECEIPT CHECK LIST

Client: HDR Engineering

Job Number: 660-7458-1

Login Number: 7458

Question	T/F/NA	Comment
Radioactivity either was not measured or, if measured, is at or below background	NA	
The cooler's custody seal, if present, is intact.	NA	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	False	RECEIVED (3) BROKEN BOTTLES (LTRS.)
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	

ANALYSIS REQUEST AND CHAIN OF CUSTODY RECORD

STL Tampa
6712 Benjamin Road, Suite 100
Tampa, FL 33634

Website: www.stl-inc.com
Phone: (813) 885-7427
Fax: (813) 885-7049

7458

Alternate Laboratory Name/Location

Phone:
Fax:

SEVERN
TRENT **STL**

PROJECT REFERENCE CITY OF JACKSONVILLE	PROJECT NO.	PROJECT LOCATION (STATE) FL	MATRIX TYPE	REQUIRED ANALYSIS						PAGE 1	OF 1
SAMPLER'S SIGNATURE AL BURSEW	P.O. NUMBER	CONTRACT NO.	COMPOSITE (C) OR GRAB (G) INDICATE AQUEOUS (WATER) SOLID OR SEMISOLID AIR NONAQUEOUS LIQUID (OIL, SOLVENT, ...)	None	None	None	None	None	None	STANDARD REPORT DELIVERY <input checked="" type="checkbox"/>	
CLIENT (SITE) PM AL BURSEW	CLIENT PHONE	CLIENT FAX		TCUP 8260	TCUP 8081	TCUP 8151	TCUP 8070	TCUP Metals			DATE DUE _____
CLIENT NAME TRAIL RIDGE	CLIENT E-MAIL			None	None	None	None	None	None	None	EXPEDITED REPORT DELIVERY (SURCHARGE) <input type="checkbox"/>
CLIENT ADDRESS 5110 HWY 301 BALOWIN FL	COMPANY CONTRACTING THIS WORK (if applicable)			None	None	None	None	None	None	None	DATE DUE _____

SAMPLE		SAMPLE IDENTIFICATION	MATRIX TYPE	COMPOSITE (C) OR GRAB (G) INDICATE	AQUEOUS (WATER)	SOLID OR SEMISOLID	AIR	NONAQUEOUS LIQUID (OIL, SOLVENT, ...)	NUMBER OF CONTAINERS SUBMITTED						REMARKS
DATE	TIME								1	2	3	4	5	6	
2-24	0830	COND	G X					None	2	2	2	2			NOTE: REDUCED VOLUME AS SAMPLER BROKE ONE BOTTLE.

RELINQUISHED BY: (SIGNATURE) Al Bursew	DATE 1-15-06	TIME 1300	RELINQUISHED BY: (SIGNATURE) Al Bursew	DATE 2-24-06	TIME 1836	RELINQUISHED BY: (SIGNATURE)	DATE	TIME
RECEIVED BY: (SIGNATURE) Charles E. ...	DATE 2-25-06	TIME 1030	RECEIVED BY: (SIGNATURE)	DATE	TIME	RECEIVED BY: (SIGNATURE)	DATE	TIME

RECEIVED FOR LABORATORY BY (SIGNATURE) Al Bursew	DATE 2-25-06	TIME 1030	CUSTODY INTACT YES <input type="checkbox"/> NO <input type="checkbox"/>	CUSTODY SEAL NO.	STL TAMPA LOG NO. 660-7458	LABORATORY REMARKS 5° FY
--	------------------------	---------------------	---	------------------	--------------------------------------	------------------------------------

Appendix H

STL Laboratory Reports – Resample



ANALYTICAL REPORT

Job Number: 660-8365-1

Job Description: Trail Ridge Landfill

For:
HDR Engineering
200 W. Forsyth St., Suite 800
Jacksonville, FL 32202

Attention: Mr. Brad Stone

A handwritten signature in black ink, appearing to read "Nancy Robertson", is written over a grey, textured rectangular background.

Nancy Robertson
Project Manager II
nrobertson@stl-inc.com
04/24/2006

Project Manager: Nancy Robertson

DOH Certification #: E84282

These test results meet all the requirements of NELAC. All questions regarding this test report should be directed to the STL Project Manager who signed this test report. The estimated uncertainty associated with these reported results is available upon request.

Severn Trent Laboratories, Inc.

STL Tampa 6712 Benjamin Road Suite 100, Tampa, FL 33634
Tel (813) 885-7427 Fax (813) 885-7049 www.stl-inc.com



EXECUTIVE SUMMARY - Detections

Client: HDR Engineering

Job Number: 660-8365-1

Lab Sample ID Analyte	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
660-8365-1	COND				
TCLP					
Benzene		0.0075	0.0010	mg/L	8260B
Chlorobenzene		0.0019	0.0010	mg/L	8260B
Methyl Ethyl Ketone		9.9 L	0.010	mg/L	8260B
Tetrachloroethene		0.0037	0.0010	mg/L	8260B
Trichloroethene		0.0022	0.0010	mg/L	8260B
660-8365-2	MWB17D				
Alkalinity		22	1.0	mg/L	2320B
Chloride		6.8 I	10	mg/L	325.2
Total Recoverable					
Calcium		4.3	0.50	mg/L	200.7 Rev 4.4
Iron		530	50	ug/L	200.7 Rev 4.4
Potassium		2.1	1.0	mg/L	200.7 Rev 4.4
Magnesium		2.2	0.50	mg/L	200.7 Rev 4.4
Sodium		3.2	0.50	mg/L	200.7 Rev 4.4

METHOD SUMMARY

Client: HDR Engineering

Job Number: 660-8365-1

Description	Lab Location	Method	Preparation Method
Matrix: Water			
Volatile Organic Compounds by GC/MS	STL-TAM	SW846 8260B	
Purge-and-Trap	STL-TAM		SW846 5030B
Toxicity Characteristic Leaching Procedure (ZHE)	STL-SAV		SW846 1311
Purge and Trap on Leachates	STL-SAV		SW846 5030B
ICP Metals by 200.7	STL-TAM	EPA 200.7 Rev 4.4	
Total Recoverable Metals Digestion for 200.7	STL-TAM		40CFR136A 200.7 Appx C
Field Sampling	STL-TAM	EPA Field Sampling	
Alkalinity, Titration Method	STL-TAM	SM18 2320B	
Chloride (Colorimetric, Automated Ferricyanide)	STL-TAM	MCAWW 325.2	
Nitrogen, Nitrate-Nitrite (Colorimetric, Automated, Cadmium Reduction)	STL-TAM	MCAWW 353.2	
Sulfate (Turbidimetric)	STL-TAM	MCAWW 375.4	

LAB REFERENCES:

STL-TAM = STL-Tampa
 STL-SAV = STL-Savannah

METHOD REFERENCES:

EPA - US Environmental Protection Agency

MCAWW - "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

SM18 - "Standard Methods For The Examination Of Water And Wastewater", 18th Edition, 1992.

SW846 - "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

METHOD / ANALYST SUMMARY

Client: HDR Engineering

Job Number: 660-8365-1

Method	Analyst	Analyst ID
SW846 8260B	Clendenen, Tammy	TC
SW846 8260B	Lawrence, Rodney	RL
SW846 8260B	Tafuni, Natalie	NT
EPA 200.7 Rev 4.4	Fox, Greg	GF
EPA Field Sampling	Sampler, Field	FS
SM18 2320B	Johnson, Aran	AJ
MCAWW 325.2	Robarge, Andrea	AR
MCAWW 353.2	Steward, Tiffany	TS
MCAWW 375.4	Lochner, Vanessa	VL

SAMPLE SUMMARY

Client: HDR Engineering

Job Number: 660-8365-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
660-8365-1	COND	Water	04/10/2006 1600	04/11/2006 0945
660-8365-2	MWB17D	Water	04/10/2006 1627	04/11/2006 0945

Analytical Data

Client: HDR Engineering

Job Number: 660-8365-1

Client Sample ID: COND

Lab Sample ID: 660-8365-1

Date Sampled: 04/10/2006 1600

Client Matrix: Water

Date Received: 04/11/2006 0945

8260B Volatile Organic Compounds by GC/MS -TCLP

Method:	8260B	Analysis Batch: 680-42323	Instrument ID: GC/MS Volatiles - O
Preparation:	5030B		Lab File ID: o1143.d
Dilution:	1.0	Leachate Batch: 680-42525	Initial Weight/Volume: 5 mL
Date Analyzed:	04/19/2006 1847		Final Weight/Volume: 5 mL
Date Prepared:	04/19/2006 1847		
Date Leached:	04/19/2006 1847		

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Benzene	0.0075		0.00055	0.0010
Carbon tetrachloride	0.00090	U	0.00090	0.0010
Chlorobenzene	0.0019		0.00041	0.0010
Chloroform	0.00050	U	0.00050	0.0010
1,2-Dichloroethane	0.00048	U	0.00048	0.0010
1,1-Dichloroethene	0.00095	U	0.00095	0.0010
Methyl Ethyl Ketone	9.9	L	0.00070	0.010
Tetrachloroethene	0.0037		0.00075	0.0010
Trichloroethene	0.0022		0.00070	0.0010
Vinyl chloride	0.00090	U	0.00090	0.0020
Surrogate	%Rec		Acceptance Limits	
4-Bromofluorobenzene	97		77 - 120	
Dibromofluoromethane	94		75 - 123	
Toluene-d8	100		79 - 122	

Analytical Data

Client: HDR Engineering

Job Number: 660-8365-1

Client Sample ID: COND

Lab Sample ID: 660-8365-1

Date Sampled: 04/10/2006 1600

Client Matrix: Water

Date Received: 04/11/2006 0945

8260B Volatile Organic Compounds by GC/MS -TCLP

Method: 8260B	Analysis Batch: 680-42466	Instrument ID: GC/MS Volatiles - A
Preparation: 5030B		Lab File ID: a314.d
Dilution: 200	Leachate Batch: 680-42525	Initial Weight/Volume: 5 mL
Date Analyzed: 04/20/2006 1436	Run Type: DL	Final Weight/Volume: 5 mL
Date Prepared: 04/20/2006 1436		
Date Leached: 04/19/2006 1847		

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Benzene	0.11	U	0.11	0.20
Carbon tetrachloride	0.18	U	0.18	0.20
Chlorobenzene	0.082	U	0.082	0.20
Chloroform	0.10	U	0.10	0.20
1,2-Dichloroethane	0.096	U	0.096	0.20
1,1-Dichloroethene	0.19	U	0.19	0.20
Methyl Ethyl Ketone	30		0.14	2.0
Tetrachloroethene	0.15	U	0.15	0.20
Trichloroethene	0.14	U	0.14	0.20
Vinyl chloride	0.18	U	0.18	0.40
Surrogate	%Rec		Acceptance Limits	
4-Bromofluorobenzene	103		77 - 120	
Dibromofluoromethane	101		75 - 123	
Toluene-d8	100		79 - 122	

Analytical Data

Client: HDR Engineering

Job Number: 660-8365-1

Client Sample ID: **MWB17D**

Lab Sample ID: 660-8365-2

Date Sampled: 04/10/2006 1627

Client Matrix: Water

Date Received: 04/11/2006 0945

8260B Volatile Organic Compounds by GC/MS

Method:	8260B	Analysis Batch: 660-24002	Instrument ID:	BVMG GC/MS
Preparation:	5030B		Lab File ID:	1GD1835.D
Dilution:	1.0		Initial Weight/Volume:	5 mL
Date Analyzed:	04/18/2006 2244		Final Weight/Volume:	5 mL
Date Prepared:	04/18/2006 2244			

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Methylene Chloride	4.0	U	4.0	5.0
Surrogate	%Rec		Acceptance Limits	
4-Bromofluorobenzene	92		74 - 126	
Dibromofluoromethane	94		70 - 130	
Toluene-d8	97		77 - 122	

Analytical Data

Client: HDR Engineering

Job Number: 660-8365-1

Client Sample ID: **MWB17D**

Lab Sample ID: 660-8365-2
Client Matrix: Water

Date Sampled: 04/10/2006 1627
Date Received: 04/11/2006 0945

200.7 Rev 4.4 ICP Metals by 200.7-Total Recoverable

Method: 200.7 Rev 4.4 Analysis Batch: 660-23982 Instrument ID: TJA ICP TRACE
Preparation: 200.7 Appx C Prep Batch: 660-23872 Lab File ID: 6D19A
Dilution: 1.0 Initial Weight/Volume: 50 mL
Date Analyzed: 04/19/2006 1148 Final Weight/Volume: 50 mL
Date Prepared: 04/18/2006 0818

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Calcium	4.3		0.085	0.50
Potassium	2.1		0.19	1.0
Magnesium	2.2		0.11	0.50
Sodium	3.2		0.31	0.50

Method: 200.7 Rev 4.4 Analysis Batch: 660-23982 Instrument ID: TJA ICP TRACE
Preparation: 200.7 Appx C Prep Batch: 660-23872 Lab File ID: 6D19A
Dilution: 1.0 Initial Weight/Volume: 50 mL
Date Analyzed: 04/19/2006 1148 Final Weight/Volume: 50 mL
Date Prepared: 04/18/2006 0818

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Iron	530		22	50

Analytical Data

Client: HDR Engineering

Job Number: 660-8365-1

Field Service / Mobile Lab**Client Sample ID: COND**

Lab Sample ID: 660-8365-1

Date Sampled: 04/10/2006 1600

Client Matrix: Water

% Moisture:

Date Received: 04/11/2006 0945

Analyte	Result	Qual	Units	Dil	Method	Analysis Batch	Date Analyzed
Field pH	7.29		SU	1.0	Field	660-2371	04/10/2006 1600
Field Temperature	28.0		Degrees C	1.0	Field	660-2371	04/10/2006 1600
Specific Conductance	5282		umhos/cm	1.0	Field	660-2371	04/10/2006 1600
Turbidity	6.8		NTU	1.0	Field	660-2371	04/10/2006 1600

Client Sample ID: MWB17D

Lab Sample ID: 660-8365-2

Date Sampled: 04/10/2006 1627

Client Matrix: Water

% Moisture:

Date Received: 04/11/2006 0945

Analyte	Result	Qual	Units	Dil	Method	Analysis Batch	Date Analyzed
Field pH	6.20		SU	1.0	Field	660-2371	04/10/2006 1627
Field Temperature	21.8		Degrees C	1.0	Field	660-2371	04/10/2006 1627
Oxygen, Dissolved	1.0		mg/L	1.0	Field	660-2371	04/10/2006 1627
Specific Conductance	61		umhos/cm	1.0	Field	660-2371	04/10/2006 1627
Turbidity	0.4		NTU	1.0	Field	660-2371	04/10/2006 1627
Water Level	130.70		ft	1.0	Field	660-2371	04/10/2006 1627
Well Depth	127.32		ft	1.0	Field	660-2371	04/10/2006 1627

Analytical Data

Client: HDR Engineering

Job Number: 660-8365-1

General Chemistry

Client Sample ID: MWB17D

Lab Sample ID: 660-8365-2
Client Matrix: Water

Date Sampled: 04/10/2006 1627
Date Received: 04/11/2006 0945

Analyte	Result	Qual	Units	MDL	PQL	Dil	Method
Chloride	6.8	I	mg/L	3.0	10	1.0	325.2
	Anly Batch: 660-23836		Date Analyzed: 04/17/2006 0950				
Nitrate Nitrogen	0.010	U	mg/L	0.010	0.050	1.0	353.2
	Anly Batch: 660-23666		Date Analyzed: 04/12/2006 0754				
Sulfate	1.7	U	mg/L	1.7	5.0	1.0	375.4
	Anly Batch: 660-24028		Date Analyzed: 04/19/2006 0531				

Analyte	Result	Qual	Units	RL	PQL	Dil	Method
Alkalinity	22		mg/L	1.0	1.0	1.0	2320B
	Anly Batch: 660-23605		Date Analyzed: 04/11/2006 1256				

DATA REPORTING QUALIFIERS

Client: HDR Engineering

Job Number: 660-8365-1

Lab Section	Qualifier	Description
GC/MS VOA	U	Indicates that the compound was analyzed for but not detected.
	L	Off-scale high. Actual value is known to be greater than the value given.
Metals	U	Indicates that the compound was analyzed for but not detected.
General Chemistry	J3	Estimated value; value may not be accurate. The reported value fails to meet the established quality control criteria for either precision or accuracy.
	U	Indicates that the compound was analyzed for but not detected.
	I	The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.

Quality Control Results

Client: HDR Engineering

Job Number: 660-8365-1

Method Blank - Batch: 660-24002

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 660-24002/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 04/18/2006 1607
Date Prepared: 04/18/2006 1607

Analysis Batch: 660-24002
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMG GC/MS
Lab File ID: 1GD1819.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
Methylene Chloride	4.0	U	4.0	5.0
Surrogate	% Rec	Acceptance Limits		
4-Bromofluorobenzene	90	74 - 126		
Dibromofluoromethane	91	70 - 130		
Toluene-d8	96	77 - 122		

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-24002**

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 660-24002/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 04/18/2006 1632
Date Prepared: 04/18/2006 1632

Analysis Batch: 660-24002
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMG GC/MS
Lab File ID: 1GD1820.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-24002/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 04/18/2006 1657
Date Prepared: 04/18/2006 1657

Analysis Batch: 660-24002
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMG GC/MS
Lab File ID: 1GD1821.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Benzene	95	99	62 - 135	4	37		
Chlorobenzene	93	97	72 - 127	4	22		
1,1-Dichloroethene	102	107	46 - 147	5	30		
Toluene	95	97	68 - 131	2	33		
Trichloroethene	92	97	56 - 143	5	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-8365-1

**Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-24002**

**Method: 8260B
Preparation: 5030B**

MS Lab Sample ID: 660-8456-C-1 MS
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 04/19/2006 1340
Date Prepared: 04/19/2006 1340

Analysis Batch: 660-24002
Prep Batch: N/A

Instrument ID: BVMG GC/MS
Lab File ID: 1GD1909.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

MSD Lab Sample ID: 660-8456-C-1 MSD
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 04/19/2006 1429
Date Prepared: 04/19/2006 1429

Analysis Batch: 660-24002
Prep Batch: N/A

Instrument ID: BVMG GC/MS
Lab File ID: 1GD1911.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
Benzene	103	97	62 - 135	6	37		
Chlorobenzene	95	92	72 - 127	3	22		
1,1-Dichloroethene	107	100	46 - 147	6	30		
Toluene	97	93	68 - 131	4	33		
Trichloroethene	96	92	56 - 143	5	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-8365-1

Method Blank - Batch: 680-42323

**Method: 8260B
Preparation: 5030B
TCLP**

Lab Sample ID: MB 680-42323/7
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 04/19/2006 1455
Date Prepared: 04/19/2006 1455

Analysis Batch: 680-42323
Prep Batch: N/A
Units: mg/L

Instrument ID: GC/MS Volatiles - O
Lab File ID: oq653.d
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
Benzene	0.00055	U	0.00055	0.0010
Carbon tetrachloride	0.00090	U	0.00090	0.0010
Chlorobenzene	0.00041	U	0.00041	0.0010
Chloroform	0.00050	U	0.00050	0.0010
1,2-Dichloroethane	0.00048	U	0.00048	0.0010
1,1-Dichloroethene	0.00095	U	0.00095	0.0010
Methyl Ethyl Ketone	0.00070	U	0.00070	0.010
Tetrachloroethene	0.00075	U	0.00075	0.0010
Trichloroethene	0.00070	U	0.00070	0.0010
Vinyl chloride	0.00090	U	0.00090	0.0020
Surrogate	% Rec		Acceptance Limits	
4-Bromofluorobenzene	101		77 - 120	
Dibromofluoromethane	101		75 - 123	
Toluene-d8	109		79 - 122	

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-8365-1

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 680-42323**

**Method: 8260B
Preparation: 5030B
TCLP**

LCS Lab Sample ID: LCS 680-42323/4
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 04/19/2006 1316
Date Prepared: 04/19/2006 1316

Analysis Batch: 680-42323
Prep Batch: N/A
Units: mg/L

Instrument ID: GC/MS Volatiles - O
Lab File ID: oq647.d
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 680-42323/5
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 04/19/2006 1349
Date Prepared: 04/19/2006 1349

Analysis Batch: 680-42323
Prep Batch: N/A
Units: mg/L

Instrument ID: GC/MS Volatiles - O
Lab File ID: oq649.d
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Benzene	103	106	74 - 122	4	30		
Carbon tetrachloride	117	119	64 - 137	2	30		
Chlorobenzene	97	99	75 - 123	2	30		
Chloroform	102	105	74 - 124	3	30		
1,2-Dichloroethane	102	105	68 - 130	3	30		
1,1-Dichloroethene	106	102	64 - 132	4	30		
Methyl Ethyl Ketone	111	111	51 - 142	0	30		
Tetrachloroethene	101	105	70 - 133	3	30		
Trichloroethene	102	105	75 - 122	4	30		
Vinyl chloride	98	93	59 - 136	5	50		
Surrogate	% Rec		% Rec		Acceptance Limits		
4-Bromofluorobenzene	98		97		77 - 120		
Dibromofluoromethane	100		102		75 - 123		
Toluene-d8	104		106		79 - 122		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-8365-1

Method Blank - Batch: 680-42466

Method: 8260B
Preparation: 5030B
TCLP

Lab Sample ID: MB 680-42466/4
 Client Matrix: Water
 Dilution: 1.0
 Date Analyzed: 04/20/2006 1407
 Date Prepared: 04/20/2006 1407

Analysis Batch: 680-42466
 Prep Batch: N/A
 Units: mg/L

Instrument ID: GC/MS Volatiles - A
 Lab File ID: aq224.d
 Initial Weight/Volume: 5 mL
 Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
Benzene	0.00055	U	0.00055	0.0010
Carbon tetrachloride	0.00090	U	0.00090	0.0010
Chlorobenzene	0.00041	U	0.00041	0.0010
Chloroform	0.00050	U	0.00050	0.0010
1,2-Dichloroethane	0.00048	U	0.00048	0.0010
1,1-Dichloroethene	0.00095	U	0.00095	0.0010
Methyl Ethyl Ketone	0.00070	U	0.00070	0.010
Tetrachloroethene	0.00075	U	0.00075	0.0010
Trichloroethene	0.00070	U	0.00070	0.0010
Vinyl chloride	0.00090	U	0.00090	0.0020

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	99	77 - 120
Dibromofluoromethane	107	75 - 123
Toluene-d8	108	79 - 122

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-8365-1

Laboratory Control Sample - Batch: 680-42466

Method: 8260B

Preparation: 5030B

TCLP

Lab Sample ID: LCS 680-42466/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 04/20/2006 1240
Date Prepared: 04/20/2006 1240

Analysis Batch: 680-42466
Prep Batch: N/A
Units: mg/L

Instrument ID: GC/MS Volatiles - A
Lab File ID: aq218.d
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Benzene	0.0500	0.0492	98	74 - 122	
Carbon tetrachloride	0.0500	0.0560	112	64 - 137	
Chlorobenzene	0.0500	0.0476	95	75 - 123	
Chloroform	0.0500	0.0519	104	74 - 124	
1,2-Dichloroethane	0.0500	0.0531	106	68 - 130	
1,1-Dichloroethene	0.0500	0.0472	94	64 - 132	
Methyl Ethyl Ketone	0.100	0.106	106	51 - 142	
Tetrachloroethene	0.0500	0.0506	101	70 - 133	
Trichloroethene	0.0500	0.0526	105	75 - 122	
Vinyl chloride	0.0500	0.0438	88	59 - 136	
Surrogate		% Rec		Acceptance Limits	
4-Bromofluorobenzene		103		77 - 120	
Dibromofluoromethane		105		75 - 123	
Toluene-d8		112		79 - 122	

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-8365-1

Method Blank - Batch: 660-23872

Lab Sample ID: MB 660-23872/1-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 04/19/2006 1009
Date Prepared: 04/18/2006 0818

Analysis Batch: 660-23982
Prep Batch: 660-23872
Units: mg/L

Method: 200.7 Rev 4.4 Preparation: 200.7 Appx C Total Recoverable

Instrument ID: TJA ICP TRACE
Lab File ID: 6D19A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result	Qual	MDL	PQL
Calcium	0.085	U	0.085	0.50
Potassium	0.19	U	0.19	1.0
Magnesium	0.11	U	0.11	0.50
Sodium	0.31	U	0.31	0.50

Method Blank - Batch: 660-23872

Lab Sample ID: MB 660-23872/1-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 04/19/2006 1009
Date Prepared: 04/18/2006 0818

Analysis Batch: 660-23982
Prep Batch: 660-23872
Units: ug/L

Method: 200.7 Rev 4.4 Preparation: 200.7 Appx C Total Recoverable

Instrument ID: TJA ICP TRACE
Lab File ID: 6D19A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result	Qual	MDL	PQL
Iron	22	U	22	50

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-8365-1

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-23872**

**Method: 200.7 Rev 4.4
Preparation: 200.7 Appx C
Total Recoverable**

LCS Lab Sample ID: LCS 660-23872/2-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 04/19/2006 0926
Date Prepared: 04/18/2006 0818

Analysis Batch: 660-23982
Prep Batch: 660-23872
Units: mg/L

Instrument ID: TJA ICP TRACE
Lab File ID: 6D19A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

LCSD Lab Sample ID: LCSD 660-23872/3-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 04/19/2006 0932
Date Prepared: 04/18/2006 0818

Analysis Batch: 660-23982
Prep Batch: 660-23872
Units: mg/L

Instrument ID: TJA ICP TRACE
Lab File ID: 6D19A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Calcium	105	114	85 - 115	8	20		
Potassium	100	100	85 - 115	1	20		
Magnesium	97	97	85 - 115	0	20		
Sodium	91	89	85 - 115	2	20		

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-23872**

**Method: 200.7 Rev 4.4
Preparation: 200.7 Appx C
Total Recoverable**

LCS Lab Sample ID: LCS 660-23872/2-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 04/19/2006 0926
Date Prepared: 04/18/2006 0818

Analysis Batch: 660-23982
Prep Batch: 660-23872
Units: ug/L

Instrument ID: TJA ICP TRACE
Lab File ID: 6D19A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

LCSD Lab Sample ID: LCSD 660-23872/3-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 04/19/2006 0932
Date Prepared: 04/18/2006 0818

Analysis Batch: 660-23982
Prep Batch: 660-23872
Units: ug/L

Instrument ID: TJA ICP TRACE
Lab File ID: 6D19A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Iron	102	100	85 - 115	2	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-8365-1

**Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-23872**

**Method: 200.7 Rev 4.4
Preparation: 200.7 Appx C
Total Recoverable**

MS Lab Sample ID: 660-8401-B-1-B MS Analysis Batch: 660-23982
Client Matrix: Water Prep Batch: 660-23872
Dilution: 1.0
Date Analyzed: 04/19/2006 0950
Date Prepared: 04/18/2006 0818

Instrument ID: TJA ICP TRACE
Lab File ID: 6D19A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

MSD Lab Sample ID: 660-8401-B-1-C MSD Analysis Batch: 660-23982
Client Matrix: Water Prep Batch: 660-23872
Dilution: 1.0
Date Analyzed: 04/19/2006 0955
Date Prepared: 04/18/2006 0818

Instrument ID: TJA ICP TRACE
Lab File ID: 6D19A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
Calcium	71	12	85 - 115	2	20		
Potassium	114	112	85 - 115	2	20		
Magnesium	94	86	85 - 115	2	20		
Sodium	99	95	85 - 115	1	20		

**Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-23872**

**Method: 200.7 Rev 4.4
Preparation: 200.7 Appx C
Total Recoverable**

MS Lab Sample ID: 660-8401-B-1-B MS Analysis Batch: 660-23982
Client Matrix: Water Prep Batch: 660-23872
Dilution: 1.0
Date Analyzed: 04/19/2006 0950
Date Prepared: 04/18/2006 0818

Instrument ID: TJA ICP TRACE
Lab File ID: 6D19A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

MSD Lab Sample ID: 660-8401-B-1-C MSD Analysis Batch: 660-23982
Client Matrix: Water Prep Batch: 660-23872
Dilution: 1.0
Date Analyzed: 04/19/2006 0955
Date Prepared: 04/18/2006 0818

Instrument ID: TJA ICP TRACE
Lab File ID: 6D19A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
Iron	102	98	85 - 115	4	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-8365-1

Method Blank - Batch: 660-23605

**Method: 2320B
Preparation: N/A**

Lab Sample ID: MB 660-23605/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 04/11/2006 1256
Date Prepared: N/A

Analysis Batch: 660-23605
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume:
Final Weight/Volume: 25 mL

Analyte	Result	Qual	RL	PQL
Alkalinity	1.0	U	1.0	1.0

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-23605**

**Method: 2320B
Preparation: N/A**

LCS Lab Sample ID: LCS 660-23605/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 04/11/2006 1256
Date Prepared: N/A

Analysis Batch: 660-23605
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume:
Final Weight/Volume: 25 mL

LCSD Lab Sample ID: LCSD 660-23605/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 04/11/2006 1256
Date Prepared: N/A

Analysis Batch: 660-23605
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume:
Final Weight/Volume: 25 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Alkalinity	108	111	80 - 120	2	30		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-8365-1

Method Blank - Batch: 660-23836

Method: 325.2
Preparation: N/A

Lab Sample ID: MB 660-23836/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 04/17/2006 0950
Date Prepared: N/A

Analysis Batch: 660-23836
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 2 mL
Final Weight/Volume: 2 mL

Analyte	Result	Qual	MDL	PQL
Chloride	3.0	U	3.0	10

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-23836**

Method: 325.2
Preparation: N/A

LCS Lab Sample ID: LCS 660-23836/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 04/17/2006 0950
Date Prepared: N/A

Analysis Batch: 660-23836
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 2 mL
Final Weight/Volume: 2 mL

LCSD Lab Sample ID: LCSD 660-23836/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 04/17/2006 0950
Date Prepared: N/A

Analysis Batch: 660-23836
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 2 mL
Final Weight/Volume: 2 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Chloride	102	103	90 - 110	1	30		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-8365-1

Matrix Spike/ Matrix Spike Duplicate Recovery Report - Batch: 660-23836

Method: 325.2
Preparation: N/A

MS Lab Sample ID: 660-8260-F-1 MS
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 04/17/2006 0950
Date Prepared: N/A

Analysis Batch: 660-23836
Prep Batch: N/A

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 2 mL
Final Weight/Volume: 2 mL

MSD Lab Sample ID: 660-8260-F-1 MSD
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 04/17/2006 0950
Date Prepared: N/A

Analysis Batch: 660-23836
Prep Batch: N/A

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 2 mL
Final Weight/Volume: 2 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
Chloride	130	117	90 - 110	10	30	J3	J3

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-8365-1

Method Blank - Batch: 660-23666

Method: 353.2
Preparation: N/A

Lab Sample ID: MB 660-23666/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 04/12/2006 0754
Date Prepared: N/A

Analysis Batch: 660-23666
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result	Qual	MDL	PQL
Nitrate Nitrogen	0.010	U	0.010	0.050

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-23666**

Method: 353.2
Preparation: N/A

LCS Lab Sample ID: LCS 660-23666/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 04/12/2006 0754
Date Prepared: N/A

Analysis Batch: 660-23666
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 100 mL
Final Weight/Volume: 100 mL

LCSD Lab Sample ID: LCSD 660-23666/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 04/12/2006 0754
Date Prepared: N/A

Analysis Batch: 660-23666
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume: 100 mL
Final Weight/Volume: 100 mL

Analyte	<u>% Rec.</u>		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Nitrate Nitrogen	91	92	80 - 120	1	30		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-8365-1

Method Blank - Batch: 660-24028

Method: 375.4
Preparation: N/A

Lab Sample ID: MB 660-24028/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 04/19/2006 0531
Date Prepared: N/A

Analysis Batch: 660-24028
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume:
Final Weight/Volume: 50 mL

Analyte	Result	Qual	MDL	PQL
Sulfate	1.7	U	1.7	5.0

**Laboratory Control/
Laboratory Control Duplicate Recovery Report - Batch: 660-24028**

Method: 375.4
Preparation: N/A

LCS Lab Sample ID: LCS 660-24028/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 04/19/2006 0531
Date Prepared: N/A

Analysis Batch: 660-24028
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume:
Final Weight/Volume: 50 mL

LCSD Lab Sample ID: LCSD 660-24028/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 04/19/2006 0531
Date Prepared: N/A

Analysis Batch: 660-24028
Prep Batch: N/A
Units: mg/L

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume:
Final Weight/Volume: 50 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Sulfate	109	109	75 - 125	0	30		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: HDR Engineering

Job Number: 660-8365-1

**Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-24028**

**Method: 375.4
Preparation: N/A**

MS Lab Sample ID: 660-8401-A-1 MS Analysis Batch: 660-24028
Client Matrix: Water Prep Batch: N/A
Dilution: 1.0
Date Analyzed: 04/19/2006 0531
Date Prepared: N/A

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume:
Final Weight/Volume: 50 mL

MSD Lab Sample ID: 660-8401-A-1 MSD Analysis Batch: 660-24028
Client Matrix: Water Prep Batch: N/A
Dilution: 1.0
Date Analyzed: 04/19/2006 0531
Date Prepared: N/A

Instrument ID: No Equipment Assigned
Lab File ID: N/A
Initial Weight/Volume:
Final Weight/Volume: 50 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
Sulfate	119	116	75 - 125	1	30		

Calculations are performed before rounding to avoid round-off errors in calculated results.

ANALYSIS REQUEST AND CHAIN OF CUSTODY RECORD

STL Tampa
6712 Benjamin Road, Suite 100
Tampa, FL 33634

Website: www.stl-inc.com
Phone: (813) 885-7427
Fax: (813) 885-7049

8365

SEVERN
TRENT **STL**

Alternate Laboratory Name/Location

Phone:
Fax:

PROJECT REFERENCE	PROJECT NO.	PROJECT LOCATION (STATE) FL	MATRIX TYPE	REQUIRED ANALYSIS						PAGE 1	OF 1				
SAMPLER'S SIGNATURE <i>Ben Rameau</i>	P.O. NUMBER	CONTRACT NO.	COMPOSITE (C) OR GRAB (G) INDICATE AQUEOUS (WATER) SOLID OR SEMISOLID AIR NONAQUEOUS LIQUID (OIL, SOLVENT,...)	HCL	VDA	METALS	HEAVY METALS	TCLP				STANDARD REPORT DELIVERY	<input type="radio"/>		
CLIENT (SITE) NAME	CLIENT PHONE	CLIENT FAX										DATE DUE			
CLIENT NAME TRAIL RIDGE L/F	CLIENT E-MAIL											EXPEDITED REPORT DELIVERY (SURCHARGE)	<input type="radio"/>	DATE DUE	
COMPANY CONTRACTING THIS WORK (if applicable) PRO-TECH												NUMBER OF COOLERS SUBMITTED PER SHIPMENT:	1		

SAMPLE		SAMPLE IDENTIFICATION	COMPOSITE (C) OR GRAB (G) INDICATE	AQUEOUS (WATER)	SOLID OR SEMISOLID	AIR	NONAQUEOUS LIQUID (OIL, SOLVENT,...)	REQUIRED ANALYSIS						NUMBER OF CONTAINERS SUBMITTED	REMARKS	
DATE	TIME							HCL	VDA	METALS	HEAVY METALS	TCLP				
4/10/06	1600	COND	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>												
4/10/06	1627	MW1817D	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>						

RELINQUISHED BY: (SIGNATURE) <i>Ben Rameau</i>	DATE 4-7-06	TIME 1530	RELINQUISHED BY: (SIGNATURE) <i>Ben Rameau</i>	DATE 4/10/06	TIME 1900	RELINQUISHED BY: (SIGNATURE)	DATE	TIME
RECEIVED BY: (SIGNATURE) <i>Ben Rameau</i>	DATE 4/10/06	TIME 1530	RECEIVED BY: (SIGNATURE) <i>Charles W. [unclear]</i>	DATE 4-11-06	TIME 0945	RECEIVED BY: (SIGNATURE)	DATE	TIME

RECEIVED FOR LABORATORY BY: (SIGNATURE) <i>Charles W. [unclear]</i>	DATE 4-11-06	TIME 0945	CUSTODY INTACT YES <input type="radio"/> NO <input type="radio"/>	CUSTODY SEAL NO.	STL TAMPA FOG NO. 660-8365	LABORATORY REMARKS 50
--	------------------------	---------------------	---	------------------	--------------------------------------	---------------------------------

FIELD INFORMATION FORM



Site Name: TRAIL RIDGE
 Sample Point: COND
 Sample ID: _____

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID: _____

PURGE INFO
 PURGE DATE (MM DD YY): 041006
 PURGE TIME (2400 Hr Clock): 1600
 ELAPSED HRS (hrs:min): +
 WATER VOL IN CASING (Gallons): +
 ACTUAL VOL PURGED (Gallons): +
 WELL VOLS PURGED: +

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N
 Purging Device: A A-Submersible Pump D-Bailer
 Sampling Device: A B-Peristaltic Pump E-Piston Pump
 X-Other: _____ C-QED Bladder Pump F-Dipper/Bottle
 Filter Device: Y or N 0.45 μ or _____ μ (circle or fill in)
 Filter Type: _____ A-In-line Disposable C-Vacuum
 B-Pressure X-Other: _____
 Sample Tube Type: _____ A-Teflon C-PVC X-Other: _____
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC) _____ (ft/msl) Depth to Water (DTW) (from TOC) _____ (ft)
 Groundwater Elevation (site datum, from TOC) _____ (ft/msl)
 Total Well Depth (from TOC) _____ (ft) Stick Up (from ground elevation) _____ (ft)
 Casing ID _____ (in) Casing Material _____
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by State/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

	Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (μ mhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
ATA (Optional)	1 st								
	2 nd								
	3 rd								
	4 th								
STABILIZAT.									

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, D.O. +/- 10%, eH/ORP +/- 25 mV, DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/State. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 041006
 pH (std): 7.29
 CONDUCTANCE (umhos/cm @ 25°C): 5282
 TEMP. (°C): 28.0
 TURBIDITY (ntu): 68
 DO (mg/L-ppm): _____
 eH/ORP (mV): _____
 Other: _____
 Units: _____
Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/State).

Sample Appearance: CLEAR Odor: YES Color: NONE Other: NO SPREEN
 Weather Conditions (required daily, or as conditions change): _____ Direction/Speed: E/5-10 Outlook: CLEAR, 78°F Precipitation: Y or N

Specific Comments (Including purge/well volume calculations if required):

certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
04/10/06 BEN RANJEKAWAN Ben Ranjeawan PRO-TECH
 Date Name Signature Company

FIELD INFORMATION FORM



Site Name: TRAIL RIDGE
 Site: Sample Point: MWB17D
Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID: _____

PURGE INFO
 PURGE DATE (MM DD YY): 041006 PURGE TIME (2400 Hr Clock): 1525 ELAPSED HRS (hrs:min): 0102
 WATER VOL IN CASING (Gallons): 195 ACTUAL VOL PURGED (Gallons): 620 WELL VOLS PURGED: 32

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N Filter Device: Y or N 0.45 µ or _____ µ (circle or fill in)
 Purging Device: C A-Submersible Pump D-Bailer Filter Type: - A-In-line Disposable C-Vacuum
 Sampling Device: C B-Peristaltic Pump E-Piston Pump B-Pressure X-Other _____
 X-Other: _____ C-OED Bladder Pump F-Dipper/Bottle Sample Tube Type: A A-Teflon C-PVC X-Other: _____
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC): 13852 (ft/msl) Depth to Water (DTW) (from TOC): 782 (ft) Groundwater Elevation (site datum, from TOC): 13070 (ft/msl)
 Total Well Depth (from TOC): _____ (ft) Stick Up (from ground elevation): _____ (ft) Casing ID: 2 (in) Casing Material: PVC

Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by State/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

	Sample Time (2400 Hr Clock)	Rate/Unit (gpm)	pH (std)	Conductance (SC/EC) (µmhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
	<u>1620</u>	<u>1.10</u>	<u>6.27</u>	<u>61</u>	<u>220</u>	<u>0.9</u>	<u>10</u>		
	<u>1623</u>	<u>1.10</u>	<u>6.35</u>	<u>61</u>	<u>219</u>	<u>0.9</u>	<u>10</u>		
	<u>1626</u>	<u>1.10</u>	<u>6.20</u>	<u>61</u>	<u>218</u>	<u>0.4</u>	<u>10</u>		
STABILIZAT									

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, D.O. +/- 10%, eH/ORP +/- 25 mV, DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 041006 pH (std): 6.20 CONDUCTANCE (umhos/cm @ 25°C): 61 TEMP. (°C): 21.8 TURBIDITY (ntu): 0.4 DO (mg/L-ppm): 10 eH/ORP (mV): _____ Other: _____
Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: CLEAR Odor: NONE Color: NONE Other: NO SHEEN
 Weather Conditions (required daily, or as conditions change): _____ Direction/Speed: E/5-10 Outlook: CLEAR 78°F Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required): _____

FIELD COMMENTS
CALC: 127.32 - 7.82 = 119.50 x 0.163 = 19.48 x 3 = 58.43 GAL.
Flow: 15 x 4 = 60 ÷ 60 = 1.00 x 58.43 = 58.43 MIN.
ACTUAL: 62.00 ÷ 1.00 = 62.00 GAL.
SAMPLE TIME: 1627

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
04/10/06 BEN RAMJEAWAN Ben Ramjeawa PRO-TECH
Date Name Signature Company

LOGIN SAMPLE RECEIPT CHECK LIST

Client: HDR Engineering

Job Number: 660-8365-1

Login Number: 8365

Question	T/F/NA	Comment
Radioactivity either was not measured or, if measured, is at or below background	NA	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	

Appendix I

FDEP Parameter Monitoring Report Forms - Resample

Facility Name: Trail Ridge Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 33628
 WACS Testsite ID #: 0
 WACS Testsite Name: COND
 Water Classification: LC
 (i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 4/10/2006 4:00:00PM
 Sampling Method: Unknown
 Permitted
 Well Type: OT

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000094	Specific Conductance	N	E84282	Field Sampling	4/10/2006 4:00:00PM	5282		umhos/cm	
082079	Turbidity	N	E84282	Field Sampling	4/10/2006 4:00:00PM	6.8		NTU	
034501	1,1-Dichloroethene	N	E87052	8260B	4/20/2006 2:36:00PM	190	190	ug/L	U
034531	1,2-Dichloroethane	N	E87052	8260B	4/20/2006 2:36:00PM	96	96	ug/L	U
034030	Benzene	N	E87052	8260B	4/20/2006 2:36:00PM	110	110	ug/L	U
032102	Carbon tetrachloride	N	E87052	8260B	4/20/2006 2:36:00PM	180	180	ug/L	U
034301	Chlorobenzene	N	E87052	8260B	4/20/2006 2:36:00PM	82	82	ug/L	U
034475	Tetrachloroethene	N	E87052	8260B	4/20/2006 2:36:00PM	150	150	ug/L	U
039180	Trichloroethene	N	E87052	8260B	4/20/2006 2:36:00PM	140	140	ug/L	U
039175	Vinyl chloride	N	E87052	8260B	4/20/2006 2:36:00PM	180	180	ug/L	U
000406	Field pH	N	E84282	Field Sampling	4/10/2006 4:00:00PM	7.29		SU	
000010	Field Temperature	N	E84282	Field Sampling	4/10/2006 4:00:00PM	28		Degrees C	

| Parameters Monitored: 12

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Trail Ridge Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 33628
 WACS Testsite ID #: 17230
 WACS Testsite Name: MWB17D
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 4/10/2006 4:27:00PM
 Sampling Method: Unknown
 Permitted
 Well Type: CO

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000929	Sodium	N	E84282	200.7 Rev 4.4	4/19/2006 11:48:00AM	3.2	0.31	mg/L	
000010	Field Temperature	N	E84282	Field Sampling	4/10/2006 4:27:00PM	21.8		Degrees C	
000406	Field pH	N	E84282	Field Sampling	4/10/2006 4:27:00PM	6.2		SU	
000094	Specific Conductance	N	E84282	Field Sampling	4/10/2006 4:27:00PM	61		umhos/cm	
082079	Turbidity	N	E84282	Field Sampling	4/10/2006 4:27:00PM	0.4		NTU	
072020	Water Level	N	E84282	Field Sampling	4/10/2006 4:27:00PM	130.7		ft	
034423	Methylene Chloride	N	E84282	8260B	4/18/2006 10:44:00PM	4	4	ug/L	U
000410	Alkalinity	N	E84282	2320B	4/11/2006 12:56:00PM	22	1	mg/L	
000940	Chloride	N	E84282	325.2	4/17/2006 9:50:00AM	6.8	3	mg/L	I
000620	Nitrate Nitrogen	N	E84282	353.2	4/12/2006 7:54:00AM	0.01	0.01	mg/L	U
000945	Sulfate	N	E84282	375.4	4/19/2006 5:31:00AM	1.7	1.7	mg/L	U
000916	Calcium	N	E84282	200.7 Rev 4.4	4/19/2006 11:48:00AM	4.3	0.085	mg/L	
001045	Iron	N	E84282	200.7 Rev 4.4	4/19/2006 11:48:00AM	530	22	ug/L	
1927	Magnesium	N	E84282	200.7 Rev 4.4	4/19/2006 11:48:00AM	2.2	0.11	mg/L	
J937	Potassium	N	E84282	200.7 Rev 4.4	4/19/2006 11:48:00AM	2.1	0.19	mg/L	
000299	Oxygen, Dissolved	N	E84282	Field Sampling	4/10/2006 4:27:00PM	1		mg/L	

Total Parameters Monitored: 16

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.