



**ENVIRONMENTAL  
CORPORATION**

Corporate Office:

4301 Sterling Commerce Dr.  
Plant City, FL 33566  
(813) 988-8829  
Fax: (813) 988-8779  
<http://www.Comanco.net>

Regional Offices:

Reno, NV  
7911 Terminal Way #204A  
Reno, NV 89502  
(775) 324-7707  
Fax: (775) 324-7708

**Project Superintendent**

**Jorge Barrantes**

Jorge has 9 years and over 20 million square feet of experience in the supervision of the installation and seaming of a variety of synthetic liners and components in a wide range of industry applications. He has extensive experience in the on site supervision of safety, quality control, and all required documentation. As the on site Installation Supervisor he is also responsible for the direct, day to day, on site safety management of the crew.

**Recent Job Highlights:**

**Lake County MSW and Ash Monofill Cell**

Completed 2009, 2.4 million sf of 60 mil HDPE liner, 874,650 sf of Geosynthetic Clay Liner, 2.2 million sf of Composite Drainage Net

**Mosaic Faustina Stack Closure**

Completed 2009, Installed 3.5 million sf of 40 mil HDPE liner, and 1 million sf of Composite Drainage Net

**Jerri Canyon Mine**

Completed 2007, Installed 3.4 million sf of 60 mil LLDPE Liner, 3.4 million sf of 80 mil HDPE Liner, and 3.4 million sf of Geonet

**SMC Orient Road**

Completed 2007, Installed 250,000 sf of Geosynthetic Clay Liner, 700,000 sf of 60 mil HDPE liner, and 125,000 sf of Composite Drainage Net

**WMI R&B Landfill**

Completed 2006, Installed 2.6 million sf of Geosynthetic Clay Liner, 2.6 million sf of 60 mil HDPE liner, and 2.6 million sf of Composite Drainage Net

**Desoto Landfill Zone 4 Class 1 Landfill**

Completed 2006, Installed 338,900 sf of Geosynthetic Clay Liner, 677,800 sf of 60 mil HDPE liner, and 338,900 sf of Composite Drainage Net



**ENVIRONMENTAL  
CORPORATION**

Corporate Office:

4301 Sterling Commerce Drive  
Plant City, FL 33566  
(813) 988-8829  
Fax: (813) 496-7305  
<http://www.Comanco.com>

Regional Offices:

**Reno, NV**

7911 Terminal Way #106  
Reno, NV 89502  
(775) 324-7707  
Fax: (775) 324-7708

## Quality Control Technician

### Freddy Serrano

Freddy Serrano has 12 years of experience in installation and seaming of a variety of synthetic liners and components. He is familiar with current field welding and installation testing and documentation requirements. He has experience and training for the execution of and documentation for required on site testing, QC and safety procedures. He is also qualified to assist in the training of Geomembrane Welders, Installers, and QC Technicians. Freddy has quality control tested well over 1 million SF of geomembranes.

#### Components Installed ☒

- ☒ HDPE (Textured and Smooth)
- ☒ LLDPE (Textured and Smooth)
- ☐ Super Grip Drain Liner
- ☐ XR-5
- ☒ Polypropylene
- ☒ PVC
- ☒ Geotextiles
- ☒ Geonets
- ☒ Geocomposite
- ☒ GCL
- ☒ Pipe Boots
- ☒ Batten Systems
- ☐ HDPE Sumps

#### Applications ☒

- ☒ Landfill Cells
- ☒ Landfill Caps
- ☒ Leachate Ponds
- ☒ Wastewater Treatment Ponds
- ☐ Potable Water Reservoirs
- ☒ Evaporation Ponds
- ☐ Leach Pads
- ☐ Process Ponds
- ☐ Tank Liners
- ☐ Cut Off Trench
- ☐ Methane Barriers
- ☐ Tank Farm
- ☐ Floating Covers



**ENVIRONMENTAL  
CORPORATION**

**Corporate Office:**

4301 Sterling Commerce Drive  
Plant City, FL 33566  
(813) 988-8829  
Fax: (813) 496-7305  
<http://www.Comanco.com>

**Regional Offices:**

**Reno, NV**

7911 Terminal Way #106  
Reno, NV 89502  
(775) 324-7707  
Fax: (775) 324-7708

## Heavy Equipment Operator

### Carlos Perez Soto

Carlos Perez Soto has 8 years of experience in operating heavy equipment during the installation of a variety of geosynthetic liners and components. He has the experience, skills and consistency to operate safely and perform quality work

He is qualified to operate equipment to include the following machines: dozer, loader, excavator, forklift, skid steer, haul truck, water truck, and crawler. He is familiar with all currently utilized safety procedures.

#### **Components Installed** ☒

- ☒ HDPE (Textured and Smooth)
- ☒ LLDPE (Textured and Smooth)
- ☒ Super Grip Drain Liner
- ☐ XR-5
- ☒ Polypropylene
- ☒ PVC
- ☒ Geotextiles
- ☒ Geonets
- ☒ Geocomposite
- ☒ GCL
- ☒ Pipe Boots
- ☒ Batten Systems
- ☐ HDPE Sumps

#### **Applications** ☒

- ☒ Landfill Cells
- ☒ Landfill Caps
- ☒ Leachate Ponds
- ☒ Wastewater Treatment Ponds
- ☒ Potable Water Reservoirs
- ☒ Evaporation Ponds
- ☐ Leach Pads
- ☒ Process Ponds
- ☒ Tank Liners
- ☒ Cut Off Trench
- ☐ Methane Barriers
- ☐ Tank Farm
- ☐ Floating Covers



**ENVIRONMENTAL  
CORPORATION**

**Corporate Office:**

4301 Sterling Commerce Drive  
Plant City, FL 33566  
(813) 988-8829  
Fax: (813) 496-7305  
<http://www.Comanco.com>

**Regional Offices:**

**Reno, NV**

7911 Terminal Way #106  
Reno, NV 89502  
(775) 324-7707  
Fax: (775) 324-7708

## Heavy Equipment Operator

### Marcelo Garcia

Marcelo Garcia has 10 years of experience in operating heavy equipment during the installation of a variety of geosynthetic liners and components. He has the experience, skills and consistency to operate safely and perform quality work

He is qualified to operate equipment to include the following machines: dozer, loader, excavator, forklift, skid steer, haul truck, water truck, and crawler. He is familiar with all currently utilized safety procedures.

#### **Components Installed** ☒

- ☒ HDPE (Textured and Smooth)
- ☒ LLDPE (Textured and Smooth)
- ☒ Super Grip Drain Liner
- ☐ XR-5
- ☒ Polypropylene
- ☒ PVC
- ☒ Geotextiles
- ☒ Geonets
- ☒ Geocomposite
- ☒ GCL
- ☒ Pipe Boots
- ☒ Batten Systems
- ☐ HDPE Sumps

#### **Applications** ☒

- ☒ Landfill Cells
- ☒ Landfill Caps
- ☒ Leachate Ponds
- ☒ Wastewater Treatment Ponds
- ☒ Potable Water Reservoirs
- ☒ Evaporation Ponds
- ☐ Leach Pads
- ☒ Process Ponds
- ☒ Tank Liners
- ☒ Cut Off Trench
- ☐ Methane Barriers
- ☐ Tank Farm
- ☐ Floating Covers



**Corporate Office:**

4301 Sterling Commerce Drive  
Plant City, FL 33594  
(813) 988-8829  
Fax: (813) 496-7305  
<http://www.Comanco.com>

**Regional Offices:**

**Reno, NV**

7911 Terminal Way #106  
Reno, NV 89502  
(775) 324-7707  
Fax: (775) 324-7708

## Master Seamer

### Abel Lopez

Abel has 6 1/2 years of experience in installation and seaming of a variety of synthetic liners and components. Mr. Lopez is familiar with all currently utilized welding techniques, welder set up / maintenance, safety and installation procedures. He is also familiar with and has experience with detail work including pipe boots, sumps, batten seals, and other miscellaneous appurtenances. He is also qualified to assist in the training of Geomembrane Welders.

**Components Installed** ☒

- ☒ HDPE (Textured and Smooth)
- ☒ LLDPE (Textured and Smooth)
- ☐ Super Grip Drain Liner
- ☐ XR-5
- ☐ Polypropylene
- ☒ PVC
- ☒ Geotextiles
- ☒ Geonets
- ☒ Geocomposite
- ☒ GCL
- ☒ Pipe Boots
- ☒ Batten Systems
- ☒ HDPE Sumps

**Applications** ☒

- ☒ Landfill Cells
- ☒ Landfill Caps
- ☒ Leachate Ponds
- ☒ Wastewater Treatment Ponds
- ☒ Potable Water Reservoirs
- ☐ Evaporation Ponds
- ☐ Leach Pads
- ☐ Process Ponds
- ☐ Tank Liners
- ☐ Cut Off Trench
- ☐ Methane Barriers
- ☒ Tank Farm
- ☐ Floating Covers

#### **Berkley County Landfill Cell III Install**

Installed 479,000 sf of 60 mil HDPE liner, 479,000 sf of Geosynthetic Clay Liner, and 479,000 sf of Composite Drainage Net

#### **Oak Hammock Cell 6 Liner Install**

Installed 1.1 million sf of 60 mil HDPE liner, 552,000 sf of Geosynthetic Clay Liner, and 551,000 sf of Composite Drainage Net

#### **Mosaic Phosphates Phase II Expansion**

Installed 871,000 sf of 60 mil HDPE liner

#### **Lee/Hendry County Landfill Expansion**

Installed 2.5 million sf of 60 mil HDPE liner, and 2.5 million sf of Composite Drainage Net

#### **Mosaic New Whales Phase III SW Pond**

Installed 3.4 million sf of 60 mil HDPE liner

#### **West Palm Beach Cells 11, 12, 13, & 14**

Installed 2.94 million sf of 60 mil HDPE liner, 1.49 million sf of Geosynthetic Clay Liner, 1.85 million sf of Composite Drainage Net, and 1.18 million sf of Geonet



**ENVIRONMENTAL  
CORPORATION**

**Corporate Office:**

4301 Sterling Commerce Drive  
Plant City, FL 33566  
(813) 988-8829  
Fax: (813) 496-7305  
<http://www.Comanco.com>

**Regional Offices:**

**Reno, NV**

7911 Terminal Way #106  
Reno, NV 89502  
(775) 324-7707  
Fax: (775) 324-7708

## **Master Seamer**

### **Felix Garcia**

Felix Garcia has 7 years of experience in installation and seaming of a variety of synthetic liners and components. A Master Seamer qualification requires a minimum of five million square feet of actual hands on geomembrane welding experience. Mr. Tellez is familiar with all currently utilized welding techniques, welder set up / maintenance, safety and installation procedures. He is also familiar with and has experience with detail work including pipe boots, sumps, batten seals, and other miscellaneous appurtenances. He is also qualified to assist in the training of Geomembrane Welders.

#### **Components Installed** ☒

- ☒ HDPE (Textured and Smooth)
- ☒ LLDPE (Textured and Smooth)
- ☒ Super Grip Drain Liner
- ☐ XR-5
- ☒ Polypropylene
- ☒ PVC
- ☒ Geotextiles
- ☒ Geonets
- ☒ Geocomposite
- ☒ GCL
- ☒ Pipe Boots
- ☒ Batten Systems
- ☒ HDPE Sumps

#### **Applications** ☒

- ☒ Landfill Cells
- ☒ Landfill Caps
- ☒ Leachate Ponds
- ☒ Wastewater Treatment Ponds
- ☒ Potable Water Reservoirs
- ☒ Evaporation Ponds
- ☒ Leach Pads
- ☒ Process Ponds
- ☐ Tank Liners
- ☒ Cut Off Trench
- ☐ Methane Barriers
- ☐ Tank Farm
- ☐ Floating Covers



**ENVIRONMENTAL  
CORPORATION**

**Corporate Office:**

4301 Sterling Commerce Drive  
Plant City, FL 33566  
(813) 988-8829  
Fax: (813) 496-7305  
<http://www.Comanco.com>

**Regional Offices:**

**Reno, NV**

7911 Terminal Way #106  
Reno, NV 89502  
(775) 324-7707  
Fax: (775) 324-7708

## **Master Seamer**

### **Silvano Tellez**

Silvano Tellez has four (4) years of experience in installation and seaming of a variety of synthetic liners and components. A Master Seamer qualification requires a minimum of five million square feet of actual hands on geomembrane welding experience. Mr. Tellez is familiar with all currently utilized welding techniques, welder set up / maintenance, safety and installation procedures. He is also familiar with and has experience with detail work including pipe boots, sumps, batten seals, and other miscellaneous appurtenances. He is also qualified to assist in the training of Geomembrane Welders.

#### **Components Installed** ☒

- ☒ HDPE (Textured and Smooth)
- ☒ LLDPE (Textured and Smooth)
- ☒ Super Grip Drain Liner
- ☐ XR-5
- ☒ Polypropylene
- ☒ PVC
- ☒ Geotextiles
- ☒ Geonets
- ☒ Geocomposite
- ☒ GCL
- ☒ Pipe Boots
- ☒ Batten Systems
- ☒ HDPE Sumps

#### **Applications** ☒

- ☒ Landfill Cells
- ☒ Landfill Caps
- ☒ Leachate Ponds
- ☒ Wastewater Treatment Ponds
- ☒ Potable Water Reservoirs
- ☒ Evaporation Ponds
- ☒ Leach Pads
- ☒ Process Ponds
- ☐ Tank Liners
- ☒ Cut Off Trench
- ☐ Methane Barriers
- ☐ Tank Farm
- ☐ Floating Covers



**ENVIRONMENTAL  
CORPORATION**

**Corporate Office:**

4301 Sterling Commerce Drive  
Plant City, FL 33566  
(813) 988-8829  
Fax: (813) 496-7305  
<http://www.Comanco.com>

**Regional Offices:**

**Reno, NV**

7911 Terminal Way #106  
Reno, NV 89502  
(775) 324-7707  
Fax: (775) 324-7708

## **Geosynthetics Installer**

### **Alberto Ortiz**

Alberto Ortiz has 15 years of experience in installation of a variety of geosynthetic liners and components. In addition to his deployment duties, he is in task training to set-up and operate equipment to include the following machines under direct supervision: Vacuum box, hand held hot air, and sewing. As part of his ongoing task training he is allowed to operate the wedge welder, extrusion welder, and air testing equipment under the direct supervision of a Comanco Superintendent, Master Seamer, or Quality Control Technician. He is familiar with all currently utilized safety procedures.

#### **Components Installed** ☒

- ☒ HDPE (Textured and Smooth)
- ☒ LLDPE (Textured and Smooth)
- ☐ Super Grip Drain Liner
- ☐ XR-5
- ☐ Polypropylene
- ☐ PVC
- ☒ Geotextiles
- ☒ Geonets
- ☒ Geocomposite
- ☒ GCL
- ☒ Pipe Boots
- ☐ Batten Systems
- ☒ HDPE Sumps

#### **Applications** ☒

- ☒ Landfill Cells
- ☐ Landfill Caps
- ☐ Leachate Ponds
- ☐ Wastewater Treatment Ponds
- ☐ Potable Water Reservoirs
- ☐ Evaporation Ponds
- ☐ Leach Pads
- ☒ Process Ponds
- ☐ Tank Liners
- ☐ Cut Off Trench
- ☐ Methane Barriers
- ☐ Tank Farm
- ☐ Floating Covers





**ENVIRONMENTAL  
CORPORATION**

Corporate Office:

4301 Sterling Commerce Drive  
Plant City, FL 33566  
(813) 988-8829  
Fax: (813) 496-7305  
<http://www.Comanco.com>

Regional Offices:

**Reno, NV**  
7911 Terminal Way #106  
Reno, NV 89502  
(775) 324-7707  
Fax: (775) 324-7708

## **Geosynthetics Installer**

### **Jose Zenteno**

Jose Zenteno has 7 years of experience in installation of a variety of geosynthetic liners and components. In addition to his deployment duties, he is in task training to set-up and operate equipment to include the following machines under direct supervision: Vacuum box, hand held hot air, and sewing. As part of his ongoing task training he is allowed to operate the wedge welder, extrusion welder, and air testing equipment under the direct supervision of a Comanco Superintendent, Master Seamer, or Quality Control Technician. He is familiar with all currently utilized safety procedures.

#### **Components Installed** ☒

- ☒ HDPE (Textured and Smooth)
- ☒ LLDPE (Textured and Smooth)
- ☐ Super Grip Drain Liner
- ☐ XR-5
- ☐ Polypropylene
- ☐ PVC
- ☒ Geotextiles
- ☒ Geonets
- ☒ Geocomposite
- ☒ GCL
- ☒ Pipe Boots
- ☐ Batten Systems
- ☒ HDPE Sumps

#### **Applications** ☒

- ☒ Landfill Cells
- ☐ Landfill Caps
- ☐ Leachate Ponds
- ☐ Wastewater Treatment Ponds
- ☐ Potable Water Reservoirs
- ☐ Evaporation Ponds
- ☐ Leach Pads
- ☒ Process Ponds
- ☐ Tank Liners
- ☐ Cut Off Trench
- ☐ Methane Barriers
- ☐ Tank Farm
- ☐ Floating Covers



ENVIRONMENTAL CORPORATION

**Corporate Office:**

4301 Sterling Commerce Drive  
Plant City, FL 33566  
(813) 988-8829  
Fax: (813) 496-7305  
<http://www.Comanco.com>

**Regional Offices:**

**Reno, NV**

7911 Terminal Way #106  
Reno, NV 89502  
(775) 324-7707  
Fax: (775) 324-7708

## Geosynthetics Installer

### Obed Velasquez

Obed Velasquez has six (6) years of experience in installation of a variety of geosynthetic liners and components. He is qualified to set-up and operate equipment to include the following machines: Vacuum box, hand held hot air, and sewing. As part of his ongoing task training he is allowed to operate the wedge welder, extrusion welder, and air testing equipment under the direct supervision of a Comanco Superintendent, Master Seamer, or Quality Control Technician. He is familiar with all currently utilized safety procedures.

#### **Components Installed** ☒

- ☒ HDPE (Textured and Smooth)
- ☒ LLDPE (Textured and Smooth)
- ☐ Super Grip Drain Liner
- ☐ XR-5
- ☒ Polypropylene
- ☒ PVC
- ☒ Geotextiles
- ☒ Geonets
- ☒ Geocomposite
- ☒ GCL
- ☒ Pipe Boots
- ☒ Batten Systems
- ☐ HDPE Sumps

#### **Applications** ☒

- ☒ Landfill Cells
- ☒ Landfill Caps
- ☒ Leachate Ponds
- ☒ Wastewater Treatment Ponds
- ☒ Potable Water Reservoirs
- ☒ Evaporation Ponds
- ☐ Leach Pads
- ☒ Process Ponds
- ☒ Tank Liners
- ☒ Cut Off Trench
- ☐ Methane Barriers
- ☐ Tank Farm
- ☐ Floating Covers



**ENVIRONMENTAL  
CORPORATION**

**Corporate Office:**

4301 Sterling Commerce Drive  
Plant City, FL 33566  
(813) 988-8829  
Fax: (813) 496-7305  
<http://www.Comanco.com>

**Regional Offices:**

**Reno, NV**

7911 Terminal Way #106  
Reno, NV 89502  
(775) 324-7707  
Fax: (775) 324-7708

## **Geosynthetics Installer**

### **Manuel Itzep Sarat**

Manuel Itzep Sarat has 6 years of experience in installation of a variety of geosynthetic liners and components. In addition to his deployment duties, he is in task training to set-up and operate equipment to include the following machines under direct supervision: Vacuum box, hand held hot air, and sewing. As part of his ongoing task training he is allowed to operate the wedge welder, extrusion welder, and air testing equipment under the direct supervision of a Comanco Superintendent, Master Seamer, or Quality Control Technician. He is familiar with all currently utilized safety procedures.

#### **Components Installed** ☒

- ☒ HDPE (Textured and Smooth)
- ☒ LLDPE (Textured and Smooth)
- ☐ Super Grip Drain Liner
- ☐ XR-5
- ☐ Polypropylene
- ☐ PVC
- ☒ Geotextiles
- ☒ Geonets
- ☒ Geocomposite
- ☒ GCL
- ☒ Pipe Boots
- ☐ Batten Systems
- ☒ HDPE Sumps

#### **Applications** ☒

- ☒ Landfill Cells
- ☐ Landfill Caps
- ☐ Leachate Ponds
- ☐ Wastewater Treatment Ponds
- ☐ Potable Water Reservoirs
- ☐ Evaporation Ponds
- ☐ Leach Pads
- ☒ Process Ponds
- ☐ Tank Liners
- ☐ Cut Off Trench
- ☐ Methane Barriers
- ☐ Tank Farm
- ☐ Floating Covers



**ENVIRONMENTAL  
CORPORATION**

Corporate Office:

4301 Sterling Commerce Drive  
Plant City, FL 33566  
(813) 988-8829  
Fax: (813) 496-7305  
<http://www.Comanco.com>

Regional Offices:

**Reno, NV**  
7911 Terminal Way #106  
Reno, NV 89502  
(775) 324-7707  
Fax: (775) 324-7708

**Geosynthetics Installer**

**Eleazar Reyes**

Eleazar Reyes has 7 years of experience in installation of a variety of geosynthetic liners and components. In addition to his deployment duties, he is in task training to set-up and operate equipment to include the following machines under direct supervision: Vacuum box, hand held hot air, and sewing. As part of his ongoing task training he is allowed to operate the wedge welder, extrusion welder, and air testing equipment under the direct supervision of a Comanco Superintendent, Master Seamer, or Quality Control Technician. He is familiar with all currently utilized safety procedures.

**Components Installed** ☒

- ☒ HDPE (Textured and Smooth)
- ☒ LLDPE (Textured and Smooth)
- ☐ Super Grip Drain Liner
- ☐ XR-5
- ☐ Polypropylene
- ☐ PVC
- ☒ Geotextiles
- ☒ Geonets
- ☒ Geocomposite
- ☒ GCL
- ☒ Pipe Boots
- ☐ Batten Systems
- ☒ HDPE Sumps

**Applications** ☒

- ☒ Landfill Cells
- ☐ Landfill Caps
- ☐ Leachate Ponds
- ☐ Wastewater Treatment Ponds
- ☐ Potable Water Reservoirs
- ☐ Evaporation Ponds
- ☐ Leach Pads
- ☒ Process Ponds
- ☐ Tank Liners
- ☐ Cut Off Trench
- ☐ Methane Barriers
- ☐ Tank Farm
- ☐ Floating Covers



**ENVIRONMENTAL  
CORPORATION**

**Corporate Office:**

4301 Sterling Commerce Drive  
Plant City, FL 33566  
(813) 988-8829  
Fax: (813) 496-7305  
<http://www.Comanco.com>

**Regional Offices:**

**Reno, NV**

7911 Terminal Way #106  
Reno, NV 89502  
(775) 324-7707  
Fax: (775) 324-7708

**Geosynthetics Installer**

**Erico Deleon Mendez**

Erico DeLeon Mendez has 7 years of experience in installation of a variety of geosynthetic liners and components. In addition to his deployment duties, he is in task training to set-up and operate equipment to include the following machines under direct supervision: Vacuum box, hand held hot air, and sewing. As part of his ongoing task training he is allowed to operate the wedge welder, extrusion welder, and air testing equipment under the direct supervision of a Comanco Superintendent, Master Seamer, or Quality Control Technician. He is familiar with all currently utilized safety procedures.

**Components Installed** ☒

- ☒ HDPE (Textured and Smooth)
- ☒ LLDPE (Textured and Smooth)
- ☐ Super Grip Drain Liner
- ☐ XR-5
- ☐ Polypropylene
- ☐ PVC
- ☒ Geotextiles
- ☒ Geonets
- ☒ Geocomposite
- ☒ GCL
- ☒ Pipe Boots
- ☐ Batten Systems
- ☒ HDPE Sumps

**Applications** ☒

- ☒ Landfill Cells
- ☐ Landfill Caps
- ☐ Leachate Ponds
- ☐ Wastewater Treatment Ponds
- ☐ Potable Water Reservoirs
- ☐ Evaporation Ponds
- ☐ Leach Pads
- ☒ Process Ponds
- ☐ Tank Liners
- ☐ Cut Off Trench
- ☐ Methane Barriers
- ☐ Tank Farm
- ☐ Floating Covers



**ENVIRONMENTAL  
CORPORATION**

**Corporate Office:**

4301 Sterling Commerce Dr.  
Plant City, FL 33566  
(813) 988-8829  
Fax: (813) 988-8779  
<http://www.Comanco.net>

**Regional Offices:**

**Reno, NV**

7911 Terminal Way #204A  
Reno, NV 89502  
(775) 324-7707  
Fax: (775) 324-7708

## Geosynthetics Installer

### Reymieri Meso Alvarado

Reymieri has 2 year of experience in installation of a variety of geosynthetic liners and components. In addition to his deployment duties, he is in task training to set-up and operate equipment to include the following machines under direct supervision: Vacuum box, hand held hot air, and sewing. As part of his ongoing task training he is allowed to operate the wedge welder, extrusion welder, and air testing equipment under the direct supervision of a Comanco Superintendent, Master Seamer, or Quality Control Technician. He is familiar with all currently utilized safety procedures.

#### **Components Installed** ☒

- ☒ HDPE (Textured and Smooth)
- ☒ LLDPE (Textured and Smooth)
- ☐ Super Grip Drain Liner
- ☐ XR-5
- ☐ Polypropylene
- ☐ PVC
- ☐ Geotextiles
- ☐ Geonets
- ☐ Geocomposite
- ☐ GCL
- ☐ Pipe Boots
- ☐ Batten Systems
- ☐ HDPE Sumps

#### **Applications** ☒

- ☒ Landfill Cells
- ☐ Landfill Caps
- ☐ Leachate Ponds
- ☐ Wastewater Treatment Ponds
- ☐ Potable Water Reservoirs
- ☐ Evaporation Ponds
- ☒ Leach Pads
- ☒ Process Ponds
- ☐ Tank Liners
- ☐ Cut Off Trench
- ☐ Methane Barriers
- ☐ Tank Farm
- ☐ Floating Covers



**ENVIRONMENTAL  
CORPORATION**

Corporate Office:

4301 Sterling Commerce Drive  
Plant City, FL 33566  
(813) 988-8829  
Fax: (813) 496-7305  
<http://www.Comanco.com>

Regional Offices:

**Reno, NV**  
7911 Terminal Way #106  
Reno, NV 89502  
(775) 324-7707  
Fax: (775) 324-7708

**Geosynthetics Installer**

**Bersain Velasquez**

Bersain Velasquez has 6 years of experience in installation of a variety of geosynthetic liners and components. In addition to his deployment duties, he is in task training to set-up and operate equipment to include the following machines under direct supervision: Vacuum box, hand held hot air, and sewing. As part of his ongoing task training he is allowed to operate the wedge welder, extrusion welder, and air testing equipment under the direct supervision of a Comanco Superintendent, Master Seamer, or Quality Control Technician. He is familiar with all currently utilized safety procedures.

**Components Installed** ☒

- ☒ HDPE (Textured and Smooth)
- ☒ LLDPE (Textured and Smooth)
- ☐ Super Grip Drain Liner
- ☐ XR-5
- ☐ Polypropylene
- ☐ PVC
- ☒ Geotextiles
- ☒ Geonets
- ☒ Geocomposite
- ☒ GCL
- ☒ Pipe Boots
- ☐ Batten Systems
- ☒ HDPE Sumps

**Applications** ☒

- ☒ Landfill Cells
- ☐ Landfill Caps
- ☐ Leachate Ponds
- ☐ Wastewater Treatment Ponds
- ☐ Potable Water Reservoirs
- ☐ Evaporation Ponds
- ☐ Leach Pads
- ☒ Process Ponds
- ☐ Tank Liners
- ☐ Cut Off Trench
- ☐ Methane Barriers
- ☐ Tank Farm
- ☐ Floating Covers