



Public Works

June 25, 2014

**Board of County
Commissioners**

Kevin Beckner
Victor D. Crist
Ken Hagan
Al Higginbotham
Lesley "Les" Miller Jr.
Sandra L. Murman
Mark Sharpe

County Administrator

Michael S. Merrill

County Administrator

Executive Team

Lucia Garsys
Carl S. Harness
Gregory S. Horwedel
Liana Lopez
Bonnie Wise

County Internal Auditor

Michelle Leonhardt

County Attorney

Chip Fletcher

Public Works

PO Box 1110
Tampa, FL 33601-1110
Phone: (813) 272-5912
Fax: (813) 272-5811

Mr. Steve Morgan
Solid Waste Permitting
Florida Department of Environmental Protection
Southwest District
13051 N. Telecom Pkwy
Temple Terrace, Florida 33637-0926

RE: Southeast County Landfill - Gas Monitoring Report

Dear Mr. Morgan:

In accordance with Specific Conditions No. 19 and No. 20 of Permit No. 35435-006-SO, the Public Works Department, Solid Waste Management Division (SWMD) is submitting the quarterly landfill gas monitoring report for the Southeast County Landfill for the quarter ending July 15, 2014.

The monitoring was performed on June 19, 2014. The information includes the structure and the subsurface monitoring point gas sampling and results. No methane was detected at any of the sampling locations.

Please advise should you have any questions concerning the attached submittal.

Sincerely,

A handwritten signature in blue ink that reads "Larry E. Ruiz".

Larry E. Ruiz, SC

Landfill Operations Manager
Solid Waste Management Division

Attachment

xc: Kimberly Byer, PW
Walter Gray, PW
Rich Siemering, HDR
Ron Cope, EPC

**HILLSBOROUGH COUNTY SOLID WASTE MANAGEMENT DEPARTMENT
SOUTHEAST COUNTY LANDFILL – LFG READINGS**

ADMINISTRATION BUILDING

	Methane Gas	LEL	Carbon Dioxide	Oxygen	Balance Gas
SP-1	0	0	.2	19.8	80.0
SP-2	0	0	.2	19.8	80.0
SP-3	0	0	.2	19.8	80.0
SP-4	0	0	.2	19.8	80.0
SP-5	0	0	.2	19.8	80.0
SP-6	0	0	.2	19.8	80.0
SP-7	0	0	.2	19.8	80.0
SP-8	0	0	.2	19.8	80.0

MAINTENANCE BUILDING

	Methane Gas	LEL	Carbon Dioxide	Oxygen	Balance Gas
SP-9	0	0	.1	19.5	80.4
SP-10	0	0	.1	19.5	80.4
SP-11	0	0	.1	19.5	80.4
SP-12	0	0	.1	19.5	80.4

LEACHATE TREATMENT PLANT

	Methane Gas	LEL	Carbon Dioxide	Oxygen	Balance Gas
SP-13	0	0	.1	19.5	80.4
SP-14	0	0	.1	19.5	80.4
SP-15	0	0	.1	19.5	80.4

LANDFILL GAS PERIMETER MONITORING POINT

	Methane Gas	LEL	Carbon Dioxide	Oxygen	Balance Gas	Objectional Ambient Odor (Y/N)
LFG-1	0	0	3.6	17.1	79.3	N
LFG-2	0	0	.3	19.5	80.2	N
LFG-3	0	0	3.4	17.1	79.4	N
LFG-4	0	0	2.9	17.0	80.1	N

TECHNICIAN SIGNATURE: *David A. C...*
 SUPERVISOR SIGNATURE: *Harry E. R...*
 DATE: 06/19/14

COMMENTS: _____

Legend: SP = Ambient Sample Point