



NOTES

1. ALL PIPE LENGTHS AND SLOPES ARE APPROXIMATE.
2. STEEL GRATES TO BE USED ON ALL TYPE C AND D DITCH BOTTOM INLETS, REFER TO FDOT INDEX NO. 232 AND 233.
3. REFER TO DRAINAGE STRUCTURE DATA TABLE FOR INLET TYPE, AND INVERT ELEVATIONS (DWG 8 OF 8).

LEGEND

- | | | | |
|----------|---|--------|---|
| — 90 — | EXISTING ELEVATIONAL CONTOUR (5 FOOT INTERVAL) | — — — | SURFACE WATER FLOW DIRECTION |
| — 117.58 | EXISTING SPOT ELEVATION | — — — | STORMWATER SWALE CENTERLINE (APPROXIMATE) |
| — 122.0 | PROPOSED SPOT ELEVATION | — — — | ADS N-12 WT CORRUGATED HDPE STORMWATER PIPE |
| ■ | PAVED ACCESS ROAD (ASPHALT) | ■ | STORMWATER INLET (TYPE C OR D FDOT INDEX NO. 232) |
| ■ | UNPAVED PERIMETER BERM (SHELL, CRUSHED CONCRETE, OR GRAVEL) | ■ | U-TYPE CONCRETE ENDWALL (FDOT INDEX NO. 261) |
| | | ■ | CHECK DAM (COMPACTED SOIL) |
| | | N2/5-6 | STORMWATER STRUCTURE ID NUMBER (ACCESS ROAD) |
| | | C3 | STORMWATER STRUCTURE ID NUMBER (PERIMETER BERM) |

SURVEY SOURCE NOTE:

SURVEY PERFORMED BY KUCERA SOUTH, 2215 SOUTH FLORIDA AVENUE, LAKELAND FLORIDA 33803, TEL: (863) 886-8640. SURVEY INFORMATION SHOWN WAS COMPILED USING PHOTOGRAMMETRIC METHODS WITH A PHOTO DATE OF OCTOBER 14, 2004.

DRAWING TITLE PHASE II FINAL CLOSURE AND GRADING PLAN	BY	JOHN A. BANKS, P.E.
	DESCRIPTION	CERTIFICATE NO. 39397
PROJECT TITLE CENTRAL LANDFILL OPERATIONS PERMIT RENEWAL	DATE	
CITRUS COUNTY, FLORIDA	REV	
CLIENT		
SCS ENGINEERS STEARNS, CONRAD AND SCHMIDT CONSULTING ENGINEERS 300 S. FLORIDA AVENUE, SUITE 200, TAMPA, FL 33609 PH (813) 811-8888 FAX (813) 824-8727 FLORIDA CERTIFICATE OF AUTHORIZATION NO. 00004922	DATE	APRIL 2005
CADD FILE: 095613SITE	SCALE:	AS SHOWN
DRAWING NO.		
4 of 9		