



**FLORIDA DEPARTMENT OF
ENVIRONMENTAL PROTECTION**

CENTRAL DISTRICT
3319 MAGUIRE BOULEVARD, SUITE 232
ORLANDO, FLORIDA 32803

RICK SCOTT
GOVERNOR

CARLOS LOPEZ-CANTERA
LT. GOVERNOR

JONATHAN P. STEVERSON
SECRETARY

May 20, 2015

Gerald Lourenco, Permittee
Friends Recycling, LLC
2350 NW 27TH Avenue
Ocala, FL 34475
Aws97@aol.com

Re: Friends Recycling, LLC- C&D Disposal and Recycling
SW Facility ID # 21012
Marion County
SPCD-CAP-15-4518

Dear Mr. Lourenco:

Department personnel conducted an inspection of the above-referenced facility on April 9, 2015. Based on the information provided during and following the inspection, the facility was determined to be in compliance with the Department's rules and regulations. A copy of the inspection report is attached for your records.

The Department appreciates your efforts to maintain this facility in compliance with state and federal rules. Should you have any questions or comments, please contact Manuel F. Cardona at (407) 897-4134 or via e-mail at Manuel.Cardona@dep.state.fl.us.

Sincerely,

A handwritten signature in blue ink that reads 'Danielle Bentzen'.

Danielle Bentzen, Manager
Central District
Florida Department of Environmental Protection

Enclosure: Inspection Report

cc: Nick Guimarelli, Operator [Nicsprng@aol.com]



**Florida Department of
Environmental Protection
Inspection Checklist**

FACILITY INFORMATION:

Facility Name: FRIENDS RECYCLING FORMERLY OCALA RECYCLING

On-Site Inspection Start Date: 04/09/2015

On-Site Inspection End Date: 04/09/2015

WACS No.: 21012

Facility Street Address: 2350 NW 27TH AVE.

City: OCALA

County Name: MARION

Zip: 34475

INSPECTION PARTICIPANTS:

(Include ALL Landfill and Department Personnel with Corresponding Titles)

Principal Inspector: Manuel F. Cardona, Inspector

Other Participants: Katelyn J. Wright, Inspector; Gloria-Jean DePradine, Inspector; Gerald Lourenco, Operator; Nick Giumarelli, Operator; Jose Calderon Briones, Spotter

INSPECTION TYPE:

Routine Operation Inspection for C&D Debris Disposal Facility

ATTACHMENTS TO THE INSPECTION CHECK LIST:

This Cover Page to the Inspection Checklist may include any or all of the following attachments as appropriate.

SECTION 1.0 - FILE REVIEW

SECTION 5.0 - C&D DEBRIS DISPOSAL FACILITIES

Inspection Date: 04/09/2015

SECTION 1.0 - FILE REVIEW

Requirements:

The requirements listed in this section provide an opportunity for the Department's inspector to indicate the conditions found at the time of the inspection. A "Not Ok" response to a requirement indicates either a potential violation of the corresponding rule or an area of concern that requires more attention. Both potential violations and areas of concern are discussed further at the end of this inspection report.

Item No.	FILE REVIEW (Pre- or Post-Inspection, as appropriate.) Completed	Ok	Not Ok	Unk	N/A
1.1	For landfills and C&D disposal facilities, does the facility have a current plan for the method and sequence of filling wastes? 62-701.500(2)(f) for landfills; 62-701.730(7)(a) for C&D debris sites	✓			
1.2	For landfills, are the following records being reported to the Department?(Check any that are Not OK) <input type="checkbox"/> Waste reports (annually) 62-701.500(4) <input type="checkbox"/> Annual estimate of remaining life 62-701.500(13)(c)				✓
1.3	Is gas monitoring being performed as required by the permit? 62-701.500(9), 62-701.530(2)				✓
1.4	Are the results of the gas sampling reported to the Department quarterly? 62-701.530(2)(c)				✓
1.5	Is water quality sampling and testing performed according to standard procedures and at the required frequencies? 62-701.510(2) for landfills; 62-701.730(4)(b) and (10) for C&D debris sites; 62-713.400(3) for stationary soil treatment facilities.	✓			
1.6	Do the results of the water quality testing suggest there may be adverse impacts to water quality from the operation of the solid waste facility? 62-701.510(3) and (4); 62-701.730(4)(c) and (10) for C&D debris sites; 62-713.400(3) for stationary soil treatment facilities.			✓	
1.7	For closed landfills and C&D disposal facilities with final elevations higher than 20 feet above grade, has a final survey report verifying the final elevations and contours of the facility been submitted to the Department? 62-701.600(6)(b), 62-701.730(9)(d)				✓
1.8	Is financial assurance adequate? 62-701.630 for landfills; 62-701.710(7)(a) and (10)(a) for waste processing facilities; 62-701.730(11)(a) for C&D debris facilities; 62-713.600(6)(a) for stationary soil treatment facilities; 62-711.500(3) for waste tire facilities. NOTE: The Solid Waste Financial Coordinator in Tallahassee can assist with this information.	✓			
1.9	Are cost estimates current and adjusted every year? 62-701.630(4) for landfills; 62-701.710(7)(b) and (10)(a) for waste processing facilities; 62-701.730(11)(b) and (c) for C&D debris facilities; 62-713.600(6)(b) and (c) for stationary soil treatment facilities; 62-711.500(3) for waste tire facilities.	✓			
1.10	For C&D debris disposal and disposal with recycling facilities, is an Annual Report submitted to the Department for the disposal operation by February 1st of each year? 62-701.730(12)	✓			
1.11	For C&D recycling facilities with no disposal, is an Annual Report for the recycling facility submitted to the Department by February 1st of each year? 62-701.710(8)(b)				✓
1.12	For compost facilities, has the compost product been sampled and analyzed every 20,000 tons or every 3 months (whichever is sooner)? 62-709.530(1)				✓
1.13	For compost facilities, has the annual report been submitted by June 1st? 62-709.530(3)				✓

Inspection Date: 04/09/2015

SECTION 5.0 - C&D DEBRIS DISPOSAL FACILITIES

Requirements:

The requirements listed in this section provide an opportunity for the Department's inspector to indicate the conditions found at the time of the inspection. A "Not Ok" response to a requirement indicates either a potential violation of the corresponding rule or an area of concern that requires more attention. Both potential violations and areas of concern are discussed further at the end of this inspection report.

Item No.	SOLID WASTE PROHIBITIONS (unless "grandfathered" in, see 62-701.300(18)) Completed	Ok	Not Ok	Unk	N/A
5.1.1	Unauthorized storage, processing, or disposal of solid waste except as authorized at a permitted solid waste management facility or other exempt facility? 62-701.300(1)(a)	✓			
5.1.2	Unauthorized disposal or storage prohibited, except yard trash, within 500 feet of a potable water well? 62-701.300(2)(b)	✓			
5.2	Unauthorized storage or disposal of yard trash prohibited within the minimum setbacks of (Check any that are Not OK) 62-701.300(12) <input type="checkbox"/> 100 feet from potable water wells (except on-site)? <input type="checkbox"/> 50 feet from water bodies?	✓			
5.3	Unauthorized disposal or storage prohibited in any natural or artificial body of water including ground water and wetlands? (Does not apply to standing water after a storm event.) 62-701.300(2)(d)	✓			
5.4	Unauthorized disposal or storage prohibited, except yard trash, within 200 feet of any natural or artificial body of water, including wetlands without permanent leachate controls, except impoundments or conveyances which are part of an on-site, permitted stormwater management system or on-site water bodies with no off-site discharge? 62-701.300(2)(e)	✓			
5.5	Unauthorized open burning of solid waste prohibited except in accordance with Department requirements? 62-701.300(3)	✓			
5.6	Are the following unauthorized wastes or special wastes properly managed? (Check any that are Not OK) <input type="checkbox"/> Hazardous waste 62-701.300(4) <input type="checkbox"/> Biomedical waste 62-701.300(6) <input type="checkbox"/> Regulated asbestos wastes 62-701.520(3), 62-701.730(19) <input type="checkbox"/> Used oil and oily wastes, except as exempted 62-701.300(11) <input type="checkbox"/> PCB wastes 62-701.300(5) <input type="checkbox"/> Liquids 62-701.300(10) <input type="checkbox"/> CCA treated wood 62-701.300(14)	✓			

Item No.	C&D DEBRIS DISPOSAL FACILITY OPERATION AND MAINTENANCE Completed	Ok	Not Ok	Unk	N/A
5.7	Is the facility only disposing of C&D debris? 62-701.730(4)(d), (6) and (7)(d)	✓			
5.8	Are ground water wells intact and properly maintained? 62-701.510(2)(b), 62-701.730(4)(b)	✓			
5.9	Is stormwater effectively controlled? 62-701.730(5)	✓			
5.10	Are waste slopes no greater than 3 feet horizontal to 1 foot vertical rise, unless otherwise stated in the Operation Plan? 62-701.730(7)(b)	✓			
5.11	Are wastes compacted and graded according to the requirements of the Operation Plan? 62-701.730(7)(b)	✓			
5.12	Is access to the facility properly controlled? 62-701.730(7)(c)	✓			
5.13	Is a trained operator on duty at the facility at all times the facility is operating? 62-701.730(7)(d)	✓			
5.14	Are there a sufficient number of spotters on duty at the working face to inspect the incoming wastes at all times waste is being accepted? 62-701.730(7)(d)	✓			
5.15	Are training records current and available on-site at the facility? 62-701.730(7)(d), 62-701.320(15)(a)	✓			
5.16	Are objectionable odors controlled in accordance with Department requirements? 62-701.730(7)(e)	✓			
5.17	Are fuels, solvents, lubricants, and other maintenance materials securely stored in areas	✓			

Inspection Date: 04/09/2015

Item No.	C&D DEBRIS DISPOSAL FACILITY OPERATION AND MAINTENANCE Completed	Ok	Not Ok	Unk	N/A
5.17	separate from disposal or sorting areas? 62-701.730(7)(f)	✓			
5.18	Are buckets accepted for disposal at the facility that contain liquids, other than water, hardened paint, tar, cement, or similar non-hazardous materials? 62-701.730(7)(g)	✓			
5.19	Are areas of the facility requiring final cover properly closed? 62-701.730(9)	✓			
5.20	If an air curtain incinerator is used at the facility, is it properly operated? 62-701.730(14)	✓			
5.21	Is the facility operated so that blowing litter and vectors are minimized? 62-701.730(18)	✓			
5.22	Are the following records or plans current and available on-site? (Check any that are Not OK) <input type="checkbox"/> Operation Plan 62-701.730(7)(a) <input type="checkbox"/> Contingency Plan 62-701.320(16)(a) <input type="checkbox"/> Operational Records (if materials are recovered for the purpose of recycling) 62-701.730(13)(a), 62-701.710(9)(a) <input type="checkbox"/> CCA Treated Wood Management Plan, at unlined facilities 62-701.730(20)	✓			
5.23	Are all additional specific conditions (not otherwise addressed above) in the permit, Department order, or certification, if any, for the disposal operation being followed? 62-701.320(1), 403.161, F.S.	✓			

COMMENTS:

04/09/2015

Permit # 0019600-008-SO-24

Expires: 6/19/23

Item 1.6 Unknown: The water quality report is reviewed as a separate function and is not deemed a part of this inspection report.

Semi-annual groundwater monitoring was completed on January 23, 2015.

In accordance with the Odor Remediation Plan, the facility is required to submit quarterly reports summarizing any odor complaints received, actions taken to confirm, and mitigate any odor complaints. The last report submitted was received on April 16, 2015.

ATTACHMENTS:

View from Working Face



Inspection Date: 04/09/2015

Signed:

Manuel F. Cardona
PRINCIPAL INSPECTOR NAME

Inspector
PRINCIPAL INSPECTOR TITLE



PRINCIPAL INSPECTOR SIGNATURE

FDEP
ORGANIZATION 5/6/2015
DATE

Katelyn J. Wright
INSPECTOR NAME

Inspector
INSPECTOR TITLE

NO SIGNATURE
INSPECTOR SIGNATURE

FDEP
ORGANIZATION

Gloria-Jean DePradine
INSPECTOR NAME

Inspector
INSPECTOR TITLE

NO SIGNATURE
INSPECTOR SIGNATURE

FDEP
ORGANIZATION

Gerald Lourenco
REPRESENTATIVE NAME

Operator
REPRESENTATIVE TITLE

NO SIGNATURE
REPRESENTATIVE SIGNATURE

Friends Recycling, LLC
ORGANIZATION

Nick Giumarelli
REPRESENTATIVE NAME

Operator
REPRESENTATIVE TITLE

NO SIGNATURE
REPRESENTATIVE SIGNATURE

Friends Recycling, LLC
ORGANIZATION

Jose Calderon Briones
REPRESENTATIVE NAME

Spotter
REPRESENTATIVE TITLE

NO SIGNATURE
REPRESENTATIVE SIGNATURE

Friends Recycling, LLC
ORGANIZATION

Supervisor: Danielle M. Bentzen

Inspection Date: 04/09/2015

NOTE: By signing this document, the Site Representative only acknowledges receipt of this Inspection Report and is not admitting to the accuracy of any of the items identified by the Department as "Not Ok" or areas of concern.