

# Board of County Commissioners

## DEPARTMENT OF PUBLIC WORKS

### SOLID WASTE MANAGEMENT DIVISION

P.O. Box 340, Lecanto, Florida 34460

Telephone: (352) 527-7670 FAX: (352) 527-7672

email: [landfillinfo@bocc.citrus.fl.us](mailto:landfillinfo@bocc.citrus.fl.us)

TDD Telephone 527-5303

Citrus Springs/Dunnellon/Ingles/Yankeetown area Toll Free (352) 489-2120

34859

July 9, 2007

Dept. of Environmental  
Protection

JUL 12 2007

Mr. John Morris,  
Florida Department of  
Environmental Protection  
13051 N Telecom Pkwy  
Temple Terrace, FL 33637-0926

Southwest District

**RE: WEEKLY LEACHATE MONITORING REPORT FOR CITRUS COUNTY CENTRAL  
LANDFILL 60 AND 80 ACRE SITES - PERMIT NO. 21375-008-SO/01**

Dear Mr. Morris:

Enclosed please find the quarterly Operator's Reports for the months of April, May and June 2007.

The weekly analytical reports are now included with the quarterly report submitted by Jones, Edmunds & Associates for the Landfill. The attached summary is included for reference.

Should further information or clarification be necessary, please do not hesitate to contact me.

Sincerely,

Susan J. Metcalfe  
Director, Division of  
Solid Waste Management

CC: Michael K. Arnold, Assistant Director, Department of Public Works (w/xls sheet)  
Susan Pelz, Florida Department of Environmental Protection (w/xls sheet)



CITRUS COUNTY CENTRAL LANDFILL

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

WHEN COMPLETED MAIL THIS REPORT TO: DEPARTMENT OF ENVIRONMENTAL PROTECTION SOUTHWEST DISTRICT  
Solid Waste Section, 3805 Coconut Palm Drive Tampa, FL 33619-8218

PERMITTEE NAME: Citrus County Board Of County Commissioners  
MAILING ADDRESS: P.O. Box 340  
Lecanto, FL 34460

PERMIT NUMBER: 21375-008-SO/01  
WACS FACILITY ID NUMBER: SWD/09/039859  
TEST SITE ID NUMBER: WACS 175  
MONITORING PERIOD:


FACILITY: Central Landfill Leachate Plant  
LOCATION: 230 W. Gulf to Lake Hwy  
Lecanto, FL 34461  
COUNTY: Citrus

From: 6/1 To: 06/30/2007  
CLASS SIZE: 1-C  
REPORT: Quarterly  
GROUP: Solid Waste

Please read instructions before completing this form.

Parameter		Quantity or Loading			Quality or Concentration				No. Ex	Frequency of Analysis	Sample Type
		Avg.	Max.	Units	Min.	Avg.	Max.	Units			
Flow, in conduit or thru treatment plant	Sample Measurement	0.007		MGD							
PARM Code 50053	Permit Requirement	Report Mon. AVG.	030 (3) Month Rolling Average	MGD						Daily	Metered
COD, 5 day 20 degree C	Sample Measurement					3.3		mg/L			
PARM Code 80082	Permit Requirement					20 (Mo. Avg.)		mg/L		Weekly	Grab
Total Suspended Solids	Sample Measurement					4.9		mg/L			
PARM Code 900201	Permit Requirement					20 (Mo. Avg.)		mg/L		Weekly	Grab
Nitrate (as N)	Sample Measurement						4.9	mg/L			
PARM Code 071850	Permit Requirement					10.0 (Mo. Avg.)		mg/L		Weekly	Grab
pH	Sample Measurement				7.9		8.5	S.U.			
PARM Code 00500	Permit Requirement				6.5 Min.		8.5 Max.	S.U.		Daily	Grab

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information the possibility of fine and imprisonment

Name/Title of Principal Executive Officer or Authorized Agent	Signature of Principal Executive Officer or Authorized Agent	Telephone No. (include area code)	Date (yy/mm/dd)
Gerald Nusbaum Utility Operator II B/14117		(352)527-7670	07/06/07

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

\* Rolling Annual Average is the average of the current month's average and the preceding 11 monthly averages.

A-1



CITRUS COUNTY CENTRAL LANDFILL

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

WHEN COMPLETED MAIL THIS REPORT TO: DEPARTMENT OF ENVIRONMENTAL PROTECTION SOUTHWEST DISTRICT  
Solid Waste Section, 3805 Coconut Palm Drive Tampa, FL 33619-8218

PERMITTEE NAME: Citrus County Board Of County Commissioners  
MAILING ADDRESS: P.O. Box 340  
Lecanto, FL 34460

PERMIT NUMBER: 21375-008-SO/01  
WACS FACILITY ID NUMBER: SWD/09/039859  
TEST SITE ID NUMBER: WACS 175  
MONITORING PERIOD:


FACILITY: Central Landfill Leachate Plant  
LOCATION: 230 W. Gulf to Lake Hwy  
Lecanto, FL 34461  
COUNTY: Citrus

From: 5/1 To: 05/31/2007  
CLASS SIZE: 1-C  
REPORT: Quarterly  
GROUP: Solid Waste

Please read instructions before completing this form.

Parameter		Quantity or Loading			Quality or Concentration			No. Ex	Frequency of Analysis	Sample Type
		Avg.	Max.	Units	Min.	Avg.	Max.			
Flow, in conduit or thru treatment plant	Sample Measurement	0.006		MGD						
PARM Code 50053	Permit Requirement	Report Mon. AVG.	030 (3) Month Rolling Average	MGD					Daily	Metered
C OD, 5 day 20 degree C	Sample Measurement					3.3				mg/L
PARM Code 80082	Permit Requirement					20 (Mo. Avg.)			Weekly	Grab
Total Suspended Solids	Sample Measurement					3.6				mg/L
PARM Code 900201	Permit Requirement					20 (Mo. Avg.)			Weekly	Grab
Nitrate (as N)	Sample Measurement						3.1			mg/L
PARM Code 071850	Permit Requirement					10.0 (Mo. Avg.)			Weekly	Grab
pH	Sample Measurement				7.8		8.5			S.U.
PARM Code 00500	Permit Requirement				6.5 Min.		8.5 Max.		Daily	Grab

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information the possibility of fine and imprisonment

Name/Title of Principal Executive Officer or Authorized Agent	Signature of Principal Executive Officer or Authorized Agent	Telephone No. (include area code)	Date (yy/mm/dd)
Gerald Nusbaum Utility Operator II B/14117		(352)527-7670	07/15/07

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

\* Rolling Annual Average is the average of the current month's average and the preceding 11 monthly averages.



CITRUS COUNTY CENTRAL LANDFILL

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

WHEN COMPLETED MAIL THIS REPORT TO: DEPARTMENT OF ENVIRONMENTAL PROTECTION SOUTHWEST DISTRICT  
Solid Waste Section, 3805 Coconut Palm Drive Tampa, FL 33619-8218

PERMITTEE NAME: Citrus County Board Of County Commissioners  
MAILING ADDRESS: P.O. Box 340  
Lecanto, FL 34460

PERMIT NUMBER: 21375-008-SO/01  
WACS FACILITY ID NUMBER: SWD/09/039859  
TEST SITE ID NUMBER: WACS 175  
MONITORING PERIOD:


FACILITY: Central Landfill Leachate Plant  
LOCATION: 230 W. Gulf to Lake Hwy  
Lecanto, FL 34461  
COUNTY: Citrus

From: 4/1 To: 4/30/2007  
CLASS SIZE: 1-C  
REPORT: Quarterly  
GROUP: Solid Waste

Please read instructions before completing this form.

Parameter		Quantity or Loading			Quality or Concentration				No. Ex	Frequency of Analysis	Sample Type
		Avg.	Max.	Units	Min.	Avg.	Max.	Units			
Flow, in conduit or thru treatment plant	Sample Measurement	0.007		MGD							
PARM Code 50053	Permit Requirement	Report Mon. AVG.	.030 (3) Month Rolling Average	MGD						Daily	Metered
CROD. 5 day 20 degree C	Sample Measurement					3.8		mg/L			
PARM Code 80082	Permit Requirement					20 (Mo. Avg.)		mg/L		Weekly	Grab
Total Suspended Solids	Sample Measurement					2.3		mg/L			
PARM Code 900201	Permit Requirement					20 (Mo. Avg.)		mg/L		Weekly	Grab
Nitrate (as N)	Sample Measurement						3.0	mg/L			
PARM Code 071850	Permit Requirement					10.0 (Mo. Avg.)		mg/L		Weekly	Grab
pH	Sample Measurement				7.9		8.5	S.U.			
PARM Code 00500	Permit Requirement				6.5 Min.		8.5 Max.	S.U.		Daily	Grab

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information the possibility of fine and imprisonment


Name/Title of Principal Executive Officer or Authorized Agent	Signature of Principal Executive Officer or Authorized Agent	Telephone No. (include area code)	Date (yy/mm/dd)
Gerald Nusbaum Utility Operator II B/14117		(352)527-7670	07/12/07

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

\* Rolling Annual Average is the average of the current month's average and the preceding 11 monthly averages.







# Board of County Commissioners

## DEPARTMENT OF PUBLIC WORKS

### SOLID WASTE MANAGEMENT DIVISION

P.O. Box 340, Lecanto, Florida 34460

Telephone: (352) 527-7670 FAX: (352) 527-7672

email: [landfillinfo@bocc.citrus.fl.us](mailto:landfillinfo@bocc.citrus.fl.us)

TDD Telephone 527-5303

Citrus Springs/Dunnellon/Inglis/Yankeetown area Toll Free (352) 489-2120

July 9, 2007

Dept. of Environmental  
Protection

JUL 12 2007

Mr. John Morris,  
Florida Department of  
Environmental Protection  
13051 N Telecom Pkwy  
Temple Terrace, FL 33637-0926

Southwest District

**RE: WEEKLY LEACHATE MONITORING REPORT FOR CITRUS COUNTY CENTRAL  
LANDFILL 60 AND 80 ACRE SITES - PERMIT NO. 21375-008-SO/01**

Dear Mr. Morris:

Enclosed please find the quarterly Operator's Reports for the months of April, May and June 2007.

The weekly analytical reports are now included with the quarterly report submitted by Jones, Edmunds & Associates for the Landfill. The attached summary is included for reference.

Should further information or clarification be necessary, please do not hesitate to contact me.

Sincerely,

Susan J. Metcalfe  
Director, Division of  
Solid Waste Management

CC: Michael K. Arnold, Assistant Director, Department of Public Works (w/xls sheet)  
Susan Pelz, Florida Department of Environmental Protection (w/xls sheet)

