

Hsu, Benjamin

From: Pelley, Cindy <PelleyCA@HillsboroughCounty.ORG>
Sent: Friday, January 13, 2017 3:45 PM
To: SWD_Waste (Shared Mailbox)
Cc: Morgan, Steve; Ruiz, Larry; Cope, Ronald; Byer, Kimberly; bclark@scsengineers.com; Madden, Melissa
Subject: WACS ID 41193 - Qtr 4 2016 Water Balance & Waste Tire Report for Southeast County Landfill
Attachments: 4Q2016 Water Balance.pdf; Annual Fire Inspection 2016.pdf; 2016 Annual Waste Tire Rpt.pdf; 4Q2016 Waste Tire Rpt.pdf; Phase II Water Level Table.xlsx

Mr. Morgan:

The Quarterly Water Balance and Waste Tire Reports for the Southeast County Landfill are attached (WACS ID 41193). Also attached is the Annual Tire Report, Fire Inspection and the Phase II Piezometer readings.

Please advise should you have any questions concerning the information provided.

Thank you,

Cindy A. Pelley

General Manager II

Solid Waste Management Division
Public Works Department

M: (813) 767-0510

P: (813) 671-7707

E: pelleyca@HillsboroughCounty.org

W: HillsboroughCounty.org

Hillsborough County

601 E. Kennedy Blvd., Tampa, FL 33602

[Facebook](#) | [Twitter](#) | [YouTube](#) | [LinkedIn](#)

Please note: All correspondence to or from this office is subject to Florida's Public Records law.



HILLSBOROUGH COUNTY FIRE RESCUE
 2709 E. HANNA AVENUE
 TAMPA, FLORIDA 33610
 PH: (813) 744-5541
 FAX: (813) 744-5794
 Survey: <https://www.surveymonkey.com/s/FireInspectionSurvey>

Annual Insp 05-15k SF Assigned To SHELTON, Stephen on 12/28/2016

Start Date:
Business Name: HC SOUTH EAST LANDFILL
Address: 15960 C.R. 672 Unit No: GARAGE
City/State/Zip: BALM, FL 33598

Finish Date:
Occupancy ID: 38741
Station No.: Station 03
Business Phone: (813)671-7707

<u>Complex Info</u>	<u>Main Floor</u>	<u>Stories</u>	<u>Estimated Values</u>
Commercial Units: 1	Length: 0	Above Grade: 1	Property: \$0.00
Residential Units: 0	Width: 0	Below Grade: 0	Content: \$0.00
Complex Type: 4	Area: 8,125	Upper Construction: -	
Complex:	Construction: -		

Occupancy Use: 40-INDUSTRIAL - 40-Industrial Occupanci	Roof Type: -
Property Uses: -	Roof Material: -
Building Style: -	Roof Access:
Building Status: 2 - In normal use	Inspection Fee: \$75.00
Construction Type: -	Invoice Nbr: 16-003298
Detector Type: -	Occupant Load: 81
Power Supply: -	
Auto. Extinguisher: -	
Year of Construction: 0	

Codes are referenced from the Florida Fire Prevention Code and Hillsborough County ordinance.

You have 10 business days to appeal this Notice of Violation, by sending a letter to the Fire Marshal's Office at 2709 E. Hanna Avenue, Tampa, Florida 33610. For information regarding the Administrative Appeals Process please contact the Fire Marshal's Office at (813)744-5541.

<u>Violations</u>	<u>Date Found</u>	<u>Date Cleared</u>	<u>Standard/Reference</u>
1-A NO FINDING			
No Findings/Violations:	12/28/2016	12/28/2016	
No violations noted for this inspection.			
NO NOTED DISCREPANCIES			

Recipient:

CINDY PELLEY

Inspector

Stephen Shelton

Re-Inspection Date: _____



HILLSBOROUGH COUNTY FIRE RESCUE
 2709 E. HANNA AVENUE
 TAMPA, FLORIDA 33610
 PH: (813) 744-5541
 FAX: (813) 744-5794
 Survey: <https://www.surveymonkey.com/s/FireInspectionSurvey>

Annual Insp 00-5k SF Assigned To SHELTON, Stephen on 12/28/2016

Start Date: _____ **Finish Date:** _____
Business Name: HC SOUTH EAST LANDFILL **Occupancy ID:** 51824
Address: 15960 C.R. 672 Unit No: BATH RM **Station No.:** Station 03
City/State/Zip: LITHIA, FL 33547 **Business Phone:** (813)671-7707

<u>Complex Info</u>	<u>Main Floor</u>	<u>Stories</u>	<u>Estimated Values</u>
Commercial Units: 1	Length: 0	Above Grade: 1	Property: \$0.00
Residential Units: 0	Width: 0	Below Grade: 0	Content: \$0.00
Complex Type: 4	Area: 320	Upper Construction: -	
Complex:	Construction: -		

Occupancy Use: 39-BUS-EXIST - 39-Existing Business Occ	Roof Type: -
Property Uses: 599 - Business office	Roof Material: -
Building Style: -	Roof Access:
Building Status: 2 - In normal use	Inspection Fee: \$55.00
Construction Type: -	Invoice Nbr: 16-003298
Detector Type: -	Occupant Load: 3
Power Supply: -	
Auto. Extinguisher: -	
Year of Construction: 0	

Codes are referenced from the Florida Fire Prevention Code and Hillsborough County ordinance.

You have 10 business days to appeal this Notice of Violation, by sending a letter to the Fire Marshal's Office at 2709 E. Hanna Avenue, Tampa, Florida 33610. For information regarding the Administrative Appeals Process please contact the Fire Marshal's Office at (813)744-5541.

<u>Violations</u>	<u>Date Found</u>	<u>Date Cleared</u>	<u>Standard/Reference</u>
1-A NO FINDING			
No Findings/Violations:	12/28/2016	12/28/2016	
No violations noted for this inspection. NO NOTED DISCREPANCIES			

Recipient:

CINDY PELLEY

Inspector

Stephen Shelton

Re-Inspection Date: _____



HILLSBOROUGH COUNTY FIRE RESCUE
 2709 E. HANNA AVENUE
 TAMPA, FLORIDA 33610
 PH: (813) 744-5541
 FAX: (813) 744-5794
 Survey: <https://www.surveymonkey.com/s/FireInspectionSurvey>

Annual Insp 00-5k SF Assigned To SHELTON, Stephen on 12/28/2016

Start Date: _____ **Finish Date:** _____
Business Name: HC SOUTH EAST LAND FILL **Occupancy ID:** 52467
Address: 15960 C.R. 672 Unit No: LFG FLARE **Station No.:** Station 03
City/State/Zip: LITHIA, FL 33547 **Business Phone:** (813)671-7707

<u>Complex Info</u>	<u>Main Floor</u>	<u>Stories</u>	<u>Estimated Values</u>
Commercial Units: 1	Length: 40	Above Grade: 1	Property: \$0.00
Residential Units: 0	Width: 30	Below Grade: 0	Content: \$0.00
Complex Type: 4	Area: 1,200	Upper Construction: -	
Complex:	Construction: -		

Occupancy Use: 40-INDUSTRIAL - 40-Industrial Occupanci	Roof Type: -
Property Uses: 614 - Steam or heat generating plant	Roof Material: -
Building Style: -	Roof Access:
Building Status: 5 - Vacant and secured	Inspection Fee: \$55.00
Construction Type: -	Invoice Nbr: 16-003298
Detector Type: -	Occupant Load: 12
Power Supply: -	
Auto. Extinguisher: -	
Year of Construction: 0	

Codes are referenced from the Florida Fire Prevention Code and Hillsborough County ordinance.

You have 10 business days to appeal this Notice of Violation, by sending a letter to the Fire Marshal's Office at 2709 E. Hanna Avenue, Tampa, Florida 33610. For information regarding the Administrative Appeals Process please contact the Fire Marshal's Office at (813)744-5541.

<u>Violations</u>	<u>Date Found</u>	<u>Date Cleared</u>	<u>Standard/Reference</u>
1-A NO FINDING			
No Findings/Violations:	12/28/2016	12/28/2016	
No violations noted for this inspection.			
NO NOTED DISCREPAANCIES			

Recipient:

CINDY PELLEY

Inspector

Stephen Shelton

Re-Inspection Date: _____



HILLSBOROUGH COUNTY FIRE RESCUE
 2709 E. HANNA AVENUE
 TAMPA, FLORIDA 33610
 PH: (813) 744-5541
 FAX: (813) 744-5794
 Survey: <https://www.surveymonkey.com/s/FireInspectionSurvey>

Annual Insp 00-5k SF Assigned To SHELTON, Stephen on 12/28/2016

Start Date:
Business Name: HC SOUTH EAST LAND FILL
Address: 15960 C.R. 672 Unit No: LAETCH
City/State/Zip: LITHIA, FL 33547

Finish Date:
Occupancy ID: 52465
Station No.: Station 03
Business Phone: (813)671-7707

<u>Complex Info</u>	<u>Main Floor</u>	<u>Stories</u>	<u>Estimated Values</u>
Commercial Units: 1	Length: 0	Above Grade: 1	Property: \$0.00
Residential Units: 0	Width: 0	Below Grade: 0	Content: \$0.00
Complex Type: 4	Area: 3,750	Upper Construction: -	
Complex:	Construction: -		

Occupancy Use: 40-INDUSTRIAL - 40-Industrial Occupanci	Roof Type: -
Property Uses: 919 - Dump, sanitary landfill	Roof Material: -
Building Style: -	Roof Access:
Building Status: 2 - In normal use	Inspection Fee: \$55.00
Construction Type: -	Invoice Nbr: 16-003298
Detector Type: -	Occupant Load: 37
Power Supply: -	
Auto. Extinguisher: -	
Year of Construction: 0	

Codes are referenced from the Florida Fire Prevention Code and Hillsborough County ordinance.

You have 10 business days to appeal this Notice of Violation, by sending a letter to the Fire Marshal's Office at 2709 E. Hanna Avenue, Tampa, Florida 33610. For information regarding the Administrative Appeals Process please contact the Fire Marshal's Office at (813)744-5541.

<u>Violations</u>	<u>Date Found</u>	<u>Date Cleared</u>	<u>Standard/Reference</u>
1-A NO FINDING			
No Findings/Violations:	12/28/2016	12/28/2016	
No violations noted for this inspection.			
NO NOTED DISCREPANCIES			

Recipient:

CINDY PELLEY

Inspector

Stephen Shelton

Re-inspection Date: _____



HILLSBOROUGH COUNTY FIRE RESCUE
 2709 E. HANNA AVENUE
 TAMPA, FLORIDA 33610
 PH: (813) 744-5541
 FAX: (813) 744-5794
 Survey: <https://www.surveymonkey.com/s/FireInspectionSurvey>

Annual Insp 00-5k SF Assigned To SHELTON, Stephen on 12/28/2016

Start Date: _____ **Finish Date:** _____
Business Name: HC SOUTH EAST LAND FILL **Occupancy ID:** 52453
Address: 15960 C.R. 672 Unit No: BATH BY TRLR **Station No.:** Station 03
City/State/Zip: LITHIA, FL 33547 **Business Phone:** (813)671-7707

<u>Complex Info</u>	<u>Main Floor</u>	<u>Stories</u>	<u>Estimated Values</u>
Commercial Units: 1	Length: 10	Above Grade: 1	Property: \$0.00
Residential Units: 0	Width: 28	Below Grade: 0	Content: \$0.00
Complex Type: 4	Area: 280	Upper Construction: -	
Complex:	Construction: -		

Occupancy Use: 39-BUS-EXIST - 39-Existing Business Occ	Roof Type: -
Property Uses: 599 - Business office	Roof Material: -
Building Style: -	Roof Access:
Building Status: 2 - In normal use	Inspection Fee: \$55.00
Construction Type: -	Invoice Nbr: 16-003298
Detector Type: -	Occupant Load: 3
Power Supply: -	
Auto. Extinguisher: -	
Year of Construction: 0	

Codes are referenced from the Florida Fire Prevention Code and Hillsborough County ordinance.

You have 10 business days to appeal this Notice of Violation, by sending a letter to the Fire Marshal's Office at 2709 E. Hanna Avenue, Tampa, Florida 33610. For information regarding the Administrative Appeals Process please contact the Fire Marshal's Office at (813)744-5541.

<u>Violations</u>	<u>Date Found</u>	<u>Date Cleared</u>	<u>Standard/Reference</u>
1-A NO FINDING			
No Findings/Violations:	12/28/2016	12/28/2016	
No violations noted for this inspection.			
NO NOTED DISCREPANCIES			

Recipient:

CINDY PELLEY

Inspector

Stephen Shelton

Re-Inspection Date: _____



HILLSBOROUGH COUNTY FIRE RESCUE
 2709 E. HANNA AVENUE
 TAMPA, FLORIDA 33610
 PH: (813) 744-5541
 FAX: (813) 744-5794
 Survey: <https://www.surveymonkey.com/s/FireInspectionSurvey>

Annual Insp 00-5k SF Assigned To SHELTON, Stephen on 12/28/2016

Start Date:
Business Name: HC SOUTH EAST LAND FILL
Address: 15960 C.R. 672 Unit No: TIRE OFFICE
City/State/Zip: LITHIA, FL 33547

Finish Date:
Occupancy ID: 52449
Station No.: Station 03
Business Phone: (813)671-7707

<u>Complex Info</u>	<u>Main Floor</u>	<u>Stories</u>	<u>Estimated Values</u>
Commercial Units: 1	Length: 0	Above Grade: 1	Property: \$0.00
Residential Units: 0	Width: 0	Below Grade: 0	Content: \$0.00
Complex Type: 4	Area: 600	Upper Construction: -	
Complex:	Construction: -		

Occupancy Use: 39-BUS-EXIST - 39-Existing Business Occ	Roof Type: -
Property Uses: 599 - Business office	Roof Material: -
Building Style: -	Roof Access:
Building Status: 2 - In normal use	Inspection Fee: \$55.00
Construction Type: -	Invoice Nbr: 16-003298
Detector Type: -	Occupant Load: 6
Power Supply: -	
Auto. Extinguisher: -	
Year of Construction: 0	

Codes are referenced from the Florida Fire Prevention Code and Hillsborough County ordinance.

You have 10 business days to appeal this Notice of Violation, by sending a letter to the Fire Marshal's Office at 2709 E. Hanna Avenue, Tampa, Florida 33610. For information regarding the Administrative Appeals Process please contact the Fire Marshal's Office at (813)744-5541.

<u>Violations</u>	<u>Date Found</u>	<u>Date Cleared</u>	<u>Standard/Reference</u>
1-A NO FINDING			
No Findings/Violations:	12/28/2016	12/28/2016	
No violations noted for this inspection. NO NOTED DISCREPANCIES			

Recipient:

CINDY PELLEY

Inspector

Stephen Shelton

Re-Inspection Date: _____



HILLSBOROUGH COUNTY FIRE RESCUE
 2709 E. HANNA AVENUE
 TAMPA, FLORIDA 33610
 PH: (813) 744-5541
 FAX: (813) 744-5794
 Survey: <https://www.surveymonkey.com/s/FireInspectionSurvey>

Annual Insp 05-15k SF Assigned To SHELTON, Stephen on 12/28/2016

Start Date:
Business Name: HC SOUTH EAST LAND FILL
Address: 15960 C.R. 672 Unit No: SHREDDER
City/State/Zip: LITHIA, FL 33547

Finish Date:
Occupancy ID: 52463
Station No.: Station 03
Business Phone: (813)671-7707

<u>Complex Info</u>	<u>Main Floor</u>	<u>Stories</u>	<u>Estimated Values</u>
Commercial Units: 1	Length: 0	Above Grade: 1	Property: \$0.00
Residential Units: 0	Width: 0	Below Grade: 0	Content: \$0.00
Complex Type: 4	Area: 8,000	Upper Construction: -	
Complex:	Construction: -		


Occupancy Use: 40-INDUSTRIAL - 40-Industrial Occupanci	Roof Type: -
Property Uses: 808 - Outbuilding or shed	Roof Material: -
Building Style: -	Roof Access:
Building Status: 2 - In normal use	Inspection Fee: \$75.00
Construction Type: -	Invoice Nbr: 16-003298
Detector Type: -	Occupant Load: 80
Power Supply: -	
Auto. Extinguisher: -	
Year of Construction: 0	

Codes are referenced from the Florida Fire Prevention Code and Hillsborough County ordinance.

You have 10 business days to appeal this Notice of Violation, by sending a letter to the Fire Marshal's Office at 2709 E. Hanna Avenue, Tampa, Florida 33610. For information regarding the Administrative Appeals Process please contact the Fire Marshal's Office at (813)744-5541.

<u>Violations</u>	<u>Date Found</u>	<u>Date Cleared</u>	<u>Standard/Reference</u>
1-A NO FINDING			
No Findings/Violations:	12/28/2016	12/28/2016	
No violations noted for this inspection.			
NO NOTED DISCREPANCIES			

Recipient:



CINDY PELLEY

Inspector



Stephen Shelton

Re-Inspection Date: _____



HILLSBOROUGH COUNTY FIRE RESCUE
 2709 E. HANNA AVENUE
 TAMPA, FLORIDA 33610
 PH: (813) 744-5541
 FAX: (813) 744-5794
 Survey: <https://www.surveymonkey.com/s/FireInspectionSurvey>

Annual Insp 00-5k SF Assigned To SHELTON, Stephen on 12/28/2016

Start Date:
Business Name: HC SOUTH EAST LAND FILL
Address: 15960 C.R. 672 Unit No: MAIN OFFICE
City/State/Zip: LITHIA, FL 33547

Finish Date:
Occupancy ID: 52446
Station No.: Station 03
Business Phone: (813)671-7707

<u>Complex Info</u>	<u>Main Floor</u>	<u>Stories</u>	<u>Estimated Values</u>
Commercial Units: 1	Length: 0	Above Grade: 1	Property: \$0.00
Residential Units: 0	Width: 0	Below Grade: 0	Content: \$0.00
Complex Type: 4	Area: 3,875	Upper Construction: -	
Complex:	Construction: -		

Occupancy Use: 39-BUS-EXIST - 39-Existing Business Occ	Roof Type: -
Property Uses: 599 - Business office	Roof Material: -
Building Style: -	Roof Access:
Building Status: 2 - In normal use	Inspection Fee: \$55.00
Construction Type: -	Invoice Nbr: 16-003298
Detector Type: -	Occupant Load: 38
Power Supply: -	
Auto. Extinguisher: -	
Year of Construction: 0	

Codes are referenced from the Florida Fire Prevention Code and Hillsborough County ordinance.

You have 10 business days to appeal this Notice of Violation, by sending a letter to the Fire Marshal's Office at 2709 E. Hanna Avenue, Tampa, Florida 33610. For information regarding the Administrative Appeals Process please contact the Fire Marshal's Office at (813)744-5541.

<u>Violations</u>	<u>Date Found</u>	<u>Date Cleared</u>	<u>Standard/Reference</u>
1-A NO FINDING			
No Findings/Violations:	12/28/2016	12/28/2016	
No violations noted for this inspection. NO NOTED DISCREPANCIES			

Recipient:

CINDY PELLEY

Inspector

Stephen Shelton

Re-Inspection Date: _____



HILLSBOROUGH COUNTY FIRE RESCUE
 2709 E. HANNA AVENUE
 TAMPA, FLORIDA 33610
 PH: (813) 744-5541
 FAX: (813) 744-5794
 Survey: <https://www.surveymonkey.com/s/FireInspectionSurvey>

Annual Insp 00-5k SF Assigned To SHELTON, Stephen on 12/28/2016

Start Date: _____ **Finish Date:** _____
Business Name: HC SOUTH EAST LAND FILL **Occupancy ID:** 52451
Address: 15960 C.R. 672 Unit No: LFG STRG **Station No.:** Station 03
City/State/Zip: LITHIA, FL 33547 **Business Phone:** (813)671-7707

<u>Complex Info</u>	<u>Main Floor</u>	<u>Stories</u>	<u>Estimated Values</u>
Commercial Units: 1	Length: 40	Above Grade: 1	Property: \$0.00
Residential Units: 0	Width: 30	Below Grade: 0	Content: \$0.00
Complex Type: 4	Area: 1,200	Upper Construction: -	
Complex:	Construction: -		

Occupancy Use: 42-STORAGE - 42-Storage Occupancies	Roof Type: -
Property Uses: 308 - Outbuilding or shed	Roof Material: -
Building Style: -	Roof Access:
Building Status: 2 - In normal use	Inspection Fee: \$55.00
Construction Type: -	Invoice Nbr: 16-003298
Detector Type: -	Occupant Load:
Power Supply: -	
Auto. Extinguisher: -	
Year of Construction: 0	

Codes are referenced from the Florida Fire Prevention Code and Hillsborough County ordinance.

You have 10 business days to appeal this Notice of Violation, by sending a letter to the Fire Marshal's Office at 2709 E. Hanna Avenue, Tampa, Florida 33610. For information regarding the Administrative Appeals Process please contact the Fire Marshal's Office at (813)744-5541.

<u>Violations</u>	<u>Date Found</u>	<u>Date Cleared</u>	<u>Standard/Reference</u>
1-A NO FINDING			
No Findings/Violations:	12/28/2016	12/28/2016	
No violations noted for this inspection. NO NOTED DISCREPANCIES			

Recipient:

CINDY PELLEY

Inspector

Stephen Shelton

Re-Inspection Date: _____



HILLSBOROUGH COUNTY FIRE RESCUE
 2709 E. HANNA AVENUE
 TAMPA, FLORIDA 33610
 PH: (813) 744-5541
 FAX: (813) 744-5794
 Survey: <https://www.surveymonkey.com/s/FireInspectionSurvey>

Annual Insp 00-5k SF Assigned To SHELTON, Stephen on 12/28/2016

Start Date: _____ **Finish Date:** _____
Business Name: HC SOUTH EAST LAND FILL **Occupancy ID:** 52460
Address: 15960 C.R. 672 Unit No: DERIMMER **Station No.:** Station 03
City/State/Zip: LITHIA, FL 33547 **Business Phone:** (813)671-7707

<u>Complex Info</u>	<u>Main Floor</u>	<u>Stories</u>	<u>Estimated Values</u>
Commercial Units: 1	Length: 0	Above Grade: 1	Property: \$0.00
Residential Units: 0	Width: 0	Below Grade: 0	Content: \$0.00
Complex Type: 4	Area: 2,000	Upper Construction: -	
Complex:	Construction: -		

Occupancy Use: 40-INDUSTRIAL - 40-Industrial Occupanci	Roof Type: -
Property Uses: 808 - Outbuilding or shed	Roof Material: -
Building Style: -	Roof Access:
Building Status: 2 - In normal use	Inspection Fee: \$55.00
Construction Type: -	Invoice Nbr: 16-003298
Detector Type: -	Occupant Load: 20
Power Supply: -	
Auto. Extinguisher: -	
Year of Construction: 0	

Codes are referenced from the Florida Fire Prevention Code and Hillsborough County ordinance.

You have 10 business days to appeal this Notice of Violation, by sending a letter to the Fire Marshal's Office at 2709 E. Hanna Avenue, Tampa, Florida 33610. For information regarding the Administrative Appeals Process please contact the Fire Marshal's Office at (813)744-5541.

<u>Violations</u>	<u>Date Found</u>	<u>Date Cleared</u>	<u>Standard/Reference</u>
1-A NO FINDING			
No Findings/Violations:	12/28/2016	12/28/2016	
No violations noted for this inspection. NO NOTED DISCREPANCIES			

Recipient:

CINDY PELLECY

Inspector

Stephen Shelton

Re-Inspection Date: _____



HILLSBOROUGH COUNTY FIRE RESCUE
 2709 E. HANNA AVENUE
 TAMPA, FLORIDA 33610
 PH: (813) 744-5541
 FAX: (813) 744-5794
 Survey: <https://www.surveymonkey.com/s/FireInspectionSurvey>

Annual Insp 00-5k SF Assigned To SHELTON, Stephen on 12/28/2016

Start Date: _____ **Finish Date:** _____
Business Name: HC SOUTH EAST LAND FILL **Occupancy ID:** 52464
Address: 15960 C.R. 672 Unit No: CHML STRG **Station No.:** Station 03
City/State/Zip: LITHIA, FL 33547 **Business Phone:** (813)671-7707

<u>Complex Info</u>	<u>Main Floor</u>	<u>Stories</u>	<u>Estimated Values</u>
Commercial Units: 0	Length: 0	Above Grade: 1	Property: \$0.00
Residential Units: 0	Width: 0	Below Grade: 0	Content: \$0.00
Complex Type: 4	Area: 2,500	Upper Construction: -	
Complex:	Construction: -		

Occupancy Use: 42-STORAGE - 42-Storage Occupancies	Roof Type: -
Property Uses: 807 - Outside material storage area	Roof Material: -
Building Style: -	Roof Access:
Building Status: 2 - In normal use	Inspection Fee: \$55.00
Construction Type: -	Invoice Nbr: 16-003298
Detector Type: -	Occupant Load:
Power Supply: -	
Auto. Extinguisher: -	
Year of Construction: 0	

Codes are referenced from the Florida Fire Prevention Code and Hillsborough County ordinance.

You have 10 business days to appeal this Notice of Violation, by sending a letter to the Fire Marshal's Office at 2709 E. Hanna Avenue, Tampa, Florida 33610. For information regarding the Administrative Appeals Process please contact the Fire Marshal's Office at (813)744-5541.

<u>Violations</u>	<u>Date Found</u>	<u>Date Cleared</u>	<u>Standard/Reference</u>
1-A NO FINDING			
No Findings/Violations:	12/28/2016	12/28/2016	
No violations noted for this inspection.			
NO NOTED DISCREPANCIES			

Recipient:

CINDY PELLEY

Inspector

Stephen Shelton

Re-Inspection Date: _____