



FDEP Automated Data Evaluation

Tomoka Farm Road LF

Human Review Statement:

This is an automated data review produced by the FDEP Validator software. This report does not supercede FDEP rules or standards and may not contain all violations of FDEP rules and standards. This report should be reviewed by a qualified staff member.

Sample ID: **F07040959-001A** Matrix: W Well Type: CO - Compliance

Monitoring Site: SW-2 Sample Date: April 23, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|----------------|------|------|-------|---|
| Acrylonitrile | 0.72 | U | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.2 ug/L Detection Limit: 0.72 ug/L |

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|----------------|------|------|-------|---|
| Acetone | 2.6 | I | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 1700 ug/L Detection Limit: 2.5 ug/L |
| Xylenes, Total | 0.95 | I | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 370 ug/L Detection Limit: 0.32 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|---------------------------|-------|------|----------|---|
| 1,1,1,2-Tetrachloroethane | 0.69 | U | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| 1,1-Dichloroethane | 0.81 | U | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| 2-Hexanone | 0.59 | U | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Bromochloromethane | 0.64 | U | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Chloroethane | 0.52 | U | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| cis-1,2-Dichloroethene | 0.92 | U | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 512 | | umhos/cm | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dibromomethane | 0.94 | U | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 11.08 | | mg/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
Page 1 of 332
C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

| | | | |
|-----------------------------|--------|-------|---|
| pH | 8.54 | S.U. | Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 21.44 | deg C | Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 U | ug/L | Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 U | ug/L | Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Trichlorofluoromethane | 0.2 U | ug/L | Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 7.58 | NTU | Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 2 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-001B**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: SW-2

Sample Date: April 23, 2007

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|-----------------------------|---------|------|-------|
| 1,2-Dibromo-3-chloropropane | 0.006 U | | ug/L |

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

| |
|----------------------------------|
| Versions |
| Report: 3.0.0 |
| Database: 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 3 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-001C**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: SW-2

Sample Date: April 23, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|----------------|------|------|-------|--|
| Mercury | 0.05 | U | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.012 ug/L Detection Limit: 0.05 ug/L |
| Comment: | | | | |
| Selenium | 7.5 | U | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 5 ug/L Detection Limit: 7.5 ug/L |
| Comment: | | | | |
| Thallium | 7.5 | U | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 6.3 ug/L Detection Limit: 7.5 ug/L |
| Comment: | | | | |

Evaluation Type: **The criteria for this component must be evaluated manually.**

Evaluate manually

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|----------------|-------|------|-------|---|
| Cadmium | 0.051 | I | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Copper | 0.5 | U | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Lead | 0.5 | U | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Nickel | 2.5 | U | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Zinc | 10 | U | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|----------------|------|------|-------|---|
| Iron | 1000 | | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 1000 ug/L Detection Limit: 20 ug/L |
| Comment: | | | | |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|----------------|------|------|-------|---|
| Barium | 5.6 | I | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Cobalt | 5 | U | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Sodium | 50 | | mg/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
Page 4 of 332
C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

| | | | |
|-------------------------|-----|------|---|
| Total Hardness as CaCO3 | 170 | mg/L | Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Vanadium | 5 U | ug/L | Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |

| |
|----------------------------------|
| Versions |
| Report: 3.0.0 |
| Database: 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
Page 5 of 332
C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-001D**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: SW-2

Sample Date: April 23, 2007

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
|----------------|------|------|-------|

| | | | |
|---------------------------|---|---|------|
| Biochemical Oxygen Demand | 2 | I | mg/L |
|---------------------------|---|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|-------------------|--------|---|------|
| Nitrogen, Nitrate | 0.0091 | U | mg/L |
|-------------------|--------|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|---|-----|---|------|
| Solids, Suspended (Residue, Non-Filterable) | 4.5 | I | mg/L |
|---|-----|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|-------------------------|-----|--|------|
| Solids, Total Dissolved | 330 | | mg/L |
|-------------------------|-----|--|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

Evaluation Type: **The sample was analyzed after the holding time had expired.**

Measured concentrations may not be representative of conditions at sample collection.

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
|----------------|------|------|-------|

| | | | |
|---------------------------|---|---|------|
| Biochemical Oxygen Demand | 2 | I | mg/L |
|---------------------------|---|---|------|

Analysis performed outside 4.6 days.
holding time by:

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 6 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-001E**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: SW-2

Sample Date: April 23, 2007

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chlorophyll a | 4.7 | | ug/L |

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 7 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-001F**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: SW-2

Sample Date: April 23, 2007

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
|----------------|------|------|-------|

| | | | |
|------------------------|----|--|------|
| Chemical Oxygen Demand | 47 | | mg/L |
|------------------------|----|--|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|---------------------|-----|--|------|
| Total Nitrogen as N | 1.1 | | mg/L |
|---------------------|-----|--|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 8 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-001G**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: SW-2

Sample Date: April 23, 2007

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|-----------------------|------|------|-------|
| Organic Carbon, Total | 15 | | mg/L |

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 9 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-001H** Matrix: W Well Type: CO - Compliance

Monitoring Site: SW-2 Sample Date: April 23, 2007

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|---------------|
| Fecal Coliform | 2 | U | cfu/100 mL |

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

| |
|----------------------------------|
| Versions |
| Report: 3.0.0 |
| Database: 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
Page 10 of 332
C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-002A**

Matrix: W

Well Type:

Monitoring Site: EQ Blank

Sample Date: April 23, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Acrylonitrile | 0.72 | U | ug/L |

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
 Criterion: 0.2 ug/L
 Detection Limit: 0.72 ug/L

Comment:

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Benzene | 0.87 | I | ug/L |

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
 Criterion: 71.28 ug/L
 Detection Limit: 0.16 ug/L

Comment:

| | | | |
|--------------------|-----|----|------|
| Methylene chloride | 2.6 | IV | ug/L |
|--------------------|-----|----|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)
 Criterion: 1580 ug/L
 Detection Limit: 0.33 ug/L

Comment:

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|---------------------------|------|------|-------|
| 1,1,1,2-Tetrachloroethane | 0.69 | U | ug/L |

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|--------------------|------|---|------|
| 1,1-Dichloroethane | 0.81 | U | ug/L |
|--------------------|------|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|------------|------|---|------|
| 2-Hexanone | 0.59 | U | ug/L |
|------------|------|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|--------------------|------|---|------|
| Bromochloromethane | 0.64 | U | ug/L |
|--------------------|------|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|--------------|------|---|------|
| Chloroethane | 0.52 | U | ug/L |
|--------------|------|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|------------------------|------|---|------|
| cis-1,2-Dichloroethene | 0.92 | U | ug/L |
|------------------------|------|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|-------------------------|------|---|------|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L |
|-------------------------|------|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|----------------|------|---|------|
| Dibromomethane | 0.94 | U | ug/L |
|----------------|------|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|-------------|-----|---|------|
| Iodomethane | 0.8 | U | ug/L |
|-------------|-----|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|---------------------------|------|---|------|
| trans-1,3-Dichloropropene | 0.33 | U | ug/L |
|---------------------------|------|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|-----------------------------|-----|---|------|
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L |
|-----------------------------|-----|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|------------------------|-----|---|------|
| Trichlorofluoromethane | 0.2 | U | ug/L |
|------------------------|-----|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

Versions

Report: 3.0.0
 Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 11 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

| Parameter Name | Rslt | Qual | Units |
|--------------------|------|------|-------|
| Methylene chloride | 2.6 | IV | ug/L |

QA/QC Qualifier V

Comment:

Qual meaning: Analyte was detected in both the sample and the associated method blank.

| |
|----------|
| Versions |
|----------|

| | |
|---------|-------|
| Report: | 3.0.0 |
|---------|-------|

| | | | |
|-----------|--------|-----------|-------|
| Database: | 3.7.51 | 6/24/2005 | 12:00 |
|-----------|--------|-----------|-------|

Monday, July 23, 2007

Page 12 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-002B**

Matrix: W

Well Type:

Monitoring Site: EQ Blank

Sample Date: April 23, 2007

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|-----------------------------|--------|------|-------|
| 1,2-Dibromo-3-chloropropane | 0.0059 | U | ug/L |

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 13 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-002C**

Matrix: W

Well Type:

Monitoring Site: EQ Blank

Sample Date: April 23, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|-------|------|-------|
| Mercury | 0.062 | I | ug/L |

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 0.012 ug/L

Exceeds by factor of: 5.17

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Selenium | 7.5 | U | ug/L |

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 5 ug/L

Detection Limit: 7.5 ug/L

| | | | |
|----------|-----|---|------|
| Thallium | 7.5 | U | ug/L |
|----------|-----|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 6.3 ug/L

Detection Limit: 7.5 ug/L

Evaluation Type: **The criteria for this component must be evaluated manually.**

Evaluate manually

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Cadmium | 0.05 | U | ug/L |

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

| | | | |
|--------|-----|---|------|
| Copper | 0.5 | U | ug/L |
|--------|-----|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

| | | | |
|------|-----|---|------|
| Lead | 0.5 | U | ug/L |
|------|-----|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

| | | | |
|--------|-----|---|------|
| Nickel | 2.5 | U | ug/L |
|--------|-----|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

| | | | |
|------|----|---|------|
| Zinc | 10 | U | ug/L |
|------|----|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Barium | 5 | U | ug/L |

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

| | | | |
|--------|---|---|------|
| Cobalt | 5 | U | ug/L |
|--------|---|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

| | | | |
|--------|-----|---|------|
| Sodium | 0.5 | U | mg/L |
|--------|-----|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

| | | | |
|-------------------------|-----|---|------|
| Total Hardness as CaCO3 | 1.6 | U | mg/L |
|-------------------------|-----|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

| | | | |
|----------|---|---|------|
| Vanadium | 5 | U | ug/L |
|----------|---|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 14 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-002D**

Matrix: W

Well Type:

Monitoring Site: EQ Blank

Sample Date: April 23, 2007

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
|----------------|------|------|-------|

| | | | |
|---------------------------|-----|--|------|
| Biochemical Oxygen Demand | 2.6 | | mg/L |
|---------------------------|-----|--|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|-------------------|--------|---|------|
| Nitrogen, Nitrate | 0.0091 | U | mg/L |
|-------------------|--------|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|---|-----|---|------|
| Solids, Suspended (Residue, Non-Filterable) | 2.3 | U | mg/L |
|---|-----|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|-------------------------|----|--|------|
| Solids, Total Dissolved | 52 | | mg/L |
|-------------------------|----|--|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

Evaluation Type: **The sample was analyzed after the holding time had expired.**

Measured concentrations may not be representative of conditions at sample collection.

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
|----------------|------|------|-------|

| | | | |
|---------------------------|-----|--|------|
| Biochemical Oxygen Demand | 2.6 | | mg/L |
|---------------------------|-----|--|------|

Analysis performed outside holding time by: 4.6 days.

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 15 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-002E**

Matrix: W

Well Type:

Monitoring Site: EQ Blank

Sample Date: April 23, 2007

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chlorophyll a | 1 | U | ug/L |

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

| |
|----------------------------------|
| Versions |
| Report: 3.0.0 |
| Database: 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
Page 16 of 332
C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-002F**

Matrix: W

Well Type:

Monitoring Site: EQ Blank

Sample Date: April 23, 2007

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|------------------------|------|------|-------|
| Chemical Oxygen Demand | 7.5 | U | mg/L |
| Total Nitrogen as N | 0.25 | U | mg/L |

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| |
|----------------------------------|
| Versions |
| Report: 3.0.0 |
| Database: 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 17 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-002G**

Matrix: W

Well Type:

Monitoring Site: EQ Blank

Sample Date: April 23, 2007

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|-----------------------|------|------|-------|
| Organic Carbon, Total | 0.9 | 1 | mg/L |

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 18 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-002H**

Matrix: W

Well Type:

Monitoring Site: EQ Blank

Sample Date: April 23, 2007

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|---------------|
| Fecal Coliform | 1 U | | cfu/100 mL |

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 19 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-003A**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: SW-5

Sample Date: April 23, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Acrylonitrile | 0.72 | U | ug/L |

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 0.2 ug/L

Detection Limit: 0.72 ug/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Benzene | 0.26 | I | ug/L |

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 71.28 ug/L

Detection Limit: 0.16 ug/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|-----------------------------|------|------|----------|
| 1,1,1,2-Tetrachloroethane | 0.69 | U | ug/L |
| 1,1-Dichloroethane | 0.81 | U | ug/L |
| 2-Hexanone | 0.59 | U | ug/L |
| Bromochloromethane | 0.64 | U | ug/L |
| Chloroethane | 0.52 | U | ug/L |
| cis-1,2-Dichloroethene | 0.92 | U | ug/L |
| cis-1,3-Dichloropropene | 0.19 | U | ug/L |
| Conductivity | 368 | | umhos/cm |
| Dibromomethane | 0.94 | U | ug/L |
| Dissolved Oxygen | 6 | | mg/L |
| Iodomethane | 0.8 | U | ug/L |
| pH | 9.36 | | S.U. |
| Temperature | 20.8 | | deg C |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L |

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 20 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

| | | | |
|------------------------|-------|------|---|
| Trichlorofluoromethane | 0.2 U | ug/L | Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 3.49 | NTU | Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |

| |
|----------------------------------|
| Versions |
| Report: 3.0.0 |
| Database: 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
Page 21 of 332
C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-003B** Matrix: W Well Type: CO - Compliance

Monitoring Site: SW-5 Sample Date: April 23, 2007

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|-----------------------------|-------|------|-------|
| 1,2-Dibromo-3-chloropropane | 0.006 | U | ug/L |

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

| |
|----------------------------------|
| Versions |
| Report: 3.0.0 |
| Database: 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
Page 22 of 332
C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-003C**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: SW-5

Sample Date: April 23, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
|----------------|------|------|-------|

| | | | |
|---------|------|---|------|
| Mercury | 0.05 | U | ug/L |
|---------|------|---|------|

Comment:

| | | | |
|----------|-----|---|------|
| Selenium | 7.5 | U | ug/L |
|----------|-----|---|------|

Comment:

| | | | |
|----------|-----|---|------|
| Thallium | 7.5 | U | ug/L |
|----------|-----|---|------|

Comment:

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 0.012 ug/L

Detection Limit: 0.05 ug/L

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 5 ug/L

Detection Limit: 7.5 ug/L

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 6.3 ug/L

Detection Limit: 7.5 ug/L

Evaluation Type: **The criteria for this component must be evaluated manually.**

Evaluate manually

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
|----------------|------|------|-------|

| | | | |
|---------|------|---|------|
| Cadmium | 0.05 | U | ug/L |
|---------|------|---|------|

| | | | |
|--------|------|---|------|
| Copper | 0.76 | I | ug/L |
|--------|------|---|------|

| | | | |
|------|-----|---|------|
| Lead | 0.5 | U | ug/L |
|------|-----|---|------|

| | | | |
|--------|-----|---|------|
| Nickel | 2.5 | U | ug/L |
|--------|-----|---|------|

| | | | |
|------|----|---|------|
| Zinc | 10 | U | ug/L |
|------|----|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
|----------------|------|------|-------|

| | | | |
|------|-----|--|------|
| Iron | 340 | | ug/L |
|------|-----|--|------|

Comment:

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 1000 ug/L

Detection Limit: 20 ug/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
|----------------|------|------|-------|

| | | | |
|--------|----|--|------|
| Barium | 11 | | ug/L |
|--------|----|--|------|

| | | | |
|--------|---|---|------|
| Cobalt | 5 | U | ug/L |
|--------|---|---|------|

| | | | |
|--------|----|--|------|
| Sodium | 45 | | mg/L |
|--------|----|--|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

Versions

Report: 3.0.0

Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 23 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

| | | | | |
|-------------------------|-----|------|-------------------|---|
| Total Hardness as CaCO3 | 56 | mg/L | Compliance Check: | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Vanadium | 5 U | ug/L | Compliance Check: | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |

| |
|----------------------------------|
| Versions |
| Report: 3.0.0 |
| Database: 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
Page 24 of 332
C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-003D**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: SW-5

Sample Date: April 23, 2007

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
|----------------|------|------|-------|

| | | | |
|---------------------------|---|---|------|
| Biochemical Oxygen Demand | 2 | U | mg/L |
|---------------------------|---|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|-------------------|--------|---|------|
| Nitrogen, Nitrate | 0.0091 | U | mg/L |
|-------------------|--------|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|---|-----|---|------|
| Solids, Suspended (Residue, Non-Filterable) | 2.3 | U | mg/L |
|---|-----|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|-------------------------|-----|--|------|
| Solids, Total Dissolved | 200 | | mg/L |
|-------------------------|-----|--|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

Evaluation Type: **The sample was analyzed after the holding time had expired.**

Measured concentrations may not be representative of conditions at sample collection.

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
|----------------|------|------|-------|

| | | | |
|---------------------------|---|---|------|
| Biochemical Oxygen Demand | 2 | U | mg/L |
|---------------------------|---|---|------|

Analysis performed outside holding time by: 4.5 days.

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 25 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-003E**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: SW-5

Sample Date: April 23, 2007

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chlorophyll a | 2.6 | | ug/L |

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

| |
|----------------------------------|
| Versions |
| Report: 3.0.0 |
| Database: 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
Page 26 of 332
C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-003F**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: SW-5

Sample Date: April 23, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|-------------------------------|-------|------|-------|
| Nitrogen, Ammonia (Unionized) | 0.024 | 1 | mg/L |

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 0.02 mg/L

Exceeds by factor of: 1.20

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|------------------------|------|------|-------|
| Chemical Oxygen Demand | 39 | | mg/L |

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

| | | | |
|---------------------|-----|--|------|
| Total Nitrogen as N | 1.1 | | mg/L |
|---------------------|-----|--|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 27 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-003G**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: SW-5

Sample Date: April 23, 2007

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|-----------------------|------|------|-------|
| Organic Carbon, Total | 15 | | mg/L |

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

| |
|----------------------------------|
| Versions |
| Report: 3.0.0 |
| Database: 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
Page 28 of 332
C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-003H**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: SW-5

Sample Date: April 23, 2007

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|---------------|
| Fecal Coliform | 4 | | cfu/100 mL |

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

| |
|----------------------------------|
| Versions |
| Report: 3.0.0 |
| Database: 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
Page 29 of 332
C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-004A**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: SW-12

Sample Date: April 23, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Acrylonitrile | 0.72 | U | ug/L |

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 0.2 ug/L

Detection Limit: 0.72 ug/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Benzene | 0.16 | I | ug/L |

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 71.28 ug/L

Detection Limit: 0.16 ug/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|-----------------------------|-------|------|----------|
| 1,1,1,2-Tetrachloroethane | 0.69 | U | ug/L |
| 1,1-Dichloroethane | 0.81 | U | ug/L |
| 2-Hexanone | 0.59 | U | ug/L |
| Bromochloromethane | 0.64 | U | ug/L |
| Chloroethane | 0.52 | U | ug/L |
| cis-1,2-Dichloroethene | 0.92 | U | ug/L |
| cis-1,3-Dichloropropene | 0.19 | U | ug/L |
| Conductivity | 750 | | umhos/cm |
| Dibromomethane | 0.94 | U | ug/L |
| Dissolved Oxygen | 10.35 | | mg/L |
| Iodomethane | 0.8 | U | ug/L |
| pH | 8.67 | | S.U. |
| Temperature | 22.93 | | deg C |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L |

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 30 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

| | | | |
|------------------------|-------|------|---|
| Trichlorofluoromethane | 0.2 U | ug/L | Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 12.3 | NTU | Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |

| |
|----------------------------------|
| Versions |
| Report: 3.0.0 |
| Database: 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
Page 31 of 332
C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-004B**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: SW-12

Sample Date: April 23, 2007

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|-----------------------------|-------|------|-------|
| 1,2-Dibromo-3-chloropropane | 0.006 | U | ug/L |

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

| |
|----------------------------------|
| Versions |
| Report: 3.0.0 |
| Database: 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
Page 32 of 332
C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-004C**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: SW-12

Sample Date: April 23, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|----------------|------|------|-------|---|
| Mercury | 0.05 | U | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.012 ug/L Detection Limit: 0.05 ug/L |
| Selenium | 7.5 | U | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 5 ug/L Detection Limit: 7.5 ug/L |
| Thallium | 7.5 | U | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 6.3 ug/L Detection Limit: 7.5 ug/L |

Evaluation Type: **The criteria for this component must be evaluated manually.**

Evaluate manually

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|----------------|------|------|-------|---|
| Cadmium | 0.05 | U | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Copper | 0.5 | U | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Lead | 0.5 | U | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Nickel | 6.4 | | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Zinc | 10 | U | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|----------------|------|------|-------|---|
| Arsenic | 6.3 | I | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 50 ug/L Detection Limit: 5 ug/L |
| Iron | 260 | | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 1000 ug/L Detection Limit: 20 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|----------------|------|------|-------|---|
| Barium | 29 | | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |

| |
|--|
| <p>Versions Report: 3.0.0 Database: 3.7.51 6/24/2005 12:00</p> |
|--|

Monday, July 23, 2007
 Page 33 of 332
 C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

| | | | |
|-------------------------|-------|------|---|
| Cobalt | 5 U | ug/L | Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Sodium | 72 | mg/L | Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Total Hardness as CaCO3 | 170 | mg/L | Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Vanadium | 6.8 l | ug/L | Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 34 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-004D**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: SW-12

Sample Date: April 23, 2007

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
|----------------|------|------|-------|

| | | | |
|---------------------------|-----|--|------|
| Biochemical Oxygen Demand | 4.3 | | mg/L |
|---------------------------|-----|--|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|-------------------|------|--|------|
| Nitrogen, Nitrate | 0.12 | | mg/L |
|-------------------|------|--|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|---|-----|--|------|
| Solids, Suspended (Residue, Non-Filterable) | 6.8 | | mg/L |
|---|-----|--|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|-------------------------|-----|--|------|
| Solids, Total Dissolved | 460 | | mg/L |
|-------------------------|-----|--|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

Evaluation Type: **The sample was analyzed after the holding time had expired.**

Measured concentrations may not be representative of conditions at sample collection.

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
|----------------|------|------|-------|

| | | | |
|---------------------------|-----|--|------|
| Biochemical Oxygen Demand | 4.3 | | mg/L |
|---------------------------|-----|--|------|

Analysis performed outside 4.5 days.
holding time by:

| |
|----------|
| Versions |
|----------|

| | |
|---------|-------|
| Report: | 3.0.0 |
|---------|-------|

| | | | |
|-----------|--------|-----------|-------|
| Database: | 3.7.51 | 6/24/2005 | 12:00 |
|-----------|--------|-----------|-------|

Monday, July 23, 2007

Page 35 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-004E**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: SW-12

Sample Date: April 23, 2007

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chlorophyll a | 29 | | ug/L |

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

| |
|----------------------------------|
| Versions |
| Report: 3.0.0 |
| Database: 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
Page 36 of 332
C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-004F**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: SW-12

Sample Date: April 23, 2007

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
|----------------|------|------|-------|

| | | | |
|------------------------|----|--|------|
| Chemical Oxygen Demand | 90 | | mg/L |
|------------------------|----|--|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|---------------------|-----|--|------|
| Total Nitrogen as N | 2.6 | | mg/L |
|---------------------|-----|--|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 37 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-004G**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: SW-12

Sample Date: April 23, 2007

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|-----------------------|------|------|-------|
| Organic Carbon, Total | 24 | | mg/L |

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

| |
|----------------------------------|
| Versions |
| Report: 3.0.0 |
| Database: 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
Page 38 of 332
C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-004H**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: SW-12

Sample Date: April 23, 2007

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|---------------|
| Fecal Coliform | 70 | | cfu/100 mL |

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

| |
|----------------------------------|
| Versions |
| Report: 3.0.0 |
| Database: 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
Page 39 of 332
C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-005A**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: SW-12 DUP

Sample Date: April 23, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Acrylonitrile | 0.72 | U | ug/L |

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.2 ug/L

Detection Limit: 0.72 ug/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
|----------------|------|------|-------|

| | | | |
|---------------------------|------|---|------|
| 1,1,1,2-Tetrachloroethane | 0.69 | U | ug/L |
|---------------------------|------|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|--------------------|------|---|------|
| 1,1-Dichloroethane | 0.81 | U | ug/L |
|--------------------|------|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|------------|------|---|------|
| 2-Hexanone | 0.59 | U | ug/L |
|------------|------|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|--------------------|------|---|------|
| Bromochloromethane | 0.64 | U | ug/L |
|--------------------|------|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|--------------|------|---|------|
| Chloroethane | 0.52 | U | ug/L |
|--------------|------|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|------------------------|------|---|------|
| cis-1,2-Dichloroethene | 0.92 | U | ug/L |
|------------------------|------|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|-------------------------|------|---|------|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L |
|-------------------------|------|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|--------------|-----|--|----------|
| Conductivity | 750 | | umhos/cm |
|--------------|-----|--|----------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|----------------|------|---|------|
| Dibromomethane | 0.94 | U | ug/L |
|----------------|------|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|------------------|-------|--|------|
| Dissolved Oxygen | 10.35 | | mg/L |
|------------------|-------|--|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|-------------|-----|---|------|
| Iodomethane | 0.8 | U | ug/L |
|-------------|-----|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|----|------|--|------|
| pH | 8.67 | | S.U. |
|----|------|--|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|-------------|-------|--|-------|
| Temperature | 22.93 | | deg C |
|-------------|-------|--|-------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|---------------------------|------|---|------|
| trans-1,3-Dichloropropene | 0.33 | U | ug/L |
|---------------------------|------|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|-----------------------------|-----|---|------|
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L |
|-----------------------------|-----|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|------------------------|-----|---|------|
| Trichlorofluoromethane | 0.2 | U | ug/L |
|------------------------|-----|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|-----------|------|--|-----|
| Turbidity | 12.3 | | NTU |
|-----------|------|--|-----|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 40 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-005B** Matrix: W Well Type: CO - Compliance
Monitoring Site: SW-12 DUP Sample Date: April 23, 2007

Evaluation Type: **No criteria exist for this component in this criteria set.**
No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|-----------------------------|--------|------|-------|
| 1,2-Dibromo-3-chloropropane | 0.0059 | U | ug/L |

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

| |
|----------------------------------|
| Versions |
| Report: 3.0.0 |
| Database: 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
Page 41 of 332
C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-005C**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: SW-12 DUP

Sample Date: April 23, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|----------------|------|------|-------|---|
| Mercury | 0.05 | U | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.012 ug/L Detection Limit: 0.05 ug/L |
| Selenium | 7.5 | U | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 5 ug/L Detection Limit: 7.5 ug/L |
| Thallium | 7.5 | U | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 6.3 ug/L Detection Limit: 7.5 ug/L |

Evaluation Type: **The criteria for this component must be evaluated manually.**

Evaluate manually

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|----------------|-------|------|-------|---|
| Cadmium | 0.076 | I | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Copper | 0.52 | I | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Lead | 0.5 | U | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Nickel | 7.4 | | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Zinc | 10 | U | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|----------------|------|------|-------|---|
| Iron | 250 | | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 1000 ug/L Detection Limit: 20 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|----------------|------|------|-------|---|
| Barium | 28 | | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Cobalt | 5 | U | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Sodium | 72 | | mg/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |

| |
|---|
| Versions Report: 3.0.0 Database: 3.7.51 6/24/2005 12:00 |
|---|

Monday, July 23, 2007
 Page 42 of 332
 C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

| | | | |
|-------------------------|-------|------|---|
| Total Hardness as CaCO3 | 170 | mg/L | Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Vanadium | 6.3 l | ug/L | Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |

| |
|----------------------------------|
| Versions |
| Report: 3.0.0 |
| Database: 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
Page 43 of 332
C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-005D**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: SW-12 DUP

Sample Date: April 23, 2007

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|---|------|------|-------|---|
| Biochemical Oxygen Demand | 4.2 | | mg/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Nitrogen, Nitrate | 0.12 | | mg/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Solids, Suspended (Residue, Non-Filterable) | 7.8 | | mg/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Solids, Total Dissolved | 460 | | mg/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |

Evaluation Type: **The sample was analyzed after the holding time had expired.**

Measured concentrations may not be representative of conditions at sample collection.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|---------------------------|------|------|-------|---|
| Biochemical Oxygen Demand | 4.2 | | mg/L | Analysis performed outside holding time by: 4.5 days. |

| |
|----------------------------------|
| Versions |
| Report: 3.0.0 |
| Database: 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
Page 44 of 332
C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-005E** Matrix: W Well Type: CO - Compliance
Monitoring Site: SW-12 DUP Sample Date: April 23, 2007

Evaluation Type: **No criteria exist for this component in this criteria set.**
No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chlorophyll a | 32 | | ug/L |

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

| |
|----------------------------------|
| Versions |
| Report: 3.0.0 |
| Database: 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
Page 45 of 332
C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-005F**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: SW-12 DUP

Sample Date: April 23, 2007

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
|----------------|------|------|-------|

| | | | |
|------------------------|----|--|------|
| Chemical Oxygen Demand | 78 | | mg/L |
|------------------------|----|--|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|---------------------|-----|--|------|
| Total Nitrogen as N | 2.6 | | mg/L |
|---------------------|-----|--|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 46 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-005G** Matrix: W Well Type: CO - Compliance

Monitoring Site: SW-12 DUP Sample Date: April 23, 2007

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|-----------------------|------|------|-------|
| Organic Carbon, Total | 25 | | mg/L |

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
Page 47 of 332
C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-005H** Matrix: W Well Type: CO - Compliance

Monitoring Site: SW-12 DUP Sample Date: April 23, 2007

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|---------------|
| Fecal Coliform | 96 | | cfu/100 mL |

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

| |
|----------------------------------|
| Versions |
| Report: 3.0.0 |
| Database: 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
Page 48 of 332
C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-006A**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: SW-1

Sample Date: April 23, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Acrylonitrile | 0.72 | U | ug/L |

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.2 ug/L

Detection Limit: 0.72 ug/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
|----------------|------|------|-------|

| | | | |
|---------------------------|------|---|------|
| 1,1,1,2-Tetrachloroethane | 0.69 | U | ug/L |
|---------------------------|------|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|--------------------|------|---|------|
| 1,1-Dichloroethane | 0.81 | U | ug/L |
|--------------------|------|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|------------|------|---|------|
| 2-Hexanone | 0.59 | U | ug/L |
|------------|------|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|--------------------|------|---|------|
| Bromochloromethane | 0.64 | U | ug/L |
|--------------------|------|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|--------------|------|---|------|
| Chloroethane | 0.52 | U | ug/L |
|--------------|------|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|------------------------|------|---|------|
| cis-1,2-Dichloroethene | 0.92 | U | ug/L |
|------------------------|------|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|-------------------------|------|---|------|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L |
|-------------------------|------|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|--------------|----|--|----------|
| Conductivity | 89 | | umhos/cm |
|--------------|----|--|----------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|----------------|------|---|------|
| Dibromomethane | 0.94 | U | ug/L |
|----------------|------|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|------------------|------|--|------|
| Dissolved Oxygen | 7.41 | | mg/L |
|------------------|------|--|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|-------------|-----|---|------|
| Iodomethane | 0.8 | U | ug/L |
|-------------|-----|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|----|------|--|------|
| pH | 6.98 | | S.U. |
|----|------|--|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|-------------|-------|--|-------|
| Temperature | 23.27 | | deg C |
|-------------|-------|--|-------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|---------------------------|------|---|------|
| trans-1,3-Dichloropropene | 0.33 | U | ug/L |
|---------------------------|------|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|-----------------------------|-----|---|------|
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L |
|-----------------------------|-----|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|------------------------|-----|---|------|
| Trichlorofluoromethane | 0.2 | U | ug/L |
|------------------------|-----|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|-----------|------|--|-----|
| Turbidity | 1.38 | | NTU |
|-----------|------|--|-----|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 49 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-006B**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: SW-1

Sample Date: April 23, 2007

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|-----------------------------|-------|------|-------|
| 1,2-Dibromo-3-chloropropane | 0.006 | U | ug/L |

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 50 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-006C**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: SW-1

Sample Date: April 23, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|----------------|------|------|-------|---|
| Mercury | 0.05 | U | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.012 ug/L Detection Limit: 0.05 ug/L |
| Selenium | 7.5 | U | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 5 ug/L Detection Limit: 7.5 ug/L |
| Thallium | 7.5 | U | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 6.3 ug/L Detection Limit: 7.5 ug/L |

Evaluation Type: **The criteria for this component must be evaluated manually.**

Evaluate manually

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|----------------|------|------|-------|---|
| Cadmium | 0.05 | U | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Copper | 0.5 | U | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Lead | 0.5 | U | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Nickel | 2.5 | U | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Zinc | 10 | U | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|----------------|------|------|-------|---|
| Iron | 49 | | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 1000 ug/L Detection Limit: 20 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|----------------|------|------|-------|---|
| Barium | 5 | U | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Cobalt | 5 | U | ug/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Sodium | 11 | | mg/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |

| |
|---|
| Versions Report: 3.0.0 Database: 3.7.51 6/24/2005 12:00 |
|---|

Monday, July 23, 2007
 Page 51 of 332
 C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

| | | | |
|-------------------------|-----|------|---|
| Total Hardness as CaCO3 | 9.6 | mg/L | Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Vanadium | 5 U | ug/L | Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |

| |
|----------------------------------|
| Versions |
| Report: 3.0.0 |
| Database: 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
Page 52 of 332
C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-006D**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: SW-1

Sample Date: April 23, 2007

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|---|--------|------|-------|---|
| Biochemical Oxygen Demand | 2 | U | mg/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Nitrogen, Nitrate | 0.0091 | U | mg/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Solids, Suspended (Residue, Non-Filterable) | 2.3 | U | mg/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Solids, Total Dissolved | 49 | | mg/L | Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |

Evaluation Type: **The sample was analyzed after the holding time had expired.**

Measured concentrations may not be representative of conditions at sample collection.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|---------------------------|------|------|-------|---|
| Biochemical Oxygen Demand | 2 | U | mg/L | Analysis performed outside holding time by: 4.4 days. |

| |
|----------------------------------|
| Versions |
| Report: 3.0.0 |
| Database: 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
Page 53 of 332
C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-006E**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: SW-1

Sample Date: April 23, 2007

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chlorophyll a | 1.2 | | ug/L |

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

| |
|----------------------------------|
| Versions |
| Report: 3.0.0 |
| Database: 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
Page 54 of 332
C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-006F**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: SW-1

Sample Date: April 23, 2007

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
|----------------|------|------|-------|

| | | | |
|------------------------|-----|---|------|
| Chemical Oxygen Demand | 8.9 | 1 | mg/L |
|------------------------|-----|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|---------------------|------|---|------|
| Total Nitrogen as N | 0.46 | 1 | mg/L |
|---------------------|------|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 55 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-006G**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: SW-1

Sample Date: April 23, 2007

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|-----------------------|------|------|-------|
| Organic Carbon, Total | 5.3 | | mg/L |

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 56 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-006H**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: SW-1

Sample Date: April 23, 2007

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|---------------|
| Fecal Coliform | 8 | | cfu/100 mL |

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

| |
|----------------------------------|
| Versions |
| Report: 3.0.0 |
| Database: 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
Page 57 of 332
C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-007A**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: SW-11

Sample Date: April 23, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Acrylonitrile | 0.72 | U | ug/L |

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.2 ug/L

Detection Limit: 0.72 ug/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
|----------------|------|------|-------|

| | | | |
|---------------------------|------|---|------|
| 1,1,1,2-Tetrachloroethane | 0.69 | U | ug/L |
|---------------------------|------|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|--------------------|------|---|------|
| 1,1-Dichloroethane | 0.81 | U | ug/L |
|--------------------|------|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|------------|------|---|------|
| 2-Hexanone | 0.59 | U | ug/L |
|------------|------|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|--------------------|------|---|------|
| Bromochloromethane | 0.64 | U | ug/L |
|--------------------|------|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|--------------|------|---|------|
| Chloroethane | 0.52 | U | ug/L |
|--------------|------|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|------------------------|------|---|------|
| cis-1,2-Dichloroethene | 0.92 | U | ug/L |
|------------------------|------|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|-------------------------|------|---|------|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L |
|-------------------------|------|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|--------------|-----|--|----------|
| Conductivity | 737 | | umhos/cm |
|--------------|-----|--|----------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|----------------|------|---|------|
| Dibromomethane | 0.94 | U | ug/L |
|----------------|------|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|------------------|------|--|------|
| Dissolved Oxygen | 7.49 | | mg/L |
|------------------|------|--|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|-------------|-----|---|------|
| Iodomethane | 0.8 | U | ug/L |
|-------------|-----|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|----|------|--|------|
| pH | 8.16 | | S.U. |
|----|------|--|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|-------------|-------|--|-------|
| Temperature | 25.57 | | deg C |
|-------------|-------|--|-------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|---------------------------|------|---|------|
| trans-1,3-Dichloropropene | 0.33 | U | ug/L |
|---------------------------|------|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|-----------------------------|-----|---|------|
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L |
|-----------------------------|-----|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|------------------------|-----|---|------|
| Trichlorofluoromethane | 0.2 | U | ug/L |
|------------------------|-----|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|-----------|------|--|-----|
| Turbidity | 34.4 | | NTU |
|-----------|------|--|-----|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 58 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-007B**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: SW-11

Sample Date: April 23, 2007

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|-----------------------------|--------|------|-------|
| 1,2-Dibromo-3-chloropropane | 0.0059 | U | ug/L |

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

| |
|----------------------------------|
| Versions |
| Report: 3.0.0 |
| Database: 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
Page 59 of 332
C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-007C**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: SW-11

Sample Date: April 23, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Iron | 1100 | | ug/L |

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 1000 ug/L

Exceeds by factor of: 1.10

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Mercury | 0.05 | U | ug/L |

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.012 ug/L

Detection Limit: 0.05 ug/L

| | | | |
|----------|-----|---|------|
| Selenium | 7.5 | U | ug/L |
|----------|-----|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 5 ug/L

Detection Limit: 7.5 ug/L

| | | | |
|----------|-----|---|------|
| Thallium | 7.5 | U | ug/L |
|----------|-----|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 6.3 ug/L

Detection Limit: 7.5 ug/L

Evaluation Type: **The criteria for this component must be evaluated manually.**

Evaluate manually

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Cadmium | 0.05 | U | ug/L |

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|--------|-----|---|------|
| Copper | 0.6 | l | ug/L |
|--------|-----|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|------|---|--|------|
| Lead | 1 | | ug/L |
|------|---|--|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|--------|-----|---|------|
| Nickel | 2.5 | U | ug/L |
|--------|-----|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|------|----|---|------|
| Zinc | 10 | U | ug/L |
|------|----|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|-------|------|-------|
| Beryllium | 0.052 | l | ug/L |

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.13 ug/L

Detection Limit: 0.05 ug/L

| | | | |
|----------|-----|---|------|
| Chromium | 3.3 | l | ug/L |
|----------|-----|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 11 ug/L

Versions

| | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 60 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Detection Limit: 2.5 ug/L

Evaluation Type: **No criteria exist for this component in this criteria set.**
No specific action recommended

| Parameter Name | Rslt | Qual | Units | |
|-------------------------|------|------|-------|---|
| Barium | 31 | | ug/L | Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Cobalt | 5 | U | ug/L | Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Sodium | 48 | | mg/L | Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Total Hardness as CaCO3 | 290 | | mg/L | Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |
| Vanadium | 5 | U | ug/L | Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005) |

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 61 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-007D**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: SW-11

Sample Date: April 23, 2007

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
|----------------|------|------|-------|

| | | | |
|---------------------------|-----|--|------|
| Biochemical Oxygen Demand | 4.4 | | mg/L |
|---------------------------|-----|--|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|-------------------|--------|---|------|
| Nitrogen, Nitrate | 0.0091 | U | mg/L |
|-------------------|--------|---|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|---|----|--|------|
| Solids, Suspended (Residue, Non-Filterable) | 19 | | mg/L |
|---|----|--|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|-------------------------|-----|--|------|
| Solids, Total Dissolved | 460 | | mg/L |
|-------------------------|-----|--|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

Evaluation Type: **The sample was analyzed after the holding time had expired.**

Measured concentrations may not be representative of conditions at sample collection.

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
|----------------|------|------|-------|

| | | | |
|---------------------------|-----|--|------|
| Biochemical Oxygen Demand | 4.4 | | mg/L |
|---------------------------|-----|--|------|

Analysis performed outside holding time by: 4.3 days.

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 62 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-007E**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: SW-11

Sample Date: April 23, 2007

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chlorophyll a | 14 | | ug/L |

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

| |
|----------------------------------|
| Versions |
| Report: 3.0.0 |
| Database: 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 63 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-007F**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: SW-11

Sample Date: April 23, 2007

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
|----------------|------|------|-------|

| | | | |
|------------------------|----|--|------|
| Chemical Oxygen Demand | 91 | | mg/L |
|------------------------|----|--|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|---------------------|-----|--|------|
| Total Nitrogen as N | 1.6 | | mg/L |
|---------------------|-----|--|------|

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C. (04/17/2005)

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 64 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-007G**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: SW-11

Sample Date: April 23, 2007

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|-----------------------|------|------|-------|
| Organic Carbon, Total | 28 | | mg/L |

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

| |
|----------------------------------|
| Versions |
| Report: 3.0.0 |
| Database: 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
Page 65 of 332
C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040959-007H**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: SW-11

Sample Date: April 23, 2007

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|---------------|
| Fecal Coliform | 50 Z | | cfu/100 mL |

Compliance Check: Surfacewater, Fresh - CTLs: 62-777, F.A.C.
(04/17/2005)

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|---------------|
| Fecal Coliform | 50 Z | | cfu/100 mL |

QA/QC Qualifier Z

Comment:

Qual meaning: Too many colonies were present (TNTC), the numeric value represents the filtration volume.

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 66 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040960-002A**

Matrix: W

Well Type:

Monitoring Site: Trip Blank

Sample Date: April 23, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|--------------------|------|------|-------|
| Methylene chloride | 5.7 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 5 ug/L

Exceeds by factor of: 1.14

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units |
|------------------------|------|------|-------|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 0.02 ug/L

Detection Limit: 0.2 ug/L

| | | | |
|---------------|------|---|------|
| Acrylonitrile | 0.72 | U | ug/L |
|---------------|------|---|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 0.06 ug/L

Detection Limit: 0.72 ug/L

| | | | |
|---------------------|------|---|------|
| Hexachlorobutadiene | 0.51 | U | ug/L |
|---------------------|------|---|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 0.4 ug/L

Detection Limit: 0.51 ug/L

| | | | |
|-------------------|------|---|------|
| Methacrylonitrile | 0.96 | U | ug/L |
|-------------------|------|---|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 0.7 ug/L

Detection Limit: 0.96 ug/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|---------------------|------|------|-------|
| 1,1-Dichloropropene | 0.84 | U | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

| | | | |
|---------------------|------|---|------|
| 1,3-Dichloropropene | 0.21 | U | ug/L |
|---------------------|------|---|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

| | | | |
|---------------------|------|---|------|
| 2,2-Dichloropropene | 0.56 | U | ug/L |
|---------------------|------|---|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

| | | | |
|-------------------------|------|---|------|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L |
|-------------------------|------|---|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

| | | | |
|-------------|-----|---|------|
| Iodomethane | 0.8 | U | ug/L |
|-------------|-----|---|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

| | | | |
|---------------|-----|---|------|
| Propionitrile | 6.1 | U | ug/L |
|---------------|-----|---|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

| | | | |
|---------------------------|------|---|------|
| trans-1,3-Dichloropropene | 0.33 | U | ug/L |
|---------------------------|------|---|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

| | | | |
|-----------------------------|-----|---|------|
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L |
|-----------------------------|-----|---|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 67 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-001A**

Matrix: W

Well Type:

Monitoring Site: EQ Blank

Sample Date: April 23, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units |
|------------------------|------|------|-------|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L |

Comment:

| | | | |
|---------------|------|---|------|
| Acrylonitrile | 0.72 | U | ug/L |
|---------------|------|---|------|

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 0.02 ug/L

Detection Limit: 0.2 ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 0.06 ug/L

Detection Limit: 0.72 ug/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|-------------------------|------|------|-------|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L |

| | | | |
|-------------|-----|---|------|
| Iodomethane | 0.8 | U | ug/L |
|-------------|-----|---|------|

| | | | |
|---------------------------|------|---|------|
| trans-1,3-Dichloropropene | 0.33 | U | ug/L |
|---------------------------|------|---|------|

| | | | |
|-----------------------------|-----|---|------|
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L |
|-----------------------------|-----|---|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 68 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-001D**

Matrix: W

Well Type:

Monitoring Site: EQ Blank

Sample Date: April 23, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|-------|------|-------|
| Chloride | 0.095 | 1 | mg/L |

Comment:

Sulfate

0.2 1 mg/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.036 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.051 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 69 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-002A**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B65

Sample Date: April 23, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.06 ug/L |
| | | | | Detection Limit: 0.72 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|-------|------|----------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 1084 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 1.37 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 16.17 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 5.6 | | S.U. | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 21.6 | | deg C | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 1.3 | | NTU | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
 Page 70 of 332
 C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-002C**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B65

Sample Date: April 23, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Iron | 2400 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 8.00

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Barium | 97 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 5 ug/L

| | | | |
|----------|-------|--|------|
| Chromium | 4.6 l | | ug/L |
|----------|-------|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 2.5 ug/L

| | | | |
|--------|----|--|------|
| Sodium | 57 | | mg/L |
|--------|----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 160 mg/L

Detection Limit: 0.5 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 71 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-002D**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B65

Sample Date: April 23, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
|----------------|------|------|-------|

| | | | |
|-------------------------|-----|--|------|
| Solids, Total Dissolved | 750 | | mg/L |
|-------------------------|-----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 500000 ug/L

Exceeds by factor of: 1.50

| | | | |
|---------|-----|--|------|
| Sulfate | 320 | | mg/L |
|---------|-----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 250 mg/L

Exceeds by factor of: 1.28

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
|----------------|------|------|-------|

| | | | |
|----------|----|--|------|
| Chloride | 91 | | mg/L |
|----------|----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.072 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 72 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-002E**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B65

Sample Date: April 23, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|--------------------------|------|------|-------|
| Nitrogen, Ammonia (As N) | 0.42 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.014 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 73 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-003A**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B65 DUP

Sample Date: April 23, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.06 ug/L |
| | | | | Detection Limit: 0.72 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|-------|------|----------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 1084 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 1.37 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 16.17 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 5.6 | | S.U. | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 21.6 | | deg C | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 1.3 | | NTU | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
 Page 74 of 332
 C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-003C**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B65 DUP

Sample Date: April 23, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Iron | 2300 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 7.67

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Barium | 99 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 5 ug/L

| | | | |
|----------|-----|---|------|
| Chromium | 4.4 | l | ug/L |
|----------|-----|---|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 2.5 ug/L

| | | | |
|--------|----|--|------|
| Sodium | 58 | | mg/L |
|--------|----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 160 mg/L

Detection Limit: 0.5 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 75 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-003D**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B65 DUP

Sample Date: April 23, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|-------------------------|------|------|-------|
| Solids, Total Dissolved | 750 | | mg/L |

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)
Criterion: 500000 ug/L

Exceeds by factor of: 1.50

| | | | |
|---------|-----|--|------|
| Sulfate | 320 | | mg/L |
|---------|-----|--|------|

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 250 mg/L

Exceeds by factor of: 1.28

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chloride | 94 | | mg/L |

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.072 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 76 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-003E**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B65 DUP

Sample Date: April 23, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|--------------------------|------|------|-------|
| Nitrogen, Ammonia (As N) | 0.41 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.014 mg/L

| |
|----------------------------------|
| Versions |
| Report: 3.0.0 |
| Database: 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 77 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-004A**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B40-1

Sample Date: April 23, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.06 ug/L |
| | | | | Detection Limit: 0.72 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|-------|------|----------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 495 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 0.78 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 16 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 5.24 | | S.U. | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 22.11 | | deg C | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 0.87 | | NTU | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
 Page 78 of 332
 C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-004C**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B40-1

Sample Date: April 23, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|-------|------|-------|
| Iron | 11000 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 36.67

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Barium | 100 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 5 ug/L

| | | | |
|--------|----|--|------|
| Sodium | 46 | | mg/L |
|--------|----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 160 mg/L

Detection Limit: 0.5 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 79 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-004D**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B40-1

Sample Date: April 23, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chloride | 67 | | mg/L |

Comment:

Solids, Total Dissolved

320 mg/L

Comment:

Sulfate

72 mg/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.036 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 500000 ug/L

Detection Limit: 3.7 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.051 mg/L

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 80 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-004E**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B40-1

Sample Date: April 23, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|--------------------------|------|------|-------|
| Nitrogen, Ammonia (As N) | 0.2 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.014 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 81 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-005A**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B40-2

Sample Date: April 23, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.06 ug/L |
| | | | | Detection Limit: 0.72 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|-------|------|----------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 598 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 3.3 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 16.6 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 5.56 | | S.U. | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 21.88 | | deg C | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 91.6 | | NTU | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
 Page 82 of 332
 C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-005C**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B40-2

Sample Date: April 23, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|----------------|-------|------|-------|---|
| Arsenic | 14 | | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 10 ug/L |
| Iron | 16000 | | ug/L | Exceeds by factor of: 1.40 Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 300 ug/L Exceeds by factor of: 53.33 |

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|----------------|--------|------|-------|--|
| Barium | 70 | | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 2000 ug/L |
| Cadmium | 0.66 l | | ug/L | Detection Limit: 5 ug/L Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 5 ug/L |
| Chromium | 17 | | ug/L | Detection Limit: 0.5 ug/L Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 100 ug/L |
| Cobalt | 13 | | ug/L | Detection Limit: 2.5 ug/L Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 140 ug/L |
| Copper | 14 | | ug/L | Detection Limit: 5 ug/L Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 1000 ug/L |
| Lead | 14 | | ug/L | Detection Limit: 2.5 ug/L Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 15 ug/L |
| Mercury | 0.12 l | | ug/L | Detection Limit: 5 ug/L Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 2 ug/L |
| Nickel | 16 | | ug/L | Detection Limit: 0.1 ug/L Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 100 ug/L |
| Sodium | 39 | | mg/L | Detection Limit: 2.5 ug/L Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 83 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

| | | | |
|----------|--------|------|--|
| Comment: | | | Criterion: 160 mg/L |
| | | | Detection Limit: 0.5 mg/L |
| Thallium | 0.85 l | ug/L | Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | Criterion: 2 ug/L |
| | | | Detection Limit: 0.5 ug/L |
| Vanadium | 24 | ug/L | Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | Criterion: 49 ug/L |
| | | | Detection Limit: 5 ug/L |
| Zinc | 29 | ug/L | Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | Criterion: 5000 ug/L |
| | | | Detection Limit: 10 ug/L |

| |
|----------------------------------|
| Versions |
| Report: 3.0.0 |
| Database: 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
Page 84 of 332
C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-005D**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B40-2

Sample Date: April 23, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
|----------------|------|------|-------|

| | | | |
|----------|----|--|------|
| Chloride | 59 | | mg/L |
|----------|----|--|------|

Comment:

| | | | |
|-------------------------|-----|--|------|
| Solids, Total Dissolved | 420 | | mg/L |
|-------------------------|-----|--|------|

Comment:

| | | | |
|---------|-----|--|------|
| Sulfate | 120 | | mg/L |
|---------|-----|--|------|

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.036 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 500000 ug/L

Detection Limit: 3.7 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.051 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 85 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-005E**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B40-2

Sample Date: April 23, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|--------------------------|------|------|-------|
| Nitrogen, Ammonia (As N) | 0.75 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.014 mg/L

| |
|----------------------------------|
| Versions |
| Report: 3.0.0 |
| Database: 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 86 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-006A**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B41-2

Sample Date: April 23, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.06 ug/L |
| | | | | Detection Limit: 0.72 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|-------|------|----------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 2023 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 1.02 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 16.58 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 5.97 | | S.U. | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 22.53 | | deg C | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 3.2 | | NTU | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
 Page 87 of 332
 C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-006C**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B41-2

Sample Date: April 23, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Iron | 7400 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 24.67

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Antimony | 0.89 | l | ug/L |
| Barium | 170 | | ug/L |
| Chromium | 4.4 | l | ug/L |
| Nickel | 18 | | ug/L |
| Sodium | 100 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 6 ug/L

Detection Limit: 0.5 ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 5 ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 2.5 ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 2.5 ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 160 mg/L

Detection Limit: 0.5 mg/L

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 88 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-006D**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B41-2

Sample Date: April 23, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
|----------------|------|------|-------|

| | | | |
|-------------------------|------|--|------|
| Solids, Total Dissolved | 1600 | | mg/L |
|-------------------------|------|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 500000 ug/L

Exceeds by factor of: 3.20

| | | | |
|---------|-----|--|------|
| Sulfate | 760 | | mg/L |
|---------|-----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 250 mg/L

Exceeds by factor of: 3.04

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
|----------------|------|------|-------|

| | | | |
|----------|-----|--|------|
| Chloride | 120 | | mg/L |
|----------|-----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.18 mg/L

| | | | |
|-------------------|--------|--|------|
| Nitrogen, Nitrate | 0.11 l | | mg/L |
|-------------------|--------|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 10000 ug/L

Detection Limit: 0.046 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 89 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-006E**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B41-2

Sample Date: April 23, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|--------------------------|------|------|-------|
| Nitrogen, Ammonia (As N) | 0.33 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.014 mg/L

| |
|----------------------------------|
| Versions |
| Report: 3.0.0 |
| Database: 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 90 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-007A**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B41-1

Sample Date: April 23, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Benzene | 2.2 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 1 ug/L

Exceeds by factor of: 2.20

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units |
|------------------------|-------|------|-------|
| 1,2,3-Trichloropropane | 0.2 U | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.02 ug/L

Detection Limit: 0.2 ug/L

| | | | |
|---------------|--------|--|------|
| Acrylonitrile | 0.72 U | | ug/L |
|---------------|--------|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.06 ug/L

Detection Limit: 0.72 ug/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chlorobenzene | 2.2 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 0.17 ug/L

| | | | |
|----------------|--------|--|------|
| Xylenes, Total | 0.54 I | | ug/L |
|----------------|--------|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 20 ug/L

Detection Limit: 0.32 ug/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|-------------------------|--------|------|-------|
| cis-1,3-Dichloropropene | 0.19 U | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|--------------|------|--|----------|
| Conductivity | 2402 | | umhos/cm |
|--------------|------|--|----------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|------------------|------|--|------|
| Dissolved Oxygen | 0.12 | | mg/L |
|------------------|------|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|-----------------------|-------|--|------|
| Groundwater Elevation | 15.03 | | feet |
|-----------------------|-------|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|-------------|-------|--|------|
| Iodomethane | 0.8 U | | ug/L |
|-------------|-------|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|----|------|--|------|
| pH | 6.37 | | S.U. |
|----|------|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 91 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

| | | | |
|-----------------------------|--------|-------|---|
| Temperature | 22.92 | deg C | Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 U | ug/L | Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 U | ug/L | Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 1.22 | NTU | Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 92 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-007C**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B41-1

Sample Date: April 23, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|-------|------|-------|
| Iron | 25000 | | ug/L |

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
 Criterion: 300 ug/L

Exceeds by factor of: 83.33

| | | | |
|--------|-----|--|------|
| Sodium | 190 | | mg/L |
|--------|-----|--|------|

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
 Criterion: 160 mg/L

Exceeds by factor of: 1.19

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Barium | 200 | | ug/L |

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
 Criterion: 2000 ug/L

Detection Limit: 5 ug/L

| | | | |
|----------|-----|--|------|
| Chromium | 5.4 | | ug/L |
|----------|-----|--|------|

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
 Criterion: 100 ug/L

Detection Limit: 2.5 ug/L

| | | | |
|----------|----|--|------|
| Vanadium | 10 | | ug/L |
|----------|----|--|------|

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
 Criterion: 49 ug/L

Detection Limit: 5 ug/L

Versions

Report: 3.0.0
 Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 93 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-007D**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B41-1

Sample Date: April 23, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|-------------------------|------|------|-------|
| Solids, Total Dissolved | 1200 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 500000 ug/L

Exceeds by factor of: 2.40

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chloride | 180 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.18 mg/L

| | | | |
|---------|-----|--|------|
| Sulfate | 5.7 | | mg/L |
|---------|-----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.26 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 94 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-007E**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B41-1

Sample Date: April 23, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|--------------------------|------|------|-------|
| Nitrogen, Ammonia (As N) | 69 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Exceeds by factor of: 24.64

| |
|----------------------------------|
| Versions |
| Report: 3.0.0 |
| Database: 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 95 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-008A**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B1-B

Sample Date: April 23, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.06 ug/L |
| | | | | Detection Limit: 0.2 ug/L |
| | | | | Detection Limit: 0.72 ug/L |

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|----------------|------|------|-------|---|
| Chlorobenzene | 0.78 | I | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 100 ug/L |
| | | | | Detection Limit: 0.17 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|-------|------|----------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 1721 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 0.13 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 15.03 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 6.25 | | S.U. | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 23.42 | | deg C | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 1.43 | | NTU | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 96 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-008C**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B1-B

Sample Date: April 23, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|-------|------|-------|
| Iron | 26000 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 86.67

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Barium | 360 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 5 ug/L

| | | | |
|--------|----|--|------|
| Sodium | 91 | | mg/L |
|--------|----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 160 mg/L

Detection Limit: 0.5 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 97 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-008D**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B1-B

Sample Date: April 23, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|-------------------------|------|------|-------|
| Solids, Total Dissolved | 970 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 500000 ug/L

Exceeds by factor of: 1.94

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chloride | 140 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.18 mg/L

| | | | |
|---------|----|--|------|
| Sulfate | 16 | | mg/L |
|---------|----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.26 mg/L

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 98 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-008E**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B1-B

Sample Date: April 23, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|--------------------------|------|------|-------|
| Nitrogen, Ammonia (As N) | 13 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Exceeds by factor of: 4.64

| |
|----------------------------------|
| Versions |
| Report: 3.0.0 |
| Database: 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 99 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-009A**

Matrix: W

Well Type:

Monitoring Site: Trip Blank

Sample Date: April 23, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units |
|------------------------|------|------|-------|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L |

Comment:

| | | | |
|---------------|------|---|------|
| Acrylonitrile | 0.72 | U | ug/L |
|---------------|------|---|------|

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 0.02 ug/L

Detection Limit: 0.2 ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 0.06 ug/L

Detection Limit: 0.72 ug/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|-------------------------|------|------|-------|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L |

| | | | |
|-------------|-----|---|------|
| Iodomethane | 0.8 | U | ug/L |
|-------------|-----|---|------|

| | | | |
|---------------------------|------|---|------|
| trans-1,3-Dichloropropene | 0.33 | U | ug/L |
|---------------------------|------|---|------|

| | | | |
|-----------------------------|-----|---|------|
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L |
|-----------------------------|-----|---|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 100 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-010A**

Matrix: W

Well Type:

Monitoring Site: EQ Blank

Sample Date: April 24, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units |
|------------------------|------|------|-------|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L |

Comment:

| | | | |
|---------------|------|---|------|
| Acrylonitrile | 0.72 | U | ug/L |
|---------------|------|---|------|

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 0.02 ug/L

Detection Limit: 0.2 ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 0.06 ug/L

Detection Limit: 0.72 ug/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|-------------------------|------|------|-------|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L |

| | | | |
|-------------|-----|---|------|
| Iodomethane | 0.8 | U | ug/L |
|-------------|-----|---|------|

| | | | |
|---------------------------|------|---|------|
| trans-1,3-Dichloropropene | 0.33 | U | ug/L |
|---------------------------|------|---|------|

| | | | |
|-----------------------------|-----|---|------|
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L |
|-----------------------------|-----|---|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 101 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-010C**

Matrix: W

Well Type:

Monitoring Site: EQ Blank

Sample Date: April 24, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Sodium | 0.65 | IV | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 160 mg/L

Detection Limit: 0.5 mg/L

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Sodium | 0.65 | IV | mg/L |

QA/QC Qualifier V

Comment:

Qual meaning: Analyte was detected in both the sample and the associated method blank.

| |
|----------------------------------|
| Versions |
| Report: 3.0.0 |
| Database: 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 102 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-011A**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: MO5-B

Sample Date: April 24, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.06 ug/L |
| | | | | Detection Limit: 0.72 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|-------|------|----------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 1381 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 0.27 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 14.6 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 5.8 | | S.U. | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 22.39 | | deg C | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 1.51 | | NTU | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
 Page 103 of 332
 C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-011C** Matrix: W Well Type: CO - Compliance
 Monitoring Site: MO5-B Sample Date: April 24, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**
 Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|----------------|-------|------|-------|--|
| Iron | 14000 | | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 300 ug/L Exceeds by factor of: 46.67 |

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**
 No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|----------------|-------|------|-------|--|
| Barium | 240 | | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 2000 ug/L Detection Limit: 5 ug/L |
| Chromium | 2.7 I | | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 100 ug/L Detection Limit: 2.5 ug/L |
| Sodium | 77 V | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 160 mg/L Detection Limit: 0.5 mg/L |

Evaluation Type: **QA/QC qualifier has been applied**
 Review qualifier meaning and assess impact on qualified data

| Parameter Name | Rslt | Qual | Units | QA/QC Qualifier |
|----------------|------|------|-------|--|
| Sodium | 77 V | | mg/L | V |
| Comment: | | | | Qual meaning: Analyte was detected in both the sample and the associated method blank. |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-011D**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: MO5-B

Sample Date: April 24, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|-------------------------|------|------|-------|
| Solids, Total Dissolved | 880 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 500000 ug/L

Exceeds by factor of: 1.76

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chloride | 190 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.18 mg/L

| | | | |
|---------|----|--|------|
| Sulfate | 50 | | mg/L |
|---------|----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.26 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 105 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-011E**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: MO5-B

Sample Date: April 24, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|--------------------------|------|------|-------|
| Nitrogen, Ammonia (As N) | 2.2 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.014 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 106 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-012A**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: MO5-B DUP

Sample Date: April 24, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.06 ug/L |
| | | | | Detection Limit: 0.72 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|-------|------|----------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 1381 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 0.27 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 14.6 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 5.8 | | S.U. | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 22.39 | | deg C | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 1.51 | | NTU | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
 Page 107 of 332
 C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-012C**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: MO5-B DUP

Sample Date: April 24, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|-------|------|-------|
| Iron | 14000 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 46.67

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Barium | 240 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 5 ug/L

| | | | |
|--------|------|--|------|
| Sodium | 78 V | | mg/L |
|--------|------|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 160 mg/L

Detection Limit: 0.5 mg/L

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Sodium | 78 V | | mg/L |

QA/QC Qualifier V

Comment:

Qual meaning: Analyte was detected in both the sample and the associated method blank.

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 108 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-012D** Matrix: W Well Type: CO - Compliance

Monitoring Site: MO5-B DUP Sample Date: April 24, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|-------------------------|------|------|-------|
| Solids, Total Dissolved | 870 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 500000 ug/L

Exceeds by factor of: 1.74

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chloride | 190 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.18 mg/L

| | | | |
|---------|----|--|------|
| Sulfate | 52 | | mg/L |
|---------|----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.26 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 109 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-012E**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: MO5-B DUP

Sample Date: April 24, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|--------------------------|------|------|-------|
| Nitrogen, Ammonia (As N) | 2.2 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.014 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 110 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-013A**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B45-1

Sample Date: April 24, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|----------------|------|------|-------|---|
| Benzene | 7.9 | | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 1 ug/L Exceeds by factor of: 7.90 |

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|--------|------|-------|--|
| 1,2,3-Trichloropropane | 0.2 U | | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L Detection Limit: 0.2 ug/L |
| Acrylonitrile | 0.72 U | | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.06 ug/L Detection Limit: 0.72 ug/L |

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|----------------|--------|------|-------|---|
| Chlorobenzene | 2.7 | | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 100 ug/L Detection Limit: 0.17 ug/L |
| Toluene | 0.23 I | | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 40 ug/L Detection Limit: 0.15 ug/L |
| Xylenes, Total | 2.7 | | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 20 ug/L Detection Limit: 0.32 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-------------------------|--------|------|----------|---|
| cis-1,3-Dichloropropene | 0.19 U | | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 1659 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 0.16 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 21.2 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 111 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

| | | | |
|-----------------------------|--------|-------|---|
| Iodomethane | 0.8 U | ug/L | Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 5.99 | S.U. | Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 21.87 | deg C | Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 U | ug/L | Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 U | ug/L | Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 3.72 | NTU | Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 112 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-013C**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B45-1

Sample Date: April 24, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|-------|------|-------|
| Iron | 46000 | | ug/L |

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 300 ug/L

Exceeds by factor of: 153.33

| | | | |
|--------|-------|--|------|
| Sodium | 220 V | | mg/L |
|--------|-------|--|------|

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 160 mg/L

Exceeds by factor of: 1.38

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Barium | 190 | | ug/L |

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 2000 ug/L

Detection Limit: 5 ug/L

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

| Parameter Name | Rslt | Qual | Units |
|----------------|-------|------|-------|
| Sodium | 220 V | | mg/L |

Comment:

QA/QC Qualifier V

Qual meaning: Analyte was detected in both the sample and the associated method blank.

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 113 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-013D**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B45-1

Sample Date: April 24, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|-------------------------|------|------|-------|
| Solids, Total Dissolved | 970 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 500000 ug/L

Exceeds by factor of: 1.94

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chloride | 170 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.18 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 114 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-013E**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B45-1

Sample Date: April 24, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|--------------------------|------|------|-------|
| Nitrogen, Ammonia (As N) | 0.08 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.014 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 115 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-014A**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B45-2

Sample Date: April 24, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Benzene | 1.4 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 1 ug/L

Exceeds by factor of: 1.40

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units |
|------------------------|-------|------|-------|
| 1,2,3-Trichloropropane | 0.2 U | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.02 ug/L

Detection Limit: 0.2 ug/L

| | | | |
|---------------|--------|--|------|
| Acrylonitrile | 0.72 U | | ug/L |
|---------------|--------|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.06 ug/L

Detection Limit: 0.72 ug/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|-------------------------|--------|------|-------|
| cis-1,3-Dichloropropene | 0.19 U | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|--------------|------|--|----------|
| Conductivity | 1323 | | umhos/cm |
|--------------|------|--|----------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|------------------|-----|--|------|
| Dissolved Oxygen | 0.3 | | mg/L |
|------------------|-----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|-----------------------|-------|--|------|
| Groundwater Elevation | 21.27 | | feet |
|-----------------------|-------|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|-------------|-------|--|------|
| Iodomethane | 0.8 U | | ug/L |
|-------------|-------|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|----|------|--|------|
| pH | 4.82 | | S.U. |
|----|------|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|-------------|-------|--|-------|
| Temperature | 21.12 | | deg C |
|-------------|-------|--|-------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|---------------------------|--------|--|------|
| trans-1,3-Dichloropropene | 0.33 U | | ug/L |
|---------------------------|--------|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|-----------------------------|-------|--|------|
| trans-1,4-Dichloro-2-butene | 2.1 U | | ug/L |
|-----------------------------|-------|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

| | | | |
|-----------|------|--|-----|
| Turbidity | 3.78 | | NTU |
|-----------|------|--|-----|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 116 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-014C**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B45-2

Sample Date: April 24, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|-------|------|-------|
| Iron | 77000 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
 Criterion: 300 ug/L
 Exceeds by factor of: 256.67

Comment:

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Barium | 200 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
 Criterion: 2000 ug/L

Comment:

Detection Limit: 5 ug/L

| | | | |
|-----------|-----|--|------|
| Beryllium | 1 l | | ug/L |
|-----------|-----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 4 ug/L

| | | | |
|--------|------|--|------|
| Sodium | 55 V | | mg/L |
|--------|------|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 160 mg/L

| | | | |
|----------|-------|--|------|
| Vanadium | 8.6 l | | ug/L |
|----------|-------|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 49 ug/L

Detection Limit: 5 ug/L

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Sodium | 55 V | | mg/L |

QA/QC Qualifier V

Comment:

Qual meaning: Analyte was detected in both the sample and the associated method blank.

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 117 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-014D**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B45-2

Sample Date: April 24, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chloride | 370 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 250 mg/L

Exceeds by factor of: 1.48

| | | | |
|-------------------------|-----|--|------|
| Solids, Total Dissolved | 790 | | mg/L |
|-------------------------|-----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 500000 ug/L

Exceeds by factor of: 1.58

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Sulfate | 5.6 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.26 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 118 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-014E**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B45-2

Sample Date: April 24, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|--------------------------|-------|------|-------|
| Nitrogen, Ammonia (As N) | 0.035 | I | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.014 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 119 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-015A**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B44

Sample Date: April 24, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Detection Limit: 0.2 ug/L Criterion: 0.06 ug/L Detection Limit: 0.72 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|-------|------|----------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 211 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 0.19 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 20.44 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 5.07 | | S.U. | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 20.53 | | deg C | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 1.49 | | NTU | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
Page 120 of 332
C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-015C**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B44

Sample Date: April 24, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|-------|------|-------|
| Iron | 11000 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 36.67

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Barium | 32 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 5 ug/L

| | | | |
|----------|-------|--|------|
| Chromium | 2.5 I | | ug/L |
|----------|-------|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 2.5 ug/L

| | | | |
|--------|------|--|------|
| Sodium | 16 V | | mg/L |
|--------|------|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 160 mg/L

Detection Limit: 0.5 mg/L

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Sodium | 16 V | | mg/L |

QA/QC Qualifier V

Comment:

Qual meaning: Analyte was detected in both the sample and the associated method blank.

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 121 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-015D**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B44

Sample Date: April 24, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chloride | 40 | | mg/L |

Comment:

Solids, Total Dissolved

150 mg/L

Comment:

Sulfate

3.4 mg/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.036 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 500000 ug/L

Detection Limit: 3.7 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.051 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 122 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-016A**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B43-1

Sample Date: April 24, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|----------------|------|------|-------|---|
| Benzene | 3.5 | | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 1 ug/L Exceeds by factor of: 3.50 |

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|--|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L Detection Limit: 0.2 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.06 ug/L Detection Limit: 0.72 ug/L |

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|----------------|------|------|-------|---|
| Chlorobenzene | 6.1 | | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 100 ug/L Detection Limit: 0.17 ug/L |
| Xylenes, Total | 0.64 | I | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 20 ug/L Detection Limit: 0.32 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-------------------------|-------|------|----------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 966 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 0.16 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 18.44 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 5.97 | | S.U. | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
Page 123 of 332
C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

| | | | |
|-----------------------------|--------|-------|---|
| Temperature | 22.61 | deg C | Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 U | ug/L | Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 U | ug/L | Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 1.19 | NTU | Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 124 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-016C**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B43-1

Sample Date: April 24, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|-------|------|-------|
| Iron | 31000 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 103.33

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Barium | 220 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 5 ug/L

| | | | |
|--------|------|--|------|
| Sodium | 96 V | | mg/L |
|--------|------|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 160 mg/L

Detection Limit: 0.5 mg/L

| | | | |
|----------|-------|--|------|
| Vanadium | 5.6 I | | ug/L |
|----------|-------|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 49 ug/L

Detection Limit: 5 ug/L

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Sodium | 96 V | | mg/L |

QA/QC Qualifier V

Comment:

Qual meaning: Analyte was detected in both the sample and the associated method blank.

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 125 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-016D**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B43-1

Sample Date: April 24, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|-------------------------|------|------|-------|
| Solids, Total Dissolved | 520 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 500000 ug/L

Exceeds by factor of: 1.04

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chloride | 77 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.072 mg/L

| | | | |
|---------|-----|--|------|
| Sulfate | 2.7 | | mg/L |
|---------|-----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.1 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 126 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-016E**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B43-1

Sample Date: April 24, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|--------------------------|------|------|-------|
| Nitrogen, Ammonia (As N) | 4.6 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Exceeds by factor of: 1.64

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 127 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-017A**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B43-2

Sample Date: April 24, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.06 ug/L |
| | | | | Detection Limit: 0.2 ug/L |
| | | | | Detection Limit: 0.72 ug/L |

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|----------------|------|------|-------|---|
| Chlorobenzene | 0.61 | I | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 100 ug/L |
| | | | | Detection Limit: 0.17 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|-------|------|----------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 971 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 0.35 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 18.53 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 6.17 | | S.U. | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 22.38 | | deg C | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 4.59 | | NTU | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 128 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-017C** Matrix: W Well Type: CO - Compliance
 Monitoring Site: B43-2 Sample Date: April 24, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**
 Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|----------------|-------|------|-------|--|
| Iron | 14000 | | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 300 ug/L Exceeds by factor of: 46.67 |

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**
 No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|----------------|-------|------|-------|--|
| Barium | 40 | | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 2000 ug/L Detection Limit: 5 ug/L |
| Nickel | 2.5 I | | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 100 ug/L Detection Limit: 2.5 ug/L |
| Sodium | 140 V | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 160 mg/L Detection Limit: 0.5 mg/L |
| Vanadium | 5.9 I | | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 49 ug/L Detection Limit: 5 ug/L |

Evaluation Type: **QA/QC qualifier has been applied**
 Review qualifier meaning and assess impact on qualified data

| Parameter Name | Rslt | Qual | Units | QA/QC Qualifier |
|----------------|-------|------|-------|--|
| Sodium | 140 V | | mg/L | V |
| Comment: | | | | Qual meaning: Analyte was detected in both the sample and the associated method blank. |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-017D**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B43-2

Sample Date: April 24, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|-------------------------|------|------|-------|
| Solids, Total Dissolved | 620 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 500000 ug/L

Exceeds by factor of: 1.24

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chloride | 70 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.072 mg/L

| | | | |
|---------|----|--|------|
| Sulfate | 48 | | mg/L |
|---------|----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.1 mg/L

Versions

| | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 130 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-017E**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B43-2

Sample Date: April 24, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|--------------------------|------|------|-------|
| Nitrogen, Ammonia (As N) | 2.5 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.014 mg/L

| |
|----------------------------------|
| Versions |
| Report: 3.0.0 |
| Database: 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 131 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-018A**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B70-1

Sample Date: April 24, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.06 ug/L |
| | | | | Detection Limit: 0.72 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|-------|------|----------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 253 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 0.15 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 19.16 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 5.59 | | S.U. | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 23.07 | | deg C | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 0.5 | | NTU | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
 Page 132 of 332
 C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-018C**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B70-1

Sample Date: April 24, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Iron | 5000 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 16.67

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Barium | 29 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 5 ug/L

| | | | |
|--------|------|--|------|
| Sodium | 24 V | | mg/L |
|--------|------|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 160 mg/L

Detection Limit: 0.5 mg/L

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Sodium | 24 V | | mg/L |

QA/QC Qualifier V

Comment:

Qual meaning: Analyte was detected in both the sample and the associated method blank.

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 133 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-018D**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B70-1

Sample Date: April 24, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chloride | 33 | | mg/L |

Comment:

Solids, Total Dissolved

170 mg/L

Comment:

Sulfate

29 mg/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.036 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 500000 ug/L

Detection Limit: 3.7 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.051 mg/L

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 134 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-018E**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B70-1

Sample Date: April 24, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|--------------------------|-------|------|-------|
| Nitrogen, Ammonia (As N) | 0.053 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.014 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 135 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-019A**

Matrix: W

Well Type: DE - Detection

Monitoring Site: B70-2

Sample Date: April 24, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.06 ug/L |
| | | | | Detection Limit: 0.72 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|-------|------|----------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 126 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 0.18 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 19.21 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 5.2 | | S.U. | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 22.53 | | deg C | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 10.79 | | NTU | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
 Page 136 of 332
 C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-019C**

Matrix: W

Well Type: DE - Detection

Monitoring Site: B70-2

Sample Date: April 24, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Iron | 9300 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 31.00

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Barium | 39 | | ug/L |
| Beryllium | 0.67 | I | ug/L |
| Chromium | 14 | | ug/L |
| Copper | 4 | I | ug/L |
| Nickel | 3.1 | I | ug/L |
| Sodium | 8.9 | V | mg/L |
| Vanadium | 22 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 5 ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 4 ug/L

Detection Limit: 0.5 ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 2.5 ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 1000 ug/L

Detection Limit: 2.5 ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 2.5 ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 160 mg/L

Detection Limit: 0.5 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 49 ug/L

Detection Limit: 5 ug/L

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Sodium | 8.9 | V | mg/L |

QA/QC Qualifier V

Comment:

Qual meaning: Analyte was detected in both the sample and the associated method blank.

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 137 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-019D**

Matrix: W

Well Type: DE - Detection

Monitoring Site: B70-2

Sample Date: April 24, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chloride | 12 | | mg/L |

Comment:

| | | | |
|-------------------------|-----|--|------|
| Solids, Total Dissolved | 190 | | mg/L |
|-------------------------|-----|--|------|

Comment:

| | | | |
|---------|----|--|------|
| Sulfate | 20 | | mg/L |
|---------|----|--|------|

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.036 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 500000 ug/L

Detection Limit: 3.7 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.051 mg/L

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 138 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-019E**

Matrix: W

Well Type: DE - Detection

Monitoring Site: B70-2

Sample Date: April 24, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|--------------------------|-------|------|-------|
| Nitrogen, Ammonia (As N) | 0.082 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.014 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 139 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-020A**

Matrix: W

Well Type: DE - Detection

Monitoring Site: B71

Sample Date: April 24, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.06 ug/L |
| | | | | Detection Limit: 0.72 ug/L |

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|----------------|------|------|-------|---|
| Acetone | 3 | l | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 6300 ug/L |
| | | | | Detection Limit: 2.5 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|-------|------|----------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 493 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 0.43 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 19.01 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 5.79 | | S.U. | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 23.73 | | deg C | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 1.39 | | NTU | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 140 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-020C**

Matrix: W

Well Type: DE - Detection

Monitoring Site: B71

Sample Date: April 24, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|-------|------|-------|
| Iron | 22000 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 73.33

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Barium | 54 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 5 ug/L

| | | | |
|----------|---|---|------|
| Chromium | 3 | I | ug/L |
|----------|---|---|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 2.5 ug/L

| | | | |
|--------|----|---|------|
| Sodium | 19 | V | mg/L |
|--------|----|---|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 160 mg/L

Detection Limit: 0.5 mg/L

| | | | |
|----------|-----|---|------|
| Vanadium | 9.6 | I | ug/L |
|----------|-----|---|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 49 ug/L

Detection Limit: 5 ug/L

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Sodium | 19 | V | mg/L |

QA/QC Qualifier V

Comment:

Qual meaning: Analyte was detected in both the sample and the associated method blank.

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 141 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-020D**

Matrix: W

Well Type: DE - Detection

Monitoring Site: B71

Sample Date: April 24, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
|----------------|------|------|-------|

| | | | |
|----------|-----|--|------|
| Chloride | 8.9 | | mg/L |
|----------|-----|--|------|

Comment:

| | | | |
|-------------------|-------|---|------|
| Nitrogen, Nitrate | 0.035 | l | mg/L |
|-------------------|-------|---|------|

Comment:

| | | | |
|-------------------------|-----|--|------|
| Solids, Total Dissolved | 340 | | mg/L |
|-------------------------|-----|--|------|

Comment:

| | | | |
|---------|-----|--|------|
| Sulfate | 150 | | mg/L |
|---------|-----|--|------|

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.036 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 10000 ug/L

Detection Limit: 0.0091 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 500000 ug/L

Detection Limit: 3.7 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.051 mg/L

Versions

Report: 3.0.0

Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 142 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-020E**

Matrix: W

Well Type: DE - Detection

Monitoring Site: B71

Sample Date: April 24, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|--------------------------|------|------|-------|
| Nitrogen, Ammonia (As N) | 0.22 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.014 mg/L

| |
|----------------------------------|
| Versions |
| Report: 3.0.0 |
| Database: 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 143 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-021A**

Matrix: W

Well Type: DE - Detection

Monitoring Site: B72

Sample Date: April 24, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Detection Limit: 0.2 ug/L Criterion: 0.06 ug/L Detection Limit: 0.72 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|-------|------|----------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 466 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 0.47 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 18.96 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 6.19 | | S.U. | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 24.7 | | deg C | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 11.3 | | NTU | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
Page 144 of 332
C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-021C**

Matrix: W

Well Type: DE - Detection

Monitoring Site: B72

Sample Date: April 24, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|-------|------|-------|
| Iron | 12000 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 40.00

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Barium | 34 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 5 ug/L

| | | | |
|--------|------|--|------|
| Sodium | 34 V | | mg/L |
|--------|------|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 160 mg/L

Detection Limit: 0.5 mg/L

| | | | |
|------|------|--|------|
| Zinc | 10 I | | ug/L |
|------|------|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 5000 ug/L

Detection Limit: 10 ug/L

Evaluation Type: **QA/QC qualifier has been applied**

Review qualifier meaning and assess impact on qualified data

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Sodium | 34 V | | mg/L |

QA/QC Qualifier V

Comment:

Qual meaning: Analyte was detected in both the sample and the associated method blank.

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 145 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-021D**

Matrix: W

Well Type: DE - Detection

Monitoring Site: B72

Sample Date: April 24, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chloride | 13 | | mg/L |

Comment:

Solids, Total Dissolved

280 mg/L

Comment:

Sulfate

43 mg/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.036 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 500000 ug/L

Detection Limit: 3.7 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.051 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 146 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-021E**

Matrix: W

Well Type: DE - Detection

Monitoring Site: B72

Sample Date: April 24, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|--------------------------|-------|------|-------|
| Nitrogen, Ammonia (As N) | 0.017 | I | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.014 mg/L

| |
|----------------------------------|
| Versions |
| Report: 3.0.0 |
| Database: 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 147 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-022A**

Matrix: W

Well Type:

Monitoring Site: Trip Blank

Sample Date: April 24, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.06 ug/L |
| | | | | Detection Limit: 0.72 ug/L |

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|--------------------|------|------|-------|---|
| Methylene chloride | 3.5 | I | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 5 ug/L |
| | | | | Detection Limit: 0.33 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|------|------|-------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
 Page 148 of 332
 C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-023A**

Matrix: W

Well Type:

Monitoring Site: EQ Blank

Sample Date: April 25, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units |
|------------------------|------|------|-------|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L |

Comment:

| | | | |
|---------------|------|---|------|
| Acrylonitrile | 0.72 | U | ug/L |
|---------------|------|---|------|

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 0.02 ug/L

Detection Limit: 0.2 ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 0.06 ug/L

Detection Limit: 0.72 ug/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|-------------------------|------|------|-------|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L |

| | | | |
|-------------|-----|---|------|
| Iodomethane | 0.8 | U | ug/L |
|-------------|-----|---|------|

| | | | |
|---------------------------|------|---|------|
| trans-1,3-Dichloropropene | 0.33 | U | ug/L |
|---------------------------|------|---|------|

| | | | |
|-----------------------------|-----|---|------|
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L |
|-----------------------------|-----|---|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 149 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-023C**

Matrix: W

Well Type:

Monitoring Site: EQ Blank

Sample Date: April 25, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Copper | 12 | | ug/L |

Comment:

| | | | |
|------|----|---|------|
| Iron | 22 | l | ug/L |
|------|----|---|------|

Comment:

| | | | |
|------|----|---|------|
| Zinc | 11 | l | ug/L |
|------|----|---|------|

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 1000 ug/L

Detection Limit: 2.5 ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 300 ug/L

Detection Limit: 20 ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 5000 ug/L

Detection Limit: 10 ug/L

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 150 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-023D**

Matrix: W

Well Type:

Monitoring Site: EQ Blank

Sample Date: April 25, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
|----------------|------|------|-------|

| | | | |
|----------|------|---|------|
| Chloride | 0.26 | I | mg/L |
|----------|------|---|------|

Comment:

| | | | |
|-------------------|-------|---|------|
| Nitrogen, Nitrate | 0.017 | I | mg/L |
|-------------------|-------|---|------|

Comment:

| | | | |
|-------------------------|----|--|------|
| Solids, Total Dissolved | 51 | | mg/L |
|-------------------------|----|--|------|

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.036 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 10000 ug/L

Detection Limit: 0.0091 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 500000 ug/L

Detection Limit: 3.7 mg/L

Versions

| | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 151 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-024A**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: FA-2C

Sample Date: April 25, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Detection Limit: 0.2 ug/L Criterion: 0.06 ug/L Detection Limit: 0.72 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|-------|------|----------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 710 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 0.07 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 11.11 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 8.17 | | S.U. | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 22.37 | | deg C | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 0.01 | U | NTU | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
Page 152 of 332
C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-024C**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: FA-2C

Sample Date: April 25, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Barium | 29 | | ug/L |

Comment:

| | | | |
|------|-----|--|------|
| Iron | 140 | | ug/L |
|------|-----|--|------|

Comment:

| | | | |
|--------|----|--|------|
| Sodium | 49 | | mg/L |
|--------|----|--|------|

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 2000 ug/L

Detection Limit: 5 ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 300 ug/L

Detection Limit: 20 ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 160 mg/L

Detection Limit: 0.5 mg/L

Versions

| | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 153 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-024D**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: FA-2C

Sample Date: April 25, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chloride | 68 | | mg/L |

Comment:

Solids, Total Dissolved

420 mg/L

Comment:

Sulfate

0.28 l mg/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.036 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 500000 ug/L

Detection Limit: 3.7 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.051 mg/L

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 154 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-024E**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: FA-2C

Sample Date: April 25, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|--------------------------|------|------|-------|
| Nitrogen, Ammonia (As N) | 0.45 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.014 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 155 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-025A**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: FA-2C Dup

Sample Date: April 25, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.06 ug/L |
| | | | | Detection Limit: 0.72 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|-------|------|----------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 710 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 0.07 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 11.11 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 8.17 | | S.U. | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 22.37 | | deg C | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 0.01 | U | NTU | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
 Page 156 of 332
 C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-025C**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: FA-2C Dup

Sample Date: April 25, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Barium | 29 | | ug/L |

Comment:

| | | | |
|------|-----|--|------|
| Iron | 180 | | ug/L |
|------|-----|--|------|

Comment:

| | | | |
|--------|----|--|------|
| Sodium | 49 | | mg/L |
|--------|----|--|------|

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 2000 ug/L

Detection Limit: 5 ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 300 ug/L

Detection Limit: 20 ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 160 mg/L

Detection Limit: 0.5 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 157 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-025D**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: FA-2C Dup

Sample Date: April 25, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chloride | 68 | | mg/L |

Comment:

| | | | |
|-------------------------|-----|--|------|
| Solids, Total Dissolved | 420 | | mg/L |
|-------------------------|-----|--|------|

Comment:

| | | | |
|---------|--------|--|------|
| Sulfate | 0.29 l | | mg/L |
|---------|--------|--|------|

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.036 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 500000 ug/L

Detection Limit: 3.7 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.051 mg/L

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 158 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-025E** Matrix: W Well Type: CO - Compliance
Monitoring Site: FA-2C Dup Sample Date: April 25, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**
No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|--------------------------|------|------|-------|
| Nitrogen, Ammonia (As N) | 0.45 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)
Criterion: 2.8 mg/L
Detection Limit: 0.014 mg/L

Comment:

| |
|----------------------------------|
| Versions |
| Report: 3.0.0 |
| Database: 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
Page 159 of 332
C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-026A**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B61R

Sample Date: April 25, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|--|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.06 ug/L Detection Limit: 0.72 ug/L |

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|----------------|------|------|-------|---|
| Acetone | 6.9 | I | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 6300 ug/L Detection Limit: 2.5 ug/L |
| Chlorobenzene | 2.3 | | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 100 ug/L Detection Limit: 0.17 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|-------|------|----------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 2064 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 0.76 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 21.68 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 6.66 | | S.U. | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 25.39 | | deg C | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 7.34 | | NTU | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 160 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-026C**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B61R

Sample Date: April 25, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Iron | 9700 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 32.33

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Barium | 260 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 5 ug/L

| | | | |
|----------|-----|--|------|
| Chromium | 9.8 | | ug/L |
|----------|-----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 2.5 ug/L

| | | | |
|--------|----|--|------|
| Cobalt | 10 | | ug/L |
|--------|----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 140 ug/L

Detection Limit: 5 ug/L

| | | | |
|--------|----|--|------|
| Nickel | 10 | | ug/L |
|--------|----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 2.5 ug/L

| | | | |
|--------|-----|--|------|
| Sodium | 120 | | mg/L |
|--------|-----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 160 mg/L

Detection Limit: 0.5 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 161 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-026D**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B61R

Sample Date: April 25, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|-------------------------|------|------|-------|
| Solids, Total Dissolved | 1100 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 500000 ug/L

Exceeds by factor of: 2.20

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chloride | 69 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.18 mg/L

| | | | |
|---------|----|--|------|
| Sulfate | 27 | | mg/L |
|---------|----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.26 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 162 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-026E**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B61R

Sample Date: April 25, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|--------------------------|------|------|-------|
| Nitrogen, Ammonia (As N) | 38 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 2.8 mg/L

Comment:

Exceeds by factor of: 13.57

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 163 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-027A**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B62-2R

Sample Date: April 25, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.06 ug/L |
| | | | | Detection Limit: 0.72 ug/L |

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|----------------|------|------|-------|---|
| Acetone | 3 | l | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 6300 ug/L |
| Chlorobenzene | 1.1 | | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 100 ug/L |
| | | | | Detection Limit: 0.17 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|-------|------|----------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 1606 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 0.09 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 22.51 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 6.67 | | S.U. | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 24.95 | | deg C | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 4.18 | | NTU | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 164 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-027C**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B62-2R

Sample Date: April 25, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Iron | 7200 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 24.00

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|-------|------|-------|
| Barium | 120 | | ug/L |
| Chromium | 19 | | ug/L |
| Cobalt | 8.2 l | | ug/L |
| Nickel | 11 | | ug/L |
| Sodium | 110 | | mg/L |
| Vanadium | 29 | | ug/L |
| Zinc | 13 l | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 5 ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 2.5 ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 140 ug/L

Detection Limit: 5 ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 2.5 ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 160 mg/L

Detection Limit: 0.5 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 49 ug/L

Detection Limit: 5 ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 5000 ug/L

Detection Limit: 10 ug/L

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 165 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-027D**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B62-2R

Sample Date: April 25, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|-------------------------|------|------|-------|
| Solids, Total Dissolved | 880 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 500000 ug/L

Exceeds by factor of: 1.76

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chloride | 74 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.18 mg/L

| | | | |
|---------|--------|--|------|
| Sulfate | 0.92 l | | mg/L |
|---------|--------|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.26 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 166 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-027E**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B62-2R

Sample Date: April 25, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|--------------------------|------|------|-------|
| Nitrogen, Ammonia (As N) | 55 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Exceeds by factor of: 19.64

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 167 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-028A**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B62-1R

Sample Date: April 25, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|--|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.06 ug/L Detection Limit: 0.72 ug/L |

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|----------------|------|------|-------|---|
| Acetone | 3.2 | I | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 6300 ug/L Detection Limit: 2.5 ug/L |
| Benzene | 0.37 | I | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 1 ug/L Detection Limit: 0.16 ug/L |
| Chlorobenzene | 3 | | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 100 ug/L Detection Limit: 0.17 ug/L |
| Xylenes, Total | 1.8 | | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 20 ug/L Detection Limit: 0.32 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-------------------------|-------|------|----------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 3689 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 0.08 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 22.69 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 6.73 | | S.U. | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 23.85 | | deg C | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 168 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

| | | | |
|-----------------------------|--------|------|---|
| trans-1,3-Dichloropropene | 0.33 U | ug/L | Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 U | ug/L | Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 7.91 | NTU | Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 169 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-028C**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B62-1R

Sample Date: April 25, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|-------|------|-------|
| Iron | 33000 | | ug/L |

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 300 ug/L

Exceeds by factor of: 110.00

| | | | |
|--------|-----|--|------|
| Sodium | 320 | | mg/L |
|--------|-----|--|------|

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 160 mg/L

Exceeds by factor of: 2.00

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Barium | 790 | | ug/L |

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 2000 ug/L

Detection Limit: 5 ug/L

| | | | |
|----------|-------|--|------|
| Chromium | 3.8 l | | ug/L |
|----------|-------|--|------|

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 100 ug/L

Detection Limit: 2.5 ug/L

| | | | |
|--------|----|--|------|
| Cobalt | 13 | | ug/L |
|--------|----|--|------|

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 140 ug/L

Detection Limit: 5 ug/L

| | | | |
|--------|----|--|------|
| Nickel | 11 | | ug/L |
|--------|----|--|------|

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 100 ug/L

Detection Limit: 2.5 ug/L

Versions

Report: 3.0.0
 Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 170 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-028D**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B62-1R

Sample Date: April 25, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chloride | 310 | | mg/L |

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 250 mg/L

Exceeds by factor of: 1.24

| | | | |
|-------------------------|------|--|------|
| Solids, Total Dissolved | 1700 | | mg/L |
|-------------------------|------|--|------|

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 500000 ug/L

Exceeds by factor of: 3.40

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 171 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-028E**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B62-1R

Sample Date: April 25, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|--------------------------|------|------|-------|
| Nitrogen, Ammonia (As N) | 130 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Exceeds by factor of: 46.43

| |
|----------------------------------|
| Versions |
| Report: 3.0.0 |
| Database: 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 172 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-029A**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B66

Sample Date: April 25, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.06 ug/L |
| | | | | Detection Limit: 0.72 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|-------|------|----------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 827 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 1.18 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 22.52 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 6.6 | | S.U. | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 22.38 | | deg C | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 62.7 | | NTU | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
 Page 173 of 332
 C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-029C**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B66

Sample Date: April 25, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Iron | 2200 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 7.33

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Antimony | 0.95 | l | ug/L |
| Barium | 45 | | ug/L |
| Chromium | 15 | | ug/L |
| Copper | 6.4 | | ug/L |
| Nickel | 7.3 | | ug/L |
| Sodium | 73 | | mg/L |
| Vanadium | 21 | | ug/L |
| Zinc | 14 | l | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 6 ug/L

Detection Limit: 0.5 ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 5 ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 2.5 ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 1000 ug/L

Detection Limit: 2.5 ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 2.5 ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 160 mg/L

Detection Limit: 0.5 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 49 ug/L

Detection Limit: 5 ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 5000 ug/L

Detection Limit: 10 ug/L

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 174 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-029D**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B66

Sample Date: April 25, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|-------------------------|------|------|-------|
| Solids, Total Dissolved | 510 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 500000 ug/L

Exceeds by factor of: 1.02

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chloride | 95 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.072 mg/L

| | | | |
|---------|----|--|------|
| Sulfate | 50 | | mg/L |
|---------|----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.1 mg/L

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 175 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-029E**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B66

Sample Date: April 25, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|--------------------------|-------|------|-------|
| Nitrogen, Ammonia (As N) | 0.066 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.014 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 176 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-030A**

Matrix: W

Well Type:

Monitoring Site: Trip Blank

Sample Date: April 25, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units |
|------------------------|------|------|-------|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L |

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)
Criterion: 0.02 ug/L

Detection Limit: 0.2 ug/L

| | | | |
|---------------|------|---|------|
| Acrylonitrile | 0.72 | U | ug/L |
|---------------|------|---|------|

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)
Criterion: 0.06 ug/L

Detection Limit: 0.72 ug/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|--------------------|------|------|-------|
| Methylene chloride | 4.9 | I | ug/L |

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)
Criterion: 5 ug/L

Detection Limit: 0.33 ug/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|-------------------------|------|------|-------|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L |

Iodomethane

0.8 U ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

trans-1,3-Dichloropropene

0.33 U ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

trans-1,4-Dichloro-2-butene

2.1 U ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 177 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-031A**

Matrix: W

Well Type:

Monitoring Site: EQ Blank

Sample Date: April 25, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.06 ug/L |
| | | | | Detection Limit: 0.72 ug/L |

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|--------------------|------|------|-------|---|
| Methylene chloride | 2.4 | I | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 5 ug/L |
| | | | | Detection Limit: 0.33 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|------|------|-------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
 Page 178 of 332
 C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-031C**

Matrix: W

Well Type:

Monitoring Site: EQ Blank

Sample Date: April 25, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Copper | 14 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 1000 ug/L

Detection Limit: 2.5 ug/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 179 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-031D**

Matrix: W

Well Type:

Monitoring Site: EQ Blank

Sample Date: April 25, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|-------|------|-------|
| Chloride | 0.044 | 1 | mg/L |

Comment:

Solids, Total Dissolved

66 mg/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.036 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 500000 ug/L

Detection Limit: 3.7 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 180 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-032A**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B73-1

Sample Date: April 25, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.06 ug/L |
| | | | | Detection Limit: 0.72 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|-------|------|----------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 678 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 0.26 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 18.25 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 6.47 | | S.U. | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 23.02 | | deg C | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 0.78 | | NTU | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
 Page 181 of 332
 C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-032C**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B73-1

Sample Date: April 25, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|-------|------|-------|
| Iron | 12000 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 40.00

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Barium | 48 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 5 ug/L

| | | | |
|--------|----|--|------|
| Sodium | 47 | | mg/L |
|--------|----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 160 mg/L

Detection Limit: 0.5 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 182 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-032D**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B73-1

Sample Date: April 25, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chloride | 46 | | mg/L |

Comment:

Solids, Total Dissolved

380 mg/L

Comment:

Sulfate

0.5 l mg/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.036 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 500000 ug/L

Detection Limit: 3.7 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.051 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 183 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-032E**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B73-1

Sample Date: April 25, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|--------------------------|------|------|-------|
| Nitrogen, Ammonia (As N) | 0.07 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.014 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 184 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-033A**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B73-1 DUP

Sample Date: April 25, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.06 ug/L |
| | | | | Detection Limit: 0.72 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|-------|------|----------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 678 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 0.26 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 18.25 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 6.47 | | S.U. | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 23.02 | | deg C | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 0.78 | | NTU | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
 Page 185 of 332
 C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-033C**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B73-1 DUP

Sample Date: April 25, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|-------|------|-------|
| Iron | 12000 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 40.00

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Barium | 46 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 5 ug/L

| | | | |
|--------|----|--|------|
| Sodium | 45 | | mg/L |
|--------|----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 160 mg/L

Detection Limit: 0.5 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 186 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-033D**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B73-1 DUP

Sample Date: April 25, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chloride | 46 | | mg/L |

Comment:

Solids, Total Dissolved

380 mg/L

Comment:

Sulfate

0.6 mg/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.036 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 500000 ug/L

Detection Limit: 3.7 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.051 mg/L

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 187 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-033E** Matrix: W Well Type: CO - Compliance
Monitoring Site: B73-1 DUP Sample Date: April 25, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**
No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|--------------------------|-------|------|-------|
| Nitrogen, Ammonia (As N) | 0.073 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)
Criterion: 2.8 mg/L
Detection Limit: 0.014 mg/L

Comment:

| |
|----------------------------------|
| Versions |
| Report: 3.0.0 |
| Database: 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
Page 188 of 332
C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-034A**

Matrix: W

Well Type: DE - Detection

Monitoring Site: B73-2

Sample Date: April 25, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.06 ug/L |
| | | | | Detection Limit: 0.72 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|-------|------|----------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 349 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 0.26 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 18.85 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 6.77 | | S.U. | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 23.93 | | deg C | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 4.27 | | NTU | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
 Page 189 of 332
 C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-034C**

Matrix: W

Well Type: DE - Detection

Monitoring Site: B73-2

Sample Date: April 25, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Iron | 1800 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 6.00

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Arsenic | 5 | l | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 10 ug/L

Detection Limit: 5 ug/L

| | | | |
|--------|----|--|------|
| Barium | 30 | | ug/L |
|--------|----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 5 ug/L

| | | | |
|--------|-----|---|------|
| Nickel | 2.7 | l | ug/L |
|--------|-----|---|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 2.5 ug/L

| | | | |
|--------|-----|--|------|
| Sodium | 7.6 | | mg/L |
|--------|-----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 160 mg/L

Detection Limit: 0.5 mg/L

| | | | |
|------|----|--|------|
| Zinc | 45 | | ug/L |
|------|----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 5000 ug/L

Detection Limit: 10 ug/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 190 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-034D**

Matrix: W

Well Type: DE - Detection

Monitoring Site: B73-2

Sample Date: April 25, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | |
|-------------------------|-------|------|-------|--|
| Chloride | 6.5 | | mg/L | Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 250 mg/L Detection Limit: 0.036 mg/L |
| Comment: | | | | |
| Nitrogen, Nitrate | 0.015 | l | mg/L | Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 10000 ug/L Detection Limit: 0.0091 mg/L |
| Comment: | | | | |
| Solids, Total Dissolved | 230 | | mg/L | Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 500000 ug/L Detection Limit: 3.7 mg/L |
| Comment: | | | | |
| Sulfate | 26 | | mg/L | Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 250 mg/L Detection Limit: 0.051 mg/L |
| Comment: | | | | |

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 191 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-034E**

Matrix: W

Well Type: DE - Detection

Monitoring Site: B73-2

Sample Date: April 25, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|--------------------------|-------|------|-------|
| Nitrogen, Ammonia (As N) | 0.029 | I | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.014 mg/L

| |
|----------------------------------|
| Versions |
| Report: 3.0.0 |
| Database: 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 192 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-035A**

Matrix: W

Well Type: DE - Detection

Monitoring Site: B74

Sample Date: April 25, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.06 ug/L |
| | | | | Detection Limit: 0.72 ug/L |

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|----------------|------|------|-------|---|
| 2-Butanone | 1 | I | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 4200 ug/L |
| | | | | Detection Limit: 0.65 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|-------|------|----------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 344 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 0.28 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 14.98 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 5.61 | | S.U. | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 23.1 | | deg C | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 1.41 | | NTU | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 193 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-035C**

Matrix: W

Well Type: DE - Detection

Monitoring Site: B74

Sample Date: April 25, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Iron | 1200 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 4.00

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Barium | 23 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 5 ug/L

| | | | |
|--------|----|--|------|
| Sodium | 15 | | mg/L |
|--------|----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 160 mg/L

Detection Limit: 0.5 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 194 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-035D**

Matrix: W

Well Type: DE - Detection

Monitoring Site: B74

Sample Date: April 25, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chloride | 6.7 | | mg/L |

Comment:

| | | | |
|-------------------------|-----|--|------|
| Solids, Total Dissolved | 270 | | mg/L |
|-------------------------|-----|--|------|

Comment:

| | | | |
|---------|----|--|------|
| Sulfate | 63 | | mg/L |
|---------|----|--|------|

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.036 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 500000 ug/L

Detection Limit: 3.7 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.051 mg/L

Versions

| | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 195 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-035E**

Matrix: W

Well Type: DE - Detection

Monitoring Site: B74

Sample Date: April 25, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|--------------------------|------|------|-------|
| Nitrogen, Ammonia (As N) | 0.19 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.014 mg/L

| |
|----------------------------------|
| Versions |
| Report: 3.0.0 |
| Database: 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 196 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-036A**

Matrix: W

Well Type: DE - Detection

Monitoring Site: B75

Sample Date: April 25, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.06 ug/L |
| | | | | Detection Limit: 0.72 ug/L |

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|----------------|------|------|-------|---|
| 2-Butanone | 0.72 | I | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 4200 ug/L |
| | | | | Detection Limit: 0.65 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|-------|------|----------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 1704 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 0.16 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 19.72 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 6.51 | | S.U. | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 23.63 | | deg C | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 12.8 | | NTU | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 197 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-036C**

Matrix: W

Well Type: DE - Detection

Monitoring Site: B75

Sample Date: April 25, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|----------------|-------|------|-------|---|
| Arsenic | 21 | | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 10 ug/L |
| Iron | 52000 | | ug/L | Exceeds by factor of: 2.10 Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 300 ug/L Exceeds by factor of: 173.33 |

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|----------------|------|------|-------|--|
| Barium | 120 | | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 2000 ug/L |
| Cobalt | 7 l | | ug/L | Detection Limit: 5 ug/L Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 140 ug/L |
| Sodium | 51 | | mg/L | Detection Limit: 5 ug/L Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 160 mg/L Detection Limit: 0.5 mg/L |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
Page 198 of 332
C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-036D**

Matrix: W

Well Type: DE - Detection

Monitoring Site: B75

Sample Date: April 25, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|-------------------------|------|------|-------|
| Solids, Total Dissolved | 1100 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 500000 ug/L

Exceeds by factor of: 2.20

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chloride | 48 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.18 mg/L

| | | | |
|---------|-----|--|------|
| Sulfate | 130 | | mg/L |
|---------|-----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.26 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 199 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-036E**

Matrix: W

Well Type: DE - Detection

Monitoring Site: B75

Sample Date: April 25, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|--------------------------|------|------|-------|
| Nitrogen, Ammonia (As N) | 1.7 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.014 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 200 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-037A**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B60

Sample Date: April 25, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.06 ug/L |
| | | | | Detection Limit: 0.72 ug/L |

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|----------------|------|------|-------|---|
| 2-Butanone | 0.7 | I | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 4200 ug/L |
| | | | | Detection Limit: 0.65 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|-------|------|----------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 515 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 0.09 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 20.95 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 6.17 | | S.U. | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 23.58 | | deg C | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 0.64 | | NTU | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 201 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-037C**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B60

Sample Date: April 25, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Iron | 6000 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 20.00

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Barium | 53 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 5 ug/L

| | | | |
|--------|----|--|------|
| Sodium | 33 | | mg/L |
|--------|----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 160 mg/L

Detection Limit: 0.5 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 202 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-037D**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B60

Sample Date: April 25, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
|----------------|------|------|-------|

| | | | |
|----------|----|--|------|
| Chloride | 46 | | mg/L |
|----------|----|--|------|

Comment:

| | | | |
|-------------------------|-----|--|------|
| Solids, Total Dissolved | 330 | | mg/L |
|-------------------------|-----|--|------|

Comment:

| | | | |
|---------|----|--|------|
| Sulfate | 54 | | mg/L |
|---------|----|--|------|

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.036 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 500000 ug/L

Detection Limit: 3.7 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.051 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 203 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-037E**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B60

Sample Date: April 25, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|--------------------------|-------|------|-------|
| Nitrogen, Ammonia (As N) | 0.053 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.014 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 204 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-038A**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B59-1R

Sample Date: April 25, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.06 ug/L |
| | | | | Detection Limit: 0.72 ug/L |

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|----------------|------|------|-------|---|
| 2-Butanone | 0.8 | I | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 4200 ug/L |
| | | | | Detection Limit: 0.65 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|-------|------|----------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 824 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 0.23 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 20.16 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 6.61 | | S.U. | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 23.43 | | deg C | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 2.11 | | NTU | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
Page 205 of 332
C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-038C**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B59-1R

Sample Date: April 25, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Iron | 8800 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 29.33

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Barium | 71 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 5 ug/L

| | | | |
|--------|----|--|------|
| Sodium | 67 | | mg/L |
|--------|----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 160 mg/L

Detection Limit: 0.5 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 206 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-038D**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B59-1R

Sample Date: April 25, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | |
|-------------------------|-------|------|-------|--|
| Chloride | 73 | | mg/L | Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 250 mg/L Detection Limit: 0.036 mg/L |
| Comment: | | | | |
| Nitrogen, Nitrate | 0.041 | l | mg/L | Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 10000 ug/L Detection Limit: 0.0091 mg/L |
| Comment: | | | | |
| Solids, Total Dissolved | 500 | | mg/L | Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 500000 ug/L Detection Limit: 3.7 mg/L |
| Comment: | | | | |
| Sulfate | 46 | | mg/L | Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 250 mg/L Detection Limit: 0.051 mg/L |
| Comment: | | | | |

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 207 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-038E**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B59-1R

Sample Date: April 25, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|--------------------------|-------|------|-------|
| Nitrogen, Ammonia (As N) | 0.076 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.014 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 208 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-039A**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B59-2R

Sample Date: April 25, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.06 ug/L |
| | | | | Detection Limit: 0.2 ug/L |
| | | | | Detection Limit: 0.72 ug/L |

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|----------------|------|------|-------|---|
| 2-Butanone | 0.96 | I | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 4200 ug/L |
| Vinyl chloride | 0.67 | I | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 1 ug/L |
| | | | | Detection Limit: 0.65 ug/L |
| | | | | Detection Limit: 0.37 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|-------|------|----------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 1365 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 0.1 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 20.23 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 6.44 | | S.U. | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 22.91 | | deg C | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 7.22 | | NTU | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 209 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-039C**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B59-2R

Sample Date: April 25, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|-------|------|-------|
| Iron | 16000 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 53.33

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Barium | 160 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 5 ug/L

| | | | |
|--------|----|--|------|
| Sodium | 76 | | mg/L |
|--------|----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 160 mg/L

Detection Limit: 0.5 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 210 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-039D**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B59-2R

Sample Date: April 25, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|-------------------------|------|------|-------|
| Solids, Total Dissolved | 890 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 500000 ug/L

Exceeds by factor of: 1.78

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chloride | 37 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.18 mg/L

| | | | |
|---------|-----|--|------|
| Sulfate | 240 | | mg/L |
|---------|-----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.26 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 211 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-039E**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B59-2R

Sample Date: April 25, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|--------------------------|------|------|-------|
| Nitrogen, Ammonia (As N) | 0.69 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.014 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 212 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-040A**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B68

Sample Date: April 25, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.06 ug/L |
| | | | | Detection Limit: 0.72 ug/L |

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|----------------|------|------|-------|---|
| 2-Butanone | 0.83 | I | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 4200 ug/L |
| | | | | Detection Limit: 0.65 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|-------|------|----------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 478 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 0.1 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 25.13 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 5.64 | | S.U. | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 24.8 | | deg C | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 0.99 | | NTU | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 213 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-040C**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B68

Sample Date: April 25, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
|----------------|------|------|-------|

| | | | |
|------|-------|--|------|
| Iron | 14000 | | ug/L |
|------|-------|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 46.67

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
|----------------|------|------|-------|

| | | | |
|--------|----|--|------|
| Barium | 66 | | ug/L |
|--------|----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 5 ug/L

| | | | |
|--------|----|--|------|
| Sodium | 17 | | mg/L |
|--------|----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 160 mg/L

Detection Limit: 0.5 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 214 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-040D**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B68

Sample Date: April 25, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chloride | 22 | | mg/L |

Comment:

Solids, Total Dissolved

320 mg/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.036 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 500000 ug/L

Detection Limit: 3.7 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 215 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-040E**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B68

Sample Date: April 25, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|--------------------------|------|------|-------|
| Nitrogen, Ammonia (As N) | 1.3 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.014 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 216 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-041A**

Matrix: W

Well Type: IM - Intermediate

Monitoring Site: B8-2

Sample Date: April 25, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.06 ug/L |
| | | | | Detection Limit: 0.72 ug/L |

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|----------------|------|------|-------|---|
| 2-Butanone | 1.3 | I | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 4200 ug/L |
| | | | | Detection Limit: 0.65 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|-------|------|----------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 644 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 0.07 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 25.18 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 5.46 | | S.U. | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 23.73 | | deg C | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 0.34 | | NTU | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 217 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-041C**

Matrix: W

Well Type: IM - Intermediate

Monitoring Site: B8-2

Sample Date: April 25, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|-------|------|-------|
| Iron | 19000 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 63.33

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Barium | 72 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 5 ug/L

| | | | |
|--------|----|--|------|
| Sodium | 20 | | mg/L |
|--------|----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 160 mg/L

Detection Limit: 0.5 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 218 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-041D**

Matrix: W

Well Type: IM - Intermediate

Monitoring Site: B8-2

Sample Date: April 25, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chloride | 54 | | mg/L |

Comment:

Solids, Total Dissolved

440 mg/L

Comment:

Sulfate

140 mg/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.036 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 500000 ug/L

Detection Limit: 3.7 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.051 mg/L

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 219 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-041E**

Matrix: W

Well Type: IM - Intermediate

Monitoring Site: B8-2

Sample Date: April 25, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|--------------------------|-------|------|-------|
| Nitrogen, Ammonia (As N) | 0.059 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.014 mg/L

| |
|----------|
| Versions |
|----------|

| | |
|---------|-------|
| Report: | 3.0.0 |
|---------|-------|

| | |
|-----------|------------------------|
| Database: | 3.7.51 6/24/2005 12:00 |
|-----------|------------------------|

Monday, July 23, 2007

Page 220 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-042A**

Matrix: W

Well Type:

Monitoring Site: Trip Blank

Sample Date: April 25, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.06 ug/L |
| | | | | Detection Limit: 0.72 ug/L |

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|--------------------|------|------|-------|---|
| Methylene chloride | 0.83 | I | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 5 ug/L |
| | | | | Detection Limit: 0.33 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|------|------|-------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
 Page 221 of 332
 C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-043A**

Matrix: W

Well Type:

Monitoring Site: EQ Blank

Sample Date: April 26, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.06 ug/L |
| | | | | Detection Limit: 0.72 ug/L |

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|--------------------|------|------|-------|---|
| Methylene chloride | 0.89 | I | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 5 ug/L |
| | | | | Detection Limit: 0.33 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|------|------|-------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
 Page 222 of 332
 C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-043C**

Matrix: W

Well Type:

Monitoring Site: EQ Blank

Sample Date: April 26, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | |
|----------------|------|------|-------|---|
| Chromium | 14 | | ug/L | Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 100 ug/L |
| | | | | Detection Limit: 2.5 ug/L |
| Copper | 16 | | ug/L | Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 1000 ug/L |
| | | | | Detection Limit: 2.5 ug/L |
| Iron | 130 | | ug/L | Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 300 ug/L |
| | | | | Detection Limit: 20 ug/L |
| Nickel | 6.7 | | ug/L | Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 100 ug/L |
| | | | | Detection Limit: 2.5 ug/L |

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 223 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-043D**

Matrix: W

Well Type:

Monitoring Site: EQ Blank

Sample Date: April 26, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|-------|------|-------|
| Chloride | 0.084 | 1 | mg/L |

Comment:

Solids, Total Dissolved

32 mg/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.036 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 500000 ug/L

Detection Limit: 3.7 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 224 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-044A**

Matrix: W

Well Type: BG - Background

Monitoring Site: FA-1B

Sample Date: April 26, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.06 ug/L |
| | | | | Detection Limit: 0.72 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|-------|------|----------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 581 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 0.05 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 14.15 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 7.02 | | S.U. | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 21.88 | | deg C | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 0.01 | U | NTU | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
 Page 225 of 332
 C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-044C**

Matrix: W

Well Type: BG - Background

Monitoring Site: FA-1B

Sample Date: April 26, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Iron | 320 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 1.07

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Barium | 19 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 5 ug/L

| | | | |
|----------|-------|--|------|
| Selenium | 8.6 l | | ug/L |
|----------|-------|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 50 ug/L

Detection Limit: 7.5 ug/L

| | | | |
|--------|----|--|------|
| Sodium | 11 | | mg/L |
|--------|----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 160 mg/L

Detection Limit: 0.5 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 226 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-044D**

Matrix: W

Well Type: BG - Background

Monitoring Site: FA-1B

Sample Date: April 26, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chloride | 14 | | mg/L |

Comment:

Solids, Total Dissolved

330 mg/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.036 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 500000 ug/L

Detection Limit: 3.7 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 227 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-044E**

Matrix: W

Well Type: BG - Background

Monitoring Site: FA-1B

Sample Date: April 26, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|--------------------------|------|------|-------|
| Nitrogen, Ammonia (As N) | 0.3 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.014 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 228 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-045A**

Matrix: W

Well Type: BG - Background

Monitoring Site: B33-2

Sample Date: April 26, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.06 ug/L |
| | | | | Detection Limit: 0.72 ug/L |

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|----------------|------|------|-------|---|
| Acetone | 7.8 | I | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 6300 ug/L |
| | | | | Detection Limit: 2.5 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|-------|------|----------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 6122 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 0.89 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 28.03 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 6.58 | | S.U. | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 21.19 | | deg C | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 27.5 | | NTU | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 229 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-045C**

Matrix: W

Well Type: BG - Background

Monitoring Site: B33-2

Sample Date: April 26, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|----------------|-------|------|-------|---|
| Iron | 11000 | | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 300 ug/L |
| | | | | Exceeds by factor of: 36.67 |
| Sodium | 960 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 160 mg/L |
| | | | | Exceeds by factor of: 6.00 |

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|----------------|------|------|-------|---|
| Antimony | 0.63 | l | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 6 ug/L |
| | | | | Detection Limit: 0.5 ug/L |
| Barium | 260 | | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 2000 ug/L |
| | | | | Detection Limit: 5 ug/L |
| Chromium | 23 | | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 100 ug/L |
| | | | | Detection Limit: 2.5 ug/L |
| Cobalt | 17 | | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 140 ug/L |
| | | | | Detection Limit: 5 ug/L |
| Copper | 6.7 | | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 1000 ug/L |
| | | | | Detection Limit: 2.5 ug/L |
| Nickel | 87 | | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 100 ug/L |
| | | | | Detection Limit: 2.5 ug/L |
| Silver | 2.6 | l | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 100 ug/L |
| | | | | Detection Limit: 2.5 ug/L |
| Vanadium | 15 | | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 49 ug/L |
| | | | | Detection Limit: 5 ug/L |
| Zinc | 12 | l | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

Versions

Report: 3.0.0
 Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 230 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:

Criterion: 5000 ug/L
Detection Limit: 10 ug/L

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
Page 231 of 332
C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-045D**

Matrix: W

Well Type: BG - Background

Monitoring Site: B33-2

Sample Date: April 26, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chloride | 1400 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)
Criterion: 250 mg/L

Comment:

Exceeds by factor of: 5.60

| | | | |
|-------------------------|------|--|------|
| Solids, Total Dissolved | 3800 | | mg/L |
|-------------------------|------|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 500000 ug/L

Exceeds by factor of: 7.60

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Sulfate | 59 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 1.3 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 232 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-045E**

Matrix: W

Well Type: BG - Background

Monitoring Site: B33-2

Sample Date: April 26, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|--------------------------|------|------|-------|
| Nitrogen, Ammonia (As N) | 0.35 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.014 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 233 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-046A**

Matrix: W

Well Type: BG - Background

Monitoring Site: B33-1

Sample Date: April 26, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.06 ug/L |
| | | | | Detection Limit: 0.72 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|-------|------|----------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 410 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 0.08 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 24.67 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 6.29 | | S.U. | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 22.08 | | deg C | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 5.45 | | NTU | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
 Page 234 of 332
 C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-046C**

Matrix: W

Well Type: BG - Background

Monitoring Site: B33-1

Sample Date: April 26, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Iron | 7600 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 25.33

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Barium | 31 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 5 ug/L

| | | | |
|----------|-----|--|------|
| Chromium | 5.6 | | ug/L |
|----------|-----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 2.5 ug/L

| | | | |
|--------|----|--|------|
| Sodium | 48 | | mg/L |
|--------|----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 160 mg/L

Detection Limit: 0.5 mg/L

| | | | |
|----------|-----|--|------|
| Vanadium | 7.9 | | ug/L |
|----------|-----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 49 ug/L

Detection Limit: 5 ug/L

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 235 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-046D**

Matrix: W

Well Type: BG - Background

Monitoring Site: B33-1

Sample Date: April 26, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chloride | 34 | | mg/L |

Comment:

Solids, Total Dissolved

350 mg/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.036 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 500000 ug/L

Detection Limit: 3.7 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 236 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-046E**

Matrix: W

Well Type: BG - Background

Monitoring Site: B33-1

Sample Date: April 26, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|--------------------------|------|------|-------|
| Nitrogen, Ammonia (As N) | 0.19 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.014 mg/L

| |
|----------------------------------|
| Versions |
| Report: 3.0.0 |
| Database: 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 237 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-047A**

Matrix: W

Well Type: BG - Background

Monitoring Site: B-32

Sample Date: April 26, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Detection Limit: 0.2 ug/L Criterion: 0.06 ug/L Detection Limit: 0.72 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|-------|------|----------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 462 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 0.14 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 25.41 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 6.79 | | S.U. | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 21.18 | | deg C | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 11.9 | | NTU | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
Page 238 of 332
C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-047C**

Matrix: W

Well Type: BG - Background

Monitoring Site: B-32

Sample Date: April 26, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Iron | 4200 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 14.00

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Barium | 25 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 5 ug/L

| | | | |
|--------|----|--|------|
| Sodium | 27 | | mg/L |
|--------|----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 160 mg/L

Detection Limit: 0.5 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 239 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-047D**

Matrix: W

Well Type: BG - Background

Monitoring Site: B-32

Sample Date: April 26, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chloride | 17 | | mg/L |

Comment:

Solids, Total Dissolved

280 mg/L

Comment:

Sulfate

18 mg/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.036 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 500000 ug/L

Detection Limit: 3.7 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.051 mg/L

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 240 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-047E**

Matrix: W

Well Type: BG - Background

Monitoring Site: B-32

Sample Date: April 26, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|--------------------------|-------|------|-------|
| Nitrogen, Ammonia (As N) | 0.055 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.014 mg/L

| |
|----------------------------------|
| Versions |
| Report: 3.0.0 |
| Database: 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 241 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-049A**

Matrix: W

Well Type:

Monitoring Site: EQ Blank

Sample Date: April 26, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.06 ug/L |
| | | | | Detection Limit: 0.72 ug/L |

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|--------------------|------|------|-------|---|
| Methylene chloride | 1.9 | I | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 5 ug/L |
| | | | | Detection Limit: 0.33 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|------|------|-------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
 Page 242 of 332
 C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-049C**

Matrix: W

Well Type:

Monitoring Site: EQ Blank

Sample Date: April 26, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Copper | 15 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 1000 ug/L

Detection Limit: 2.5 ug/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 243 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-049D**

Matrix: W

Well Type:

Monitoring Site: EQ Blank

Sample Date: April 26, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|-------------------------|------|------|-------|
| Solids, Total Dissolved | 42 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 500000 ug/L

Detection Limit: 3.7 mg/L

| |
|----------------------------------|
| Versions |
| Report: 3.0.0 |
| Database: 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 244 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-050A**

Matrix: W

Well Type: BG - Background

Monitoring Site: B34-2

Sample Date: April 26, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Detection Limit: 0.2 ug/L Criterion: 0.06 ug/L Detection Limit: 0.72 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|-------|------|----------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 1159 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 1.03 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 23.97 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 6.52 | | S.U. | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 21.73 | | deg C | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 14.2 | | NTU | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
Page 245 of 332
C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-050C**

Matrix: W

Well Type: BG - Background

Monitoring Site: B34-2

Sample Date: April 26, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Iron | 4000 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 13.33

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Barium | 130 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 5 ug/L

| | | | |
|--------|-------|--|------|
| Cobalt | 6.5 l | | ug/L |
|--------|-------|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 140 ug/L

Detection Limit: 5 ug/L

| | | | |
|--------|-------|--|------|
| Nickel | 3.8 l | | ug/L |
|--------|-------|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 2.5 ug/L

| | | | |
|--------|----|--|------|
| Sodium | 35 | | mg/L |
|--------|----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 160 mg/L

Detection Limit: 0.5 mg/L

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 246 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-050D**

Matrix: W

Well Type: BG - Background

Monitoring Site: B34-2

Sample Date: April 26, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|-------------------------|------|------|-------|
| Solids, Total Dissolved | 700 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 500000 ug/L

Exceeds by factor of: 1.40

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chloride | 53 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.072 mg/L

| | | | |
|-------------------|------|--|------|
| Nitrogen, Nitrate | 0.24 | | mg/L |
|-------------------|------|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 10000 ug/L

Detection Limit: 0.018 mg/L

| | | | |
|---------|-----|--|------|
| Sulfate | 180 | | mg/L |
|---------|-----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.1 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 247 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-050E**

Matrix: W

Well Type: BG - Background

Monitoring Site: B34-2

Sample Date: April 26, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|--------------------------|------|------|-------|
| Nitrogen, Ammonia (As N) | 0.16 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.014 mg/L

| |
|----------|
| Versions |
|----------|

| | |
|---------|-------|
| Report: | 3.0.0 |
|---------|-------|

| | |
|-----------|------------------------|
| Database: | 3.7.51 6/24/2005 12:00 |
|-----------|------------------------|

Monday, July 23, 2007

Page 248 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-051A**

Matrix: W

Well Type: BG - Background

Monitoring Site: B34-1

Sample Date: April 26, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.06 ug/L |
| | | | | Detection Limit: 0.72 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|-------|------|----------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 968 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 0.45 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 23.16 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 6.4 | | S.U. | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 22.1 | | deg C | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 1.13 | | NTU | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
 Page 249 of 332
 C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-051C**

Matrix: W

Well Type: BG - Background

Monitoring Site: B34-1

Sample Date: April 26, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|-------|------|-------|
| Iron | 21000 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 70.00

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Barium | 110 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 5 ug/L

| | | | |
|--------|----|--|------|
| Sodium | 42 | | mg/L |
|--------|----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 160 mg/L

Detection Limit: 0.5 mg/L

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 250 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-051D**

Matrix: W

Well Type: BG - Background

Monitoring Site: B34-1

Sample Date: April 26, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|-------------------------|------|------|-------|
| Solids, Total Dissolved | 600 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 500000 ug/L

Exceeds by factor of: 1.20

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chloride | 68 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.072 mg/L

| | | | |
|---------|-----|--|------|
| Sulfate | 110 | | mg/L |
|---------|-----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.1 mg/L

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 251 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-051E**

Matrix: W

Well Type: BG - Background

Monitoring Site: B34-1

Sample Date: April 26, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|--------------------------|------|------|-------|
| Nitrogen, Ammonia (As N) | 0.11 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.014 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 252 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-052A**

Matrix: W

Well Type: BG - Background

Monitoring Site: B34-1 DUP

Sample Date: April 26, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.06 ug/L |
| | | | | Detection Limit: 0.72 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|-------|------|----------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 968 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 0.45 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 23.16 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 6.4 | | S.U. | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 22.1 | | deg C | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 1.13 | | NTU | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
 Page 253 of 332
 C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-052C**

Matrix: W

Well Type: BG - Background

Monitoring Site: B34-1 DUP

Sample Date: April 26, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|-------|------|-------|
| Iron | 21000 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 70.00

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Barium | 110 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 5 ug/L

| | | | |
|--------|----|--|------|
| Sodium | 42 | | mg/L |
|--------|----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 160 mg/L

Detection Limit: 0.5 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 254 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-052D**

Matrix: W

Well Type: BG - Background

Monitoring Site: B34-1 DUP

Sample Date: April 26, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|-------------------------|------|------|-------|
| Solids, Total Dissolved | 580 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 500000 ug/L

Exceeds by factor of: 1.16

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chloride | 69 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.072 mg/L

| | | | |
|---------|-----|--|------|
| Sulfate | 110 | | mg/L |
|---------|-----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.1 mg/L

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 255 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-052E**

Matrix: W

Well Type: BG - Background

Monitoring Site: B34-1 DUP

Sample Date: April 26, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|--------------------------|-------|------|-------|
| Nitrogen, Ammonia (As N) | 0.093 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.014 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 256 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-053A**

Matrix: W

Well Type: BG - Background

Monitoring Site: B11

Sample Date: April 26, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Detection Limit: 0.2 ug/L Criterion: 0.06 ug/L Detection Limit: 0.72 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|-------|------|----------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 178 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 0.24 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 25.43 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 4.7 | | S.U. | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 21.9 | | deg C | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 1.31 | | NTU | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
Page 257 of 332
C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-053C**

Matrix: W

Well Type: BG - Background

Monitoring Site: B11

Sample Date: April 26, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Iron | 3100 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 10.33

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Barium | 50 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 5 ug/L

| | | | |
|----------|-----|--|------|
| Chromium | 3.9 | | ug/L |
|----------|-----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 2.5 ug/L

| | | | |
|--------|---|--|------|
| Sodium | 9 | | mg/L |
|--------|---|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 160 mg/L

Detection Limit: 0.5 mg/L

| | | | |
|----------|----|--|------|
| Vanadium | 22 | | ug/L |
|----------|----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 49 ug/L

Detection Limit: 5 ug/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 258 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-053D**

Matrix: W

Well Type: BG - Background

Monitoring Site: B11

Sample Date: April 26, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chloride | 9.5 | | mg/L |

Comment:

Solids, Total Dissolved

150 mg/L

Comment:

Sulfate

31 mg/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.036 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 500000 ug/L

Detection Limit: 3.7 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.051 mg/L

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 259 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-053E**

Matrix: W

Well Type: BG - Background

Monitoring Site: B11

Sample Date: April 26, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|--------------------------|------|------|-------|
| Nitrogen, Ammonia (As N) | 0.36 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.014 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 260 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-054A**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B63-1

Sample Date: April 26, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.06 ug/L |
| | | | | Detection Limit: 0.72 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|-------|------|----------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 660 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 0.23 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 23.91 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 6.41 | | S.U. | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 23.01 | | deg C | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 2.49 | | NTU | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
 Page 261 of 332
 C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-054C**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B63-1

Sample Date: April 26, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Iron | 3200 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 10.67

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Barium | 57 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 5 ug/L

| | | | |
|--------|----|--|------|
| Sodium | 54 | | mg/L |
|--------|----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 160 mg/L

Detection Limit: 0.5 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 262 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-054D**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B63-1

Sample Date: April 26, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chloride | 69 | | mg/L |

Comment:

Solids, Total Dissolved

390 mg/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.036 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 500000 ug/L

Detection Limit: 3.7 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 263 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-054E**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B63-1

Sample Date: April 26, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|--------------------------|------|------|-------|
| Nitrogen, Ammonia (As N) | 0.1 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.014 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 264 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-055A**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B63-2

Sample Date: April 26, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.06 ug/L |
| | | | | Detection Limit: 0.72 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|-------|------|----------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 692 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 0.2 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 24.05 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 6.77 | | S.U. | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 22.76 | | deg C | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 2.64 | | NTU | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
 Page 265 of 332
 C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-055C**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B63-2

Sample Date: April 26, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Iron | 4600 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 15.33

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Barium | 63 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 5 ug/L

| | | | |
|--------|----|--|------|
| Sodium | 34 | | mg/L |
|--------|----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 160 mg/L

Detection Limit: 0.5 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 266 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-055D**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B63-2

Sample Date: April 26, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chloride | 65 | | mg/L |

Comment:

Solids, Total Dissolved

430 mg/L

Comment:

Sulfate

10 mg/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.036 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 500000 ug/L

Detection Limit: 3.7 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.051 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 267 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-055E**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B63-2

Sample Date: April 26, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|--------------------------|-------|------|-------|
| Nitrogen, Ammonia (As N) | 0.026 | I | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.014 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 268 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-056A**

Matrix: W

Well Type: BG - Background

Monitoring Site: B35-1

Sample Date: April 26, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Detection Limit: 0.2 ug/L Criterion: 0.06 ug/L Detection Limit: 0.72 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|-------|------|----------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 325 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 0.15 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 23.76 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 5.02 | | S.U. | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 22.59 | | deg C | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 1.62 | | NTU | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
Page 269 of 332
C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-056C**

Matrix: W

Well Type: BG - Background

Monitoring Site: B35-1

Sample Date: April 26, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|-------|------|-------|
| Iron | 10000 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 33.33

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Barium | 100 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 5 ug/L

| | | | |
|--------|----|--|------|
| Sodium | 20 | | mg/L |
|--------|----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 160 mg/L

Detection Limit: 0.5 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 270 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-056D**

Matrix: W

Well Type: BG - Background

Monitoring Site: B35-1

Sample Date: April 26, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chloride | 78 | | mg/L |

Comment:

Solids, Total Dissolved

200 mg/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.036 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 500000 ug/L

Detection Limit: 3.7 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 271 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-056E**

Matrix: W

Well Type: BG - Background

Monitoring Site: B35-1

Sample Date: April 26, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|--------------------------|------|------|-------|
| Nitrogen, Ammonia (As N) | 0.14 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.014 mg/L

| |
|----------|
| Versions |
|----------|

| | |
|---------|-------|
| Report: | 3.0.0 |
|---------|-------|

| | |
|-----------|------------------------|
| Database: | 3.7.51 6/24/2005 12:00 |
|-----------|------------------------|

Monday, July 23, 2007

Page 272 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-057A**

Matrix: W

Well Type: BG - Background

Monitoring Site: B35-2

Sample Date: April 26, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.06 ug/L |
| | | | | Detection Limit: 0.72 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|-------|------|----------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 398 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 0.1 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 23.82 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 4.96 | | S.U. | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 21.63 | | deg C | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 2.35 | | NTU | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
 Page 273 of 332
 C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-057C**

Matrix: W

Well Type: BG - Background

Monitoring Site: B35-2

Sample Date: April 26, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|-------|------|-------|
| Iron | 11000 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 36.67

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Barium | 71 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 5 ug/L

| | | | |
|----------|-----|--|------|
| Chromium | 8.1 | | ug/L |
|----------|-----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 2.5 ug/L

| | | | |
|--------|-------|--|------|
| Nickel | 3.3 l | | ug/L |
|--------|-------|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 2.5 ug/L

| | | | |
|--------|----|--|------|
| Sodium | 52 | | mg/L |
|--------|----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 160 mg/L

Detection Limit: 0.5 mg/L

| | | | |
|----------|----|--|------|
| Vanadium | 20 | | ug/L |
|----------|----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 49 ug/L

Detection Limit: 5 ug/L

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 274 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-057D**

Matrix: W

Well Type: BG - Background

Monitoring Site: B35-2

Sample Date: April 26, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | |
|-------------------------|-------|------|-------|--|
| Chloride | 79 | | mg/L | Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 250 mg/L Detection Limit: 0.036 mg/L |
| Comment: | | | | |
| Nitrogen, Nitrate | 0.043 | l | mg/L | Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 10000 ug/L Detection Limit: 0.0091 mg/L |
| Comment: | | | | |
| Solids, Total Dissolved | 270 | | mg/L | Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 500000 ug/L Detection Limit: 3.7 mg/L |
| Comment: | | | | |
| Sulfate | 14 | | mg/L | Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 250 mg/L Detection Limit: 0.051 mg/L |
| Comment: | | | | |

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 275 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-057E**

Matrix: W

Well Type: BG - Background

Monitoring Site: B35-2

Sample Date: April 26, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|--------------------------|------|------|-------|
| Nitrogen, Ammonia (As N) | 0.12 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.014 mg/L

| |
|----------------------------------|
| Versions |
| Report: 3.0.0 |
| Database: 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 276 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-058A**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B42-1

Sample Date: April 26, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.06 ug/L |
| | | | | Detection Limit: 0.72 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|-------|------|----------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 1541 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 0.39 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 14.84 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 5.43 | | S.U. | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 22.34 | | deg C | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 4.26 | | NTU | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
 Page 277 of 332
 C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-058C**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B42-1

Sample Date: April 26, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|-------|------|-------|
| Iron | 28000 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 93.33

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Barium | 230 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 5 ug/L

| | | | |
|--------|-----|--|------|
| Sodium | 120 | | mg/L |
|--------|-----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 160 mg/L

Detection Limit: 0.5 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 278 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-058D**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B42-1

Sample Date: April 26, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|-------------------------|------|------|-------|
| Solids, Total Dissolved | 1100 | | mg/L |

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)
Criterion: 500000 ug/L

Exceeds by factor of: 2.20

| | | | |
|---------|-----|--|------|
| Sulfate | 400 | | mg/L |
|---------|-----|--|------|

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)
Criterion: 250 mg/L

Exceeds by factor of: 1.60

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chloride | 190 | | mg/L |

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.18 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 279 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-058E**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B42-1

Sample Date: April 26, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|--------------------------|------|------|-------|
| Nitrogen, Ammonia (As N) | 2 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.014 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 280 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-059A**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B42-2

Sample Date: April 26, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.06 ug/L |
| | | | | Detection Limit: 0.72 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|-------|------|----------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 1163 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 0.26 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 16.16 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 5.38 | | S.U. | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 22.24 | | deg C | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 4.18 | | NTU | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
 Page 281 of 332
 C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-059C**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B42-2

Sample Date: April 26, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|-------|------|-------|
| Iron | 11000 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)
Criterion: 300 ug/L
Exceeds by factor of: 36.67

Comment:

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Arsenic | 6.8 | l | ug/L |
| Barium | 170 | | ug/L |
| Chromium | 4.5 | l | ug/L |
| Nickel | 5.2 | | ug/L |
| Sodium | 110 | | mg/L |
| Vanadium | 16 | | ug/L |
| Zinc | 11 | l | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)
Criterion: 10 ug/L
Detection Limit: 5 ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)
Criterion: 2000 ug/L
Detection Limit: 5 ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)
Criterion: 100 ug/L
Detection Limit: 2.5 ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)
Criterion: 100 ug/L
Detection Limit: 2.5 ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)
Criterion: 160 mg/L
Detection Limit: 0.5 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)
Criterion: 49 ug/L
Detection Limit: 5 ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)
Criterion: 5000 ug/L
Detection Limit: 10 ug/L

Comment:

Comment:

Comment:

Comment:

Comment:

Comment:

Comment:

Comment:

Comment:

Comment:

Comment:

Comment:

Comment:

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 282 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-059D**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B42-2

Sample Date: April 26, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|-------------------------|------|------|-------|
| Solids, Total Dissolved | 830 | | mg/L |

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)
Criterion: 500000 ug/L

Exceeds by factor of: 1.66

| | | | |
|---------|-----|--|------|
| Sulfate | 400 | | mg/L |
|---------|-----|--|------|

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)
Criterion: 250 mg/L

Exceeds by factor of: 1.60

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chloride | 89 | | mg/L |

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)
Criterion: 250 mg/L

Detection Limit: 0.18 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 283 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-059E**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B42-2

Sample Date: April 26, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|--------------------------|------|------|-------|
| Nitrogen, Ammonia (As N) | 0.46 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.014 mg/L

| |
|----------|
| Versions |
|----------|

| | |
|---------|-------|
| Report: | 3.0.0 |
|---------|-------|

| | |
|-----------|------------------------|
| Database: | 3.7.51 6/24/2005 12:00 |
|-----------|------------------------|

Monday, July 23, 2007

Page 284 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-060A**

Matrix: W

Well Type:

Monitoring Site: Trip Blank

Sample Date: April 26, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units |
|------------------------|------|------|-------|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 0.02 ug/L

Detection Limit: 0.2 ug/L

| | | | |
|---------------|------|---|------|
| Acrylonitrile | 0.72 | U | ug/L |
|---------------|------|---|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 0.06 ug/L

Detection Limit: 0.72 ug/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|--------------------|------|------|-------|
| Methylene chloride | 1.6 | l | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 5 ug/L

Detection Limit: 0.33 ug/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|-------------------------|------|------|-------|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Iodomethane

0.8 U ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

trans-1,3-Dichloropropene

0.33 U ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

trans-1,4-Dichloro-2-butene

2.1 U ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 285 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-061A**

Matrix: W

Well Type:

Monitoring Site: EQ Blank

Sample Date: April 27, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.06 ug/L |
| | | | | Detection Limit: 0.2 ug/L |
| | | | | Detection Limit: 0.72 ug/L |

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|--------------------|------|------|-------|---|
| Acetone | 2.9 | I | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 6300 ug/L |
| Methylene chloride | 3.8 | I | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 5 ug/L |
| | | | | Detection Limit: 2.5 ug/L |
| | | | | Detection Limit: 0.33 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|------|------|-------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

Versions

Report: 3.0.0
 Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 286 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-061C**

Matrix: W

Well Type:

Monitoring Site: EQ Blank

Sample Date: April 27, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Copper | 14 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 1000 ug/L

Detection Limit: 2.5 ug/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 287 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-062A**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B-39

Sample Date: April 27, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.06 ug/L |
| | | | | Detection Limit: 0.72 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|-------|------|----------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 179 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 0.49 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 17.54 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 4.08 | | S.U. | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 21.37 | | deg C | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 1.39 | | NTU | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
 Page 288 of 332
 C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-062C**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B-39

Sample Date: April 27, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|-------|------|-------|
| Iron | 13000 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 43.33

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Barium | 47 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 5 ug/L

| | | | |
|----------|-------|--|------|
| Chromium | 4.3 l | | ug/L |
|----------|-------|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 2.5 ug/L

| | | | |
|--------|----|--|------|
| Sodium | 15 | | mg/L |
|--------|----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 160 mg/L

Detection Limit: 0.5 mg/L

| | | | |
|----------|-------|--|------|
| Vanadium | 8.1 l | | ug/L |
|----------|-------|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 49 ug/L

Detection Limit: 5 ug/L

Versions

Report: 3.0.0
 Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 289 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-062D**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B-39

Sample Date: April 27, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chloride | 31 | | mg/L |

Comment:

Solids, Total Dissolved

87 mg/L

Comment:

Sulfate

21 mg/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.036 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 500000 ug/L

Detection Limit: 3.7 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.051 mg/L

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 290 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-063A**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B-39 DUP

Sample Date: April 27, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.06 ug/L |
| | | | | Detection Limit: 0.2 ug/L |
| | | | | Detection Limit: 0.72 ug/L |

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|--------------------|------|------|-------|---|
| Methylene chloride | 0.67 | I | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 5 ug/L |
| | | | | Detection Limit: 0.33 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|-------|------|----------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 179 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 0.49 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 17.54 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 4.08 | | S.U. | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 21.37 | | deg C | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 1.39 | | NTU | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 291 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-063C**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B-39 DUP

Sample Date: April 27, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|-------|------|-------|
| Iron | 14000 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 46.67

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|-------|------|-------|
| Arsenic | 6.6 l | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 10 ug/L

Detection Limit: 5 ug/L

| | | | |
|--------|----|--|------|
| Barium | 49 | | ug/L |
|--------|----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 5 ug/L

| | | | |
|----------|-----|--|------|
| Chromium | 5.8 | | ug/L |
|----------|-----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 2.5 ug/L

| | | | |
|--------|----|--|------|
| Sodium | 15 | | mg/L |
|--------|----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 160 mg/L

Detection Limit: 0.5 mg/L

| | | | |
|----------|-------|--|------|
| Vanadium | 9.6 l | | ug/L |
|----------|-------|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 49 ug/L

Detection Limit: 5 ug/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 292 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-063D**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B-39 DUP

Sample Date: April 27, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chloride | 32 | | mg/L |

Comment:

Solids, Total Dissolved

93 mg/L

Comment:

Sulfate

21 mg/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.036 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 500000 ug/L

Detection Limit: 3.7 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.051 mg/L

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 293 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-063E** Matrix: W Well Type: CO - Compliance
Monitoring Site: B-39 DUP Sample Date: April 27, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**
No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|--------------------------|-------|------|-------|
| Nitrogen, Ammonia (As N) | 0.094 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)
Criterion: 2.8 mg/L
Detection Limit: 0.014 mg/L

Comment:

| |
|----------------------------------|
| Versions |
| Report: 3.0.0 |
| Database: 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
Page 294 of 332
C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-064A**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B38-1

Sample Date: April 27, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Detection Limit: 0.2 ug/L Criterion: 0.06 ug/L Detection Limit: 0.72 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|-------|------|----------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 291 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 0.58 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 19.59 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 4.76 | | S.U. | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 21.99 | | deg C | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 0.89 | | NTU | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
Page 295 of 332
C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-064C**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B38-1

Sample Date: April 27, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|-------|------|-------|
| Iron | 16000 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 53.33

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Barium | 81 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 5 ug/L

| | | | |
|--------|----|--|------|
| Sodium | 28 | | mg/L |
|--------|----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 160 mg/L

Detection Limit: 0.5 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 296 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-064D**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B38-1

Sample Date: April 27, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
|----------------|------|------|-------|

| | | | |
|----------|----|--|------|
| Chloride | 50 | | mg/L |
|----------|----|--|------|

Comment:

| | | | |
|-------------------------|-----|--|------|
| Solids, Total Dissolved | 160 | | mg/L |
|-------------------------|-----|--|------|

Comment:

| | | | |
|---------|----|--|------|
| Sulfate | 15 | | mg/L |
|---------|----|--|------|

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.036 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 500000 ug/L

Detection Limit: 3.7 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.051 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 297 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-064E**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B38-1

Sample Date: April 27, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|--------------------------|-------|------|-------|
| Nitrogen, Ammonia (As N) | 0.045 | I | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.014 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 298 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-065A**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B38-2

Sample Date: April 27, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.06 ug/L |
| | | | | Detection Limit: 0.72 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|-------|------|----------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 658 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 0.19 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 20.76 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 5.93 | | S.U. | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 20.97 | | deg C | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 3.73 | | NTU | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
 Page 299 of 332
 C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-065C**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B38-2

Sample Date: April 27, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Iron | 4100 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 13.67

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Barium | 26 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 5 ug/L

| | | | |
|--------|----|--|------|
| Sodium | 53 | | mg/L |
|--------|----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 160 mg/L

Detection Limit: 0.5 mg/L

| | | | |
|------|------|--|------|
| Zinc | 14 l | | ug/L |
|------|------|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 5000 ug/L

Detection Limit: 10 ug/L

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 300 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-065D**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B38-2

Sample Date: April 27, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chloride | 60 | | mg/L |

Comment:

Solids, Total Dissolved

400 mg/L

Comment:

Sulfate

35 mg/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.036 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 500000 ug/L

Detection Limit: 3.7 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.051 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 301 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-065E**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B38-2

Sample Date: April 27, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|--------------------------|------|------|-------|
| Nitrogen, Ammonia (As N) | 0.48 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.014 mg/L

| |
|----------|
| Versions |
|----------|

| | |
|---------|-------|
| Report: | 3.0.0 |
|---------|-------|

| | |
|-----------|------------------------|
| Database: | 3.7.51 6/24/2005 12:00 |
|-----------|------------------------|

Monday, July 23, 2007

Page 302 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-066A**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B64

Sample Date: April 27, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.06 ug/L |
| | | | | Detection Limit: 0.72 ug/L |

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|----------------|------|------|-------|---|
| Acetone | 2.9 | I | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 6300 ug/L |
| Benzene | 0.26 | I | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 1 ug/L |
| Chlorobenzene | 7.4 | | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 100 ug/L |
| | | | | Detection Limit: 0.17 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|-------|------|----------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 1657 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 0.13 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 23.66 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 6.19 | | S.U. | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 21.23 | | deg C | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 303 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Turbidity

8.48 NTU

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
Page 304 of 332
C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-066C**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B64

Sample Date: April 27, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|-------|------|-------|
| Iron | 60000 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 200.00

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Arsenic | 7.5 | l | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 10 ug/L

Detection Limit: 5 ug/L

| | | | |
|--------|-----|--|------|
| Barium | 400 | | ug/L |
|--------|-----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 5 ug/L

| | | | |
|--------|-----|---|------|
| Cobalt | 7.5 | l | ug/L |
|--------|-----|---|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 140 ug/L

Detection Limit: 5 ug/L

| | | | |
|--------|-----|--|------|
| Sodium | 100 | | mg/L |
|--------|-----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 160 mg/L

Detection Limit: 0.5 mg/L

Versions

Report: 3.0.0
 Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 305 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-066D**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B64

Sample Date: April 27, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
|----------------|------|------|-------|

| | | | |
|-------------------------|-----|--|------|
| Solids, Total Dissolved | 960 | | mg/L |
|-------------------------|-----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.

(04/17/2005)

Comment:

Criterion: 500000 ug/L

Exceeds by factor of: 1.92

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
|----------------|------|------|-------|

| | | | |
|----------|-----|--|------|
| Chloride | 140 | | mg/L |
|----------|-----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.

(04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.18 mg/L

| | | | |
|---------|-----|--|------|
| Sulfate | 5.7 | | mg/L |
|---------|-----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.

(04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.26 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 306 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-066E**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B64

Sample Date: April 27, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|--------------------------|------|------|-------|
| Nitrogen, Ammonia (As N) | 8 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Exceeds by factor of: 2.86

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 307 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-067A**

Matrix: W

Well Type: BG - Background

Monitoring Site: B36

Sample Date: April 27, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Benzene | 1.7 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 1 ug/L

Exceeds by factor of: 1.70

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units |
|------------------------|-------|------|-------|
| 1,2,3-Trichloropropane | 0.2 U | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.02 ug/L

Detection Limit: 0.2 ug/L

| | | | |
|---------------|--------|--|------|
| Acrylonitrile | 0.72 U | | ug/L |
|---------------|--------|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.06 ug/L

Detection Limit: 0.72 ug/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|--------------------|------|------|-------|
| 1,1-Dichloroethane | 1.6 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 70 ug/L

Detection Limit: 0.81 ug/L

| | | | |
|---------------|-----|--|------|
| Chlorobenzene | 1.4 | | ug/L |
|---------------|-----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 0.17 ug/L

| | | | |
|---------|--------|--|------|
| Toluene | 0.18 l | | ug/L |
|---------|--------|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 40 ug/L

Detection Limit: 0.15 ug/L

| | | | |
|----------------|--------|--|------|
| Vinyl chloride | 0.54 l | | ug/L |
|----------------|--------|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 1 ug/L

Detection Limit: 0.37 ug/L

| | | | |
|----------------|-------|--|------|
| Xylenes, Total | 0.8 l | | ug/L |
|----------------|-------|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 20 ug/L

Detection Limit: 0.32 ug/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
|----------------|------|------|-------|

Versions

Monday, July 23, 2007

Report: 3.0.0

Page 308 of 332

Database: 3.7.51 6/24/2005 12:00

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

| | | | |
|-----------------------------|--------|----------|---|
| cis-1,3-Dichloropropene | 0.19 U | ug/L | Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 1498 | umhos/cm | Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 0.15 | mg/L | Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 25.32 | feet | Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 U | ug/L | Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 6.25 | S.U. | Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 22.23 | deg C | Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 U | ug/L | Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 U | ug/L | Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 0.87 | NTU | Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 309 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-067C**

Matrix: W

Well Type: BG - Background

Monitoring Site: B36

Sample Date: April 27, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Iron | 4200 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 14.00

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Barium | 96 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 5 ug/L

| | | | |
|--------|-----|--|------|
| Cobalt | 6.4 | | ug/L |
|--------|-----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 140 ug/L

Detection Limit: 5 ug/L

| | | | |
|--------|----|--|------|
| Sodium | 97 | | mg/L |
|--------|----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 160 mg/L

Detection Limit: 0.5 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 310 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-067D**

Matrix: W

Well Type: BG - Background

Monitoring Site: B36

Sample Date: April 27, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|-------------------------|------|------|-------|
| Solids, Total Dissolved | 880 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 500000 ug/L

Exceeds by factor of: 1.76

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chloride | 190 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.18 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 311 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-067E**

Matrix: W

Well Type: BG - Background

Monitoring Site: B36

Sample Date: April 27, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|--------------------------|------|------|-------|
| Nitrogen, Ammonia (As N) | 0.16 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.014 mg/L

| |
|----------------------------------|
| Versions |
| Report: 3.0.0 |
| Database: 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 312 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-068A**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B37-1

Sample Date: April 27, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Benzene | 13 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 1 ug/L

Exceeds by factor of: 13.00

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units |
|------------------------|-------|------|-------|
| 1,2,3-Trichloropropane | 0.2 U | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.02 ug/L

Detection Limit: 0.2 ug/L

| | | | |
|---------------|--------|--|------|
| Acrylonitrile | 0.72 U | | ug/L |
|---------------|--------|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 0.06 ug/L

Detection Limit: 0.72 ug/L

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|---------------------|--------|------|-------|
| 1,2-Dichlorobenzene | 0.34 l | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 600 ug/L

Detection Limit: 0.11 ug/L

| | | | |
|---------|-----|--|------|
| Acetone | 3 l | | ug/L |
|---------|-----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 6300 ug/L

Detection Limit: 2.5 ug/L

| | | | |
|---------------|----|--|------|
| Chlorobenzene | 11 | | ug/L |
|---------------|----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 0.17 ug/L

| | | | |
|---------|--------|--|------|
| Toluene | 0.35 l | | ug/L |
|---------|--------|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 40 ug/L

Detection Limit: 0.15 ug/L

| | | | |
|----------------|-----|--|------|
| Xylenes, Total | 1.2 | | ug/L |
|----------------|-----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 20 ug/L

Detection Limit: 0.32 ug/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
|----------------|------|------|-------|

Versions

| | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 313 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

| | | | | |
|-----------------------------|--------|----------|-------------------|---|
| cis-1,3-Dichloropropene | 0.19 U | ug/L | Compliance Check: | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 2538 | umhos/cm | Compliance Check: | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 0.07 | mg/L | Compliance Check: | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 24.87 | feet | Compliance Check: | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 U | ug/L | Compliance Check: | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 6.33 | S.U. | Compliance Check: | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 22.76 | deg C | Compliance Check: | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 U | ug/L | Compliance Check: | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 U | ug/L | Compliance Check: | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 1.57 | NTU | Compliance Check: | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 314 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-068C**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B37-1

Sample Date: April 27, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|-------|------|-------|
| Iron | 36000 | | ug/L |

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
 Criterion: 300 ug/L

Exceeds by factor of: 120.00

| | | | |
|--------|-----|--|------|
| Sodium | 200 | | mg/L |
|--------|-----|--|------|

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
 Criterion: 160 mg/L

Exceeds by factor of: 1.25

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Barium | 240 | | ug/L |

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
 Criterion: 2000 ug/L

Detection Limit: 5 ug/L

| | | | |
|--------|----|--|------|
| Cobalt | 12 | | ug/L |
|--------|----|--|------|

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
 Criterion: 140 ug/L

Detection Limit: 5 ug/L

Versions

Report: 3.0.0
 Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 315 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-068D**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B37-1

Sample Date: April 27, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|-------------------------|------|------|-------|
| Solids, Total Dissolved | 1500 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 500000 ug/L

Exceeds by factor of: 3.00

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chloride | 140 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.36 mg/L

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 316 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-068E**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B37-1

Sample Date: April 27, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|--------------------------|------|------|-------|
| Nitrogen, Ammonia (As N) | 0.9 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.014 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 317 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-069A**

Matrix: W

Well Type: BG - Background

Monitoring Site: B-2

Sample Date: April 27, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.06 ug/L |
| | | | | Detection Limit: 0.72 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|-------|------|----------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 802 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 0.11 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 22.1 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 5.48 | | S.U. | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 23.35 | | deg C | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 5.13 | | NTU | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
 Page 318 of 332
 C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-069C**

Matrix: W

Well Type: BG - Background

Monitoring Site: B-2

Sample Date: April 27, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|-------|------|-------|
| Iron | 28000 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 93.33

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Barium | 150 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 5 ug/L

| | | | |
|-----------|-----|--|------|
| Beryllium | 1.5 | | ug/L |
|-----------|-----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 4 ug/L

Detection Limit: 0.5 ug/L

| | | | |
|----------|-----|---|------|
| Chromium | 4.1 | l | ug/L |
|----------|-----|---|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 100 ug/L

Detection Limit: 2.5 ug/L

| | | | |
|--------|----|--|------|
| Sodium | 34 | | mg/L |
|--------|----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 160 mg/L

Detection Limit: 0.5 mg/L

| | | | |
|----------|----|--|------|
| Vanadium | 13 | | ug/L |
|----------|----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Comment:

Criterion: 49 ug/L

Detection Limit: 5 ug/L

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 319 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-069D**

Matrix: W

Well Type: BG - Background

Monitoring Site: B-2

Sample Date: April 27, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|-------------------------|------|------|-------|
| Solids, Total Dissolved | 540 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 500000 ug/L

Exceeds by factor of: 1.08

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chloride | 38 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.036 mg/L

| | | | |
|---------|-----|--|------|
| Sulfate | 240 | | mg/L |
|---------|-----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.26 mg/L

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 320 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-069E**

Matrix: W

Well Type: BG - Background

Monitoring Site: B-2

Sample Date: April 27, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|--------------------------|------|------|-------|
| Nitrogen, Ammonia (As N) | 2.3 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.014 mg/L

| |
|----------------------------------|
| Versions |
| Report: 3.0.0 |
| Database: 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 321 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-070A**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B37-2

Sample Date: April 27, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|----------------|------|------|-------|---|
| Benzene | 1.1 | | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 1 ug/L |
| | | | | Exceeds by factor of: 1.10 |
| Vinyl chloride | 2.8 | | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 1 ug/L |
| | | | | Exceeds by factor of: 2.80 |

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|--------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 U | | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| | | | | Detection Limit: 0.2 ug/L |
| Acrylonitrile | 0.72 U | | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.06 ug/L |
| | | | | Detection Limit: 0.72 ug/L |

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|----------------|------|------|-------|---|
| Chlorobenzene | 1.6 | | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 100 ug/L |
| | | | | Detection Limit: 0.17 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-------------------------|--------|------|----------|---|
| cis-1,3-Dichloropropene | 0.19 U | | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 745 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 0.1 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 25.35 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 U | | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 5.84 | | S.U. | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
Page 322 of 332
C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

| | | | |
|-----------------------------|--------|-------|---|
| Temperature | 21.65 | deg C | Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 U | ug/L | Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 U | ug/L | Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Turbidity | 1.47 | NTU | Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 323 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-070C**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B37-2

Sample Date: April 27, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|-------|------|-------|
| Iron | 13000 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 43.33

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Barium | 45 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 5 ug/L

| | | | |
|--------|----|--|------|
| Sodium | 39 | | mg/L |
|--------|----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 160 mg/L

Detection Limit: 0.5 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 324 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-070D**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B37-2

Sample Date: April 27, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chloride | 88 | | mg/L |

Comment:

Solids, Total Dissolved

440 mg/L

Comment:

Sulfate

1.4 mg/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.036 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 500000 ug/L

Detection Limit: 3.7 mg/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 250 mg/L

Detection Limit: 0.051 mg/L

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, July 23, 2007

Page 325 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-070E**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B37-2

Sample Date: April 27, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|--------------------------|------|------|-------|
| Nitrogen, Ammonia (As N) | 0.37 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.014 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 326 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-071A**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B-5

Sample Date: April 27, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|--|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.06 ug/L |
| | | | | Detection Limit: 0.72 ug/L |

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|----------------|------|------|-------|--|
| Chlorobenzene | 0.72 | I | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 100 ug/L |
| Vinyl chloride | 0.52 | I | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 1 ug/L |
| Xylenes, Total | 0.57 | I | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 20 ug/L |
| | | | | Detection Limit: 0.32 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|-------|------|----------|--|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Conductivity | 1123 | | umhos/cm | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Dissolved Oxygen | 0.14 | | mg/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Groundwater Elevation | 24.97 | | feet | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| pH | 6.53 | | S.U. | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Temperature | 22.15 | | deg C | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
Page 327 of 332
C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Turbidity

3.87 NTU

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

| |
|----------------------------------|
| Versions |
| Report: 3.0.0 |
| Database: 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 328 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-071C**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B-5

Sample Date: April 27, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|----------------|-------|------|-------|
| Iron | 19000 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 300 ug/L

Exceeds by factor of: 63.33

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Barium | 91 | | ug/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2000 ug/L

Detection Limit: 5 ug/L

| | | | |
|--------|----|--|------|
| Sodium | 49 | | mg/L |
|--------|----|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 160 mg/L

Detection Limit: 0.5 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 329 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-071D**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B-5

Sample Date: April 27, 2007

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

| Parameter Name | Rslt | Qual | Units |
|-------------------------|------|------|-------|
| Solids, Total Dissolved | 640 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 500000 ug/L

Exceeds by factor of: 1.28

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|----------------|------|------|-------|
| Chloride | 34 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.18 mg/L

| | | | |
|---------|-------|--|------|
| Sulfate | 1.6 l | | mg/L |
|---------|-------|--|------|

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 250 mg/L

Detection Limit: 0.26 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 330 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-071E**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: B-5

Sample Date: April 27, 2007

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units |
|--------------------------|------|------|-------|
| Nitrogen, Ammonia (As N) | 0.16 | | mg/L |

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 2.8 mg/L

Detection Limit: 0.014 mg/L

| Versions | |
|-----------|------------------------|
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007

Page 331 of 332

C:\44.tmp

FDEP Automated Data Evaluation

Tomoka Farm Road LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **F07040963-072A**

Matrix: W

Well Type:

Monitoring Site: Trip Blank

Sample Date: April 27, 2007

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|------------------------|------|------|-------|---|
| 1,2,3-Trichloropropane | 0.2 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.02 ug/L |
| Acrylonitrile | 0.72 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 0.06 ug/L |
| | | | | Detection Limit: 0.72 ug/L |

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|--------------------|------|------|-------|---|
| Methylene chloride | 0.72 | I | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Comment: | | | | Criterion: 5 ug/L |
| | | | | Detection Limit: 0.33 ug/L |

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

| Parameter Name | Rslt | Qual | Units | Compliance Check: |
|-----------------------------|------|------|-------|---|
| cis-1,3-Dichloropropene | 0.19 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| Iodomethane | 0.8 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,3-Dichloropropene | 0.33 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |
| trans-1,4-Dichloro-2-butene | 2.1 | U | ug/L | Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) |

| | |
|-----------|------------------------|
| Versions | |
| Report: | 3.0.0 |
| Database: | 3.7.51 6/24/2005 12:00 |

Monday, July 23, 2007
 Page 332 of 332
 C:\44.tmp