



FLORIDA DEPARTMENT OF Environmental Protection

Bob Martinez Center
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Rick Scott
Governor

Carlos Lopez-Cantera
Lt. Governor

Noah Valenstein
Secretary

November 21, 2018

Transmitted via E-Mail to: SterlingLM@cdmsmith.com

Ms. Lisa Sterling, P.E.
CDM Smith
8381 Dix Ellis Trail, Suite 400
Jacksonville, FL 32256

RE: Leachate Seep Repair
Trail Ridge Landfill (WACS #33628)

Dear Ms. Sterling:

This letter is in response to your letter dated November 19, 2018, entitled Notification of Disturbance to Clay Cap for Leachate Seep Repair. Based on review of the submitted information, the Department does not have any objections to the proposed repair plan outlined in the referenced letter. Please ensure that the proposed work related to the final cover will be performed in accordance with the approved CQA Plan. The Department shall be notified of any unforeseen complications during construction to determine if a revised plan would be required.

If you have any questions, please contact me at (850) 245-8735.

Sincerely,

A handwritten signature in blue ink, appearing to read "Joe Dertien", is written over a horizontal line.

Joe Dertien, P.E.
Solid Waste Section
Permitting and Compliance Assistance Program

xc: Jeff Foster, City of Jacksonville, JSFoster@coj.net
Greg Mathes, Waste Management, Inc., gmathes@wm.com
Cory Dilmore, P.E., FDEP Tallahassee, Cory.Dilmore@floridadep.gov
Brian Durden, FDEP NED, Brian.Durden@floridadep.gov