

## Johnson, Sabrina O

---

**From:** Newsome, Kaitlyn  
**Sent:** Wednesday, September 4, 2019 12:36 PM  
**To:** SWD\_Waste  
**Subject:** FW: 41193 - Hillsborough Southeast Landfill - Leachate Effluent Report

Please process (41193).



### Kate Newsome Environmental Specialist I

Florida Department of Environmental Protection  
Southwest District  
13051 North Telecom Parkway, Suite 101  
Temple Terrace, FL 33637  
Office: 813-470-5877  
Fax: 813-470-5995  
[Kaitlyn.Nesome@FloridaDEP.gov](mailto:Kaitlyn.Nesome@FloridaDEP.gov)

Please Note: Florida has a very broad public records law. Most written communications to or from state officials regarding state business are public records available to the public and media upon request. Your e-mail communications may therefore be subject to public disclosure.

 Please consider the environment before printing this e-mail.

---

**From:** Spradlin, Kollan <KSpradlin@scsengineers.com>  
**Sent:** Tuesday, September 3, 2019 3:53 PM  
**To:** Newsome, Kaitlyn <Kaitlyn.Nesome@FloridaDEP.gov>  
**Cc:** Devitt, Caroline <CDevitt@scsengineers.com>; Ruiz, Larry <RuizLE@HillsboroughCounty.ORG>; Curtis, Bob <BCurtis@scsengineers.com>  
**Subject:** RE: 41193 - Hillsborough Southeast Landfill - Leachate Effluent Report

Kaitlyn,

The Southeast County Landfill Leachate Treatment and Reclamation Facility (LTRF) went offline for scheduled inspection and maintenance in December 2018. The contractor is in the process of performing repairs. The LTRF is not currently treating leachate, and has not generated effluent in 2019. Raw leachate is hauled off-site to a permitted wastewater treatment facility in accordance with Leachate Management Plan Section 9.1. This is reflected in the monthly water balance reports.

Please let us know if you have any questions or if you would like us to submit a letter indicating that no effluent was generated the first half of 2019.

Thank you,

Kollan

Kollan Spradlin, PE, CHMM  
SCS Engineers  
Tampa, Florida

813-804-6706 (W)  
813-955-4906 (C)  
[KSpradlin@scsengineers.com](mailto:KSpradlin@scsengineers.com)

[www.scsengineers.com](http://www.scsengineers.com)

---

**From:** Newsome, Kaitlyn <Kaitlyn.Newsome@FloridaDEP.gov>  
**Sent:** Tuesday, September 3, 2019 3:22 PM  
**To:** Spradlin, Kollan <KSpradlin@scsengineers.com>  
**Subject:** 41193 - Hillsborough Southeast Landfill - Leachate Effluent Report

===== This message originated outside of SCS Engineers =====

Good Afternoon,

Can you advise if the 1<sup>st</sup> Semi-Annual 2019 Laboratory report for treated leachate effluent sampling has been submitted to the Department per Leachate Management Plan 9.1.1 of Permit No. 35435-022-SO-01?

Kindest Regards,

Kate Newsome



**Kate Newsome**  
**Environmental Specialist I**

Florida Department of Environmental Protection  
Southwest District  
13051 North Telecom Parkway, Suite 101  
Temple Terrace, FL 33637  
Office: 813-470-5877  
Fax: 813-470-5995  
[Kaitlyn.Newsome@FloridaDEP.gov](mailto:Kaitlyn.Newsome@FloridaDEP.gov)

Please Note: Florida has a very broad public records law. Most written communications to or from state officials regarding state business are public records available to the public and media upon request. Your e-mail communications may therefore be subject to public disclosure.

 Please consider the environment before printing this e-mail.

