



FDEP Automated Data Evaluation

Southeast Landfill

Human Review Statement:

This is an automated data review produced by the FDEP Validator software. This report does not supercede FDEP rules or standards and may not contain all violations of FDEP rules and standards. This report should be reviewed by a qualified staff member.

Sample ID: **660-23384-1**

Matrix: W

Well Type:

Monitoring Site: Equipment Blank

Sample Date: June 5, 2008

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
Biochemical Oxygen Demand	2	U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chemical Oxygen Demand	10	U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nitrate as N	0.1	U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Dissolved Solids	5	U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Suspended Solids	1	U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, September 24, 2008

Page 1 of 47

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-23384-2**

Matrix: W

Well Type: OT - Other

Monitoring Site: Leachate Eff

Sample Date: June 5, 2008

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
Biochemical Oxygen Demand	16 K		mg/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chemical Oxygen Demand	480		mg/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Field pH	8.03		SU	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Field Temperature	35.43		Degree s C	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nitrate as N	5.3		mg/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Specific Conductance	12985		umhos/ cm	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Dissolved Solids	6200		mg/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Suspended Solids	22		mg/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, September 24, 2008

Page 2 of 47

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-23385-1**

Matrix: W

Well Type:

Monitoring Site: Equipment Blank

Sample Date: June 5, 2008

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,1,1-Trichloroethane	0.46	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,2,2-Tetrachloroethane	0.15	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,2-Trichloroethane	0.47	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1-Dichloroethane	0.52	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2,4-Trichlorobenzene	0.58	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Dichlorobenzene	0.76	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Dichloropropane	0.52	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Diphenylhydrazine	3.6	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,3-Dichlorobenzene	0.6	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,3,7,8-TCDD	0.00001	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,4-Dichlorophenol	0.9	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,4-Dimethylphenol	1.2	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,4-Dinitrophenol	1.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,6-Dinitrotoluene	1	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chloroethyl vinyl ether	0.95	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chloronaphthalene	0.83	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chlorophenol	1.1	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Nitrophenol	1.4	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
3,3'-Dichlorobenzidine	1.6	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,4'-DDD	0.0041	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,4'-DDE	0.0055	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,4'-DDT	0.0032	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,6-Dinitro-o-cresol	1.2	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Bromophenyl phenyl ether	1.1	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Chloro-3-methylphenol	1.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
 Database: 3.7.51 6/24/2005 12:00

Wednesday, September 24, 2008

Page 3 of 47

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

4-Chlorophenyl phenyl ether	0.78 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Nitrophenol	1.5 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acenaphthene	1.1 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acenaphthylene	0.59 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acrolein	3.8 JU	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Comment:	Accuracy limits exceeded or Precision limits exceeded			
Acrylonitrile	1.2 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Aldrin	0.0018 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
alpha-BHC	0.0028 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Anthracene	1.2 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzidine	16 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo(b)fluoranthene	1.2 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[a]anthracene	1.2 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[a]pyrene	1.4 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[g,h,i]perylene	1.3 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[k]fluoranthene	1.7 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
beta-BHC	0.0027 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-chloroethoxy)methane	0.92 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-chloroethyl)ether	0.86 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-chloroisopropyl) ether	1.3 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-ethylhexyl) phthalate	3.6 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bromoform	0.58 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Butyl benzyl phthalate	1.4 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chlorodibromomethane	0.34 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chloroethane	2.5 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chrysene	1.2 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
cis-1,3-Dichloropropene	0.14 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Copper	2.9 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Cyanide, Total	0.005 U	mg/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
delta-BHC	0.0028 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, September 24, 2008

Page 4 of 47

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Dibenz(a,h)anthracene	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dichlorobromomethane	0.35 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dichlorodifluoromethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dieldrin	0.0014 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Diethyl phthalate	1.1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dimethyl phthalate	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Di-n-butyl phthalate	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Di-n-octyl phthalate	1.7 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endosulfan sulfate	0.003 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endosulfan, alpha	0.0034 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endosulfan, beta	0.0033 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endrin aldehyde	0.0032 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Ethylbenzene	0.44 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Fluoranthene	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Fluorene	0.99 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
HEM (Oil and Grease)	1 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Hexachlorocyclopentadiene	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Indeno[1,2,3-cd]pyrene	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Isophorone	0.81 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methyl bromide	2.5 JU	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Comment: Accuracy limits exceeded or Precision limits exceeded			
Methyl chloride	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methylene Chloride	4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Molybdenum	4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Naphthalene	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Naphthalene	0.72 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nickel	4.7 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nitrogen, Kjeldahl	0.16 I	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
N-Nitrosodimethylamine	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
N-Nitrosodi-n-propylamine	0.92 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Wednesday, September 24, 2008

Page 5 of 47

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

N-Nitrosodiphenylamine	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1016	0.26 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1221	0.15 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1232	0.38 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1242	0.077 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1248	0.07 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1254	0.12 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1260	0.1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phenanthrene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phenol	0.85 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phenols, Total	0.05 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phosphorus, Total	0.075 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Pyrene	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Sulfate	2 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Toluene	0.51 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Suspended Solids	1 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,2-Dichloroethene	0.44 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,3-Dichloropropene	0.14 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Trichlorofluoromethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Xylenes, Total	0.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Zinc	5.9 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, September 24, 2008

Page 6 of 47

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-23385-2**

Matrix: W

Well Type: OT - Other

Monitoring Site: Not Blank-DUP

Sample Date: June 5, 2008

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,4-Dichlorobenzene	4.1	I	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999) Criterion: 7500 ug/L Detection Limit: 0.71 ug/L
Comment:				
Arsenic	19		ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999) Criterion: 5000 ug/L Detection Limit: 4.8 ug/L
Comment:				
Barium	150	I	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999) Criterion: 100000 ug/L Detection Limit: 30 ug/L
Comment:				
Chromium	23		ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999) Criterion: 5000 ug/L Detection Limit: 1.7 ug/L
Comment:				
Lead	1.6	I	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999) Criterion: 5000 ug/L Detection Limit: 1.6 ug/L
Comment:				

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,1,1-Trichloroethane	4.6	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,2,2-Tetrachloroethane	1.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,2-Trichloroethane	4.7	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1-Dichloroethane	5.2	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2,4-Trichlorobenzene	5.8	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Dichlorobenzene	0.76	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Dichloropropane	5.2	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Diphenylhydrazine	3.6	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,3-Dichlorobenzene	0.6	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,3,7,8-TCDD	0.00001	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,4-Dichlorophenol	0.9	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,4-Dimethylphenol	1.2	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, September 24, 2008

Page 7 of 47

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

2,4-Dinitrophenol	1.5 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,6-Dinitrotoluene	1 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chloroethyl vinyl ether	9.5 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chloronaphthalene	0.83 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chlorophenol	1.1 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Nitrophenol	1.4 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
3,3'-Dichlorobenzidine	1.6 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,4'-DDD	0.041 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,4'-DDE	0.055 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,4'-DDT	0.032 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,6-Dinitro-o-cresol	1.2 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Bromophenyl phenyl ether	1.1 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Chloro-3-methylphenol	1.5 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Chlorophenyl phenyl ether	0.78 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Nitrophenol	1.5 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acenaphthene	1.1 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acenaphthylene	0.59 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acrolein	38 JU	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Comment:	Accuracy limits exceeded or Precision limits exceeded			
Acrylonitrile	12 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Aldrin	0.018 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
alpha-BHC	0.028 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Anthracene	1.2 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzidine	16 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo(b)fluoranthene	1.2 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[a]anthracene	1.2 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[a]pyrene	1.4 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[g,h,i]perylene	1.3 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[k]fluoranthene	1.7 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
beta-BHC	0.51	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, September 24, 2008

Page 8 of 47

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Bis(2-chloroethoxy)methane	0.92 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-chloroethyl)ether	0.86 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-chloroisopropyl) ether	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-ethylhexyl) phthalate	4.2 I	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bromoform	5.8 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Butyl benzyl phthalate	1.4 I	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chlorodibromomethane	3.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chloroethane	25 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chrysene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
cis-1,3-Dichloropropene	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Copper	3.4 I	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Cyanide, Total	0.01	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
delta-BHC	0.16	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dibenz(a,h)anthracene	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dichlorobromomethane	3.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dichlorodifluoromethane	25 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dieldrin	0.014 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Diethyl phthalate	1.1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dimethyl phthalate	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Di-n-butyl phthalate	2.8 I	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Di-n-octyl phthalate	1.7 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endosulfan sulfate	0.03 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endosulfan, alpha	0.034 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endosulfan, beta	0.033 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endrin aldehyde	0.032 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Ethylbenzene	4.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Fluoranthene	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Fluorene	1.2 I	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
HEM (Oil and Grease)	3.3 I	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Hexachlorocyclopentadiene	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, September 24, 2008

Page 9 of 47

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Indeno[1,2,3-cd]pyrene	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Isophorone	0.81 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methyl bromide	25 JU	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Comment: Accuracy limits exceeded or Precision limits exceeded			
Methyl chloride	10 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methylene Chloride	40 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Molybdenum	4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Naphthalene	7.2 l	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Naphthalene	25 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nickel	49	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nitrogen, Kjeldahl	420	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
N-Nitrosodimethylamine	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
N-Nitrosodi-n-propylamine	0.92 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
N-Nitrosodiphenylamine	1.8 l	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1016	2.6 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1221	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1232	3.8 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1242	0.77 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1248	0.7 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1254	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1260	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phenanthrene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phenol	0.85 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phenols, Total	0.05 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phosphorus, Total	2.4	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Pyrene	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Sulfate	100	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Toluene	5.1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Suspended Solids	49	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,2-Dichloroethene	4.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, September 24, 2008

Page 10 of 47

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

trans-1,3-Dichloropropene	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Trichlorofluoromethane	25 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Xylenes, Total	5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Zinc	410	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, September 24, 2008

Page 11 of 47

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-23385-3**

Matrix: W

Well Type:

Monitoring Site: Trip Blank

Sample Date: June 5, 2008

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,1,1-Trichloroethane	0.46	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,2,2-Tetrachloroethane	0.15	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,2-Trichloroethane	0.47	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1-Dichloroethane	0.52	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2,4-Trichlorobenzene	0.58	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Dichloropropane	0.52	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chloroethyl vinyl ether	0.95	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acrolein	3.8	JU	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Comment: Accuracy limits exceeded or Precision limits exceeded				
Acrylonitrile	1.2	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bromoform	0.58	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chlorodibromomethane	0.34	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chloroethane	2.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
cis-1,3-Dichloropropene	0.14	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dichlorobromomethane	0.35	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dichlorodifluoromethane	2.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Ethylbenzene	0.44	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methyl bromide	2.5	JU	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Comment: Accuracy limits exceeded or Precision limits exceeded				
Methyl chloride	1	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methylene Chloride	4	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Naphthalene	2.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Toluene	0.51	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,2-Dichloroethene	0.44	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,3-Dichloropropene	0.14	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Trichlorofluoromethane	2.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
 Database: 3.7.51 6/24/2005 12:00

Wednesday, September 24, 2008

Page 12 of 47

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Xylenes, Total

0.5 U ug/L

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24
rev. (07/01/1999)

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Wednesday, September 24, 2008

Page 13 of 47

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-23826-1**

Matrix: W

Well Type: OT - Other

Monitoring Site: S.E. Landfill T

Sample Date: July 1, 2008

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
Cyanide, Total	0.02		mg/L

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24
rev. (07/01/1999)

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Wednesday, September 24, 2008

Page 14 of 47

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-23840-1**

Matrix: W

Well Type: OT - Other

Monitoring Site: Leachate Eff

Sample Date: July 1, 2008

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
Biochemical Oxygen Demand	4.2		mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chemical Oxygen Demand	470		mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Field pH	7.64		SU	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Field Temperature	32.82		Degree s C	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nitrate as N	6.7		mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Oxygen, Dissolved	4		mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Specific Conductance	11404		umhos/ cm	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Dissolved Solids	5800		mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Suspended Solids	17		mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, September 24, 2008

Page 15 of 47

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-23840-2**

Matrix: W

Well Type:

Monitoring Site: Equipment Blank

Sample Date: July 1, 2008

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
Biochemical Oxygen Demand	2	U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chemical Oxygen Demand	10	U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nitrate as N	0.1	U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Dissolved Solids	5	U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Suspended Solids	1	U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report:	3.0.0
---------	-------

Database:	3.7.51 6/24/2005 12:00
-----------	------------------------

Wednesday, September 24, 2008

Page 16 of 47

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-23842-1**

Matrix: W

Well Type: OT - Other

Monitoring Site: Leachate TK-DUP

Sample Date: July 1, 2008

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,4-Dichlorobenzene	1.3	I	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999) Criterion: 7500 ug/L Detection Limit: 0.71 ug/L
Comment:				
Arsenic	6.7	I	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999) Criterion: 5000 ug/L Detection Limit: 4 ug/L
Comment:				
Barium	42	I	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999) Criterion: 100000 ug/L Detection Limit: 30 ug/L
Comment:				
Chromium	7.9	I	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999) Criterion: 5000 ug/L Detection Limit: 2 ug/L
Comment:				
Mercury	0.2	I	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999) Criterion: 200 ug/L Detection Limit: 0.072 ug/L
Comment:				
Pentachlorophenol	8.7	I	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999) Criterion: 100000 ug/L Detection Limit: 1.6 ug/L
Comment:				

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,1,1-Trichloroethane	4.6	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,2,2-Tetrachloroethane	1.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,2-Trichloroethane	4.7	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1-Dichloroethane	5.2	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2,4-Trichlorobenzene	5.8	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Dichlorobenzene	0.76	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Dichloropropane	5.2	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Diphenylhydrazine	3.6	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,3-Dichlorobenzene	0.6	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, September 24, 2008

Page 17 of 47

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

2,3,7,8-TCDD	0.00001 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,4-Dichlorophenol	0.9 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,4-Dimethylphenol	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,4-Dinitrophenol	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,6-Dinitrotoluene	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chloroethyl vinyl ether	9.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chloronaphthalene	0.83 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chlorophenol	1.1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Nitrophenol	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
3,3'-Dichlorobenzidine	1.6 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,4'-DDD	0.016 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,4'-DDE	0.022 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,4'-DDT	0.013 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,6-Dinitro-o-cresol	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Bromophenyl phenyl ether	1.1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Chloro-3-methylphenol	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Chlorophenyl phenyl ether	0.78 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Nitrophenol	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acenaphthene	1.1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acenaphthylene	0.59 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acrolein	38 JU	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Comment: Accuracy limits exceeded or Precision limits exceeded			
Acrylonitrile	12 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Aldrin	0.0073 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
alpha-BHC	0.011 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Anthracene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzidine	16 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo(b)fluoranthene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[a]anthracene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[a]pyrene	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, September 24, 2008

Page 18 of 47

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Benzo[g,h,i]perylene	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[k]fluoranthene	1.7 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
beta-BHC	0.018 I	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-chloroethoxy)methane	0.92 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-chloroethyl)ether	0.86 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-chloroisopropyl) ether	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-ethylhexyl) phthalate	3.6 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bromoform	5.8 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Butyl benzyl phthalate	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chlorodibromomethane	3.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chloroethane	25 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chrysene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
cis-1,3-Dichloropropene	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Copper	8.1 I	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Cyanide, Total	0.007 I	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
delta-BHC	0.011 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dibenz(a,h)anthracene	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dichlorobromomethane	3.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dichlorodifluoromethane	25 JU	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Comment: Accuracy limits exceeded or Precision limits exceeded			
Dieldrin	0.0056 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Diethyl phthalate	1.1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dimethyl phthalate	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Di-n-butyl phthalate	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Di-n-octyl phthalate	1.7 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endosulfan sulfate	0.012 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endosulfan, alpha	0.014 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endosulfan, beta	0.013 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endrin aldehyde	0.013 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Ethylbenzene	4.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, September 24, 2008

Page 19 of 47

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Fluoranthene	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Fluorene	0.99 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
HEM (Oil and Grease)	5 l	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Hexachlorocyclopentadiene	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Indeno[1,2,3-cd]pyrene	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Isophorone	0.81 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methyl bromide	25 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methyl chloride	10 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methylene Chloride	40 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Molybdenum	5.5 l	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Naphthalene	0.72 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Naphthalene	25 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nickel	50	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nitrogen, Kjeldahl	260	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
N-Nitrosodimethylamine	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
N-Nitrosodi-n-propylamine	0.92 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
N-Nitrosodiphenylamine	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1016	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1221	0.6 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1232	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1242	0.31 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1248	0.28 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1254	0.48 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1260	0.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phenanthrene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phenol	0.85 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phenols, Total	0.05 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phosphorus, Total	0.7	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Pyrene	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Sulfate	4 l	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, September 24, 2008

Page 20 of 47

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Toluene	5.1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Suspended Solids	16	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,2-Dichloroethene	4.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,3-Dichloropropene	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Trichlorofluoromethane	25 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Xylenes, Total	5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Zinc	9.2 I	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, September 24, 2008

Page 21 of 47

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-23842-2**

Matrix: W

Well Type:

Monitoring Site: Equipment Blank

Sample Date: July 1, 2008

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,1,1-Trichloroethane	0.46	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,2,2-Tetrachloroethane	0.15	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,2-Trichloroethane	0.47	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1-Dichloroethane	0.52	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2,4-Trichlorobenzene	0.58	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Dichlorobenzene	0.76	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Dichloropropane	0.52	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Diphenylhydrazine	3.6	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,3-Dichlorobenzene	0.6	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,3,7,8-TCDD	0.00001	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,4-Dichlorophenol	0.9	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,4-Dimethylphenol	1.2	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,4-Dinitrophenol	1.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,6-Dinitrotoluene	1	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chloroethyl vinyl ether	0.95	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chloronaphthalene	0.83	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chlorophenol	1.1	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Nitrophenol	1.4	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
3,3'-Dichlorobenzidine	1.6	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,4'-DDD	0.0041	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,4'-DDE	0.0055	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,4'-DDT	0.0032	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,6-Dinitro-o-cresol	1.2	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Bromophenyl phenyl ether	1.1	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Chloro-3-methylphenol	1.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
 Database: 3.7.51 6/24/2005 12:00

Wednesday, September 24, 2008

Page 22 of 47

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

4-Chlorophenyl phenyl ether	0.78 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Nitrophenol	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acenaphthene	1.1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acenaphthylene	0.59 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acrolein	3.8 JU	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Comment: Accuracy limits exceeded or Precision limits exceeded			
Acrylonitrile	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Aldrin	0.0018 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
alpha-BHC	0.0028 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Anthracene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzidine	16 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo(b)fluoranthene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[a]anthracene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[a]pyrene	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[g,h,i]perylene	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[k]fluoranthene	1.7 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
beta-BHC	0.0027 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-chloroethoxy)methane	0.92 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-chloroethyl)ether	0.86 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-chloroisopropyl) ether	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-ethylhexyl) phthalate	3.6 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bromoform	0.58 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Butyl benzyl phthalate	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chlorodibromomethane	0.34 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chloroethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chrysene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
cis-1,3-Dichloropropene	0.14 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Copper	2.9 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Cyanide, Total	0.005 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
delta-BHC	0.0028 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, September 24, 2008

Page 23 of 47

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Dibenz(a,h)anthracene	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dichlorobromomethane	0.35 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dichlorodifluoromethane	2.5 JU	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Comment: Accuracy limits exceeded or Precision limits exceeded			
Dieldrin	0.0014 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Diethyl phthalate	1.1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dimethyl phthalate	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Di-n-butyl phthalate	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Di-n-octyl phthalate	1.7 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endosulfan sulfate	0.003 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endosulfan, alpha	0.0034 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endosulfan, beta	0.0033 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endrin aldehyde	0.0032 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Ethylbenzene	0.44 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Fluoranthene	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Fluorene	0.99 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
HEM (Oil and Grease)	1 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Hexachlorocyclopentadiene	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Indeno[1,2,3-cd]pyrene	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Isophorone	0.81 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methyl bromide	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methyl chloride	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methylene Chloride	4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Molybdenum	4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Naphthalene	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Naphthalene	0.72 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nickel	2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nitrogen, Kjeldahl	0.05 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
N-Nitrosodimethylamine	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
N-Nitrosodi-n-propylamine	0.92 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, September 24, 2008

Page 24 of 47

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

N-Nitrosodiphenylamine	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1016	0.26 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1221	0.15 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1232	0.38 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1242	0.077 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1248	0.07 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1254	0.12 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1260	0.1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phenanthrene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phenol	0.85 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phenols, Total	0.05 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phosphorus, Total	0.075 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Pyrene	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Sulfate	2 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Toluene	0.51 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Suspended Solids	1 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,2-Dichloroethene	0.44 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,3-Dichloropropene	0.14 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Trichlorofluoromethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Xylenes, Total	0.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Zinc	5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, September 24, 2008

Page 25 of 47

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-23842-3**

Matrix: W

Well Type:

Monitoring Site: Trip Blank

Sample Date: July 1, 2008

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,1,1-Trichloroethane	0.46	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,2,2-Tetrachloroethane	0.15	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,2-Trichloroethane	0.47	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1-Dichloroethane	0.52	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2,4-Trichlorobenzene	0.58	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Dichloropropane	0.52	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chloroethyl vinyl ether	0.95	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acrolein	3.8	JU	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Comment: Accuracy limits exceeded or Precision limits exceeded				
Acrylonitrile	1.2	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bromoform	0.58	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chlorodibromomethane	0.34	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chloroethane	2.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
cis-1,3-Dichloropropene	0.14	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dichlorobromomethane	0.35	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dichlorodifluoromethane	2.5	JU	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Comment: Accuracy limits exceeded or Precision limits exceeded				
Ethylbenzene	0.44	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methyl bromide	2.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methyl chloride	1	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methylene Chloride	4	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Naphthalene	2.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Toluene	0.51	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,2-Dichloroethene	0.44	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,3-Dichloropropene	0.14	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Trichlorofluoromethane	2.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
 Database: 3.7.51 6/24/2005 12:00

Wednesday, September 24, 2008

Page 26 of 47

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Xylenes, Total

0.5 U ug/L

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24
rev. (07/01/1999)

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Wednesday, September 24, 2008

Page 27 of 47

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-23986-1**

Matrix: W

Well Type: OT - Other

Monitoring Site: SLTRF Pond

Sample Date: July 10, 2008

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
Arsenic	7.4	I	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999) Criterion: 5000 ug/L Detection Limit: 4 ug/L
Comment:				
Barium	35	I	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999) Criterion: 100000 ug/L Detection Limit: 30 ug/L
Comment:				
Benzene	0.57	I	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999) Criterion: 500 ug/L Detection Limit: 0.5 ug/L
Comment:				
Chromium	6	I	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999) Criterion: 5000 ug/L Detection Limit: 2 ug/L
Comment:				

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,1,1-Trichloroethane	0.46	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,2,2-Tetrachloroethane	0.15	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,2-Trichloroethane	0.47	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1-Dichloroethane	0.52	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2,4-Trichlorobenzene	0.58	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Dichlorobenzene	0.76	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Dichloropropane	0.52	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Diphenylhydrazine	3.6	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,3-Dichlorobenzene	0.6	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,3,7,8-TCDD	0.00001	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,4-Dichlorophenol	0.9	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,4-Dimethylphenol	1.2	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,4-Dinitrophenol	1.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,6-Dinitrotoluene	1	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, September 24, 2008

Page 28 of 47

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

2-Chloroethyl vinyl ether	0.95 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chloronaphthalene	0.83 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chlorophenol	1.1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Nitrophenol	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
3,3'-Dichlorobenzidine	1.6 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,4'-DDD	0.016 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,4'-DDE	0.022 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,4'-DDT	0.013 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,6-Dinitro-o-cresol	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Bromophenyl phenyl ether	1.1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Chloro-3-methylphenol	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Chlorophenyl phenyl ether	0.78 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Nitrophenol	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acenaphthene	1.1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acenaphthylene	0.59 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acrolein	3.8 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acrylonitrile	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Aldrin	0.0073 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
alpha-BHC	0.011 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Anthracene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzidine	16 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo(b)fluoranthene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[a]anthracene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[a]pyrene	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[g,h,i]perylene	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[k]fluoranthene	1.7 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
beta-BHC	0.029 I	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-chloroethoxy)methane	0.92 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-chloroethyl)ether	0.86 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-chloroisopropyl) ether	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, September 24, 2008

Page 29 of 47

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Bis(2-ethylhexyl) phthalate	3.6 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bromoform	0.58 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Butyl benzyl phthalate	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chlorodibromomethane	1.2	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chloroethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chrysene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
cis-1,3-Dichloropropene	0.14 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Copper	21	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Cyanide, Total	0.005 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
delta-BHC	0.011 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dibenz(a,h)anthracene	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dichlorobromomethane	0.35 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dichlorodifluoromethane	2.5 JU	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Comment: Accuracy limits exceeded or Precision limits exceeded			
Dieldrin	0.0056 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Diethyl phthalate	1.1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dimethyl phthalate	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Di-n-butyl phthalate	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Di-n-octyl phthalate	1.7 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endosulfan sulfate	0.012 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endosulfan, alpha	0.014 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endosulfan, beta	0.013 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endrin aldehyde	0.013 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Ethylbenzene	0.44 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Field pH	7.95	SU	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Field Temperature	30.65	Degree s C	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Fluoranthene	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Fluorene	0.99 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
HEM (Oil and Grease)	2.5 I	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Hexachlorocyclopentadiene	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, September 24, 2008

Page 30 of 47

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Indeno[1,2,3-cd]pyrene	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Isophorone	0.81 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methyl bromide	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methyl chloride	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methylene Chloride	4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Molybdenum	4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Naphthalene	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Naphthalene	0.72 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nickel	44	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nitrogen, Kjeldahl	48 V	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
N-Nitrosodimethylamine	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
N-Nitrosodi-n-propylamine	0.92 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
N-Nitrosodiphenylamine	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Oxygen, Dissolved	5.94	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1016	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1221	0.6 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1232	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1242	0.31 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1248	0.28 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1254	0.48 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1260	0.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phenanthrene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phenol	0.85 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phenols, Total	0.05 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phosphorus, Total	10	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Pyrene	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Specific Conductance	9865	umhos/cm	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Sulfate	86	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Toluene	3.1	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Suspended Solids	88	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, September 24, 2008

Page 31 of 47

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

trans-1,2-Dichloroethene	0.44 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,3-Dichloropropene	0.14 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Trichlorofluoromethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Xylenes, Total	5.9	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Zinc	37	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, September 24, 2008

Page 32 of 47

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-23986-2**

Matrix: W

Well Type:

Monitoring Site: Trip Blank

Sample Date: July 10, 2008

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,1,1-Trichloroethane	0.46	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,2,2-Tetrachloroethane	0.15	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,2-Trichloroethane	0.47	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1-Dichloroethane	0.52	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2,4-Trichlorobenzene	0.58	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Dichloropropane	0.52	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chloroethyl vinyl ether	0.95	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acrolein	3.8	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acrylonitrile	1.2	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bromoform	0.58	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chlorodibromomethane	0.34	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chloroethane	2.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
cis-1,3-Dichloropropene	0.14	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dichlorobromomethane	0.35	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dichlorodifluoromethane	2.5	JU	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Comment: Accuracy limits exceeded or Precision limits exceeded				
Ethylbenzene	0.44	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methyl bromide	2.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methyl chloride	1	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methylene Chloride	4	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Naphthalene	2.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Toluene	0.51	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,2-Dichloroethene	0.44	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,3-Dichloropropene	0.14	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Trichlorofluoromethane	2.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Wednesday, September 24, 2008

Page 33 of 47

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Xylenes, Total

0.5 U ug/L

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24
rev. (07/01/1999)

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Wednesday, September 24, 2008

Page 34 of 47

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-24416-1**

Matrix: W

Well Type: OT - Other

Monitoring Site: SELF Tanker Tru

Sample Date: August 1, 2008

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
Cyanide, Total	0.005	U	mg/L

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24
rev. (07/01/1999)

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Wednesday, September 24, 2008

Page 35 of 47

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-24416-2**

Matrix: W

Well Type: OT - Other

Monitoring Site: SELF Tanker Tru

Sample Date: August 1, 2008

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
Cyanide, Total	0.005	U	mg/L

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24
rev. (07/01/1999)

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Wednesday, September 24, 2008

Page 36 of 47

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-24443-1**

Matrix: W

Well Type: OT - Other

Monitoring Site: Not Blank-DUP

Sample Date: August 4, 2008

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,4-Dichlorobenzene	3	I	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999) Criterion: 7500 ug/L Detection Limit: 0.71 ug/L
Comment:				
Arsenic	12		ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999) Criterion: 5000 ug/L Detection Limit: 4 ug/L
Comment:				
Barium	150	I	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999) Criterion: 100000 ug/L Detection Limit: 30 ug/L
Comment:				
Benzene	0.75	I	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999) Criterion: 500 ug/L Detection Limit: 0.5 ug/L
Comment:				
Chlorobenzene	1.6		ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999) Criterion: 100000 ug/L Detection Limit: 0.63 ug/L
Comment:				
Chromium	13		ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999) Criterion: 5000 ug/L Detection Limit: 2 ug/L
Comment:				

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,1,1-Trichloroethane	0.46	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,2,2-Tetrachloroethane	0.15	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,2-Trichloroethane	0.47	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1-Dichloroethane	0.52	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2,4-Trichlorobenzene	0.58	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Dichlorobenzene	0.76	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Dichloropropane	0.52	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Diphenylhydrazine	3.6	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,3-Dichlorobenzene	0.6	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, September 24, 2008

Page 37 of 47

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

2,3,7,8-TCDD	0.00001 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,4-Dichlorophenol	0.9 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,4-Dimethylphenol	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,4-Dinitrophenol	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,6-Dinitrotoluene	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chloroethyl vinyl ether	0.95 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chloronaphthalene	0.83 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chlorophenol	1.1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Nitrophenol	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
3,3'-Dichlorobenzidine	1.6 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,4'-DDD	0.041 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,4'-DDE	0.055 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,4'-DDT	0.032 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,6-Dinitro-o-cresol	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Bromophenyl phenyl ether	1.1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Chloro-3-methylphenol	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Chlorophenyl phenyl ether	0.78 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Nitrophenol	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acenaphthene	1.2 I	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acenaphthylene	0.59 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acrolein	3.8 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acrylonitrile	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Aldrin	0.018 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
alpha-BHC	0.028 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Anthracene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzidine	16 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo(b)fluoranthene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[a]anthracene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[a]pyrene	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[g,h,i]perylene	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, September 24, 2008

Page 38 of 47

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Benzo[k]fluoranthene	1.7 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
beta-BHC	0.31	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-chloroethoxy)methane	0.92 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-chloroethyl)ether	0.86 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-chloroisopropyl) ether	1.3 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-ethylhexyl) phthalate	3.6 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bromoform	0.58 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Butyl benzyl phthalate	1.4 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chlorodibromomethane	0.34 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chloroethane	2.5 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chrysene	1.2 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
cis-1,3-Dichloropropene	0.14 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Copper	2.9 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Cyanide, Total	0.005 U	mg/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
delta-BHC	0.028 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dibenz(a,h)anthracene	1.4 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dichlorobromomethane	0.35 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dichlorodifluoromethane	2.5 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dieldrin	0.014 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Diethyl phthalate	1.1 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dimethyl phthalate	1 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Di-n-butyl phthalate	1.5 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Di-n-octyl phthalate	1.7 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endosulfan sulfate	0.03 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endosulfan, alpha	0.034 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endosulfan, beta	0.033 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endrin aldehyde	0.032 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Ethylbenzene	0.9 I	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Fluoranthene	1.5 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Fluorene	0.99 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, September 24, 2008

Page 39 of 47

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

HEM (Oil and Grease)	2900	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Hexachlorocyclopentadiene	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Indeno[1,2,3-cd]pyrene	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Isophorone	0.81 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methyl bromide	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methyl chloride	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methylene Chloride	4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Molybdenum	4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Naphthalene	6.9 l	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Naphthalene	2.5 JU	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Comment: Accuracy limits exceeded or Precision limits exceeded			
Nickel	31	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nitrogen, Kjeldahl	340	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
N-Nitrosodimethylamine	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
N-Nitrosodi-n-propylamine	0.92 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
N-Nitrosodiphenylamine	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1016	2.6 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1221	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1232	3.8 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1242	0.77 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1248	0.7 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1254	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1260	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phenanthrene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phenol	0.85 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phenols, Total	0.05 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phosphorus, Total	1.8	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Pyrene	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Sulfate	110	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Toluene	0.78 l	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Wednesday, September 24, 2008

Page 40 of 47

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Total Suspended Solids	41	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,2-Dichloroethene	0.44 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,3-Dichloropropene	0.14 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Trichlorofluoromethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Xylenes, Total	0.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Zinc	190	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, September 24, 2008

Page 41 of 47

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-24443-2**

Matrix: W

Well Type:

Monitoring Site: Equipment Blank

Sample Date: August 4, 2008

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,1,1-Trichloroethane	0.46	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,2,2-Tetrachloroethane	0.15	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,2-Trichloroethane	0.47	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1-Dichloroethane	0.52	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2,4-Trichlorobenzene	0.58	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Dichlorobenzene	0.76	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Dichloropropane	0.52	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Diphenylhydrazine	3.6	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,3-Dichlorobenzene	0.6	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,3,7,8-TCDD	0.00001	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,4-Dichlorophenol	0.9	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,4-Dimethylphenol	1.2	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,4-Dinitrophenol	1.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,6-Dinitrotoluene	1	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chloroethyl vinyl ether	0.95	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chloronaphthalene	0.83	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chlorophenol	1.1	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Nitrophenol	1.4	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
3,3'-Dichlorobenzidine	1.6	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,4'-DDD	0.0041	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,4'-DDE	0.0055	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,4'-DDT	0.0032	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,6-Dinitro-o-cresol	1.2	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Bromophenyl phenyl ether	1.1	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Chloro-3-methylphenol	1.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
 Database: 3.7.51 6/24/2005 12:00

Wednesday, September 24, 2008

Page 42 of 47

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

4-Chlorophenyl phenyl ether	0.78 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Nitrophenol	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acenaphthene	1.1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acenaphthylene	0.59 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acrolein	3.8 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acrylonitrile	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Aldrin	0.0018 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
alpha-BHC	0.0028 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Anthracene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzidine	16 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo(b)fluoranthene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[a]anthracene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[a]pyrene	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[g,h,i]perylene	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[k]fluoranthene	1.7 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
beta-BHC	0.0027 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-chloroethoxy)methane	0.92 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-chloroethyl)ether	0.86 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-chloroisopropyl) ether	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-ethylhexyl) phthalate	3.6 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bromoform	0.58 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Butyl benzyl phthalate	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chlorodibromomethane	0.34 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chloroethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chrysene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
cis-1,3-Dichloropropene	0.14 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Copper	2.9 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Cyanide, Total	0.005 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
delta-BHC	0.0028 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dibenz(a,h)anthracene	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, September 24, 2008

Page 43 of 47

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Dichlorobromomethane	0.35 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dichlorodifluoromethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dieldrin	0.0014 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Diethyl phthalate	1.1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dimethyl phthalate	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Di-n-butyl phthalate	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Di-n-octyl phthalate	1.7 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endosulfan sulfate	0.003 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endosulfan, alpha	0.0034 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endosulfan, beta	0.0033 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endrin aldehyde	0.0032 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Ethylbenzene	0.44 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Fluoranthene	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Fluorene	0.99 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
HEM (Oil and Grease)	6.4 I	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Hexachlorocyclopentadiene	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Indeno[1,2,3-cd]pyrene	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Isophorone	0.81 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methyl bromide	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methyl chloride	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methylene Chloride	4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Molybdenum	4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Naphthalene	2.5 JU	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Comment: Accuracy limits exceeded or Precision limits exceeded			
Naphthalene	0.72 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nickel	2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nitrogen, Kjeldahl	0.05 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
N-Nitrosodimethylamine	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
N-Nitrosodi-n-propylamine	0.92 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
N-Nitrosodiphenylamine	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, September 24, 2008

Page 44 of 47

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

PCB-1016	0.26 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1221	0.15 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1232	0.38 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1242	0.077 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1248	0.07 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1254	0.12 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1260	0.1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phenanthrene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phenol	0.85 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phenols, Total	0.05 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phosphorus, Total	0.075 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Pyrene	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Sulfate	2 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Toluene	0.51 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Suspended Solids	1.2	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,2-Dichloroethene	0.44 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,3-Dichloropropene	0.14 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Trichlorofluoromethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Xylenes, Total	0.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Zinc	5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Wednesday, September 24, 2008

Page 45 of 47

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-24443-3**

Matrix: W

Well Type:

Monitoring Site: Trip Blank

Sample Date: August 4, 2008

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,1,1-Trichloroethane	0.46	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,2,2-Tetrachloroethane	0.15	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,2-Trichloroethane	0.47	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1-Dichloroethane	0.52	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2,4-Trichlorobenzene	0.58	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Dichloropropane	0.52	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chloroethyl vinyl ether	0.95	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acrolein	3.8	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acrylonitrile	1.2	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bromoform	0.58	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chlorodibromomethane	0.34	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chloroethane	2.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
cis-1,3-Dichloropropene	0.14	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dichlorobromomethane	0.35	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dichlorodifluoromethane	2.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Ethylbenzene	0.44	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methyl bromide	2.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methyl chloride	1	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methylene Chloride	4	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Naphthalene	2.5	JU	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Comment: Accuracy limits exceeded or Precision limits exceeded				
Toluene	0.51	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,2-Dichloroethene	0.44	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,3-Dichloropropene	0.14	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Trichlorofluoromethane	2.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
 Database: 3.7.51 6/24/2005 12:00

Wednesday, September 24, 2008

Page 46 of 47

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Xylenes, Total

0.5 U ug/L

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24
rev. (07/01/1999)

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Wednesday, September 24, 2008

Page 47 of 47