



FDEP Automated Data Evaluation

Trail Ridge Landfill

Human Review Statement:

This is an automated data review produced by the FDEP Validator software. This report does not supercede FDEP rules or standards and may not contain all violations of FDEP rules and standards. This report should be reviewed by a qualified staff member.

Sample ID: 660-24424-1

Matrix: W

Well Type: BG - Background

Monitoring Site: MWB3S

Sample Date: August 1, 2008

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units
Iron	370		ug/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)
Criterion: 300 ug/L
Exceeds by factor of: 1.23

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.18 U		ug/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)
Criterion: 0.02 ug/L

Detection Limit: 0.18 ug/L

1,2-Dibromo-3-Chloropropane	2.5 U		ug/L
-----------------------------	-------	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)
Criterion: 0.2 ug/L

Detection Limit: 2.5 ug/L

1,3-Dinitrobenzene	0.99 U		ug/L
--------------------	--------	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)
Criterion: 0.7 ug/L

Detection Limit: 0.99 ug/L

2,2'-oxybis(2-chloropropane)	2.1 U		ug/L
------------------------------	-------	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)
Criterion: 0.5 ug/L

Detection Limit: 2.1 ug/L

2,4,5-Trichlorophenol	2.1 U		ug/L
-----------------------	-------	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)
Criterion: 1 ug/L

Detection Limit: 2.1 ug/L

2,4-Dichlorophenol	1.8 U		ug/L
--------------------	-------	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)
Criterion: 0.3 ug/L

Detection Limit: 1.8 ug/L

2,4-Dinitrotoluene	0.91 U		ug/L
--------------------	--------	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)
Criterion: 0.05 ug/L

Detection Limit: 0.91 ug/L

2,6-Dichlorophenol	1.6 U		ug/L
--------------------	-------	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)
Criterion: 0.2 ug/L

Detection Limit: 1.6 ug/L

2,6-Dinitrotoluene	0.72 U		ug/L
--------------------	--------	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Thursday, October 02, 2008

Page 1 of 28

H:\9A.tmp

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.05 ug/L
			Detection Limit:	0.72 ug/L
2-Naphthylamine	1 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0003 ug/L
			Detection Limit:	1 ug/L
2-Toluidine	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.2 ug/L
3,3'-Dichlorobenzidine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.08 ug/L
			Detection Limit:	1.6 ug/L
3,3'-Dimethylbenzidine	14 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	14 ug/L
Acetonitrile	75 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	42 ug/L
			Detection Limit:	75 ug/L
Acrolein	3.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	3.5 ug/L
			Detection Limit:	3.8 ug/L
Acrylonitrile	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.06 ug/L
			Detection Limit:	1.2 ug/L
Beryllium	5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	4 ug/L
			Detection Limit:	5 ug/L
Bis(2-chloroethyl)ether	2.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.03 ug/L
			Detection Limit:	2.6 ug/L
Diallate	1.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.6 ug/L
			Detection Limit:	1.4 ug/L
Dibenz(a,h)anthracene	0.05 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	0.05 ug/L
Ethylene Dibromide	0.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.02 ug/L
			Detection Limit:	0.5 ug/L
Hexachlorobenzene	1.7 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1 ug/L
			Detection Limit:	1.7 ug/L
Hexachlorobutadiene	1 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Versions			
Report:	3.0.0		
Database:	3.7.51	6/24/2005	12:00

Thursday, October 02, 2008

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.4 ug/L
			Detection Limit:	1 ug/L
Kepone	0.083 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	0.083 ug/L
Methacrylonitrile	1.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.7 ug/L
			Detection Limit:	1.8 ug/L
N-Nitrosodiethylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0002 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodimethylamine	2.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0007 ug/L
			Detection Limit:	2.4 ug/L
N-Nitrosodi-n-butylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.006 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodi-n-propylamine	1.9 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	1.9 ug/L
N-Nitrosomethylethylamine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.002 ug/L
			Detection Limit:	1.6 ug/L
N-Nitrosopyrrolidine	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.02 ug/L
			Detection Limit:	1.2 ug/L
Pentachloronitrobenzene	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.5 ug/L

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 660-24424-10 Matrix: W Well Type:
Monitoring Site: Trip Blank Sample Date: August 1, 2008

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**
Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	
1,2,3-Trichloropropane	0.18	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.02 ug/L Detection Limit: 0.18 ug/L
Comment:				
1,2-Dibromo-3-Chloropropane	2.5	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.2 ug/L Detection Limit: 2.5 ug/L
Comment:				
Acetonitrile	75	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 42 ug/L Detection Limit: 75 ug/L
Comment:				
Acrolein	3.8	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 3.5 ug/L Detection Limit: 3.8 ug/L
Comment:				
Acrylonitrile	1.2	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.06 ug/L Detection Limit: 1.2 ug/L
Comment:				
Ethylene Dibromide	0.5	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.02 ug/L Detection Limit: 0.5 ug/L
Comment:				
Methacrylonitrile	1.8	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.7 ug/L Detection Limit: 1.8 ug/L
Comment:				

Versions
Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 660-24424-2 Matrix: W Well Type: BG - Background
Monitoring Site: MWB3I Sample Date: August 1, 2008

Evaluation Type:		A positive result, above the applied criteria was detected.	
		Investigate - this MAY represent a potential violation	
Parameter Name	Rslt	Qual	Units
Iron	650		ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	
		Criterion: 300 ug/L	
		Exceeds by factor of: 2.17	

Evaluation Type:		The detection limit is greater than the applied action level or criteria.	
		Investigate - the detection limit is too high to support the standard.	
Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.18	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	
		Criterion: 0.02 ug/L	
		Detection Limit: 0.18 ug/L	
1,2-Dibromo-3-Chloropropane	2.5	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	
		Criterion: 0.2 ug/L	
		Detection Limit: 2.5 ug/L	
1,3-Dinitrobenzene	1	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	
		Criterion: 0.7 ug/L	
		Detection Limit: 1 ug/L	
2,2'-oxybis(2-chloropropane)	2.2	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	
		Criterion: 0.5 ug/L	
		Detection Limit: 2.2 ug/L	
2,4,5-Trichlorophenol	2.2	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	
		Criterion: 1 ug/L	
		Detection Limit: 2.2 ug/L	
2,4-Dichlorophenol	1.9	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	
		Criterion: 0.3 ug/L	
		Detection Limit: 1.9 ug/L	
2,4-Dinitrotoluene	0.94	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	
		Criterion: 0.05 ug/L	
		Detection Limit: 0.94 ug/L	
2,6-Dichlorophenol	1.6	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	
		Criterion: 0.2 ug/L	
		Detection Limit: 1.6 ug/L	
2,6-Dinitrotoluene	0.74	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	
		Criterion: 0.05 ug/L	
		Detection Limit: 0.74 ug/L	
2-Naphthylamine	1	U	ug/L
		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.0003 ug/L
			Detection Limit:	1 ug/L
2-Toluidine	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.2 ug/L
3,3'-Dichlorobenzidine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.08 ug/L
			Detection Limit:	1.6 ug/L
3,3'-Dimethylbenzidine	14 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	14 ug/L
Acetonitrile	75 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	42 ug/L
			Detection Limit:	75 ug/L
Acrolein	3.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	3.5 ug/L
			Detection Limit:	3.8 ug/L
Acrylonitrile	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.06 ug/L
			Detection Limit:	1.2 ug/L
Beryllium	5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	4 ug/L
			Detection Limit:	5 ug/L
Bis(2-chloroethyl)ether	2.7 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.03 ug/L
			Detection Limit:	2.7 ug/L
Diallate	1.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.6 ug/L
			Detection Limit:	1.4 ug/L
Dibenz(a,h)anthracene	0.05 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	0.05 ug/L
Ethylene Dibromide	0.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.02 ug/L
			Detection Limit:	0.5 ug/L
Hexachlorobenzene	1.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1 ug/L
			Detection Limit:	1.8 ug/L
Hexachlorobutadiene	1 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.4 ug/L
			Detection Limit:	1 ug/L
Kepone	0.083 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Versions			
Report:	3.0.0		
Database:	3.7.51	6/24/2005	12:00

Thursday, October 02, 2008

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.004 ug/L
			Detection Limit:	0.083 ug/L
Methacrylonitrile	1.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.7 ug/L
			Detection Limit:	1.8 ug/L
N-Nitrosodiethylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0002 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodimethylamine	2.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0007 ug/L
			Detection Limit:	2.5 ug/L
N-Nitrosodi-n-butylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.006 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodi-n-propylamine	2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	2 ug/L
N-Nitrosomethylethylamine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.002 ug/L
			Detection Limit:	1.6 ug/L
N-Nitrosopyrrolidine	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.02 ug/L
			Detection Limit:	1.2 ug/L
Pentachloronitrobenzene	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.5 ug/L

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 660-24424-3

Matrix: W

Well Type: CO - Compliance

Monitoring Site: MWB17S

Sample Date: August 1, 2008

Evaluation Type: The detection limit is greater than the applied action level or criteria.
Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	
1,2,3-Trichloropropane	0.18	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.02 ug/L Detection Limit: 0.18 ug/L
Comment:				
1,2-Dibromo-3-Chloropropane	2.5	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.2 ug/L Detection Limit: 2.5 ug/L
Comment:				
1,3-Dinitrobenzene	0.99	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.7 ug/L Detection Limit: 0.99 ug/L
Comment:				
2,2'-oxybis(2-chloropropane)	2.1	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.5 ug/L Detection Limit: 2.1 ug/L
Comment:				
2,4,5-Trichlorophenol	2.1	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 1 ug/L Detection Limit: 2.1 ug/L
Comment:				
2,4-Dichlorophenol	1.8	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.3 ug/L Detection Limit: 1.8 ug/L
Comment:				
2,4-Dinitrotoluene	0.91	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.05 ug/L Detection Limit: 0.91 ug/L
Comment:				
2,6-Dichlorophenol	1.6	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.2 ug/L Detection Limit: 1.6 ug/L
Comment:				
2,6-Dinitrotoluene	0.72	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.05 ug/L Detection Limit: 0.72 ug/L
Comment:				
2-Naphthylamine	1	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.0003 ug/L Detection Limit: 1 ug/L
Comment:				
2-Toluidine	1.2	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.1 ug/L Detection Limit: 1.2 ug/L
Comment:				
3,3'-Dichlorobenzidine	1.6	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.08 ug/L
Comment:				

Versions

Report: 3.0.0

Database: 3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

3,3'-Dimethylbenzidine	14 U	ug/L	Detection Limit: 1.6 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.004 ug/L
Comment:			
Acetonitrile	75 U	ug/L	Detection Limit: 14 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 42 ug/L
Comment:			
Acrolein	3.8 U	ug/L	Detection Limit: 75 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 3.5 ug/L
Comment:			
Acrylonitrile	1.2 U	ug/L	Detection Limit: 3.8 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.06 ug/L
Comment:			
Beryllium	5 U	ug/L	Detection Limit: 1.2 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 4 ug/L
Comment:			
Bis(2-chloroethyl)ether	2.6 U	ug/L	Detection Limit: 5 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.03 ug/L
Comment:			
Diallate	1.4 U	ug/L	Detection Limit: 2.6 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.6 ug/L
Comment:			
Dibenz(a,h)anthracene	0.05 U	ug/L	Detection Limit: 1.4 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.005 ug/L
Comment:			
Ethylene Dibromide	0.5 U	ug/L	Detection Limit: 0.05 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.02 ug/L
Comment:			
Hexachlorobenzene	1.7 U	ug/L	Detection Limit: 0.5 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 1 ug/L
Comment:			
Hexachlorobutadiene	1 U	ug/L	Detection Limit: 1.7 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.4 ug/L
Comment:			
Kepone	0.083 U	ug/L	Detection Limit: 1 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.004 ug/L
Comment:			
Methacrylonitrile	1.8 U	ug/L	Detection Limit: 0.083 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.7 ug/L
Comment:			
N-Nitrosodiethylamine	1.5 U	ug/L	Detection Limit: 1.8 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.0002 ug/L
Comment:			

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

N-Nitrosodimethylamine	2.4 U	ug/L	Detection Limit: 1.5 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.0007 ug/L
Comment:			
N-Nitrosodi-n-butylamine	1.5 U	ug/L	Detection Limit: 2.4 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.006 ug/L
Comment:			
N-Nitrosodi-n-propylamine	1.9 U	ug/L	Detection Limit: 1.5 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.005 ug/L
Comment:			
N-Nitrosomethylethylamine	1.6 U	ug/L	Detection Limit: 1.9 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.002 ug/L
Comment:			
N-Nitrosopyrrolidine	1.2 U	ug/L	Detection Limit: 1.6 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.02 ug/L
Comment:			
Pentachloronitrobenzene	1.5 U	ug/L	Detection Limit: 1.2 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.1 ug/L
Comment:			Detection Limit: 1.5 ug/L

Versions

Report: 3.0.0

Database: 3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 660-24424-4 Matrix: W Well Type: CO - Compliance
Monitoring Site: MWB17I Sample Date: August 1, 2008

Evaluation Type:		A positive result, above the applied criteria was detected.	
		Investigate - this MAY represent a potential violation	
Parameter Name	Rslt	Qual	Units
Iron	400		ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	
		Criterion: 300 ug/L	
		Exceeds by factor of: 1.33	

Evaluation Type:		The detection limit is greater than the applied action level or criteria.	
		Investigate - the detection limit is too high to support the standard.	
Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.18	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	
		Criterion: 0.02 ug/L	
		Detection Limit: 0.18 ug/L	
1,2-Dibromo-3-Chloropropane	2.5	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	
		Criterion: 0.2 ug/L	
		Detection Limit: 2.5 ug/L	
1,3-Dinitrobenzene	0.99	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	
		Criterion: 0.7 ug/L	
		Detection Limit: 0.99 ug/L	
2,2'-oxybis(2-chloropropane)	2.1	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	
		Criterion: 0.5 ug/L	
		Detection Limit: 2.1 ug/L	
2,4,5-Trichlorophenol	2.1	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	
		Criterion: 1 ug/L	
		Detection Limit: 2.1 ug/L	
2,4-Dichlorophenol	1.8	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	
		Criterion: 0.3 ug/L	
		Detection Limit: 1.8 ug/L	
2,4-Dinitrotoluene	0.91	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	
		Criterion: 0.05 ug/L	
		Detection Limit: 0.91 ug/L	
2,6-Dichlorophenol	1.6	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	
		Criterion: 0.2 ug/L	
		Detection Limit: 1.6 ug/L	
2,6-Dinitrotoluene	0.72	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	
		Criterion: 0.05 ug/L	
		Detection Limit: 0.72 ug/L	
2-Naphthylamine	1	U	ug/L
		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.0003 ug/L
			Detection Limit:	1 ug/L
2-Toluidine	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.2 ug/L
3,3'-Dichlorobenzidine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.08 ug/L
			Detection Limit:	1.6 ug/L
3,3'-Dimethylbenzidine	14 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	14 ug/L
Acetonitrile	75 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	42 ug/L
			Detection Limit:	75 ug/L
Acrolein	3.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	3.5 ug/L
			Detection Limit:	3.8 ug/L
Acrylonitrile	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.06 ug/L
			Detection Limit:	1.2 ug/L
Beryllium	5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	4 ug/L
			Detection Limit:	5 ug/L
Bis(2-chloroethyl)ether	2.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.03 ug/L
			Detection Limit:	2.6 ug/L
Diallate	1.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.6 ug/L
			Detection Limit:	1.4 ug/L
Dibenz(a,h)anthracene	0.05 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	0.05 ug/L
Ethylene Dibromide	0.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.02 ug/L
			Detection Limit:	0.5 ug/L
Hexachlorobenzene	1.7 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1 ug/L
			Detection Limit:	1.7 ug/L
Hexachlorobutadiene	1 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.4 ug/L
			Detection Limit:	1 ug/L
Kepone	0.083 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Versions			
Report:	3.0.0		
Database:	3.7.51	6/24/2005	12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.004 ug/L
			Detection Limit:	0.083 ug/L
Methacrylonitrile	1.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.7 ug/L
			Detection Limit:	1.8 ug/L
N-Nitrosodiethylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0002 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodimethylamine	2.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0007 ug/L
			Detection Limit:	2.4 ug/L
N-Nitrosodi-n-butylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.006 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodi-n-propylamine	1.9 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	1.9 ug/L
N-Nitrosomethylethylamine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.002 ug/L
			Detection Limit:	1.6 ug/L
N-Nitrosopyrrolidine	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.02 ug/L
			Detection Limit:	1.2 ug/L
Pentachloronitrobenzene	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.5 ug/L

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 660-24424-5 Matrix: W Well Type: CO - Compliance
Monitoring Site: MWB17D Sample Date: August 1, 2008

Evaluation Type:		A positive result, above the applied criteria was detected.	
		Investigate - this MAY represent a potential violation	
Parameter Name	Rslt	Qual	Units
Iron	430		ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	
		Criterion: 300 ug/L	
		Exceeds by factor of: 1.43	

Evaluation Type:		The detection limit is greater than the applied action level or criteria.	
		Investigate - the detection limit is too high to support the standard.	
Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.18	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	
		Criterion: 0.02 ug/L	
		Detection Limit: 0.18 ug/L	
1,2-Dibromo-3-Chloropropane	2.5	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	
		Criterion: 0.2 ug/L	
		Detection Limit: 2.5 ug/L	
1,3-Dinitrobenzene	0.99	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	
		Criterion: 0.7 ug/L	
		Detection Limit: 0.99 ug/L	
2,2'-oxybis(2-chloropropane)	2.1	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	
		Criterion: 0.5 ug/L	
		Detection Limit: 2.1 ug/L	
2,4,5-Trichlorophenol	2.1	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	
		Criterion: 1 ug/L	
		Detection Limit: 2.1 ug/L	
2,4-Dichlorophenol	1.8	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	
		Criterion: 0.3 ug/L	
		Detection Limit: 1.8 ug/L	
2,4-Dinitrotoluene	0.91	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	
		Criterion: 0.05 ug/L	
		Detection Limit: 0.91 ug/L	
2,6-Dichlorophenol	1.6	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	
		Criterion: 0.2 ug/L	
		Detection Limit: 1.6 ug/L	
2,6-Dinitrotoluene	0.72	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	
		Criterion: 0.05 ug/L	
		Detection Limit: 0.72 ug/L	
2-Naphthylamine	1	U	ug/L
		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.0003 ug/L
			Detection Limit:	1 ug/L
2-Toluidine	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.2 ug/L
3,3'-Dichlorobenzidine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.08 ug/L
			Detection Limit:	1.6 ug/L
3,3'-Dimethylbenzidine	14 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	14 ug/L
Acetonitrile	75 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	42 ug/L
			Detection Limit:	75 ug/L
Acrolein	3.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	3.5 ug/L
			Detection Limit:	3.8 ug/L
Acrylonitrile	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.06 ug/L
			Detection Limit:	1.2 ug/L
Beryllium	5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	4 ug/L
			Detection Limit:	5 ug/L
Bis(2-chloroethyl)ether	2.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.03 ug/L
			Detection Limit:	2.6 ug/L
Diallate	1.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.6 ug/L
			Detection Limit:	1.4 ug/L
Dibenz(a,h)anthracene	0.05 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	0.05 ug/L
Ethylene Dibromide	0.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.02 ug/L
			Detection Limit:	0.5 ug/L
Hexachlorobenzene	1.7 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1 ug/L
			Detection Limit:	1.7 ug/L
Hexachlorobutadiene	1 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.4 ug/L
			Detection Limit:	1 ug/L
Kepone	0.083 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Versions			
Report:	3.0.0		
Database:	3.7.51	6/24/2005	12:00

Thursday, October 02, 2008

Page 15 of 28

H:\9A.tmp

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.004 ug/L
			Detection Limit:	0.083 ug/L
Methacrylonitrile	1.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.7 ug/L
			Detection Limit:	1.8 ug/L
N-Nitrosodiethylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0002 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodimethylamine	2.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0007 ug/L
			Detection Limit:	2.4 ug/L
N-Nitrosodi-n-butylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.006 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodi-n-propylamine	1.9 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	1.9 ug/L
N-Nitrosomethylethylamine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.002 ug/L
			Detection Limit:	1.6 ug/L
N-Nitrosopyrrolidine	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.02 ug/L
			Detection Limit:	1.2 ug/L
Pentachloronitrobenzene	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.5 ug/L

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 660-24424-6 Matrix: W Well Type: CO - Compliance
Monitoring Site: MWB19S Sample Date: August 1, 2008

Evaluation Type:		A positive result, above the applied criteria was detected.	
		Investigate - this MAY represent a potential violation	
Parameter Name	Rslt	Qual	Units
Iron	320		ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	
		Criterion: 300 ug/L	
		Exceeds by factor of: 1.07	

Evaluation Type:		The detection limit is greater than the applied action level or criteria.	
		Investigate - the detection limit is too high to support the standard.	
Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.18	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	
		Criterion: 0.02 ug/L	
		Detection Limit: 0.18 ug/L	
1,2-Dibromo-3-Chloropropane	2.5	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	
		Criterion: 0.2 ug/L	
		Detection Limit: 2.5 ug/L	
1,3-Dinitrobenzene	0.99	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	
		Criterion: 0.7 ug/L	
		Detection Limit: 0.99 ug/L	
2,2'-oxybis(2-chloropropane)	2.1	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	
		Criterion: 0.5 ug/L	
		Detection Limit: 2.1 ug/L	
2,4,5-Trichlorophenol	2.1	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	
		Criterion: 1 ug/L	
		Detection Limit: 2.1 ug/L	
2,4-Dichlorophenol	1.8	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	
		Criterion: 0.3 ug/L	
		Detection Limit: 1.8 ug/L	
2,4-Dinitrotoluene	0.91	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	
		Criterion: 0.05 ug/L	
		Detection Limit: 0.91 ug/L	
2,6-Dichlorophenol	1.6	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	
		Criterion: 0.2 ug/L	
		Detection Limit: 1.6 ug/L	
2,6-Dinitrotoluene	0.72	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	
		Criterion: 0.05 ug/L	
		Detection Limit: 0.72 ug/L	
2-Naphthylamine	1	U	ug/L
		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.0003 ug/L
			Detection Limit:	1 ug/L
2-Toluidine	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.2 ug/L
3,3'-Dichlorobenzidine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.08 ug/L
			Detection Limit:	1.6 ug/L
3,3'-Dimethylbenzidine	14 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	14 ug/L
Acetonitrile	75 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	42 ug/L
			Detection Limit:	75 ug/L
Acrolein	3.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	3.5 ug/L
			Detection Limit:	3.8 ug/L
Acrylonitrile	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.06 ug/L
			Detection Limit:	1.2 ug/L
Beryllium	5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	4 ug/L
			Detection Limit:	5 ug/L
Bis(2-chloroethyl)ether	2.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.03 ug/L
			Detection Limit:	2.6 ug/L
Diallate	1.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.6 ug/L
			Detection Limit:	1.4 ug/L
Dibenz(a,h)anthracene	0.05 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	0.05 ug/L
Ethylene Dibromide	0.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.02 ug/L
			Detection Limit:	0.5 ug/L
Hexachlorobenzene	1.7 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1 ug/L
			Detection Limit:	1.7 ug/L
Hexachlorobutadiene	1 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.4 ug/L
			Detection Limit:	1 ug/L
Kepone	0.083 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Versions			
Report:	3.0.0		
Database:	3.7.51	6/24/2005	12:00

Thursday, October 02, 2008

Page 18 of 28

H:\9A.tmp

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.004 ug/L
			Detection Limit:	0.083 ug/L
Methacrylonitrile	1.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.7 ug/L
			Detection Limit:	1.8 ug/L
N-Nitrosodiethylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0002 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodimethylamine	2.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0007 ug/L
			Detection Limit:	2.4 ug/L
N-Nitrosodi-n-butylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.006 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodi-n-propylamine	1.9 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	1.9 ug/L
N-Nitrosomethylethylamine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.002 ug/L
			Detection Limit:	1.6 ug/L
N-Nitrosopyrrolidine	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.02 ug/L
			Detection Limit:	1.2 ug/L
Pentachloronitrobenzene	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.5 ug/L

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 660-24424-7 Matrix: W Well Type: CO - Compliance
Monitoring Site: MWB19I Sample Date: August 1, 2008

Evaluation Type: A positive result, above the applied criteria was detected.			
Investigate - this MAY represent a potential violation			
Parameter Name	Rslt	Qual	Units
Iron	1400		ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 300 ug/L Exceeds by factor of: 4.67		
Iron	480		ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 300 ug/L Exceeds by factor of: 1.60		

Evaluation Type: The detection limit is greater than the applied action level or criteria.			
Investigate - the detection limit is too high to support the standard.			
Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.18	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.02 ug/L Detection Limit: 0.18 ug/L		
1,2-Dibromo-3-Chloropropane	2.5	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.2 ug/L Detection Limit: 2.5 ug/L		
1,3-Dinitrobenzene	0.99	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.7 ug/L Detection Limit: 0.99 ug/L		
2,2'-oxybis(2-chloropropane)	2.1	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.5 ug/L Detection Limit: 2.1 ug/L		
2,4,5-Trichlorophenol	2.1	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 1 ug/L Detection Limit: 2.1 ug/L		
2,4-Dichlorophenol	1.8	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.3 ug/L Detection Limit: 1.8 ug/L		
2,4-Dinitrotoluene	0.91	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.05 ug/L Detection Limit: 0.91 ug/L		
2,6-Dichlorophenol	1.6	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.2 ug/L Detection Limit: 1.6 ug/L		
2,6-Dinitrotoluene	0.72	U	ug/L
	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)		

Versions			
Report:	3.0.0		
Database:	3.7.51	6/24/2005	12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.05 ug/L
			Detection Limit:	0.72 ug/L
2-Naphthylamine	1 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0003 ug/L
			Detection Limit:	1 ug/L
2-Toluidine	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.2 ug/L
3,3'-Dichlorobenzidine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.08 ug/L
			Detection Limit:	1.6 ug/L
3,3'-Dimethylbenzidine	14 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	14 ug/L
Acetonitrile	75 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	42 ug/L
			Detection Limit:	75 ug/L
Acrolein	3.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	3.5 ug/L
			Detection Limit:	3.8 ug/L
Acrylonitrile	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.06 ug/L
			Detection Limit:	1.2 ug/L
Beryllium	5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	4 ug/L
			Detection Limit:	5 ug/L
Bis(2-chloroethyl)ether	2.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.03 ug/L
			Detection Limit:	2.6 ug/L
Diallate	1.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.6 ug/L
			Detection Limit:	1.4 ug/L
Dibenz(a,h)anthracene	0.05 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	0.05 ug/L
Ethylene Dibromide	0.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.02 ug/L
			Detection Limit:	0.5 ug/L
Hexachlorobenzene	1.7 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1 ug/L
			Detection Limit:	1.7 ug/L
Hexachlorobutadiene	1 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Versions			
Report:	3.0.0		
Database:	3.7.51	6/24/2005	12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.4 ug/L
			Detection Limit:	1 ug/L
Kepone	0.083 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	0.083 ug/L
Methacrylonitrile	1.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.7 ug/L
			Detection Limit:	1.8 ug/L
N-Nitrosodiethylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0002 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodimethylamine	2.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0007 ug/L
			Detection Limit:	2.4 ug/L
N-Nitrosodi-n-butylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.006 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodi-n-propylamine	1.9 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	1.9 ug/L
N-Nitrosomethylethylamine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.002 ug/L
			Detection Limit:	1.6 ug/L
N-Nitrosopyrrolidine	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.02 ug/L
			Detection Limit:	1.2 ug/L
Pentachloronitrobenzene	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.5 ug/L

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 660-24424-8

Matrix: W

Well Type: CO - Compliance

Monitoring Site: MWB19D

Sample Date: August 1, 2008

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units
----------------	------	------	-------

Aldrin	0.003	I	ug/L
--------	-------	---	------

Comment:

Arsenic	12		ug/L
---------	----	--	------

Comment:

Iron	12000		ug/L
------	-------	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 0.002 ug/L

Exceeds by factor of: 1.50

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 10 ug/L

Exceeds by factor of: 1.20

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 300 ug/L

Exceeds by factor of: 40.00

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
----------------	------	------	-------

1,2,3-Trichloropropane	0.18	U	ug/L
------------------------	------	---	------

Comment:

1,2-Dibromo-3-Chloropropane	2.5	U	ug/L
-----------------------------	-----	---	------

Comment:

1,3-Dinitrobenzene	0.99	U	ug/L
--------------------	------	---	------

Comment:

2,2'-oxybis(2-chloropropane)	2.1	U	ug/L
------------------------------	-----	---	------

Comment:

2,4,5-Trichlorophenol	2.1	U	ug/L
-----------------------	-----	---	------

Comment:

2,4-Dichlorophenol	1.8	U	ug/L
--------------------	-----	---	------

Comment:

2,4-Dinitrotoluene	0.91	U	ug/L
--------------------	------	---	------

Comment:

2,6-Dichlorophenol	1.6	U	ug/L
--------------------	-----	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 0.02 ug/L

Detection Limit: 0.18 ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 0.2 ug/L

Detection Limit: 2.5 ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 0.7 ug/L

Detection Limit: 0.99 ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 0.5 ug/L

Detection Limit: 2.1 ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 1 ug/L

Detection Limit: 2.1 ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 0.3 ug/L

Detection Limit: 1.8 ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 0.05 ug/L

Detection Limit: 0.91 ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Thursday, October 02, 2008

Page 23 of 28

H:\9A.tmp

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.2 ug/L
			Detection Limit:	1.6 ug/L
2,6-Dinitrotoluene	0.72 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.05 ug/L
			Detection Limit:	0.72 ug/L
2-Naphthylamine	1 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0003 ug/L
			Detection Limit:	1 ug/L
2-Toluidine	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.2 ug/L
3,3'-Dichlorobenzidine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.08 ug/L
			Detection Limit:	1.6 ug/L
3,3'-Dimethylbenzidine	14 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	14 ug/L
Acetonitrile	75 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	42 ug/L
			Detection Limit:	75 ug/L
Acrolein	3.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	3.5 ug/L
			Detection Limit:	3.8 ug/L
Acrylonitrile	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.06 ug/L
			Detection Limit:	1.2 ug/L
Beryllium	5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	4 ug/L
			Detection Limit:	5 ug/L
Bis(2-chloroethyl)ether	2.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.03 ug/L
			Detection Limit:	2.6 ug/L
Diallate	1.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.6 ug/L
			Detection Limit:	1.4 ug/L
Dibenz(a,h)anthracene	0.05 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	0.05 ug/L
Ethylene Dibromide	0.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.02 ug/L
			Detection Limit:	0.5 ug/L
Hexachlorobenzene	1.7 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Versions			
Report:	3.0.0		
Database:	3.7.51	6/24/2005	12:00

Thursday, October 02, 2008

Page 24 of 28

H:\9A.tmp

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	1 ug/L
			Detection Limit:	1.7 ug/L
Hexachlorobutadiene	1 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.4 ug/L
			Detection Limit:	1 ug/L
Kepone	0.083 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	0.083 ug/L
Methacrylonitrile	1.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.7 ug/L
			Detection Limit:	1.8 ug/L
N-Nitrosodiethylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0002 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodimethylamine	2.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0007 ug/L
			Detection Limit:	2.4 ug/L
N-Nitrosodi-n-butylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.006 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodi-n-propylamine	1.9 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	1.9 ug/L
N-Nitrosomethylethylamine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.002 ug/L
			Detection Limit:	1.6 ug/L
N-Nitrosopyrrolidine	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.02 ug/L
			Detection Limit:	1.2 ug/L
Pentachloronitrobenzene	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.5 ug/L

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 660-24424-9

Matrix: W

Well Type: BG - Background

Monitoring Site: MWB31D

Sample Date: August 1, 2008

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units
Bis(2-ethylhexyl) phthalate	22		ug/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 6 ug/L

Exceeds by factor of: 3.67

Iron	660		ug/L
------	-----	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 300 ug/L

Exceeds by factor of: 2.20

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.18 U		ug/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 0.02 ug/L

Detection Limit: 0.18 ug/L

1,2-Dibromo-3-Chloropropane	2.5 U		ug/L
-----------------------------	-------	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 0.2 ug/L

Detection Limit: 2.5 ug/L

1,3-Dinitrobenzene	0.99 U		ug/L
--------------------	--------	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 0.7 ug/L

Detection Limit: 0.99 ug/L

2,2'-oxybis(2-chloropropane)	2.1 U		ug/L
------------------------------	-------	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 0.5 ug/L

Detection Limit: 2.1 ug/L

2,4,5-Trichlorophenol	2.1 U		ug/L
-----------------------	-------	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 1 ug/L

Detection Limit: 2.1 ug/L

2,4-Dichlorophenol	1.8 U		ug/L
--------------------	-------	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 0.3 ug/L

Detection Limit: 1.8 ug/L

2,4-Dinitrotoluene	0.91 U		ug/L
--------------------	--------	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 0.05 ug/L

Detection Limit: 0.91 ug/L

2,6-Dichlorophenol	1.6 U		ug/L
--------------------	-------	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 0.2 ug/L

Detection Limit: 1.6 ug/L

2,6-Dinitrotoluene	0.72 U		ug/L
--------------------	--------	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Thursday, October 02, 2008

Page 26 of 28

H:\9A.tmp

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.05 ug/L
			Detection Limit:	0.72 ug/L
2-Naphthylamine	1 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0003 ug/L
			Detection Limit:	1 ug/L
2-Toluidine	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.2 ug/L
3,3'-Dichlorobenzidine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.08 ug/L
			Detection Limit:	1.6 ug/L
3,3'-Dimethylbenzidine	14 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	14 ug/L
Acetonitrile	75 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	42 ug/L
			Detection Limit:	75 ug/L
Acrolein	3.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	3.5 ug/L
			Detection Limit:	3.8 ug/L
Acrylonitrile	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.06 ug/L
			Detection Limit:	1.2 ug/L
Beryllium	5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	4 ug/L
			Detection Limit:	5 ug/L
Bis(2-chloroethyl)ether	2.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.03 ug/L
			Detection Limit:	2.6 ug/L
Diallate	1.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.6 ug/L
			Detection Limit:	1.4 ug/L
Dibenz(a,h)anthracene	0.05 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	0.05 ug/L
Ethylene Dibromide	0.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.02 ug/L
			Detection Limit:	0.5 ug/L
Hexachlorobenzene	1.7 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1 ug/L
			Detection Limit:	1.7 ug/L
Hexachlorobutadiene	1 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Versions			
Report:	3.0.0		
Database:	3.7.51	6/24/2005	12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.4 ug/L
			Detection Limit:	1 ug/L
Kepone	0.083 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	0.083 ug/L
Methacrylonitrile	1.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.7 ug/L
			Detection Limit:	1.8 ug/L
N-Nitrosodiethylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0002 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodimethylamine	2.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0007 ug/L
			Detection Limit:	2.4 ug/L
N-Nitrosodi-n-butylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.006 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodi-n-propylamine	1.9 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	1.9 ug/L
N-Nitrosomethylethylamine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.002 ug/L
			Detection Limit:	1.6 ug/L
N-Nitrosopyrrolidine	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.02 ug/L
			Detection Limit:	1.2 ug/L
Pentachloronitrobenzene	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.5 ug/L