

Modern Pollution Control, Inc.

3951 N.W. 76 AVENUE
HOLLYWOOD, FLORIDA 33024

MAILING ADDRESS
P. O. BOX 8817
PEMBROKE PINES, FL. 33024

TELEPHONE 432-8407

January 26, 1982
Report: #103-A
Modern Pollution Control, Inc.
Lab:

For: Modern Pollution Control, Inc.
3951 N.W. 76th Avenue
Hollywood, Florida, 33024

Sample Date: January 26, 1982 Collected by: Robert Maxon

Sample Designation: Monitoring Wells - 20 Acres (Sludge Site)

North West (#1)

REPORT OF ANALYSIS

Cadmium, as CD,	0.005	P.P.M.
Lead, as PB,	0.018	P.P.M.
Zinc, as Zn,	0.200	P.P.M.
Nickel, as NI,	0.035	P.P.M.
Copper as CU,	0.004	P.P.M.
Nitrate, as N,	2.5	P.P.M.
Ammonia, as N,	7.0	P.P.M.
Specific Conductance- Micro	1199	mhos/cn
C.O.D.,	115	P.P.M.
Fecal Coliform per 100 M.L,	None detected	


Analysis made in accord with Standard Methods.

Respectfully submitted,

RECEIVED

FEB 3 1982

Dept. of Environmental Reg.
West Palm Beach


Warren J. LaCroix
Supervisor

Modern Pollution Control, Inc.

3951 N.W. 76 AVENUE
HOLLYWOOD, FLORIDA 33024

MAILING ADDRESS
P. O. BOX 8817
PEMBROKE PINES, FL. 33024

TELEPHONE 432-8407

January 26, 1982
Report: # 103-B
Modern Pollution Control, Inc.
Lab:

For: Modern Pollution Control, Inc.
3951 N.W. 76th Avenue
Hollywood, Florida, 33024

Sample Date: January 26, 1982 Collected by: Robert Maxon


Sample Designation: Monitoring Wells - 20 Acres (Sludge Site)
South East (#2)

REPORT OF ANALYSIS

Cadmium, as CD,	0.0006	P.P.M.
Lead, as PB,	0.021	P.P.M.
Zinc, as Zn,	0.108	P.P.M.
Nickel as NI,	0.037	P.P.M.
Copper as CU,	0.008	P.P.M.
Nitrate, as N,	3.2	P.P.M.
Ammonia, as N,	6.4	P.P.M.
Specific Conductance- Micro	1420	mhos/cn
C.O.D.,	110	P.P.M.
Fecal Coliform per 100 M.L.	None detected	

Analysis made in accord with Standard Methods.

Respectfully submitted,


Warren J. LaCroix
Supervisor

RECEIVED
FEB 3 1982

Dept. of Environmental Reg.
West Palm Beach

Modern Pollution Control, Inc.

3951 N.W. 76 AVENUE
HOLLYWOOD, FLORIDA 33024

MAILING ADDRESS
P. O. BOX 8817
PEMBROKE PINES, FL. 33024

TELEPHONE 432-8407

October 10, 1981
Report #102-A
Modern Pollution Control Inc. Lab:

For: Modern Pollution Control, Inc.
3951 N. W. 76th Avenue
Hollywood, Florida, 33024

Sample Date: October 10, 1981

Collected by: Robert Maxon

Sample Designation: Monitoring Wells - 20 Acres (Sludge Site)


North West (#1)

REPORT OF ANALYSIS

Cadmium	0.007	mg/l
Lead	0.015	mg/l
Zinc	0.300	mg/l
Nickel	0.032	mg/l
Copper	0.006	mg/l
Nitrate, as N	2.5	mg/l
Ammonia, as N	4.9	mg/l
Specific Conductivity	1100	mhos
C.O.D.	115	mg/l
Fecal Coliform	None detected	
pH	7.1	
Soil pH	7.0	

Analysis made in accord with Standard Methods.

Respectfully submitted,


Warren J. LaCroix
Supervisor

RECEIVED

OCT 16 1981 ✓

Dept. of Environmental Reg.
West Palm Beach

Modern Pollution Control, Inc.

3951 N.W. 76 AVENUE
HOLLYWOOD, FLORIDA 33024

MAILING ADDRESS
P. O. BOX 8817
PEMBROKE PINES, FL. 33024

TELEPHONE 432-8407

October 10, 1981
Report #102-B
Modern Pollution Control, Inc. Lab:

For: Modern Pollution Control, Inc.
3951 N.W. 76th Avenue
Hollywood, Florida, 33024

Sample Date October 10, 1981 Collected by: Robert Maxon

Sample Designation: Monitoring Wells - 20 Acres (Sludge Site)

South East (#2)

REPORT OF ANALYSIS


Cadmium	0.009	mg/l
Lead	0.02	mg/l
Zinc	0.129	mg/l
Nickel	0.034	mg/l
Copper	0.005	mg/l
Nitrate as N	2.8	mg/l
Ammonia, as N	4.7	mg/l
Specific Conductivity	1204	umhos
C.O.D.	110	mg/l
Fecal Coliform	None detected	
pH	7.0	
Soil, pH	7.2	

Analysis made in accord with Standard Methods.

Respectfully submitted,

RECEIVED

OCT 16 1981


Warren J. LaCroix
Supervisor

Dept. of Environmental Reg.
West Palm Beach

Modern Pollution Control, Inc.

3951 N.W. 76 AVENUE
HOLLYWOOD, FLORIDA 33024

MAILING ADDRESS
P. O. BOX 8817
PEMBROKE PINES, FL. 33024
TELEPHONE 432-8407

July 28, 1981
Report #101-A
Modern Pollution Control Inc. Lab:

For: Modern Pollution Control, Inc.
3951 N.W. 76th Avenue
Hollywood, Florida, 33024

Sample Date: July 15, 1981

Collected by: Robert Maxon


Sample Designation: Monitoring Wells - 20 Acres (Sludge Site)
North West (#1)

REPORT OF ANALYSIS

Cadmium	0.007	mg/l
Lead	0.018	mg/l
Zinc	0.288	mg/l
Nickel	0.034	mg/l
Copper	0.004	mg/l
Nitrate, as N	2.8	mg/l
Ammonia, as N	5.5	mg/l
Specific Conductivity	1200	mhos
C.O.D.	122	mg/l
Fecal Coliform	None detected	
pH	7.0	mg/l

Analysis made in accord with Standard Methods.

Respectfully submitted,


Warren J. LaCroix
Supervisor

RECEIVED
AUG 4 1981

Dept. of Environmental Resources
West Palm Beach

Modern Pollution Control, Inc.

3951 N.W. 76 AVENUE
HOLLYWOOD, FLORIDA 33024

MAILING ADDRESS
P. O. BOX 8817
PEMBROKE PINES, FL. 33024

TELEPHONE 432-8407

July 28, 1981
Report # 101-B
Modern Pollution Control, Inc. Lab

For: Modern Pollution Control, Inc.
3951 N.W. 76th Avenue
Hollywood, Florida, 33024

Sample Date: July 15, 1981 Collected by: Robert Maxon


Sample Designation: Monitoring Wells - 20 Acres (Sludge Site)
South East (#2)

REPORT OF ANALYSIS

Cadmium	0.008	mg/l
Lead	0.022	mg/l
Zinc	0.025	mg/l
Nickel	0.034	mg/l
Copper	0.007	mg/l
Nitrate as N	3.0	mg/l
Ammonia, as N	5.0	mg/l
Specific Conductivity	1532	mhos
C.O.D.	114	mg/l
Fecal Coliform	None detected	
pH	7.1	mg/l

Analysis made in accord with Standard Methods.

Respectfully submitted,


Warren J. Lacroix
Supervisor

RECEIVED

AUG 4 1981

Dept. of Environmental Reg.
West Palm Beach

Modern Pollution Control, Inc.

3951 N.W. 76 AVENUE
HOLLYWOOD, FLORIDA 33024

MAILING ADDRESS
P. O. BOX 8817
PEMBROKE PINES, FL. 33024
TELEPHONE 432-8407

April 10, 1981
Report # 100-B
Modern Pollution Control, Inc. Lab:

For: Modern Pollution Control, Inc.
3951 N. W. 76th Avenue
Hollywood, Florida, 33024

Sample Date: 4/6/81 Collected by: Robert Maxon


Sample Designation: Monitoring Wells - 20 Acres (Sludge Site)
South East (#2)

REPORT OF ANALYSIS

Cadmium	<0.005	mg/l
Lead	<0.02	mg/l
Zinc	0.22	mg/l
Nickel	<0.01	mg/l
Copper	0.04	mg/l
Nitrate as N	<0.02	mg/l
Ammonia, as N	0.94	mg/l
Specific Conductivity	740	umhos
C.O.D.	<u>120</u>	mg/l
Fecal Coliform	<1/100	mls
pH	7.2	
Soil pH	7.0	

Analysis made in accord with Standard Methods.

Respectfully submitted,


Warren J. LaCroix
Supervisor

RECEIVED
APR 13 1981

Dept. of Environmental Reg.
West Palm Beach

50-06-32014 - 20 acres

Modern Pollution Control, Inc.

3951 N.W. 76 AVENUE
HOLLYWOOD, FLORIDA 33024

MAILING ADDRESS
P. O. BOX 8817
PEMBROKE PINES, FL. 33024

TELEPHONE 432-8407

April 10, 1981
Report # 100-A
Modern Pollution Control, Inc. Lab:

For: Modern Pollution Control, Inc.
3951 N.W. 76th Avenue
Hollywood, Florida, 33024

Sample Date: 4/6/81 Collected by: Robert Maxon


Sample Designation: Monitoring Wells - 20 Acres (Sludge Site)
North West (#1)

REPORT OF ANALYSIS

Cadmium	<0.005	mg/l
Lead	<0.022	mg/l
Zinc	0.25	mg/l
Nickel	0.02	mg/l
Copper	0.02	mg/l
Nitrate, as N	0.03	mg/l
Ammonia, as N	1.05	mg/l
Specific Conductivity	925	umhos
C.O.D.	340	mg/l
Fecal Coliform	<1/100	mls
pH	7.1	
Soil pH	7.0	

Analysis made in accord with Standard Methods.

Respectfully submitted,


Warren J. LaCroix
Supervisor

RECEIVED
APR 13 1981

Dept. of Environmental Reg
West Palm Beach

WINGERTER LABORATORIES, INC

Engineer's Laboratory and Inspection Service

1820 N. E. 144th Street

Drawer L, North Miami, Florida 33161

0-7107 2-19-81 mf

No. 1

REPORT OF: WATER ANALYSIS

ORDER NO 15825.1(284)

CLIENT: Modern Pollution Control
 PROJECT: Test Well Water Analysis
 SAMPLE: Water in glass
 SAMPLED BY: Your representative and received on February 6, 1981
 REPORTED TO: Modern Pollution Control
 3950 N.W. 76th Ave.
 Hollywood, FL 33024 Att. Mr. Bob Maxon

RESULTS OF ANALYSIS

Laboratory Number:	C-21659	C-21660
Sample Number:	1	2
Source of Sample:	Northwest Well	Southeast Well
Cadmium as Cd, PPM:	0.009	0.009
Lead as Pb, PPM:	0.020	0.021
Zinc as Zn, PPM:	0.286	0.106
Nickel as Ni, PPM:	0.036	0.038
Copper as Cu, PPM:	0.006	0.009
Nitrate as N, PPM:	3.0	5.5
Ammonia as N, PPM:	7.6	6.1
Specific Conductance-Micro MHO's/cn:	1304	1532
C.O.D., PPM:	126	113
Fecal Coliform per 100 ml:	None Detected	None Detected
pH	7.2	7.2
Soil pH	6.9	6.9

REMARKS: The above analysis were made in accordance with the Standard Methods of the American Public Health Association.

Respectfully submitted,
WINGERTER LABORATORIES, INC.,

Porter L. Howard
Chief Chemist

RECEIVED

MAR 4 1981

Dept. of Environmental Reg
West Palm Beach

AS A MUTUAL PROTECTION TO CLIENTS, THE PUBLIC AND OURSELVES, ALL REPORTS ARE SUBMITTED AS THE CONFIDENTIAL PROPERTY OF CLIENTS, AND AUTHORIZATION FOR PUBLICATION OF STATEMENTS, CONCLUSIONS OR EXTRACTS FROM OR REGARDING OUR REPORTS IS RESERVED PENDING OUR WRITER APPROVAL.

Form 625-678

50-06-32014

Envirofact, Inc.

Environmental Consulting and Analysis

MIAMI
P.O. Box 650146
Miami, Fla. 33165
815 W. 18th Street
Hialeah, Fla. 33010
Tel. (305) 885-1869

MELBOURNE
P.O. Box 271
Melbourne Beach, Fla. 32951
Tel. (305) 723-6843

SEBRING
P.O. Box 2011
Airport Industrial Park
Building 20
Sebring, Fla. 33870
Tel. (813) 655-1255

Client: Modern Pollution Control
3951 N.W. 76 Ave.
Hollywood, Fla. 33024

Nov. 25, 1980

Report # 2642
Lab I.D. # 86119

Sample Received: 11/7/80
Sample Designation: Monitoring Wells - South East


Collected by: Your rep

REPORT OF ANALYSIS

Cadmium	<0.005	mg/l
Lead	<0.02	mg/l
Zinc	0.20	mg/l
Nickel	<0.01	mg/l
Copper	0.03	mg/l
Nitrate, as N	<0.02	mg/l
Ammonia, as N	0.64	mg/l
Specific Conductivity	750	µmhos
C.O.D.	100	mg/l
Fecal Coliform	<1/100	mls
pH	7.2	
Soil pH	6.9	

Analysis was made in accordance with Standard Methods.

Respectfully submitted,


Radford S. Murphy
Laboratory Supervisor

Envirofact, Inc.

Environmental Consulting and Analysis

MIAMI
P.O. Box 650146
Miami, Fla. 33165
815 W. 18th Street
Hialeah, Fla. 33010
Tel. (305) 885-1869

MELBOURNE
P.O. Box 271
Melbourne Beach, Fla. 32951
Tel. (305) 723-6843

SEBRING
P.O. Box 2011
Airport Industrial Park
Building 20
Sebring, Fla. 33870
Tel. (813) 655-1255

Client: Modern Pollution Control
3951 N.W. 76 Ave.
Hollywood, Fla. 33024

Nov. 25, 1980

Report # 2642-A
Lab I.D. # 86119

Sample Received: 11/7/80
Sample Designation: Monitoring Wells - North West


Collected by: Your re

REPORT OF ANALYSIS

Cadmium	<0.005	mg/l
Lead	<0.02	mg/l
Zinc	0.30	mg/l
Nickel	<0.01	mg/l
Copper	<0.01	mg/l
Nitrate, as N	<0.02	mg/l
Ammonia, as N	1.35	mg/l
Specific Conductivity	900	µmhos
C.O.D.	370	mg/l
Fecal Coliform	<1/100	mls
pH	7.2	
Soil pH	6.9	

Analysis was made in accordance with Standard Methods.

Respectfully submitted,


Radford S. Murphy
Laboratory Supervisor