

Smith, George

From: Joshua R. McMinds <Joshua.McMinds@citrusbocc.com>
Sent: Tuesday, October 5, 2021 1:22 PM
To: SWD_Waste; Black, Alexis; Morgan, Steve
Cc: Henry C. Norris; Dan S. Sherlock; Joshua L. Younce
Subject: 3rd Quarter tire Report 2021
Attachments: 2021 Fire Inspection.pdf; Quartarly waste tire report Q3.pdf

EXTERNAL MESSAGE

This email originated outside of DEP. Please use caution when opening attachments, clicking links, or responding to this email.

Dear Mr. Morgan:

Attached please find the 3rd Quarter Waste Tire Report for 2021 (FDEP Form #62-701.900(21)) and the Fire Prevention Inspection Report for the Citrus County Central Landfill.

If you should have any questions regarding this matter, please do not hesitate to contact me.

Joshua McMinds
Program Supervisor
Citrus County Solid Waste
Desk Phone- 352-527-5576
Cell Phone- 352-400-0674

Citrus County Fire Rescue

FIRE PREVENTION INSPECTION REPORT

3600 W. Sovereign Path, Suite 141 • Lecanto, FL 34461 • 352-527-5527 • Fax 352-527-5404

Business Name: Citrus County Leaf Fuel Tire Storage Business Phone: 352-527-5576
Physical Address: 230 W. Gulf to Lake Business Hours: _____
Mailing Address: _____ City Limits: Y N Responsible Party: _____
City: Lecanto Zip Code: _____ Contact Info: _____
Plaza Yes No: _____ AED KNOX LWRT DRILLS CEMP
Unit # / Suite: _____ Type of Construction: I
Owner/Manager: Joshua Younce Station: 23 1st shookale Occupancy Class: Storage
Owner/Mgr. Phone #: 352-634-2050 Occupant Load: _____
Email: _____ Square Footage: _____

Initial Annual Re-inspection Request Complaint Other _____

CODE DEFICIENCIES:

STORAGE

- Improper storage of combustible material
- Storage too close to ceiling
- Storage too close to electrical panel
- Unsafe storage

EXIT DEFICIENCIES

- Exits inadequate number or capacity
- Aisles/corridors too narrow
- Exit door does not swing in direction of travel
- Door not equipped with approved exit hardware
- Exit doors inoperative or locked
- Exit blocked / obstructed
- Emergency lights not provided or working
- Exit sign (s) not illuminated
- Exit sign (s) battery not operable

EXTINGUISHERS

- Extinguishers not provided Rec. o. /
 - Not proper type Sept. 2020
 - Not inspected / tagged ok
 - Not visible / accessible
 - Inadequate number
 - Not charged / operable
 - Not properly installed
- Date last inspected: Sept. 2020
Company: Armer
Type: ABC/A Number: multiple

ELECTRIC EQUIPMENT

- Overloaded circuits
- Electrical panel obstructed
- Electrical panel / boxes open
- Coverplate missing
- Temporary wiring / extension cords
- GFCI not functioning
- HVAC equipment not maintained

FIRE ALARM

- Fire alarm not provided
 - Log book not provided
 - Fire alarm does not meet code
 - Fire alarm not inspected / maintained
 - Smoke detector not provided
 - Smoke detector inoperative
- Date last inspected: _____
Company: _____

SPRINKLERS/STANDPIPE

- System not inspected / maintained
 - Valves closed
 - Loaded sprinkler heads
 - Heads obstructed or too close to stock
 - FDC deficiency
 - Missing spare heads / wrench
- Date last inspected: Qtr. _____ Annual _____
Company: _____
System Type: _____

KITCHEN SUPPRESSION SYSTEM

- Filters missing or improperly installed
 - Extinguishment system not in accordance w/NFPA 96
 - Accumulation of grease in ducting
- Date last inspected: _____
Company: _____

COOKING EQUIPMENT

- Accumulation of grease on/in cooking equipment
 - Cooking equipment maintenance
- Date last inspected: _____
Company: _____

HOOD SYSTEM


- Hood & duct system not in accordance with NFPA 96
- Date last cleaned: _____
Company: _____

Deficiencies noted below may cause a fire, contribute to the spread of fire, or cause undue injury in the event of a fire. Deficiencies must be corrected FORTHWITH.
For additional information or assistance, please call: 352-527-5527. BUILDING PERMITS ARE REQUIRED FOR ALL RENOVATION / REPAIRS.

REQUIREMENTS / COMMENTS:

No deficiencies noted
Inspection passed

Inspection Date / Time: 5/7/2021 Compliance Date: _____
Inspector: 144555 Gillum Occupant Signature: _____
Page 1 of 1 WHITE - office YELLOW -customer Rev. 8/18



Board of County Commissioners
DEPARTMENT OF PUBLIC WORKS
SOLID WASTE MANAGEMENT DIVISION

P.O. Box 340, Lecanto, Florida 34460

Telephone: (352) 527-7670 FAX: (352) 527-7672

email: landfillinfo@bocc.citrus.fl.us

TDD Telephone: (352) 527-5303

Citrus Springs/Dunnellon/Inglis/Yankeetown area Toll Free (352) 489-2120

October 5, 2021

Mr. Steve Morgan
Department of Environmental Protection
13051 N Telecom Parkway
Temple Terrace, Florida 33637-0926

Re: Quarterly Waste Tire Report –3rd Quarter 2021

Dear Steve,

Pursuant to Rule 62-711.530, Florida Administrative Code, enclosed is the Quarterly Waste Tire Report for the months of July, August, and September 2021 and the Fire Prevention Inspection Report for the Citrus County Central Waste Tire Facility.

If you have any questions, please let me know.

Sincerely,

Henry C. Norris Jr.,
Director of Solid Waste Management

cc: File



Florida Department of Environmental Protection

Bob Martinez Center
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

DEP Form # 62-701.900(21)
Form Title: Waste Tire Processing Facility Quarterly Report
Effective Date: January 6, 2010
DEP Application No. _____
(Completed by DEP)

WASTE TIRE PROCESSING FACILITY QUARTERLY REPORT

Pursuant to Rule 62-711.530, Florida Administrative Code, the owner or operator of a waste tire processing facility shall submit the following information to the Department quarterly.

Quarter covered by this report Third Quarter 2021 (First quarter begins on January 1 of any given year)

1. Facility name: Citrus County Central Landfill
2. Facility mailing address: P.O. Box 340
City: Lecanto County: Citrus Zip: 34460
3. Facility permit number: 126602-005-WT-02
4. Facility telephone number (352) 527-7670
5. Authorized person preparing report: Joshua R. McMinds
6. Affiliation with facility: Program Supervisor
7. Telephone number (if different from above): ()
8. Activity: Report in tons

	Beginning Inventory	Received	Processed	Consumed	Removed	Adjustments	Ending Inventory
Used Tires	30	188	0	0	184	0	34
Other Whole Tires	0	0	0	0	0	0	0
Processed Tires	0	0	0	0	0	0	0
Processing Waste	0	0	0	0	0	0	0
Other	0	0	0	0	0	0	0
Total	30	188	0	0	184	0	34

a. Explain all inventory adjustments.

N/A

b. List any period in which one or more category of inventory exceeded the permitted maximum for that category. How was that condition relieved?

N/A

For any excess inventory at the end of the quarter, state how and when this condition will be relieved. Attach Additional sheets, if necessary.

N/A

9. Certification: To the best of my knowledge and belief, I certify the information provided in this report is true, accurate, and complete.

Henry C. Norris Jr. SWM Director

Print Name of Authorized Agent

Signature of Authorized Agent

10/05/2021

Date

Mail completed form to the appropriate District office listed below

Northwest District
160 Government Center
Pensacola, FL 32501-5794
850-595-8360

Northeast District
7825 Baymeadows Way, Ste. 200 B
Jacksonville, FL 32256-7590
904-807-3300

Central District
3319 Maguire Blvd., Ste. 232
Orlando, FL 32803-3767
407-894-7555

Southwest District
13051 N. Telecom Pky.
Temple Terrace, FL
813-632-7600

South District
2295 Victoria Ave., Ste. 364
Fort Myers, FL 33902-2549
239-332-6975

Southeast District
400 North Congress Ave.
West Palm Beach, FL 33401
561-681-6600