

---

---

# SEMI-ANNUAL MONITORING REPORT

## SECOND HALF 2022

**FRIENDS RECYCLING  
(FKA Big D Roofing, Inc.)  
2350 NW 27<sup>th</sup> Avenue  
Ocala, Marion County, Florida**

---


---

### PREPARED FOR:

Florida Department of Environmental Protection  
Central District  
3319 Maguire Blvd., Suite 232  
Orlando, Florida 32803-3767

### PREPARED BY:

Robert M. Couch III, P.E.  
ENVIRO-TECH, INC.  
15290 SE Hwy 42, PO Box 152  
Weirsdale, Florida 32195  
(352) 694-1799  
Registration No. 55311  
Certificate of Authorization No. 8692



July 29, 2022



July 29, 2022

Friends Recycling  
2350 NW 27<sup>th</sup> Avenue  
Ocala, FL 34475

Attention: Mr. Nick Giunarelli

RE: Semi-Annual Sampling Activities for the Second Half of 2022  
Friends Recycling C&D Landfill  
Marion County, Florida

Dear Mr. Giunarelli:

Per your request, Enviro-Technologies, Inc. (ETI) has completed the semi-annual groundwater monitoring report for the First Half of 2022 groundwater sampling activities on Monitoring Wells: MW-1, MW-5, MW-6, MW-7, MW-8, and MW-9. Information about the individual wells is provided in the Appendix of this report.

The following is a summary of the semi-annual sampling activities performed on the above listed wells as required by the Florida Department of Environmental Protection (FDEP) for the Friends Recycling C&D Landfill. A PDF copy of this report has been e-mailed to Clark B. Moore at the FDEP, per Laxsamee Levin's request. Please e-mail him with your cover sheet containing the appropriate verbiage regarding report approval periods as stipulated in the operating permit for this facility.

#### **PROJECT LOCATION**

The subject property is located at 2350 NW 27<sup>th</sup> Avenue in Ocala, Marion County, Florida, as shown on the Site Location Map in the Appendix.

## GROUNDWATER QUALITY ASSESSMENT

On July 6, 2022, (date of the sample collection), ground water samples were collected from MW-1, MW-5, MW-6, MW-7, MW-8, and MW-9, shown in the Topographic Survey provided by Robert L. Rogers Engineering Co., Inc. All collected groundwater samples were delivered to Environmental Conservation Laboratories, Inc. (ENCO) for analyses.

The collected samples were analyzed for the initial sample parameter items listed in the ENCO groundwater sampling reports. Groundwater sampling activities were performed in accordance with procedures and methods required by FDEP standard operating procedures. All laboratory analytical activities were performed in accordance with FDEP standards. A copy of the sampling data sheet is included in the Appendix.

## GROUNDWATER ANALYTICAL RESULTS

Copies of the laboratory analytical results and chain-of-custody forms and a sample detection summary of the analytical results of each monitoring well for the July 6, 2022 sampling event are provided in the Appendix along with a summary of the Groundwater Elevation data. A summary of the identified peaks equal to greater than the Groundwater Cleanup Target Levels for respective analytical methods are provided in the following tables:

### MW-1

Analyte	Results	Groundwater Criteria	Units	Method
Iron - Total	6290	300	ug/L	EPA 6020B
Total Dissolved Solids	840	500	mg/L	SM 2540C-2011

### MW-5

Analyte	Results	Groundwater Criteria	Units	Method
Ammonia as N	5.6	2.8	mg/L	EPA 350.1
Iron - Total	7520	300	ug/L	EPA 6020B
Total Dissolved Solids	700	500	mg/L	SM 2540C-2011

**MW-6**

<b>Analyte</b>	<b>Results</b>	<b>Groundwater Criteria</b>	<b>Units</b>	<b>Method</b>
Ammonia as N	20	2.8	mg/L	EPA 350.1
Arsenic - Total	38.7	10	ug/L	EPA 6020B
Iron - Total	30600	300	ug/L	EPA 6020B
Sulfate	530	250	mg/L	EPA 300.0
Total Dissolved Solids	1700	500	mg/L	SM 2540C-2011

**MW-7**

<b>Analyte</b>	<b>Results</b>	<b>Groundwater Criteria</b>	<b>Units</b>	<b>Method</b>
Arsenic - Total	16.6	10	ug/L	EPA 6020B
Iron - Total	46500	300	ug/L	EPA 6020B
Total Dissolved Solids	880	500	mg/L	SM 2540C-2011

**MW-8**

<b>Analyte</b>	<b>Results</b>	<b>Groundwater Criteria</b>	<b>Units</b>	<b>Method</b>
Ammonia as N	24	2.8	ug/L	EPA 350.1
Iron - Total	26100	300	ug/L	EPA 6020B
Total Dissolved Solids	880	500	mg/L	SM 2540C-2011

**MW-9**

<b>Analyte</b>	<b>Results</b>	<b>Groundwater Criteria</b>	<b>Units</b>	<b>Method</b>
Total Dissolved Solids	620	500	mg/L	SM 2540C-2011

## CONCLUSION

The laboratory analytical results for MW-1, MW-5, MW-6, MW-7, MW-8, and MW-9 indicate that concentrations of all items analyzed during the sampling event, apart from the items above, are well below the Groundwater Cleanup Target Levels (GCTL's). In addition, the measured items in the Groundwater Sampling Logs indicate that the samples should be representative of the surrounding aquifer.

High levels of iron were noted in monitoring wells MW-1, MW-5, MW-6, MW-7, and MW-8. The iron concentration levels in all wells except MW-1 were lower than the previous sampling event. The various levels are likely the result of changes in rainfall in recent months. Although these items may be the result of steel disposal, significant portions of Marion County are known for having iron in the water.

Total Dissolved Solids in all monitoring wells except for MW-5 were higher than the previous concentrations for this sampling event. Any higher concentrations are expected to be the result of changes in rainfall amounts.

Ammonia as N was noted slightly above GCTL's in MW-5, MW-6, and MW-8. This change in concentration is expected to be the result of changes in rainfall amounts.

Sulfate levels were noted above GCTL's in MW-6. The sulfate concentration level in MW-6 was higher than the previous sampling event. This change in concentration is expected to be the result of changes in rainfall amounts.

The items that were observed to be above the GCTL's were common to groundwater in the Marion County area, and their concentrations are expected to vary based on rainfall conditions in the area. Variations between monitoring wells can be attributed to the varying soil compositions common in Marion County.

It should be noted that, according to the groundwater sampling logs, the samples were taken in accordance DEP-SOP-001/01 FS 2200.

## RECOMMENDATION

It is the recommendation of ETI that sampling continue as listed in Monitoring Plan Implementation Schedule (6/25/2013 corrected 12/30/2013) for Facility 21012.


Thank you for the opportunity to provide consulting services to the Friends Recycling C&D Landfill. If you have any questions or comments about this report, please feel free to contact me at (352) 694-1799.

Sincerely,




Robert M. Couch III, P.E.  
President  
ENVIRO-TECH, Inc.

# **APPENDIX**



**DELORME**

© 2002 DeLorme, 3-D TopoQuads ©. Data copyright of content owner.  
www.delorme.com





**TABLE 1**  
**SUMMARY OF GROUNDWATER ELEVATION DATA**  
WACS Facility, 21012 Friends Recycling Facility

July 6, 2022

GROUNDWATER									
Well No.	WACS No.	Latitude	Longitude	Ground Surface Elevation	Top of Casing (TOC) Elevation	Total Well Depth	Depth to Water (7/06/2022)	Water Table Elevation (7/06/2022)	
MW-1	18811	29d 12' 44.009" N	82d 10' 12.150" W	72.57	74.66	43.45	32.36	42.30	
MW-5	22912	29d 12' 35.218" N	82d 10' 22.219" W	85.77	88.01	67.45	45.63	42.38	
MW-6	22913	29d 12' 39.697" N	82d 10' 28.570" W	77.85	78.05	53.10	35.57	42.48	
MW-7	22914	29d 12' 35.488" N	82d 10' 15.161" W	85.97	88.67	53.80	46.27	42.40	
MW-8	22915	29d 12' 41.519" N	82d 10' 25.153" W	67.76	71.17	34.24	28.94	42.23	
MW-9	22916	29d 12' 44.853" N	82d 10' 17.931" W	65.51	68.64	32.80	26.56	42.08	

MW-3 Monitoring Well Number 3 (Sampling Location)  
Elevations based on NAVD-88

ATTACHMENT E

# Florida Department of Environmental Protection

3319 Maguire Boulevard, Suite 232, Orlando, Florida 32803-3767

## GROUND WATER MONITORING REPORT

Rule 62-522.600(11)

### PART I GENERAL INFORMATION

(1) Facility Name Friends Recycling LLC-C&D Disposal and Recycling

Address 2350 NW 27th Avenue

City Ocala FL Zip 34471 County Marion

Telephone Number (352) 622-5800 E-mail address UNKNOWN

(2) WACS\_Facility 21012

(3) DEP Permit Number SO42-0019600-007

(4) Authorized Representative's Name ENVIRO-TECH, Inc. Robert M. Couch III, P.E. Title President

Address PO Box 152

City Weirsdale Zip 32195 County Marion

Telephone Number (352) 694-1799 E-mail address envirotech@ymail.com

(5) Type of Discharge Groundwater

(6) Method of Discharge C&D Landfill

### CERTIFICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submission of false information including the possibility of fine and imprisonment.

7/28/2022  
Date

Robert M. Couch III  
Owner or Authorized Representative's Signature

### PART II QUALITY ASSURANCE REQUIREMENTS

Sampling Organization Comp QAP # Ideal Tech Services, Inc.

Analytical Lab NELAC #/ HRS Certification E83282

Lab Name Environmental Conservation Laboratories (ENCO) Orlando

Address 10775 Central Port Drive Orlando Florida 32824

Phone Number (407) 826-5314

E-mail Address \_\_\_\_\_



# CALIBRATION LOG

ITS Work Order Number: FRL-33-070622

CLIENT: Friends Recycling  
 ADDRESS: 2350 NW 27th Ave.  
 CITY, STATE: Ocala, Florida 34475  
 INITIAL CAL DATE @ TIME: 7/6/22 @ 0720

Site: Friends Recycling  
 CCV CALIBRATION DATE @ TIME: 7/6/22 @ 1300

YSI Multi Parameter Meter: YSI-PRO+ ITS #4						YSI Temperature Sensor Check Per DEP-SOP-001/01 FT 1400				
pH Sensor Per DEP-SOP-001/01 FT 1100						STANDARD °C ERTCO Thermometer ± .5 °C	YSI METER TEMP READING °C		METER NUMBER	DATE PERFORMED (Quarterly)
STANDARD Standard Units	METER READING			LOT NUMBER	EXP DATE		LOW	HIGH		
4.005	3.99	3.99	4.00			CC728483	Jun-23	LOW 5.70	5.69	
7.000	6.99	6.99	7.01	CC736319	Sep-23	HIGH 30.00		30.04	ITS YSI #2	03/31/22
10.012	9.98	9.99	9.98	CC732768	Aug-23	LOW 5.70	5.70		ITS YSI #4	03/31/22
Liquid Temp °C	26.6	26.6	28.0	Standards prepared by Oakton		HIGH 30.00		30.00	ITS YSI #4	03/31/22
Dissolved Oxygen Sensor Per DEP-SOP-001/01 FT 1500						Thermometer is N.I.S.T. certified and manufactured by ERTCO, S/N 2206. YSI is checked against ERTCO				
Initial Calibration and CCV Daily for D.O. Date:						Fluke Infrared Thermometer S.N. 1370781		Certified By Aqua Pure Once Per Year 3/15/21		± 0.00
STANDARD (mg/L)	METER READING		LOT NUMBER	EXPIRATION DATE	HF SCIENTIFIC MICRO TPW TURBIDITY METER - MODEL # 20000 SN 2021010003 Per DEP-SOP-001/01 FT 1600 ITS-3-NTU					
	INITIAL	CCV (± 0.3 mg/L)			STANDARD (ntu)		METER READING		CCV Acceptance % of standard value	
Barometer mm/Hg	759.7	757.0	No CCV Limit		1,000	1000	1000	± 5.0%		
0.00	.06	.05	1GG1012	Jul-22	100	N/A	N/A	± 6.5%		
Ambient Air Temperature					10	10	10	± 10%		
26.7 °C	8.00				0.02	.02	.02	± 10%		
28.0 °C		7.83			Nephelometric Turbidity Unit (NTU) Standards are prepared by Pro Cal Set# 39845, Lot# 210249 EXP: Jan / 2023, 10.00 EXP: Feb / 2023, .02 and 1000.					
Zero D.O. standard is Sodium Sulfite, Cobalt Chloride Hexahydrate, Water prepared by USA Blue Book. Limit is ± 0.3 mg/L of theoretical value (see Table FT 1500-1)										
Start: <b>ORP Sensor Per DEP-SOP-001/01 FT 2100</b> End:						<b>HACH POCKET COLORIMETER II S/N 06070D052733</b>				
STANDARD (mV)	METER READING		LOT NUMBER	EXPIRATION DATE	STANDARD ID	BLANK	1	2	3	
	INITIAL	CCV			MFGR VALUE mg/L	0.00	.21	0.90	1.61	
200	NM	NM	2GB018	Nov-22	VERIFIED VALUE mg/L	0.00	.19	.93	1.59	
400	NM	NM	1GJ783	Oct-22	CCV METER mg/L (± 10%)	NM	NM	NM	NM	
Standard is ORP solution, prepared by USA Blue Book. Cal Limit is ± 5% @ 25° C										
<b>Conductivity Sensor Per DEP-SOP-001/01 FT 1200</b>						Standard is HACH DPD Chlorine LR secondary GEL Standard. Lot A5318 Verified 03/02/20				
STANDARD µmhos/cm	METER READING		LOT NUMBER	EXPIRATION DATE	Remarks:					
	INITIAL	CCV (± 5%)								
8,974	NM	NM	1GB549	Feb-22	<b>Weather Conditions:</b> clear sunny 90° - 95° F					
2,764	2,764	2,769	1GF890	Jun-22						
84	87	90	1GI162	Sep-22						
Standards prepared by USA Blue Book. All standards are potassium chloride solutions.										
						<b>Equipment Blank Collected @ none collected</b>				

Notes: NA - Not Applicable, NM - Not Measured, ICV - Initial Calibration Verification, CCV - Continuing Calibration Verification Revision 9.34 05/31/22 DI water updated

All equipment used to obtain data at this site is owned, operated, and maintained by Ideal Tech Services Inc., unless otherwise noted. All equipment was purchased new from the manufacturers or authorized distributors. Preventative maintenance will be performed at the intervals specified by the manufacturer of each piece of equipment, or when equipment calibration results are out of tolerance. Equipment maintenance logs will be maintained by Ideal Tech Services Inc.

COPY TO: \_\_\_\_\_

SIGNED: \_\_\_\_\_

Chris Monaco or Karen LeBeau

## IDEAL TECH SERVICES, INC. GROUNDWATER SAMPLE LOG

Site Name: Friends Recycling      Site Location: Marion County, Florida

Well No: **MW-1**      WACS Well Number: 18811      Date: 7/6/22

### Purging Data

Well Diameter (inches): 2	Tubing Diameter (inches): 0.375	Well Screen Interval (ft): unknown to unknown	Static Depth to Water (ft): 32.36
Purge Pump Type: SS ESP			

Well Volume Purge: 1 Well Volume = (Total Well Depth - Static Depth To Water) \* Well Capacity (gal/ft)  
 = ( 43.45 Feet - 32.36 Feet) \* 0.16 Gallons/Ft = 1.77 Gallons

Equipment Volume Purge: 1 Equipment Vol. = Pump Volume + (Tubing Capacity \* Tubing Length) + Flow Cell Volume (FCV)  
 Gallons + ( 0.006 Gallons/Ft \* Feet) + FCV = Gallons

Initial Pump or Tubing Depth In Well (ft): 33.50	Final Pump or Tubing Depth In Well (ft): 33.50	Purging Initiated At: 0806	Purging Ended At: 0818
Total Volume Purged (gal): 3.60			

Time	Volume Purged (gallons)	Total Volume Purged (gallons)	Purge Rate (gpm)	Depth to Water (feet)	pH (standard units)	Temp (°C)	COND (µS/cm)	Dissolved Oxygen (mg/L)	Turbidity (NTUs)	COLOR (describe)	ODOR (describe)
0812	1.80	1.80	.30	32.51	6.54	24.5	1,320	.07	2.40	none	none
0815	0.90	2.70	.30	32.51	6.48	24.5	1,314	.08	3.90	none	none
0818	0.90	3.60	.30	32.51	6.45	24.6	1,301	.06	2.60	none	none

### SAMPLING DATA

Sampled By: Ideal Tech Services, Inc.      Signature:      Sampling Initiated At: 0818      Sampling Ended At: 0823

Pump or Tubing Depth in Well (ft): 33.50      Tubing Material Code: PE      Field Filtered:  YES  NO      Filter Size: (µm)

Field Decontamination Pump:  YES  NO      Tubing Replaced:  YES  NO      Duplicate:  YES  NO

Sample Container Specifications				Sample Preservation (including wet ice)			Intended Analysis and/or Method	Sampling Equipment Code	Sample Flow Rate (milliliters per minute)
Sample ID Code	# Containers	Material Code	Volume	Preservative	Total Volume Added In Field	Final pH			
MW-1	3	CG	40 mL	HCl	None	Not Required	8260(Arom/ Halo)	SS ESP	100
MW-1	1	PE	250 mL	6°C	None	Not Required	Chloride, Nitrate, Sulfate, TDS	SS ESP	1136
MW-1	1	PE	250 mL	HNO <sub>3</sub>	None	<2	Metals	SS ESP	1136
MW-1	1	PE	250 mL	H <sub>2</sub> SO <sub>4</sub>	None	<2	Ammonia (350.1)	SS ESP	1136

Remarks: DTW = 32.36      Reference Elevation = 74.66      GWTE = 42.30      This data is not NGVD compliant. Therefore, ITS does not authorize it to be used in groundwater modeling programs.

MATERIAL CODES: AG = Amber Glass; CG = Clear Glass; HDPE = High Density Polyethylene; LDPE = Low Density Polyethylene; PP = Polypropylene; S = Silicone; T = Teflon; O = Other (Specify)

SAMPLING EQUIPMENT CODES: APP = After (Through) Peristaltic Pump; B = Bailer; BP = Bladder Pump; ESP = Electric Submersible Pump;

SS ESP = Stainless Steel Electric Submersible Pump; RFPP = Reverse Flow Peristaltic Pump; SM = Straw Method (Tubing Gravity Drain); O = Other (Specify)

WELL CAPACITY (Gallons Per Foot): 0.75" = 0.02; 1" = 0.04; 1.25" = 0.06; 2" = 0.16; 3" = 0.37; 4" = 0.65; 5" = 1.02; 6" = 1.47; 12" = 5.88

TUBING INSIDE DIA. CAPACITY (Gal./Ft.): 1/8" = 0.0006; 3/16" = 0.0014; 1/4" = 0.0026; 5/16" = 0.004; 3/8" = 0.006; 1/2" = 0.010; 5/8" = 0.016

**NOTES:** 1. The above do not constitute all of the information required by Chapter 62-160, F.A.C.  
 2. STABILIZATION CRITERIA FOR RANGE OF VARIATION OF LAST THREE CONSECUTIVE READINGS (SEE FS 2212, SECTION 3)  
**pH:** ± 0.2 units    **Temperature:** ± 0.2 °C    **Specific Conductance:** ± 5%    **Dissolved Oxygen:** all readings ≤ 20% saturation (see Table FS 2200-2); optionally, ± 0.2 mg/L or ± 10% (whichever is greater)    **Turbidity:** all readings ≤ 20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)

ITS Revision 1.0 Date: 11/06/19

## IDEAL TECH SERVICES, INC. GROUNDWATER SAMPLE LOG

Site Name: Friends Recycling      Site Location: Marion County, Florida

Well No: **MW-5**      WACS Well Number: 22912      Date: 7/6/22

### Purging Data

Well Diameter (inches): 2	Tubing Diameter (inches): 0.375	Well Screen Interval (ft): unknown to unknown	Static Depth to Water (ft): 45.63
Purge Pump Type: SS ESP			

Well Volume Purge: 1 Well Volume = (Total Well Depth - Static Depth To Water) \* Well Capacity (gal/ft)  
 = ( 67.45 Feet - 45.63 Feet) \* 0.16 Gallons/Ft = 3.49 Gallons

Equipment Volume Purge: 1 Equipment Vol. = Pump Volume + (Tubing Capacity \* Tubing Length) + Flow Cell Volume (FCV)  
 Gallons + ( 0.006 Gallons/Ft \* Feet) + FCV = Gallons

Initial Pump or Tubing Depth In Well (ft): 46.50	Final Pump or Tubing Depth In Well (ft): 46.50	Purging Initiated At: 0958	Purging Ended At: 1011
Total Volume Purged (gal): 6.50			

Time	Volume Purged (gallons)	Total Volume Purged (gallons)	Purge Rate (gpm)	Depth to Water (feet)	pH (standard units)	Temp (°C)	COND (µS/cm)	Dissolved Oxygen (mg/L)	Turbidity (NTUs)	COLOR (describe)	ODOR (describe)
1005	3.50	3.50	.50	45.80	6.42	31.3	1,357	.05	1.80	none	slight
1008	1.50	5.00	.50	45.80	6.39	31.3	1,364	.05	1.60	none	slight
1011	1.50	6.50	.50	45.80	6.39	31.2	1,364	.05	1.40	none	slight

### SAMPLING DATA

Sampled By: Ideal Tech Services, Inc.      Signature:      Sampling Initiated At: 1011      Sampling Ended At: 1016

Pump or Tubing Depth in Well (ft): 46.50      Tubing Material Code: PE      Field Filtered:  YES  NO      Filter Size: (µm)

Field Decontamination Pump:  YES  NO      Tubing Replaced:  YES  NO      Duplicate:  YES  NO

Sample Container Specifications				Sample Preservation (including wet ice)			Intended Analysis and/or Method	Sampling Equipment Code	Sample Flow Rate (milliliters per minute)
Sample ID Code	# Containers	Material Code	Volume	Preservative	Total Volume Added In Field	Final pH			
MW-5	3	CG	40 mL	HCl	None	Not Required	8260(Arom/ Halo)	SS ESP	100
MW-5	1	PE	250 mL	6°C	None	Not Required	Chloride, Nitrate, Sulfate, TDS	SS ESP	1136
MW-5	1	PE	250 mL	HNO <sub>3</sub>	None	<2	Metals	SS ESP	1136
MW-5	1	PE	250 mL	H <sub>2</sub> SO <sub>4</sub>	None	<2	Ammonia (350.1)	SS ESP	1136

Remarks: DTW = 45.63      Reference Elevation = 88.01      GWTE = 42.38      This data is not NGVD compliant. Therefore, ITS does not authorize it to be used in groundwater modeling programs.

MATERIAL CODES: AG = Amber Glass; CG = Clear Glass; HDPE = High Density Polyethylene; LDPE = Low Density Polyethylene; PP = Polypropylene; S = Silicone; T = Teflon; O = Other (Specify)

SAMPLING EQUIPMENT CODES: APP = After (Through) Peristaltic Pump; B = Bailer; BP = Bladder Pump; ESP = Electric Submersible Pump; SS ESP = Stainless Steel Electric Submersible Pump; RFPP = Reverse Flow Peristaltic Pump; SM = Straw Method (Tubing Gravity Drain); O = Other (Specify)

WELL CAPACITY (Gallons Per Foot): 0.75" = 0.02; 1" = 0.04; 1.25" = 0.06; 2" = 0.16; 3" = 0.37; 4" = 0.65; 5" = 1.02; 6" = 1.47; 12" = 5.88

TUBING INSIDE DIA. CAPACITY (Gal./Ft.): 1/8" = 0.0006; 3/16" = 0.0014; 1/4" = 0.0026; 5/16" = 0.004; 3/8" = 0.006; 1/2" = 0.010; 5/8" = 0.016

**NOTES:** 1. The above do not constitute all of the information required by Chapter 62-160, F.A.C.  
 2. STABILIZATION CRITERIA FOR RANGE OF VARIATION OF LAST THREE CONSECUTIVE READINGS (SEE FS 2212, SECTION 3)  
**pH:** ± 0.2 units    **Temperature:** ± 0.2 °C    **Specific Conductance:** ± 5%    **Dissolved Oxygen:** all readings ≤ 20% saturation (see Table FS 2200-2); optionally, ± 0.2 mg/L or ± 10% (whichever is greater)    **Turbidity:** all readings ≤ 20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)

ITS Revision 1.0 Date: 11/06/19

## IDEAL TECH SERVICES, INC. GROUNDWATER SAMPLE LOG

Site Name: Friends Recycling      Site Location: Marion County, Florida

Well No: **MW-6**      WACS Well Number: 22913      Date: 7/6/22

### Purging Data

Well Diameter (inches): 2	Tubing Diameter (inches): 0.375	Well Screen Interval (ft): 40 to 50	Static Depth to Water (ft): 35.57
Purge Pump Type: SS ESP			

Well Volume Purge: 1 Well Volume = (Total Well Depth - Static Depth To Water) \* Well Capacity (gal/ft)  
 = ( 53.10 Feet - 35.57 Feet) \* 0.16 Gallons/Ft = 2.80 Gallons

Equipment Volume Purge: 1 Equipment Vol. = Pump Volume + (Tubing Capacity \* Tubing Length) + Flow Cell Volume (FCV)  
 Gallons + ( 0.006 Gallons/Ft \* Feet) + FCV = Gallons

Initial Pump or Tubing Depth In Well (ft): 37.00	Final Pump or Tubing Depth In Well (ft): 37.00	Purging Initiated At: 0927	Purging Ended At: 0943
Total Volume Purged (gal): 4.80			

Time	Volume Purged (gallons)	Total Volume Purged (gallons)	Purge Rate (gpm)	Depth to Water (feet)	pH (standard units)	Temp (°C)	COND (µS/cm)	Dissolved Oxygen (mg/L)	Turbidity (NTUs)	COLOR (describe)	ODOR (describe)
0937	3.00	3.00	.30	36.00	6.24	25.4	2,490	.05	19.70	none	none
0940	0.90	3.90	.30	36.00	6.26	25.3	2,490	.05	15.90	none	none
0943	0.90	4.80	.30	36.00	6.28	25.3	2,483	.05	13.70	none	none

### SAMPLING DATA

Sampled By: Ideal Tech Services, Inc.      Signature:      Sampling Initiated At: 0943      Sampling Ended At: 0947

Pump or Tubing Depth in Well (ft): 37.00      Tubing Material Code: PE      Field Filtered:  YES  NO      Filter Size: (µm)

Field Decontamination Pump:  YES  NO      Tubing Replaced:  YES  NO      Duplicate:  YES  NO

Sample Container Specifications				Sample Preservation (including wet ice)			Intended Analysis and/or Method	Sampling Equipment Code	Sample Flow Rate (milliliters per minute)
Sample ID Code	# Containers	Material Code	Volume	Preservative	Total Volume Added In Field	Final pH			
MW-6	3	CG	40 mL	HCl	None	Not Required	8260(Arom/ Halo)	SS ESP	100
MW-6	1	PE	250 mL	6°C	None	Not Required	Chloride, Nitrate, Sulfate, TDS	SS ESP	1136
MW-6	1	PE	250 mL	HNO <sub>3</sub>	None	<2	Metals	SS ESP	1136
MW-6	1	PE	250 mL	H <sub>2</sub> SO <sub>4</sub>	None	<2	Ammonia (350.1)	SS ESP	1136

Remarks: DTW = 35.57      Reference Elevation = 78.05      GWTE = 42.48      This data is not NGVD compliant. Therefore, ITS does not authorize it to be used in groundwater modeling programs.

MATERIAL CODES: AG = Amber Glass; CG = Clear Glass; HDPE = High Density Polyethylene; LDPE = Low Density Polyethylene; PP = Polypropylene; S = Silicone; T = Teflon; O = Other (Specify)

SAMPLING EQUIPMENT CODES: APP = After (Through) Peristaltic Pump; B = Bailer; BP = Bladder Pump; ESP = Electric Submersible Pump; SS ESP = Stainless Steel Electric Submersible Pump; RFPP = Reverse Flow Peristaltic Pump; SM = Straw Method (Tubing Gravity Drain); O = Other (Specify)

WELL CAPACITY (Gallons Per Foot): 0.75" = 0.02; 1" = 0.04; 1.25" = 0.06; 2" = 0.16; 3" = 0.37; 4" = 0.65; 5" = 1.02; 6" = 1.47; 12" = 5.88

TUBING INSIDE DIA. CAPACITY (Gal./Ft.): 1/8" = 0.0006; 3/16" = 0.0014; 1/4" = 0.0026; 5/16" = 0.004; 3/8" = 0.006; 1/2" = 0.010; 5/8" = 0.016

**NOTES:** 1. The above do not constitute all of the information required by Chapter 62-160, F.A.C.  
 2. STABILIZATION CRITERIA FOR RANGE OF VARIATION OF LAST THREE CONSECUTIVE READINGS (SEE FS 2212, SECTION 3)  
**pH:** ± 0.2 units    **Temperature:** ± 0.2 °C    **Specific Conductance:** ± 5%    **Dissolved Oxygen:** all readings ≤ 20% saturation (see Table FS 2200-2); optionally, ± 0.2 mg/L or ± 10% (whichever is greater)    **Turbidity:** all readings ≤ 20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)

ITS Revision 1.0 Date: 11/06/19

## IDEAL TECH SERVICES, INC. GROUNDWATER SAMPLE LOG

Site Name: Friends Recycling | Site Location: Marion County, Florida

Well No: **MW-7** | WACS Well Number: 22914 | Date: 7/6/22

### Purging Data

Well Diameter (inches): 2	Tubing Diameter (inches): 0.375	Well Screen Interval (ft): 41 to 51	Static Depth to Water (ft): 46.27
Purge Pump Type: SS ESP			

Well Volume Purge: 1 Well Volume = (Total Well Depth - Static Depth To Water) \* Well Capacity (gal/ft)  
 = ( 53.80 Feet - 46.27 Feet) \* 0.16 Gallons/Ft = 1.20 Gallons

Equipment Volume Purge: 1 Equipment Vol. = Pump Volume + (Tubing Capacity \* Tubing Length) + Flow Cell Volume (FCV)  
 Gallons + ( 0.006 Gallons/Ft \* Feet) + FCV = Gallons

Initial Pump or Tubing Depth In Well (ft): 48.50	Final Pump or Tubing Depth In Well (ft): 48.50	Purging Initiated At: 1023	Purging Ended At: 1035	Total Volume Purged (gal): 3.00
--	--	----------------------------	------------------------	---------------------------------

Time	Volume Purged (gallons)	Total Volume Purged (gallons)	Purge Rate (gpm)	Depth to Water (feet)	pH (standard units)	Temp (°C)	COND (µS/cm)	Dissolved Oxygen (mg/L)	Turbidity (NTUs)	COLOR (describe)	ODOR (describe)
1029	1.50	1.50	.25	47.61	6.18	25.2	1,437	.08	4.50	none	none
1032	0.75	2.25	.25	47.61	6.11	25.2	1,451	.08	1.90	none	none
1035	0.75	3.00	.25	47.61	6.10	25.3	1,460	.08	1.20	none	none

### SAMPLING DATA

Sampled By: Ideal Tech Services, Inc. | Signature: | Sampling Initiated At: 1035 | Sampling Ended At: 1040

Pump or Tubing Depth in Well (ft): 48.50 | Tubing Material Code: PE | Field Filtered:  YES  NO | Filter Size: (µm)

Field Decontamination Pump:  YES  NO | Tubing Replaced:  YES  NO | Duplicate:  YES  NO

Sample Container Specifications				Sample Preservation (including wet ice)			Intended Analysis and/or Method	Sampling Equipment Code	Sample Flow Rate (milliliters per minute)
Sample ID Code	# Containers	Material Code	Volume	Preservative	Total Volume Added In Field	Final pH			
MW-7	3	CG	40 mL	HCl	None	Not Required	8260(Arom/ Halo)	SS ESP	100
MW-7	1	PE	250 mL	6°C	None	Not Required	Chloride, Nitrate, Sulfate, TDS	SS ESP	946
MW-7	1	PE	250 mL	HNO <sub>3</sub>	None	<2	Metals	SS ESP	946
MW-7	1	PE	250 mL	H <sub>2</sub> SO <sub>4</sub>	None	<2	Ammonia (350.1)	SS ESP	946

Remarks: DTW = 46.27 | Reference Elevation = 88.67 | GWTE = 42.40 This data is not NGVD compliant. Therefore, ITS does not authorize it to be used in groundwater modeling programs.

**MATERIAL CODES:** AG = Amber Glass; CG = Clear Glass; HDPE = High Density Polyethylene; LDPE = Low Density Polyethylene; PP = Polypropylene; S = Silicone; T = Teflon; O = Other (Specify)

**SAMPLING EQUIPMENT CODES:** APP = After (Through) Peristaltic Pump; B = Bailer; BP = Bladder Pump; ESP = Electric Submersible Pump;  
 SS ESP = Stainless Steel Electric Submersible Pump; RFPP = Reverse Flow Peristaltic Pump; SM = Straw Method (Tubing Gravity Drain); O = Other (Specify)

**WELL CAPACITY (Gallons Per Foot):** 0.75" = 0.02; 1" = 0.04; 1.25" = 0.06; 2" = 0.16; 3" = 0.37; 4" = 0.65; 5" = 1.02; 6" = 1.47; 12" = 5.88

**TUBING INSIDE DIA. CAPACITY (Gal./Ft.):** 1/8" = 0.0006; 3/16" = 0.0014; 1/4" = 0.0026; 5/16" = 0.004; 3/8" = 0.006; 1/2" = 0.010; 5/8" = 0.016

**NOTES:** 1. The above do not constitute all of the information required by Chapter 62-160, F.A.C.  
 2. STABILIZATION CRITERIA FOR RANGE OF VARIATION OF LAST THREE CONSECUTIVE READINGS (SEE FS 2212, SECTION 3)  
**pH:** ± 0.2 units | **Temperature:** ± 0.2 °C | **Specific Conductance:** ± 5% | **Dissolved Oxygen:** all readings ≤ 20% saturation (see Table FS 2200-2); optionally, ± 0.2 mg/L or ± 10% (whichever is greater) | **Turbidity:** all readings ≤ 20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)

ITS Revision 1.0 Date: 11/06/19

## IDEAL TECH SERVICES, INC. GROUNDWATER SAMPLE LOG

Site Name: Friends Recycling      Site Location: Marion County, Florida

Well No: **MW-8**      WACS Well Number: 22915      Date: 7/6/22

### Purging Data

Well Diameter (inches): 2	Tubing Diameter (inches): 0.375	Well Screen Interval (ft): 20 to 30	Static Depth to Water (ft): 28.94
Purge Pump Type: SS ESP			

Well Volume Purge: 1 Well Volume = (Total Well Depth - Static Depth To Water) \* Well Capacity (gal/ft)  
 = ( 34.24 Feet - 28.94 Feet) \* 0.16 Gallons/Ft = 0.85 Gallons

Equipment Volume Purge: 1 Equipment Vol. = Pump Volume + (Tubing Capacity \* Tubing Length) + Flow Cell Volume (FCV)  
 Gallons + ( 0.006 Gallons/Ft \* Feet) + FCV = Gallons

Initial Pump or Tubing Depth In Well (ft): 30.00	Final Pump or Tubing Depth In Well (ft): 30.00	Purging Initiated At: 0858	Purging Ended At: 0910
Total Volume Purged (gal): 3.00			

Time	Volume Purged (gallons)	Total Volume Purged (gallons)	Purge Rate (gpm)	Depth to Water (feet)	pH (standard units)	Temp (°C)	COND (µS/cm)	Dissolved Oxygen (mg/L)	Turbidity (NTUs)	COLOR (describe)	ODOR (describe)
0904	1.50	1.50	.25	29.03	6.37	25.7	1,652	.12	.80	none	slight
0907	0.75	2.25	.25	29.03	6.38	25.7	1,653	.08	.80	none	none
0910	0.75	3.00	.25	29.03	6.38	25.8	1,651	.07	.60	none	none

### SAMPLING DATA

Sampled By: Ideal Tech Services, Inc.      Signature:      Sampling Initiated At: 0910      Sampling Ended At: 0914  
 Chris Monaco or Karen LeBeau

Pump or Tubing Depth in Well (ft): 30.00      Tubing Material Code: PE      Field Filtered:  YES  NO      Filter Size: (µm)

Field Decontamination Pump:  YES  NO      Tubing Replaced:  YES  NO      Duplicate:  YES  NO

Sample Container Specifications				Sample Preservation (including wet ice)			Intended Analysis and/or Method	Sampling Equipment Code	Sample Flow Rate (milliliters per minute)
Sample ID Code	# Containers	Material Code	Volume	Preservative	Total Volume Added In Field	Final pH			
<b>MW-8</b>	3	CG	40 mL	HCl	None	Not Required	8260(Arom/ Halo)	SS ESP	100
<b>MW-8</b>	1	PE	250 mL	6°C	None	Not Required	Chloride, Nitrate, Sulfate, TDS	SS ESP	946
<b>MW-8</b>	1	PE	250 mL	HNO <sub>3</sub>	None	<2	Metals	SS ESP	946
<b>MW-8</b>	1	PE	250 mL	H <sub>2</sub> SO <sub>4</sub>	None	<2	Ammonia (350.1)	SS ESP	946

Remarks: orange particles observed in purge water  
 DTW = 28.94      Reference Elevation = 71.17      GWTE = 42.23      This data is not NGVD compliant. Therefore, ITS does not authorize it to be used in groundwater modeling programs.

MATERIAL CODES: AG = Amber Glass; CG = Clear Glass; HDPE = High Density Polyethylene; LDPE = Low Density Polyethylene; PP = Polypropylene; S = Silicone; T = Teflon; O = Other (Specify)

SAMPLING EQUIPMENT CODES: APP = After (Through) Peristaltic Pump; B = Bailer; BP = Bladder Pump; ESP = Electric Submersible Pump;

SS ESP = Stainless Steel Electric Submersible Pump; RFPP = Reverse Flow Peristaltic Pump; SM = Straw Method (Tubing Gravity Drain); O = Other (Specify)

WELL CAPACITY (Gallons Per Foot): 0.75" = 0.02; 1" = 0.04; 1.25" = 0.06; 2" = 0.16; 3" = 0.37; 4" = 0.65; 5" = 1.02; 6" = 1.47; 12" = 5.88

TUBING INSIDE DIA. CAPACITY (Gal./Ft.): 1/8" = 0.0006; 3/16" = 0.0014; 1/4" = 0.0026; 5/16" = 0.004; 3/8" = 0.006; 1/2" = 0.010; 5/8" = 0.016

**NOTES:** 1. The above do not constitute all of the information required by Chapter 62-160, F.A.C.

2. STABILIZATION CRITERIA FOR RANGE OF VARIATION OF LAST THREE CONSECUTIVE READINGS (SEE FS 2212, SECTION 3)

**pH:** ± 0.2 units      **Temperature:** ± 0.2 °C      **Specific Conductance:** ± 5%      **Dissolved Oxygen:** all readings ≤ 20% saturation (see Table FS 2200-2);

optionally, ± 0.2 mg/L or ± 10% (whichever is greater)      **Turbidity:** all readings ≤ 20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)

ITS Revision 1.0 Date: 11/06/19

## IDEAL TECH SERVICES, INC. GROUNDWATER SAMPLE LOG

Site Name: Friends Recycling      Site Location: Marion County, Florida

Well No: **MW-9**      WACS Well Number: 22916      Date: 7/6/22

### Purging Data

Well Diameter (inches): 2	Tubing Diameter (inches): 0.375	Well Screen Interval (ft): Unknown to Unknown	Static Depth to Water (ft): 26.56
Purge Pump Type: SS ESP			

Well Volume Purge: 1 Well Volume = (Total Well Depth - Static Depth To Water) \* Well Capacity (gal/ft)  
 = ( 32.80 Feet - 26.56 Feet) \* 0.16 Gallons/Ft = 1.00 Gallons

Equipment Volume Purge: 1 Equipment Vol. = Pump Volume + (Tubing Capacity \* Tubing Length) + Flow Cell Volume (FCV)  
 Gallons + ( 0.006 Gallons/Ft \* Feet) + FCV = Gallons

Initial Pump or Tubing Depth In Well (ft): 27.50	Final Pump or Tubing Depth In Well (ft): 27.50	Purging Initiated At: 0834	Purging Ended At: 0847
Total Volume Purged (gal): 3.90			

Time	Volume Purged (gallons)	Total Volume Purged (gallons)	Purge Rate (gpm)	Depth to Water (feet)	pH (standard units)	Temp (°C)	COND (µS/cm)	Dissolved Oxygen (mg/L)	Turbidity (NTUs)	COLOR (describe)	ODOR (describe)
0841	2.10	2.10	.30	26.66	6.41	23.0	1,069	.10	15.80	none	none
0844	0.90	3.00	.30	26.67	6.39	22.9	1,071	.08	10.10	none	none
0847	0.90	3.90	.30	26.67	6.39	22.9	1,072	.05	5.40	none	none

### SAMPLING DATA

Sampled By: Ideal Tech Services, Inc.      Signature:      Sampling Initiated At: 0847      Sampling Ended At: 0852

Pump or Tubing Depth in Well (ft): 27.50      Tubing Material Code: PE      Field Filtered:  YES  NO      Filter Size: (µm)

Field Decontamination Pump:  YES  NO      Tubing Replaced:  YES  NO      Duplicate:  YES  NO

Sample Container Specifications				Sample Preservation (including wet ice)			Intended Analysis and/or Method	Sampling Equipment Code	Sample Flow Rate (milliliters per minute)
Sample ID Code	# Containers	Material Code	Volume	Preservative	Total Volume Added In Field	Final pH			
MW-9	3	CG	40 mL	HCl	None	Not Required	8260(Arom/ Halo)	SS ESP	100
MW-9	1	PE	250 mL	6°C	None	Not Required	Chloride, Nitrate, Sulfate, TDS	SS ESP	1136
MW-9	1	PE	250 mL	HNO <sub>3</sub>	None	<2	Metals	SS ESP	1136
MW-9	1	PE	250 mL	H <sub>2</sub> SO <sub>4</sub>	None	<2	Ammonia (350.1)	SS ESP	1136

Remarks: MW-9D DTW = 26.51  
 DTW = 26.56      Reference Elevation = 68.64      GWTE = 42.08

MATERIAL CODES: AG = Amber Glass; CG = Clear Glass; HDPE = High Density Polyethylene; LDPE = Low Density Polyethylene; PP = Polypropylene; S = Silicone; T = Teflon; O = Other (Specify)

SAMPLING EQUIPMENT CODES: APP = After (Through) Peristaltic Pump; B = Bailer; BP = Bladder Pump; ESP = Electric Submersible Pump;  
 SS ESP = Stainless Steel Electric Submersible Pump; RFPP = Reverse Flow Peristaltic Pump; SM = Straw Method (Tubing Gravity Drain); O = Other (Specify)

WELL CAPACITY (Gallons Per Foot): 0.75" = 0.02; 1" = 0.04; 1.25" = 0.06; 2" = 0.16; 3" = 0.37; 4" = 0.65; 5" = 1.02; 6" = 1.47; 12" = 5.88

TUBING INSIDE DIA. CAPACITY (Gal./Ft.): 1/8" = 0.0006; 3/16" = 0.0014; 1/4" = 0.0026; 5/16" = 0.004; 3/8" = 0.006; 1/2" = 0.010; 5/8" = 0.016

**NOTES:** 1. The above do not constitute all of the information required by Chapter 62-160, F.A.C.  
 2. STABILIZATION CRITERIA FOR RANGE OF VARIATION OF LAST THREE CONSECUTIVE READINGS (SEE FS 2212, SECTION 3)  
**pH:** ± 0.2 units    **Temperature:** ± 0.2 °C    **Specific Conductance:** ± 5%    **Dissolved Oxygen:** all readings ≤ 20% saturation (see Table FS 2200-2);  
 optionally, ± 0.2 mg/L or ± 10% (whichever is greater)    **Turbidity:** all readings ≤ 20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)

ITS Revision 1.0 Date: 11/06/19



# ENCO Laboratories

*Accurate. Timely. Responsive. Innovative.*

10775 Central Port Drive

Orlando FL, 32824

Phone: 407.826.5314 FAX: 407.850.6945

---

Friday, July 22, 2022

Friends Recycling (FR008)

Attn: Nick Giumarelli

2350 NW 27th Avenue

Ocala, FL 34475

**RE: Laboratory Results for**

**Project Number: 21012, Project Name/Desc: FRIENDS RECYCLING FORMERLY OCALA RECYCLING**

**ENCO Workorder(s): AF04708**

Dear Nick Giumarelli,

Enclosed is a copy of your laboratory report for test samples received by our laboratory on Wednesday, July 6, 2022.

Unless otherwise noted in an attached project narrative, all samples were received in acceptable condition and processed in accordance with the referenced methods/procedures. Results for these procedures apply only to the samples as submitted.

The analytical results contained in this report are in compliance with NELAC standards, except as noted in the project narrative if applicable. This report shall not be reproduced except in full, without the written approval of the Laboratory.

This report contains only those analyses performed by Environmental Conservation Laboratories. Unless otherwise noted, all analyses were performed at ENCO Orlando. Data from outside organizations will be reported under separate cover.

If you have any questions or require further information, please do not hesitate to contact me.

Sincerely,

Carlene S Pasipanki

Project Manager

Enclosure(s)

**SAMPLE SUMMARY/LABORATORY CHRONICLE**

<b>Client ID: MW-1</b>	<b>Lab ID: AF04708-01</b>	<b>Sampled: 07/06/22 08:23</b>	<b>Received: 07/06/22 13:36</b>
------------------------	---------------------------	--------------------------------	---------------------------------

<u>Parameter</u>	<u>Preparation</u>	<u>Hold Date/Time(s)</u>		<u>Prep Date/Time(s)</u>		<u>Analysis Date/Time(s)</u>
EPA 300.0	NO PREP	07/08/22	08:23	07/06/22	14:08	07/06/22 22:10
EPA 300.0	NO PREP	08/03/22		07/06/22	14:08	07/06/22 22:10
EPA 6020B	EPA 3005A	01/02/23		07/11/22	09:16	07/12/22 11:43
EPA 7470A	EPA 7470A	08/03/22		07/07/22	11:52	07/08/22 09:47
EPA 8260D	EPA 5030B_MS	07/20/22		07/07/22	08:16	07/07/22 12:42
Field	*** DEFAULT PREP ***	07/06/22	08:37	07/06/22	08:23	07/06/22 08:23
Field	*** DEFAULT PREP ***	07/07/22	08:23	07/07/22	08:23	07/06/22 08:23
Field	*** DEFAULT PREP ***	07/08/22	08:23	07/06/22	08:23	07/06/22 08:23
SM 2540C-2011	NO PREP	07/13/22		07/11/22	14:40	07/12/22 16:30

<b>Client ID: MW-1</b>	<b>Lab ID: AF04708-01RE1</b>	<b>Sampled: 07/06/22 08:23</b>	<b>Received: 07/06/22 13:36</b>
------------------------	------------------------------	--------------------------------	---------------------------------

<u>Parameter</u>	<u>Preparation</u>	<u>Hold Date/Time(s)</u>		<u>Prep Date/Time(s)</u>		<u>Analysis Date/Time(s)</u>
EPA 300.0	NO PREP	08/03/22		07/19/22	09:22	07/19/22 11:33
EPA 350.1	NO PREP	08/03/22		07/07/22	09:04	07/07/22 14:13

<b>Client ID: MW-5</b>	<b>Lab ID: AF04708-02</b>	<b>Sampled: 07/06/22 10:15</b>	<b>Received: 07/06/22 13:36</b>
------------------------	---------------------------	--------------------------------	---------------------------------

<u>Parameter</u>	<u>Preparation</u>	<u>Hold Date/Time(s)</u>		<u>Prep Date/Time(s)</u>		<u>Analysis Date/Time(s)</u>
EPA 300.0	NO PREP	07/08/22	10:15	07/06/22	14:08	07/06/22 22:26
EPA 300.0	NO PREP	08/03/22		07/06/22	14:08	07/06/22 22:26
EPA 6020B	EPA 3005A	01/02/23		07/11/22	09:16	07/12/22 11:45
EPA 7470A	EPA 7470A	08/03/22		07/07/22	11:52	07/08/22 09:49
EPA 8260D	EPA 5030B_MS	07/20/22		07/07/22	08:16	07/07/22 13:10
Field	*** DEFAULT PREP ***	07/06/22	10:29	07/06/22	10:15	07/06/22 10:15
Field	*** DEFAULT PREP ***	07/07/22	10:15	07/07/22	10:15	07/06/22 10:15
Field	*** DEFAULT PREP ***	07/08/22	10:15	07/06/22	10:15	07/06/22 10:15
SM 2540C-2011	NO PREP	07/13/22		07/11/22	14:40	07/12/22 16:30

<b>Client ID: MW-5</b>	<b>Lab ID: AF04708-02RE1</b>	<b>Sampled: 07/06/22 10:15</b>	<b>Received: 07/06/22 13:36</b>
------------------------	------------------------------	--------------------------------	---------------------------------

<u>Parameter</u>	<u>Preparation</u>	<u>Hold Date/Time(s)</u>		<u>Prep Date/Time(s)</u>		<u>Analysis Date/Time(s)</u>
EPA 350.1	NO PREP	08/03/22		07/07/22	09:04	07/07/22 14:14

<b>Client ID: MW-6</b>	<b>Lab ID: AF04708-03</b>	<b>Sampled: 07/06/22 09:47</b>	<b>Received: 07/06/22 13:36</b>
------------------------	---------------------------	--------------------------------	---------------------------------

<u>Parameter</u>	<u>Preparation</u>	<u>Hold Date/Time(s)</u>		<u>Prep Date/Time(s)</u>		<u>Analysis Date/Time(s)</u>
EPA 300.0	NO PREP	07/08/22	09:47	07/06/22	14:08	07/06/22 22:41
EPA 300.0	NO PREP	08/03/22		07/06/22	14:08	07/06/22 22:41
EPA 6020B	EPA 3005A	01/02/23		07/11/22	09:16	07/12/22 11:47
EPA 7470A	EPA 7470A	08/03/22		07/07/22	11:52	07/08/22 09:52
EPA 8260D	EPA 5030B_MS	07/20/22		07/07/22	08:16	07/07/22 13:39
Field	*** DEFAULT PREP ***	07/06/22	10:01	07/06/22	09:47	07/06/22 09:47
Field	*** DEFAULT PREP ***	07/07/22	09:47	07/07/22	09:47	07/06/22 09:47
Field	*** DEFAULT PREP ***	07/08/22	09:47	07/06/22	09:47	07/06/22 09:47
SM 2540C-2011	NO PREP	07/13/22		07/11/22	14:40	07/12/22 16:30

<b>Client ID: MW-6</b>	<b>Lab ID: AF04708-03RE1</b>	<b>Sampled: 07/06/22 09:47</b>	<b>Received: 07/06/22 13:36</b>
------------------------	------------------------------	--------------------------------	---------------------------------

<u>Parameter</u>	<u>Preparation</u>	<u>Hold Date/Time(s)</u>		<u>Prep Date/Time(s)</u>		<u>Analysis Date/Time(s)</u>
EPA 300.0	NO PREP	08/03/22		07/19/22	09:22	07/19/22 11:48
EPA 350.1	NO PREP	08/03/22		07/07/22	09:04	07/07/22 14:15
EPA 6020B	EPA 3005A	01/02/23		07/11/22	09:16	07/12/22 12:13





**SAMPLE DETECTION SUMMARY**

<b>Client ID: MW-1</b>		<b>Lab ID: AF04708-01</b>					
<b>Analyte</b>	<b>Results</b>	<b>Flag</b>	<b>MDL</b>	<b>PQL</b>	<b>Units</b>	<b>Method</b>	<b>Notes</b>
Chloride	19		0.29	5.0	mg/L	EPA 300.0	
Depth to Water	32.36				Ft	Field	
Dissolved Oxygen	0.06		0	0	mg/L	Field	
Iron - Total	6290		50.0	250	ug/L	EPA 6020B	
pH	6.45				pH Units	Field	
Sodium - Total	22.6		0.320	1.00	mg/L	EPA 6020B	
Specific Conductance (EC)	1301		0	0	umhos/cm	Field	
Temperature	24.6		0	0	°C	Field	
Total Dissolved Solids	840		10	10	mg/L	SM 2540C-2011	
Turbidity	2.6		0	0	NTU	Field	
Water Elevation	42.3				Ft	Field	

<b>Client ID: MW-1</b>		<b>Lab ID: AF04708-01RE1</b>					
<b>Analyte</b>	<b>Results</b>	<b>Flag</b>	<b>MDL</b>	<b>PQL</b>	<b>Units</b>	<b>Method</b>	<b>Notes</b>
Ammonia as N	2.5		0.020	0.040	mg/L	EPA 350.1	
Sulfate	190		0.20	15	mg/L	EPA 300.0	

<b>Client ID: MW-5</b>		<b>Lab ID: AF04708-02</b>					
<b>Analyte</b>	<b>Results</b>	<b>Flag</b>	<b>MDL</b>	<b>PQL</b>	<b>Units</b>	<b>Method</b>	<b>Notes</b>
Chloride	24		0.29	5.0	mg/L	EPA 300.0	
Depth to Water	45.63				Ft	Field	
Dissolved Oxygen	0.05		0	0	mg/L	Field	
Iron - Total	7520		50.0	250	ug/L	EPA 6020B	
pH	6.39				pH Units	Field	
Sodium - Total	32.8		0.320	1.00	mg/L	EPA 6020B	
Specific Conductance (EC)	1364		0	0	umhos/cm	Field	
Sulfate	15		0.07	5.0	mg/L	EPA 300.0	
Temperature	31.2		0	0	°C	Field	
Total Dissolved Solids	700		10	10	mg/L	SM 2540C-2011	
Turbidity	1.4		0	0	NTU	Field	
Water Elevation	42.38				Ft	Field	

<b>Client ID: MW-5</b>		<b>Lab ID: AF04708-02RE1</b>					
<b>Analyte</b>	<b>Results</b>	<b>Flag</b>	<b>MDL</b>	<b>PQL</b>	<b>Units</b>	<b>Method</b>	<b>Notes</b>
Ammonia as N	5.6		0.049	0.10	mg/L	EPA 350.1	

<b>Client ID: MW-6</b>		<b>Lab ID: AF04708-03</b>					
<b>Analyte</b>	<b>Results</b>	<b>Flag</b>	<b>MDL</b>	<b>PQL</b>	<b>Units</b>	<b>Method</b>	<b>Notes</b>
Aluminum - Total	532		68.0	100	ug/L	EPA 6020B	
Arsenic - Total	38.7		6.10	10.0	ug/L	EPA 6020B	
Chloride	84		0.29	5.0	mg/L	EPA 300.0	
Depth to Water	35.57				Ft	Field	
Dissolved Oxygen	0.05		0	0	mg/L	Field	
pH	6.28				pH Units	Field	
Specific Conductance (EC)	2483		0	0	umhos/cm	Field	
Temperature	25.3		0	0	°C	Field	
Total Dissolved Solids	1700		10	10	mg/L	SM 2540C-2011	
Turbidity	13.7		0	0	NTU	Field	
Water Elevation	42.48				Ft	Field	

<b>Client ID: MW-6</b>		<b>Lab ID: AF04708-03RE1</b>					
<b>Analyte</b>	<b>Results</b>	<b>Flag</b>	<b>MDL</b>	<b>PQL</b>	<b>Units</b>	<b>Method</b>	<b>Notes</b>
Ammonia as N	20		0.49	1.0	mg/L	EPA 350.1	
Iron - Total	30600		500	2500	ug/L	EPA 6020B	
Sodium - Total	116		3.20	10.0	mg/L	EPA 6020B	
Sulfate	530		0.53	40	mg/L	EPA 300.0	

**SAMPLE DETECTION SUMMARY**

<b>Client ID: MW-7</b>		<b>Lab ID: AF04708-04</b>					
<b>Analyte</b>	<b>Results</b>	<b>Flag</b>	<b>MDL</b>	<b>PQL</b>	<b>Units</b>	<b>Method</b>	<b>Notes</b>
Ammonia as N	1.2		0.0098	0.020	mg/L	EPA 350.1	
Arsenic - Total	16.6		6.10	10.0	ug/L	EPA 6020B	
Chloride	23		0.29	5.0	mg/L	EPA 300.0	
Depth to Water	46.27				Ft	Field	
Dissolved Oxygen	0.08		0	0	mg/L	Field	
Mercury - Total	0.0269	I	0.0230	0.200	ug/L	EPA 7470A	
pH	6.1				pH Units	Field	
Sodium - Total	29.2		0.320	1.00	mg/L	EPA 6020B	
Specific Conductance (EC)	1460		0	0	umhos/cm	Field	
Temperature	25.3		0	0	°C	Field	
Total Dissolved Solids	880		10	10	mg/L	SM 2540C-2011	
Turbidity	1.2		0	0	NTU	Field	
Water Elevation	42.4				Ft	Field	

<b>Client ID: MW-7</b>		<b>Lab ID: AF04708-04RE1</b>					
<b>Analyte</b>	<b>Results</b>	<b>Flag</b>	<b>MDL</b>	<b>PQL</b>	<b>Units</b>	<b>Method</b>	<b>Notes</b>
Iron - Total	46500		500	2500	ug/L	EPA 6020B	
Sulfate	190		0.20	15	mg/L	EPA 300.0	

<b>Client ID: MW-8</b>		<b>Lab ID: AF04708-05</b>					
<b>Analyte</b>	<b>Results</b>	<b>Flag</b>	<b>MDL</b>	<b>PQL</b>	<b>Units</b>	<b>Method</b>	<b>Notes</b>
Chloride	74		0.29	5.0	mg/L	EPA 300.0	
Depth to Water	28.94				Ft	Field	
Dissolved Oxygen	0.07		0	0	mg/L	Field	
Nitrate as N	0.063	I	0.052	1.0	mg/L	EPA 300.0	
pH	6.38				pH Units	Field	
Sodium - Total	92.9		0.320	1.00	mg/L	EPA 6020B	
Specific Conductance (EC)	1651		0	0	umhos/cm	Field	
Sulfate	0.38	I	0.07	5.0	mg/L	EPA 300.0	
Temperature	25.8		0	0	°C	Field	
Total Dissolved Solids	880		10	10	mg/L	SM 2540C-2011	
Turbidity	0.6		0	0	NTU	Field	
Water Elevation	42.23				Ft	Field	

<b>Client ID: MW-8</b>		<b>Lab ID: AF04708-05RE1</b>					
<b>Analyte</b>	<b>Results</b>	<b>Flag</b>	<b>MDL</b>	<b>PQL</b>	<b>Units</b>	<b>Method</b>	<b>Notes</b>
Ammonia as N	24		0.20	0.40	mg/L	EPA 350.1	
Iron - Total	26100		500	2500	ug/L	EPA 6020B	

<b>Client ID: MW-9</b>		<b>Lab ID: AF04708-06</b>					
<b>Analyte</b>	<b>Results</b>	<b>Flag</b>	<b>MDL</b>	<b>PQL</b>	<b>Units</b>	<b>Method</b>	<b>Notes</b>
Aluminum - Total	204		68.0	100	ug/L	EPA 6020B	
Ammonia as N	0.14		0.0098	0.020	mg/L	EPA 350.1	
Chloride	16		0.29	5.0	mg/L	EPA 300.0	
Depth to Water	26.56				Ft	Field	
Dissolved Oxygen	0.05		0	0	mg/L	Field	
Iron - Total	181	I	50.0	250	ug/L	EPA 6020B	
pH	6.39				pH Units	Field	
Sodium - Total	11.6		0.320	1.00	mg/L	EPA 6020B	
Specific Conductance (EC)	1072		0	0	umhos/cm	Field	
Sulfate	83		0.07	5.0	mg/L	EPA 300.0	
Temperature	22.9		0	0	°C	Field	
Total Dissolved Solids	620		10	10	mg/L	SM 2540C-2011	
Turbidity	5.4		0	0	NTU	Field	
Water Elevation	42.08				Ft	Field	

**ANALYTICAL RESULTS**

**Description:** MW-1

**Lab Sample ID:** AF04708-01

**Received:** 07/06/22 13:36

**Matrix:** Ground Water

**Sampled:** 07/06/22 08:23

**Work Order:** AF04708

**Project:** FRIENDS RECYCLING FORMERLY OCALA

**Sampled By:** Chris Monaco

RECYCLING

**Volatile Organic Compounds by GCMS**

^ - ENCO Orlando certified analyte [NELAC E83182]

Analyte [CAS Number]	Results	Flag	Units	DF	MDL	PQL	Batch	Method	Analyzed	By	Notes
1,1,1-Trichloroethane [71-55-6]^	0.80	U	ug/L	1	0.80	1.0	2G07007	EPA 8260D	07/07/22 12:42	nmc	
1,1,2,2-Tetrachloroethane [79-34-5]^	0.54	U	ug/L	1	0.54	1.0	2G07007	EPA 8260D	07/07/22 12:42	nmc	
1,1,2-Trichloroethane [79-00-5]^	0.76	U	ug/L	1	0.76	1.0	2G07007	EPA 8260D	07/07/22 12:42	nmc	
1,1-Dichloroethane [75-34-3]^	0.62	U	ug/L	1	0.62	1.0	2G07007	EPA 8260D	07/07/22 12:42	nmc	
1,1-Dichloroethene [75-35-4]^	0.94	U	ug/L	1	0.94	1.0	2G07007	EPA 8260D	07/07/22 12:42	nmc	
1,2-Dichlorobenzene [95-50-1]^	0.73	U	ug/L	1	0.73	1.0	2G07007	EPA 8260D	07/07/22 12:42	nmc	
1,2-Dichloroethane [107-06-2]^	0.63	U	ug/L	1	0.63	1.0	2G07007	EPA 8260D	07/07/22 12:42	nmc	
1,2-Dichloropropane [78-87-5]^	0.80	U	ug/L	1	0.80	1.0	2G07007	EPA 8260D	07/07/22 12:42	nmc	
1,3-Dichlorobenzene [541-73-1]^	0.77	U	ug/L	1	0.77	1.0	2G07007	EPA 8260D	07/07/22 12:42	nmc	
1,4-Dichlorobenzene [106-46-7]^	0.76	U	ug/L	1	0.76	1.0	2G07007	EPA 8260D	07/07/22 12:42	nmc	
2-Chloroethyl Vinyl Ether [110-75-8]^	2.5	U	ug/L	1	2.5	100	2G07007	EPA 8260D	07/07/22 12:42	nmc	
Benzene [71-43-2]^	0.71	U	ug/L	1	0.71	1.0	2G07007	EPA 8260D	07/07/22 12:42	nmc	
Bromodichloromethane [75-27-4]^	0.52	U	ug/L	1	0.52	1.0	2G07007	EPA 8260D	07/07/22 12:42	nmc	
Bromoform [75-25-2]^	0.75	U	ug/L	1	0.75	1.0	2G07007	EPA 8260D	07/07/22 12:42	nmc	
Bromomethane [74-83-9]^	0.95	U	ug/L	1	0.95	1.0	2G07007	EPA 8260D	07/07/22 12:42	nmc	
Carbon tetrachloride [56-23-5]^	0.94	U	ug/L	1	0.94	1.0	2G07007	EPA 8260D	07/07/22 12:42	nmc	
Chlorobenzene [108-90-7]^	0.72	U	ug/L	1	0.72	1.0	2G07007	EPA 8260D	07/07/22 12:42	nmc	
Chloroethane [75-00-3]^	0.98	U	ug/L	1	0.98	1.0	2G07007	EPA 8260D	07/07/22 12:42	nmc	
Chloroform [67-66-3]^	0.80	U	ug/L	1	0.80	1.0	2G07007	EPA 8260D	07/07/22 12:42	nmc	
Chloromethane [74-87-3]^	0.82	U	ug/L	1	0.82	1.0	2G07007	EPA 8260D	07/07/22 12:42	nmc	
cis-1,2-Dichloroethene [156-59-2]^	0.53	U	ug/L	1	0.53	1.0	2G07007	EPA 8260D	07/07/22 12:42	nmc	
cis-1,3-Dichloropropene [10061-01-5]^	0.59	U	ug/L	1	0.59	1.0	2G07007	EPA 8260D	07/07/22 12:42	nmc	
Dibromochloromethane [124-48-1]^	0.50	U	ug/L	1	0.50	1.0	2G07007	EPA 8260D	07/07/22 12:42	nmc	
Dichlorodifluoromethane [75-71-8]^	0.74	U	ug/L	1	0.74	1.0	2G07007	EPA 8260D	07/07/22 12:42	nmc	
Ethylbenzene [100-41-4]^	0.69	U	ug/L	1	0.69	1.0	2G07007	EPA 8260D	07/07/22 12:42	nmc	
m,p-Xylenes [108-38-3/106-42-3]^	1.3	U	ug/L	1	1.3	2.0	2G07007	EPA 8260D	07/07/22 12:42	nmc	
Methylene chloride [75-09-2]^	2.5	U	ug/L	1	2.5	5.0	2G07007	EPA 8260D	07/07/22 12:42	nmc	
Methyl-tert-Butyl Ether [1634-04-4]^	0.60	U	ug/L	1	0.60	1.0	2G07007	EPA 8260D	07/07/22 12:42	nmc	
o-Xylene [95-47-6]^	0.53	U	ug/L	1	0.53	1.0	2G07007	EPA 8260D	07/07/22 12:42	nmc	
Tetrachloroethene [127-18-4]^	0.76	U	ug/L	1	0.76	1.0	2G07007	EPA 8260D	07/07/22 12:42	nmc	
Toluene [108-88-3]^	0.72	U	ug/L	1	0.72	1.0	2G07007	EPA 8260D	07/07/22 12:42	nmc	
trans-1,2-Dichloroethene [156-60-5]^	0.73	U	ug/L	1	0.73	1.0	2G07007	EPA 8260D	07/07/22 12:42	nmc	
trans-1,3-Dichloropropene [10061-02-6]^	0.73	U	ug/L	1	0.73	1.0	2G07007	EPA 8260D	07/07/22 12:42	nmc	
Trichloroethene [79-01-6]^	0.89	U	ug/L	1	0.89	1.0	2G07007	EPA 8260D	07/07/22 12:42	nmc	
Trichlorofluoromethane [75-69-4]^	0.94	U	ug/L	1	0.94	1.0	2G07007	EPA 8260D	07/07/22 12:42	nmc	
Vinyl chloride [75-01-4]^	0.71	U	ug/L	1	0.71	1.0	2G07007	EPA 8260D	07/07/22 12:42	nmc	
Xylenes (Total) [1330-20-7]^	1.3	U	ug/L	1	1.3	2.0	2G07007	EPA 8260D	07/07/22 12:42	nmc	

Surrogates	Results	DF	Spike Lvl	% Rec	% Rec Limits	Batch	Method	Analyzed	By	Notes
4-Bromofluorobenzene	48	1	50.0	97 %	41-142	2G07007	EPA 8260D	07/07/22 12:42	nmc	
Dibromofluoromethane	44	1	50.0	88 %	53-146	2G07007	EPA 8260D	07/07/22 12:42	nmc	
Toluene-d8	44	1	50.0	88 %	41-146	2G07007	EPA 8260D	07/07/22 12:42	nmc	



**ANALYTICAL RESULTS**

<b>Description:</b> MW-5	<b>Lab Sample ID:</b> AF04708-02	<b>Received:</b> 07/06/22 13:36
<b>Matrix:</b> Ground Water	<b>Sampled:</b> 07/06/22 10:15	<b>Work Order:</b> AF04708
<b>Project:</b> FRIENDS RECYCLING FORMERLY OCALA RECYCLING	<b>Sampled By:</b> Chris Monaco	

**Volatile Organic Compounds by GCMS**

^ - ENCO Orlando certified analyte [NELAC E83182]

Analyte [CAS Number]	Results	Flag	Units	DF	MDL	PQL	Batch	Method	Analyzed	By	Notes
1,1,1-Trichloroethane [71-55-6]^	0.80	U	ug/L	1	0.80	1.0	2G07007	EPA 8260D	07/07/22 13:10	nmc	
1,1,2,2-Tetrachloroethane [79-34-5]^	0.54	U	ug/L	1	0.54	1.0	2G07007	EPA 8260D	07/07/22 13:10	nmc	
1,1,2-Trichloroethane [79-00-5]^	0.76	U	ug/L	1	0.76	1.0	2G07007	EPA 8260D	07/07/22 13:10	nmc	
1,1-Dichloroethane [75-34-3]^	0.62	U	ug/L	1	0.62	1.0	2G07007	EPA 8260D	07/07/22 13:10	nmc	
1,1-Dichloroethene [75-35-4]^	0.94	U	ug/L	1	0.94	1.0	2G07007	EPA 8260D	07/07/22 13:10	nmc	
1,2-Dichlorobenzene [95-50-1]^	0.73	U	ug/L	1	0.73	1.0	2G07007	EPA 8260D	07/07/22 13:10	nmc	
1,2-Dichloroethane [107-06-2]^	0.63	U	ug/L	1	0.63	1.0	2G07007	EPA 8260D	07/07/22 13:10	nmc	
1,2-Dichloropropane [78-87-5]^	0.80	U	ug/L	1	0.80	1.0	2G07007	EPA 8260D	07/07/22 13:10	nmc	
1,3-Dichlorobenzene [541-73-1]^	0.77	U	ug/L	1	0.77	1.0	2G07007	EPA 8260D	07/07/22 13:10	nmc	
1,4-Dichlorobenzene [106-46-7]^	0.76	U	ug/L	1	0.76	1.0	2G07007	EPA 8260D	07/07/22 13:10	nmc	
2-Chloroethyl Vinyl Ether [110-75-8]^	2.5	U	ug/L	1	2.5	100	2G07007	EPA 8260D	07/07/22 13:10	nmc	
Benzene [71-43-2]^	0.71	U	ug/L	1	0.71	1.0	2G07007	EPA 8260D	07/07/22 13:10	nmc	
Bromodichloromethane [75-27-4]^	0.52	U	ug/L	1	0.52	1.0	2G07007	EPA 8260D	07/07/22 13:10	nmc	
Bromoform [75-25-2]^	0.75	U	ug/L	1	0.75	1.0	2G07007	EPA 8260D	07/07/22 13:10	nmc	
Bromomethane [74-83-9]^	0.95	U	ug/L	1	0.95	1.0	2G07007	EPA 8260D	07/07/22 13:10	nmc	
Carbon tetrachloride [56-23-5]^	0.94	U	ug/L	1	0.94	1.0	2G07007	EPA 8260D	07/07/22 13:10	nmc	
Chlorobenzene [108-90-7]^	0.72	U	ug/L	1	0.72	1.0	2G07007	EPA 8260D	07/07/22 13:10	nmc	
Chloroethane [75-00-3]^	0.98	U	ug/L	1	0.98	1.0	2G07007	EPA 8260D	07/07/22 13:10	nmc	
Chloroform [67-66-3]^	0.80	U	ug/L	1	0.80	1.0	2G07007	EPA 8260D	07/07/22 13:10	nmc	
Chloromethane [74-87-3]^	0.82	U	ug/L	1	0.82	1.0	2G07007	EPA 8260D	07/07/22 13:10	nmc	
cis-1,2-Dichloroethene [156-59-2]^	0.53	U	ug/L	1	0.53	1.0	2G07007	EPA 8260D	07/07/22 13:10	nmc	
cis-1,3-Dichloropropene [10061-01-5]^	0.59	U	ug/L	1	0.59	1.0	2G07007	EPA 8260D	07/07/22 13:10	nmc	
Dibromochloromethane [124-48-1]^	0.50	U	ug/L	1	0.50	1.0	2G07007	EPA 8260D	07/07/22 13:10	nmc	
Dichlorodifluoromethane [75-71-8]^	0.74	U	ug/L	1	0.74	1.0	2G07007	EPA 8260D	07/07/22 13:10	nmc	
Ethylbenzene [100-41-4]^	0.69	U	ug/L	1	0.69	1.0	2G07007	EPA 8260D	07/07/22 13:10	nmc	
m,p-Xylenes [108-38-3/106-42-3]^	1.3	U	ug/L	1	1.3	2.0	2G07007	EPA 8260D	07/07/22 13:10	nmc	
Methylene chloride [75-09-2]^	2.5	U	ug/L	1	2.5	5.0	2G07007	EPA 8260D	07/07/22 13:10	nmc	
Methyl-tert-Butyl Ether [1634-04-4]^	0.60	U	ug/L	1	0.60	1.0	2G07007	EPA 8260D	07/07/22 13:10	nmc	
o-Xylene [95-47-6]^	0.53	U	ug/L	1	0.53	1.0	2G07007	EPA 8260D	07/07/22 13:10	nmc	
Tetrachloroethene [127-18-4]^	0.76	U	ug/L	1	0.76	1.0	2G07007	EPA 8260D	07/07/22 13:10	nmc	
Toluene [108-88-3]^	0.72	U	ug/L	1	0.72	1.0	2G07007	EPA 8260D	07/07/22 13:10	nmc	
trans-1,2-Dichloroethene [156-60-5]^	0.73	U	ug/L	1	0.73	1.0	2G07007	EPA 8260D	07/07/22 13:10	nmc	
trans-1,3-Dichloropropene [10061-02-6]^	0.73	U	ug/L	1	0.73	1.0	2G07007	EPA 8260D	07/07/22 13:10	nmc	
Trichloroethene [79-01-6]^	0.89	U	ug/L	1	0.89	1.0	2G07007	EPA 8260D	07/07/22 13:10	nmc	
Trichlorofluoromethane [75-69-4]^	0.94	U	ug/L	1	0.94	1.0	2G07007	EPA 8260D	07/07/22 13:10	nmc	
Vinyl chloride [75-01-4]^	0.71	U	ug/L	1	0.71	1.0	2G07007	EPA 8260D	07/07/22 13:10	nmc	
Xylenes (Total) [1330-20-7]^	1.3	U	ug/L	1	1.3	2.0	2G07007	EPA 8260D	07/07/22 13:10	nmc	

Surrogates	Results	DF	Spike Lvl	% Rec	% Rec Limits	Batch	Method	Analyzed	By	Notes
4-Bromofluorobenzene	49	1	50.0	98 %	41-142	2G07007	EPA 8260D	07/07/22 13:10	nmc	
Dibromofluoromethane	46	1	50.0	91 %	53-146	2G07007	EPA 8260D	07/07/22 13:10	nmc	
Toluene-d8	45	1	50.0	90 %	41-146	2G07007	EPA 8260D	07/07/22 13:10	nmc	

**ANALYTICAL RESULTS**

**Description:** MW-5

**Lab Sample ID:** AF04708-02

**Received:** 07/06/22 13:36

**Matrix:** Ground Water

**Sampled:** 07/06/22 10:15

**Work Order:** AF04708

**Project:** FRIENDS RECYCLING FORMERLY OCALA

**Sampled By:** Chris Monaco

RECYCLING

**Metals by EPA 6000/7000 Series Methods**

^ - ENCO Orlando certified analyte [NELAC E83182]

Analyte [CAS Number]	Results	Flag	Units	DF	MDL	PQL	Batch	Method	Analyzed	By	Notes
Mercury [7439-97-6]^	0.0230	U	ug/L	1	0.0230	0.200	2G07011	EPA 7470A	07/08/22 09:49	JMA	

**Metals (total recoverable) by EPA 6000/7000 Series Methods**

^ - ENCO Orlando certified analyte [NELAC E83182]

Analyte [CAS Number]	Results	Flag	Units	DF	MDL	PQL	Batch	Method	Analyzed	By	Notes
Aluminum [7429-90-5]^	68.0	U	ug/L	1	68.0	100	2G08041	EPA 6020B	07/12/22 11:45	JMA	
Arsenic [7440-38-2]^	6.10	U	ug/L	1	6.10	10.0	2G08041	EPA 6020B	07/12/22 11:45	JMA	
Cadmium [7440-43-9]^	2.00	U	ug/L	1	2.00	5.00	2G08041	EPA 6020B	07/12/22 11:45	JMA	
Chromium [7440-47-3]^	5.00	U	ug/L	1	5.00	10.0	2G08041	EPA 6020B	07/12/22 11:45	JMA	
Iron [7439-89-6]^	<b>7520</b>		ug/L	1	50.0	250	2G08041	EPA 6020B	07/12/22 11:45	JMA	
Lead [7439-92-1]^	2.50	U	ug/L	1	2.50	5.00	2G08041	EPA 6020B	07/12/22 11:45	JMA	
Sodium [7440-23-5]^	<b>32.8</b>		mg/L	1	0.320	1.00	2G08041	EPA 6020B	07/12/22 11:45	JMA	

**Classical Chemistry Parameters**

^ - ENCO Orlando certified analyte [NELAC E83182]

Analyte [CAS Number]	Results	Flag	Units	DF	MDL	PQL	Batch	Method	Analyzed	By	Notes
Ammonia as N [7664-41-7]^	<b>5.6</b>		mg/L	5	0.049	0.10	2G06029	EPA 350.1	07/07/22 14:14	cbarr	
Chloride [16887-00-6]^	<b>24</b>		mg/L	1	0.29	5.0	2G06068	EPA 300.0	07/06/22 22:26	ASR	
Nitrate as N [14797-55-8]^	0.052	U	mg/L	1	0.052	1.0	2G06068	EPA 300.0	07/06/22 22:26	ASR	
Sulfate [14808-79-8]^	<b>15</b>		mg/L	1	0.07	5.0	2G06068	EPA 300.0	07/06/22 22:26	ASR	
Total Dissolved Solids^	<b>700</b>		mg/L	1	10	10	2G09001	SM 2540C-2011	07/12/22 16:30	LAM	

**Field Parameters**

Analyte [CAS Number]	Results	Flag	Units	DF	MDL	PQL	Batch	Method	Analyzed	By	Notes
Depth to Water	<b>45.63</b>		Ft	1			2G15021	Field	07/06/22 10:15	CSP	
Dissolved Oxygen	<b>0.05</b>		mg/L	1	0	0	2G15021	Field	07/06/22 10:15	CSP	
pH	<b>6.39</b>		pH Units	1			2G15021	Field	07/06/22 10:15	CSP	
Specific Conductance (EC)	<b>1364</b>		umhos/cm	1	0	0	2G15021	Field	07/06/22 10:15	CSP	
Temperature	<b>31.2</b>		°C	1	0	0	2G15021	Field	07/06/22 10:15	CSP	
Turbidity	<b>1.4</b>		NTU	1	0	0	2G15021	Field	07/06/22 10:15	CSP	
Water Elevation	<b>42.38</b>		Ft	1			2G15021	Field	07/06/22 10:15	CSP	

**ANALYTICAL RESULTS**

**Description:** MW-6

**Lab Sample ID:** AF04708-03

**Received:** 07/06/22 13:36

**Matrix:** Ground Water

**Sampled:** 07/06/22 09:47

**Work Order:** AF04708

**Project:** FRIENDS RECYCLING FORMERLY OCALA

**Sampled By:** Chris Monaco

RECYCLING

**Volatile Organic Compounds by GCMS**

^ - ENCO Orlando certified analyte [NELAC E83182]

Analyte [CAS Number]	Results	Flag	Units	DF	MDL	PQL	Batch	Method	Analyzed	By	Notes
1,1,1-Trichloroethane [71-55-6]^	0.80	U	ug/L	1	0.80	1.0	2G07007	EPA 8260D	07/07/22 13:39	nmc	
1,1,2,2-Tetrachloroethane [79-34-5]^	0.54	U	ug/L	1	0.54	1.0	2G07007	EPA 8260D	07/07/22 13:39	nmc	
1,1,2-Trichloroethane [79-00-5]^	0.76	U	ug/L	1	0.76	1.0	2G07007	EPA 8260D	07/07/22 13:39	nmc	
1,1-Dichloroethane [75-34-3]^	0.62	U	ug/L	1	0.62	1.0	2G07007	EPA 8260D	07/07/22 13:39	nmc	
1,1-Dichloroethene [75-35-4]^	0.94	U	ug/L	1	0.94	1.0	2G07007	EPA 8260D	07/07/22 13:39	nmc	
1,2-Dichlorobenzene [95-50-1]^	0.73	U	ug/L	1	0.73	1.0	2G07007	EPA 8260D	07/07/22 13:39	nmc	
1,2-Dichloroethane [107-06-2]^	0.63	U	ug/L	1	0.63	1.0	2G07007	EPA 8260D	07/07/22 13:39	nmc	
1,2-Dichloropropane [78-87-5]^	0.80	U	ug/L	1	0.80	1.0	2G07007	EPA 8260D	07/07/22 13:39	nmc	
1,3-Dichlorobenzene [541-73-1]^	0.77	U	ug/L	1	0.77	1.0	2G07007	EPA 8260D	07/07/22 13:39	nmc	
1,4-Dichlorobenzene [106-46-7]^	0.76	U	ug/L	1	0.76	1.0	2G07007	EPA 8260D	07/07/22 13:39	nmc	
2-Chloroethyl Vinyl Ether [110-75-8]^	2.5	U	ug/L	1	2.5	100	2G07007	EPA 8260D	07/07/22 13:39	nmc	
Benzene [71-43-2]^	0.71	U	ug/L	1	0.71	1.0	2G07007	EPA 8260D	07/07/22 13:39	nmc	
Bromodichloromethane [75-27-4]^	0.52	U	ug/L	1	0.52	1.0	2G07007	EPA 8260D	07/07/22 13:39	nmc	
Bromoform [75-25-2]^	0.75	U	ug/L	1	0.75	1.0	2G07007	EPA 8260D	07/07/22 13:39	nmc	
Bromomethane [74-83-9]^	0.95	U	ug/L	1	0.95	1.0	2G07007	EPA 8260D	07/07/22 13:39	nmc	
Carbon tetrachloride [56-23-5]^	0.94	U	ug/L	1	0.94	1.0	2G07007	EPA 8260D	07/07/22 13:39	nmc	
Chlorobenzene [108-90-7]^	0.72	U	ug/L	1	0.72	1.0	2G07007	EPA 8260D	07/07/22 13:39	nmc	
Chloroethane [75-00-3]^	0.98	U	ug/L	1	0.98	1.0	2G07007	EPA 8260D	07/07/22 13:39	nmc	
Chloroform [67-66-3]^	0.80	U	ug/L	1	0.80	1.0	2G07007	EPA 8260D	07/07/22 13:39	nmc	
Chloromethane [74-87-3]^	0.82	U	ug/L	1	0.82	1.0	2G07007	EPA 8260D	07/07/22 13:39	nmc	
cis-1,2-Dichloroethene [156-59-2]^	0.53	U	ug/L	1	0.53	1.0	2G07007	EPA 8260D	07/07/22 13:39	nmc	
cis-1,3-Dichloropropene [10061-01-5]^	0.59	U	ug/L	1	0.59	1.0	2G07007	EPA 8260D	07/07/22 13:39	nmc	
Dibromochloromethane [124-48-1]^	0.50	U	ug/L	1	0.50	1.0	2G07007	EPA 8260D	07/07/22 13:39	nmc	
Dichlorodifluoromethane [75-71-8]^	0.74	U	ug/L	1	0.74	1.0	2G07007	EPA 8260D	07/07/22 13:39	nmc	
Ethylbenzene [100-41-4]^	0.69	U	ug/L	1	0.69	1.0	2G07007	EPA 8260D	07/07/22 13:39	nmc	
m,p-Xylenes [108-38-3/106-42-3]^	1.3	U	ug/L	1	1.3	2.0	2G07007	EPA 8260D	07/07/22 13:39	nmc	
Methylene chloride [75-09-2]^	2.5	U	ug/L	1	2.5	5.0	2G07007	EPA 8260D	07/07/22 13:39	nmc	
Methyl-tert-Butyl Ether [1634-04-4]^	0.60	U	ug/L	1	0.60	1.0	2G07007	EPA 8260D	07/07/22 13:39	nmc	
o-Xylene [95-47-6]^	0.53	U	ug/L	1	0.53	1.0	2G07007	EPA 8260D	07/07/22 13:39	nmc	
Tetrachloroethene [127-18-4]^	0.76	U	ug/L	1	0.76	1.0	2G07007	EPA 8260D	07/07/22 13:39	nmc	
Toluene [108-88-3]^	0.72	U	ug/L	1	0.72	1.0	2G07007	EPA 8260D	07/07/22 13:39	nmc	
trans-1,2-Dichloroethene [156-60-5]^	0.73	U	ug/L	1	0.73	1.0	2G07007	EPA 8260D	07/07/22 13:39	nmc	
trans-1,3-Dichloropropene [10061-02-6]^	0.73	U	ug/L	1	0.73	1.0	2G07007	EPA 8260D	07/07/22 13:39	nmc	
Trichloroethene [79-01-6]^	0.89	U	ug/L	1	0.89	1.0	2G07007	EPA 8260D	07/07/22 13:39	nmc	
Trichlorofluoromethane [75-69-4]^	0.94	U	ug/L	1	0.94	1.0	2G07007	EPA 8260D	07/07/22 13:39	nmc	
Vinyl chloride [75-01-4]^	0.71	U	ug/L	1	0.71	1.0	2G07007	EPA 8260D	07/07/22 13:39	nmc	
Xylenes (Total) [1330-20-7]^	1.3	U	ug/L	1	1.3	2.0	2G07007	EPA 8260D	07/07/22 13:39	nmc	

Surrogates	Results	DF	Spike Lvl	% Rec	% Rec Limits	Batch	Method	Analyzed	By	Notes
4-Bromofluorobenzene	49	1	50.0	98 %	41-142	2G07007	EPA 8260D	07/07/22 13:39	nmc	
Dibromofluoromethane	45	1	50.0	90 %	53-146	2G07007	EPA 8260D	07/07/22 13:39	nmc	
Toluene-d8	45	1	50.0	90 %	41-146	2G07007	EPA 8260D	07/07/22 13:39	nmc	



**ANALYTICAL RESULTS**

**Description:** MW-7

**Lab Sample ID:** AF04708-04

**Received:** 07/06/22 13:36

**Matrix:** Ground Water

**Sampled:** 07/06/22 10:40

**Work Order:** AF04708

**Project:** FRIENDS RECYCLING FORMERLY OCALA

**Sampled By:** Chris Monaco

RECYCLING

**Volatile Organic Compounds by GCMS**

^ - ENCO Orlando certified analyte [NELAC E83182]

Analyte [CAS Number]	Results	Flag	Units	DF	MDL	PQL	Batch	Method	Analyzed	By	Notes
1,1,1-Trichloroethane [71-55-6]^	0.80	U	ug/L	1	0.80	1.0	2G07031	EPA 8260D	07/08/22 02:08	nmc	
1,1,2,2-Tetrachloroethane [79-34-5]^	0.54	U	ug/L	1	0.54	1.0	2G07031	EPA 8260D	07/08/22 02:08	nmc	
1,1,2-Trichloroethane [79-00-5]^	0.76	U	ug/L	1	0.76	1.0	2G07031	EPA 8260D	07/08/22 02:08	nmc	
1,1-Dichloroethane [75-34-3]^	0.62	U	ug/L	1	0.62	1.0	2G07031	EPA 8260D	07/08/22 02:08	nmc	
1,1-Dichloroethene [75-35-4]^	0.94	U	ug/L	1	0.94	1.0	2G07031	EPA 8260D	07/08/22 02:08	nmc	
1,2-Dichlorobenzene [95-50-1]^	0.73	U	ug/L	1	0.73	1.0	2G07031	EPA 8260D	07/08/22 02:08	nmc	
1,2-Dichloroethane [107-06-2]^	0.63	U	ug/L	1	0.63	1.0	2G07031	EPA 8260D	07/08/22 02:08	nmc	
1,2-Dichloropropane [78-87-5]^	0.80	U	ug/L	1	0.80	1.0	2G07031	EPA 8260D	07/08/22 02:08	nmc	
1,3-Dichlorobenzene [541-73-1]^	0.77	U	ug/L	1	0.77	1.0	2G07031	EPA 8260D	07/08/22 02:08	nmc	
1,4-Dichlorobenzene [106-46-7]^	0.76	U	ug/L	1	0.76	1.0	2G07031	EPA 8260D	07/08/22 02:08	nmc	
2-Chloroethyl Vinyl Ether [110-75-8]^	2.5	U	ug/L	1	2.5	5.0	2G07031	EPA 8260D	07/08/22 02:08	nmc	
Benzene [71-43-2]^	0.71	U	ug/L	1	0.71	1.0	2G07031	EPA 8260D	07/08/22 02:08	nmc	
Bromodichloromethane [75-27-4]^	0.52	U	ug/L	1	0.52	1.0	2G07031	EPA 8260D	07/08/22 02:08	nmc	
Bromoform [75-25-2]^	0.75	U	ug/L	1	0.75	1.0	2G07031	EPA 8260D	07/08/22 02:08	nmc	
Bromomethane [74-83-9]^	0.95	U	ug/L	1	0.95	1.0	2G07031	EPA 8260D	07/08/22 02:08	nmc	QV-01
Carbon tetrachloride [56-23-5]^	0.94	U	ug/L	1	0.94	1.0	2G07031	EPA 8260D	07/08/22 02:08	nmc	
Chlorobenzene [108-90-7]^	0.72	U	ug/L	1	0.72	1.0	2G07031	EPA 8260D	07/08/22 02:08	nmc	
Chloroethane [75-00-3]^	0.98	U	ug/L	1	0.98	1.0	2G07031	EPA 8260D	07/08/22 02:08	nmc	
Chloroform [67-66-3]^	0.80	U	ug/L	1	0.80	1.0	2G07031	EPA 8260D	07/08/22 02:08	nmc	
Chloromethane [74-87-3]^	0.82	U	ug/L	1	0.82	1.0	2G07031	EPA 8260D	07/08/22 02:08	nmc	
cis-1,2-Dichloroethene [156-59-2]^	0.53	U	ug/L	1	0.53	1.0	2G07031	EPA 8260D	07/08/22 02:08	nmc	
cis-1,3-Dichloropropene [10061-01-5]^	0.59	U	ug/L	1	0.59	1.0	2G07031	EPA 8260D	07/08/22 02:08	nmc	
Dibromochloromethane [124-48-1]^	0.50	U	ug/L	1	0.50	1.0	2G07031	EPA 8260D	07/08/22 02:08	nmc	
Dichlorodifluoromethane [75-71-8]^	0.74	U	ug/L	1	0.74	1.0	2G07031	EPA 8260D	07/08/22 02:08	nmc	
Ethylbenzene [100-41-4]^	0.69	U	ug/L	1	0.69	1.0	2G07031	EPA 8260D	07/08/22 02:08	nmc	
m,p-Xylenes [108-38-3/106-42-3]^	1.3	U	ug/L	1	1.3	2.0	2G07031	EPA 8260D	07/08/22 02:08	nmc	
Methylene chloride [75-09-2]^	2.5	U	ug/L	1	2.5	5.0	2G07031	EPA 8260D	07/08/22 02:08	nmc	
Methyl-tert-Butyl Ether [1634-04-4]^	0.60	U	ug/L	1	0.60	1.0	2G07031	EPA 8260D	07/08/22 02:08	nmc	
o-Xylene [95-47-6]^	0.53	U	ug/L	1	0.53	1.0	2G07031	EPA 8260D	07/08/22 02:08	nmc	
Tetrachloroethene [127-18-4]^	0.76	U	ug/L	1	0.76	1.0	2G07031	EPA 8260D	07/08/22 02:08	nmc	
Toluene [108-88-3]^	0.72	U	ug/L	1	0.72	1.0	2G07031	EPA 8260D	07/08/22 02:08	nmc	
trans-1,2-Dichloroethene [156-60-5]^	0.73	U	ug/L	1	0.73	1.0	2G07031	EPA 8260D	07/08/22 02:08	nmc	
trans-1,3-Dichloropropene [10061-02-6]^	0.73	U	ug/L	1	0.73	1.0	2G07031	EPA 8260D	07/08/22 02:08	nmc	
Trichloroethene [79-01-6]^	0.89	U	ug/L	1	0.89	1.0	2G07031	EPA 8260D	07/08/22 02:08	nmc	
Trichlorofluoromethane [75-69-4]^	0.94	U	ug/L	1	0.94	1.0	2G07031	EPA 8260D	07/08/22 02:08	nmc	
Vinyl chloride [75-01-4]^	0.71	U	ug/L	1	0.71	1.0	2G07031	EPA 8260D	07/08/22 02:08	nmc	
Xylenes (Total) [1330-20-7]^	1.3	U	ug/L	1	1.3	2.0	2G07031	EPA 8260D	07/08/22 02:08	nmc	

Surrogates	Results	DF	Spike Lvl	% Rec	% Rec Limits	Batch	Method	Analyzed	By	Notes
4-Bromofluorobenzene	48	1	50.0	96 %	41-142	2G07031	EPA 8260D	07/08/22 02:08	nmc	
Dibromofluoromethane	46	1	50.0	92 %	53-146	2G07031	EPA 8260D	07/08/22 02:08	nmc	
Toluene-d8	45	1	50.0	91 %	41-146	2G07031	EPA 8260D	07/08/22 02:08	nmc	







**ANALYTICAL RESULTS**

**Description:** MW-9

**Lab Sample ID:** AF04708-06

**Received:** 07/06/22 13:36

**Matrix:** Ground Water

**Sampled:** 07/06/22 08:52

**Work Order:** AF04708

**Project:** FRIENDS RECYCLING FORMERLY OCALA

**Sampled By:** Chris Monaco

RECYCLING

**Volatile Organic Compounds by GCMS**

^ - ENCO Orlando certified analyte [NELAC E83182]

Analyte [CAS Number]	Results	Flag	Units	DF	MDL	PQL	Batch	Method	Analyzed	By	Notes
1,1,1-Trichloroethane [71-55-6]^	0.80	U	ug/L	1	0.80	1.0	2G07031	EPA 8260D	07/08/22 03:06	nmc	
1,1,2,2-Tetrachloroethane [79-34-5]^	0.54	U	ug/L	1	0.54	1.0	2G07031	EPA 8260D	07/08/22 03:06	nmc	
1,1,2-Trichloroethane [79-00-5]^	0.76	U	ug/L	1	0.76	1.0	2G07031	EPA 8260D	07/08/22 03:06	nmc	
1,1-Dichloroethane [75-34-3]^	0.62	U	ug/L	1	0.62	1.0	2G07031	EPA 8260D	07/08/22 03:06	nmc	
1,1-Dichloroethene [75-35-4]^	0.94	U	ug/L	1	0.94	1.0	2G07031	EPA 8260D	07/08/22 03:06	nmc	
1,2-Dichlorobenzene [95-50-1]^	0.73	U	ug/L	1	0.73	1.0	2G07031	EPA 8260D	07/08/22 03:06	nmc	
1,2-Dichloroethane [107-06-2]^	0.63	U	ug/L	1	0.63	1.0	2G07031	EPA 8260D	07/08/22 03:06	nmc	
1,2-Dichloropropane [78-87-5]^	0.80	U	ug/L	1	0.80	1.0	2G07031	EPA 8260D	07/08/22 03:06	nmc	
1,3-Dichlorobenzene [541-73-1]^	0.77	U	ug/L	1	0.77	1.0	2G07031	EPA 8260D	07/08/22 03:06	nmc	
1,4-Dichlorobenzene [106-46-7]^	0.76	U	ug/L	1	0.76	1.0	2G07031	EPA 8260D	07/08/22 03:06	nmc	
2-Chloroethyl Vinyl Ether [110-75-8]^	2.5	U	ug/L	1	2.5	5.0	2G07031	EPA 8260D	07/08/22 03:06	nmc	
Benzene [71-43-2]^	0.71	U	ug/L	1	0.71	1.0	2G07031	EPA 8260D	07/08/22 03:06	nmc	
Bromodichloromethane [75-27-4]^	0.52	U	ug/L	1	0.52	1.0	2G07031	EPA 8260D	07/08/22 03:06	nmc	
Bromoform [75-25-2]^	0.75	U	ug/L	1	0.75	1.0	2G07031	EPA 8260D	07/08/22 03:06	nmc	
Bromomethane [74-83-9]^	0.95	U	ug/L	1	0.95	1.0	2G07031	EPA 8260D	07/08/22 03:06	nmc	QV-01
Carbon tetrachloride [56-23-5]^	0.94	U	ug/L	1	0.94	1.0	2G07031	EPA 8260D	07/08/22 03:06	nmc	
Chlorobenzene [108-90-7]^	0.72	U	ug/L	1	0.72	1.0	2G07031	EPA 8260D	07/08/22 03:06	nmc	
Chloroethane [75-00-3]^	0.98	U	ug/L	1	0.98	1.0	2G07031	EPA 8260D	07/08/22 03:06	nmc	
Chloroform [67-66-3]^	0.80	U	ug/L	1	0.80	1.0	2G07031	EPA 8260D	07/08/22 03:06	nmc	
Chloromethane [74-87-3]^	0.82	U	ug/L	1	0.82	1.0	2G07031	EPA 8260D	07/08/22 03:06	nmc	
cis-1,2-Dichloroethene [156-59-2]^	0.53	U	ug/L	1	0.53	1.0	2G07031	EPA 8260D	07/08/22 03:06	nmc	
cis-1,3-Dichloropropene [10061-01-5]^	0.59	U	ug/L	1	0.59	1.0	2G07031	EPA 8260D	07/08/22 03:06	nmc	
Dibromochloromethane [124-48-1]^	0.50	U	ug/L	1	0.50	1.0	2G07031	EPA 8260D	07/08/22 03:06	nmc	
Dichlorodifluoromethane [75-71-8]^	0.74	U	ug/L	1	0.74	1.0	2G07031	EPA 8260D	07/08/22 03:06	nmc	
Ethylbenzene [100-41-4]^	0.69	U	ug/L	1	0.69	1.0	2G07031	EPA 8260D	07/08/22 03:06	nmc	
m,p-Xylenes [108-38-3/106-42-3]^	1.3	U	ug/L	1	1.3	2.0	2G07031	EPA 8260D	07/08/22 03:06	nmc	
Methylene chloride [75-09-2]^	2.5	U	ug/L	1	2.5	5.0	2G07031	EPA 8260D	07/08/22 03:06	nmc	
Methyl-tert-Butyl Ether [1634-04-4]^	0.60	U	ug/L	1	0.60	1.0	2G07031	EPA 8260D	07/08/22 03:06	nmc	
o-Xylene [95-47-6]^	0.53	U	ug/L	1	0.53	1.0	2G07031	EPA 8260D	07/08/22 03:06	nmc	
Tetrachloroethene [127-18-4]^	0.76	U	ug/L	1	0.76	1.0	2G07031	EPA 8260D	07/08/22 03:06	nmc	
Toluene [108-88-3]^	0.72	U	ug/L	1	0.72	1.0	2G07031	EPA 8260D	07/08/22 03:06	nmc	
trans-1,2-Dichloroethene [156-60-5]^	0.73	U	ug/L	1	0.73	1.0	2G07031	EPA 8260D	07/08/22 03:06	nmc	
trans-1,3-Dichloropropene [10061-02-6]^	0.73	U	ug/L	1	0.73	1.0	2G07031	EPA 8260D	07/08/22 03:06	nmc	
Trichloroethene [79-01-6]^	0.89	U	ug/L	1	0.89	1.0	2G07031	EPA 8260D	07/08/22 03:06	nmc	
Trichlorofluoromethane [75-69-4]^	0.94	U	ug/L	1	0.94	1.0	2G07031	EPA 8260D	07/08/22 03:06	nmc	
Vinyl chloride [75-01-4]^	0.71	U	ug/L	1	0.71	1.0	2G07031	EPA 8260D	07/08/22 03:06	nmc	
Xylenes (Total) [1330-20-7]^	1.3	U	ug/L	1	1.3	2.0	2G07031	EPA 8260D	07/08/22 03:06	nmc	

Surrogates	Results	DF	Spike Lvl	% Rec	% Rec Limits	Batch	Method	Analyzed	By	Notes
4-Bromofluorobenzene	48	1	50.0	96 %	41-142	2G07031	EPA 8260D	07/08/22 03:06	nmc	
Dibromofluoromethane	47	1	50.0	94 %	53-146	2G07031	EPA 8260D	07/08/22 03:06	nmc	
Toluene-d8	46	1	50.0	92 %	41-146	2G07031	EPA 8260D	07/08/22 03:06	nmc	



**ANALYTICAL RESULTS**

**Description:** TRIP BLANK

**Lab Sample ID:** AF04708-07

**Received:** 07/06/22 13:36

**Matrix:** Water

**Sampled:** 07/06/22 10:15

**Work Order:** AF04708

**Project:** FRIENDS RECYCLING FORMERLY OCALA

**Sampled By:** ENCO

RECYCLING

**Volatile Organic Compounds by GCMS**

^ - ENCO Orlando certified analyte [NELAC E83182]

Analyte [CAS Number]	Results	Flag	Units	DF	MDL	PQL	Batch	Method	Analyzed	By	Notes
1,1,1-Trichloroethane [71-55-6]^	0.80	U	ug/L	1	0.80	1.0	2G07031	EPA 8260D	07/08/22 03:34	nmc	
1,1,2,2-Tetrachloroethane [79-34-5]^	0.54	U	ug/L	1	0.54	1.0	2G07031	EPA 8260D	07/08/22 03:34	nmc	
1,1,2-Trichloroethane [79-00-5]^	0.76	U	ug/L	1	0.76	1.0	2G07031	EPA 8260D	07/08/22 03:34	nmc	
1,1-Dichloroethane [75-34-3]^	0.62	U	ug/L	1	0.62	1.0	2G07031	EPA 8260D	07/08/22 03:34	nmc	
1,1-Dichloroethene [75-35-4]^	0.94	U	ug/L	1	0.94	1.0	2G07031	EPA 8260D	07/08/22 03:34	nmc	
1,2-Dichlorobenzene [95-50-1]^	0.73	U	ug/L	1	0.73	1.0	2G07031	EPA 8260D	07/08/22 03:34	nmc	
1,2-Dichloroethane [107-06-2]^	0.63	U	ug/L	1	0.63	1.0	2G07031	EPA 8260D	07/08/22 03:34	nmc	
1,2-Dichloropropane [78-87-5]^	0.80	U	ug/L	1	0.80	1.0	2G07031	EPA 8260D	07/08/22 03:34	nmc	
1,3-Dichlorobenzene [541-73-1]^	0.77	U	ug/L	1	0.77	1.0	2G07031	EPA 8260D	07/08/22 03:34	nmc	
1,4-Dichlorobenzene [106-46-7]^	0.76	U	ug/L	1	0.76	1.0	2G07031	EPA 8260D	07/08/22 03:34	nmc	
2-Chloroethyl Vinyl Ether [110-75-8]^	2.5	U	ug/L	1	2.5	5.0	2G07031	EPA 8260D	07/08/22 03:34	nmc	
Benzene [71-43-2]^	0.71	U	ug/L	1	0.71	1.0	2G07031	EPA 8260D	07/08/22 03:34	nmc	
Bromodichloromethane [75-27-4]^	0.52	U	ug/L	1	0.52	1.0	2G07031	EPA 8260D	07/08/22 03:34	nmc	
Bromoform [75-25-2]^	0.75	U	ug/L	1	0.75	1.0	2G07031	EPA 8260D	07/08/22 03:34	nmc	
Bromomethane [74-83-9]^	0.95	U	ug/L	1	0.95	1.0	2G07031	EPA 8260D	07/08/22 03:34	nmc	QV-01
Carbon tetrachloride [56-23-5]^	0.94	U	ug/L	1	0.94	1.0	2G07031	EPA 8260D	07/08/22 03:34	nmc	
Chlorobenzene [108-90-7]^	0.72	U	ug/L	1	0.72	1.0	2G07031	EPA 8260D	07/08/22 03:34	nmc	
Chloroethane [75-00-3]^	0.98	U	ug/L	1	0.98	1.0	2G07031	EPA 8260D	07/08/22 03:34	nmc	
Chloroform [67-66-3]^	0.80	U	ug/L	1	0.80	1.0	2G07031	EPA 8260D	07/08/22 03:34	nmc	
Chloromethane [74-87-3]^	0.82	U	ug/L	1	0.82	1.0	2G07031	EPA 8260D	07/08/22 03:34	nmc	
cis-1,2-Dichloroethene [156-59-2]^	0.53	U	ug/L	1	0.53	1.0	2G07031	EPA 8260D	07/08/22 03:34	nmc	
cis-1,3-Dichloropropene [10061-01-5]^	0.59	U	ug/L	1	0.59	1.0	2G07031	EPA 8260D	07/08/22 03:34	nmc	
Dibromochloromethane [124-48-1]^	0.50	U	ug/L	1	0.50	1.0	2G07031	EPA 8260D	07/08/22 03:34	nmc	
Dichlorodifluoromethane [75-71-8]^	0.74	U	ug/L	1	0.74	1.0	2G07031	EPA 8260D	07/08/22 03:34	nmc	
Ethylbenzene [100-41-4]^	0.69	U	ug/L	1	0.69	1.0	2G07031	EPA 8260D	07/08/22 03:34	nmc	
m,p-Xylenes [108-38-3/106-42-3]^	1.3	U	ug/L	1	1.3	2.0	2G07031	EPA 8260D	07/08/22 03:34	nmc	
Methylene chloride [75-09-2]^	2.5	U	ug/L	1	2.5	5.0	2G07031	EPA 8260D	07/08/22 03:34	nmc	
Methyl-tert-Butyl Ether [1634-04-4]^	0.60	U	ug/L	1	0.60	1.0	2G07031	EPA 8260D	07/08/22 03:34	nmc	
o-Xylene [95-47-6]^	0.53	U	ug/L	1	0.53	1.0	2G07031	EPA 8260D	07/08/22 03:34	nmc	
Tetrachloroethene [127-18-4]^	0.76	U	ug/L	1	0.76	1.0	2G07031	EPA 8260D	07/08/22 03:34	nmc	
Toluene [108-88-3]^	0.72	U	ug/L	1	0.72	1.0	2G07031	EPA 8260D	07/08/22 03:34	nmc	
trans-1,2-Dichloroethene [156-60-5]^	0.73	U	ug/L	1	0.73	1.0	2G07031	EPA 8260D	07/08/22 03:34	nmc	
trans-1,3-Dichloropropene [10061-02-6]^	0.73	U	ug/L	1	0.73	1.0	2G07031	EPA 8260D	07/08/22 03:34	nmc	
Trichloroethene [79-01-6]^	0.89	U	ug/L	1	0.89	1.0	2G07031	EPA 8260D	07/08/22 03:34	nmc	
Trichlorofluoromethane [75-69-4]^	0.94	U	ug/L	1	0.94	1.0	2G07031	EPA 8260D	07/08/22 03:34	nmc	
Vinyl chloride [75-01-4]^	0.71	U	ug/L	1	0.71	1.0	2G07031	EPA 8260D	07/08/22 03:34	nmc	
Xylenes (Total) [1330-20-7]^	1.3	U	ug/L	1	1.3	2.0	2G07031	EPA 8260D	07/08/22 03:34	nmc	

Surrogates	Results	DF	Spike Lvl	% Rec	% Rec Limits	Batch	Method	Analyzed	By	Notes
4-Bromofluorobenzene	48	1	50.0	96 %	41-142	2G07031	EPA 8260D	07/08/22 03:34	nmc	
Dibromofluoromethane	46	1	50.0	92 %	53-146	2G07031	EPA 8260D	07/08/22 03:34	nmc	
Toluene-d8	45	1	50.0	90 %	41-146	2G07031	EPA 8260D	07/08/22 03:34	nmc	

**QUALITY CONTROL DATA**

**Volatile Organic Compounds by GCMS - Quality Control**

**Batch 2G07007 - EPA 5030B\_MS**

**Blank (2G07007-BLK1)**

Prepared: 07/07/2022 08:16 Analyzed: 07/07/2022 11:15

<u>Analyte</u>	<u>Result</u>	<u>Flag</u>	<u>PQL</u>	<u>Units</u>	<u>Spike Level</u>	<u>Source Result</u>	<u>%REC</u>	<u>%REC Limits</u>	<u>RPD</u>	<u>RPD Limit</u>	<u>Notes</u>
1,1,1-Trichloroethane	0.80	U	1.0	ug/L							
1,1,2,2-Tetrachloroethane	0.54	U	1.0	ug/L							
1,1,2-Trichloroethane	0.76	U	1.0	ug/L							
1,1-Dichloroethane	0.62	U	1.0	ug/L							
1,1-Dichloroethene	0.94	U	1.0	ug/L							
1,2-Dichlorobenzene	0.73	U	1.0	ug/L							
1,2-Dichloroethane	0.63	U	1.0	ug/L							
1,2-Dichloropropane	0.80	U	1.0	ug/L							
1,3-Dichlorobenzene	0.77	U	1.0	ug/L							
1,4-Dichlorobenzene	0.76	U	1.0	ug/L							
2-Chloroethyl Vinyl Ether	2.5	U	100	ug/L							
Benzene	0.71	U	1.0	ug/L							
Bromodichloromethane	0.52	U	1.0	ug/L							
Bromoform	0.75	U	1.0	ug/L							
Bromomethane	0.95	U	1.0	ug/L							
Carbon tetrachloride	0.94	U	1.0	ug/L							
Chlorobenzene	0.72	U	1.0	ug/L							
Chloroethane	0.98	U	1.0	ug/L							
Chloroform	0.80	U	1.0	ug/L							
Chloromethane	0.82	U	1.0	ug/L							
cis-1,2-Dichloroethene	0.53	U	1.0	ug/L							
cis-1,3-Dichloropropene	0.59	U	1.0	ug/L							
Dibromochloromethane	0.50	U	1.0	ug/L							
Dichlorodifluoromethane	0.74	U	1.0	ug/L							
Ethylbenzene	0.69	U	1.0	ug/L							
m,p-Xylenes	1.3	U	2.0	ug/L							
Methylene chloride	2.5	U	5.0	ug/L							
Methyl-tert-Butyl Ether	0.60	U	1.0	ug/L							
o-Xylene	0.53	U	1.0	ug/L							
Tetrachloroethene	0.76	U	1.0	ug/L							
Toluene	0.72	U	1.0	ug/L							
trans-1,2-Dichloroethene	0.73	U	1.0	ug/L							
trans-1,3-Dichloropropene	0.73	U	1.0	ug/L							
Trichloroethene	0.89	U	1.0	ug/L							
Trichlorofluoromethane	0.94	U	1.0	ug/L							
Vinyl chloride	0.71	U	1.0	ug/L							
Xylenes (Total)	1.3	U	2.0	ug/L							
<hr/>											
4-Bromofluorobenzene	49			ug/L	50.0		99	41-142			
Dibromofluoromethane	46			ug/L	50.0		91	53-146			
Toluene-d8	46			ug/L	50.0		92	41-146			

**LCS (2G07007-BS1)**

Prepared: 07/07/2022 08:16 Analyzed: 07/07/2022 08:18

<u>Analyte</u>	<u>Result</u>	<u>Flag</u>	<u>PQL</u>	<u>Units</u>	<u>Spike Level</u>	<u>Source Result</u>	<u>%REC</u>	<u>%REC Limits</u>	<u>RPD</u>	<u>RPD Limit</u>	<u>Notes</u>
1,1-Dichloroethene	18		1.0	ug/L	20.0		88	47-139			
Benzene	20		1.0	ug/L	20.0		99	56-136			
Chlorobenzene	21		1.0	ug/L	20.0		107	51-139			
Toluene	20		1.0	ug/L	20.0		102	64-131			

**QUALITY CONTROL DATA**

**Volatile Organic Compounds by GCMS - Quality Control**

**Batch 2G07007 - EPA 5030B\_MS - Continued**

**LCS (2G07007-BS1) Continued**

Prepared: 07/07/2022 08:16 Analyzed: 07/07/2022 08:18

Analyte	Result	Flag	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Trichloroethene	17		1.0	ug/L	20.0		85	62-135			
4-Bromofluorobenzene	51			ug/L	50.0		102	41-142			
Dibromofluoromethane	46			ug/L	50.0		92	53-146			
Toluene-d8	47			ug/L	50.0		94	41-146			

**Matrix Spike (2G07007-MS1)**

Prepared: 07/07/2022 08:16 Analyzed: 07/07/2022 08:50

**Source: AF03908-02**

Analyte	Result	Flag	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
1,1-Dichloroethene	20		1.0	ug/L	20.0	0.94 U	99	47-139			
Benzene	22		1.0	ug/L	20.0	0.71 U	110	56-136			
Chlorobenzene	22		1.0	ug/L	20.0	0.72 U	111	51-139			
Toluene	22		1.0	ug/L	20.0	0.72 U	111	64-131			
Trichloroethene	19		1.0	ug/L	20.0	0.89 U	94	62-135			
4-Bromofluorobenzene	49			ug/L	50.0		99	41-142			
Dibromofluoromethane	45			ug/L	50.0		89	53-146			
Toluene-d8	46			ug/L	50.0		92	41-146			

**Matrix Spike Dup (2G07007-MSD1)**

Prepared: 07/07/2022 08:16 Analyzed: 07/07/2022 09:19

**Source: AF03908-02**

Analyte	Result	Flag	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
1,1-Dichloroethene	19		1.0	ug/L	20.0	0.94 U	96	47-139	4	16	
Benzene	22		1.0	ug/L	20.0	0.71 U	109	56-136	1	14	
Chlorobenzene	22		1.0	ug/L	20.0	0.72 U	109	51-139	2	13	
Toluene	21		1.0	ug/L	20.0	0.72 U	107	64-131	4	16	
Trichloroethene	18		1.0	ug/L	20.0	0.89 U	90	62-135	4	20	
4-Bromofluorobenzene	48			ug/L	50.0		97	41-142			
Dibromofluoromethane	44			ug/L	50.0		88	53-146			
Toluene-d8	45			ug/L	50.0		90	41-146			

**Batch 2G07031 - EPA 5030B\_MS**

**Blank (2G07031-BLK1)**

Prepared: 07/07/2022 11:30 Analyzed: 07/07/2022 23:16

Analyte	Result	Flag	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
1,1,1-Trichloroethane	0.80	U	1.0	ug/L							
1,1,2,2-Tetrachloroethane	0.54	U	1.0	ug/L							
1,1,2-Trichloroethane	0.76	U	1.0	ug/L							
1,1-Dichloroethane	0.62	U	1.0	ug/L							
1,1-Dichloroethene	0.94	U	1.0	ug/L							
1,2-Dichlorobenzene	0.73	U	1.0	ug/L							
1,2-Dichloroethane	0.63	U	1.0	ug/L							
1,2-Dichloropropane	0.80	U	1.0	ug/L							
1,3-Dichlorobenzene	0.77	U	1.0	ug/L							
1,4-Dichlorobenzene	0.76	U	1.0	ug/L							
2-Chloroethyl Vinyl Ether	2.5	U	5.0	ug/L							
Benzene	0.71	U	1.0	ug/L							
Bromodichloromethane	0.52	U	1.0	ug/L							
Bromoform	0.75	U	1.0	ug/L							

**QUALITY CONTROL DATA**

**Volatile Organic Compounds by GCMS - Quality Control**

*Batch 2G07031 - EPA 5030B\_MS - Continued*

**Blank (2G07031-BLK1) Continued**

Prepared: 07/07/2022 11:30 Analyzed: 07/07/2022 23:16

<u>Analyte</u>	<u>Result</u>	<u>Flag</u>	<u>PQL</u>	<u>Units</u>	<u>Spike Level</u>	<u>Source Result</u>	<u>%REC</u>	<u>%REC Limits</u>	<u>RPD</u>	<u>RPD Limit</u>	<u>Notes</u>
Bromomethane	0.95	U	1.0	ug/L							
Carbon tetrachloride	0.94	U	1.0	ug/L							
Chlorobenzene	0.72	U	1.0	ug/L							
Chloroethane	0.98	U	1.0	ug/L							
Chloroform	0.80	U	1.0	ug/L							
Chloromethane	0.82	U	1.0	ug/L							
cis-1,2-Dichloroethene	0.53	U	1.0	ug/L							
cis-1,3-Dichloropropene	0.59	U	1.0	ug/L							
Dibromochloromethane	0.50	U	1.0	ug/L							
Dichlorodifluoromethane	0.74	U	1.0	ug/L							
Ethylbenzene	0.69	U	1.0	ug/L							
m,p-Xylenes	1.3	U	2.0	ug/L							
Methylene chloride	2.5	U	5.0	ug/L							
Methyl-tert-Butyl Ether	0.60	U	1.0	ug/L							
o-Xylene	0.53	U	1.0	ug/L							
Tetrachloroethene	0.76	U	1.0	ug/L							
Toluene	0.72	U	1.0	ug/L							
trans-1,2-Dichloroethene	0.73	U	1.0	ug/L							
trans-1,3-Dichloropropene	0.73	U	1.0	ug/L							
Trichloroethene	0.89	U	1.0	ug/L							
Trichlorofluoromethane	0.94	U	1.0	ug/L							
Vinyl chloride	0.71	U	1.0	ug/L							
Xylenes (Total)	1.3	U	2.0	ug/L							
<hr/>											
<i>4-Bromofluorobenzene</i>	<i>49</i>			<i>ug/L</i>	<i>50.0</i>		<i>98</i>	<i>41-142</i>			
<i>Dibromofluoromethane</i>	<i>46</i>			<i>ug/L</i>	<i>50.0</i>		<i>92</i>	<i>53-146</i>			
<i>Toluene-d8</i>	<i>46</i>			<i>ug/L</i>	<i>50.0</i>		<i>91</i>	<i>41-146</i>			

**LCS (2G07031-BS1)**

Prepared: 07/07/2022 11:30 Analyzed: 07/07/2022 20:52

<u>Analyte</u>	<u>Result</u>	<u>Flag</u>	<u>PQL</u>	<u>Units</u>	<u>Spike Level</u>	<u>Source Result</u>	<u>%REC</u>	<u>%REC Limits</u>	<u>RPD</u>	<u>RPD Limit</u>	<u>Notes</u>
1,1-Dichloroethene	19		1.0	ug/L	20.0		94	47-139			
Benzene	21		1.0	ug/L	20.0		106	56-136			
Chlorobenzene	22		1.0	ug/L	20.0		108	51-139			
Toluene	21		1.0	ug/L	20.0		105	64-131			
Trichloroethene	18		1.0	ug/L	20.0		91	62-135			
<hr/>											
<i>4-Bromofluorobenzene</i>	<i>49</i>			<i>ug/L</i>	<i>50.0</i>		<i>99</i>	<i>41-142</i>			
<i>Dibromofluoromethane</i>	<i>46</i>			<i>ug/L</i>	<i>50.0</i>		<i>92</i>	<i>53-146</i>			
<i>Toluene-d8</i>	<i>46</i>			<i>ug/L</i>	<i>50.0</i>		<i>93</i>	<i>41-146</i>			

**Matrix Spike (2G07031-MS1)**

Prepared: 07/07/2022 11:30 Analyzed: 07/07/2022 21:21

**Source: AF04938-01**

<u>Analyte</u>	<u>Result</u>	<u>Flag</u>	<u>PQL</u>	<u>Units</u>	<u>Spike Level</u>	<u>Source Result</u>	<u>%REC</u>	<u>%REC Limits</u>	<u>RPD</u>	<u>RPD Limit</u>	<u>Notes</u>
1,1-Dichloroethene	1900		100	ug/L	2000	94 U	96	47-139			
Benzene	2200		100	ug/L	2000	71 U	109	56-136			
Chlorobenzene	2100		100	ug/L	2000	72 U	106	51-139			
Toluene	2100		100	ug/L	2000	72 U	106	64-131			
Trichloroethene	1900		100	ug/L	2000	89 U	93	62-135			

**QUALITY CONTROL DATA**

**Volatile Organic Compounds by GCMS - Quality Control**

**Batch 2G07031 - EPA 5030B\_MS - Continued**

**Matrix Spike (2G07031-MS1) Continued**

Prepared: 07/07/2022 11:30 Analyzed: 07/07/2022 21:21

Source: AF04938-01

Analyte	Result	Flag	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
4-Bromofluorobenzene	4900			ug/L	5000		98	41-142			
Dibromofluoromethane	4600			ug/L	5000		91	53-146			
Toluene-d8	4600			ug/L	5000		93	41-146			

**Matrix Spike Dup (2G07031-MSD1)**

Prepared: 07/07/2022 11:30 Analyzed: 07/07/2022 21:49

Source: AF04938-01

Analyte	Result	Flag	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
1,1-Dichloroethene	2000		100	ug/L	2000	94 U	99	47-139	3	16	
Benzene	2200		100	ug/L	2000	71 U	110	56-136	0.8	14	
Chlorobenzene	2200		100	ug/L	2000	72 U	110	51-139	3	13	
Toluene	2200		100	ug/L	2000	72 U	108	64-131	1	16	
Trichloroethene	1900		100	ug/L	2000	89 U	94	62-135	1	20	
4-Bromofluorobenzene	5000			ug/L	5000		100	41-142			
Dibromofluoromethane	4600			ug/L	5000		93	53-146			
Toluene-d8	4800			ug/L	5000		95	41-146			

**Metals by EPA 6000/7000 Series Methods - Quality Control**

**Batch 2G07011 - EPA 7470A**

**Blank (2G07011-BLK1)**

Prepared: 07/07/2022 11:52 Analyzed: 07/08/2022 09:07

Analyte	Result	Flag	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Mercury	0.0230	U	0.200	ug/L							

**Blank (2G07011-BLK2)**

Prepared: 07/07/2022 11:52 Analyzed: 07/08/2022 09:10

Analyte	Result	Flag	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Mercury	0.230	U	2.00	ug/L							

**Blank (2G07011-BLK3)**

Prepared: 07/07/2022 11:52 Analyzed: 07/08/2022 10:05

Analyte	Result	Flag	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Mercury	0.0230	U	0.200	ug/L							

**LCS (2G07011-BS1)**

Prepared: 07/07/2022 11:52 Analyzed: 07/08/2022 09:13

Analyte	Result	Flag	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Mercury	4.90		0.200	ug/L	5.00		98	80-120			

**LCS (2G07011-BS2)**

Prepared: 07/07/2022 11:52 Analyzed: 07/08/2022 10:29

Analyte	Result	Flag	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Mercury	5.00		0.200	ug/L	5.00		100	80-120			

**QUALITY CONTROL DATA**

**Metals by EPA 6000/7000 Series Methods - Quality Control**

**Batch 2G07011 - EPA 7470A - Continued**

**Matrix Spike (2G07011-MS1)**

Prepared: 07/07/2022 11:52 Analyzed: 07/08/2022 09:19

Source: AF04956-01

Analyte	Result	Flag	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Mercury	49.8		2.00	ug/L	50.0	0.230 U	100	75-125			

**Matrix Spike Dup (2G07011-MSD1)**

Prepared: 07/07/2022 11:52 Analyzed: 07/08/2022 09:22

Source: AF04956-01

Analyte	Result	Flag	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Mercury	51.0		2.00	ug/L	50.0	0.230 U	102	75-125	3	20	

**Metals (total recoverable) by EPA 6000/7000 Series Methods - Quality Control**

**Batch 2G08041 - EPA 3005A**

**Blank (2G08041-BLK1)**

Prepared: 07/11/2022 09:16 Analyzed: 07/12/2022 10:34

Analyte	Result	Flag	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Aluminum	68.0	U	100	ug/L							
Arsenic	6.10	U	10.0	ug/L							
Cadmium	2.00	U	5.00	ug/L							
Chromium	5.00	U	10.0	ug/L							
Iron	50.0	U	250	ug/L							
Lead	2.50	U	5.00	ug/L							
Sodium	0.500	U	1.00	mg/L							

**Blank (2G08041-BLK2)**

Prepared: 07/11/2022 09:16 Analyzed: 07/12/2022 10:36

Analyte	Result	Flag	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Aluminum	6.80	U	10.0	ug/L							
Arsenic	0.610	U	1.00	ug/L							
Cadmium	0.200	U	0.500	ug/L							
Chromium	0.500	U	1.00	ug/L							
Iron	5.00	U	25.0	ug/L							
Lead	0.250	U	0.500	ug/L							
Sodium	0.0500	U	0.100	mg/L							

**LCS (2G08041-BS1)**

Prepared: 07/11/2022 09:16 Analyzed: 07/12/2022 10:38

Analyte	Result	Flag	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Aluminum	1030		100	ug/L	1000		103	80-120			
Arsenic	507		10.0	ug/L	500		101	80-120			
Cadmium	49.2		5.00	ug/L	50.0		98	80-120			
Chromium	510		10.0	ug/L	500		102	80-120			
Iron	1010		250	ug/L	1000		101	80-120			
Lead	508		5.00	ug/L	500		102	80-120			
Sodium	25.4		1.00	mg/L	25.0		102	80-120			

**Matrix Spike (2G08041-MS1)**

Prepared: 07/11/2022 09:16 Analyzed: 07/12/2022 10:44

Source: AF03908-19

Analyte	Result	Flag	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Aluminum	1180		100	ug/L	1000	176	100	75-125			

**QUALITY CONTROL DATA**

**Metals (total recoverable) by EPA 6000/7000 Series Methods - Quality Control**

**Batch 2G08041 - EPA 3005A - Continued**

**Matrix Spike (2G08041-MS1) Continued**

Prepared: 07/11/2022 09:16 Analyzed: 07/12/2022 10:44

Source: AF03908-19

Analyte	Result	Flaq	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Arsenic	517		10.0	ug/L	500	13.3	101	75-125			
Cadmium	49.8		5.00	ug/L	50.0	2.00 U	100	75-125			
Chromium	506		10.0	ug/L	500	5.00 U	101	75-125			
Iron	1080		250	ug/L	1000	84.3	100	75-125			
Lead	507		5.00	ug/L	500	2.50 U	101	75-125			
Sodium	28.1		1.00	mg/L	25.0	2.75	101	75-125			

**Matrix Spike Dup (2G08041-MSD1)**

Prepared: 07/11/2022 09:16 Analyzed: 07/12/2022 10:46

Source: AF03908-19

Analyte	Result	Flaq	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Aluminum	1190		100	ug/L	1000	176	101	75-125	0.6	20	
Arsenic	510		10.0	ug/L	500	13.3	99	75-125	1	20	
Cadmium	48.8		5.00	ug/L	50.0	2.00 U	98	75-125	2	20	
Chromium	506		10.0	ug/L	500	5.00 U	101	75-125	0.1	20	
Iron	1070		250	ug/L	1000	84.3	98	75-125	1	20	
Lead	501		5.00	ug/L	500	2.50 U	100	75-125	1	20	
Sodium	28.0		1.00	mg/L	25.0	2.75	101	75-125	0.2	20	

**Classical Chemistry Parameters - Quality Control**

**Batch 2G06029 - NO PREP**

**Blank (2G06029-BLK1)**

Prepared: 07/06/2022 09:04 Analyzed: 07/07/2022 13:47

Analyte	Result	Flaq	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Ammonia as N	0.0098	U	0.020	mg/L							

**LCS (2G06029-BS1)**

Prepared: 07/06/2022 09:04 Analyzed: 07/07/2022 13:48

Analyte	Result	Flaq	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Ammonia as N	1.0		0.020	mg/L	1.00		104	90-110			

**Matrix Spike (2G06029-MS1)**

Prepared: 07/06/2022 09:04 Analyzed: 07/07/2022 13:55

Source: AF04471-08

Analyte	Result	Flaq	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Ammonia as N	1.0		0.020	mg/L	1.00	0.0098 U	105	90-110			

**Matrix Spike (2G06029-MS2)**

Prepared: 07/07/2022 09:04 Analyzed: 07/07/2022 14:00

Source: AF04536-01

Analyte	Result	Flaq	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Ammonia as N	1.2		0.020	mg/L	1.00	0.19	103	90-110			

**Matrix Spike Dup (2G06029-MSD1)**

Prepared: 07/06/2022 09:04 Analyzed: 07/07/2022 13:56

Source: AF04471-08

Analyte	Result	Flaq	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Ammonia as N	1.1		0.020	mg/L	1.00	0.0098 U	107	90-110	2	10	

**Batch 2G06068 - NO PREP**

**QUALITY CONTROL DATA**

**Classical Chemistry Parameters - Quality Control**

**Batch 2G06068 - NO PREP - Continued**

**Blank (2G06068-BLK1)**

Prepared: 07/06/2022 14:08 Analyzed: 07/06/2022 19:03

Analyte	Result	Flag	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Chloride	0.29	U	5.0	mg/L							
Nitrate as N	0.052	U	1.0	mg/L							
Sulfate	0.07	U	5.0	mg/L							

**LCS (2G06068-BS1)**

Prepared: 07/06/2022 14:08 Analyzed: 07/06/2022 19:19

Analyte	Result	Flag	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Chloride	50		5.0	mg/L	50.0		100	90-110			
Nitrate as N	25		1.0	mg/L	25.0		99	90-110			
Sulfate	49		5.0	mg/L	50.0		97	90-110			

**Matrix Spike (2G06068-MS1)**

Prepared: 07/06/2022 14:08 Analyzed: 07/06/2022 19:50

Source: AF04544-01

Analyte	Result	Flag	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Chloride	72		5.0	mg/L	50.0	22	100	90-110			
Nitrate as N	42		1.0	mg/L	25.0	19	94	90-110			
Sulfate	57		5.0	mg/L	50.0	8.7	97	90-110			

**Matrix Spike (2G06068-MS2)**

Prepared: 07/06/2022 14:08 Analyzed: 07/06/2022 20:37

Source: AF03815-01

Analyte	Result	Flag	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Chloride	80		5.0	mg/L	50.0	32	97	90-110			
Nitrate as N	24		1.0	mg/L	25.0	0.052 U	97	90-110			
Sulfate	54		5.0	mg/L	50.0	7.1	94	90-110			

**Matrix Spike Dup (2G06068-MSD1)**

Prepared: 07/06/2022 14:08 Analyzed: 07/06/2022 20:06

Source: AF04544-01

Analyte	Result	Flag	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Chloride	72		5.0	mg/L	50.0	22	101	90-110	0.5	10	
Nitrate as N	43		1.0	mg/L	25.0	19	95	90-110	0.4	10	
Sulfate	58		5.0	mg/L	50.0	8.7	98	90-110	0.6	10	

**Matrix Spike Dup (2G06068-MSD2)**

Prepared: 07/06/2022 14:08 Analyzed: 07/06/2022 20:52

Source: AF03815-01

Analyte	Result	Flag	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Chloride	82		5.0	mg/L	50.0	32	99	90-110	2	10	
Nitrate as N	25		1.0	mg/L	25.0	0.052 U	100	90-110	3	10	
Sulfate	56		5.0	mg/L	50.0	7.1	98	90-110	4	10	

**Batch 2G09001 - NO PREP**

**Blank (2G09001-BLK1)**

Prepared: 07/11/2022 14:40 Analyzed: 07/12/2022 16:30

Analyte	Result	Flag	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Total Dissolved Solids	10	U	10	mg/L							

**QUALITY CONTROL DATA**

**Classical Chemistry Parameters - Quality Control**

**Batch 2G09001 - NO PREP - Continued**

**LCS (2G09001-BS1)**

Prepared: 07/11/2022 14:40 Analyzed: 07/12/2022 16:30

<u>Analyte</u>	<u>Result</u>	<u>Flaq</u>	<u>POL</u>	<u>Units</u>	<u>Spike Level</u>	<u>Source Result</u>	<u>%REC</u>	<u>%REC Limits</u>	<u>RPD</u>	<u>RPD Limit</u>	<u>Notes</u>
Total Dissolved Solids	98		10	mg/L	100		98	90-110			

**Duplicate (2G09001-DUP1)**

Prepared: 07/11/2022 14:40 Analyzed: 07/12/2022 16:30

Source: AF03815-01

<u>Analyte</u>	<u>Result</u>	<u>Flaq</u>	<u>POL</u>	<u>Units</u>	<u>Spike Level</u>	<u>Source Result</u>	<u>%REC</u>	<u>%REC Limits</u>	<u>RPD</u>	<u>RPD Limit</u>	<u>Notes</u>
Total Dissolved Solids	540		10	mg/L	560				3	20	

**Batch 2G19018 - NO PREP**

**Blank (2G19018-BLK1)**

Prepared: 07/19/2022 09:22 Analyzed: 07/19/2022 10:19

<u>Analyte</u>	<u>Result</u>	<u>Flaq</u>	<u>POL</u>	<u>Units</u>	<u>Spike Level</u>	<u>Source Result</u>	<u>%REC</u>	<u>%REC Limits</u>	<u>RPD</u>	<u>RPD Limit</u>	<u>Notes</u>
Sulfate	0.07	U	5.0	mg/L							

**LCS (2G19018-BS1)**

Prepared: 07/19/2022 09:22 Analyzed: 07/19/2022 10:46

<u>Analyte</u>	<u>Result</u>	<u>Flaq</u>	<u>POL</u>	<u>Units</u>	<u>Spike Level</u>	<u>Source Result</u>	<u>%REC</u>	<u>%REC Limits</u>	<u>RPD</u>	<u>RPD Limit</u>	<u>Notes</u>
Sulfate	49		5.0	mg/L	50.0		99	90-110			

**Matrix Spike (2G19018-MS1)**

Prepared: 07/19/2022 09:22 Analyzed: 07/19/2022 19:32

Source: AF04626-01

<u>Analyte</u>	<u>Result</u>	<u>Flaq</u>	<u>POL</u>	<u>Units</u>	<u>Spike Level</u>	<u>Source Result</u>	<u>%REC</u>	<u>%REC Limits</u>	<u>RPD</u>	<u>RPD Limit</u>	<u>Notes</u>
Sulfate	45		5.0	mg/L	50.0	0.67	88	90-110			QM-07

**Matrix Spike (2G19018-MS2)**

Prepared: 07/19/2022 09:22 Analyzed: 07/19/2022 20:18

Source: AF04626-02

<u>Analyte</u>	<u>Result</u>	<u>Flaq</u>	<u>POL</u>	<u>Units</u>	<u>Spike Level</u>	<u>Source Result</u>	<u>%REC</u>	<u>%REC Limits</u>	<u>RPD</u>	<u>RPD Limit</u>	<u>Notes</u>
Sulfate	51		5.0	mg/L	50.0	0.69	101	90-110			

**Matrix Spike Dup (2G19018-MSD1)**

Prepared: 07/19/2022 09:22 Analyzed: 07/19/2022 19:47

Source: AF04626-01

<u>Analyte</u>	<u>Result</u>	<u>Flaq</u>	<u>POL</u>	<u>Units</u>	<u>Spike Level</u>	<u>Source Result</u>	<u>%REC</u>	<u>%REC Limits</u>	<u>RPD</u>	<u>RPD Limit</u>	<u>Notes</u>
Sulfate	45		5.0	mg/L	50.0	0.67	88	90-110	0.3	10	QM-07

**Matrix Spike Dup (2G19018-MSD2)**

Prepared: 07/19/2022 09:22 Analyzed: 07/19/2022 20:34

Source: AF04626-02

<u>Analyte</u>	<u>Result</u>	<u>Flaq</u>	<u>POL</u>	<u>Units</u>	<u>Spike Level</u>	<u>Source Result</u>	<u>%REC</u>	<u>%REC Limits</u>	<u>RPD</u>	<u>RPD Limit</u>	<u>Notes</u>
Sulfate	52		5.0	mg/L	50.0	0.69	102	90-110	0.8	10	

## FLAGS/NOTES AND DEFINITIONS

- PQL** PQL: Practical Quantitation Limit. The PQL presented is the laboratory MRL.
- B** Results are based upon membrane filter colony counts that are outside the method indicated ideal range.
- I** The reported value is between the laboratory method detection limit (MDL) and the practical quantitation limit (PQL).
- J** Estimated value.
- K** Off-scale low; Actual value is known to be less than the value given.
- L** Off-scale high; Actual value is known to be greater than value given.
- M** Presence of analyte is verified but not quantified; the actual value is less than the MRL but greater than the MDL.
- N** Presumptive evidence of presence of material.
- O** Sampled, but analysis lost or not performed.
- Q** Sample exceeded the accepted holding time.
- T** Value reported is less than the laboratory method detection limit. The value is reported for informational purposes only and shall not be used in statistical analysis.
- U** Indicates that the compound was analyzed for but not detected.
- V** Indicates that the analyte was detected in both the sample and the associated method blank.
- Y** The laboratory analysis was from an improperly preserved sample. The data may not be accurate.
- Z** Too many colonies were present (TNTC); the numeric value represents the filtration volume.
- ?** Data are rejected and should not be used. Some or all of the quality control data for the analyte were outside criteria, and the presence or absence of the analyte cannot be determined from the data.
- \*** Not reported due to interference.
- [CALC]** Calculated analyte - MDL/MRL reported to the highest reporting limit of the component analyses.
- QM-07** The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
- QV-01** The associated continuing calibration verification standard exhibited high bias; since the result is ND, there is no impact.



**ENVIRONMENTAL CONSERVATION LABORATORIES CHAIN-OF-CUSTODY RECORD**

10775 Central Port Dr.  
Orlando, FL 32824  
(407) 826-5314

4810 Executive Park Court, Suite 111  
Jacksonville, FL 32216-6069  
(904) 296-3007 Fax (904) 296-6210

102-A Woodwinds Industrial Ct.  
Cary, NC 27511  
(919) 467-3090 Fax (919) 467-3515

www.encolabs.com



Page 1 of 1

Client Name <b>Friends Recycling (FR008)</b>		Project Number <b>21012</b>		Requested Analyses						Requested Turnaround Times			
Address <b>2350 NW 27th Avenue</b>		Project Name/Desc <b>FRIENDS RECYCLING FORMERLY OCALA RECYCLING</b>		8260D Arom/Halo	Chloride 300, Nitrate as N 300, Sulfate 300, TDS SM/2540C	Ammonia 350.1	Al, As, Cd, Cr, Fe, Hg, Na, Pb					Note: Rush requests subject to acceptance by the facility	
City/ST/Zip <b>Ocala, FL 34475</b>		PO # / Billing Info										<input checked="" type="checkbox"/> Standard	
Tel <b>(352) 266-4853</b>		Reporting Contact <b>Nick Giumarelli</b>										<input type="checkbox"/> Expedited	
Fax <b>(352) 622-4999</b>		Billing Contact <b>Nick Giumarelli</b>		Due <u>  </u> / <u>  </u> / <u>  </u>		Lab Workorder		AF04708					
Sampler(s) Name, Affiliation (Print) <b>Chr Monaco</b>		Billing Contact <b>Nick Giumarelli</b>		Preservation (See Codes) (Combine as necessary)						Sample Comments			
Sampler(s) Signature <i>[Signature]</i>		Site Location / Time Zone <b>FL/EST</b>											

Item #	Sample ID (Field Identification)	Collection Date	Collection Time	Comp / Grab	Matrix (see codes)	Total # of Containers	IH	I	IS	N							Sample Comments
	MW-1	7/6/22	0823	Grab	GW	6	X	X	X	X							
	MW-5	7/6/22	1015	Grab	GW	6	X	X	X	X							
	MW-6	7/6/22	0947	Grab	GW	6	X	X	X	X							
	MW-7	7/6/22	1040	Grab	GW	6	X	X	X	X							
	MW-8	7/6/22	0914	Grab	GW	6	X	X	X	X							
	MW-9	7/6/22	0852	Grab	GW	6	X	X	X	X							
	TRIP BLANK	-	-	Grab	WA	2	X	-	-	-							

Sample Kit Prepared By <b>ECG</b>	Date/Time <b>06/27/22 10:40</b>	Relinquished By <i>[Signature]</i>	Date/Time <b>06/27/22 10:40</b>	Received By <i>[Signature]</i>	Date/Time <b>06/27/22</b>
Comments/Special Reporting Requirements		Relinquished By <i>[Signature]</i>	Date/Time <b>7/6/22 13:34</b>	Received By <i>[Signature]</i>	Date/Time <b>7/6/22 13:36</b>
Cooler #'s & Temps on Receipt <b>M12-409</b>			Condition Upon Receipt <input type="checkbox"/> Acceptable <input type="checkbox"/> Unacceptable		

Matrix: GW-Groundwater SO-Soil DW-Drinking Water SE-Sediment SW-Surface Water WW-Wastewater A-Air O-Other (detail in comments) Preservation: I-Ice H-HCl N-HNO3 S-H2SO4 NO-NaOH O-Other (detail in comments)  
Note: All samples submitted to ENCO Labs are in accordance with the terms and conditions listed on the reverse of this form, unless prior written agreements exist



- NOTES:**
1. THIS PROPERTY CONTAINS AN ACTIVE LANDFILL OPERATION THAT ALTERS THE GROUND CONTOUR ELEVATIONS IN CERTAIN AREAS ON A DAILY BASIS. THE CONTOUR LINES SHOWN HEREON REPRESENT THE PROPERTY CONDITION ON THE DATE OF THE SURVEY.
  2. FIELD SURVEY DATE : 12-21-2012.
  3. ELEVATIONS AND CONTOURS SHOWN HEREON ARE BASED ON N.G.V.D. DATUM; CITY OF Ocala BM @ N.W. 27th AVENUE AND N.W. 18th STREET; ELEVATION 69.47 (NAVD-88).
  4. THE TOP ELEVATION OF THE MONITORING WELLS, AS SHOWN HEREON, REPRESENT THE ELEVATION OF THE TOP OF THE WELL CASING ON THE NORTH EDGE. THE GROUND ELEVATION REPRESENTS THE ELEVATION OF THE GROUND, NEXT TO THE WELL CASING ON THE NORTH SIDE.

**SURVEY PREPARED BY:**  
**ROBERT L. ROGERS ENGINEERING CO. INC.**  
 LIC. BUS. #4074  
 1105 S.E. 3rd Ave. OCALA, FLORIDA 34471 (352) 622-9214

**LEGEND**

	IRON ROD
	RIGHT OF WAY
	UTILITY POLE AND GUY ANCHOR
	OVERHEAD WIRES
	FENCE
	CONCRETE
	TEMPORARY BENCHMARK
	ELEVATION
	LATITUDE
	LONGITUDE
	GROUND CONTOUR LINE
	GROUNDWATER CONTOUR LINE

ROBERT M. COUCH III, P.E. : \_\_\_\_\_  
 FLORIDA REG. No. 55311 \_\_\_\_\_  
 DATE : \_\_\_\_\_  
 C.O.A. No. 8692 \_\_\_\_\_

REVISIONS	
PLOTTED:	RMC-3
DRAWN:	RMC-3
DESIGNED:	RMC-3
CHECKED:	RMC-3
SCALE:	1" = 100'
GROUNDWATER CONTOURS	
FRIENDS RECYCLING, LLC.	
MARION COUNTY, FLORIDA	
ENVIROTECH CONSULTANTS	
PHONE: (352) 694-1799	
EMAIL: ENVIROTECH@YMAIL.COM	
ENVIROTECH	
15290 SE HWY 42, PO BOX 152	
WEIRSDALE, FLORIDA 32195	
SITE PLAN	
P.N. 2009-	
Sht. 1 of 1	