

Smith, George

From: Candia Mulhern <cmulhern@pascocountyfl.net>
Sent: Monday, September 25, 2023 4:18 PM
To: SWD_Waste
Cc: Carissa A. Dennison; Justin G. Roessler; Timothy J. Treshler
Subject: Resource Recovery (45799) Gas Monitoring Qtr III, 2023
Attachments: 2023_09_15_Res_Rec_Gas_Monitoring_Qtr_III_Submittal.pdf

EXTERNAL MESSAGE

This email originated outside of DEP. Please use caution when opening attachments, clicking links, or responding to this email.

Attached are the results of gas monitoring conducted at the Resource Recovery site (45799) for Quarter III, 2023. All monitoring sites registered 0.0 % LEL.

If you have any questions feel free to contact mej.



Candia E. Mulhern
Laboratory Manager
Utilities Environmental Laboratory
Pasco County
P 727-847-8902
F 727-847-8112
8864 Government Drive
New Port Richey, FL 34654
cmulhern@pascocountyfl.net

“Serving Our Community to Create a Better Future”



The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain material that is confidential, privileged and/or exempt from disclosure under applicable law. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information. Under Florida law, email addresses are public records. If you do not

want your email address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact this office by phone or in writing.

CUSA18A7



Pasco County Utilities Services Branch
Environmental Laboratory
8864 Government Dr.
New Port Richey, Fl 34654

Office (727) 847-8902

Fax (727) 847-8112

DHRS #E44123

September 25, 2023

Florida Department of
Environmental Protection
13051 N. Telecom Pkwy.
Temple Terrace, FL 33637

RE: Pasco County Resource Recovery
WACS ID 45799
Quarter III, 2023 Gas Monitoring

To Whom It May Concern:

Enclosed please find the results of gas monitoring conducted at Pasco County Resource Recovery as required in the permit for this facility. The gas monitoring was conducted using a CES Landtec 5000 Gas Meter. The meter was allowed to run until a stable reading was obtained. All monitoring sites registered 0.0 % LEL.

This completes the Quarter III, 2023 gas monitoring requirement at this facility. If you have any questions please feel free to contact me.

Sincerely,

Candia E. Mulhern
Laboratory Manager

ENC.

cc: Adolfo A. González, P.E., LEED AP, Utilities Engineering Director
Justin Roessler, Solid Waste Deputy Director

UTILITIES ENVIRONMENTAL LABORATORY

727-847-8902 | Environmental Laboratory | 8864 Government Dr. | New Port Richey, FL 34654



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary
Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

West Pasco Landfill

Report Date: 9/25/2023

Hays Road
Shady Hills, Fl

Justin Roessler

Sample Number:	AD46273	Sample ID:	SCALE HOUSE @ CLASS III
Sample Method:	Pumped	Sample Matrix:	GAS
Date Sampled:	09/15/2023	Date Received:	09/15/2023
Time Sampled:	12:31	Time Received:	14:52
Sampled By:	J. STURM	Received By:	GT
		Delivered By:	JS

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	09/15/2023	12:31	JS	0.0	D	% LEL	0

Analysis Comments

- U = Indicates that the compound was analyzed for but not detected.
- I = Reported value is greater than or equal to the detection limit, but less than PQL.
- XC = Reported value exceeds the MCL (F.A.C. 62-550).
- MCL=Maximum Contaminant Level



Candia E. Mulhern, Laboratory Manager

This Document Meets All the Requirements of the 2016 TNI Standards



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary

Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

West Pasco

Report Date: 9/25/2023

Class III Landfill

Hays Road

Shady Hills, Fl

Justin Roessler

Sample Number: **AD46272**

Sample ID: LF OPERATIONS OFF @ CLASS III

Sample Method: Pumped

Sample Matrix: GAS

Date Sampled: 09/15/2023

Date Received: 09/15/2023

Time Sampled: 12:20

Time Received: 14:52

Sampled By: J. STURM

Received By: GT

Delivered By: JS

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	09/15/2023	12:20	JS	0.0	D	% LEL	0

Analysis Comments

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level

Candia E. Mulhern, Laboratory Manager

This Document Meets All the Requirements of the 2016 TNI Standards



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive
New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary
Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

Resource Recovery
Class I Landfill
Hays Road
Shady Hills, FL

Report Date: 9/25/2023

Justin G. Roessler

Sample Number:	AD46244	Sample ID:	2MW1 @ RESREC
Sample Method:	Pumped	Sample Matrix:	GAS
Date Sampled:	09/15/2023	Date Received:	09/15/2023
Time Sampled:	09:30	Time Received:	14:52
Sampled By:	J. STURM	Received By:	GT
		Delivered By:	JS

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	09/15/2023	09:30	JS	0.0	D	% LEL	0
Water Level (Static)	DEP-SOP	09/15/2023	09:30	JS	17.71	D	Feet	0

Analysis Comments

- U = Indicates that the compound was analyzed for but not detected.
- I = Reported value is greater than or equal to the detection limit, but less than PQL.
- XC = Reported value exceeds the MCL (F.A.C. 62-550).
- MCL=Maximum Contaminant Level

Candia E. Mulhern, Laboratory Manager

This Document Meets All the Requirements of the 2016 TNI Standards



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary
Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

Resource Recovery
Class I Landfill
Hays Road
Shady Hills, FL

Report Date: 9/25/2023

Justin G. Roessler

Sample Number:	AD46245	Sample ID:	4MW1 @ RESREC
Sample Method:	Pumped	Sample Matrix:	GAS
Date Sampled:	09/15/2023	Date Received:	09/15/2023
Time Sampled:	09:36	Time Received:	14:52
Sampled By:	J. STURM	Received By:	GT
		Delivered By:	JS

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	09/15/2023	09:36	JS	0.0	D	% LEL	0
Water Level (Static)	DEP-SOP	09/15/2023	09:36	JS	17.99	D	Feet	0

Analysis Comments

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level

Candia E. Mulhern, Laboratory Manager

This Document Meets All the Requirements of the 2016 TNI Standards



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary
Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

Resource Recovery
Class I Landfill
Hays Road
Shady Hills, FL

Report Date: 9/25/2023

Justin G. Roessler

Sample Number:	AD46246	Sample ID:	2MW2 @ RESREC
Sample Method:	Pumped	Sample Matrix:	GAS
Date Sampled:	09/15/2023	Date Received:	09/15/2023
Time Sampled:	11:01	Time Received:	14:52
Sampled By:	J. STURM	Received By:	GT
		Delivered By:	JS

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	09/15/2023	11:01	JS	0.0	D	% LEL	0
Water Level (Static)	DEP-SOP	09/15/2023	11:01	JS	22.24	D	Feet	0

Analysis Comments

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level

Candia E. Mulhern, Laboratory Manager

This Document Meets All the Requirements of the 2016 TNI Standards



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary
Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

Resource Recovery

Report Date: 9/25/2023

Class I Landfill

Hays Road

Shady Hills, Fl

Justin G. Roessler

Sample Number:	AD46247	Sample ID:	4MW2 @ RESREC
Sample Method:	Pumped	Sample Matrix:	GAS
Date Sampled:	09/15/2023	Date Received:	09/15/2023
Time Sampled:	11:04	Time Received:	14:52
Sampled By:	J. STURM	Received By:	GT
		Delivered By:	JS

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	09/15/2023	11:04	JS	0.0	D	% LEL	0
Water Level (Static)	DEP-SOP	09/15/2023	11:04	JS	22.62	D	Feet	0

Analysis Comments

U = Indicates that the compound was analyzed for but not detected.
 I = Reported value is greater than or equal to the detection limit, but less than PQL.
 XC = Reported value exceeds the MCL (F.A.C. 62-550).
 MCL=Maximum Contaminant Level

Candia E. Mulhern, Laboratory Manager

This Document Meets All the Requirements of the 2016 TNI Standards



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary
Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

Resource Recovery
Class I Landfill
Hays Road
Shady Hills, Fl

Report Date: 9/25/2023

Justin G. Roessler

Sample Number:	AD46248	Sample ID:	2MW4 @ RESREC
Sample Method:	Pumped	Sample Matrix:	GAS
Date Sampled:	09/15/2023	Date Received:	09/15/2023
Time Sampled:	12:10	Time Received:	14:52
Sampled By:	J. STURM	Received By:	GT
		Delivered By:	JS

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	09/15/2023	12:10	JS	0.0	D	% LEL	0
Water Level (Static)	DEP-SOP	09/15/2023	12:10	JS	DRY	D	Feet	0

Analysis Comments

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level

Candia E. Mulhern, Laboratory Manager

This Document Meets All the Requirements of the 2016 TNI Standards



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary
Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

Resource Recovery

Report Date: 9/25/2023

Class I Landfill

Hays Road

Shady Hills, Fl

Justin G. Roessler

Sample Number:	AD46249	Sample ID:	4MW4 @ RESREC
Sample Method:	Pumped	Sample Matrix:	GAS
Date Sampled:	09/15/2023	Date Received:	09/15/2023
Time Sampled:	11:56	Time Received:	14:52
Sampled By:	J. STURM	Received By:	GT
		Delivered By:	JS

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	09/15/2023	11:56	JS	0.0	D	% LEL	0
Water Level (Static)	DEP-SOP	09/15/2023	11:56	JS	26.29	D	Feet	0

Analysis Comments

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level

Candia E. Mulhern, Laboratory Manager

This Document Meets All the Requirements of the 2016 TNI Standards



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary
Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

Resource Recovery
Class I Landfill
Hays Road
Shady Hills, Fl

Report Date: 9/25/2023

Justin G. Roessler

Sample Number:	AD46250	Sample ID:	2MW5 @ RESREC
Sample Method:	Pumped	Sample Matrix:	GAS
Date Sampled:	09/15/2023	Date Received:	09/15/2023
Time Sampled:	10:38	Time Received:	14:52
Sampled By:	J. STURM	Received By:	GT
		Delivered By:	JS

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	09/15/2023	10:38	JS	0.0	D	% LEL	0
Water Level (Static)	DEP-SOP	09/15/2023	10:38	JS	8.98	D	Feet	0

Analysis Comments

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level

Candia E. Mulhern, Laboratory Manager

This Document Meets All the Requirements of the 2016 TNI Standards



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary
Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

Resource Recovery

Report Date: 9/25/2023

Class I Landfill

Hays Road

Shady Hills, Fl

Justin G. Roessler

Sample Number:	AD46251	Sample ID:	4MW5 @ RESREC
Sample Method:	Pumped	Sample Matrix:	GAS
Date Sampled:	09/15/2023	Date Received:	09/15/2023
Time Sampled:	10:45	Time Received:	14:52
Sampled By:	J. STURM	Received By:	GT
		Delivered By:	JS

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	09/15/2023	10:45	JS	0.0	D	% LEL	0
Water Level (Static)	DEP-SOP	09/15/2023	10:45	JS	23.48	D	Feet	0

Analysis Comments

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level

Candia E. Mulhern, Laboratory Manager

This Document Meets All the Requirements of the 2016 TNI Standards



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary
Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

Resource Recovery
Class I Landfill
Hays Road
Shady Hills, FL

Report Date: 9/25/2023

Justin G. Roessler

Sample Number:	AD46252	Sample ID:	2MW6 @ RESREC
Sample Method:	Pumped	Sample Matrix:	GAS
Date Sampled:	09/15/2023	Date Received:	09/15/2023
Time Sampled:	11:07	Time Received:	14:52
Sampled By:	J. STURM	Received By:	GT
		Delivered By:	JS

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	09/15/2023	11:07	JS	0.0	D	% LEL	0
Water Level (Static)	DEP-SOP	09/15/2023	11:07	JS	DRY	D	Feet	0

Analysis Comments

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level

Candia E. Mulhern, Laboratory Manager

This Document Meets All the Requirements of the 2016 TNI Standards



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary
Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

Resource Recovery
Class I Landfill
Hays Road
Shady Hills, Fl

Report Date: 9/25/2023

Justin G. Roessler

Sample Number:	AD46253	Sample ID:	4MW6 @ RESREC
Sample Method:	Pumped	Sample Matrix:	GAS
Date Sampled:	09/15/2023	Date Received:	09/15/2023
Time Sampled:	11:09	Time Received:	14:52
Sampled By:	J. STURM	Received By:	GT
		Delivered By:	JS

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	09/15/2023	11:09	JS	0.0	D	% LEL	0
Water Level (Static)	DEP-SOP	09/15/2023	11:09	JS	25.86	D	Feet	0

Analysis Comments

U = Indicates that the compound was analyzed for but not detected.
 I = Reported value is greater than or equal to the detection limit, but less than PQL.
 XC = Reported value exceeds the MCL (F.A.C. 62-550).
 MCL=Maximum Contaminant Level

Candia E. Mulhern, Laboratory Manager

This Document Meets All the Requirements of the 2016 TNI Standards



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary
Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

West Pasco
Class III Landfill
Hays Road
Shady Hills, FL

Report Date: 9/25/2023

Justin G. Roessler

Sample Number:	AD46254	Sample ID:	2MW7 @ CLASS III
Sample Method:	Pumped	Sample Matrix:	GAS
Date Sampled:	09/15/2023	Date Received:	09/15/2023
Time Sampled:	10:24	Time Received:	14:52
Sampled By:	J. STURM	Received By:	GT
		Delivered By:	JS

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	09/15/2023	10:24	JS	0.0	D	% LEL	0
Water Level (Static)	DEP-SOP	09/15/2023	10:24	JS	DRY	D	Feet	0

Analysis Comments

U = Indicates that the compound was analyzed for but not detected.
 I = Reported value is greater than or equal to the detection limit, but less than PQL.
 XC = Reported value exceeds the MCL (F.A.C. 62-550).
 MCL=Maximum Contaminant Level

Candia E. Mulhern, Laboratory Manager

This Document Meets All the Requirements of the 2016 TNI Standards



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary

Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

West Pasco

Report Date: 9/25/2023

Class III Landfill

Hays Road

Shady Hills, FL

Justin G. Roessler

Sample Number: **AD46255**
Sample Method: Pumped
Date Sampled: 09/15/2023
Time Sampled: 10:20
Sampled By: J. STURM

Sample ID: 2MW8 @ CLASS III
Sample Matrix: GAS
Date Received: 09/15/2023
Time Received: 14:52
Received By: GT
Delivered By: JS

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	09/15/2023	10:20	JS	0.0	D	% LEL	0
Water Level (Static)	DEP-SOP	09/15/2023	10:20	JS	DRY	D	Feet	0

Analysis Comments

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level

Candia E. Mulhern, Laboratory Manager

This Document Meets All the Requirements of the 2016 TNI Standards



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary
Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

Resource Recovery
Class III Landfill
Hays Road
Shady Hills, Fl

Report Date: 9/25/2023

Justin G. Roessler

Sample Number:	AD46256	Sample ID:	2MW10 @ CLASS III
Sample Method:	Pumped	Sample Matrix:	GAS
Date Sampled:	09/15/2023	Date Received:	09/15/2023
Time Sampled:	10:15	Time Received:	14:52
Sampled By:	J. STURM	Received By:	GT
		Delivered By:	JS

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	09/15/2023	10:15	JS	0.0	D	% LEL	0
Water Level (Static)	DEP-SOP	09/15/2023	10:15	JS	DRY	D	Feet	0


Analysis Comments

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level


 Candia E. Mulhern, Laboratory Manager

This Document Meets All the Requirements of the 2016 TNI Standards



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary
Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

Resource Recovery
Class I Landfill
Hays Road
Shady Hills, Fl

Report Date: 9/25/2023

Justin G. Roessler

Sample Number:	AD46257	Sample ID:	4MW11D @ RESREC
Sample Method:	Pumped	Sample Matrix:	GAS
Date Sampled:	09/15/2023	Date Received:	09/15/2023
Time Sampled:	09:52	Time Received:	14:52
Sampled By:	J. STURM	Received By:	GT
		Delivered By:	JS

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	09/15/2023	09:52	JS	0.0	D	% LEL	0
Water Level (Static)	DEP-SOP	09/15/2023	09:52	JS	35.67	D	Feet	0

Analysis Comments

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level

Candia E. Mulhern, Laboratory Manager

This Document Meets All the Requirements of the 2016 TNI Standards



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary

Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

Resource Recovery

Report Date: 9/25/2023

Class I Landfill

Hays Road

Shady Hills, Fl

Justin G. Roessler

Sample Number:	AD46258	Sample ID:	4MW12D @ RESREC
Sample Method:	Pumped	Sample Matrix:	GAS
Date Sampled:	09/15/2023	Date Received:	09/15/2023
Time Sampled:	09:55	Time Received:	14:52
Sampled By:	J. STURM	Received By:	GT
		Delivered By:	JS

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	09/15/2023	09:55	JS	0.0	D	% LEL	0
Water Level (Static)	DEP-SOP	09/15/2023	09:55	JS	26.78	D	Feet	0

Analysis Comments

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level

Candia E. Mulhern, Laboratory Manager

This Document Meets All the Requirements of the 2016 TNI Standards



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary
Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

Resource Recovery

Report Date: 9/25/2023

Class I Landfill

Hays Road

Shady Hills, Fl

Justin G. Roessler

Sample Number: **AD46259**
Sample Method: Pumped
Date Sampled: 09/15/2023
Time Sampled: 09:58
Sampled By: J. STURM

Sample ID: 2MW13 @ RESREC
Sample Matrix: GAS
Date Received: 09/15/2023
Time Received: 14:52
Received By: GT
Delivered By: JS

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	09/15/2023	09:58	JS	0.0	D	% LEL	0
Water Level (Static)	DEP-SOP	09/15/2023	09:58	JS	26.24	D	Feet	0

Analysis Comments

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level

Candia E. Mulhern, Laboratory Manager

This Document Meets All the Requirements of the 2016 TNI Standards

State Laboratory ID: E44123

EPA Lab Code: FL00137



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary
Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

Resource Recovery
Class I Landfill
Hays Road
Shady Hills, FL

Report Date: 9/25/2023

Justin G. Roessler

Sample Number:	AD46260	Sample ID:	4MW13D @ RESREC
Sample Method:	Pumped	Sample Matrix:	GAS
Date Sampled:	09/15/2023	Date Received:	09/15/2023
Time Sampled:	10:03	Time Received:	14:52
Sampled By:	J. STURM	Received By:	GT
		Delivered By:	JS

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	09/15/2023	10:03	JS	0.0	D	% LEL	0
Water Level (Static)	DEP-SOP	09/15/2023	10:03	JS	21.09	D	Feet	0

Analysis Comments

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level

Candia E. Mulhern, Laboratory Manager

This Document Meets All the Requirements of the 2016 TNI Standards



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary

Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

Resource Recovery

Report Date: 9/25/2023

Class I Landfill

Hays Road

Shady Hills, Fl

Justin G. Roessler

Sample Number:	AD46261	Sample ID:	4MW14D @ RESREC
Sample Method:	Pumped	Sample Matrix:	GAS
Date Sampled:	09/15/2023	Date Received:	09/15/2023
Time Sampled:	10:10	Time Received:	14:52
Sampled By:	J. STURM	Received By:	GT
		Delivered By:	JS

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	09/15/2023	10:10	JS	0.0	D	% LEL	0
Water Level (Static)	DEP-SOP	09/15/2023	10:10	JS	23.24	D	Feet	0

Analysis Comments

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level

Candia E. Mulhern, Laboratory Manager

This Document Meets All the Requirements of the 2016 TNI Standards



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary
Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

Resource Recovery
Class I Landfill
Hays Road
Shady Hills, Fl

Report Date: 9/25/2023

Justin G. Roessler

Sample Number: **AD46262**
Sample Method: Pumped
Date Sampled: 09/15/2023
Time Sampled: 10:31
Sampled By: J. STURM

Sample ID: 2MW15 @ RESREC
Sample Matrix: GAS
Date Received: 09/15/2023
Time Received: 14:52
Received By: GT
Delivered By: JS

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	09/15/2023	10:31	JS	0.0	D	% LEL	0
Water Level (Static)	DEP-SOP	09/15/2023	10:31	JS	22.47	D	Feet	0

Analysis Comments

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level

Candia E. Mulhern, Laboratory Manager

This Document Meets All the Requirements of the 2016 TNI Standards



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary

Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

Resource Recovery

Report Date: 9/25/2023

Class I Landfill

Hays Road

Shady Hills, Fl

Justin G. Roessler

Sample Number:	AD46263	Sample ID:	2MW17S @ RESREC
Sample Method:	Pumped	Sample Matrix:	GAS
Date Sampled:	09/15/2023	Date Received:	09/15/2023
Time Sampled:	11:20	Time Received:	14:52
Sampled By:	J. STURM	Received By:	GT
		Delivered By:	JS

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	09/15/2023	11:20	JS	0.0	D	% LEL	0
Water Level (Static)	DEP-SOP	09/15/2023	11:20	JS	28.69	D	Feet	0

Analysis Comments

Candia E. Mulhern, Laboratory Manager

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level

This Document Meets All the Requirements of the 2016 TNI Standards



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary
Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

Resource Recovery
Class I Landfill
Hays Road
Shady Hills, FL

Report Date: 9/25/2023

Justin G. Roessler

Sample Number:	AD46264	Sample ID:	2MW18D @ RESREC
Sample Method:	Pumped	Sample Matrix:	GAS
Date Sampled:	09/15/2023	Date Received:	09/15/2023
Time Sampled:	11:31	Time Received:	14:52
Sampled By:	J. STURM	Received By:	GT
		Delivered By:	JS

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	09/15/2023	11:31	JS	0.0	D	% LEL	0
Water Level (Static)	DEP-SOP	09/15/2023	11:31	JS	28.19	D	Feet	0

Analysis Comments

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level

Candia E. Mulhern, Laboratory Manager

This Document Meets All the Requirements of the 2016 TNI Standards



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary

Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

Resource Recovery
Class I Landfill
Hays Road
Shady Hills, FL

Report Date: 9/25/2023

Justin G. Roessler

Sample Number:	AD46265	Sample ID:	2MW19 @ RESREC
Sample Method:	Pumped	Sample Matrix:	GAS
Date Sampled:	09/15/2023	Date Received:	09/15/2023
Time Sampled:	11:45	Time Received:	14:52
Sampled By:	J. STURM	Received By:	GT
		Delivered By:	JS

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	09/15/2023	11:45	JS	0.0	D	% LEL	0
Water Level (Static)	DEP-SOP	09/15/2023	11:45	JS	26.62	D	Feet	0

Analysis Comments

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level

Candia E. Mulhern, Laboratory Manager

This Document Meets All the Requirements of the 2016 TNI Standards

State Laboratory ID: E44123

EPA Lab Code: FL00137



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary

Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

Resource Recovery

Report Date: 9/25/2023

Class I Landfill

Hays Road

Shady Hills, Fl

Justin Roessler

Sample Number: **AD46266**
Sample Method: Pumped
Date Sampled: 09/15/2023
Time Sampled: 11:16
Sampled By: J. STURM

Sample ID: GMP1 @ RESREC
Sample Matrix: GAS
Date Received: 09/15/2023
Time Received: 14:52
Received By: GT
Delivered By: JS

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	09/15/2023	11:16	JS	0.0	D	% LEL	0

Analysis Comments

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level

Candia E. Mulhern, Laboratory Manager

This Document Meets All the Requirements of the 2016 TNI Standards



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary
Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

Resource Recovery
Class I Landfill
Hays Road
Shady Hills, FL

Report Date: 9/25/2023

Justin Roessler

Sample Number:	AD46267	Sample ID:	GMP2 @ RESREC
Sample Method:	Pumped	Sample Matrix:	GAS
Date Sampled:	09/15/2023	Date Received:	09/15/2023
Time Sampled:	11:14	Time Received:	14:52
Sampled By:	J. STURM	Received By:	GT
		Delivered By:	JS

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	09/15/2023	11:14	JS	0.0	D	% LEL	0

Analysis Comments

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level

Candia E. Mulhern, Laboratory Manager

This Document Meets All the Requirements of the 2016 TNI Standards



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary

Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

Resource Recovery

Report Date: 9/25/2023

Class I Landfill

Hays Road

Shady Hills, Fl

Justin Roessler

Sample Number:	AD46268	Sample ID:	GMP3 @ RESREC
Sample Method:	Pumped	Sample Matrix:	GAS
Date Sampled:	09/15/2023	Date Received:	09/15/2023
Time Sampled:	11:11	Time Received:	14:52
Sampled By:	J. STURM	Received By:	GT
		Delivered By:	JS

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	09/15/2023	11:11	JS	0.0	D	% LEL	0

Analysis Comments

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level

Candia E. Mulhern, Laboratory Manager

This Document Meets All the Requirements of the 2016 TNI Standards

State Laboratory ID: E44123

EPA Lab Code: FL00137



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary

Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

Resource Recovery

Report Date: 9/25/2023

Class I Landfill

Hays Road

Shady Hills, Fl

Justin Roessler

Sample Number:	AD46269	Sample ID:	GMP4 @ RESREC
Sample Method:	Pumped	Sample Matrix:	GAS
Date Sampled:	09/15/2023	Date Received:	09/15/2023
Time Sampled:	11:40	Time Received:	14:52
Sampled By:	J. STURM	Received By:	GT
		Delivered By:	JS

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	09/15/2023	11:40	JS	0.0	D	% LEL	0

Analysis Comments

Candia E. Mulhern, Laboratory Manager

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level

This Document Meets All the Requirements of the 2016 TNI Standards



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary

Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

Resource Recovery

Report Date: 9/25/2023

Class I Landfill

Hays Road

Shady Hills, FL

Justin Roessler

Sample Number: **AD46270**
Sample Method: Pumped
Date Sampled: 09/15/2023
Time Sampled: 11:47
Sampled By: J. STURM

Sample ID: GMP5 @ RESREC
Sample Matrix: GAS
Date Received: 09/15/2023
Time Received: 14:52
Received By: GT
Delivered By: JS

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	09/15/2023	11:47	JS	0.0	D	% LEL	0

Analysis Comments

Candia E. Mulhern, Laboratory Manager

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level

This Document Meets All the Requirements of the 2016 TNI Standards

State Laboratory ID: E44123

EPA Lab Code: FL00137



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary

Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

Resource Recovery

Report Date: 9/25/2023

Class I Landfill

Hays Road

Shady Hills, Fl

Justin Roessler

Sample Number: **AD46271**
Sample Method: Pumped
Date Sampled: 09/15/2023
Time Sampled: 11:26
Sampled By: J. STURM

Sample ID: GMP6 @ RESREC
Sample Matrix: GAS
Date Received: 09/15/2023
Time Received: 14:52
Received By: GT
Delivered By: JS

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	09/15/2023	11:26	JS	0.0	D	% LEL	0

Analysis Comments

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level

Candia E. Mulhern, Laboratory Manager

This Document Meets All the Requirements of the 2016 TNI Standards

State Laboratory ID: E44123

EPA Lab Code: FL00137