

**From:** [Loaiza, Betsy](#)  
**To:** [Hall, Janna](#)  
**Cc:** [Jacolyn Abdala](#); [Beares, Donna](#)  
**Subject:** RE: Lena Road Landfill - Permit No. 39884 - 024-SO-01  
**Date:** Monday, November 20, 2023 11:15:00 AM

---

Good morning Janna,

Thank you for the update. Please be sure to include a narrative explanation in the next Groundwater Monitoring Report if you are ultimately unable to get a sample from SW-2. Keep us updated with any changes.

Thank you again,



**Betsy Loaiza**  
Environment Specialist II  
Department of Environmental Protection  
Southwest District Office  
[Betsy.Loaiza@FloridaDEP.gov](mailto:Betsy.Loaiza@FloridaDEP.gov)  
Office: 813-470-5911

---

**From:** Hall, Janna <JHall@scsengineers.com>  
**Sent:** Thursday, November 9, 2023 2:27 PM  
**To:** Loaiza, Betsy <Betsy.Loaiza@FloridaDEP.gov>  
**Cc:** Jacolyn Abdala <jacolyn.abdala@mymanatee.org>; Beares, Donna <DBeaes@scsengineers.com>  
**Subject:** Lena Road Landfill - Permit No. 39884 - 024-SO-01

**EXTERNAL MESSAGE**

This email originated outside of DEP. Please use caution when opening attachments, clicking links, or responding to this email.



Good afternoon Betsy,

The SW-2 location at the Lena Road Landfill was dry. Pending the analytical results of the remaining wells, we may need to collect confirmation samples and will check the water level again at that time. If feasible, we will collect a surface water sample. Please let me know if you have any questions or concerns.

Thank you and have a great day,

**Janna Hall**

Senior Project Professional

SCS Engineers

(772) 205-4348

[JHall@scsengineers.com](mailto:JHall@scsengineers.com)