



FDEP Automated Data Evaluation

Southeast Landfill

Human Review Statement:

This is an automated data review produced by the FDEP Validator software. This report does not supercede FDEP rules or standards and may not contain all violations of FDEP rules and standards. This report should be reviewed by a qualified staff member.

Sample ID: **660-25638-1**

Matrix: W

Well Type: OT - Other

Monitoring Site: SLTRF POND

Sample Date: October 8, 2008

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,1,1-Trichloroethane	0.46	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,2,2-Tetrachloroethane	0.15	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,2-Trichloroethane	0.47	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1-Dichloroethane	0.52	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2,4-Trichlorobenzene	0.58	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Dichlorobenzene	0.77	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Dichloropropane	0.52	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Diphenylhydrazine	3.6	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,3-Dichlorobenzene	0.61	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,3,7,8-TCDD	0.00001	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,4-Dichlorophenol	0.91	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,4-Dimethylphenol	1.2	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,4-Dinitrophenol	1.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,6-Dinitrotoluene	1	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chloroethyl vinyl ether	0.95	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chloronaphthalene	0.84	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chlorophenol	1.1	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Nitrophenol	1.4	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
3,3'-Dichlorobenzidine	1.6	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,4'-DDD	0.041	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,4'-DDE	0.055	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,4'-DDT	0.032	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,6-Dinitro-o-cresol	1.2	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
 Database: 3.7.51 6/24/2005 12:00

Wednesday, February 04, 2009

Page 1 of 19

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

4-Bromophenyl phenyl ether	1.1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Chloro-3-methylphenol	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Chlorophenyl phenyl ether	0.79 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Nitrophenol	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acenaphthene	1.1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acenaphthylene	0.6 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acrolein	3.8 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acrylonitrile	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Aldrin	0.018 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
alpha-BHC	0.028 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Anthracene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzidine	16 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo(b)fluoranthene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[a]anthracene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[a]pyrene	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[g,h,i]perylene	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[k]fluoranthene	1.7 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
beta-BHC	0.038 I	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-chloroethoxy)methane	0.93 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-chloroethyl)ether	0.87 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-chloroisopropyl) ether	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-ethylhexyl) phthalate	3.6 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bromoform	12	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Butyl benzyl phthalate	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chlorodibromomethane	5.6	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chloroethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chrysene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
cis-1,3-Dichloropropene	0.14 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Copper	37	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Cyanide, Total	0.006 I	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, February 04, 2009

Page 2 of 19

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

delta-BHC	0.028 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dibenz(a,h)anthracene	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dichlorobromomethane	1.5	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dichlorodifluoromethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dieldrin	0.019 I	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Diethyl phthalate	1.1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dimethyl phthalate	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Di-n-butyl phthalate	1.5 JU	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Comment: Accuracy limits exceeded or Precision limits exceeded			
Di-n-octyl phthalate	1.7 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endosulfan sulfate	0.03 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endosulfan, alpha	0.034 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endosulfan, beta	0.033 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endrin aldehyde	0.032 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Ethylbenzene	0.44 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Field pH	8.15	SU	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Field Temperature	7994	Degree s C	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Fluoranthene	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Fluorene	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
HEM (Oil and Grease)	8 I	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Hexachlorocyclopentadiene	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Indeno[1,2,3-cd]pyrene	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Isophorone	0.82 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methyl bromide	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methyl chloride	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methylene Chloride	4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Molybdenum	6.4 I	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Naphthalene	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Naphthalene	0.73 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nickel	53	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Wednesday, February 04, 2009

Page 3 of 19

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Nitrogen, Kjeldahl	13	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
N-Nitrosodimethylamine	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
N-Nitrosodi-n-propylamine	0.93 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
N-Nitrosodiphenylamine	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Oxygen, Dissolved	7.16	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1016	2.6 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1221	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1232	3.8 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1242	0.77 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1248	0.7 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1254	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1260	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phenanthrene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phenol	0.86 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phenols, Total	0.05 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phosphorus, Total	16	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Pyrene	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Specific Conductance	7994	umhos/cm	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Sulfate	65	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Sulfide	1 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Toluene	0.51 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Suspended Solids	110	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,2-Dichloroethene	0.44 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,3-Dichloropropene	0.14 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Trichlorofluoromethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Xylenes, Total	0.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Zinc	170	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Wednesday, February 04, 2009

Page 4 of 19

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-25638-2**

Matrix: W

Well Type: OT - Other

Monitoring Site: SELF TANK TRUCK

Sample Date: October 8, 2008

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,4-Dichlorobenzene	1.8	I	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Comment:				Criterion: 7500 ug/L
Mercury	0.12	I	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Comment:				Criterion: 200 ug/L
				Detection Limit: 0.072 ug/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,1,1-Trichloroethane	0.46	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,2,2-Tetrachloroethane	0.15	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,2-Trichloroethane	0.47	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1-Dichloroethane	0.52	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2,4-Trichlorobenzene	0.58	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Dichlorobenzene	0.76	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Dichloropropane	0.52	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Diphenylhydrazine	3.6	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,3-Dichlorobenzene	0.6	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,3,7,8-TCDD	0.00001	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,4-Dichlorophenol	0.9	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,4-Dimethylphenol	1.2	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,4-Dinitrophenol	1.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,6-Dinitrotoluene	1	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chloroethyl vinyl ether	0.95	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chloronaphthalene	0.83	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chlorophenol	1.1	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Nitrophenol	1.4	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
 Database: 3.7.51 6/24/2005 12:00

Wednesday, February 04, 2009

Page 5 of 19

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

3,3'-Dichlorobenzidine	1.6 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,4'-DDD	0.041 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,4'-DDE	0.055 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,4'-DDT	0.032 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,6-Dinitro-o-cresol	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Bromophenyl phenyl ether	1.1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Chloro-3-methylphenol	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Chlorophenyl phenyl ether	0.78 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Nitrophenol	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acenaphthene	1.1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acenaphthylene	0.59 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acrolein	3.8 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acrylonitrile	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Aldrin	0.018 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
alpha-BHC	0.028 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Anthracene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzidine	16 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo(b)fluoranthene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[a]anthracene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[a]pyrene	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[g,h,i]perylene	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[k]fluoranthene	1.7 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
beta-BHC	0.027 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-chloroethoxy)methane	0.92 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-chloroethyl)ether	0.86 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-chloroisopropyl) ether	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-ethylhexyl) phthalate	3.6 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bromoform	0.58 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Butyl benzyl phthalate	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chlorodibromomethane	0.34 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, February 04, 2009

Page 6 of 19

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Chloroethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chrysene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
cis-1,3-Dichloropropene	0.14 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Copper	8.7 I	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Cyanide, Total	0.005 I	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
delta-BHC	0.028 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dibenz(a,h)anthracene	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dichlorobromomethane	0.35 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dichlorodifluoromethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dieldrin	0.014 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Diethyl phthalate	1.1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dimethyl phthalate	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Di-n-butyl phthalate	1.5 JU	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Comment: Accuracy limits exceeded or Precision limits exceeded			
Di-n-octyl phthalate	1.7 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endosulfan sulfate	0.03 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endosulfan, alpha	0.034 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endosulfan, beta	0.033 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endrin aldehyde	0.032 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Ethylbenzene	0.57 I	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Field pH	7.7	SU	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Field Temperature	30.82	Degree s C	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Fluoranthene	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Fluorene	0.99 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
HEM (Oil and Grease)	4 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Hexachlorocyclopentadiene	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Indeno[1,2,3-cd]pyrene	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Isophorone	0.81 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methyl bromide	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methyl chloride	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, February 04, 2009

Page 7 of 19

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Methylene Chloride	4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Molybdenum	4.7 I	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Naphthalene	5.8 I	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Naphthalene	5.4	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nickel	52	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nitrogen, Kjeldahl	290	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
N-Nitrosodimethylamine	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
N-Nitrosodi-n-propylamine	0.92 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
N-Nitrosodiphenylamine	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Oxygen, Dissolved	0.79	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1016	2.6 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1221	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1232	3.8 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1242	0.77 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1248	0.7 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1254	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1260	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phenanthrene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phenol	0.85 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phenols, Total	0.05 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phosphorus, Total	2.9	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Pyrene	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Specific Conductance	9718	umhos/cm	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Sulfate	8.4	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Sulfide	1 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Toluene	1.1	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Suspended Solids	45	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,2-Dichloroethene	0.44 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,3-Dichloropropene	0.14 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Trichlorofluoromethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, February 04, 2009

Page 8 of 19

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Xylenes, Total	6.4	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Zinc	250	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions
Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, February 04, 2009
Page 9 of 19

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-25641-1**

Matrix: W

Well Type: OT - Other

Monitoring Site: Not Blank-DUP

Sample Date: October 8, 2008

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,4-Dichlorobenzene	4	I	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999) Criterion: 7500 ug/L Detection Limit: 0.72 ug/L
Comment:				
Arsenic	16		ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999) Criterion: 5000 ug/L Detection Limit: 4 ug/L
Comment:				
Barium	160	I	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999) Criterion: 100000 ug/L Detection Limit: 30 ug/L
Comment:				
Benzene	1.3		ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999) Criterion: 500 ug/L Detection Limit: 0.5 ug/L
Comment:				
Chlorobenzene	3		ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999) Criterion: 100000 ug/L Detection Limit: 0.63 ug/L
Comment:				
Chromium	14		ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999) Criterion: 5000 ug/L Detection Limit: 2 ug/L
Comment:				

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,1,1-Trichloroethane	0.46	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,2,2-Tetrachloroethane	0.15	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,2-Trichloroethane	0.47	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1-Dichloroethane	0.52	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2,4-Trichlorobenzene	0.58	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Dichlorobenzene	0.77	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Dichloropropane	0.52	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Diphenylhydrazine	3.6	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,3-Dichlorobenzene	0.61	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, February 04, 2009

Page 10 of 19

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

2,3,7,8-TCDD	0.00001 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,4-Dichlorophenol	0.91 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,4-Dimethylphenol	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,4-Dinitrophenol	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,6-Dinitrotoluene	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chloroethyl vinyl ether	0.95 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chloronaphthalene	0.84 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chlorophenol	1.1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Nitrophenol	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
3,3'-Dichlorobenzidine	1.6 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,4'-DDD	0.041 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,4'-DDE	0.055 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,4'-DDT	0.032 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,6-Dinitro-o-cresol	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Bromophenyl phenyl ether	1.1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Chloro-3-methylphenol	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Chlorophenyl phenyl ether	0.79 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Nitrophenol	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acenaphthene	1.1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acenaphthylene	0.6 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acrolein	3.8 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acrylonitrile	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Aldrin	0.018 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
alpha-BHC	0.028 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Anthracene	4.5 l	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzidine	16 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo(b)fluoranthene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[a]anthracene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[a]pyrene	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[g,h,i]perylene	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, February 04, 2009

Page 11 of 19

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Benzo[k]fluoranthene	1.7 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
beta-BHC	0.027 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-chloroethoxy)methane	0.93 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-chloroethyl)ether	0.87 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-chloroisopropyl) ether	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-ethylhexyl) phthalate	5.7 I	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bromoform	0.58 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Butyl benzyl phthalate	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chlorodibromomethane	0.34 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chloroethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chrysene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
cis-1,3-Dichloropropene	0.14 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Copper	2.9 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Cyanide, Total	0.005 I	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
delta-BHC	0.028 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dibenz(a,h)anthracene	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dichlorobromomethane	0.35 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dichlorodifluoromethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dieldrin	0.014 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Diethyl phthalate	1.1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dimethyl phthalate	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Di-n-butyl phthalate	1.5 JU	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Comment: Accuracy limits exceeded or Precision limits exceeded			
Di-n-octyl phthalate	1.7 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endosulfan sulfate	0.03 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endosulfan, alpha	0.034 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endosulfan, beta	0.033 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endrin aldehyde	0.032 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Ethylbenzene	1.5	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Fluoranthene	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, February 04, 2009

Page 12 of 19

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Fluorene	3.1	I	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
HEM (Oil and Grease)	14	I	mg/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Hexachlorocyclopentadiene	1	U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Indeno[1,2,3-cd]pyrene	1.3	U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Isophorone	0.82	U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methyl bromide	2.5	U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methyl chloride	1	U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methylene Chloride	4	U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Molybdenum	4	U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Naphthalene	7.6	I	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Naphthalene	11		ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nickel	40		ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nitrogen, Kjeldahl	320		mg/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
N-Nitrosodimethylamine	1.5	U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
N-Nitrosodi-n-propylamine	0.93	U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
N-Nitrosodiphenylamine	1.2	U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1016	2.6	U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1221	1.5	U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1232	3.8	U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1242	0.77	U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1248	0.7	U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1254	1.2	U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1260	1	U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phenanthrene	1.2	U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phenol	0.86	U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phenols, Total	0.05	U	mg/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phosphorus, Total	1.6		mg/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Pyrene	1.3	U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Sulfate	28		mg/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Sulfide	1	U	mg/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Wednesday, February 04, 2009

Page 13 of 19

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Toluene	1.4	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Suspended Solids	43	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,2-Dichloroethene	0.44 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,3-Dichloropropene	0.14 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Trichlorofluoromethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Xylenes, Total	3 l	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Zinc	77	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, February 04, 2009

Page 14 of 19

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-25641-2**

Matrix: W

Well Type:

Monitoring Site: Equipment Blank

Sample Date: October 8, 2008

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,1,1-Trichloroethane	0.46	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,2,2-Tetrachloroethane	0.15	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,2-Trichloroethane	0.47	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1-Dichloroethane	0.52	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2,4-Trichlorobenzene	0.58	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Dichlorobenzene	0.76	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Dichloropropane	0.52	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Diphenylhydrazine	3.6	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,3-Dichlorobenzene	0.6	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,3,7,8-TCDD	0.00001	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,4-Dichlorophenol	0.9	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,4-Dimethylphenol	1.2	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,4-Dinitrophenol	1.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,6-Dinitrotoluene	1	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chloroethyl vinyl ether	0.95	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chloronaphthalene	0.83	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chlorophenol	1.1	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Nitrophenol	1.4	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
3,3'-Dichlorobenzidine	1.6	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,4'-DDD	0.0041	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,4'-DDE	0.0055	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,4'-DDT	0.0032	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,6-Dinitro-o-cresol	1.2	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Bromophenyl phenyl ether	1.1	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Chloro-3-methylphenol	1.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
 Database: 3.7.51 6/24/2005 12:00

Wednesday, February 04, 2009

Page 15 of 19

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

4-Chlorophenyl phenyl ether	0.78 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Nitrophenol	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acenaphthene	1.1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acenaphthylene	0.59 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acrolein	3.8 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acrylonitrile	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Aldrin	0.0018 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
alpha-BHC	0.0028 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Anthracene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzidine	16 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo(b)fluoranthene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[a]anthracene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[a]pyrene	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[g,h,i]perylene	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[k]fluoranthene	1.7 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
beta-BHC	0.0027 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-chloroethoxy)methane	0.92 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-chloroethyl)ether	0.86 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-chloroisopropyl) ether	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-ethylhexyl) phthalate	3.6 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bromoform	0.58 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Butyl benzyl phthalate	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chlorodibromomethane	0.34 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chloroethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chrysene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
cis-1,3-Dichloropropene	0.14 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Copper	2.9 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Cyanide, Total	0.005 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
delta-BHC	0.0028 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dibenz(a,h)anthracene	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, February 04, 2009

Page 16 of 19

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Dichlorobromomethane	0.35 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dichlorodifluoromethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dieldrin	0.0014 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Diethyl phthalate	1.1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dimethyl phthalate	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Di-n-butyl phthalate	1.5 JU	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Comment: Accuracy limits exceeded or Precision limits exceeded			
Di-n-octyl phthalate	1.7 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endosulfan sulfate	0.003 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endosulfan, alpha	0.0034 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endosulfan, beta	0.0033 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endrin aldehyde	0.0032 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Ethylbenzene	0.44 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Fluoranthene	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Fluorene	0.99 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
HEM (Oil and Grease)	9.6 l	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Hexachlorocyclopentadiene	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Indeno[1,2,3-cd]pyrene	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Isophorone	0.81 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methyl bromide	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methyl chloride	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methylene Chloride	4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Molybdenum	4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Naphthalene	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Naphthalene	0.72 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nickel	2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nitrogen, Kjeldahl	0.21	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
N-Nitrosodimethylamine	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
N-Nitrosodi-n-propylamine	0.92 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
N-Nitrosodiphenylamine	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, February 04, 2009

Page 17 of 19

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

PCB-1016	0.26 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1221	0.15 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1232	0.38 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1242	0.077 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1248	0.07 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1254	0.12 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1260	0.1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phenanthrene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phenol	0.85 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phenols, Total	0.05 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phosphorus, Total	0.075 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Pyrene	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Sulfate	2 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Toluene	0.51 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Suspended Solids	1 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,2-Dichloroethene	0.44 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,3-Dichloropropene	0.14 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Trichlorofluoromethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Xylenes, Total	0.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Zinc	5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Wednesday, February 04, 2009

Page 18 of 19

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-25641-3**

Matrix: W

Well Type:

Monitoring Site: Trip Blank

Sample Date: October 8, 2008

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,1,1-Trichloroethane	0.46	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,1,2,2-Tetrachloroethane	0.15	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,2-Trichloroethane	0.47	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1-Dichloroethane	0.52	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2,4-Trichlorobenzene	0.58	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Dichloropropane	0.52	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chloroethyl vinyl ether	0.95	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acrolein	3.8	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acrylonitrile	1.2	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bromoform	0.58	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chlorodibromomethane	0.34	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chloroethane	2.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
cis-1,3-Dichloropropene	0.14	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dichlorobromomethane	0.35	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dichlorodifluoromethane	2.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Ethylbenzene	0.44	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methyl bromide	2.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methyl chloride	1	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methylene Chloride	4	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Naphthalene	2.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Toluene	0.51	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,2-Dichloroethene	0.44	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,3-Dichloropropene	0.14	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Trichlorofluoromethane	2.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Xylenes, Total	0.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
 Database: 3.7.51 6/24/2005 12:00

Wednesday, February 04, 2009

Page 19 of 19