

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 9:40:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/28/2008 5:33:00PM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/28/2008 5:33:00PM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/28/2008 5:33:00PM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/28/2008 5:33:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/28/2008 5:33:00PM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/28/2008 5:33:00PM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/28/2008 5:33:00PM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/28/2008 5:33:00PM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/28/2008 5:33:00PM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/28/2008 5:33:00PM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/28/2008 5:33:00PM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/28/2008 5:33:00PM	3.4	0.65	ug/L	I
077103	2-Hexanone	N	E83079	SW8260	4/28/2008 5:33:00PM	0.78	0.59	ug/L	I
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/28/2008 5:33:00PM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/28/2008 5:33:00PM	8.4	2.5	ug/L	I
034215	Acrylonitrile	N	E83079	SW8260	5/1/2008 4:10:00PM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	4/28/2008 5:33:00PM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/28/2008 5:33:00PM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/28/2008 5:33:00PM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/28/2008 5:33:00PM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/28/2008 5:33:00PM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/28/2008 5:33:00PM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/28/2008 5:33:00PM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/28/2008 5:33:00PM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/28/2008 5:33:00PM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/28/2008 5:33:00PM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/28/2008 5:33:00PM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/28/2008 5:33:00PM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/28/2008 5:33:00PM	0.19	0.19	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	4/28/2008 5:33:00PM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/28/2008 5:33:00PM	0.94	0.94	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	4/28/2008 5:33:00PM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	4/28/2008 5:33:00PM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/28/2008 5:33:00PM	1.4	0.33	ug/L	I
077128	Styrene	N	E83079	SW8260	4/28/2008 5:33:00PM	0.59	0.59	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	4/28/2008 5:33:00PM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/28/2008 5:33:00PM	0.29	0.15	ug/L	I
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/28/2008 5:33:00PM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/28/2008 5:33:00PM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/28/2008 5:33:00PM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/28/2008 5:33:00PM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/28/2008 5:33:00PM	0.2	0.2	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	4/28/2008 5:33:00PM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/28/2008 5:33:00PM	0.37	0.37	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 9:40:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	4/28/2008 5:33:00PM	0.32	0.32	ug/L	U

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: _____
WACS Testsite Name: EQ Blank
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 9:40:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: Not Provided

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/24/2008 8:22:00PM	0.006	0.006	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/24/2008 8:22:00PM	0.0063	0.0063	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 9:40:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/26/2008 4:01:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/24/2008 5:26:00PM	6.2	5	ug/L	IV
001007	Barium	N	E83079	SW6010	4/24/2008 5:26:00PM	5	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/24/2008 5:26:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/24/2008 5:26:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/24/2008 5:26:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/24/2008 5:26:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/24/2008 5:26:00PM	8.4	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/24/2008 5:26:00PM	20	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/24/2008 5:26:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/24/2008 9:30:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	4/24/2008 5:26:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/26/2008 2:30:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/24/2008 5:26:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/24/2008 5:26:00PM	0.5	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	4/26/2008 4:01:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/24/2008 5:26:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/24/2008 5:26:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540

Sample Date/Time: 4/21/2008 9:40:00AM

WACS Testsite ID #: _____

Sampling Method: Peristaltic Pump

WACS Testsite Name: EQ Blank

Permitted Well Type: Not Provided

Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/22/2008 9:41:00AM	0.06	0.06	mg/L	U
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/22/2008 9:41:00AM	0.01	0.01	mg/L	U
000945	Sulfate	N	E83079	E300.0	4/22/2008 9:41:00AM	0.085	0.085	mg/L	U
070300	TDS	N	E83079	SM2540 C	4/25/2008 9:05:00AM	5	5	mg/L	U

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: _____
WACS Testsite Name: EQ Blank
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 9:40:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: Not Provided

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 11:31:00AM	0.02	0.02	mg/L	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15804
 WACS Testsite Name: B40-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 10:29:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/28/2008 6:04:00PM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/28/2008 6:04:00PM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/28/2008 6:04:00PM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/28/2008 6:04:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/28/2008 6:04:00PM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/28/2008 6:04:00PM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/28/2008 6:04:00PM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/28/2008 6:04:00PM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/28/2008 6:04:00PM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/28/2008 6:04:00PM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/28/2008 6:04:00PM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/28/2008 6:04:00PM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/28/2008 6:04:00PM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/28/2008 6:04:00PM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/28/2008 6:04:00PM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/28/2008 6:04:00PM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/28/2008 6:04:00PM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/28/2008 6:04:00PM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/28/2008 6:04:00PM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/28/2008 6:04:00PM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/28/2008 6:04:00PM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/28/2008 6:04:00PM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/28/2008 6:04:00PM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/28/2008 6:04:00PM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/28/2008 6:04:00PM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/28/2008 6:04:00PM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/28/2008 6:04:00PM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/28/2008 6:04:00PM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/28/2008 6:04:00PM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/21/2008 10:29:00AM	521		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/28/2008 6:04:00PM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/28/2008 6:04:00PM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/21/2008 10:29:00AM	0.53		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/28/2008 6:04:00PM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/21/2008 10:29:00AM	20.62		feet	
077424	Iodomethane	N	E83079	SW8260	4/28/2008 6:04:00PM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/28/2008 6:04:00PM	0.42	0.33	ug/L	I
000406	pH	N	E83079	E150.1	4/21/2008 10:29:00AM	5.24		S.U.	
077128	Styrene	N	E83079	SW8260	4/28/2008 6:04:00PM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/21/2008 10:29:00AM	21.41		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/28/2008 6:04:00PM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/28/2008 6:04:00PM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/28/2008 6:04:00PM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/28/2008 6:04:00PM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15804
 WACS Testsite Name: B40-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 10:29:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/28/2008 6:04:00PM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/28/2008 6:04:00PM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/28/2008 6:04:00PM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/21/2008 10:29:00AM	0.57		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/28/2008 6:04:00PM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/28/2008 6:04:00PM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/28/2008 6:04:00PM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15804
WACS Testsite Name: B40-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/21/2008 10:29:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/24/2008 10:37:00AM	0.0061	0.0061	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/24/2008 10:37:00AM	0.0064	0.0064	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15804
 WACS Testsite Name: B40-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 10:29:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/26/2008 4:15:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/24/2008 5:30:00PM	5.9	5	ug/L	IV
001007	Barium	N	E83079	SW6010	4/24/2008 5:30:00PM	100	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/24/2008 5:30:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/24/2008 5:30:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/24/2008 5:30:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/24/2008 5:30:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/24/2008 5:30:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/24/2008 5:30:00PM	12000	20	ug/L	
001051	Lead	N	E83079	SW6010	4/24/2008 5:30:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/24/2008 9:33:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	4/24/2008 5:30:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/26/2008 2:34:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/24/2008 5:30:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/24/2008 5:30:00PM	45	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	4/26/2008 4:15:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/24/2008 5:30:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/24/2008 5:30:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15804
WACS Testsite Name: B40-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/21/2008 10:29:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/22/2008 9:57:00AM	68	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/22/2008 9:57:00AM	0.049	0.01	mg/L	I
000945	Sulfate	N	E83079	E300.0	4/22/2008 9:57:00AM	81	0.085	mg/L	
070300	TDS	N	E83079	SM2540 C	4/25/2008 9:07:00AM	340	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15804
WACS Testsite Name: B40-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 10:29:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 11:32:00AM	0.13	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15810
 WACS Testsite Name: B43-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 10:40:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/25/2008 7:36:00PM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/25/2008 7:36:00PM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/25/2008 7:36:00PM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/25/2008 7:36:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/25/2008 7:36:00PM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/25/2008 7:36:00PM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/25/2008 7:36:00PM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/25/2008 7:36:00PM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/25/2008 7:36:00PM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/25/2008 7:36:00PM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/25/2008 7:36:00PM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/25/2008 7:36:00PM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/25/2008 7:36:00PM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/25/2008 7:36:00PM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/25/2008 7:36:00PM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/25/2008 7:36:00PM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/25/2008 7:36:00PM	2.8	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/25/2008 7:36:00PM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/25/2008 7:36:00PM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/25/2008 7:36:00PM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/25/2008 7:36:00PM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/25/2008 7:36:00PM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/25/2008 7:36:00PM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/25/2008 7:36:00PM	7.2	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/25/2008 7:36:00PM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/25/2008 7:36:00PM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/25/2008 7:36:00PM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/25/2008 7:36:00PM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/25/2008 7:36:00PM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/21/2008 10:40:00AM	945		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/25/2008 7:36:00PM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/25/2008 7:36:00PM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/21/2008 10:40:00AM	0.39		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/25/2008 7:36:00PM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/21/2008 10:40:00AM	22.04		feet	
077424	Iodomethane	N	E83079	SW8260	4/25/2008 7:36:00PM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/25/2008 7:36:00PM	0.34	0.33	ug/L	I
000406	pH	N	E83079	E150.1	4/21/2008 10:40:00AM	5.56		S.U.	
077128	Styrene	N	E83079	SW8260	4/25/2008 7:36:00PM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/21/2008 10:40:00AM	22.21		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/25/2008 7:36:00PM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/25/2008 7:36:00PM	0.18	0.15	ug/L	I
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/25/2008 7:36:00PM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/25/2008 7:36:00PM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15810
 WACS Testsite Name: B43-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 10:40:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/25/2008 7:36:00PM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/25/2008 7:36:00PM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/25/2008 7:36:00PM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/21/2008 10:40:00AM	3.51		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/25/2008 7:36:00PM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/25/2008 7:36:00PM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/25/2008 7:36:00PM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15810
WACS Testsite Name: B43-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/21/2008 10:40:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/24/2008 11:04:00AM	0.0058	0.0058	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/24/2008 11:04:00AM	0.0061	0.0061	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15810
 WACS Testsite Name: B43-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 10:40:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/26/2008 4:19:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/24/2008 5:34:00PM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/24/2008 5:34:00PM	200	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/24/2008 5:34:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/24/2008 5:34:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/24/2008 5:34:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/24/2008 5:34:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/24/2008 5:34:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/24/2008 5:34:00PM	29000	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/24/2008 5:34:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/24/2008 9:35:00PM	0.026	0.02	ug/L	I
001067	Nickel	N	E83079	SW6010	4/24/2008 5:34:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/26/2008 2:38:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/24/2008 5:34:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/24/2008 5:34:00PM	91	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	4/26/2008 4:19:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/24/2008 5:34:00PM	5.7	5	ug/L	I
001092	Zinc	N	E83079	SW6010	4/24/2008 5:34:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15810
WACS Testsite Name: B43-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/21/2008 10:40:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/22/2008 10:12:00AM	75	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/22/2008 10:12:00AM	0.01	0.01	mg/L	U
000945	Sulfate	N	E83079	E300.0	4/22/2008 10:12:00AM	6.1	0.085	mg/L	
070300	TDS	N	E83079	SM2540 C	4/25/2008 9:08:00AM	500	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15810
WACS Testsite Name: B43-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 10:40:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 11:37:00AM	3.7	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15805
 WACS Testsite Name: B40-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 11:13:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/28/2008 7:05:00PM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/28/2008 7:05:00PM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/28/2008 7:05:00PM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/28/2008 7:05:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/28/2008 7:05:00PM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/28/2008 7:05:00PM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/28/2008 7:05:00PM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/28/2008 7:05:00PM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/28/2008 7:05:00PM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/28/2008 7:05:00PM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/28/2008 7:05:00PM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/28/2008 7:05:00PM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/28/2008 7:05:00PM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/28/2008 7:05:00PM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/28/2008 7:05:00PM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/28/2008 7:05:00PM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/28/2008 7:05:00PM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/28/2008 7:05:00PM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/28/2008 7:05:00PM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/28/2008 7:05:00PM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/28/2008 7:05:00PM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/28/2008 7:05:00PM	0.99	0.81	ug/L	I
032102	Carbon tetrachloride	N	E83079	SW8260	4/28/2008 7:05:00PM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/28/2008 7:05:00PM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/28/2008 7:05:00PM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/28/2008 7:05:00PM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/28/2008 7:05:00PM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/28/2008 7:05:00PM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/28/2008 7:05:00PM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/21/2008 11:13:00AM	641		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/28/2008 7:05:00PM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/28/2008 7:05:00PM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/21/2008 11:13:00AM	0.24		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/28/2008 7:05:00PM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/21/2008 11:13:00AM	22.67		feet	
077424	Iodomethane	N	E83079	SW8260	4/28/2008 7:05:00PM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/28/2008 7:05:00PM	0.49	0.33	ug/L	I
000406	pH	N	E83079	E150.1	4/21/2008 11:13:00AM	5.87		S.U.	
077128	Styrene	N	E83079	SW8260	4/28/2008 7:05:00PM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/21/2008 11:13:00AM	20.1		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/28/2008 7:05:00PM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/28/2008 7:05:00PM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/28/2008 7:05:00PM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/28/2008 7:05:00PM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15805
 WACS Testsite Name: B40-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 11:13:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/28/2008 7:05:00PM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/28/2008 7:05:00PM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/28/2008 7:05:00PM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/21/2008 11:13:00AM	2.78		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/28/2008 7:05:00PM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/28/2008 7:05:00PM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/28/2008 7:05:00PM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15805
WACS Testsite Name: B40-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/21/2008 11:13:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/24/2008 11:30:00AM	0.006	0.006	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/24/2008 11:30:00AM	0.0063	0.0063	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15805
 WACS Testsite Name: B40-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 11:13:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/26/2008 4:24:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/24/2008 5:38:00PM	8.2	5	ug/L	IV
001007	Barium	N	E83079	SW6010	4/24/2008 5:38:00PM	34	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/24/2008 5:38:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/24/2008 5:38:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/24/2008 5:38:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/24/2008 5:38:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/24/2008 5:38:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/24/2008 5:38:00PM	3000	20	ug/L	
001051	Lead	N	E83079	SW6010	4/24/2008 5:38:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/24/2008 9:38:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	4/24/2008 5:38:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/26/2008 2:50:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/24/2008 5:38:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/24/2008 5:38:00PM	22	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	4/26/2008 4:24:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/24/2008 5:38:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/24/2008 5:38:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15805
WACS Testsite Name: B40-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/21/2008 11:13:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/22/2008 10:28:00AM	25	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/22/2008 10:28:00AM	0.059	0.01	mg/L	
000945	Sulfate	N	E83079	E300.0	4/22/2008 10:28:00AM	36	0.085	mg/L	
070300	TDS	N	E83079	SM2540 C	4/25/2008 9:10:00AM	410	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15805
WACS Testsite Name: B40-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 11:13:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 11:38:00AM	0.97	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15811
 WACS Testsite Name: B43-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 11:19:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/28/2008 7:36:00PM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/28/2008 7:36:00PM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/28/2008 7:36:00PM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/28/2008 7:36:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/28/2008 7:36:00PM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/28/2008 7:36:00PM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/28/2008 7:36:00PM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/28/2008 7:36:00PM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/28/2008 7:36:00PM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/28/2008 7:36:00PM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/28/2008 7:36:00PM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/28/2008 7:36:00PM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/28/2008 7:36:00PM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/28/2008 7:36:00PM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/28/2008 7:36:00PM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/28/2008 7:36:00PM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/28/2008 7:36:00PM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/28/2008 7:36:00PM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/28/2008 7:36:00PM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/28/2008 7:36:00PM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/28/2008 7:36:00PM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/28/2008 7:36:00PM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/28/2008 7:36:00PM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/28/2008 7:36:00PM	0.19	0.17	ug/L	I
034311	Chloroethane	N	E83079	SW8260	4/28/2008 7:36:00PM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/28/2008 7:36:00PM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/28/2008 7:36:00PM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/28/2008 7:36:00PM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/28/2008 7:36:00PM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/21/2008 11:19:00AM	596		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/28/2008 7:36:00PM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/28/2008 7:36:00PM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/21/2008 11:19:00AM	0.39		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/28/2008 7:36:00PM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/21/2008 11:19:00AM	22.23		feet	
077424	Iodomethane	N	E83079	SW8260	4/28/2008 7:36:00PM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/28/2008 7:36:00PM	0.36	0.33	ug/L	I
000406	pH	N	E83079	E150.1	4/21/2008 11:19:00AM	5.81		S.U.	
077128	Styrene	N	E83079	SW8260	4/28/2008 7:36:00PM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/21/2008 11:19:00AM	22.43		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/28/2008 7:36:00PM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/28/2008 7:36:00PM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/28/2008 7:36:00PM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/28/2008 7:36:00PM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15811
 WACS Testsite Name: B43-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 11:19:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/28/2008 7:36:00PM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/28/2008 7:36:00PM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/28/2008 7:36:00PM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/21/2008 11:19:00AM	1.82		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/28/2008 7:36:00PM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/28/2008 7:36:00PM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/28/2008 7:36:00PM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15811
WACS Testsite Name: B43-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 11:19:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/24/2008 11:57:00AM	0.0059	0.0059	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/24/2008 11:57:00AM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15811
 WACS Testsite Name: B43-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 11:19:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/26/2008 4:29:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/24/2008 5:42:00PM	5.2	5	ug/L	IV
001007	Barium	N	E83079	SW6010	4/24/2008 5:42:00PM	10	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/24/2008 5:42:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/24/2008 5:42:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/24/2008 5:42:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/24/2008 5:42:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/24/2008 5:42:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/24/2008 5:42:00PM	630	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/24/2008 5:42:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/24/2008 9:41:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	4/24/2008 5:42:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/26/2008 2:54:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/24/2008 5:42:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/24/2008 5:42:00PM	18	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	4/26/2008 4:29:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/24/2008 5:42:00PM	5.7	5	ug/L	I
001092	Zinc	N	E83079	SW6010	4/24/2008 5:42:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15811
WACS Testsite Name: B43-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/21/2008 11:19:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/22/2008 10:44:00AM	51	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/22/2008 10:44:00AM	0.024	0.01	mg/L	I
000945	Sulfate	N	E83079	E300.0	4/22/2008 10:44:00AM	21	0.085	mg/L	
070300	TDS	N	E83079	SM2540 C	4/25/2008 9:11:00AM	370	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15811
WACS Testsite Name: B43-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 11:19:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 11:39:00AM	0.027	0.02	mg/L	I

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15812
 WACS Testsite Name: B44
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 12:05:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/28/2008 8:06:00PM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/28/2008 8:06:00PM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/28/2008 8:06:00PM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/28/2008 8:06:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/28/2008 8:06:00PM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/28/2008 8:06:00PM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/28/2008 8:06:00PM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/28/2008 8:06:00PM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/28/2008 8:06:00PM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/28/2008 8:06:00PM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/28/2008 8:06:00PM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/28/2008 8:06:00PM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/28/2008 8:06:00PM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/28/2008 8:06:00PM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/28/2008 8:06:00PM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/28/2008 8:06:00PM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/28/2008 8:06:00PM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/28/2008 8:06:00PM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/28/2008 8:06:00PM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/28/2008 8:06:00PM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/28/2008 8:06:00PM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/28/2008 8:06:00PM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/28/2008 8:06:00PM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/28/2008 8:06:00PM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/28/2008 8:06:00PM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/28/2008 8:06:00PM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/28/2008 8:06:00PM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/28/2008 8:06:00PM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/28/2008 8:06:00PM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/21/2008 12:05:00PM	220		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/28/2008 8:06:00PM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/28/2008 8:06:00PM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/21/2008 12:05:00PM	0.45		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/28/2008 8:06:00PM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/21/2008 12:05:00PM	23.03		feet	
077424	Iodomethane	N	E83079	SW8260	4/28/2008 8:06:00PM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/28/2008 8:06:00PM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/21/2008 12:05:00PM	4.55		S.U.	
077128	Styrene	N	E83079	SW8260	4/28/2008 8:06:00PM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/21/2008 12:05:00PM	21		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/28/2008 8:06:00PM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/28/2008 8:06:00PM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/28/2008 8:06:00PM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/28/2008 8:06:00PM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15812
 WACS Testsite Name: B44
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 12:05:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/28/2008 8:06:00PM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/28/2008 8:06:00PM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/28/2008 8:06:00PM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/21/2008 12:05:00PM	4.85		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/28/2008 8:06:00PM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/28/2008 8:06:00PM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/28/2008 8:06:00PM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15812
WACS Testsite Name: B44
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 12:05:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/24/2008 12:23:00PM	0.0057	0.0057	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/24/2008 12:23:00PM	0.006	0.006	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15812
 WACS Testsite Name: B44
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 12:05:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001095	Antimony	Y	E83079	SW6020	4/26/2008 4:34:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/24/2008 5:46:00PM	6.2	5	ug/L	IV
001007	Barium	N	E83079	SW6010	4/24/2008 5:46:00PM	22	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/24/2008 5:46:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/24/2008 5:46:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/24/2008 5:46:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/24/2008 5:46:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/24/2008 5:46:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/24/2008 5:46:00PM	10000	20	ug/L	
001051	Lead	N	E83079	SW6010	4/24/2008 5:46:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/24/2008 9:44:00PM	0.02	0.02	ug/L	I
001067	Nickel	N	E83079	SW6010	4/24/2008 5:46:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/26/2008 2:58:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/24/2008 5:46:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/24/2008 5:46:00PM	15	0.5	mg/L	
001057	Thallium	Y	E83079	SW6020	4/26/2008 4:34:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/24/2008 5:46:00PM	6.6	5	ug/L	I
001092	Zinc	N	E83079	SW6010	4/24/2008 5:46:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15812
WACS Testsite Name: B44
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/21/2008 12:05:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/22/2008 10:59:00AM	34	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/22/2008 10:59:00AM	0.01	0.01	mg/L	U
000945	Sulfate	N	E83079	E300.0	4/22/2008 10:59:00AM	15	0.085	mg/L	
070300	TDS	N	E83079	SM2540 C	4/25/2008 9:12:00AM	140	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15812
WACS Testsite Name: B44
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 12:05:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 11:41:00AM	0.02	0.02	mg/L	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15826
 WACS Testsite Name: B65
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 12:10:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/28/2008 8:37:00PM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/28/2008 8:37:00PM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/28/2008 8:37:00PM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/28/2008 8:37:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/28/2008 8:37:00PM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/28/2008 8:37:00PM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/28/2008 8:37:00PM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/28/2008 8:37:00PM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/28/2008 8:37:00PM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/28/2008 8:37:00PM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/28/2008 8:37:00PM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/28/2008 8:37:00PM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/28/2008 8:37:00PM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/28/2008 8:37:00PM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/28/2008 8:37:00PM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/28/2008 8:37:00PM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/28/2008 8:37:00PM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/28/2008 8:37:00PM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/28/2008 8:37:00PM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/28/2008 8:37:00PM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/28/2008 8:37:00PM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/28/2008 8:37:00PM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/28/2008 8:37:00PM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/28/2008 8:37:00PM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/28/2008 8:37:00PM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/28/2008 8:37:00PM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/28/2008 8:37:00PM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/28/2008 8:37:00PM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/28/2008 8:37:00PM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/21/2008 12:10:00PM	555		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/28/2008 8:37:00PM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/28/2008 8:37:00PM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/21/2008 12:10:00PM	0.19		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/28/2008 8:37:00PM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/21/2008 12:10:00PM	22.77		feet	
077424	Iodomethane	N	E83079	SW8260	4/28/2008 8:37:00PM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/28/2008 8:37:00PM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/21/2008 12:10:00PM	5.82		S.U.	
077128	Styrene	N	E83079	SW8260	4/28/2008 8:37:00PM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/21/2008 12:10:00PM	20.16		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/28/2008 8:37:00PM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/28/2008 8:37:00PM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/28/2008 8:37:00PM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/28/2008 8:37:00PM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15826
 WACS Testsite Name: B65
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 12:10:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/28/2008 8:37:00PM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/28/2008 8:37:00PM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/28/2008 8:37:00PM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/21/2008 12:10:00PM	1.7		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/28/2008 8:37:00PM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/28/2008 8:37:00PM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/28/2008 8:37:00PM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15826
WACS Testsite Name: B65
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/21/2008 12:10:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/24/2008 12:50:00PM	0.0058	0.0058	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/24/2008 12:50:00PM	0.0061	0.0061	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15826
 WACS Testsite Name: B65
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 12:10:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/26/2008 4:58:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/24/2008 6:18:00PM	7.7	5	ug/L	I
001007	Barium	N	E83079	SW6010	4/24/2008 6:18:00PM	43	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/24/2008 6:18:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/24/2008 6:18:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/24/2008 6:18:00PM	3.8	2.5	ug/L	I
001037	Cobalt	N	E83079	SW6010	4/24/2008 6:18:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/24/2008 6:18:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/24/2008 6:18:00PM	2200	20	ug/L	
001051	Lead	N	E83079	SW6010	4/24/2008 6:18:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/24/2008 9:47:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	4/24/2008 6:18:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/26/2008 3:22:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/24/2008 6:18:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/24/2008 6:18:00PM	33	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	4/26/2008 4:58:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/24/2008 6:18:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/24/2008 6:18:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15826
WACS Testsite Name: B65
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/21/2008 12:10:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/22/2008 11:15:00AM	41	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/22/2008 11:15:00AM	0.01	0.01	mg/L	U
000945	Sulfate	N	E83079	E300.0	4/22/2008 11:15:00AM	4.7	0.085	mg/L	
070300	TDS	N	E83079	SM2540 C	4/25/2008 9:14:00AM	380	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15826
WACS Testsite Name: B65
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 12:10:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 11:42:00AM	0.33	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15813
 WACS Testsite Name: B45-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 12:47:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/28/2008 9:08:00PM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/28/2008 9:08:00PM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/28/2008 9:08:00PM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/28/2008 9:08:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/28/2008 9:08:00PM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/28/2008 9:08:00PM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/28/2008 9:08:00PM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/28/2008 9:08:00PM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/28/2008 9:08:00PM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/28/2008 9:08:00PM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/28/2008 9:08:00PM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/28/2008 9:08:00PM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/28/2008 9:08:00PM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/28/2008 9:08:00PM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/28/2008 9:08:00PM	4	2.5	ug/L	I
034215	Acrylonitrile	N	E83079	SW8260	4/28/2008 9:08:00PM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/28/2008 9:08:00PM	9.4	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/28/2008 9:08:00PM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/28/2008 9:08:00PM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/28/2008 9:08:00PM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/28/2008 9:08:00PM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/28/2008 9:08:00PM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/28/2008 9:08:00PM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/28/2008 9:08:00PM	4.2	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/28/2008 9:08:00PM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/28/2008 9:08:00PM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/28/2008 9:08:00PM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/28/2008 9:08:00PM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/28/2008 9:08:00PM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/21/2008 12:47:00PM	1600		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/28/2008 9:08:00PM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/28/2008 9:08:00PM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/21/2008 12:47:00PM	0.3		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/28/2008 9:08:00PM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/21/2008 12:47:00PM	23.61		feet	
077424	Iodomethane	N	E83079	SW8260	4/28/2008 9:08:00PM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/28/2008 9:08:00PM	0.36	0.33	ug/L	I
000406	pH	N	E83079	E150.1	4/21/2008 12:47:00PM	5.91		S.U.	
077128	Styrene	N	E83079	SW8260	4/28/2008 9:08:00PM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/21/2008 12:47:00PM	22.47		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/28/2008 9:08:00PM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/28/2008 9:08:00PM	0.31	0.15	ug/L	I
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/28/2008 9:08:00PM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/28/2008 9:08:00PM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15813
 WACS Testsite Name: B45-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 12:47:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to
 Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/28/2008 9:08:00PM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/28/2008 9:08:00PM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/28/2008 9:08:00PM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/21/2008 12:47:00PM	3.02		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/28/2008 9:08:00PM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/28/2008 9:08:00PM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/28/2008 9:08:00PM	0.65	0.32	ug/L	I

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15813
WACS Testsite Name: B45-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/21/2008 12:47:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/24/2008 1:17:00PM	0.0059	0.0059	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/24/2008 1:17:00PM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15813
 WACS Testsite Name: B45-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 12:47:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/26/2008 5:26:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/24/2008 6:22:00PM	8.4	5	ug/L	I
001007	Barium	N	E83079	SW6010	4/24/2008 6:22:00PM	150	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/24/2008 6:22:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/24/2008 6:22:00PM	0.62	0.5	ug/L	I
001034	Chromium	N	E83079	SW6010	4/24/2008 6:22:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/24/2008 6:22:00PM	8.7	5	ug/L	I
001042	Copper	N	E83079	SW6010	4/24/2008 6:22:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/24/2008 6:22:00PM	43000	20	ug/L	
001051	Lead	N	E83079	SW6010	4/24/2008 6:22:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/24/2008 9:50:00PM	0.028	0.02	ug/L	I
001067	Nickel	N	E83079	SW6010	4/24/2008 6:22:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/26/2008 3:26:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/24/2008 6:22:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/24/2008 6:22:00PM	210	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	4/26/2008 5:26:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/24/2008 6:22:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/24/2008 6:22:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15813
WACS Testsite Name: B45-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/21/2008 12:47:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/22/2008 11:31:00AM	150	0.12	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/22/2008 11:31:00AM	0.02	0.02	mg/L	U
000945	Sulfate	N	E83079	E300.0	4/22/2008 11:31:00AM	0.17	0.17	mg/L	U
070300	TDS	N	E83079	SM2540 C	4/25/2008 9:15:00AM	930	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15813
WACS Testsite Name: B45-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 12:47:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 11:43:00AM	0.059	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15806
 WACS Testsite Name: B41-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 1:09:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/28/2008 9:38:00PM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/28/2008 9:38:00PM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/28/2008 9:38:00PM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/28/2008 9:38:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/28/2008 9:38:00PM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/28/2008 9:38:00PM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/28/2008 9:38:00PM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/28/2008 9:38:00PM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/28/2008 9:38:00PM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/28/2008 9:38:00PM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/28/2008 9:38:00PM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/28/2008 9:38:00PM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/28/2008 9:38:00PM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/28/2008 9:38:00PM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/28/2008 9:38:00PM	3.1	2.5	ug/L	I
034215	Acrylonitrile	N	E83079	SW8260	4/28/2008 9:38:00PM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/28/2008 9:38:00PM	1.9	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/28/2008 9:38:00PM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/28/2008 9:38:00PM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/28/2008 9:38:00PM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/28/2008 9:38:00PM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/28/2008 9:38:00PM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/28/2008 9:38:00PM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/28/2008 9:38:00PM	2.3	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/28/2008 9:38:00PM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/28/2008 9:38:00PM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/28/2008 9:38:00PM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/28/2008 9:38:00PM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/28/2008 9:38:00PM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/21/2008 1:09:00PM	2313		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/28/2008 9:38:00PM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/28/2008 9:38:00PM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/21/2008 1:09:00PM	0.14		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/28/2008 9:38:00PM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/21/2008 1:09:00PM	18.66		feet	
077424	Iodomethane	N	E83079	SW8260	4/28/2008 9:38:00PM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/28/2008 9:38:00PM	0.36	0.33	ug/L	I
000406	pH	N	E83079	E150.1	4/21/2008 1:09:00PM	6.17		S.U.	
077128	Styrene	N	E83079	SW8260	4/28/2008 9:38:00PM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/21/2008 1:09:00PM	22.55		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/28/2008 9:38:00PM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/28/2008 9:38:00PM	0.15	0.15	ug/L	I
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/28/2008 9:38:00PM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/28/2008 9:38:00PM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15806
 WACS Testsite Name: B41-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 1:09:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/28/2008 9:38:00PM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/28/2008 9:38:00PM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/28/2008 9:38:00PM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/21/2008 1:09:00PM	3.44		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/28/2008 9:38:00PM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/28/2008 9:38:00PM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/28/2008 9:38:00PM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15806
WACS Testsite Name: B41-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/21/2008 1:09:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/24/2008 1:43:00PM	0.0057	0.0057	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/24/2008 1:43:00PM	0.006	0.006	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15806
 WACS Testsite Name: B41-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 1:09:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/26/2008 5:31:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/24/2008 6:26:00PM	7.8	5	ug/L	I
001007	Barium	N	E83079	SW6010	4/24/2008 6:26:00PM	210	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/24/2008 6:26:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/24/2008 6:26:00PM	0.82	0.5	ug/L	I
001034	Chromium	N	E83079	SW6010	4/24/2008 6:26:00PM	4.9	2.5	ug/L	I
001037	Cobalt	N	E83079	SW6010	4/24/2008 6:26:00PM	14	5	ug/L	
001042	Copper	N	E83079	SW6010	4/24/2008 6:26:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/24/2008 6:26:00PM	22000	20	ug/L	
001051	Lead	N	E83079	SW6010	4/24/2008 6:26:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/24/2008 9:53:00PM	0.028	0.02	ug/L	I
001067	Nickel	N	E83079	SW6010	4/24/2008 6:26:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/26/2008 3:39:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/24/2008 6:26:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/24/2008 6:26:00PM	180	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	4/26/2008 5:31:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/24/2008 6:26:00PM	11	5	ug/L	
001092	Zinc	N	E83079	SW6010	4/24/2008 6:26:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15806
WACS Testsite Name: B41-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/21/2008 1:09:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/22/2008 11:46:00AM	170	0.3	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/22/2008 11:46:00AM	0.05	0.05	mg/L	U
000945	Sulfate	N	E83079	E300.0	4/22/2008 11:46:00AM	35	0.43	mg/L	
070300	TDS	N	E83079	SM2540 C	4/25/2008 9:17:00AM	1200	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15806
WACS Testsite Name: B41-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 1:09:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 4:17:00PM	61	0.2	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15814
 WACS Testsite Name: B45-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 1:17:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/30/2008 2:46:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/30/2008 2:46:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/30/2008 2:46:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/30/2008 2:46:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/30/2008 2:46:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/30/2008 2:46:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/30/2008 2:46:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/30/2008 2:46:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/30/2008 2:46:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/30/2008 2:46:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/30/2008 2:46:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/30/2008 2:46:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/30/2008 2:46:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/30/2008 2:46:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/30/2008 2:46:00AM	3	2.5	ug/L	I
034215	Acrylonitrile	N	E83079	SW8260	4/30/2008 2:46:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/30/2008 2:46:00AM	0.95	0.16	ug/L	I
073085	Bromochloromethane	N	E83079	SW8260	4/30/2008 2:46:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/30/2008 2:46:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/30/2008 2:46:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/30/2008 2:46:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/30/2008 2:46:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/30/2008 2:46:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/30/2008 2:46:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/30/2008 2:46:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/30/2008 2:46:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/30/2008 2:46:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/30/2008 2:46:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/30/2008 2:46:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/21/2008 1:17:00PM	819		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/30/2008 2:46:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/30/2008 2:46:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/21/2008 1:17:00PM	0.3		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/30/2008 2:46:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/21/2008 1:17:00PM	23.55		feet	
077424	Iodomethane	N	E83079	SW8260	4/30/2008 2:46:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/30/2008 2:46:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/21/2008 1:17:00PM	4.87		S.U.	
077128	Styrene	N	E83079	SW8260	4/30/2008 2:46:00AM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/21/2008 1:17:00PM	21.83		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/30/2008 2:46:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/30/2008 2:46:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/30/2008 2:46:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/30/2008 2:46:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15814
 WACS Testsite Name: B45-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 1:17:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to
 Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/30/2008 2:46:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/30/2008 2:46:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/30/2008 2:46:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/21/2008 1:17:00PM	5.31		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/30/2008 2:46:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/30/2008 2:46:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/30/2008 2:46:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15814
WACS Testsite Name: B45-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 1:17:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/24/2008 2:10:00PM	0.0061	0.0061	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/24/2008 2:10:00PM	0.0064	0.0064	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15814
 WACS Testsite Name: B45-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 1:17:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/26/2008 6:08:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/24/2008 6:38:00PM	8.2	5	ug/L	I
001007	Barium	N	E83079	SW6010	4/24/2008 6:38:00PM	120	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/24/2008 6:38:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/24/2008 6:38:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/24/2008 6:38:00PM	2.9	2.5	ug/L	I
001037	Cobalt	N	E83079	SW6010	4/24/2008 6:38:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/24/2008 6:38:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/24/2008 6:38:00PM	46000	20	ug/L	
001051	Lead	N	E83079	SW6010	4/24/2008 6:38:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/24/2008 10:02:00PM	0.029	0.02	ug/L	I
001067	Nickel	N	E83079	SW6010	4/24/2008 6:38:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/26/2008 4:02:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/24/2008 6:38:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/24/2008 6:38:00PM	44	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	4/26/2008 6:08:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/24/2008 6:38:00PM	23	5	ug/L	
001092	Zinc	N	E83079	SW6010	4/24/2008 6:38:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15814
WACS Testsite Name: B45-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/21/2008 1:17:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/24/2008 10:44:00PM	210	0.6	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/22/2008 12:02:00PM	0.043	0.01	mg/L	I
000945	Sulfate	N	E83079	E300.0	4/22/2008 12:02:00PM	9.9	0.085	mg/L	
070300	TDS	N	E83079	SM2540 C	4/25/2008 9:18:00AM	510	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15814
WACS Testsite Name: B45-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 1:17:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 11:46:00AM	0.02	0.02	mg/L	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15807
 WACS Testsite Name: B41-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 1:48:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/30/2008 3:20:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/30/2008 3:20:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/30/2008 3:20:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/30/2008 3:20:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/30/2008 3:20:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/30/2008 3:20:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/30/2008 3:20:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/30/2008 3:20:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/30/2008 3:20:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/30/2008 3:20:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/30/2008 3:20:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/30/2008 3:20:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/30/2008 3:20:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/30/2008 3:20:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/30/2008 3:20:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/30/2008 3:20:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/30/2008 3:20:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/30/2008 3:20:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/30/2008 3:20:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/30/2008 3:20:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/30/2008 3:20:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/30/2008 3:20:00AM	5.7	0.81	ug/L	
032102	Carbon tetrachloride	N	E83079	SW8260	4/30/2008 3:20:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/30/2008 3:20:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/30/2008 3:20:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/30/2008 3:20:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/30/2008 3:20:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/30/2008 3:20:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/30/2008 3:20:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/21/2008 1:48:00PM	847		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/30/2008 3:20:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/30/2008 3:20:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/21/2008 1:48:00PM	0.1		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/30/2008 3:20:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/21/2008 1:48:00PM	22.42		feet	
077424	Iodomethane	N	E83079	SW8260	4/30/2008 3:20:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/30/2008 3:20:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/21/2008 1:48:00PM	6.49		S.U.	
077128	Styrene	N	E83079	SW8260	4/30/2008 3:20:00AM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/21/2008 1:48:00PM	19.99		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/30/2008 3:20:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/30/2008 3:20:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/30/2008 3:20:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/30/2008 3:20:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15807
 WACS Testsite Name: B41-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 1:48:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/30/2008 3:20:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/30/2008 3:20:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/30/2008 3:20:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/21/2008 1:48:00PM	3.54		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/30/2008 3:20:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/30/2008 3:20:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/30/2008 3:20:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15807
WACS Testsite Name: B41-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/21/2008 1:48:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/24/2008 3:03:00PM	0.0057	0.0057	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/24/2008 3:03:00PM	0.006	0.006	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15807
 WACS Testsite Name: B41-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 1:48:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/26/2008 6:35:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/24/2008 6:42:00PM	6.9	5	ug/L	I
001007	Barium	N	E83079	SW6010	4/24/2008 6:42:00PM	52	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/24/2008 6:42:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/24/2008 6:42:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/24/2008 6:42:00PM	2.8	2.5	ug/L	I
001037	Cobalt	N	E83079	SW6010	4/24/2008 6:42:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/24/2008 6:42:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/24/2008 6:42:00PM	1200	20	ug/L	
001051	Lead	N	E83079	SW6010	4/24/2008 6:42:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/24/2008 10:05:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	4/24/2008 6:42:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/26/2008 4:06:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/24/2008 6:42:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/24/2008 6:42:00PM	36	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	4/26/2008 6:35:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/24/2008 6:42:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/24/2008 6:42:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15807
WACS Testsite Name: B41-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/21/2008 1:48:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/22/2008 1:20:00PM	40	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/22/2008 1:20:00PM	0.054	0.01	mg/L	
000945	Sulfate	N	E83079	E300.0	4/22/2008 1:20:00PM	7.2	0.085	mg/L	
070300	TDS	N	E83079	SM2540 C	4/25/2008 9:20:00AM	540	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15807
WACS Testsite Name: B41-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 1:48:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 11:47:00AM	0.28	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15826
 WACS Testsite Name: B65
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 12:10:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/30/2008 3:54:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/30/2008 3:54:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/30/2008 3:54:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/30/2008 3:54:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/30/2008 3:54:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/30/2008 3:54:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/30/2008 3:54:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/30/2008 3:54:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/30/2008 3:54:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/30/2008 3:54:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/30/2008 3:54:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/30/2008 3:54:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/30/2008 3:54:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/30/2008 3:54:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/30/2008 3:54:00AM	3.6	2.5	ug/L	I
034215	Acrylonitrile	N	E83079	SW8260	4/30/2008 3:54:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/30/2008 3:54:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/30/2008 3:54:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/30/2008 3:54:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/30/2008 3:54:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/30/2008 3:54:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/30/2008 3:54:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/30/2008 3:54:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/30/2008 3:54:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/30/2008 3:54:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/30/2008 3:54:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/30/2008 3:54:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/30/2008 3:54:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/30/2008 3:54:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/21/2008 12:10:00PM	555		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/30/2008 3:54:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/30/2008 3:54:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/21/2008 12:10:00PM	0.19		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/30/2008 3:54:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/21/2008 12:10:00PM	22.77		feet	
077424	Iodomethane	N	E83079	SW8260	4/30/2008 3:54:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/30/2008 3:54:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/21/2008 12:10:00PM	5.82		S.U.	
077128	Styrene	N	E83079	SW8260	4/30/2008 3:54:00AM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/21/2008 12:10:00PM	20.16		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/30/2008 3:54:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/30/2008 3:54:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/30/2008 3:54:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/30/2008 3:54:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15826
 WACS Testsite Name: B65
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 12:10:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/30/2008 3:54:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/30/2008 3:54:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/30/2008 3:54:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/21/2008 12:10:00PM	1.7		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/30/2008 3:54:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/30/2008 3:54:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/30/2008 3:54:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15826
WACS Testsite Name: B65
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 12:10:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/24/2008 3:30:00PM	0.0057	0.0057	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/24/2008 3:30:00PM	0.006	0.006	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15826
 WACS Testsite Name: B65
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 12:10:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/26/2008 6:49:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/24/2008 6:46:00PM	7.6	5	ug/L	I
001007	Barium	N	E83079	SW6010	4/24/2008 6:46:00PM	43	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/24/2008 6:46:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/24/2008 6:46:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/24/2008 6:46:00PM	4	2.5	ug/L	I
001037	Cobalt	N	E83079	SW6010	4/24/2008 6:46:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/24/2008 6:46:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/24/2008 6:46:00PM	2100	20	ug/L	
001051	Lead	N	E83079	SW6010	4/24/2008 6:46:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/24/2008 10:08:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	4/24/2008 6:46:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/26/2008 4:10:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/24/2008 6:46:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/24/2008 6:46:00PM	33	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	4/26/2008 6:49:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/24/2008 6:46:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/24/2008 6:46:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15826
WACS Testsite Name: B65
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/21/2008 12:10:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/22/2008 1:36:00PM	41	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/22/2008 1:36:00PM	0.01	0.01	mg/L	U
000945	Sulfate	N	E83079	E300.0	4/22/2008 1:36:00PM	4.7	0.085	mg/L	
070300	TDS	N	E83079	SM2540 C	4/25/2008 9:21:00AM	380	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15826
WACS Testsite Name: B65
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 12:10:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 11:48:00AM	0.33	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: Trip Blank
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 12:00:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/30/2008 4:28:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/30/2008 4:28:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/30/2008 4:28:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/30/2008 4:28:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/30/2008 4:28:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/30/2008 4:28:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/30/2008 4:28:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/30/2008 4:28:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/30/2008 4:28:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/30/2008 4:28:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/30/2008 4:28:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/30/2008 4:28:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/30/2008 4:28:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/30/2008 4:28:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/30/2008 4:28:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/30/2008 4:28:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/30/2008 4:28:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/30/2008 4:28:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/30/2008 4:28:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/30/2008 4:28:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/30/2008 4:28:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/30/2008 4:28:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/30/2008 4:28:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/30/2008 4:28:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/30/2008 4:28:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/30/2008 4:28:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/30/2008 4:28:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/30/2008 4:28:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/30/2008 4:28:00AM	0.19	0.19	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	4/30/2008 4:28:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/30/2008 4:28:00AM	0.94	0.94	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	4/30/2008 4:28:00AM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	4/30/2008 4:28:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/30/2008 4:28:00AM	0.33	0.33	ug/L	U
077128	Styrene	N	E83079	SW8260	4/30/2008 4:28:00AM	0.59	0.59	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	4/30/2008 4:28:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/30/2008 4:28:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/30/2008 4:28:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/30/2008 4:28:00AM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/30/2008 4:28:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/30/2008 4:28:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/30/2008 4:28:00AM	0.2	0.2	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	4/30/2008 4:28:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/30/2008 4:28:00AM	0.37	0.37	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: Trip Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/21/2008 12:00:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	4/30/2008 4:28:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 8:50:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/24/2008 9:27:00PM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/24/2008 9:27:00PM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/24/2008 9:27:00PM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/24/2008 9:27:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/24/2008 9:27:00PM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/24/2008 9:27:00PM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/24/2008 9:27:00PM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/24/2008 9:27:00PM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/24/2008 9:27:00PM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/24/2008 9:27:00PM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/24/2008 9:27:00PM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/24/2008 9:27:00PM	3.1	0.65	ug/L	I
077103	2-Hexanone	N	E83079	SW8260	4/24/2008 9:27:00PM	0.65	0.59	ug/L	I
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/24/2008 9:27:00PM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/25/2008 6:04:00PM	18	2.5	ug/L	
034215	Acrylonitrile	N	E83079	SW8260	4/24/2008 9:27:00PM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/24/2008 9:27:00PM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/24/2008 9:27:00PM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/24/2008 9:27:00PM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/24/2008 9:27:00PM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/24/2008 9:27:00PM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/24/2008 9:27:00PM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/24/2008 9:27:00PM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/24/2008 9:27:00PM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/24/2008 9:27:00PM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/24/2008 9:27:00PM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/24/2008 9:27:00PM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/24/2008 9:27:00PM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/24/2008 9:27:00PM	0.19	0.19	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	4/24/2008 9:27:00PM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/24/2008 9:27:00PM	0.94	0.94	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	4/24/2008 9:27:00PM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	4/24/2008 9:27:00PM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/24/2008 9:27:00PM	0.33	0.33	ug/L	U
077128	Styrene	N	E83079	SW8260	4/24/2008 9:27:00PM	0.59	0.59	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	4/24/2008 9:27:00PM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/24/2008 9:27:00PM	0.15	0.15	ug/L	I
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/24/2008 9:27:00PM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/24/2008 9:27:00PM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/24/2008 9:27:00PM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/24/2008 9:27:00PM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/24/2008 9:27:00PM	0.2	0.2	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	4/24/2008 9:27:00PM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/24/2008 9:27:00PM	0.37	0.37	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 8:50:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	4/24/2008 9:27:00PM	0.32	0.32	ug/L	U

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: _____
WACS Testsite Name: EQ Blank
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 8:50:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: Not Provided

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/25/2008 10:43:00PM	0.0059	0.0059	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/25/2008 10:43:00PM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 8:50:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/26/2008 7:43:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/24/2008 8:40:00PM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/24/2008 8:40:00PM	5	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/24/2008 8:40:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/24/2008 8:40:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/24/2008 8:40:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/24/2008 8:40:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/24/2008 8:40:00PM	3.1	2.5	ug/L	I
001045	Iron	N	E83079	SW6010	4/24/2008 8:40:00PM	20	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/24/2008 8:40:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/24/2008 7:57:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	4/24/2008 8:40:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/26/2008 5:27:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/24/2008 8:40:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/24/2008 8:40:00PM	0.5	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	4/26/2008 7:43:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/24/2008 8:40:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/24/2008 8:40:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: _____
WACS Testsite Name: EQ Blank
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/22/2008 8:50:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: Not Provided

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/23/2008 2:39:00AM	0.06	0.06	mg/L	U
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/23/2008 2:39:00AM	0.01	0.01	mg/L	U
000945	Sulfate	N	E83079	E300.0	4/23/2008 2:39:00AM	0.085	0.085	mg/L	U
070300	TDS	N	E83079	SM2540 C	4/29/2008 9:32:00AM	5	5	mg/L	U

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: _____
WACS Testsite Name: EQ Blank
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 8:50:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: Not Provided

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 12:19:00PM	0.02	0.02	mg/L	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19800
 WACS Testsite Name: B70-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 9:17:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/24/2008 10:02:00PM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/24/2008 10:02:00PM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/24/2008 10:02:00PM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/24/2008 10:02:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/24/2008 10:02:00PM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/24/2008 10:02:00PM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/24/2008 10:02:00PM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/24/2008 10:02:00PM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/24/2008 10:02:00PM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/24/2008 10:02:00PM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/24/2008 10:02:00PM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/24/2008 10:02:00PM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/24/2008 10:02:00PM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/24/2008 10:02:00PM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/24/2008 10:02:00PM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/24/2008 10:02:00PM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/24/2008 10:02:00PM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/24/2008 10:02:00PM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/24/2008 10:02:00PM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/24/2008 10:02:00PM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/24/2008 10:02:00PM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/24/2008 10:02:00PM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/24/2008 10:02:00PM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/24/2008 10:02:00PM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/24/2008 10:02:00PM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/24/2008 10:02:00PM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/24/2008 10:02:00PM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/24/2008 10:02:00PM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/24/2008 10:02:00PM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/22/2008 9:17:00AM	275		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/24/2008 10:02:00PM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/24/2008 10:02:00PM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/22/2008 9:17:00AM	0.38		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/24/2008 10:02:00PM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/22/2008 9:17:00AM	21.38		feet	
077424	Iodomethane	N	E83079	SW8260	4/24/2008 10:02:00PM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/24/2008 10:02:00PM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/22/2008 9:17:00AM	5.31		S.U.	
077128	Styrene	N	E83079	SW8260	4/24/2008 10:02:00PM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/22/2008 9:17:00AM	22.6		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/24/2008 10:02:00PM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/24/2008 10:02:00PM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/24/2008 10:02:00PM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/24/2008 10:02:00PM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 19800
 WACS Testsite Name: B70-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 9:17:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/24/2008 10:02:00PM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/24/2008 10:02:00PM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/24/2008 10:02:00PM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/22/2008 9:17:00AM	0.53		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/24/2008 10:02:00PM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/24/2008 10:02:00PM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/24/2008 10:02:00PM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19800
WACS Testsite Name: B70-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/22/2008 9:17:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/26/2008 12:03:00AM	0.0061	0.0061	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/26/2008 12:03:00AM	0.0064	0.0064	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19800
 WACS Testsite Name: B70-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 9:17:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/26/2008 7:47:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/24/2008 8:44:00PM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/24/2008 8:44:00PM	28	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/24/2008 8:44:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/24/2008 8:44:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/24/2008 8:44:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/24/2008 8:44:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/24/2008 8:44:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/24/2008 8:44:00PM	4600	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/24/2008 8:44:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/24/2008 8:05:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	4/24/2008 8:44:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/26/2008 5:31:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/24/2008 8:44:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/24/2008 8:44:00PM	21	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	4/26/2008 7:47:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/24/2008 8:44:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/24/2008 8:44:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19800
WACS Testsite Name: B70-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/22/2008 9:17:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/23/2008 3:26:00AM	33	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/23/2008 3:26:00AM	0.01	0.01	mg/L	U
000945	Sulfate	N	E83079	E300.0	4/23/2008 3:26:00AM	40	0.085	mg/L	
070300	TDS	N	E83079	SM2540 C	4/29/2008 9:35:00AM	170	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19800
WACS Testsite Name: B70-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 9:17:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 12:20:00PM	0.02	0.02	mg/L	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15820
 WACS Testsite Name: B61R
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 9:26:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/24/2008 10:40:00PM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/24/2008 10:40:00PM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/24/2008 10:40:00PM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/24/2008 10:40:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/24/2008 10:40:00PM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/24/2008 10:40:00PM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/24/2008 10:40:00PM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/24/2008 10:40:00PM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/24/2008 10:40:00PM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/24/2008 10:40:00PM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/24/2008 10:40:00PM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/24/2008 10:40:00PM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/24/2008 10:40:00PM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/24/2008 10:40:00PM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/24/2008 10:40:00PM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/24/2008 10:40:00PM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/24/2008 10:40:00PM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/24/2008 10:40:00PM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/24/2008 10:40:00PM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/24/2008 10:40:00PM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/24/2008 10:40:00PM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/24/2008 10:40:00PM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/24/2008 10:40:00PM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/24/2008 10:40:00PM	0.57	0.17	ug/L	I
034311	Chloroethane	N	E83079	SW8260	4/24/2008 10:40:00PM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/24/2008 10:40:00PM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/24/2008 10:40:00PM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/24/2008 10:40:00PM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/24/2008 10:40:00PM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/22/2008 9:26:00AM	1629		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/24/2008 10:40:00PM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/24/2008 10:40:00PM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/22/2008 9:26:00AM	0.29		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/24/2008 10:40:00PM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/22/2008 9:26:00AM	25.42		feet	
077424	Iodomethane	N	E83079	SW8260	4/24/2008 10:40:00PM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/24/2008 10:40:00PM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/22/2008 9:26:00AM	6.35		S.U.	
077128	Styrene	N	E83079	SW8260	4/24/2008 10:40:00PM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/22/2008 9:26:00AM	22.71		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/24/2008 10:40:00PM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/24/2008 10:40:00PM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/24/2008 10:40:00PM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/24/2008 10:40:00PM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15820
 WACS Testsite Name: B61R
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 9:26:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/24/2008 10:40:00PM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/24/2008 10:40:00PM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/24/2008 10:40:00PM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/22/2008 9:26:00AM	9.09		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/24/2008 10:40:00PM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/24/2008 10:40:00PM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/24/2008 10:40:00PM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15820
WACS Testsite Name: B61R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 9:26:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/26/2008 12:30:00AM	0.0059	0.0059	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/26/2008 12:30:00AM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15820
 WACS Testsite Name: B61R
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 9:26:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/26/2008 7:52:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/24/2008 8:49:00PM	6.3	5	ug/L	I
001007	Barium	N	E83079	SW6010	4/24/2008 8:49:00PM	240	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/24/2008 8:49:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/24/2008 8:49:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/24/2008 8:49:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/24/2008 8:49:00PM	9	5	ug/L	I
001042	Copper	N	E83079	SW6010	4/24/2008 8:49:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/24/2008 8:49:00PM	12000	20	ug/L	
001051	Lead	N	E83079	SW6010	4/24/2008 8:49:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/24/2008 8:08:00PM	0.044	0.02	ug/L	I
001067	Nickel	N	E83079	SW6010	4/24/2008 8:49:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/26/2008 5:36:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/24/2008 8:49:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/24/2008 8:49:00PM	52	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	4/26/2008 7:52:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/24/2008 8:49:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/24/2008 8:49:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15820
WACS Testsite Name: B61R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/22/2008 9:26:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/23/2008 3:42:00AM	29	0.3	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/23/2008 3:42:00AM	0.05	0.05	mg/L	U
000945	Sulfate	N	E83079	E300.0	4/23/2008 3:42:00AM	180	0.43	mg/L	
070300	TDS	N	E83079	SM2540 C	4/29/2008 9:37:00AM	950	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15820
WACS Testsite Name: B61R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 9:26:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 4:21:00PM	29	0.1	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19801
 WACS Testsite Name: B70-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 9:51:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/24/2008 11:16:00PM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/24/2008 11:16:00PM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/24/2008 11:16:00PM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/24/2008 11:16:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/24/2008 11:16:00PM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/24/2008 11:16:00PM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/24/2008 11:16:00PM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/24/2008 11:16:00PM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/24/2008 11:16:00PM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/24/2008 11:16:00PM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/24/2008 11:16:00PM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/24/2008 11:16:00PM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/24/2008 11:16:00PM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/24/2008 11:16:00PM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/24/2008 11:16:00PM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/24/2008 11:16:00PM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/24/2008 11:16:00PM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/24/2008 11:16:00PM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/24/2008 11:16:00PM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/24/2008 11:16:00PM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/24/2008 11:16:00PM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/24/2008 11:16:00PM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/24/2008 11:16:00PM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/24/2008 11:16:00PM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/24/2008 11:16:00PM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/24/2008 11:16:00PM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/24/2008 11:16:00PM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/24/2008 11:16:00PM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/24/2008 11:16:00PM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/22/2008 9:51:00AM	339		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/24/2008 11:16:00PM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/24/2008 11:16:00PM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/22/2008 9:51:00AM	0.37		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/24/2008 11:16:00PM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/22/2008 9:51:00AM	21.36		feet	
077424	Iodomethane	N	E83079	SW8260	4/24/2008 11:16:00PM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/24/2008 11:16:00PM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/22/2008 9:51:00AM	5.32		S.U.	
077128	Styrene	N	E83079	SW8260	4/24/2008 11:16:00PM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/22/2008 9:51:00AM	21.64		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/24/2008 11:16:00PM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/24/2008 11:16:00PM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/24/2008 11:16:00PM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/24/2008 11:16:00PM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 2/17/2009

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 19801
 WACS Testsite Name: B70-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 9:51:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/24/2008 11:16:00PM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/24/2008 11:16:00PM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/24/2008 11:16:00PM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/22/2008 9:51:00AM	3.3		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/24/2008 11:16:00PM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/24/2008 11:16:00PM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/24/2008 11:16:00PM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19801
WACS Testsite Name: B70-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/22/2008 9:51:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/26/2008 12:57:00AM	0.0061	0.0061	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/26/2008 12:57:00AM	0.0064	0.0064	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19801
 WACS Testsite Name: B70-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 9:51:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/26/2008 7:56:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/24/2008 8:53:00PM	6.5	5	ug/L	I
001007	Barium	N	E83079	SW6010	4/24/2008 8:53:00PM	44	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/24/2008 8:53:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/24/2008 8:53:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/24/2008 8:53:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/24/2008 8:53:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/24/2008 8:53:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/24/2008 8:53:00PM	10000	20	ug/L	
001051	Lead	N	E83079	SW6010	4/24/2008 8:53:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/24/2008 8:17:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	4/24/2008 8:53:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/26/2008 5:40:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/24/2008 8:53:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/24/2008 8:53:00PM	14	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	4/26/2008 7:56:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/24/2008 8:53:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/24/2008 8:53:00PM	14	10	ug/L	I

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19801
WACS Testsite Name: B70-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/22/2008 9:51:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/23/2008 3:58:00AM	37	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/23/2008 3:58:00AM	0.01	0.01	mg/L	U
000945	Sulfate	N	E83079	E300.0	4/23/2008 3:58:00AM	59	0.085	mg/L	
070300	TDS	N	E83079	SM2540 C	4/29/2008 9:38:00AM	220	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19801
WACS Testsite Name: B70-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 9:51:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 12:26:00PM	0.024	0.02	mg/L	I

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19802
 WACS Testsite Name: B71
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 10:28:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/24/2008 11:53:00PM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/24/2008 11:53:00PM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/24/2008 11:53:00PM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/24/2008 11:53:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/24/2008 11:53:00PM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/24/2008 11:53:00PM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/24/2008 11:53:00PM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/24/2008 11:53:00PM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/24/2008 11:53:00PM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/24/2008 11:53:00PM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/24/2008 11:53:00PM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/24/2008 11:53:00PM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/24/2008 11:53:00PM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/24/2008 11:53:00PM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/24/2008 11:53:00PM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/24/2008 11:53:00PM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/24/2008 11:53:00PM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/24/2008 11:53:00PM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/24/2008 11:53:00PM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/24/2008 11:53:00PM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/24/2008 11:53:00PM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/24/2008 11:53:00PM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/24/2008 11:53:00PM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/24/2008 11:53:00PM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/24/2008 11:53:00PM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/24/2008 11:53:00PM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/24/2008 11:53:00PM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/24/2008 11:53:00PM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/24/2008 11:53:00PM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/22/2008 10:28:00AM	476		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/24/2008 11:53:00PM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/24/2008 11:53:00PM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/22/2008 10:28:00AM	0.24		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/24/2008 11:53:00PM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/22/2008 10:28:00AM	22.75		feet	
077424	Iodomethane	N	E83079	SW8260	4/24/2008 11:53:00PM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/24/2008 11:53:00PM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/22/2008 10:28:00AM	5.69		S.U.	
077128	Styrene	N	E83079	SW8260	4/24/2008 11:53:00PM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/22/2008 10:28:00AM	22.32		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/24/2008 11:53:00PM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/24/2008 11:53:00PM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/24/2008 11:53:00PM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/24/2008 11:53:00PM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 2/17/2009

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 19802
 WACS Testsite Name: B71
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 10:28:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/24/2008 11:53:00PM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/24/2008 11:53:00PM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/24/2008 11:53:00PM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/22/2008 10:28:00AM	2.13		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/24/2008 11:53:00PM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/24/2008 11:53:00PM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/24/2008 11:53:00PM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19802
WACS Testsite Name: B71
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/22/2008 10:28:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/26/2008 1:24:00AM	0.006	0.006	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/26/2008 1:24:00AM	0.0063	0.0063	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19802
 WACS Testsite Name: B71
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 10:28:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/26/2008 8:01:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/24/2008 8:57:00PM	5.9	5	ug/L	I
001007	Barium	N	E83079	SW6010	4/24/2008 8:57:00PM	39	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/24/2008 8:57:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/24/2008 8:57:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/24/2008 8:57:00PM	2.6	2.5	ug/L	I
001037	Cobalt	N	E83079	SW6010	4/24/2008 8:57:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/24/2008 8:57:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/24/2008 8:57:00PM	6500	20	ug/L	
001051	Lead	N	E83079	SW6010	4/24/2008 8:57:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/24/2008 8:20:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	4/24/2008 8:57:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/26/2008 5:44:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/24/2008 8:57:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/24/2008 8:57:00PM	10	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	4/26/2008 8:01:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/24/2008 8:57:00PM	11	5	ug/L	
001092	Zinc	N	E83079	SW6010	4/24/2008 8:57:00PM	38	10	ug/L	

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19802
WACS Testsite Name: B71
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/22/2008 10:28:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/23/2008 4:13:00AM	7.9	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/23/2008 4:13:00AM	0.01	0.01	mg/L	U
000945	Sulfate	N	E83079	E300.0	4/23/2008 4:13:00AM	86	0.085	mg/L	
070300	TDS	N	E83079	SM2540 C	4/29/2008 9:40:00AM	320	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19802
WACS Testsite Name: B71
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 10:28:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 12:27:00PM	0.13	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15821
 WACS Testsite Name: B62-1R
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 11:03:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/29/2008 9:41:00PM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/29/2008 9:41:00PM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/29/2008 9:41:00PM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/29/2008 9:41:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/29/2008 9:41:00PM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/29/2008 9:41:00PM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/29/2008 9:41:00PM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/29/2008 9:41:00PM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/29/2008 9:41:00PM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/29/2008 9:41:00PM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/29/2008 9:41:00PM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/29/2008 9:41:00PM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/29/2008 9:41:00PM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/29/2008 9:41:00PM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/29/2008 9:41:00PM	5.4	2.5	ug/L	I
034215	Acrylonitrile	N	E83079	SW8260	4/29/2008 9:41:00PM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/29/2008 9:41:00PM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/29/2008 9:41:00PM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/29/2008 9:41:00PM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/29/2008 9:41:00PM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/29/2008 9:41:00PM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/29/2008 9:41:00PM	0.98	0.81	ug/L	I
032102	Carbon tetrachloride	N	E83079	SW8260	4/29/2008 9:41:00PM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/29/2008 9:41:00PM	2.2	0.17	ug/L	
034311	Chloroethane	N	E83079	SW8260	4/29/2008 9:41:00PM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/29/2008 9:41:00PM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/29/2008 9:41:00PM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/29/2008 9:41:00PM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/29/2008 9:41:00PM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/22/2008 11:03:00AM	2994		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/29/2008 9:41:00PM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/29/2008 9:41:00PM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/22/2008 11:03:00AM	0.09		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/29/2008 9:41:00PM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/22/2008 11:03:00AM	25.47		feet	
077424	Iodomethane	N	E83079	SW8260	4/29/2008 9:41:00PM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/29/2008 9:41:00PM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/22/2008 11:03:00AM	6.57		S.U.	
077128	Styrene	N	E83079	SW8260	4/29/2008 9:41:00PM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/22/2008 11:03:00AM	23.64		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/29/2008 9:41:00PM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/29/2008 9:41:00PM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/29/2008 9:41:00PM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/29/2008 9:41:00PM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15821
 WACS Testsite Name: B62-1R
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 11:03:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/29/2008 9:41:00PM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/29/2008 9:41:00PM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/29/2008 9:41:00PM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/22/2008 11:03:00AM	14.2		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/29/2008 9:41:00PM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/29/2008 9:41:00PM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/29/2008 9:41:00PM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15821
WACS Testsite Name: B62-1R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/22/2008 11:03:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/26/2008 2:18:00AM	0.006	0.006	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/26/2008 2:18:00AM	0.0063	0.0063	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15821
 WACS Testsite Name: B62-1R
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 11:03:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/26/2008 8:05:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/24/2008 9:01:00PM	10	5	ug/L	
001007	Barium	N	E83079	SW6010	4/24/2008 9:01:00PM	590	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/24/2008 9:01:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/24/2008 9:01:00PM	0.87	0.5	ug/L	I
001034	Chromium	N	E83079	SW6010	4/24/2008 9:01:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/24/2008 9:01:00PM	18	5	ug/L	
001042	Copper	N	E83079	SW6010	4/24/2008 9:01:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/24/2008 9:01:00PM	26000	20	ug/L	
001051	Lead	N	E83079	SW6010	4/24/2008 9:01:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/24/2008 8:23:00PM	0.026	0.02	ug/L	I
001067	Nickel	N	E83079	SW6010	4/24/2008 9:01:00PM	8	2.5	ug/L	
001147	Selenium	N	E83079	SW6010	4/26/2008 5:48:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/24/2008 9:01:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/24/2008 9:01:00PM	270	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	4/26/2008 8:05:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/24/2008 9:01:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/24/2008 9:01:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15821
WACS Testsite Name: B62-1R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/22/2008 11:03:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/23/2008 4:29:00AM	210	0.6	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/23/2008 4:29:00AM	0.1	0.1	mg/L	U
000945	Sulfate	N	E83079	E300.0	4/23/2008 4:29:00AM	16	0.85	mg/L	
070300	TDS	N	E83079	SM2540 C	4/29/2008 9:41:00AM	1400	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15821
WACS Testsite Name: B62-1R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 11:03:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 4:22:00PM	99	0.2	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19803
 WACS Testsite Name: B72
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 11:06:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/29/2008 10:02:00PM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/29/2008 10:02:00PM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/29/2008 10:02:00PM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/29/2008 10:02:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/29/2008 10:02:00PM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/29/2008 10:02:00PM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/29/2008 10:02:00PM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/29/2008 10:02:00PM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/29/2008 10:02:00PM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/29/2008 10:02:00PM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/29/2008 10:02:00PM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/29/2008 10:02:00PM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/29/2008 10:02:00PM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/29/2008 10:02:00PM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/29/2008 10:02:00PM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/29/2008 10:02:00PM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/29/2008 10:02:00PM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/29/2008 10:02:00PM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/29/2008 10:02:00PM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/29/2008 10:02:00PM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/29/2008 10:02:00PM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/29/2008 10:02:00PM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/29/2008 10:02:00PM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/29/2008 10:02:00PM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/29/2008 10:02:00PM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/29/2008 10:02:00PM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/29/2008 10:02:00PM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/29/2008 10:02:00PM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/29/2008 10:02:00PM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/22/2008 11:06:00AM	522		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/29/2008 10:02:00PM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/29/2008 10:02:00PM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/22/2008 11:06:00AM	0.33		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/29/2008 10:02:00PM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/22/2008 11:06:00AM	22.83		feet	
077424	Iodomethane	N	E83079	SW8260	4/29/2008 10:02:00PM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/29/2008 10:02:00PM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/22/2008 11:06:00AM	5.85		S.U.	
077128	Styrene	N	E83079	SW8260	4/29/2008 10:02:00PM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/22/2008 11:06:00AM	22.92		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/29/2008 10:02:00PM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/29/2008 10:02:00PM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/29/2008 10:02:00PM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/29/2008 10:02:00PM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 2/17/2009

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 19803
 WACS Testsite Name: B72
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 11:06:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/29/2008 10:02:00PM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/29/2008 10:02:00PM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/29/2008 10:02:00PM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/22/2008 11:06:00AM	10.78		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/29/2008 10:02:00PM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/29/2008 10:02:00PM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/29/2008 10:02:00PM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19803
WACS Testsite Name: B72
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/22/2008 11:06:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/26/2008 2:45:00AM	0.006	0.006	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/26/2008 2:45:00AM	0.0063	0.0063	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19803
 WACS Testsite Name: B72
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 11:06:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/26/2008 8:10:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/24/2008 9:05:00PM	5.3	5	ug/L	I
001007	Barium	N	E83079	SW6010	4/24/2008 9:05:00PM	34	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/24/2008 9:05:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/24/2008 9:05:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/24/2008 9:05:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/24/2008 9:05:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/24/2008 9:05:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/24/2008 9:05:00PM	1600	20	ug/L	
001051	Lead	N	E83079	SW6010	4/24/2008 9:05:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/24/2008 8:26:00PM	0.03	0.02	ug/L	I
001067	Nickel	N	E83079	SW6010	4/24/2008 9:05:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/26/2008 5:52:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/24/2008 9:05:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/24/2008 9:05:00PM	16	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	4/26/2008 8:10:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/24/2008 9:05:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/24/2008 9:05:00PM	34	10	ug/L	

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19803
WACS Testsite Name: B72
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/22/2008 11:06:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/23/2008 5:16:00AM	13	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/23/2008 5:16:00AM	0.01	0.01	mg/L	U
000945	Sulfate	N	E83079	E300.0	4/23/2008 5:16:00AM	46	0.085	mg/L	
070300	TDS	N	E83079	SM2540 C	4/29/2008 9:42:00AM	310	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19803
WACS Testsite Name: B72
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 11:06:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 12:30:00PM	0.02	0.02	mg/L	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15822
 WACS Testsite Name: B62-2R
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 11:36:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/29/2008 10:12:00PM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/29/2008 10:12:00PM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/29/2008 10:12:00PM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/29/2008 10:12:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/29/2008 10:12:00PM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/29/2008 10:12:00PM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/29/2008 10:12:00PM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/29/2008 10:12:00PM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/29/2008 10:12:00PM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/29/2008 10:12:00PM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/29/2008 10:12:00PM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/29/2008 10:12:00PM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/29/2008 10:12:00PM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/29/2008 10:12:00PM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/29/2008 10:12:00PM	9.5	2.5	ug/L	I
034215	Acrylonitrile	N	E83079	SW8260	4/29/2008 10:12:00PM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/29/2008 10:12:00PM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/29/2008 10:12:00PM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/29/2008 10:12:00PM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/29/2008 10:12:00PM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/29/2008 10:12:00PM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/29/2008 10:12:00PM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/29/2008 10:12:00PM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/29/2008 10:12:00PM	1.9	0.17	ug/L	
034311	Chloroethane	N	E83079	SW8260	4/29/2008 10:12:00PM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/29/2008 10:12:00PM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/29/2008 10:12:00PM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/29/2008 10:12:00PM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/29/2008 10:12:00PM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/22/2008 11:36:00AM	1420		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/29/2008 10:12:00PM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/29/2008 10:12:00PM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/22/2008 11:36:00AM	0.16		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/29/2008 10:12:00PM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/22/2008 11:36:00AM	25.86		feet	
077424	Iodomethane	N	E83079	SW8260	4/29/2008 10:12:00PM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/29/2008 10:12:00PM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/22/2008 11:36:00AM	6.45		S.U.	
077128	Styrene	N	E83079	SW8260	4/29/2008 10:12:00PM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/22/2008 11:36:00AM	22.77		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/29/2008 10:12:00PM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/29/2008 10:12:00PM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/29/2008 10:12:00PM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/29/2008 10:12:00PM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15822
 WACS Testsite Name: B62-2R
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 11:36:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/29/2008 10:12:00PM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/29/2008 10:12:00PM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/29/2008 10:12:00PM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/22/2008 11:36:00AM	3.3		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/29/2008 10:12:00PM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/29/2008 10:12:00PM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/29/2008 10:12:00PM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15822
WACS Testsite Name: B62-2R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/22/2008 11:36:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/26/2008 3:11:00AM	0.006	0.006	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/26/2008 3:11:00AM	0.0063	0.0063	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15822
WACS Testsite Name: B62-2R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 11:36:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/26/2008 8:23:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/24/2008 9:09:00PM	6.6	5	ug/L	I
001007	Barium	N	E83079	SW6010	4/24/2008 9:09:00PM	100	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/24/2008 9:09:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/24/2008 9:09:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/24/2008 9:09:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/24/2008 9:09:00PM	6.4	5	ug/L	I
001042	Copper	N	E83079	SW6010	4/24/2008 9:09:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/24/2008 9:09:00PM	14000	20	ug/L	
001051	Lead	N	E83079	SW6010	4/24/2008 9:09:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/24/2008 8:29:00PM	0.034	0.02	ug/L	I
001067	Nickel	N	E83079	SW6010	4/24/2008 9:09:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/26/2008 5:56:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/24/2008 9:09:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/24/2008 9:09:00PM	55	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	4/26/2008 8:23:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/24/2008 9:09:00PM	6.1	5	ug/L	I
001092	Zinc	N	E83079	SW6010	4/24/2008 9:09:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15822
WACS Testsite Name: B62-2R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/22/2008 11:36:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/23/2008 5:32:00AM	27	0.12	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/23/2008 5:32:00AM	0.02	0.02	mg/L	U
000945	Sulfate	N	E83079	E300.0	4/23/2008 5:32:00AM	2.7	0.17	mg/L	
070300	TDS	N	E83079	SM2540 C	4/29/2008 9:44:00AM	700	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15822
WACS Testsite Name: B62-2R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 11:36:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 4:23:00PM	26	0.1	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15822
 WACS Testsite Name: B62-2R
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 11:36:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/29/2008 10:43:00PM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/29/2008 10:43:00PM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/29/2008 10:43:00PM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/29/2008 10:43:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/29/2008 10:43:00PM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/29/2008 10:43:00PM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/29/2008 10:43:00PM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/29/2008 10:43:00PM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/29/2008 10:43:00PM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/29/2008 10:43:00PM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/29/2008 10:43:00PM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/29/2008 10:43:00PM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/29/2008 10:43:00PM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/29/2008 10:43:00PM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/29/2008 10:43:00PM	9.8	2.5	ug/L	I
034215	Acrylonitrile	N	E83079	SW8260	4/29/2008 10:43:00PM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/29/2008 10:43:00PM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/29/2008 10:43:00PM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/29/2008 10:43:00PM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/29/2008 10:43:00PM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/29/2008 10:43:00PM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/29/2008 10:43:00PM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/29/2008 10:43:00PM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/29/2008 10:43:00PM	1.9	0.17	ug/L	
034311	Chloroethane	N	E83079	SW8260	4/29/2008 10:43:00PM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/29/2008 10:43:00PM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/29/2008 10:43:00PM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/29/2008 10:43:00PM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/29/2008 10:43:00PM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/22/2008 11:36:00AM	1420		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/29/2008 10:43:00PM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/29/2008 10:43:00PM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/22/2008 11:36:00AM	0.16		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/29/2008 10:43:00PM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/22/2008 11:36:00AM	25.86		feet	
077424	Iodomethane	N	E83079	SW8260	4/29/2008 10:43:00PM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/29/2008 10:43:00PM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/22/2008 11:36:00AM	6.45		S.U.	
077128	Styrene	N	E83079	SW8260	4/29/2008 10:43:00PM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/22/2008 11:36:00AM	22.77		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/29/2008 10:43:00PM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/29/2008 10:43:00PM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/29/2008 10:43:00PM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/29/2008 10:43:00PM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 2/17/2009

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 15822
 WACS Testsite Name: B62-2R
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 11:36:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/29/2008 10:43:00PM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/29/2008 10:43:00PM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/29/2008 10:43:00PM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/22/2008 11:36:00AM	3.3		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/29/2008 10:43:00PM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/29/2008 10:43:00PM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/29/2008 10:43:00PM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15822
WACS Testsite Name: B62-2R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 11:36:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/26/2008 3:39:00AM	0.0064	0.0064	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/26/2008 3:39:00AM	0.0067	0.0067	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15822
 WACS Testsite Name: B62-2R
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 11:36:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/26/2008 8:28:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/24/2008 9:13:00PM	7.7	5	ug/L	I
001007	Barium	N	E83079	SW6010	4/24/2008 9:13:00PM	99	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/24/2008 9:13:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/24/2008 9:13:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/24/2008 9:13:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/24/2008 9:13:00PM	6.3	5	ug/L	I
001042	Copper	N	E83079	SW6010	4/24/2008 9:13:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/24/2008 9:13:00PM	14000	20	ug/L	
001051	Lead	N	E83079	SW6010	4/24/2008 9:13:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/24/2008 8:32:00PM	0.023	0.02	ug/L	I
001067	Nickel	N	E83079	SW6010	4/24/2008 9:13:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/26/2008 6:08:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/24/2008 9:13:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/24/2008 9:13:00PM	53	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	4/26/2008 8:28:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/24/2008 9:13:00PM	6.1	5	ug/L	I
001092	Zinc	N	E83079	SW6010	4/24/2008 9:13:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15822
WACS Testsite Name: B62-2R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/22/2008 11:36:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/23/2008 5:47:00AM	26	0.12	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/23/2008 5:47:00AM	0.05	0.02	mg/L	I
000945	Sulfate	N	E83079	E300.0	4/23/2008 5:47:00AM	3.2	0.17	mg/L	
070300	TDS	N	E83079	SM2540 C	4/29/2008 9:45:00AM	690	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15822
WACS Testsite Name: B62-2R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 11:36:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 4:25:00PM	25	0.1	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19804
 WACS Testsite Name: B73-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 11:44:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/29/2008 11:13:00PM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/29/2008 11:13:00PM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/29/2008 11:13:00PM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/29/2008 11:13:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/29/2008 11:13:00PM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/29/2008 11:13:00PM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/29/2008 11:13:00PM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/29/2008 11:13:00PM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/29/2008 11:13:00PM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/29/2008 11:13:00PM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/29/2008 11:13:00PM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/29/2008 11:13:00PM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/29/2008 11:13:00PM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/29/2008 11:13:00PM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/29/2008 11:13:00PM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/29/2008 11:13:00PM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/29/2008 11:13:00PM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/29/2008 11:13:00PM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/29/2008 11:13:00PM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/29/2008 11:13:00PM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/29/2008 11:13:00PM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/29/2008 11:13:00PM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/29/2008 11:13:00PM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/29/2008 11:13:00PM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/29/2008 11:13:00PM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/29/2008 11:13:00PM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/29/2008 11:13:00PM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/29/2008 11:13:00PM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/29/2008 11:13:00PM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/22/2008 11:44:00AM	729		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/29/2008 11:13:00PM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/29/2008 11:13:00PM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/22/2008 11:44:00AM	0.24		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/29/2008 11:13:00PM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/22/2008 11:44:00AM	21.83		feet	
077424	Iodomethane	N	E83079	SW8260	4/29/2008 11:13:00PM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/29/2008 11:13:00PM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/22/2008 11:44:00AM	6.19		S.U.	
077128	Styrene	N	E83079	SW8260	4/29/2008 11:13:00PM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/22/2008 11:44:00AM	23.33		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/29/2008 11:13:00PM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/29/2008 11:13:00PM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/29/2008 11:13:00PM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/29/2008 11:13:00PM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 19804
 WACS Testsite Name: B73-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 11:44:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to
 Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/29/2008 11:13:00PM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/29/2008 11:13:00PM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/29/2008 11:13:00PM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/22/2008 11:44:00AM	0.71		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/29/2008 11:13:00PM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/29/2008 11:13:00PM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/29/2008 11:13:00PM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19804
WACS Testsite Name: B73-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/22/2008 11:44:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/26/2008 4:06:00AM	0.0059	0.0059	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/26/2008 4:06:00AM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19804
 WACS Testsite Name: B73-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 11:44:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/26/2008 8:32:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/24/2008 9:25:00PM	7.6	5	ug/L	I
001007	Barium	N	E83079	SW6010	4/24/2008 9:25:00PM	48	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/24/2008 9:25:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/24/2008 9:25:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/24/2008 9:25:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/24/2008 9:25:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/24/2008 9:25:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/24/2008 9:25:00PM	13000	20	ug/L	
001051	Lead	N	E83079	SW6010	4/24/2008 9:25:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/24/2008 8:35:00PM	0.022	0.02	ug/L	I
001067	Nickel	N	E83079	SW6010	4/24/2008 9:25:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/26/2008 6:12:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/24/2008 9:25:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/24/2008 9:25:00PM	44	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	4/26/2008 8:32:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/24/2008 9:25:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/24/2008 9:25:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19804
WACS Testsite Name: B73-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/22/2008 11:44:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/23/2008 6:03:00AM	52	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/23/2008 6:03:00AM	0.01	0.01	mg/L	U
000945	Sulfate	N	E83079	E300.0	4/23/2008 6:03:00AM	0.84	0.085	mg/L	
070300	TDS	N	E83079	SM2540 C	4/29/2008 9:47:00AM	390	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19804
WACS Testsite Name: B73-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 11:44:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 12:34:00PM	0.064	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19805
 WACS Testsite Name: B73-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 12:22:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/29/2008 11:44:00PM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/29/2008 11:44:00PM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/29/2008 11:44:00PM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/29/2008 11:44:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/29/2008 11:44:00PM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/29/2008 11:44:00PM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/29/2008 11:44:00PM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/29/2008 11:44:00PM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/29/2008 11:44:00PM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/29/2008 11:44:00PM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/29/2008 11:44:00PM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/29/2008 11:44:00PM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/29/2008 11:44:00PM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/29/2008 11:44:00PM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/29/2008 11:44:00PM	3.3	2.5	ug/L	I
034215	Acrylonitrile	N	E83079	SW8260	4/29/2008 11:44:00PM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/29/2008 11:44:00PM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/29/2008 11:44:00PM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/29/2008 11:44:00PM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/29/2008 11:44:00PM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/29/2008 11:44:00PM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/29/2008 11:44:00PM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/29/2008 11:44:00PM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/29/2008 11:44:00PM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/29/2008 11:44:00PM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/29/2008 11:44:00PM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/29/2008 11:44:00PM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/29/2008 11:44:00PM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/29/2008 11:44:00PM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/22/2008 12:22:00PM	495		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/29/2008 11:44:00PM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/29/2008 11:44:00PM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/22/2008 12:22:00PM	0.37		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/29/2008 11:44:00PM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/22/2008 12:22:00PM	22.65		feet	
077424	Iodomethane	N	E83079	SW8260	4/29/2008 11:44:00PM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/29/2008 11:44:00PM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/22/2008 12:22:00PM	6.12		S.U.	
077128	Styrene	N	E83079	SW8260	4/29/2008 11:44:00PM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/22/2008 12:22:00PM	22.62		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/29/2008 11:44:00PM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/29/2008 11:44:00PM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/29/2008 11:44:00PM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/29/2008 11:44:00PM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 19805
 WACS Testsite Name: B73-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 12:22:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/29/2008 11:44:00PM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/29/2008 11:44:00PM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/29/2008 11:44:00PM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/22/2008 12:22:00PM	17.9		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/29/2008 11:44:00PM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/29/2008 11:44:00PM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/29/2008 11:44:00PM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19805
WACS Testsite Name: B73-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/22/2008 12:22:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/26/2008 4:32:00AM	0.0058	0.0058	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/26/2008 4:32:00AM	0.0061	0.0061	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19805
WACS Testsite Name: B73-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 12:22:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/26/2008 8:37:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/24/2008 9:29:00PM	16	5	ug/L	
001007	Barium	N	E83079	SW6010	4/24/2008 9:29:00PM	37	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/24/2008 9:29:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/24/2008 9:29:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/24/2008 9:29:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/24/2008 9:29:00PM	10	5	ug/L	
001042	Copper	N	E83079	SW6010	4/24/2008 9:29:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/24/2008 9:29:00PM	8100	20	ug/L	
001051	Lead	N	E83079	SW6010	4/24/2008 9:29:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/24/2008 10:16:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	4/24/2008 9:29:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/26/2008 6:16:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/24/2008 9:29:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/24/2008 9:29:00PM	12	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	4/26/2008 8:37:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/24/2008 9:29:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/24/2008 9:29:00PM	56	10	ug/L	

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19805
WACS Testsite Name: B73-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/22/2008 12:22:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/23/2008 6:19:00AM	7.4	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/23/2008 6:19:00AM	0.01	0.01	mg/L	U
000945	Sulfate	N	E83079	E300.0	4/23/2008 6:19:00AM	15	0.085	mg/L	
070300	TDS	N	E83079	SM2540 C	4/29/2008 9:48:00AM	310	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19805
WACS Testsite Name: B73-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 12:22:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 12:35:00PM	0.054	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15827
 WACS Testsite Name: B66
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 12:28:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/30/2008 12:15:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/30/2008 12:15:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/30/2008 12:15:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/30/2008 12:15:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/30/2008 12:15:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/30/2008 12:15:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/30/2008 12:15:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/30/2008 12:15:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/30/2008 12:15:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/30/2008 12:15:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/30/2008 12:15:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/30/2008 12:15:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/30/2008 12:15:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/30/2008 12:15:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/30/2008 12:15:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/30/2008 12:15:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/30/2008 12:15:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/30/2008 12:15:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/30/2008 12:15:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/30/2008 12:15:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/30/2008 12:15:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/30/2008 12:15:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/30/2008 12:15:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/30/2008 12:15:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/30/2008 12:15:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/30/2008 12:15:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/30/2008 12:15:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/30/2008 12:15:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/30/2008 12:15:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/22/2008 12:28:00PM	600		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/30/2008 12:15:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/30/2008 12:15:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/22/2008 12:28:00PM	0.44		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/30/2008 12:15:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/22/2008 12:28:00PM	26.26		feet	
077424	Iodomethane	N	E83079	SW8260	4/30/2008 12:15:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/30/2008 12:15:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/22/2008 12:28:00PM	6.54		S.U.	
077128	Styrene	N	E83079	SW8260	4/30/2008 12:15:00AM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/22/2008 12:28:00PM	22.23		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/30/2008 12:15:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/30/2008 12:15:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/30/2008 12:15:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/30/2008 12:15:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15827
 WACS Testsite Name: B66
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 12:28:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to
 Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/30/2008 12:15:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/30/2008 12:15:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/30/2008 12:15:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/22/2008 12:28:00PM	3.5		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/30/2008 12:15:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/30/2008 12:15:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/30/2008 12:15:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15827
WACS Testsite Name: B66
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/22/2008 12:28:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/26/2008 4:59:00AM	0.0059	0.0059	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/26/2008 4:59:00AM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15827
 WACS Testsite Name: B66
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 12:28:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/26/2008 8:41:00PM	0.6	0.5	ug/L	I
001002	Arsenic	N	E83079	SW6010	4/24/2008 9:33:00PM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/24/2008 9:33:00PM	39	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/24/2008 9:33:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/24/2008 9:33:00PM	0.56	0.5	ug/L	I
001034	Chromium	N	E83079	SW6010	4/24/2008 9:33:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/24/2008 9:33:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/24/2008 9:33:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/24/2008 9:33:00PM	370	20	ug/L	
001051	Lead	N	E83079	SW6010	4/24/2008 9:33:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/24/2008 10:28:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	4/24/2008 9:33:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/26/2008 6:20:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/24/2008 9:33:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/24/2008 9:33:00PM	37	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	4/26/2008 8:41:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/24/2008 9:33:00PM	17	5	ug/L	
001092	Zinc	N	E83079	SW6010	4/24/2008 9:33:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15827
WACS Testsite Name: B66
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/22/2008 12:28:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/23/2008 6:34:00AM	50	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/23/2008 6:34:00AM	0.072	0.01	mg/L	
000945	Sulfate	N	E83079	E300.0	4/23/2008 6:34:00AM	41	0.085	mg/L	
070300	TDS	N	E83079	SM2540 C	4/29/2008 9:50:00AM	360	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15827
WACS Testsite Name: B66
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 12:28:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 12:43:00PM	0.02	0.02	mg/L	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19806
 WACS Testsite Name: B74
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 12:57:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/28/2008 1:57:00PM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/28/2008 1:57:00PM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/28/2008 1:57:00PM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/28/2008 1:57:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/28/2008 1:57:00PM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/28/2008 1:57:00PM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/28/2008 1:57:00PM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/28/2008 1:57:00PM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/28/2008 1:57:00PM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/28/2008 1:57:00PM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/28/2008 1:57:00PM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/28/2008 1:57:00PM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/28/2008 1:57:00PM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/28/2008 1:57:00PM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/28/2008 1:57:00PM	3	2.5	ug/L	I
034215	Acrylonitrile	N	E83079	SW8260	4/28/2008 1:57:00PM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/28/2008 1:57:00PM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/28/2008 1:57:00PM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/28/2008 1:57:00PM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/28/2008 1:57:00PM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/28/2008 1:57:00PM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/28/2008 1:57:00PM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/28/2008 1:57:00PM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/28/2008 1:57:00PM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/28/2008 1:57:00PM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/28/2008 1:57:00PM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/28/2008 1:57:00PM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/28/2008 1:57:00PM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/28/2008 1:57:00PM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/22/2008 12:57:00PM	242		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/28/2008 1:57:00PM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/28/2008 1:57:00PM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/22/2008 12:57:00PM	0.32		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/28/2008 1:57:00PM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/22/2008 12:57:00PM	23.05		feet	
077424	Iodomethane	N	E83079	SW8260	4/28/2008 1:57:00PM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/28/2008 1:57:00PM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/22/2008 12:57:00PM	4.98		S.U.	
077128	Styrene	N	E83079	SW8260	4/28/2008 1:57:00PM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/22/2008 12:57:00PM	22.35		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/28/2008 1:57:00PM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/28/2008 1:57:00PM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/28/2008 1:57:00PM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/28/2008 1:57:00PM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 19806
 WACS Testsite Name: B74
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 12:57:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to
 Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/28/2008 1:57:00PM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/28/2008 1:57:00PM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/28/2008 1:57:00PM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/22/2008 12:57:00PM	4.65		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/28/2008 1:57:00PM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/28/2008 1:57:00PM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/28/2008 1:57:00PM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19806
WACS Testsite Name: B74
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/22/2008 12:57:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/26/2008 5:26:00AM	0.006	0.006	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/26/2008 5:26:00AM	0.0063	0.0063	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19806
 WACS Testsite Name: B74
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 12:57:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/26/2008 8:46:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/24/2008 9:37:00PM	7.3	5	ug/L	I
001007	Barium	N	E83079	SW6010	4/24/2008 9:37:00PM	8.8	5	ug/L	I
001012	Beryllium	N	E83079	SW6010	4/24/2008 9:37:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/24/2008 9:37:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/24/2008 9:37:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/24/2008 9:37:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/24/2008 9:37:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/24/2008 9:37:00PM	820	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/24/2008 9:37:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/25/2008 8:20:00AM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	4/24/2008 9:37:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/26/2008 6:24:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/24/2008 9:37:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/24/2008 9:37:00PM	7.5	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	4/26/2008 8:46:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/24/2008 9:37:00PM	5.1	5	ug/L	I
001092	Zinc	N	E83079	SW6010	4/24/2008 9:37:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19806
WACS Testsite Name: B74
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/22/2008 12:57:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/23/2008 6:50:00AM	11	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/23/2008 6:50:00AM	0.01	0.01	mg/L	U
000945	Sulfate	N	E83079	E300.0	4/23/2008 6:50:00AM	17	0.085	mg/L	
070300	TDS	N	E83079	SM2540 C	4/29/2008 9:51:00AM	190	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19806
WACS Testsite Name: B74
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 12:57:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 12:46:00PM	0.024	0.02	mg/L	I

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19543
 WACS Testsite Name: B1-B
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 1:11:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/28/2008 2:31:00PM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/28/2008 2:31:00PM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/28/2008 2:31:00PM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/28/2008 2:31:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/28/2008 2:31:00PM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/28/2008 2:31:00PM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/28/2008 2:31:00PM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/28/2008 2:31:00PM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/28/2008 2:31:00PM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/28/2008 2:31:00PM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/28/2008 2:31:00PM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/28/2008 2:31:00PM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/28/2008 2:31:00PM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/28/2008 2:31:00PM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/28/2008 2:31:00PM	3.8	2.5	ug/L	I
034215	Acrylonitrile	N	E83079	SW8260	4/28/2008 2:31:00PM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/28/2008 2:31:00PM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/28/2008 2:31:00PM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/28/2008 2:31:00PM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/28/2008 2:31:00PM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/28/2008 2:31:00PM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/28/2008 2:31:00PM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/28/2008 2:31:00PM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/28/2008 2:31:00PM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/28/2008 2:31:00PM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/28/2008 2:31:00PM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/28/2008 2:31:00PM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/28/2008 2:31:00PM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/28/2008 2:31:00PM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/22/2008 1:11:00PM	1076		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/28/2008 2:31:00PM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/28/2008 2:31:00PM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/22/2008 1:11:00PM	0.31		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/28/2008 2:31:00PM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/22/2008 1:11:00PM	18.83		feet	
077424	Iodomethane	N	E83079	SW8260	4/28/2008 2:31:00PM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/28/2008 2:31:00PM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/22/2008 1:11:00PM	6.05		S.U.	
077128	Styrene	N	E83079	SW8260	4/28/2008 2:31:00PM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/22/2008 1:11:00PM	22.98		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/28/2008 2:31:00PM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/28/2008 2:31:00PM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/28/2008 2:31:00PM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/28/2008 2:31:00PM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 19543
 WACS Testsite Name: B1-B
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 1:11:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/28/2008 2:31:00PM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/28/2008 2:31:00PM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/28/2008 2:31:00PM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/22/2008 1:11:00PM	11		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/28/2008 2:31:00PM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/28/2008 2:31:00PM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/28/2008 2:31:00PM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19543
WACS Testsite Name: B1-B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 4/22/2008 1:11:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/26/2008 5:53:00AM	0.0062	0.0062	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/26/2008 5:53:00AM	0.0065	0.0065	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19543
 WACS Testsite Name: B1-B
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 1:11:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/26/2008 8:59:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/24/2008 9:41:00PM	5.6	5	ug/L	I
001007	Barium	N	E83079	SW6010	4/24/2008 9:41:00PM	190	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/24/2008 9:41:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/24/2008 9:41:00PM	0.64	0.5	ug/L	I
001034	Chromium	N	E83079	SW6010	4/24/2008 9:41:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/24/2008 9:41:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/24/2008 9:41:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/24/2008 9:41:00PM	18000	20	ug/L	
001051	Lead	N	E83079	SW6010	4/24/2008 9:41:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/25/2008 8:23:00AM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	4/24/2008 9:41:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/26/2008 6:28:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/24/2008 9:41:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/24/2008 9:41:00PM	43	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	4/26/2008 8:59:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/24/2008 9:41:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/24/2008 9:41:00PM	11	10	ug/L	I

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19543
WACS Testsite Name: B1-B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/22/2008 1:11:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/23/2008 4:34:00PM	68	0.12	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/23/2008 4:34:00PM	0.14	0.02	mg/L	
000945	Sulfate	N	E83079	E300.0	4/23/2008 4:34:00PM	110	0.17	mg/L	
070300	TDS	N	E83079	SM2540 C	4/29/2008 9:53:00AM	640	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19543
WACS Testsite Name: B1-B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 1:11:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 12:48:00PM	5.6	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15808
 WACS Testsite Name: B42-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 1:51:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/28/2008 3:05:00PM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/28/2008 3:05:00PM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/28/2008 3:05:00PM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/28/2008 3:05:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/28/2008 3:05:00PM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/28/2008 3:05:00PM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/28/2008 3:05:00PM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/28/2008 3:05:00PM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/28/2008 3:05:00PM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/28/2008 3:05:00PM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/28/2008 3:05:00PM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/28/2008 3:05:00PM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/28/2008 3:05:00PM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/28/2008 3:05:00PM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/28/2008 3:05:00PM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/28/2008 3:05:00PM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/28/2008 3:05:00PM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/28/2008 3:05:00PM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/28/2008 3:05:00PM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/28/2008 3:05:00PM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/28/2008 3:05:00PM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/28/2008 3:05:00PM	5.5	0.81	ug/L	
032102	Carbon tetrachloride	N	E83079	SW8260	4/28/2008 3:05:00PM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/28/2008 3:05:00PM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/28/2008 3:05:00PM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/28/2008 3:05:00PM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/28/2008 3:05:00PM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/28/2008 3:05:00PM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/28/2008 3:05:00PM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/22/2008 1:51:00PM	1423		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/28/2008 3:05:00PM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/28/2008 3:05:00PM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/22/2008 1:51:00PM	0.31		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/28/2008 3:05:00PM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/22/2008 1:51:00PM	18.8		feet	
077424	Iodomethane	N	E83079	SW8260	4/28/2008 3:05:00PM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/28/2008 3:05:00PM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/22/2008 1:51:00PM	5.45		S.U.	
077128	Styrene	N	E83079	SW8260	4/28/2008 3:05:00PM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/22/2008 1:51:00PM	22.03		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/28/2008 3:05:00PM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/28/2008 3:05:00PM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/28/2008 3:05:00PM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/28/2008 3:05:00PM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15808
 WACS Testsite Name: B42-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 1:51:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/28/2008 3:05:00PM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/28/2008 3:05:00PM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/28/2008 3:05:00PM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/22/2008 1:51:00PM	4.58		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/28/2008 3:05:00PM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/28/2008 3:05:00PM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/28/2008 3:05:00PM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15808
WACS Testsite Name: B42-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 1:51:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/26/2008 6:20:00AM	0.0062	0.0062	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/26/2008 6:20:00AM	0.0065	0.0065	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15808
 WACS Testsite Name: B42-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 1:51:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/26/2008 1:10:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/24/2008 10:01:00PM	6	5	ug/L	I
001007	Barium	N	E83079	SW6010	4/24/2008 10:01:00PM	180	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/24/2008 10:01:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/24/2008 10:01:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/24/2008 10:01:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/24/2008 10:01:00PM	7.4	5	ug/L	I
001042	Copper	N	E83079	SW6010	4/24/2008 10:01:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/24/2008 10:01:00PM	24000	20	ug/L	
001051	Lead	N	E83079	SW6010	4/24/2008 10:01:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/25/2008 8:26:00AM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	4/24/2008 10:01:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/26/2008 6:57:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/24/2008 10:01:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/24/2008 10:01:00PM	120	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	4/26/2008 1:10:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/24/2008 10:01:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/24/2008 10:01:00PM	11	10	ug/L	I

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15808
WACS Testsite Name: B42-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/22/2008 1:51:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/23/2008 1:26:00PM	170	0.12	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/23/2008 1:26:00PM	0.02	0.02	mg/L	U
000945	Sulfate	N	E83079	E300.0	4/25/2008 4:13:00AM	410	0.85	mg/L	
070300	TDS	N	E83079	SM2540 C	4/29/2008 9:54:00AM	970	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15808
WACS Testsite Name: B42-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 1:51:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 12:49:00PM	0.35	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19807
 WACS Testsite Name: B75
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 1:56:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/24/2008 5:55:00PM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/24/2008 5:55:00PM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/24/2008 5:55:00PM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/24/2008 5:55:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/24/2008 5:55:00PM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/24/2008 5:55:00PM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/24/2008 5:55:00PM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/24/2008 5:55:00PM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/24/2008 5:55:00PM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/24/2008 5:55:00PM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/24/2008 5:55:00PM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/24/2008 5:55:00PM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/24/2008 5:55:00PM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/24/2008 5:55:00PM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/24/2008 5:55:00PM	4.1	2.5	ug/L	I
034215	Acrylonitrile	N	E83079	SW8260	4/24/2008 5:55:00PM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/24/2008 5:55:00PM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/24/2008 5:55:00PM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/24/2008 5:55:00PM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/24/2008 5:55:00PM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/24/2008 5:55:00PM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/24/2008 5:55:00PM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/24/2008 5:55:00PM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/24/2008 5:55:00PM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/24/2008 5:55:00PM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/24/2008 5:55:00PM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/24/2008 5:55:00PM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/24/2008 5:55:00PM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/24/2008 5:55:00PM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/22/2008 1:56:00PM	1500		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/24/2008 5:55:00PM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/24/2008 5:55:00PM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/22/2008 1:56:00PM	0.26		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/24/2008 5:55:00PM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/22/2008 1:56:00PM	23.69		feet	
077424	Iodomethane	N	E83079	SW8260	4/24/2008 5:55:00PM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/24/2008 5:55:00PM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/22/2008 1:56:00PM	5.96		S.U.	
077128	Styrene	N	E83079	SW8260	4/24/2008 5:55:00PM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/22/2008 1:56:00PM	22.81		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/24/2008 5:55:00PM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/24/2008 5:55:00PM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/24/2008 5:55:00PM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/24/2008 5:55:00PM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 19807
 WACS Testsite Name: B75
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 1:56:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/24/2008 5:55:00PM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/24/2008 5:55:00PM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/24/2008 5:55:00PM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/22/2008 1:56:00PM	13.8		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/24/2008 5:55:00PM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/24/2008 5:55:00PM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/24/2008 5:55:00PM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19807
WACS Testsite Name: B75
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 1:56:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/26/2008 7:14:00AM	0.006	0.006	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/26/2008 7:14:00AM	0.0063	0.0063	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19807
 WACS Testsite Name: B75
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 1:56:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/26/2008 1:39:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/24/2008 10:14:00PM	7.4	5	ug/L	I
001007	Barium	N	E83079	SW6010	4/24/2008 10:14:00PM	100	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/24/2008 10:14:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/24/2008 10:14:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/24/2008 10:14:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/24/2008 10:14:00PM	12	5	ug/L	
001042	Copper	N	E83079	SW6010	4/24/2008 10:14:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/24/2008 10:14:00PM	35000	20	ug/L	
001051	Lead	N	E83079	SW6010	4/24/2008 10:14:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/25/2008 8:29:00AM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	4/24/2008 10:14:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/26/2008 7:01:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/24/2008 10:14:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/24/2008 10:14:00PM	46	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	4/26/2008 1:39:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/24/2008 10:14:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/24/2008 10:14:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19807
WACS Testsite Name: B75
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/22/2008 1:56:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/23/2008 1:42:00PM	47	0.12	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/23/2008 1:42:00PM	0.02	0.02	mg/L	U
000945	Sulfate	N	E83079	E300.0	4/23/2008 1:42:00PM	36	0.17	mg/L	
070300	TDS	N	E83079	SM2540 C	4/29/2008 9:55:00AM	870	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19807
WACS Testsite Name: B75
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 1:56:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 12:50:00PM	1.6	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15809
 WACS Testsite Name: B42-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 2:26:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/28/2008 3:39:00PM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/28/2008 3:39:00PM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/28/2008 3:39:00PM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/28/2008 3:39:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/28/2008 3:39:00PM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/28/2008 3:39:00PM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/28/2008 3:39:00PM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/28/2008 3:39:00PM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/28/2008 3:39:00PM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/28/2008 3:39:00PM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/28/2008 3:39:00PM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/28/2008 3:39:00PM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/28/2008 3:39:00PM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/28/2008 3:39:00PM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/28/2008 3:39:00PM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/28/2008 3:39:00PM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/28/2008 3:39:00PM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/28/2008 3:39:00PM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/28/2008 3:39:00PM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/28/2008 3:39:00PM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/28/2008 3:39:00PM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/28/2008 3:39:00PM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/28/2008 3:39:00PM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/28/2008 3:39:00PM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/28/2008 3:39:00PM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/28/2008 3:39:00PM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/28/2008 3:39:00PM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/28/2008 3:39:00PM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/28/2008 3:39:00PM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/22/2008 2:26:00PM	480		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/28/2008 3:39:00PM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/28/2008 3:39:00PM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/22/2008 2:26:00PM	0.18		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/28/2008 3:39:00PM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/22/2008 2:26:00PM	22.67		feet	
077424	Iodomethane	N	E83079	SW8260	4/28/2008 3:39:00PM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/28/2008 3:39:00PM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/22/2008 2:26:00PM	5.92		S.U.	
077128	Styrene	N	E83079	SW8260	4/28/2008 3:39:00PM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/22/2008 2:26:00PM	20.71		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/28/2008 3:39:00PM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/28/2008 3:39:00PM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/28/2008 3:39:00PM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/28/2008 3:39:00PM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15809
 WACS Testsite Name: B42-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 2:26:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to
 Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/28/2008 3:39:00PM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/28/2008 3:39:00PM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/28/2008 3:39:00PM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/22/2008 2:26:00PM	4.95		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/28/2008 3:39:00PM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/28/2008 3:39:00PM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/28/2008 3:39:00PM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15809
WACS Testsite Name: B42-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/22/2008 2:26:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/26/2008 7:41:00AM	0.006	0.006	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/26/2008 7:41:00AM	0.0063	0.0063	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15809
 WACS Testsite Name: B42-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 2:26:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/26/2008 1:43:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/24/2008 10:18:00PM	8.4	5	ug/L	I
001007	Barium	N	E83079	SW6010	4/24/2008 10:18:00PM	24	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/24/2008 10:18:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/24/2008 10:18:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/24/2008 10:18:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/24/2008 10:18:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/24/2008 10:18:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/24/2008 10:18:00PM	870	20	ug/L	
001051	Lead	N	E83079	SW6010	4/24/2008 10:18:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/25/2008 8:32:00AM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	4/24/2008 10:18:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/26/2008 7:05:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/24/2008 10:18:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/24/2008 10:18:00PM	20	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	4/26/2008 1:43:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/24/2008 10:18:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/24/2008 10:18:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15809
WACS Testsite Name: B42-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/22/2008 2:26:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/23/2008 1:57:00PM	22	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/23/2008 1:57:00PM	0.1	0.01	mg/L	
000945	Sulfate	N	E83079	E300.0	4/23/2008 1:57:00PM	60	0.085	mg/L	
070300	TDS	N	E83079	SM2540 C	4/29/2008 9:57:00AM	370	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15809
WACS Testsite Name: B42-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 2:26:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 12:52:00PM	0.29	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15819
 WACS Testsite Name: B60
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 2:35:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/28/2008 4:13:00PM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/28/2008 4:13:00PM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/28/2008 4:13:00PM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/28/2008 4:13:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/28/2008 4:13:00PM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/28/2008 4:13:00PM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/28/2008 4:13:00PM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/28/2008 4:13:00PM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/28/2008 4:13:00PM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/28/2008 4:13:00PM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/28/2008 4:13:00PM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/28/2008 4:13:00PM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/28/2008 4:13:00PM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/28/2008 4:13:00PM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/28/2008 4:13:00PM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/28/2008 4:13:00PM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/28/2008 4:13:00PM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/28/2008 4:13:00PM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/28/2008 4:13:00PM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/28/2008 4:13:00PM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/28/2008 4:13:00PM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/28/2008 4:13:00PM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/28/2008 4:13:00PM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/28/2008 4:13:00PM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/28/2008 4:13:00PM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/28/2008 4:13:00PM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/28/2008 4:13:00PM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/28/2008 4:13:00PM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/28/2008 4:13:00PM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/22/2008 2:35:00PM	516		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/28/2008 4:13:00PM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/28/2008 4:13:00PM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/22/2008 2:35:00PM	0.2		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/28/2008 4:13:00PM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/22/2008 2:35:00PM	25.47		feet	
077424	Iodomethane	N	E83079	SW8260	4/28/2008 4:13:00PM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/28/2008 4:13:00PM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/22/2008 2:35:00PM	5.81		S.U.	
077128	Styrene	N	E83079	SW8260	4/28/2008 4:13:00PM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/22/2008 2:35:00PM	23.38		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/28/2008 4:13:00PM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/28/2008 4:13:00PM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/28/2008 4:13:00PM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/28/2008 4:13:00PM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15819
 WACS Testsite Name: B60
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 2:35:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/28/2008 4:13:00PM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/28/2008 4:13:00PM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/28/2008 4:13:00PM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/22/2008 2:35:00PM	3.56		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/28/2008 4:13:00PM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/28/2008 4:13:00PM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/28/2008 4:13:00PM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15819
WACS Testsite Name: B60
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/22/2008 2:35:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/26/2008 8:07:00AM	0.006	0.006	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/26/2008 8:07:00AM	0.0063	0.0063	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15819
 WACS Testsite Name: B60
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 2:35:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/26/2008 1:48:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/24/2008 10:22:00PM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/24/2008 10:22:00PM	50	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/24/2008 10:22:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/24/2008 10:22:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/24/2008 10:22:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/24/2008 10:22:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/24/2008 10:22:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/24/2008 10:22:00PM	5200	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/24/2008 10:22:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/25/2008 8:35:00AM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	4/24/2008 10:22:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/26/2008 7:09:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/24/2008 10:22:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/24/2008 10:22:00PM	36	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	4/26/2008 1:48:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/24/2008 10:22:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/24/2008 10:22:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15819
WACS Testsite Name: B60
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/22/2008 2:35:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/23/2008 2:13:00PM	55	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/23/2008 2:13:00PM	0.01	0.01	mg/L	U
000945	Sulfate	N	E83079	E300.0	4/23/2008 2:13:00PM	28	0.085	mg/L	
070300	TDS	N	E83079	SM2540 C	4/29/2008 9:58:00AM	320	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15819
WACS Testsite Name: B60
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 2:35:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 12:53:00PM	0.078	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: Trip Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 12:00:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/28/2008 5:59:00PM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/28/2008 5:59:00PM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/28/2008 5:59:00PM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/28/2008 5:59:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/28/2008 5:59:00PM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/28/2008 5:59:00PM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/28/2008 5:59:00PM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/28/2008 5:59:00PM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/28/2008 5:59:00PM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/28/2008 5:59:00PM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/28/2008 5:59:00PM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/28/2008 5:59:00PM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/28/2008 5:59:00PM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/28/2008 5:59:00PM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/28/2008 5:59:00PM	5.6	2.5	ug/L	I
034215	Acrylonitrile	N	E83079	SW8260	4/28/2008 5:59:00PM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/28/2008 5:59:00PM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/28/2008 5:59:00PM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/28/2008 5:59:00PM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/28/2008 5:59:00PM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/28/2008 5:59:00PM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/28/2008 5:59:00PM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/28/2008 5:59:00PM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/28/2008 5:59:00PM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/28/2008 5:59:00PM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/28/2008 5:59:00PM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/28/2008 5:59:00PM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/28/2008 5:59:00PM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/28/2008 5:59:00PM	0.19	0.19	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	4/28/2008 5:59:00PM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/28/2008 5:59:00PM	0.94	0.94	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	4/28/2008 5:59:00PM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	4/28/2008 5:59:00PM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/28/2008 5:59:00PM	0.33	0.33	ug/L	U
077128	Styrene	N	E83079	SW8260	4/28/2008 5:59:00PM	0.59	0.59	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	4/28/2008 5:59:00PM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/28/2008 5:59:00PM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/28/2008 5:59:00PM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/28/2008 5:59:00PM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/28/2008 5:59:00PM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/28/2008 5:59:00PM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/28/2008 5:59:00PM	0.2	0.2	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	4/28/2008 5:59:00PM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/28/2008 5:59:00PM	0.37	0.37	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: Trip Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/22/2008 12:00:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	4/28/2008 5:59:00PM	0.32	0.32	ug/L	U

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 8:50:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/25/2008 7:27:00PM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/25/2008 7:27:00PM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/25/2008 7:27:00PM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/25/2008 7:27:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/25/2008 7:27:00PM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/25/2008 7:27:00PM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/25/2008 7:27:00PM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/25/2008 7:27:00PM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/25/2008 7:27:00PM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/25/2008 7:27:00PM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/25/2008 7:27:00PM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/25/2008 7:27:00PM	2.7	0.65	ug/L	I
077103	2-Hexanone	N	E83079	SW8260	4/25/2008 7:27:00PM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/25/2008 7:27:00PM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/28/2008 2:29:00PM	30	2.5	ug/L	
034215	Acrylonitrile	N	E83079	SW8260	4/25/2008 7:27:00PM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/25/2008 7:27:00PM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/25/2008 7:27:00PM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/25/2008 7:27:00PM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/25/2008 7:27:00PM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/25/2008 7:27:00PM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/25/2008 7:27:00PM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/25/2008 7:27:00PM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/25/2008 7:27:00PM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/25/2008 7:27:00PM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/25/2008 7:27:00PM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/25/2008 7:27:00PM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/25/2008 7:27:00PM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/25/2008 7:27:00PM	0.19	0.19	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	4/25/2008 7:27:00PM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/25/2008 7:27:00PM	0.94	0.94	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	4/25/2008 7:27:00PM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	4/25/2008 7:27:00PM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/25/2008 7:27:00PM	0.33	0.33	ug/L	U
077128	Styrene	N	E83079	SW8260	4/25/2008 7:27:00PM	0.59	0.59	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	4/25/2008 7:27:00PM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/25/2008 7:27:00PM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/25/2008 7:27:00PM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/25/2008 7:27:00PM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/25/2008 7:27:00PM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/25/2008 7:27:00PM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/25/2008 7:27:00PM	0.2	0.2	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	4/25/2008 7:27:00PM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/25/2008 7:27:00PM	0.37	0.37	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 8:50:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	4/25/2008 7:27:00PM	0.32	0.32	ug/L	U

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: _____
WACS Testsite Name: EQ Blank
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/23/2008 8:50:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: Not Provided

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/29/2008 4:54:00PM	0.0059	0.0059	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/29/2008 4:54:00PM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 8:50:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/28/2008 6:17:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/25/2008 1:13:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/25/2008 1:13:00AM	5	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/25/2008 1:13:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/25/2008 1:13:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/25/2008 1:13:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/25/2008 1:13:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/25/2008 1:13:00AM	4.9	2.5	ug/L	I
001045	Iron	N	E83079	SW6010	4/25/2008 1:13:00AM	20	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/25/2008 1:13:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2008 3:48:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	4/25/2008 1:13:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/25/2008 1:13:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/25/2008 1:13:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/25/2008 1:13:00AM	0.5	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	4/28/2008 6:17:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/25/2008 1:13:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/25/2008 1:13:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: _____
WACS Testsite Name: EQ Blank
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/23/2008 8:50:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: Not Provided

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/24/2008 2:14:00AM	0.06	0.06	mg/L	U
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/24/2008 2:14:00AM	0.01	0.01	mg/L	U
000945	Sulfate	N	E83079	E300.0	4/24/2008 2:14:00AM	0.085	0.085	mg/L	U
070300	TDS	N	E83079	SM2540 C	4/30/2008 9:05:00AM	5	5	mg/L	U

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540

Sample Date/Time: 4/23/2008 8:50:00AM

WACS Testsite ID #: _____

Sampling Method: Peristaltic Pump

WACS Testsite Name: EQ Blank

Permitted Well Type: Not Provided

Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 1:48:00PM	0.02	0.02	mg/L	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15836
 WACS Testsite Name: FA-2C
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 8:51:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/25/2008 8:02:00PM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/25/2008 8:02:00PM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/25/2008 8:02:00PM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/25/2008 8:02:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/25/2008 8:02:00PM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/25/2008 8:02:00PM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/25/2008 8:02:00PM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/25/2008 8:02:00PM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/25/2008 8:02:00PM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/25/2008 8:02:00PM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/25/2008 8:02:00PM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/25/2008 8:02:00PM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/25/2008 8:02:00PM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/25/2008 8:02:00PM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/25/2008 8:02:00PM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/25/2008 8:02:00PM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/25/2008 8:02:00PM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/25/2008 8:02:00PM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/25/2008 8:02:00PM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/25/2008 8:02:00PM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/25/2008 8:02:00PM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/25/2008 8:02:00PM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/25/2008 8:02:00PM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/25/2008 8:02:00PM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/25/2008 8:02:00PM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/25/2008 8:02:00PM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/25/2008 8:02:00PM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/25/2008 8:02:00PM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/25/2008 8:02:00PM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/23/2008 8:51:00AM	694		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/25/2008 8:02:00PM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/25/2008 8:02:00PM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/23/2008 8:51:00AM	0.18		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/25/2008 8:02:00PM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/23/2008 8:51:00AM	14.31		feet	
077424	Iodomethane	N	E83079	SW8260	4/25/2008 8:02:00PM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/25/2008 8:02:00PM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/23/2008 8:51:00AM	7.9		S.U.	
077128	Styrene	N	E83079	SW8260	4/25/2008 8:02:00PM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/23/2008 8:51:00AM	21.81		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/25/2008 8:02:00PM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/25/2008 8:02:00PM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/25/2008 8:02:00PM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/25/2008 8:02:00PM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15836
 WACS Testsite Name: FA-2C
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 8:51:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/25/2008 8:02:00PM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/25/2008 8:02:00PM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/25/2008 8:02:00PM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/23/2008 8:51:00AM	5.26		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/25/2008 8:02:00PM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/25/2008 8:02:00PM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/25/2008 8:02:00PM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15836
WACS Testsite Name: FA-2C
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/23/2008 8:51:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/29/2008 6:15:00PM	0.0059	0.0059	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/29/2008 6:15:00PM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15836
 WACS Testsite Name: FA-2C
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 8:51:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/28/2008 6:44:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/25/2008 1:17:00AM	9.3	5	ug/L	IV
001007	Barium	N	E83079	SW6010	4/25/2008 1:17:00AM	18	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/25/2008 1:17:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/25/2008 1:17:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/25/2008 1:17:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/25/2008 1:17:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/25/2008 1:17:00AM	3.7	2.5	ug/L	I
001045	Iron	N	E83079	SW6010	4/25/2008 1:17:00AM	1300	20	ug/L	
001051	Lead	N	E83079	SW6010	4/25/2008 1:17:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2008 3:51:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	4/25/2008 1:17:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/25/2008 1:17:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/25/2008 1:17:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/25/2008 1:17:00AM	45	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	4/28/2008 6:44:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/25/2008 1:17:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/25/2008 1:17:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15836
WACS Testsite Name: FA-2C
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/23/2008 8:51:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/24/2008 2:30:00AM	58	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/24/2008 2:30:00AM	0.01	0.01	mg/L	U
000945	Sulfate	N	E83079	E300.0	4/24/2008 2:30:00AM	0.25	0.085	mg/L	I
070300	TDS	N	E83079	SM2540 C	4/30/2008 9:07:00AM	390	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15836
WACS Testsite Name: FA-2C
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 8:51:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 1:50:00PM	4.8	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15836
 WACS Testsite Name: FA-2C
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 8:51:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/25/2008 8:36:00PM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/25/2008 8:36:00PM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/25/2008 8:36:00PM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/25/2008 8:36:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/25/2008 8:36:00PM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/25/2008 8:36:00PM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/25/2008 8:36:00PM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/25/2008 8:36:00PM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/25/2008 8:36:00PM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/25/2008 8:36:00PM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/25/2008 8:36:00PM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/25/2008 8:36:00PM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/25/2008 8:36:00PM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/25/2008 8:36:00PM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/25/2008 8:36:00PM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/25/2008 8:36:00PM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/25/2008 8:36:00PM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/25/2008 8:36:00PM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/25/2008 8:36:00PM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/25/2008 8:36:00PM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/25/2008 8:36:00PM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/25/2008 8:36:00PM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/25/2008 8:36:00PM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/25/2008 8:36:00PM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/25/2008 8:36:00PM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/25/2008 8:36:00PM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/25/2008 8:36:00PM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/25/2008 8:36:00PM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/25/2008 8:36:00PM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/23/2008 8:51:00AM	694		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/25/2008 8:36:00PM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/25/2008 8:36:00PM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/23/2008 8:51:00AM	0.18		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/25/2008 8:36:00PM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/23/2008 8:51:00AM	14.31		feet	
077424	Iodomethane	N	E83079	SW8260	4/25/2008 8:36:00PM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/25/2008 8:36:00PM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/23/2008 8:51:00AM	7.9		S.U.	
077128	Styrene	N	E83079	SW8260	4/25/2008 8:36:00PM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/23/2008 8:51:00AM	21.81		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/25/2008 8:36:00PM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/25/2008 8:36:00PM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/25/2008 8:36:00PM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/25/2008 8:36:00PM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15836
 WACS Testsite Name: FA-2C
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 8:51:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/25/2008 8:36:00PM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/25/2008 8:36:00PM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/25/2008 8:36:00PM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/23/2008 8:51:00AM	5.26		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/25/2008 8:36:00PM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/25/2008 8:36:00PM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/25/2008 8:36:00PM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15836
WACS Testsite Name: FA-2C
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/23/2008 8:51:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/29/2008 6:42:00PM	0.0059	0.0059	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/29/2008 6:42:00PM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15836
 WACS Testsite Name: FA-2C
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 8:51:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/28/2008 6:48:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/25/2008 1:21:00AM	7.3	5	ug/L	IV
001007	Barium	N	E83079	SW6010	4/25/2008 1:21:00AM	18	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/25/2008 1:21:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/25/2008 1:21:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/25/2008 1:21:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/25/2008 1:21:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/25/2008 1:21:00AM	3	2.5	ug/L	I
001045	Iron	N	E83079	SW6010	4/25/2008 1:21:00AM	1200	20	ug/L	
001051	Lead	N	E83079	SW6010	4/25/2008 1:21:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2008 3:54:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	4/25/2008 1:21:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/25/2008 1:21:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/25/2008 1:21:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/25/2008 1:21:00AM	45	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	4/28/2008 6:48:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/25/2008 1:21:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/25/2008 1:21:00AM	12	10	ug/L	I

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15836
WACS Testsite Name: FA-2C
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/23/2008 8:51:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/24/2008 2:45:00AM	56	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/24/2008 2:45:00AM	0.085	0.01	mg/L	
000945	Sulfate	N	E83079	E300.0	4/24/2008 2:45:00AM	0.31	0.085	mg/L	I
070300	TDS	N	E83079	SM2540 C	4/30/2008 9:08:00AM	380	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15836
WACS Testsite Name: FA-2C
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 8:51:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 1:51:00PM	5.3	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15817
 WACS Testsite Name: B59-1R
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 9:11:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/25/2008 9:10:00PM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/25/2008 9:10:00PM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/25/2008 9:10:00PM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/25/2008 9:10:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/25/2008 9:10:00PM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/25/2008 9:10:00PM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/25/2008 9:10:00PM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/25/2008 9:10:00PM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/25/2008 9:10:00PM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/25/2008 9:10:00PM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/25/2008 9:10:00PM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/25/2008 9:10:00PM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/25/2008 9:10:00PM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/25/2008 9:10:00PM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/25/2008 9:10:00PM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/25/2008 9:10:00PM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/25/2008 9:10:00PM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/25/2008 9:10:00PM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/25/2008 9:10:00PM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/25/2008 9:10:00PM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/25/2008 9:10:00PM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/25/2008 9:10:00PM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/25/2008 9:10:00PM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/25/2008 9:10:00PM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/25/2008 9:10:00PM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/25/2008 9:10:00PM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/25/2008 9:10:00PM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/25/2008 9:10:00PM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/25/2008 9:10:00PM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/23/2008 9:11:00AM	754		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/25/2008 9:10:00PM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/25/2008 9:10:00PM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/23/2008 9:11:00AM	0.35		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/25/2008 9:10:00PM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/23/2008 9:11:00AM	25.39		feet	
077424	Iodomethane	N	E83079	SW8260	4/25/2008 9:10:00PM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/25/2008 9:10:00PM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/23/2008 9:11:00AM	6.31		S.U.	
077128	Styrene	N	E83079	SW8260	4/25/2008 9:10:00PM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/23/2008 9:11:00AM	23.11		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/25/2008 9:10:00PM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/25/2008 9:10:00PM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/25/2008 9:10:00PM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/25/2008 9:10:00PM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15817
 WACS Testsite Name: B59-1R
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 9:11:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/25/2008 9:10:00PM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/25/2008 9:10:00PM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/25/2008 9:10:00PM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/23/2008 9:11:00AM	3.6		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/25/2008 9:10:00PM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/25/2008 9:10:00PM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/25/2008 9:10:00PM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15817
WACS Testsite Name: B59-1R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/23/2008 9:11:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/29/2008 7:08:00PM	0.006	0.006	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/29/2008 7:08:00PM	0.0063	0.0063	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15817
 WACS Testsite Name: B59-1R
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 9:11:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/28/2008 7:01:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/25/2008 1:33:00AM	7	5	ug/L	IV
001007	Barium	N	E83079	SW6010	4/25/2008 1:33:00AM	60	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/25/2008 1:33:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/25/2008 1:33:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/25/2008 1:33:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/25/2008 1:33:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/25/2008 1:33:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/25/2008 1:33:00AM	6900	20	ug/L	
001051	Lead	N	E83079	SW6010	4/25/2008 1:33:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2008 3:57:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	4/25/2008 1:33:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/25/2008 1:33:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/25/2008 1:33:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/25/2008 1:33:00AM	59	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	4/28/2008 7:01:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/25/2008 1:33:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/25/2008 1:33:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15817
WACS Testsite Name: B59-1R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/23/2008 9:11:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/24/2008 12:24:00AM	70	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/24/2008 12:24:00AM	0.01	0.01	mg/L	U
000945	Sulfate	N	E83079	E300.0	4/24/2008 12:24:00AM	21	0.085	mg/L	
070300	TDS	N	E83079	SM2540 C	4/30/2008 9:10:00AM	450	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15817
WACS Testsite Name: B59-1R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 9:11:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 1:52:00PM	0.057	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15818
 WACS Testsite Name: B59-2R
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 9:45:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/25/2008 9:45:00PM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/25/2008 9:45:00PM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/25/2008 9:45:00PM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/25/2008 9:45:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/25/2008 9:45:00PM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/25/2008 9:45:00PM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/25/2008 9:45:00PM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/25/2008 9:45:00PM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/25/2008 9:45:00PM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/25/2008 9:45:00PM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/25/2008 9:45:00PM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/25/2008 9:45:00PM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/25/2008 9:45:00PM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/25/2008 9:45:00PM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/25/2008 9:45:00PM	3.6	2.5	ug/L	I
034215	Acrylonitrile	N	E83079	SW8260	4/25/2008 9:45:00PM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/25/2008 9:45:00PM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/25/2008 9:45:00PM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/25/2008 9:45:00PM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/25/2008 9:45:00PM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/25/2008 9:45:00PM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/25/2008 9:45:00PM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/25/2008 9:45:00PM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/25/2008 9:45:00PM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/25/2008 9:45:00PM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/25/2008 9:45:00PM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/25/2008 9:45:00PM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/25/2008 9:45:00PM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/25/2008 9:45:00PM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/23/2008 9:45:00AM	1298		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/25/2008 9:45:00PM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/25/2008 9:45:00PM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/23/2008 9:45:00AM	0.36		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/25/2008 9:45:00PM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/23/2008 9:45:00AM	25.82		feet	
077424	Iodomethane	N	E83079	SW8260	4/25/2008 9:45:00PM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/25/2008 9:45:00PM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/23/2008 9:45:00AM	6.21		S.U.	
077128	Styrene	N	E83079	SW8260	4/25/2008 9:45:00PM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/23/2008 9:45:00AM	21.84		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/25/2008 9:45:00PM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/25/2008 9:45:00PM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/25/2008 9:45:00PM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/25/2008 9:45:00PM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15818
 WACS Testsite Name: B59-2R
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 9:45:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/25/2008 9:45:00PM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/25/2008 9:45:00PM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/25/2008 9:45:00PM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/23/2008 9:45:00AM	10.94		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/25/2008 9:45:00PM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/25/2008 9:45:00PM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/25/2008 9:45:00PM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15818
WACS Testsite Name: B59-2R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 9:45:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/29/2008 7:34:00PM	0.0061	0.0061	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/29/2008 7:34:00PM	0.0064	0.0064	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15818
 WACS Testsite Name: B59-2R
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 9:45:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/28/2008 7:23:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/25/2008 1:54:00AM	7.3	5	ug/L	I
001007	Barium	N	E83079	SW6010	4/25/2008 1:54:00AM	150	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/25/2008 1:54:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/25/2008 1:54:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/25/2008 1:54:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/25/2008 1:54:00AM	5.9	5	ug/L	I
001042	Copper	N	E83079	SW6010	4/25/2008 1:54:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/25/2008 1:54:00AM	6100	20	ug/L	
001051	Lead	N	E83079	SW6010	4/25/2008 1:54:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2008 4:00:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	4/25/2008 1:54:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/25/2008 1:54:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/25/2008 1:54:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/25/2008 1:54:00AM	83	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	4/28/2008 7:23:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/25/2008 1:54:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/25/2008 1:54:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15818
WACS Testsite Name: B59-2R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/23/2008 9:45:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/24/2008 12:40:00AM	31	0.12	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/24/2008 12:40:00AM	0.02	0.02	mg/L	U
000945	Sulfate	N	E83079	E300.0	4/24/2008 12:40:00AM	180	0.17	mg/L	
070300	TDS	N	E83079	SM2540 C	4/30/2008 9:11:00AM	860	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15818
WACS Testsite Name: B59-2R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 9:45:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 1:54:00PM	0.58	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15635
 WACS Testsite Name: MO5-B
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 9:58:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/25/2008 10:22:00PM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/25/2008 10:22:00PM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/25/2008 10:22:00PM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/25/2008 10:22:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/25/2008 10:22:00PM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/25/2008 10:22:00PM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/25/2008 10:22:00PM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/25/2008 10:22:00PM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/25/2008 10:22:00PM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/25/2008 10:22:00PM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/25/2008 10:22:00PM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/25/2008 10:22:00PM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/25/2008 10:22:00PM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/25/2008 10:22:00PM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/25/2008 10:22:00PM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/25/2008 10:22:00PM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/25/2008 10:22:00PM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/25/2008 10:22:00PM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/25/2008 10:22:00PM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/25/2008 10:22:00PM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/25/2008 10:22:00PM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/25/2008 10:22:00PM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/25/2008 10:22:00PM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/25/2008 10:22:00PM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/25/2008 10:22:00PM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/25/2008 10:22:00PM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/25/2008 10:22:00PM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/25/2008 10:22:00PM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/25/2008 10:22:00PM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/23/2008 9:58:00AM	1410		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/25/2008 10:22:00PM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/25/2008 10:22:00PM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/23/2008 9:58:00AM	0.26		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/25/2008 10:22:00PM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/23/2008 9:58:00AM	17.8		feet	
077424	Iodomethane	N	E83079	SW8260	4/25/2008 10:22:00PM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/25/2008 10:22:00PM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/23/2008 9:58:00AM	5.77		S.U.	
077128	Styrene	N	E83079	SW8260	4/25/2008 10:22:00PM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/23/2008 9:58:00AM	22.34		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/25/2008 10:22:00PM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/25/2008 10:22:00PM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/25/2008 10:22:00PM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/25/2008 10:22:00PM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15635
 WACS Testsite Name: MO5-B
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 9:58:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/25/2008 10:22:00PM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/25/2008 10:22:00PM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/25/2008 10:22:00PM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/23/2008 9:58:00AM	1.75		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/25/2008 10:22:00PM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/25/2008 10:22:00PM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/25/2008 10:22:00PM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15635
WACS Testsite Name: MO5-B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/23/2008 9:58:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/29/2008 8:27:00PM	0.0061	0.0061	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/29/2008 8:27:00PM	0.0064	0.0064	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15635
 WACS Testsite Name: MO5-B
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 9:58:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/28/2008 7:41:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/25/2008 1:58:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/25/2008 1:58:00AM	210	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/25/2008 1:58:00AM	0.88	0.5	ug/L	I
001027	Cadmium	N	E83079	SW6010	4/25/2008 1:58:00AM	0.63	0.5	ug/L	I
001034	Chromium	N	E83079	SW6010	4/25/2008 1:58:00AM	3.3	2.5	ug/L	I
001037	Cobalt	N	E83079	SW6010	4/25/2008 1:58:00AM	8.3	5	ug/L	I
001042	Copper	N	E83079	SW6010	4/25/2008 1:58:00AM	3.9	2.5	ug/L	I
001045	Iron	N	E83079	SW6010	4/25/2008 1:58:00AM	15000	20	ug/L	
001051	Lead	N	E83079	SW6010	4/25/2008 1:58:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2008 4:03:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	4/25/2008 1:58:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/25/2008 1:58:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/25/2008 1:58:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/25/2008 1:58:00AM	95	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	4/28/2008 7:41:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/25/2008 1:58:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/25/2008 1:58:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15635
WACS Testsite Name: MO5-B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/23/2008 9:58:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/24/2008 9:41:00AM	240	0.12	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/24/2008 9:41:00AM	0.1	0.02	mg/L	
000945	Sulfate	N	E83079	E300.0	4/24/2008 9:41:00AM	90	0.17	mg/L	
070300	TDS	N	E83079	SM2540 C	4/30/2008 9:12:00AM	970	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15635
WACS Testsite Name: MO5-B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 9:58:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 1:55:00PM	0.83	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15829
 WACS Testsite Name: B68
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 10:22:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/25/2008 10:56:00PM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/25/2008 10:56:00PM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/25/2008 10:56:00PM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/25/2008 10:56:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/25/2008 10:56:00PM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/25/2008 10:56:00PM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/25/2008 10:56:00PM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/25/2008 10:56:00PM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/25/2008 10:56:00PM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/25/2008 10:56:00PM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/25/2008 10:56:00PM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/25/2008 10:56:00PM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/25/2008 10:56:00PM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/25/2008 10:56:00PM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/25/2008 10:56:00PM	3.7	2.5	ug/L	I
034215	Acrylonitrile	N	E83079	SW8260	4/25/2008 10:56:00PM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/25/2008 10:56:00PM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/25/2008 10:56:00PM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/25/2008 10:56:00PM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/25/2008 10:56:00PM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/25/2008 10:56:00PM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/25/2008 10:56:00PM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/25/2008 10:56:00PM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/25/2008 10:56:00PM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/25/2008 10:56:00PM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/25/2008 10:56:00PM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/25/2008 10:56:00PM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/25/2008 10:56:00PM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/25/2008 10:56:00PM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/23/2008 10:22:00AM	545		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/25/2008 10:56:00PM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/25/2008 10:56:00PM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/23/2008 10:22:00AM	0.27		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/25/2008 10:56:00PM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/23/2008 10:22:00AM	26.2		feet	
077424	Iodomethane	N	E83079	SW8260	4/25/2008 10:56:00PM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/25/2008 10:56:00PM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/23/2008 10:22:00AM	5.55		S.U.	
077128	Styrene	N	E83079	SW8260	4/25/2008 10:56:00PM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/23/2008 10:22:00AM	23.34		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/25/2008 10:56:00PM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/25/2008 10:56:00PM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/25/2008 10:56:00PM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/25/2008 10:56:00PM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 2/17/2009

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 15829
 WACS Testsite Name: B68
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 10:22:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/25/2008 10:56:00PM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/25/2008 10:56:00PM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/25/2008 10:56:00PM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/23/2008 10:22:00AM	1.18		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/25/2008 10:56:00PM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/25/2008 10:56:00PM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/25/2008 10:56:00PM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15829
WACS Testsite Name: B68
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 4/23/2008 10:22:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/29/2008 8:53:00PM	0.0062	0.0062	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/29/2008 8:53:00PM	0.0065	0.0065	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15829
 WACS Testsite Name: B68
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 10:22:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/28/2008 7:46:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/25/2008 2:02:00AM	7.6	5	ug/L	I
001007	Barium	N	E83079	SW6010	4/25/2008 2:02:00AM	72	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/25/2008 2:02:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/25/2008 2:02:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/25/2008 2:02:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/25/2008 2:02:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/25/2008 2:02:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/25/2008 2:02:00AM	16000	20	ug/L	
001051	Lead	N	E83079	SW6010	4/25/2008 2:02:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2008 4:17:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	4/25/2008 2:02:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/25/2008 2:02:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/25/2008 2:02:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/25/2008 2:02:00AM	18	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	4/28/2008 7:46:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/25/2008 2:02:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/25/2008 2:02:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15829
WACS Testsite Name: B68
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/23/2008 10:22:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/24/2008 9:56:00AM	26	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/24/2008 9:56:00AM	0.035	0.01	mg/L	I
000945	Sulfate	N	E83079	E300.0	4/24/2008 9:56:00AM	0.2	0.085	mg/L	I
070300	TDS	N	E83079	SM2540 C	4/30/2008 9:14:00AM	350	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15829
WACS Testsite Name: B68
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 10:22:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 1:59:00PM	1.1	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15639
 WACS Testsite Name: FA-1B
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 10:34:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/25/2008 11:30:00PM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/25/2008 11:30:00PM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/25/2008 11:30:00PM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/25/2008 11:30:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/25/2008 11:30:00PM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/25/2008 11:30:00PM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/25/2008 11:30:00PM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/25/2008 11:30:00PM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/25/2008 11:30:00PM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/25/2008 11:30:00PM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/25/2008 11:30:00PM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/25/2008 11:30:00PM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/25/2008 11:30:00PM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/25/2008 11:30:00PM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/25/2008 11:30:00PM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/25/2008 11:30:00PM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/25/2008 11:30:00PM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/25/2008 11:30:00PM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/25/2008 11:30:00PM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/25/2008 11:30:00PM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/25/2008 11:30:00PM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/25/2008 11:30:00PM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/25/2008 11:30:00PM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/25/2008 11:30:00PM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/25/2008 11:30:00PM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/25/2008 11:30:00PM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/25/2008 11:30:00PM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/25/2008 11:30:00PM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/25/2008 11:30:00PM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/23/2008 10:34:00AM	569		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/25/2008 11:30:00PM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/25/2008 11:30:00PM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/23/2008 10:34:00AM	0.28		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/25/2008 11:30:00PM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/23/2008 10:34:00AM	17.2		feet	
077424	Iodomethane	N	E83079	SW8260	4/25/2008 11:30:00PM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/25/2008 11:30:00PM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/23/2008 10:34:00AM	7.06		S.U.	
077128	Styrene	N	E83079	SW8260	4/25/2008 11:30:00PM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/23/2008 10:34:00AM	21.91		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/25/2008 11:30:00PM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/25/2008 11:30:00PM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/25/2008 11:30:00PM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/25/2008 11:30:00PM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
WACS Testsite ID #: 15639
WACS Testsite Name: FA-1B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 10:34:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/25/2008 11:30:00PM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/25/2008 11:30:00PM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/25/2008 11:30:00PM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/23/2008 10:34:00AM	2.11		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/25/2008 11:30:00PM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/25/2008 11:30:00PM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/25/2008 11:30:00PM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15639
WACS Testsite Name: FA-1B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/23/2008 10:34:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/29/2008 9:19:00PM	0.006	0.006	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/29/2008 9:19:00PM	0.0063	0.0063	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15639
 WACS Testsite Name: FA-1B
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 10:34:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/28/2008 7:50:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/25/2008 2:14:00AM	5.2	5	ug/L	I
001007	Barium	N	E83079	SW6010	4/25/2008 2:14:00AM	33	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/25/2008 2:14:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/25/2008 2:14:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/25/2008 2:14:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/25/2008 2:14:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/25/2008 2:14:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/25/2008 2:14:00AM	460	20	ug/L	
001051	Lead	N	E83079	SW6010	4/25/2008 2:14:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2008 4:20:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	4/25/2008 2:14:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/25/2008 2:14:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/25/2008 2:14:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/25/2008 2:14:00AM	10	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	4/28/2008 7:50:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/25/2008 2:14:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/25/2008 2:14:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15639
WACS Testsite Name: FA-1B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/23/2008 10:34:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/24/2008 10:12:00AM	14	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/24/2008 10:12:00AM	0.01	0.01	mg/L	U
000945	Sulfate	N	E83079	E300.0	4/24/2008 10:12:00AM	0.22	0.085	mg/L	I
070300	TDS	N	E83079	SM2540 C	4/30/2008 9:15:00AM	330	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15639
WACS Testsite Name: FA-1B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 10:34:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 2:06:00PM	0.37	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15402
 WACS Testsite Name: B-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 11:04:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/28/2008 4:01:00PM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/28/2008 4:01:00PM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/28/2008 4:01:00PM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/28/2008 4:01:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/28/2008 4:01:00PM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/28/2008 4:01:00PM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/28/2008 4:01:00PM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/28/2008 4:01:00PM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/28/2008 4:01:00PM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/28/2008 4:01:00PM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/28/2008 4:01:00PM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/28/2008 4:01:00PM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/28/2008 4:01:00PM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/28/2008 4:01:00PM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/28/2008 4:01:00PM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/28/2008 4:01:00PM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/28/2008 4:01:00PM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/28/2008 4:01:00PM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/28/2008 4:01:00PM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/28/2008 4:01:00PM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/28/2008 4:01:00PM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/28/2008 4:01:00PM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/28/2008 4:01:00PM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/28/2008 4:01:00PM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/28/2008 4:01:00PM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/28/2008 4:01:00PM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/28/2008 4:01:00PM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/28/2008 4:01:00PM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/28/2008 4:01:00PM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/23/2008 11:04:00AM	988		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/28/2008 4:01:00PM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/28/2008 4:01:00PM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/23/2008 11:04:00AM	0.25		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/28/2008 4:01:00PM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/23/2008 11:04:00AM	26.93		feet	
077424	Iodomethane	N	E83079	SW8260	4/28/2008 4:01:00PM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/28/2008 4:01:00PM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/23/2008 11:04:00AM	5.25		S.U.	
077128	Styrene	N	E83079	SW8260	4/28/2008 4:01:00PM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/23/2008 11:04:00AM	23.3		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/28/2008 4:01:00PM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/28/2008 4:01:00PM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/28/2008 4:01:00PM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/28/2008 4:01:00PM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15402
 WACS Testsite Name: B-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 11:04:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to
 Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/28/2008 4:01:00PM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/28/2008 4:01:00PM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/28/2008 4:01:00PM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/23/2008 11:04:00AM	19.6		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/28/2008 4:01:00PM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/28/2008 4:01:00PM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/28/2008 4:01:00PM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15402
WACS Testsite Name: B-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/23/2008 11:04:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/29/2008 9:46:00PM	0.0059	0.0059	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/29/2008 9:46:00PM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15402
 WACS Testsite Name: B-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 11:04:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/28/2008 7:54:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/25/2008 2:18:00AM	7	5	ug/L	I
001007	Barium	N	E83079	SW6010	4/25/2008 2:18:00AM	150	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/25/2008 2:18:00AM	1.8	0.5	ug/L	
001027	Cadmium	N	E83079	SW6010	4/25/2008 2:18:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/25/2008 2:18:00AM	5.2	2.5	ug/L	
001037	Cobalt	N	E83079	SW6010	4/25/2008 2:18:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/25/2008 2:18:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/25/2008 2:18:00AM	34000	20	ug/L	
001051	Lead	N	E83079	SW6010	4/25/2008 2:18:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2008 5:06:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	4/25/2008 2:18:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/25/2008 2:18:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/25/2008 2:18:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/25/2008 2:18:00AM	32	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	4/28/2008 7:54:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/25/2008 2:18:00AM	12	5	ug/L	
001092	Zinc	N	E83079	SW6010	4/25/2008 2:18:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15402
WACS Testsite Name: B-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/23/2008 11:04:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/24/2008 10:28:00AM	37	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/24/2008 10:28:00AM	0.01	0.01	mg/L	U
000945	Sulfate	N	E83079	E300.0	4/28/2008 10:07:00PM	370	0.43	mg/L	
070300	TDS	N	E83079	SM2540 C	4/30/2008 9:17:00AM	700	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15402
WACS Testsite Name: B-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 11:04:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 2:07:00PM	2.2	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15679
 WACS Testsite Name: B11
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 11:15:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/28/2008 6:33:00PM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/28/2008 6:33:00PM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/28/2008 6:33:00PM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/28/2008 6:33:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/28/2008 6:33:00PM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/28/2008 6:33:00PM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/28/2008 6:33:00PM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/28/2008 6:33:00PM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/28/2008 6:33:00PM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/28/2008 6:33:00PM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/28/2008 6:33:00PM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/28/2008 6:33:00PM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/28/2008 6:33:00PM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/28/2008 6:33:00PM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/28/2008 6:33:00PM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/28/2008 6:33:00PM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/28/2008 6:33:00PM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/28/2008 6:33:00PM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/28/2008 6:33:00PM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/28/2008 6:33:00PM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/28/2008 6:33:00PM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/28/2008 6:33:00PM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/28/2008 6:33:00PM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/28/2008 6:33:00PM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/28/2008 6:33:00PM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/28/2008 6:33:00PM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/28/2008 6:33:00PM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/28/2008 6:33:00PM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/28/2008 6:33:00PM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/23/2008 11:15:00AM	350		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/28/2008 6:33:00PM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/28/2008 6:33:00PM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/23/2008 11:15:00AM	0.17		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/28/2008 6:33:00PM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/23/2008 11:15:00AM	27.35		feet	
077424	Iodomethane	N	E83079	SW8260	4/28/2008 6:33:00PM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/28/2008 6:33:00PM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/23/2008 11:15:00AM	4.98		S.U.	
077128	Styrene	N	E83079	SW8260	4/28/2008 6:33:00PM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/23/2008 11:15:00AM	22.14		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/28/2008 6:33:00PM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/28/2008 6:33:00PM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/28/2008 6:33:00PM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/28/2008 6:33:00PM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15679
 WACS Testsite Name: B11
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 11:15:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/28/2008 6:33:00PM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/28/2008 6:33:00PM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/28/2008 6:33:00PM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/23/2008 11:15:00AM	0.8		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/28/2008 6:33:00PM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/28/2008 6:33:00PM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/28/2008 6:33:00PM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15679
WACS Testsite Name: B11
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 11:15:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/29/2008 10:13:00PM	0.0061	0.0061	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/29/2008 10:13:00PM	0.0064	0.0064	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15679
 WACS Testsite Name: B11
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 11:15:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/28/2008 8:08:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/25/2008 2:22:00AM	6.8	5	ug/L	I
001007	Barium	N	E83079	SW6010	4/25/2008 2:22:00AM	140	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/25/2008 2:22:00AM	0.97	0.5	ug/L	I
001027	Cadmium	N	E83079	SW6010	4/25/2008 2:22:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/25/2008 2:22:00AM	2.8	2.5	ug/L	I
001037	Cobalt	N	E83079	SW6010	4/25/2008 2:22:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/25/2008 2:22:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/25/2008 2:22:00AM	11000	20	ug/L	
001051	Lead	N	E83079	SW6010	4/25/2008 2:22:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2008 5:09:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	4/25/2008 2:22:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/25/2008 2:22:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/25/2008 2:22:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/25/2008 2:22:00AM	11	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	4/28/2008 8:08:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/25/2008 2:22:00AM	12	5	ug/L	
001092	Zinc	N	E83079	SW6010	4/25/2008 2:22:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15679
WACS Testsite Name: B11
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/23/2008 11:15:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/24/2008 10:43:00AM	11	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/24/2008 10:43:00AM	0.01	0.01	mg/L	U
000945	Sulfate	N	E83079	E300.0	4/24/2008 10:43:00AM	110	0.085	mg/L	
070300	TDS	N	E83079	SM2540 C	4/30/2008 9:18:00AM	250	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15679
WACS Testsite Name: B11
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 11:15:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 2:09:00PM	0.49	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15642
 WACS Testsite Name: B8
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 11:45:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: IM - Intermediate

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/28/2008 7:07:00PM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/28/2008 7:07:00PM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/28/2008 7:07:00PM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/28/2008 7:07:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/28/2008 7:07:00PM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/28/2008 7:07:00PM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/28/2008 7:07:00PM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/28/2008 7:07:00PM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/28/2008 7:07:00PM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/28/2008 7:07:00PM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/28/2008 7:07:00PM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/28/2008 7:07:00PM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/28/2008 7:07:00PM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/28/2008 7:07:00PM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/28/2008 7:07:00PM	2.6	2.5	ug/L	I
034215	Acrylonitrile	N	E83079	SW8260	4/28/2008 7:07:00PM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/28/2008 7:07:00PM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/28/2008 7:07:00PM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/28/2008 7:07:00PM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/28/2008 7:07:00PM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/28/2008 7:07:00PM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/28/2008 7:07:00PM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/28/2008 7:07:00PM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/28/2008 7:07:00PM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/28/2008 7:07:00PM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/28/2008 7:07:00PM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/28/2008 7:07:00PM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/28/2008 7:07:00PM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/28/2008 7:07:00PM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/23/2008 11:45:00AM	628		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/28/2008 7:07:00PM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/28/2008 7:07:00PM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/23/2008 11:45:00AM	0.25		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/28/2008 7:07:00PM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/23/2008 11:45:00AM	18.11		feet	
077424	Iodomethane	N	E83079	SW8260	4/28/2008 7:07:00PM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/28/2008 7:07:00PM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/23/2008 11:45:00AM	6.15		S.U.	
077128	Styrene	N	E83079	SW8260	4/28/2008 7:07:00PM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/23/2008 11:45:00AM	23.93		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/28/2008 7:07:00PM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/28/2008 7:07:00PM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/28/2008 7:07:00PM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/28/2008 7:07:00PM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15642
 WACS Testsite Name: B8
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 11:45:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: IM - Intermediate

* Well Purged prior to
 Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/28/2008 7:07:00PM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/28/2008 7:07:00PM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/28/2008 7:07:00PM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/23/2008 11:45:00AM	1.9		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/28/2008 7:07:00PM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/28/2008 7:07:00PM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/28/2008 7:07:00PM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15642
WACS Testsite Name: B8
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/23/2008 11:45:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: IM - Intermediate

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/29/2008 10:39:00PM	0.0059	0.0059	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/29/2008 10:39:00PM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15642
 WACS Testsite Name: B8
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 11:45:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: IM - Intermediate

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/28/2008 8:12:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/25/2008 2:26:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/25/2008 2:26:00AM	35	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/25/2008 2:26:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/25/2008 2:26:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/25/2008 2:26:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/25/2008 2:26:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/25/2008 2:26:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/25/2008 2:26:00AM	3200	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/25/2008 2:26:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2008 5:12:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	4/25/2008 2:26:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/25/2008 2:26:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/25/2008 2:26:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/25/2008 2:26:00AM	36	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	4/28/2008 8:12:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/25/2008 2:26:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/25/2008 2:26:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15642
WACS Testsite Name: B8
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/23/2008 11:45:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: IM - Intermediate

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/24/2008 10:59:00AM	52	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/24/2008 10:59:00AM	0.059	0.01	mg/L	
000945	Sulfate	N	E83079	E300.0	4/24/2008 10:59:00AM	21	0.085	mg/L	
070300	TDS	N	E83079	SM2540 C	4/30/2008 9:20:00AM	400	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15642
WACS Testsite Name: B8
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 11:45:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: IM - Intermediate

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 2:10:00PM	0.18	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15792
 WACS Testsite Name: B33-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 11:58:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/28/2008 7:41:00PM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/28/2008 7:41:00PM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/28/2008 7:41:00PM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/28/2008 7:41:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/28/2008 7:41:00PM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/28/2008 7:41:00PM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/28/2008 7:41:00PM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/28/2008 7:41:00PM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/28/2008 7:41:00PM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/28/2008 7:41:00PM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/28/2008 7:41:00PM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/28/2008 7:41:00PM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/28/2008 7:41:00PM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/28/2008 7:41:00PM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/28/2008 7:41:00PM	4.4	2.5	ug/L	I
034215	Acrylonitrile	N	E83079	SW8260	4/28/2008 7:41:00PM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/28/2008 7:41:00PM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/28/2008 7:41:00PM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/28/2008 7:41:00PM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/28/2008 7:41:00PM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/28/2008 7:41:00PM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/28/2008 7:41:00PM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/28/2008 7:41:00PM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/28/2008 7:41:00PM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/28/2008 7:41:00PM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/28/2008 7:41:00PM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/28/2008 7:41:00PM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/28/2008 7:41:00PM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/28/2008 7:41:00PM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/23/2008 11:58:00AM	417		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/28/2008 7:41:00PM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/28/2008 7:41:00PM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/23/2008 11:58:00AM	0.11		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/28/2008 7:41:00PM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/23/2008 11:58:00AM	26.89		feet	
077424	Iodomethane	N	E83079	SW8260	4/28/2008 7:41:00PM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/28/2008 7:41:00PM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/23/2008 11:58:00AM	5.96		S.U.	
077128	Styrene	N	E83079	SW8260	4/28/2008 7:41:00PM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/23/2008 11:58:00AM	22.46		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/28/2008 7:41:00PM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/28/2008 7:41:00PM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/28/2008 7:41:00PM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/28/2008 7:41:00PM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15792
 WACS Testsite Name: B33-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 11:58:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to
 Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/28/2008 7:41:00PM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/28/2008 7:41:00PM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/28/2008 7:41:00PM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/23/2008 11:58:00AM	13.6		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/28/2008 7:41:00PM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/28/2008 7:41:00PM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/28/2008 7:41:00PM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15792
WACS Testsite Name: B33-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/23/2008 11:58:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/29/2008 11:05:00PM	0.0061	0.0061	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/29/2008 11:05:00PM	0.0064	0.0064	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15792
 WACS Testsite Name: B33-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 11:58:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/28/2008 8:17:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/25/2008 2:30:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/25/2008 2:30:00AM	31	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/25/2008 2:30:00AM	0.6	0.5	ug/L	I
001027	Cadmium	N	E83079	SW6010	4/25/2008 2:30:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/25/2008 2:30:00AM	6.4	2.5	ug/L	
001037	Cobalt	N	E83079	SW6010	4/25/2008 2:30:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/25/2008 2:30:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/25/2008 2:30:00AM	7800	20	ug/L	
001051	Lead	N	E83079	SW6010	4/25/2008 2:30:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2008 5:15:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	4/25/2008 2:30:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/25/2008 2:30:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/25/2008 2:30:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/25/2008 2:30:00AM	46	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	4/28/2008 8:17:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/25/2008 2:30:00AM	8.2	5	ug/L	I
001092	Zinc	N	E83079	SW6010	4/25/2008 2:30:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15792
WACS Testsite Name: B33-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/23/2008 11:58:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/24/2008 11:15:00AM	33	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/24/2008 11:15:00AM	0.01	0.01	mg/L	U
000945	Sulfate	N	E83079	E300.0	4/24/2008 11:15:00AM	0.085	0.085	mg/L	U
070300	TDS	N	E83079	SM2540 C	4/30/2008 9:21:00AM	360	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15792
WACS Testsite Name: B33-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 11:58:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 2:11:00PM	0.17	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15790
 WACS Testsite Name: B8-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 12:21:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: IM - Intermediate

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/28/2008 8:15:00PM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/28/2008 8:15:00PM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/28/2008 8:15:00PM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/28/2008 8:15:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/28/2008 8:15:00PM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/28/2008 8:15:00PM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/28/2008 8:15:00PM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/28/2008 8:15:00PM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/28/2008 8:15:00PM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/28/2008 8:15:00PM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/28/2008 8:15:00PM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/28/2008 8:15:00PM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/28/2008 8:15:00PM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/28/2008 8:15:00PM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/28/2008 8:15:00PM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/28/2008 8:15:00PM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/28/2008 8:15:00PM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/28/2008 8:15:00PM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/28/2008 8:15:00PM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/28/2008 8:15:00PM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/28/2008 8:15:00PM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/28/2008 8:15:00PM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/28/2008 8:15:00PM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/28/2008 8:15:00PM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/28/2008 8:15:00PM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/28/2008 8:15:00PM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/28/2008 8:15:00PM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/28/2008 8:15:00PM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/28/2008 8:15:00PM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/23/2008 12:21:00PM	583		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/28/2008 8:15:00PM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/28/2008 8:15:00PM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/23/2008 12:21:00PM	0.26		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/28/2008 8:15:00PM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/23/2008 12:21:00PM	26.6		feet	
077424	Iodomethane	N	E83079	SW8260	4/28/2008 8:15:00PM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/28/2008 8:15:00PM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/23/2008 12:21:00PM	5.28		S.U.	
077128	Styrene	N	E83079	SW8260	4/28/2008 8:15:00PM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/23/2008 12:21:00PM	23.89		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/28/2008 8:15:00PM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/28/2008 8:15:00PM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/28/2008 8:15:00PM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/28/2008 8:15:00PM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15790
 WACS Testsite Name: B8-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 12:21:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: IM - Intermediate

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/28/2008 8:15:00PM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/28/2008 8:15:00PM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/28/2008 8:15:00PM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/23/2008 12:21:00PM	1.05		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/28/2008 8:15:00PM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/28/2008 8:15:00PM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/28/2008 8:15:00PM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15790
WACS Testsite Name: B8-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/23/2008 12:21:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: IM - Intermediate

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/29/2008 11:31:00PM	0.0059	0.0059	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/29/2008 11:31:00PM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15790
 WACS Testsite Name: B8-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 12:21:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: IM - Intermediate

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/28/2008 8:21:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/25/2008 2:34:00AM	7	5	ug/L	I
001007	Barium	N	E83079	SW6010	4/25/2008 2:34:00AM	65	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/25/2008 2:34:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/25/2008 2:34:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/25/2008 2:34:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/25/2008 2:34:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/25/2008 2:34:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/25/2008 2:34:00AM	18000	20	ug/L	
001051	Lead	N	E83079	SW6010	4/25/2008 2:34:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2008 5:18:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	4/25/2008 2:34:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/25/2008 2:34:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/25/2008 2:34:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/25/2008 2:34:00AM	17	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	4/28/2008 8:21:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/25/2008 2:34:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/25/2008 2:34:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15790
WACS Testsite Name: B8-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/23/2008 12:21:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: IM - Intermediate

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/24/2008 11:30:00AM	52	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/24/2008 11:30:00AM	0.01	0.01	mg/L	U
000945	Sulfate	N	E83079	E300.0	4/24/2008 11:30:00AM	150	0.085	mg/L	
070300	TDS	N	E83079	SM2540 C	4/30/2008 9:23:00AM	400	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15790
WACS Testsite Name: B8-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 12:21:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: IM - Intermediate

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 2:13:00PM	0.042	0.02	mg/L	I

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15793
 WACS Testsite Name: B33-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 12:40:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	5/5/2008 4:13:00PM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	5/5/2008 4:13:00PM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	5/5/2008 4:13:00PM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	5/5/2008 4:13:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	5/5/2008 4:13:00PM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	5/5/2008 4:13:00PM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	5/5/2008 4:13:00PM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	5/5/2008 4:13:00PM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	5/5/2008 4:13:00PM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	5/5/2008 4:13:00PM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	5/5/2008 4:13:00PM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	5/5/2008 4:13:00PM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	5/5/2008 4:13:00PM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	5/5/2008 4:13:00PM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	5/5/2008 4:13:00PM	4.8	2.5	ug/L	I
034215	Acrylonitrile	N	E83079	SW8260	5/5/2008 4:13:00PM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	5/5/2008 4:13:00PM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	5/5/2008 4:13:00PM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	5/5/2008 4:13:00PM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	5/5/2008 4:13:00PM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	5/5/2008 4:13:00PM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	5/5/2008 4:13:00PM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	5/5/2008 4:13:00PM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	5/5/2008 4:13:00PM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	5/5/2008 4:13:00PM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	5/5/2008 4:13:00PM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	5/5/2008 4:13:00PM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	5/5/2008 4:13:00PM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	5/5/2008 4:13:00PM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/23/2008 12:40:00PM	3602		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	5/5/2008 4:13:00PM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	5/5/2008 4:13:00PM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/23/2008 12:40:00PM	0.08		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	5/5/2008 4:13:00PM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/23/2008 12:40:00PM	27.62		feet	
077424	Iodomethane	N	E83079	SW8260	5/5/2008 4:13:00PM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	5/5/2008 4:13:00PM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/23/2008 12:40:00PM	6.46		S.U.	
077128	Styrene	N	E83079	SW8260	5/5/2008 4:13:00PM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/23/2008 12:40:00PM	22.3		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	5/5/2008 4:13:00PM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	5/5/2008 4:13:00PM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	5/5/2008 4:13:00PM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	5/5/2008 4:13:00PM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15793
 WACS Testsite Name: B33-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 12:40:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	5/5/2008 4:13:00PM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	5/5/2008 4:13:00PM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	5/5/2008 4:13:00PM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/23/2008 12:40:00PM	10		NTU	
077057	Vinyl acetate	N	E83079	SW8260	5/5/2008 4:13:00PM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	5/5/2008 4:13:00PM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	5/5/2008 4:13:00PM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15793
WACS Testsite Name: B33-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/23/2008 12:40:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/29/2008 11:58:00PM	0.006	0.006	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/29/2008 11:58:00PM	0.0063	0.0063	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15793
 WACS Testsite Name: B33-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 12:40:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/28/2008 8:26:00PM	0.65	0.5	ug/L	I
001002	Arsenic	N	E83079	SW6010	4/25/2008 2:38:00AM	19	5	ug/L	
001007	Barium	N	E83079	SW6010	4/25/2008 2:38:00AM	220	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/25/2008 2:38:00AM	0.56	0.5	ug/L	I
001027	Cadmium	N	E83079	SW6010	4/25/2008 2:38:00AM	0.75	0.5	ug/L	I
001034	Chromium	N	E83079	SW6010	4/25/2008 2:38:00AM	18	2.5	ug/L	
001037	Cobalt	N	E83079	SW6010	4/25/2008 2:38:00AM	23	5	ug/L	
001042	Copper	N	E83079	SW6010	4/25/2008 2:38:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/25/2008 2:38:00AM	26000	20	ug/L	
001051	Lead	N	E83079	SW6010	4/25/2008 2:38:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2008 5:20:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	4/25/2008 2:38:00AM	55	2.5	ug/L	
001147	Selenium	N	E83079	SW6010	4/25/2008 2:38:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/25/2008 2:38:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/26/2008 7:46:00AM	570	5	mg/L	
001059	Thallium	N	E83079	SW6020	4/28/2008 8:26:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/25/2008 2:38:00AM	35	5	ug/L	
001092	Zinc	N	E83079	SW6010	4/25/2008 2:38:00AM	15	10	ug/L	I

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15793
WACS Testsite Name: B33-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/23/2008 12:40:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/24/2008 11:46:00AM	720	0.6	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/24/2008 11:46:00AM	0.1	0.1	mg/L	U
000945	Sulfate	N	E83079	E300.0	4/24/2008 11:46:00AM	6.8	0.85	mg/L	
070300	TDS	N	E83079	SM2540 C	4/30/2008 9:24:00AM	2400	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15793
WACS Testsite Name: B33-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 12:40:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 2:14:00PM	0.74	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15823
 WACS Testsite Name: B63-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 1:03:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/28/2008 8:49:00PM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/28/2008 8:49:00PM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/28/2008 8:49:00PM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/28/2008 8:49:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/28/2008 8:49:00PM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/28/2008 8:49:00PM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/28/2008 8:49:00PM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/28/2008 8:49:00PM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/28/2008 8:49:00PM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/28/2008 8:49:00PM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/28/2008 8:49:00PM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/28/2008 8:49:00PM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/28/2008 8:49:00PM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/28/2008 8:49:00PM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/28/2008 8:49:00PM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/28/2008 8:49:00PM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/28/2008 8:49:00PM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/28/2008 8:49:00PM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/28/2008 8:49:00PM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/28/2008 8:49:00PM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/28/2008 8:49:00PM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/28/2008 8:49:00PM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/28/2008 8:49:00PM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/28/2008 8:49:00PM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/28/2008 8:49:00PM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/28/2008 8:49:00PM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/28/2008 8:49:00PM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/28/2008 8:49:00PM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/28/2008 8:49:00PM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/23/2008 1:03:00PM	641		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/28/2008 8:49:00PM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/28/2008 8:49:00PM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/23/2008 1:03:00PM	0.29		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/28/2008 8:49:00PM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/23/2008 1:03:00PM	26.38		feet	
077424	Iodomethane	N	E83079	SW8260	4/28/2008 8:49:00PM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/28/2008 8:49:00PM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/23/2008 1:03:00PM	6.02		S.U.	
077128	Styrene	N	E83079	SW8260	4/28/2008 8:49:00PM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/23/2008 1:03:00PM	22.45		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/28/2008 8:49:00PM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/28/2008 8:49:00PM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/28/2008 8:49:00PM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/28/2008 8:49:00PM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15823
 WACS Testsite Name: B63-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 1:03:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/28/2008 8:49:00PM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/28/2008 8:49:00PM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/28/2008 8:49:00PM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/23/2008 1:03:00PM	1.86		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/28/2008 8:49:00PM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/28/2008 8:49:00PM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/28/2008 8:49:00PM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15823
WACS Testsite Name: B63-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/23/2008 1:03:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/30/2008 12:24:00AM	0.0058	0.0058	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/30/2008 12:24:00AM	0.0061	0.0061	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15823
 WACS Testsite Name: B63-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 1:03:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/28/2008 8:30:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/25/2008 2:44:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/25/2008 2:44:00AM	56	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/25/2008 2:44:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/25/2008 2:44:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/25/2008 2:44:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/25/2008 2:44:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/25/2008 2:44:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/25/2008 2:44:00AM	3000	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/25/2008 2:44:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2008 5:23:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	4/25/2008 2:44:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/25/2008 2:44:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/25/2008 2:44:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/25/2008 2:44:00AM	54	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	4/28/2008 8:30:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/25/2008 2:44:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/25/2008 2:44:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15823
WACS Testsite Name: B63-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/23/2008 1:03:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/24/2008 2:07:00PM	65	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/24/2008 2:07:00PM	0.01	0.01	mg/L	U
000945	Sulfate	N	E83079	E300.0	4/24/2008 2:07:00PM	0.085	0.085	mg/L	U
070300	TDS	N	E83079	SM2540 C	4/30/2008 9:25:00AM	380	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15823
WACS Testsite Name: B63-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 1:03:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 2:15:00PM	0.089	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15824
 WACS Testsite Name: B63-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 1:35:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/28/2008 9:24:00PM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/28/2008 9:24:00PM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/28/2008 9:24:00PM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/28/2008 9:24:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/28/2008 9:24:00PM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/28/2008 9:24:00PM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/28/2008 9:24:00PM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/28/2008 9:24:00PM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/28/2008 9:24:00PM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/28/2008 9:24:00PM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/28/2008 9:24:00PM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/28/2008 9:24:00PM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/28/2008 9:24:00PM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/28/2008 9:24:00PM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/28/2008 9:24:00PM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/28/2008 9:24:00PM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/28/2008 9:24:00PM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/28/2008 9:24:00PM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/28/2008 9:24:00PM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/28/2008 9:24:00PM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/28/2008 9:24:00PM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/28/2008 9:24:00PM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/28/2008 9:24:00PM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/28/2008 9:24:00PM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/28/2008 9:24:00PM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/28/2008 9:24:00PM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/28/2008 9:24:00PM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/28/2008 9:24:00PM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/28/2008 9:24:00PM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/23/2008 1:35:00PM	702		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/28/2008 9:24:00PM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/28/2008 9:24:00PM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/23/2008 1:35:00PM	0.3		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/28/2008 9:24:00PM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/23/2008 1:35:00PM	26.08		feet	
077424	Iodomethane	N	E83079	SW8260	4/28/2008 9:24:00PM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/28/2008 9:24:00PM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/23/2008 1:35:00PM	6.31		S.U.	
077128	Styrene	N	E83079	SW8260	4/28/2008 9:24:00PM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/23/2008 1:35:00PM	22.12		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/28/2008 9:24:00PM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/28/2008 9:24:00PM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/28/2008 9:24:00PM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/28/2008 9:24:00PM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15824
 WACS Testsite Name: B63-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 1:35:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/28/2008 9:24:00PM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/28/2008 9:24:00PM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/28/2008 9:24:00PM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/23/2008 1:35:00PM	2.62		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/28/2008 9:24:00PM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/28/2008 9:24:00PM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/28/2008 9:24:00PM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15824
WACS Testsite Name: B63-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/23/2008 1:35:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/30/2008 1:19:00AM	0.0058	0.0058	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/30/2008 1:19:00AM	0.0061	0.0061	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15824
 WACS Testsite Name: B63-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 1:35:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/28/2008 8:34:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/25/2008 2:48:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/25/2008 2:48:00AM	63	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/25/2008 2:48:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/25/2008 2:48:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/25/2008 2:48:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/25/2008 2:48:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/25/2008 2:48:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/25/2008 2:48:00AM	4100	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/25/2008 2:48:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2008 5:43:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	4/25/2008 2:48:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/25/2008 2:48:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/25/2008 2:48:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/25/2008 2:48:00AM	32	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	4/28/2008 8:34:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/25/2008 2:48:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/25/2008 2:48:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15824
WACS Testsite Name: B63-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/23/2008 1:35:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/24/2008 1:20:00PM	50	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/24/2008 1:20:00PM	0.01	0.01	mg/L	U
000945	Sulfate	N	E83079	E300.0	4/24/2008 1:20:00PM	0.36	0.085	mg/L	I
070300	TDS	N	E83079	SM2540 C	4/30/2008 9:27:00AM	390	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15824
WACS Testsite Name: B63-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 1:35:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 2:16:00PM	0.02	0.02	mg/L	I

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15791
 WACS Testsite Name: B-32
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 1:45:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/28/2008 10:01:00PM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/28/2008 10:01:00PM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/28/2008 10:01:00PM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/28/2008 10:01:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/28/2008 10:01:00PM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/28/2008 10:01:00PM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/28/2008 10:01:00PM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/28/2008 10:01:00PM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/28/2008 10:01:00PM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/28/2008 10:01:00PM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/28/2008 10:01:00PM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/28/2008 10:01:00PM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/28/2008 10:01:00PM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/28/2008 10:01:00PM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/28/2008 10:01:00PM	3.2	2.5	ug/L	I
034215	Acrylonitrile	N	E83079	SW8260	4/28/2008 10:01:00PM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/28/2008 10:01:00PM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/28/2008 10:01:00PM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/28/2008 10:01:00PM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/28/2008 10:01:00PM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/28/2008 10:01:00PM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/28/2008 10:01:00PM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/28/2008 10:01:00PM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/28/2008 10:01:00PM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/28/2008 10:01:00PM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/28/2008 10:01:00PM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/28/2008 10:01:00PM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/28/2008 10:01:00PM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/28/2008 10:01:00PM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/23/2008 1:45:00PM	457		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/28/2008 10:01:00PM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/28/2008 10:01:00PM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/23/2008 1:45:00PM	0.11		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/28/2008 10:01:00PM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/23/2008 1:45:00PM	26.67		feet	
077424	Iodomethane	N	E83079	SW8260	4/28/2008 10:01:00PM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/28/2008 10:01:00PM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/23/2008 1:45:00PM	6.57		S.U.	
077128	Styrene	N	E83079	SW8260	4/28/2008 10:01:00PM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/23/2008 1:45:00PM	22.42		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/28/2008 10:01:00PM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/28/2008 10:01:00PM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/28/2008 10:01:00PM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/28/2008 10:01:00PM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15791
 WACS Testsite Name: B-32
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 1:45:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to
 Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/28/2008 10:01:00PM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/28/2008 10:01:00PM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/28/2008 10:01:00PM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/23/2008 1:45:00PM	9.9		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/28/2008 10:01:00PM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/28/2008 10:01:00PM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/28/2008 10:01:00PM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15791
WACS Testsite Name: B-32
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/23/2008 1:45:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/30/2008 1:46:00AM	0.0058	0.0058	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/30/2008 1:46:00AM	0.0061	0.0061	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15791
 WACS Testsite Name: B-32
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 1:45:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/28/2008 8:48:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/25/2008 3:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/25/2008 3:00:00AM	24	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/25/2008 3:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/25/2008 3:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/25/2008 3:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/25/2008 3:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/25/2008 3:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/25/2008 3:00:00AM	4300	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/25/2008 3:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2008 5:55:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	4/25/2008 3:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/25/2008 3:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/25/2008 3:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/25/2008 3:00:00AM	25	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	4/28/2008 8:48:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/25/2008 3:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/25/2008 3:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15791
WACS Testsite Name: B-32
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/23/2008 1:45:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/24/2008 1:36:00PM	19	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/24/2008 1:36:00PM	0.01	0.01	mg/L	U
000945	Sulfate	N	E83079	E300.0	4/24/2008 1:36:00PM	18	0.085	mg/L	
070300	TDS	N	E83079	SM2540 C	4/29/2008 10:42:00AM	280	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15791
WACS Testsite Name: B-32
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 1:45:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 2:21:00PM	0.046	0.02	mg/L	I

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: Trip Blank
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2008 12:00:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/28/2008 10:35:00PM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/28/2008 10:35:00PM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/28/2008 10:35:00PM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/28/2008 10:35:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/28/2008 10:35:00PM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/28/2008 10:35:00PM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/28/2008 10:35:00PM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/28/2008 10:35:00PM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/28/2008 10:35:00PM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/28/2008 10:35:00PM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/28/2008 10:35:00PM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/28/2008 10:35:00PM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/28/2008 10:35:00PM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/28/2008 10:35:00PM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/28/2008 10:35:00PM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/28/2008 10:35:00PM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/28/2008 10:35:00PM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/28/2008 10:35:00PM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/28/2008 10:35:00PM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/28/2008 10:35:00PM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/28/2008 10:35:00PM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/28/2008 10:35:00PM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/28/2008 10:35:00PM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/28/2008 10:35:00PM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/28/2008 10:35:00PM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/28/2008 10:35:00PM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/28/2008 10:35:00PM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/28/2008 10:35:00PM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/28/2008 10:35:00PM	0.19	0.19	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	4/28/2008 10:35:00PM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/28/2008 10:35:00PM	0.94	0.94	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	4/28/2008 10:35:00PM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	4/28/2008 10:35:00PM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/28/2008 10:35:00PM	0.33	0.33	ug/L	U
077128	Styrene	N	E83079	SW8260	4/28/2008 10:35:00PM	0.59	0.59	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	4/28/2008 10:35:00PM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/28/2008 10:35:00PM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/28/2008 10:35:00PM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/28/2008 10:35:00PM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/28/2008 10:35:00PM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/28/2008 10:35:00PM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/28/2008 10:35:00PM	0.2	0.2	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	4/28/2008 10:35:00PM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/28/2008 10:35:00PM	0.37	0.37	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 2/17/2009

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: Trip Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/23/2008 12:00:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	4/28/2008 10:35:00PM	0.32	0.32	ug/L	U

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 8:50:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/26/2008 3:31:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/26/2008 3:31:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/26/2008 3:31:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/26/2008 3:31:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/26/2008 3:31:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/26/2008 3:31:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/26/2008 3:31:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/26/2008 3:31:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/26/2008 3:31:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/26/2008 3:31:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/26/2008 3:31:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/26/2008 3:31:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/26/2008 3:31:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/26/2008 3:31:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/26/2008 3:31:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/26/2008 3:31:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/26/2008 3:31:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/26/2008 3:31:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/26/2008 3:31:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/26/2008 3:31:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/26/2008 3:31:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/26/2008 3:31:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/26/2008 3:31:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/26/2008 3:31:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/26/2008 3:31:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/26/2008 3:31:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/26/2008 3:31:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/26/2008 3:31:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/26/2008 3:31:00AM	0.19	0.19	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	4/26/2008 3:31:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/26/2008 3:31:00AM	0.94	0.94	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	4/26/2008 3:31:00AM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	4/26/2008 3:31:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/26/2008 3:31:00AM	0.33	0.33	ug/L	U
077128	Styrene	N	E83079	SW8260	4/26/2008 3:31:00AM	0.59	0.59	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	4/26/2008 3:31:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/26/2008 3:31:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/26/2008 3:31:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/26/2008 3:31:00AM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/26/2008 3:31:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/26/2008 3:31:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/26/2008 3:31:00AM	0.2	0.2	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	4/26/2008 3:31:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/26/2008 3:31:00AM	0.37	0.37	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 8:50:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	4/26/2008 3:31:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: _____
WACS Testsite Name: EQ Blank
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 8:50:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: Not Provided

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/29/2008 12:20:00AM	0.0059	0.0059	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/29/2008 12:20:00AM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: _____
WACS Testsite Name: EQ Blank
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 8:50:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/28/2008 9:10:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/29/2008 1:01:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/29/2008 1:01:00AM	5	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/29/2008 1:01:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/29/2008 1:01:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/29/2008 1:01:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/29/2008 1:01:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/29/2008 1:01:00AM	6.9	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/29/2008 1:01:00AM	20	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/29/2008 1:01:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2008 6:16:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	4/29/2008 1:01:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/29/2008 1:01:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/29/2008 1:01:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/29/2008 1:01:00AM	0.5	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	4/28/2008 9:10:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/29/2008 1:01:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/29/2008 1:01:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: _____
WACS Testsite Name: EQ Blank
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/24/2008 8:50:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/24/2008 10:59:00PM	0.06	0.06	mg/L	U
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/24/2008 10:59:00PM	0.01	0.01	mg/L	U
000945	Sulfate	N	E83079	E300.0	4/24/2008 10:59:00PM	0.085	0.085	mg/L	U
070300	TDS	N	E83079	SM2540 C	5/1/2008 10:02:00AM	5	5	mg/L	U

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: _____
WACS Testsite Name: EQ Blank
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 8:50:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: Not Provided

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 3:13:00PM	0.02	0.02	mg/L	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15803
 WACS Testsite Name: B-39
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 9:08:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/26/2008 4:08:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/26/2008 4:08:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/26/2008 4:08:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/26/2008 4:08:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/26/2008 4:08:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/26/2008 4:08:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/26/2008 4:08:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/26/2008 4:08:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/26/2008 4:08:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/26/2008 4:08:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/26/2008 4:08:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/26/2008 4:08:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/26/2008 4:08:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/26/2008 4:08:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/26/2008 4:08:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/26/2008 4:08:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/26/2008 4:08:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/26/2008 4:08:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/26/2008 4:08:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/26/2008 4:08:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/26/2008 4:08:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/26/2008 4:08:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/26/2008 4:08:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/26/2008 4:08:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/26/2008 4:08:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/26/2008 4:08:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/26/2008 4:08:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/26/2008 4:08:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/26/2008 4:08:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/24/2008 9:08:00AM	150		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/26/2008 4:08:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/26/2008 4:08:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/24/2008 9:08:00AM	0.35		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/26/2008 4:08:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/24/2008 9:08:00AM	22.99		feet	
077424	Iodomethane	N	E83079	SW8260	4/26/2008 4:08:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/26/2008 4:08:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/24/2008 9:08:00AM	4.55		S.U.	
077128	Styrene	N	E83079	SW8260	4/26/2008 4:08:00AM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/24/2008 9:08:00AM	20.74		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/26/2008 4:08:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/26/2008 4:08:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/26/2008 4:08:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/26/2008 4:08:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15803
 WACS Testsite Name: B-39
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 9:08:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/26/2008 4:08:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/26/2008 4:08:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/26/2008 4:08:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/24/2008 9:08:00AM	10.29		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/26/2008 4:08:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/26/2008 4:08:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/26/2008 4:08:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15803
WACS Testsite Name: B-39
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/24/2008 9:08:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/29/2008 1:40:00AM	0.006	0.006	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/29/2008 1:40:00AM	0.0063	0.0063	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15803
 WACS Testsite Name: B-39
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 9:08:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/28/2008 9:28:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/29/2008 1:05:00AM	6.8	5	ug/L	I
001007	Barium	N	E83079	SW6010	4/29/2008 1:05:00AM	30	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/29/2008 1:05:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/29/2008 1:05:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/29/2008 1:05:00AM	5.1	2.5	ug/L	
001037	Cobalt	N	E83079	SW6010	4/29/2008 1:05:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/29/2008 1:05:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/29/2008 1:05:00AM	11000	20	ug/L	
001051	Lead	N	E83079	SW6010	4/29/2008 1:05:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2008 6:27:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	4/29/2008 1:05:00AM	4	2.5	ug/L	I
001147	Selenium	N	E83079	SW6010	4/29/2008 1:05:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/29/2008 1:05:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/29/2008 1:05:00AM	12	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	4/28/2008 9:28:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/29/2008 1:05:00AM	24	5	ug/L	
001092	Zinc	N	E83079	SW6010	4/29/2008 1:05:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15803
WACS Testsite Name: B-39
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/24/2008 9:08:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/24/2008 11:15:00PM	20	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/24/2008 11:15:00PM	0.01	0.01	mg/L	U
000945	Sulfate	N	E83079	E300.0	4/24/2008 11:15:00PM	15	0.085	mg/L	
070300	TDS	N	E83079	SM2540 C	5/1/2008 10:05:00AM	120	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15803
WACS Testsite Name: B-39
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 9:08:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 3:15:00PM	0.13	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15794
 WACS Testsite Name: B34-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 9:42:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/26/2008 4:42:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/26/2008 4:42:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/26/2008 4:42:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/26/2008 4:42:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/26/2008 4:42:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/26/2008 4:42:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/26/2008 4:42:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/26/2008 4:42:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/26/2008 4:42:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/26/2008 4:42:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/26/2008 4:42:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/26/2008 4:42:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/26/2008 4:42:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/26/2008 4:42:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/26/2008 4:42:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/26/2008 4:42:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/26/2008 4:42:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/26/2008 4:42:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/26/2008 4:42:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/26/2008 4:42:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/26/2008 4:42:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/26/2008 4:42:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/26/2008 4:42:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/26/2008 4:42:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/26/2008 4:42:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/26/2008 4:42:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/26/2008 4:42:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/26/2008 4:42:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/26/2008 4:42:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/24/2008 9:42:00AM	881		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/26/2008 4:42:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/26/2008 4:42:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/24/2008 9:42:00AM	0.31		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/26/2008 4:42:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/24/2008 9:42:00AM	26.59		feet	
077424	Iodomethane	N	E83079	SW8260	4/26/2008 4:42:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/26/2008 4:42:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/24/2008 9:42:00AM	5.88		S.U.	
077128	Styrene	N	E83079	SW8260	4/26/2008 4:42:00AM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/24/2008 9:42:00AM	21.89		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/26/2008 4:42:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/26/2008 4:42:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/26/2008 4:42:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/26/2008 4:42:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15794
 WACS Testsite Name: B34-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 9:42:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/26/2008 4:42:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/26/2008 4:42:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/26/2008 4:42:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/24/2008 9:42:00AM	1.18		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/26/2008 4:42:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/26/2008 4:42:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/26/2008 4:42:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15794
WACS Testsite Name: B34-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/24/2008 9:42:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/29/2008 2:07:00AM	0.006	0.006	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/29/2008 2:07:00AM	0.0063	0.0063	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15794
 WACS Testsite Name: B34-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 9:42:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/28/2008 9:32:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/29/2008 1:09:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/29/2008 1:09:00AM	110	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/29/2008 1:09:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/29/2008 1:09:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/29/2008 1:09:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/29/2008 1:09:00AM	9.9	5	ug/L	I
001042	Copper	N	E83079	SW6010	4/29/2008 1:09:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/29/2008 1:09:00AM	18000	20	ug/L	
001051	Lead	N	E83079	SW6010	4/29/2008 1:09:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2008 6:30:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	4/29/2008 1:09:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/29/2008 1:09:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/29/2008 1:09:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/29/2008 1:09:00AM	39	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	4/28/2008 9:32:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/29/2008 1:09:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/29/2008 1:09:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15794
WACS Testsite Name: B34-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/24/2008 9:42:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/24/2008 11:31:00PM	55	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/24/2008 11:31:00PM	0.01	0.01	mg/L	U
000945	Sulfate	N	E83079	E300.0	4/24/2008 11:31:00PM	97	0.085	mg/L	
070300	TDS	N	E83079	SM2540 C	5/1/2008 10:07:00AM	500	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15794
WACS Testsite Name: B34-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 9:42:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	5/5/2008 11:07:00AM	0.085	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15794
 WACS Testsite Name: B34-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 9:42:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/26/2008 5:18:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/26/2008 5:18:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/26/2008 5:18:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/26/2008 5:18:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/26/2008 5:18:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/26/2008 5:18:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/26/2008 5:18:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/26/2008 5:18:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/26/2008 5:18:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/26/2008 5:18:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/26/2008 5:18:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/26/2008 5:18:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/26/2008 5:18:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/26/2008 5:18:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/26/2008 5:18:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/26/2008 5:18:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/26/2008 5:18:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/26/2008 5:18:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/26/2008 5:18:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/26/2008 5:18:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/26/2008 5:18:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/26/2008 5:18:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/26/2008 5:18:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/26/2008 5:18:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/26/2008 5:18:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/26/2008 5:18:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/26/2008 5:18:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/26/2008 5:18:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/26/2008 5:18:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/24/2008 9:42:00AM	881		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/26/2008 5:18:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/26/2008 5:18:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/24/2008 9:42:00AM	0.31		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/26/2008 5:18:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/24/2008 9:42:00AM	26.59		feet	
077424	Iodomethane	N	E83079	SW8260	4/26/2008 5:18:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/26/2008 5:18:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/24/2008 9:42:00AM	5.88		S.U.	
077128	Styrene	N	E83079	SW8260	4/26/2008 5:18:00AM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/24/2008 9:42:00AM	21.89		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/26/2008 5:18:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/26/2008 5:18:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/26/2008 5:18:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/26/2008 5:18:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 2/17/2009

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 15794
 WACS Testsite Name: B34-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 9:42:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/26/2008 5:18:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/26/2008 5:18:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/26/2008 5:18:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/24/2008 9:42:00AM	1.18		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/26/2008 5:18:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/26/2008 5:18:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/26/2008 5:18:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15794
WACS Testsite Name: B34-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/24/2008 9:42:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/29/2008 2:34:00AM	0.0059	0.0059	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/29/2008 2:34:00AM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15794
 WACS Testsite Name: B34-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 9:42:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/28/2008 9:37:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/29/2008 1:13:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/29/2008 1:13:00AM	110	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/29/2008 1:13:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/29/2008 1:13:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/29/2008 1:13:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/29/2008 1:13:00AM	9.8	5	ug/L	I
001042	Copper	N	E83079	SW6010	4/29/2008 1:13:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/29/2008 1:13:00AM	19000	20	ug/L	
001051	Lead	N	E83079	SW6010	4/29/2008 1:13:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2008 6:33:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	4/29/2008 1:13:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/29/2008 1:13:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/29/2008 1:13:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/29/2008 1:13:00AM	39	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	4/28/2008 9:37:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/29/2008 1:13:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/29/2008 1:13:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15794
WACS Testsite Name: B34-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/24/2008 9:42:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/24/2008 11:46:00PM	55	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/24/2008 11:46:00PM	0.01	0.01	mg/L	U
000945	Sulfate	N	E83079	E300.0	4/24/2008 11:46:00PM	97	0.085	mg/L	
070300	TDS	N	E83079	SM2540 C	5/1/2008 10:08:00AM	530	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15794
WACS Testsite Name: B34-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 9:42:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 3:22:00PM	0.084	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15801
 WACS Testsite Name: B38-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 10:07:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/26/2008 5:55:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/26/2008 5:55:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/26/2008 5:55:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/26/2008 5:55:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/26/2008 5:55:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/26/2008 5:55:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/26/2008 5:55:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/26/2008 5:55:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/26/2008 5:55:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/26/2008 5:55:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/26/2008 5:55:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/26/2008 5:55:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/26/2008 5:55:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/26/2008 5:55:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/26/2008 5:55:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/26/2008 5:55:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/26/2008 5:55:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/26/2008 5:55:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/26/2008 5:55:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/26/2008 5:55:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/26/2008 5:55:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/26/2008 5:55:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/26/2008 5:55:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/26/2008 5:55:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/26/2008 5:55:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/26/2008 5:55:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/26/2008 5:55:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/26/2008 5:55:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/26/2008 5:55:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/24/2008 10:07:00AM	286		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/26/2008 5:55:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/26/2008 5:55:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/24/2008 10:07:00AM	0.58		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/26/2008 5:55:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/24/2008 10:07:00AM	23.54		feet	
077424	Iodomethane	N	E83079	SW8260	4/26/2008 5:55:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/26/2008 5:55:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/24/2008 10:07:00AM	4.96		S.U.	
077128	Styrene	N	E83079	SW8260	4/26/2008 5:55:00AM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/24/2008 10:07:00AM	21.66		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/26/2008 5:55:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/26/2008 5:55:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/26/2008 5:55:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/26/2008 5:55:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15801
 WACS Testsite Name: B38-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 10:07:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/26/2008 5:55:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/26/2008 5:55:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/26/2008 5:55:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/24/2008 10:07:00AM	1.36		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/26/2008 5:55:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/26/2008 5:55:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/26/2008 5:55:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15801
WACS Testsite Name: B38-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/24/2008 10:07:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/29/2008 3:01:00AM	0.0059	0.0059	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/29/2008 3:01:00AM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15801
 WACS Testsite Name: B38-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 10:07:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/28/2008 9:41:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/29/2008 1:17:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/29/2008 1:17:00AM	82	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/29/2008 1:17:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/29/2008 1:17:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/29/2008 1:17:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/29/2008 1:17:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/29/2008 1:17:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/29/2008 1:17:00AM	17000	20	ug/L	U
001051	Lead	N	E83079	SW6010	5/13/2008 3:01:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2008 6:36:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	4/29/2008 1:17:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/29/2008 1:17:00AM	21	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/29/2008 1:17:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/29/2008 1:17:00AM	26	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	4/28/2008 9:41:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/29/2008 1:17:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/29/2008 1:17:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15801
WACS Testsite Name: B38-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/24/2008 10:07:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/25/2008 12:02:00AM	50	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/25/2008 12:02:00AM	0.01	0.01	mg/L	U
000945	Sulfate	N	E83079	E300.0	4/25/2008 12:02:00AM	12	0.085	mg/L	
070300	TDS	N	E83079	SM2540 C	5/1/2008 10:10:00AM	170	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15801
WACS Testsite Name: B38-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 10:07:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 3:27:00PM	0.03	0.02	mg/L	I

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15795
 WACS Testsite Name: B34-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 10:33:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/26/2008 6:29:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/26/2008 6:29:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/26/2008 6:29:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/26/2008 6:29:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/26/2008 6:29:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/26/2008 6:29:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/26/2008 6:29:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/26/2008 6:29:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/26/2008 6:29:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/26/2008 6:29:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/26/2008 6:29:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/26/2008 6:29:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/26/2008 6:29:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/26/2008 6:29:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/26/2008 6:29:00AM	2.7	2.5	ug/L	I
034215	Acrylonitrile	N	E83079	SW8260	4/26/2008 6:29:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/26/2008 6:29:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/26/2008 6:29:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/26/2008 6:29:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/26/2008 6:29:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/26/2008 6:29:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/26/2008 6:29:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/26/2008 6:29:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/26/2008 6:29:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/26/2008 6:29:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/26/2008 6:29:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/26/2008 6:29:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/26/2008 6:29:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/26/2008 6:29:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/24/2008 10:33:00AM	1179		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/26/2008 6:29:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/26/2008 6:29:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/24/2008 10:33:00AM	0.33		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/26/2008 6:29:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/24/2008 10:33:00AM	26.05		feet	
077424	Iodomethane	N	E83079	SW8260	4/26/2008 6:29:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/26/2008 6:29:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/24/2008 10:33:00AM	6.38		S.U.	
077128	Styrene	N	E83079	SW8260	4/26/2008 6:29:00AM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/24/2008 10:33:00AM	21.61		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/26/2008 6:29:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/26/2008 6:29:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/26/2008 6:29:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/26/2008 6:29:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15795
 WACS Testsite Name: B34-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 10:33:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/26/2008 6:29:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/26/2008 6:29:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/26/2008 6:29:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/24/2008 10:33:00AM	4.97		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/26/2008 6:29:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/26/2008 6:29:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/26/2008 6:29:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15795
WACS Testsite Name: B34-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 10:33:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/29/2008 3:55:00AM	0.006	0.006	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/29/2008 3:55:00AM	0.0063	0.0063	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15795
 WACS Testsite Name: B34-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 10:33:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/28/2008 10:03:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/29/2008 1:34:00AM	5.9	5	ug/L	I
001007	Barium	N	E83079	SW6010	4/29/2008 1:34:00AM	89	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/29/2008 1:34:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/30/2008 7:06:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/29/2008 1:34:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/29/2008 1:34:00AM	17	5	ug/L	
001042	Copper	N	E83079	SW6010	4/29/2008 1:34:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/29/2008 1:34:00AM	9500	20	ug/L	
001051	Lead	N	E83079	SW6010	4/29/2008 1:34:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2008 6:45:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	4/29/2008 1:34:00AM	4.7	2.5	ug/L	I
001147	Selenium	N	E83079	SW6010	4/29/2008 1:34:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/29/2008 1:34:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/29/2008 1:34:00AM	24	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	4/28/2008 10:03:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/29/2008 1:34:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/29/2008 1:34:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15795
WACS Testsite Name: B34-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/24/2008 10:33:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/24/2008 6:02:00PM	34	0.12	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/24/2008 6:02:00PM	0.02	0.02	mg/L	U
000945	Sulfate	N	E83079	E300.0	4/24/2008 6:02:00PM	120	0.17	mg/L	
070300	TDS	N	E83079	SM2540 C	5/1/2008 10:11:00AM	810	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15795
WACS Testsite Name: B34-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 10:33:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 3:28:00PM	0.21	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15802
 WACS Testsite Name: B38-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 10:48:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/26/2008 7:03:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/26/2008 7:03:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/26/2008 7:03:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/26/2008 7:03:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/26/2008 7:03:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/26/2008 7:03:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/26/2008 7:03:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/26/2008 7:03:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/26/2008 7:03:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/26/2008 7:03:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/26/2008 7:03:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/26/2008 7:03:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/26/2008 7:03:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/26/2008 7:03:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/26/2008 7:03:00AM	3.7	2.5	ug/L	I
034215	Acrylonitrile	N	E83079	SW8260	4/26/2008 7:03:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/26/2008 7:03:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/26/2008 7:03:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/26/2008 7:03:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/26/2008 7:03:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/26/2008 7:03:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/26/2008 7:03:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/26/2008 7:03:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/26/2008 7:03:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/26/2008 7:03:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/26/2008 7:03:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/26/2008 7:03:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/26/2008 7:03:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/26/2008 7:03:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/24/2008 10:48:00AM	503		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/26/2008 7:03:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/26/2008 7:03:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/24/2008 10:48:00AM	0.14		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/26/2008 7:03:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/24/2008 10:48:00AM	24.82		feet	
077424	Iodomethane	N	E83079	SW8260	4/26/2008 7:03:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/26/2008 7:03:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/24/2008 10:48:00AM	5.56		S.U.	
077128	Styrene	N	E83079	SW8260	4/26/2008 7:03:00AM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/24/2008 10:48:00AM	20.81		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/26/2008 7:03:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/26/2008 7:03:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/26/2008 7:03:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/26/2008 7:03:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15802
 WACS Testsite Name: B38-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 10:48:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/26/2008 7:03:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/26/2008 7:03:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/26/2008 7:03:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/24/2008 10:48:00AM	2.32		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/26/2008 7:03:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/26/2008 7:03:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/26/2008 7:03:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15802
WACS Testsite Name: B38-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/24/2008 10:48:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/29/2008 4:22:00AM	0.006	0.006	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/29/2008 4:22:00AM	0.0063	0.0063	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15802
 WACS Testsite Name: B38-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 10:48:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	5/2/2008 1:47:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/29/2008 3:57:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/29/2008 3:57:00AM	38	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/29/2008 3:57:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/30/2008 9:21:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/29/2008 3:57:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/29/2008 3:57:00AM	5.4	5	ug/L	I
001042	Copper	N	E83079	SW6010	4/29/2008 3:57:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/29/2008 3:57:00AM	12000	20	ug/L	
001051	Lead	N	E83079	SW6010	4/29/2008 3:57:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2008 6:48:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	4/29/2008 3:57:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/29/2008 3:57:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/29/2008 3:57:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/29/2008 3:57:00AM	22	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	5/2/2008 1:47:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/29/2008 3:57:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/29/2008 3:57:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15802
WACS Testsite Name: B38-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/24/2008 10:48:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/25/2008 1:36:00AM	31	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/25/2008 1:36:00AM	0.01	0.01	mg/L	U
000945	Sulfate	N	E83079	E300.0	4/25/2008 1:36:00AM	0.085	0.085	mg/L	U
070300	TDS	N	E83079	SM2540 C	4/28/2008 10:20:00AM	370	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15802
WACS Testsite Name: B38-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 10:48:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 3:30:00PM	2.2	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15796
 WACS Testsite Name: B35-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 11:09:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/26/2008 7:37:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/26/2008 7:37:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/26/2008 7:37:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/26/2008 7:37:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/26/2008 7:37:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/26/2008 7:37:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/26/2008 7:37:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/26/2008 7:37:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/26/2008 7:37:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/26/2008 7:37:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/26/2008 7:37:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/26/2008 7:37:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/26/2008 7:37:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/26/2008 7:37:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/26/2008 7:37:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/26/2008 7:37:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/26/2008 7:37:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/26/2008 7:37:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/26/2008 7:37:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/26/2008 7:37:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/26/2008 7:37:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/26/2008 7:37:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/26/2008 7:37:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/26/2008 7:37:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/26/2008 7:37:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/26/2008 7:37:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/26/2008 7:37:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/26/2008 7:37:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/26/2008 7:37:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/24/2008 11:09:00AM	349		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/26/2008 7:37:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/26/2008 7:37:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/24/2008 11:09:00AM	0.31		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/26/2008 7:37:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/24/2008 11:09:00AM	26.46		feet	
077424	Iodomethane	N	E83079	SW8260	4/26/2008 7:37:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/26/2008 7:37:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/24/2008 11:09:00AM	4.85		S.U.	
077128	Styrene	N	E83079	SW8260	4/26/2008 7:37:00AM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/24/2008 11:09:00AM	22.29		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/26/2008 7:37:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/26/2008 7:37:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/26/2008 7:37:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/26/2008 7:37:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15796
 WACS Testsite Name: B35-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 11:09:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/26/2008 7:37:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/26/2008 7:37:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/26/2008 7:37:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/24/2008 11:09:00AM	3.02		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/26/2008 7:37:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/26/2008 7:37:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/26/2008 7:37:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15796
WACS Testsite Name: B35-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/24/2008 11:09:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/29/2008 4:49:00AM	0.0059	0.0059	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/29/2008 4:49:00AM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15796
 WACS Testsite Name: B35-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 11:09:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	5/2/2008 2:14:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/29/2008 4:01:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/29/2008 4:01:00AM	120	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/29/2008 4:01:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/30/2008 9:25:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/29/2008 4:01:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/29/2008 4:01:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/29/2008 4:01:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/29/2008 4:01:00AM	11000	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/29/2008 4:01:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2008 6:51:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	4/29/2008 4:01:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/29/2008 4:01:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/29/2008 4:01:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/29/2008 4:01:00AM	23	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	5/2/2008 2:14:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/29/2008 4:01:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/29/2008 4:01:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15796
WACS Testsite Name: B35-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/24/2008 11:09:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/25/2008 1:51:00AM	83	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/25/2008 1:51:00AM	0.01	0.01	mg/L	U
000945	Sulfate	N	E83079	E300.0	4/25/2008 1:51:00AM	0.085	0.085	mg/L	U
070300	TDS	N	E83079	SM2540 C	5/1/2008 10:12:00AM	250	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15796
WACS Testsite Name: B35-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 11:09:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 3:31:00PM	0.098	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15825
 WACS Testsite Name: B64
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 11:27:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/26/2008 8:11:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/26/2008 8:11:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/26/2008 8:11:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/26/2008 8:11:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/26/2008 8:11:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/26/2008 8:11:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/26/2008 8:11:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/26/2008 8:11:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/26/2008 8:11:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/26/2008 8:11:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/26/2008 8:11:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/26/2008 8:11:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/26/2008 8:11:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/26/2008 8:11:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/26/2008 8:11:00AM	5.4	2.5	ug/L	I
034215	Acrylonitrile	N	E83079	SW8260	4/26/2008 8:11:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/26/2008 8:11:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/26/2008 8:11:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/26/2008 8:11:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/26/2008 8:11:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/26/2008 8:11:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/26/2008 8:11:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/26/2008 8:11:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/26/2008 8:11:00AM	1.9	0.17	ug/L	
034311	Chloroethane	N	E83079	SW8260	4/26/2008 8:11:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/26/2008 8:11:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/26/2008 8:11:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/26/2008 8:11:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/26/2008 8:11:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/24/2008 11:27:00AM	1207		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/26/2008 8:11:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/26/2008 8:11:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/24/2008 11:27:00AM	0.13		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/26/2008 8:11:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/24/2008 11:27:00AM	25.62		feet	
077424	Iodomethane	N	E83079	SW8260	4/26/2008 8:11:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/26/2008 8:11:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/24/2008 11:27:00AM	6.42		S.U.	
077128	Styrene	N	E83079	SW8260	4/26/2008 8:11:00AM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/24/2008 11:27:00AM	20.96		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/26/2008 8:11:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/26/2008 8:11:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/26/2008 8:11:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/26/2008 8:11:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15825
 WACS Testsite Name: B64
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 11:27:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to
 Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/26/2008 8:11:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/26/2008 8:11:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/26/2008 8:11:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/24/2008 11:27:00AM	4.14		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/26/2008 8:11:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/26/2008 8:11:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/26/2008 8:11:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15825
WACS Testsite Name: B64
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 11:27:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/29/2008 5:15:00AM	0.0061	0.0061	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/29/2008 5:15:00AM	0.0064	0.0064	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15825
 WACS Testsite Name: B64
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 11:27:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	5/2/2008 2:19:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/29/2008 4:05:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/29/2008 4:05:00AM	200	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/29/2008 4:05:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/30/2008 9:30:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/29/2008 4:05:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/29/2008 4:05:00AM	15	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/29/2008 4:05:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/29/2008 4:05:00AM	40000	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/29/2008 4:05:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2008 6:53:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	4/29/2008 4:05:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/29/2008 4:05:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/29/2008 4:05:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/29/2008 4:05:00AM	67	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	5/2/2008 2:19:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/29/2008 4:05:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/29/2008 4:05:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15825
WACS Testsite Name: B64
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/24/2008 11:27:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/25/2008 2:07:00AM	84	0.12	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/25/2008 2:07:00AM	0.02	0.02	mg/L	U
000945	Sulfate	N	E83079	E300.0	4/25/2008 2:07:00AM	1.5	0.17	mg/L	
070300	TDS	N	E83079	SM2540 C	5/1/2008 10:14:00AM	640	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15825
WACS Testsite Name: B64
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 11:27:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 3:32:00PM	2.1	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15797
 WACS Testsite Name: B35-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 11:53:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/26/2008 8:47:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/26/2008 8:47:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/26/2008 8:47:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/26/2008 8:47:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/26/2008 8:47:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/26/2008 8:47:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/26/2008 8:47:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/26/2008 8:47:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/26/2008 8:47:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/26/2008 8:47:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/26/2008 8:47:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/26/2008 8:47:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/26/2008 8:47:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/26/2008 8:47:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/26/2008 8:47:00AM	3.8	2.5	ug/L	I
034215	Acrylonitrile	N	E83079	SW8260	4/26/2008 8:47:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/26/2008 8:47:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/26/2008 8:47:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/26/2008 8:47:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/26/2008 8:47:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/26/2008 8:47:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/26/2008 8:47:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/26/2008 8:47:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/26/2008 8:47:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/26/2008 8:47:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/26/2008 8:47:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/26/2008 8:47:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/26/2008 8:47:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/26/2008 8:47:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/24/2008 11:53:00AM	335		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/26/2008 8:47:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/26/2008 8:47:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/24/2008 11:53:00AM	0.26		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/26/2008 8:47:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/24/2008 11:53:00AM	26.72		feet	
077424	Iodomethane	N	E83079	SW8260	4/26/2008 8:47:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/26/2008 8:47:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/24/2008 11:53:00AM	4.66		S.U.	
077128	Styrene	N	E83079	SW8260	4/26/2008 8:47:00AM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/24/2008 11:53:00AM	21.53		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/26/2008 8:47:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/26/2008 8:47:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/26/2008 8:47:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/26/2008 8:47:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15797
 WACS Testsite Name: B35-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 11:53:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/26/2008 8:47:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/26/2008 8:47:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/26/2008 8:47:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/24/2008 11:53:00AM	2.48		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/26/2008 8:47:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/26/2008 8:47:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/26/2008 8:47:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15797
WACS Testsite Name: B35-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/24/2008 11:53:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/29/2008 5:42:00AM	0.0063	0.0063	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/29/2008 5:42:00AM	0.0066	0.0066	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15797
 WACS Testsite Name: B35-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 11:53:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	5/2/2008 2:23:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/29/2008 4:09:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/29/2008 4:09:00AM	53	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/29/2008 4:09:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/30/2008 9:34:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/29/2008 4:09:00AM	10	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/29/2008 4:09:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/29/2008 4:09:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/29/2008 4:09:00AM	5600	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/29/2008 4:09:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2008 6:56:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	4/29/2008 4:09:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/29/2008 4:09:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/29/2008 4:09:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/29/2008 4:09:00AM	51	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	5/2/2008 2:23:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/29/2008 4:09:00AM	19	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/29/2008 4:09:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15797
WACS Testsite Name: B35-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/24/2008 11:53:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/25/2008 2:23:00AM	65	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/25/2008 2:23:00AM	0.01	0.01	mg/L	U
000945	Sulfate	N	E83079	E300.0	4/25/2008 2:23:00AM	9.7	0.085	mg/L	
070300	TDS	N	E83079	SM2540 C	5/1/2008 10:15:00AM	250	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15797
WACS Testsite Name: B35-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 11:53:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 3:34:00PM	0.48	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15799
 WACS Testsite Name: B37-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 12:29:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/26/2008 9:21:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/26/2008 9:21:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/26/2008 9:21:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/26/2008 9:21:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/26/2008 9:21:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/26/2008 9:21:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/26/2008 9:21:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/26/2008 9:21:00AM	0.2	0.11	ug/L	I
034531	1,2-Dichloroethane	N	E83079	SW8260	4/26/2008 9:21:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/26/2008 9:21:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/26/2008 9:21:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/26/2008 9:21:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/26/2008 9:21:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/26/2008 9:21:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/26/2008 9:21:00AM	8.3	2.5	ug/L	I
034215	Acrylonitrile	N	E83079	SW8260	4/26/2008 9:21:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/26/2008 9:21:00AM	9.8	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/26/2008 9:21:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/26/2008 9:21:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/26/2008 9:21:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/26/2008 9:21:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/26/2008 9:21:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/26/2008 9:21:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/26/2008 9:21:00AM	9.4	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/26/2008 9:21:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/26/2008 9:21:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/26/2008 9:21:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/26/2008 9:21:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/26/2008 9:21:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/24/2008 12:29:00PM	2371		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/26/2008 9:21:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/26/2008 9:21:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/24/2008 12:29:00PM	0.08		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/26/2008 9:21:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/24/2008 12:29:00PM	26.68		feet	
077424	Iodomethane	N	E83079	SW8260	4/26/2008 9:21:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/26/2008 9:21:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/24/2008 12:29:00PM	6.26		S.U.	
077128	Styrene	N	E83079	SW8260	4/26/2008 9:21:00AM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/24/2008 12:29:00PM	22.28		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/26/2008 9:21:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/26/2008 9:21:00AM	0.38	0.15	ug/L	I
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/26/2008 9:21:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/26/2008 9:21:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15799
 WACS Testsite Name: B37-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 12:29:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/26/2008 9:21:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/26/2008 9:21:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/26/2008 9:21:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/24/2008 12:29:00PM	1.11		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/26/2008 9:21:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/26/2008 9:21:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/26/2008 9:21:00AM	0.76	0.32	ug/L	I

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15799
WACS Testsite Name: B37-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/24/2008 12:29:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/29/2008 6:09:00AM	0.0061	0.0061	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/29/2008 6:09:00AM	0.0064	0.0064	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15799
 WACS Testsite Name: B37-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 12:29:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	5/2/2008 2:28:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/29/2008 4:21:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/29/2008 4:21:00AM	240	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/29/2008 4:21:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/30/2008 9:38:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/29/2008 4:21:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/29/2008 4:21:00AM	37	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/29/2008 4:21:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/29/2008 4:21:00AM	36000	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/29/2008 4:21:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2008 7:05:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	4/29/2008 4:21:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/29/2008 4:21:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/29/2008 4:21:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/29/2008 4:21:00AM	200	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	5/2/2008 2:28:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/29/2008 4:21:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/29/2008 4:21:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15799
WACS Testsite Name: B37-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/24/2008 12:29:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/25/2008 2:38:00AM	130	0.3	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/25/2008 2:38:00AM	0.05	0.05	mg/L	U
000945	Sulfate	N	E83079	E300.0	4/25/2008 2:38:00AM	0.43	0.43	mg/L	U
070300	TDS	N	E83079	SM2540 C	5/1/2008 10:17:00AM	1400	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15799
WACS Testsite Name: B37-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 12:29:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	5/5/2008 11:08:00AM	0.58	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15403
 WACS Testsite Name: B-5
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 12:39:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/26/2008 9:55:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/26/2008 9:55:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/26/2008 9:55:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/26/2008 9:55:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/26/2008 9:55:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/26/2008 9:55:00AM	3.5	0.81	ug/L	
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/26/2008 9:55:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/26/2008 9:55:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/26/2008 9:55:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/26/2008 9:55:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/26/2008 9:55:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/26/2008 9:55:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/26/2008 9:55:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/26/2008 9:55:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/26/2008 9:55:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/26/2008 9:55:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/26/2008 9:55:00AM	0.16	0.16	ug/L	I
073085	Bromochloromethane	N	E83079	SW8260	4/26/2008 9:55:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/26/2008 9:55:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/26/2008 9:55:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/26/2008 9:55:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/26/2008 9:55:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/26/2008 9:55:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/26/2008 9:55:00AM	0.51	0.17	ug/L	I
034311	Chloroethane	N	E83079	SW8260	4/26/2008 9:55:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/26/2008 9:55:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/26/2008 9:55:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/26/2008 9:55:00AM	29	0.92	ug/L	
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/26/2008 9:55:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/24/2008 12:39:00PM	1014		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/26/2008 9:55:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/26/2008 9:55:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/24/2008 12:39:00PM	0.25		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/26/2008 9:55:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/24/2008 12:39:00PM	26.94		feet	
077424	Iodomethane	N	E83079	SW8260	4/26/2008 9:55:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/26/2008 9:55:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/24/2008 12:39:00PM	6.14		S.U.	
077128	Styrene	N	E83079	SW8260	4/26/2008 9:55:00AM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/24/2008 12:39:00PM	22.88		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/26/2008 9:55:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/26/2008 9:55:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/26/2008 9:55:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/26/2008 9:55:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15403
 WACS Testsite Name: B-5
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 12:39:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/26/2008 9:55:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/26/2008 9:55:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/26/2008 9:55:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/24/2008 12:39:00PM	1.26		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/26/2008 9:55:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/30/2008 3:54:00PM	250	3	ug/L	
034020	Xylenes, Total	N	E83079	SW8260	4/26/2008 9:55:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15403
WACS Testsite Name: B-5
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/24/2008 12:39:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/29/2008 6:35:00AM	0.0063	0.0063	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/29/2008 6:35:00AM	0.0066	0.0066	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15403
 WACS Testsite Name: B-5
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 12:39:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	5/2/2008 2:32:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/29/2008 4:25:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/29/2008 4:25:00AM	120	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/29/2008 4:25:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/30/2008 9:42:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/29/2008 4:25:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/29/2008 4:25:00AM	12	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/29/2008 4:25:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/29/2008 4:25:00AM	19000	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/29/2008 4:25:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2008 7:08:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	4/29/2008 4:25:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/29/2008 4:25:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/29/2008 4:25:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/29/2008 4:25:00AM	46	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	5/2/2008 2:32:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/29/2008 4:25:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/29/2008 4:25:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15403
WACS Testsite Name: B-5
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/24/2008 12:39:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/25/2008 2:54:00AM	28	0.12	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/25/2008 2:54:00AM	0.02	0.02	mg/L	U
000945	Sulfate	N	E83079	E300.0	4/25/2008 2:54:00AM	5.8	0.17	mg/L	
070300	TDS	N	E83079	SM2540 C	5/1/2008 10:18:00AM	580	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15403
WACS Testsite Name: B-5
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 12:39:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 3:36:00PM	0.098	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15800
 WACS Testsite Name: B37-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 3:17:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/26/2008 10:29:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/26/2008 10:29:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/26/2008 10:29:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/26/2008 10:29:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/26/2008 10:29:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/26/2008 10:29:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/26/2008 10:29:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/26/2008 10:29:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/26/2008 10:29:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/26/2008 10:29:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/26/2008 10:29:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/26/2008 10:29:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/26/2008 10:29:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/26/2008 10:29:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/26/2008 10:29:00AM	4.9	2.5	ug/L	I
034215	Acrylonitrile	N	E83079	SW8260	4/26/2008 10:29:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/26/2008 10:29:00AM	0.39	0.16	ug/L	I
073085	Bromochloromethane	N	E83079	SW8260	4/26/2008 10:29:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/26/2008 10:29:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/26/2008 10:29:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/26/2008 10:29:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/26/2008 10:29:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/26/2008 10:29:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/26/2008 10:29:00AM	1.4	0.17	ug/L	
034311	Chloroethane	N	E83079	SW8260	4/26/2008 10:29:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/26/2008 10:29:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/26/2008 10:29:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/26/2008 10:29:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/26/2008 10:29:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/24/2008 3:17:00AM	710		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/26/2008 10:29:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/26/2008 10:29:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/24/2008 3:17:00AM	0.11		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/26/2008 10:29:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/24/2008 3:17:00AM	26.81		feet	
077424	Iodomethane	N	E83079	SW8260	4/26/2008 10:29:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/26/2008 10:29:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/24/2008 3:17:00AM	5.99		S.U.	
077128	Styrene	N	E83079	SW8260	4/26/2008 10:29:00AM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/24/2008 3:17:00AM	21.33		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/26/2008 10:29:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/26/2008 10:29:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/26/2008 10:29:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/26/2008 10:29:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15800
 WACS Testsite Name: B37-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 3:17:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/26/2008 10:29:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/26/2008 10:29:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/26/2008 10:29:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/24/2008 3:17:00AM	2.56		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/26/2008 10:29:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/30/2008 5:05:00AM	2.5	0.37	ug/L	
034020	Xylenes, Total	N	E83079	SW8260	4/26/2008 10:29:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15800
WACS Testsite Name: B37-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 3:17:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/29/2008 7:03:00AM	0.0059	0.0059	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/29/2008 7:03:00AM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15800
 WACS Testsite Name: B37-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 3:17:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	5/2/2008 2:37:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/29/2008 4:29:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/29/2008 4:29:00AM	36	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/29/2008 4:29:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/30/2008 9:46:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/29/2008 4:29:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/29/2008 4:29:00AM	6.8	5	ug/L	I
001042	Copper	N	E83079	SW6010	4/29/2008 4:29:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/29/2008 4:29:00AM	9300	20	ug/L	
001051	Lead	N	E83079	SW6010	4/29/2008 4:29:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2008 7:11:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	4/29/2008 4:29:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/29/2008 4:29:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/29/2008 4:29:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/29/2008 4:29:00AM	42	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	5/2/2008 2:37:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/29/2008 4:29:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/29/2008 4:29:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15800
WACS Testsite Name: B37-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/24/2008 3:17:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/25/2008 3:10:00AM	89	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/25/2008 3:10:00AM	0.01	0.01	mg/L	U
000945	Sulfate	N	E83079	E300.0	4/25/2008 3:10:00AM	1.5	0.085	mg/L	
070300	TDS	N	E83079	SM2540 C	5/1/2008 10:20:00AM	410	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15800
WACS Testsite Name: B37-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 3:17:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 3:38:00PM	0.26	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15798
 WACS Testsite Name: B36
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 1:18:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/26/2008 11:06:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/26/2008 11:06:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/26/2008 11:06:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/26/2008 11:06:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/26/2008 11:06:00AM	1.5	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/26/2008 11:06:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/26/2008 11:06:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/26/2008 11:06:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/26/2008 11:06:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/26/2008 11:06:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/26/2008 11:06:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/26/2008 11:06:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/26/2008 11:06:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/26/2008 11:06:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/26/2008 11:06:00AM	4	2.5	ug/L	I
034215	Acrylonitrile	N	E83079	SW8260	4/26/2008 11:06:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/26/2008 11:06:00AM	1.4	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/26/2008 11:06:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/26/2008 11:06:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/26/2008 11:06:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/26/2008 11:06:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/26/2008 11:06:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/26/2008 11:06:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/26/2008 11:06:00AM	1	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/26/2008 11:06:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/26/2008 11:06:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/26/2008 11:06:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/26/2008 11:06:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/26/2008 11:06:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/24/2008 1:18:00PM	1442		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/26/2008 11:06:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/26/2008 11:06:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/24/2008 1:18:00PM	0.25		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/26/2008 11:06:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/24/2008 1:18:00PM	27.21		feet	
077424	Iodomethane	N	E83079	SW8260	4/26/2008 11:06:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/26/2008 11:06:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/24/2008 1:18:00PM	6.1		S.U.	
077128	Styrene	N	E83079	SW8260	4/26/2008 11:06:00AM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/24/2008 1:18:00PM	21.82		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/26/2008 11:06:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/26/2008 11:06:00AM	0.18	0.15	ug/L	I
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/26/2008 11:06:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/26/2008 11:06:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15798
 WACS Testsite Name: B36
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 1:18:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/26/2008 11:06:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/26/2008 11:06:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/26/2008 11:06:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/24/2008 1:18:00PM	1.25		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/26/2008 11:06:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/30/2008 5:40:00AM	1	0.37	ug/L	
034020	Xylenes, Total	N	E83079	SW8260	4/26/2008 11:06:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15798
WACS Testsite Name: B36
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/24/2008 1:18:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/29/2008 7:29:00AM	0.0061	0.0061	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/29/2008 7:29:00AM	0.0064	0.0064	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15798
 WACS Testsite Name: B36
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 1:18:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	5/2/2008 2:50:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/29/2008 4:33:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/29/2008 4:33:00AM	94	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/29/2008 4:33:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/30/2008 9:58:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/29/2008 4:33:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/29/2008 4:33:00AM	19	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/29/2008 4:33:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/29/2008 4:33:00AM	4100	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/29/2008 4:33:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2008 7:20:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	4/29/2008 4:33:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/29/2008 4:33:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/29/2008 4:33:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/29/2008 4:33:00AM	96	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	5/2/2008 2:50:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/29/2008 4:33:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/29/2008 4:33:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15798
WACS Testsite Name: B36
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/24/2008 1:18:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/25/2008 3:57:00AM	190	0.3	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/25/2008 3:57:00AM	0.05	0.05	mg/L	U
000945	Sulfate	N	E83079	E300.0	4/25/2008 3:57:00AM	0.43	0.43	mg/L	U
070300	TDS	N	E83079	SM2540 C	5/1/2008 10:21:00AM	890	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15798
WACS Testsite Name: B36
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 1:18:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 3:39:00PM	0.13	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: Trip Blank
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 12:00:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/26/2008 11:40:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/26/2008 11:40:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/26/2008 11:40:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/26/2008 11:40:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/26/2008 11:40:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/26/2008 11:40:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/26/2008 11:40:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/26/2008 11:40:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/26/2008 11:40:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/26/2008 11:40:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/26/2008 11:40:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/26/2008 11:40:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/26/2008 11:40:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/26/2008 11:40:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/26/2008 11:40:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/26/2008 11:40:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/26/2008 11:40:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/26/2008 11:40:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/26/2008 11:40:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/26/2008 11:40:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/26/2008 11:40:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/26/2008 11:40:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/26/2008 11:40:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/26/2008 11:40:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/26/2008 11:40:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/26/2008 11:40:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/26/2008 11:40:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/26/2008 11:40:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/26/2008 11:40:00AM	0.19	0.19	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	4/26/2008 11:40:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/26/2008 11:40:00AM	0.94	0.94	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	4/26/2008 11:40:00AM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	4/26/2008 11:40:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/26/2008 11:40:00AM	0.33	0.33	ug/L	U
077128	Styrene	N	E83079	SW8260	4/26/2008 11:40:00AM	0.59	0.59	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	4/26/2008 11:40:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/26/2008 11:40:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/26/2008 11:40:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/26/2008 11:40:00AM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/26/2008 11:40:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/26/2008 11:40:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/26/2008 11:40:00AM	0.2	0.2	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	4/26/2008 11:40:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/26/2008 11:40:00AM	0.37	0.37	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 2/17/2009

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: Trip Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2008 12:00:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	4/26/2008 11:40:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: ANNLC

Description: Annual Leachate: 62-701.510(8)(C)&(D) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15844
 WACS Testsite Name: L-1
 Water Classification: LC
 (i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 4/25/2008 1:15:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	5/5/2008 4:44:00PM	2	2	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	5/5/2008 4:44:00PM	2	2	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	5/5/2008 4:44:00PM	1	1	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	5/5/2008 4:44:00PM	2	2	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	5/5/2008 4:44:00PM	2	2	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	5/5/2008 4:44:00PM	2	2	ug/L	U
077168	1,1-Dichloropropene	N	E83079	SW8260	5/5/2008 4:44:00PM	2	2	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	5/5/2008 4:44:00PM	1	1	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	5/5/2008 4:44:00PM	2	2	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	5/5/2008 4:44:00PM	2	2	ug/L	U
077173	1,3-Dichloropropane	N	E83079	SW8260	5/5/2008 4:44:00PM	2	2	ug/L	U
077170	2,2-Dichloropropane	N	E83079	SW8260	5/5/2008 4:44:00PM	2	2	ug/L	U
081595	2-Butanone	N	E83079	SW8260	5/5/2008 4:44:00PM	20	20	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	5/5/2008 4:44:00PM	20	20	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	5/5/2008 4:44:00PM	20	20	ug/L	U
081552	Acetone	N	E83079	SW8260	5/5/2008 4:44:00PM	20	20	ug/L	U
076997	Acetonitrile	N	E83079	SW8260	5/5/2008 4:44:00PM	20	20	ug/L	U
034210	Acrolein	N	E83079	SW8260	5/5/2008 4:44:00PM	40	40	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	5/5/2008 4:44:00PM	20	20	ug/L	U
078109	Allyl chloride	N	E83079	SW8260	5/5/2008 4:44:00PM	2	2	ug/L	U
034030	Benzene	N	E83079	SW8260	5/5/2008 4:44:00PM	2	2	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	5/5/2008 4:44:00PM	2	2	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	5/5/2008 4:44:00PM	1.2	1.2	ug/L	U
032104	Bromoform	N	E83079	SW8260	5/5/2008 4:44:00PM	2	2	ug/L	U
034413	Bromomethane	N	E83079	SW8260	5/5/2008 4:44:00PM	2	2	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	5/5/2008 4:44:00PM	2	2	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	5/5/2008 4:44:00PM	2	2	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	5/5/2008 4:44:00PM	2	2	ug/L	U
034311	Chloroethane	N	E83079	SW8260	5/5/2008 4:44:00PM	2	2	ug/L	U
032106	Chloroform	N	E83079	SW8260	5/5/2008 4:44:00PM	2	2	ug/L	U
034418	Chloromethane	N	E83079	SW8260	5/5/2008 4:44:00PM	2	2	ug/L	U
081520	Chloroprene	N	E83079	SW8260	5/5/2008 4:44:00PM	2	2	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	5/5/2008 4:44:00PM	2	2	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	5/5/2008 4:44:00PM	1	1	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/25/2008 1:15:00PM	5660		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	5/5/2008 4:44:00PM	1	1	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	5/5/2008 4:44:00PM	2	2	ug/L	U
034668	Dichlorodifluoromethane	N	E83079	SW8260	5/5/2008 4:44:00PM	2	2	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/25/2008 1:15:00PM	5.1		mg/L	
073570	Ethyl methacrylate	N	E83079	SW8260	5/5/2008 4:44:00PM	2	2	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	5/5/2008 4:44:00PM	2	2	ug/L	U
034391	Hexachlorobutadiene	N	E83079	SW8260	5/5/2008 4:44:00PM	2	2	ug/L	U
077424	Iodomethane	N	E83079	SW8260	5/5/2008 4:44:00PM	2	2	ug/L	U
077033	Isobutyl Alcohol	N	E83079	SW8260	5/5/2008 4:44:00PM	40	40	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 2/17/2009

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 15844
 WACS Testsite Name: L-1
 Water Classification: LC
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 1:15:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
081593	Methacrylonitrile	N	E83079	SW8260	5/5/2008 4:44:00PM	20	20	ug/L	U
081597	Methyl methacrylate	N	E83079	SW8260	5/5/2008 4:44:00PM	20	20	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	5/5/2008 4:44:00PM	10	10	ug/L	U
000406	pH	N	E83079	E150.1	4/25/2008 1:15:00PM	8.38		S.U.	
077007	Propionitrile	N	E83079	SW8260	5/5/2008 4:44:00PM	20	20	ug/L	U
077128	Styrene	N	E83079	SW8260	5/5/2008 4:44:00PM	2	2	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/25/2008 1:15:00PM	26.31		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	5/5/2008 4:44:00PM	2	2	ug/L	U
034010	Toluene	N	E83079	SW8260	5/5/2008 4:44:00PM	2	2	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	5/5/2008 4:44:00PM	2	2	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	5/5/2008 4:44:00PM	1	1	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	5/5/2008 4:44:00PM	20	20	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	5/5/2008 4:44:00PM	2	2	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	5/5/2008 4:44:00PM	2	2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/25/2008 1:15:00PM	71.4		NTU	
077057	Vinyl acetate	N	E83079	SW8260	5/5/2008 4:44:00PM	4	4	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	5/5/2008 4:44:00PM	2	2	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	5/5/2008 4:44:00PM	2	2	ug/L	U

Total Parameters Monitored: 62

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: ANNLC

Description: Annual Leachate: 62-701.510(8)(C)&(D) (3 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15844
 WACS Testsite Name: L-1
 Water Classification: LC
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 1:15:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077734	1,2,4,5-Tetrachlorobenzene	N	E83079	SW8270	5/1/2008 2:39:00AM	0.67	0.67	ug/L	U
034551	1,2,4-Trichlorobenzene	N	E83079	SW8270	5/1/2008 2:39:00AM	0.79	0.79	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8270	5/1/2008 2:39:00AM	0.65	0.65	ug/L	U
045622	1,2-Dinitrobenzene	N	E83079	SW8270	5/1/2008 2:39:00AM	1.1	1.1	ug/L	U
034346	1,2-Diphenylhydrazine	N	E83079	SW8270	5/1/2008 2:39:00AM	0.63	0.63	ug/L	U
073653	1,3,5-Trinitrobenzene	N	E83079	SW8270	5/1/2008 2:39:00AM	1.2	1.2	ug/L	U
034566	1,3-Dichlorobenzene	N	E83079	SW8270	5/1/2008 2:39:00AM	0.72	0.72	ug/L	U
045622	1,3-Dinitrobenzene	N	E83079	SW8270	5/1/2008 2:39:00AM	0.65	0.65	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8270	5/1/2008 2:39:00AM	0.73	0.73	ug/L	U
073599	1,4-Naphthoquinone	N	E83079	SW8270	5/1/2008 2:39:00AM	1.1	1.1	ug/L	U
073628	1,4-Phenylenediamine	N	E83079	SW8270	5/1/2008 2:39:00AM	0.51	0.51	ug/L	U
073600	1-Naphthylamine	N	E83079	SW8270	5/1/2008 2:39:00AM	0.98	0.98	ug/L	U
077770	2,3,4,6/2,3,4,5-Tetrachlorophenol	N	E83079	SW8270	5/1/2008 2:39:00AM	3.7	3.7	ug/L	U
077687	2,4,5-Trichlorophenol	N	E83079	SW8270	5/1/2008 2:39:00AM	0.5	0.5	ug/L	U
034621	2,4,6-Trichlorophenol	N	E83079	SW8270	5/1/2008 2:39:00AM	0.66	0.66	ug/L	U
034601	2,4-Dichlorophenol	N	E83079	SW8270	5/1/2008 2:39:00AM	0.53	0.53	ug/L	U
034606	2,4-Dimethylphenol	N	E83079	SW8270	5/1/2008 2:39:00AM	1.5	1.5	ug/L	U
034616	2,4-Dinitrophenol	N	E83079	SW8270	5/1/2008 2:39:00AM	1.5	1.5	ug/L	U
034611	2,4-Dinitrotoluene	N	E83079	SW8270	5/1/2008 2:39:00AM	0.51	0.51	ug/L	U
077541	2,6-Dichlorophenol	N	E83079	SW8270	5/1/2008 2:39:00AM	0.59	0.59	ug/L	U
034626	2,6-Dinitrotoluene	N	E83079	SW8270	5/1/2008 2:39:00AM	1.2	1.2	ug/L	U
073501	2-Acetylaminofluorene	N	E83079	SW8270	5/1/2008 2:39:00AM	0.62	0.62	ug/L	U
034581	2-Chloronaphthalene	N	E83079	SW8270	5/1/2008 2:39:00AM	0.76	0.76	ug/L	U
034586	2-Chlorophenol	N	E83079	SW8270	5/1/2008 2:39:00AM	0.65	0.65	ug/L	U
077416	2-Methylnaphthalene	N	E83079	SW8270	5/1/2008 2:39:00AM	0.94	0.94	ug/L	U
077152	2-Methylphenol	N	E83079	SW8270	5/1/2008 2:39:00AM	0.7	0.7	ug/L	U
073601	2-Naphthylamine	N	E83079	SW8270	5/1/2008 2:39:00AM	2.2	2.2	ug/L	U
078142	2-Nitroaniline	N	E83079	SW8270	5/1/2008 2:39:00AM	0.57	0.57	ug/L	U
034591	2-Nitrophenol	N	E83079	SW8270	5/1/2008 2:39:00AM	0.77	0.77	ug/L	U
977148	3&4-Methylphenol	N	E83079	SW8270	5/1/2008 2:39:00AM	0.63	0.63	ug/L	U
034631	3,3'-Dichlorobenzidine	N	E83079	SW8270	5/1/2008 2:39:00AM	0.66	0.66	ug/L	U
082213	3,3'-Dimethylbenzidine	N	E83079	SW8270	5/1/2008 2:39:00AM	3	3	ug/L	U
073591	3-Methylcholanthrene	N	E83079	SW8270	5/1/2008 2:39:00AM	0.99	0.99	ug/L	U
078300	3-Nitroaniline	N	E83079	SW8270	5/1/2008 2:39:00AM	0.94	0.94	ug/L	U
034657	4,6-Dinitro-2-methylphenol	N	E83079	SW8270	5/1/2008 2:39:00AM	1.3	1.3	ug/L	U
077581	4-Aminobiphenyl	N	E83079	SW8270	5/1/2008 2:39:00AM	2.7	2.7	ug/L	U
034636	4-Bromophenyl phenyl ether	N	E83079	SW8270	5/1/2008 2:39:00AM	0.64	0.64	ug/L	U
034452	4-Chloro-3-methylphenol	N	E83079	SW8270	5/1/2008 2:39:00AM	0.59	0.59	ug/L	U
073529	4-Chloroaniline	N	E83079	SW8270	5/1/2008 2:39:00AM	1.2	1.2	ug/L	U
034641	4-Chlorophenyl phenyl ether	N	E83079	SW8270	5/1/2008 2:39:00AM	0.6	0.6	ug/L	U
030342	4-Nitroaniline	N	E83079	SW8270	5/1/2008 2:39:00AM	0.66	0.66	ug/L	U
034646	4-Nitrophenol	N	E83079	SW8270	5/1/2008 2:39:00AM	1	1	ug/L	U
073622	5-Nitro-o-toluidine	N	E83079	SW8270	5/1/2008 2:39:00AM	1.2	1.2	ug/L	U
073559	7,12-Dimethylbenz(a)anthracene	N	E83079	SW8270	5/1/2008 2:39:00AM	1.9	1.9	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15844
 WACS Testsite Name: L-1
 Water Classification: LC
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 1:15:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034205	Acenaphthene	N	E83079	SW8270	5/1/2008 2:39:00AM	0.82	0.82	ug/L	U
034200	Acenaphthylene	N	E83079	SW8270	5/1/2008 2:39:00AM	0.91	0.91	ug/L	U
081553	Acetophenone	N	E83079	SW8270	5/1/2008 2:39:00AM	1.4	1.4	ug/L	U
034220	Anthracene	N	E83079	SW8270	5/1/2008 2:39:00AM	0.57	0.57	ug/L	U
034526	Benzo(a)anthracene	N	E83079	SW8270	5/1/2008 2:39:00AM	0.6	0.6	ug/L	U
034247	Benzo(a)pyrene	N	E83079	SW8270	5/1/2008 2:39:00AM	0.55	0.55	ug/L	U
034230	Benzo(b)fluoranthene	N	E83079	SW8270	5/1/2008 2:39:00AM	0.59	0.59	ug/L	U
034521	Benzo(g,h,i)perylene	N	E83079	SW8270	5/1/2008 2:39:00AM	0.65	0.65	ug/L	U
034242	Benzo(k)fluoranthene	N	E83079	SW8270	5/1/2008 2:39:00AM	0.49	0.49	ug/L	U
077147	Benzyl alcohol	N	E83079	SW8270	5/1/2008 2:39:00AM	0.97	0.97	ug/L	U
073522	Bis(2-chloro-1-methylethyl)ether	N	E83079	SW8270	5/1/2008 2:39:00AM	0.7	0.7	ug/L	U
034278	Bis(2-chloroethoxy)methane	N	E83079	SW8270	5/1/2008 2:39:00AM	2.8	2.8	ug/L	U
034273	Bis(2-chloroethyl)ether	N	E83079	SW8270	5/1/2008 2:39:00AM	0.71	0.71	ug/L	U
039100	Bis(2-ethylhexyl)phthalate	N	E83079	SW8270	5/1/2008 2:39:00AM	0.76	0.76	ug/L	U
034292	Butyl benzyl phthalate	N	E83079	SW8270	5/1/2008 2:39:00AM	0.69	0.69	ug/L	U
034320	Chrysene	N	E83079	SW8270	5/1/2008 2:39:00AM	0.35	0.35	ug/L	U
073540	Diallate	N	E83079	SW8270	5/1/2008 2:39:00AM	0.69	0.69	ug/L	U
034556	Dibenzo(a,h)anthracene	N	E83079	SW8270	5/1/2008 2:39:00AM	0.62	0.62	ug/L	U
081302	Dibenzofuran	N	E83079	SW8270	5/1/2008 2:39:00AM	0.64	0.64	ug/L	U
034336	Diethyl phthalate	N	E83079	SW8270	5/1/2008 2:39:00AM	0.49	0.49	ug/L	U
034341	Dimethyl phthalate	N	E83079	SW8270	5/1/2008 2:39:00AM	0.61	0.61	ug/L	U
039110	Di-n-butyl phthalate	N	E83079	SW8270	5/1/2008 2:39:00AM	0.39	0.39	ug/L	U
034596	Di-n-octyl phthalate	N	E83079	SW8270	5/1/2008 2:39:00AM	0.86	0.86	ug/L	U
073571	Ethyl methanesulfonate	N	E83079	SW8270	5/1/2008 2:39:00AM	0.86	0.86	ug/L	U
034376	Fluoranthene	N	E83079	SW8270	5/1/2008 2:39:00AM	0.51	0.51	ug/L	U
034381	Fluorene	N	E83079	SW8270	5/1/2008 2:39:00AM	0.53	0.53	ug/L	U
039700	Hexachlorobenzene	N	E83079	SW8270	5/1/2008 2:39:00AM	0.76	0.76	ug/L	U
034386	Hexachlorocyclopentadiene	N	E83079	SW8270	5/1/2008 2:39:00AM	1.2	1.2	ug/L	U
034396	Hexachloroethane	N	E83079	SW8270	5/1/2008 2:39:00AM	0.68	0.68	ug/L	U
073576	Hexachloropropene	N	E83079	SW8270	5/1/2008 2:39:00AM	1.3	1.3	ug/L	U
034403	Indeno(1,2,3-cd)pyrene	N	E83079	SW8270	5/1/2008 2:39:00AM	0.7	0.7	ug/L	U
039430	Isodrin	N	E83079	SW8270	5/1/2008 2:39:00AM	0.51	0.51	ug/L	U
034408	Isophorone	N	E83079	SW8270	5/1/2008 2:39:00AM	0.7	0.7	ug/L	U
073582	Isosafrole	N	E83079	SW8270	5/1/2008 2:39:00AM	0.57	0.57	ug/L	U
081281	Kepone	N	E83079	SW8270	5/1/2008 2:39:00AM	2.2	2.2	ug/L	U
073589	Methapyrilene	N	E83079	SW8270	5/1/2008 2:39:00AM	1.6	1.6	ug/L	U
073595	Methyl methanesulfonate	N	E83079	SW8270	5/1/2008 2:39:00AM	0.95	0.95	ug/L	U
034696	Naphthalene	N	E83079	SW8270	5/1/2008 2:39:00AM	0.74	0.74	ug/L	U
034447	Nitrobenzene	N	E83079	SW8270	5/1/2008 2:39:00AM	1	1	ug/L	U
073611	N-Nitrosodiethylamine	N	E83079	SW8270	5/1/2008 2:39:00AM	0.7	0.7	ug/L	U
034438	N-Nitrosodimethylamine	N	E83079	SW8270	5/1/2008 2:39:00AM	0.92	0.92	ug/L	U
073609	N-Nitroso-di-n-butylamine	N	E83079	SW8270	5/1/2008 2:39:00AM	0.52	0.52	ug/L	U
034428	N-Nitroso-di-n-propylamine	N	E83079	SW8270	5/1/2008 2:39:00AM	0.9	0.9	ug/L	U
034433	N-Nitrosodiphenylamine	N	E83079	SW8270	5/1/2008 2:39:00AM	0.48	0.48	ug/L	U
073613	N-Nitrosomethylethylamine	N	E83079	SW8270	5/1/2008 2:39:00AM	0.71	0.71	ug/L	U
073619	N-Nitrosopiperidine	N	E83079	SW8270	5/1/2008 2:39:00AM	0.61	0.61	ug/L	U
078206	N-Nitrosopyrrolidine	N	E83079	SW8270	5/1/2008 2:39:00AM	0.84	0.84	ug/L	U
073652	o,o,o-Triethylphosphorothioate	N	E83079	SW8270	5/1/2008 2:39:00AM	0.66	0.66	ug/L	U
077142	o-Toluidine	N	E83079	SW8270	5/1/2008 2:39:00AM	1	1	ug/L	U
073558	p-Dimethylaminoazobenzene	N	E83079	SW8270	5/1/2008 2:39:00AM	0.64	0.64	ug/L	U
077793	Pentachlorobenzene	N	E83079	SW8270	5/1/2008 2:39:00AM	0.74	0.74	ug/L	U
073626	Phenacetin	N	E83079	SW8270	5/1/2008 2:39:00AM	0.51	0.51	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15844
 WACS Testsite Name: L-1
 Water Classification: LC
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 1:15:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to
 Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034461	Phenanthrene	N	E83079	SW8270	5/1/2008 2:39:00AM	0.5	0.5	ug/L	U
034694	Phenol	N	E83079	SW8270	5/1/2008 2:39:00AM	0.51	0.51	ug/L	U
039080	Pronamide	N	E83079	SW8270	5/1/2008 2:39:00AM	1.1	1.1	ug/L	U
034469	Pyrene	N	E83079	SW8270	5/1/2008 2:39:00AM	0.65	0.65	ug/L	U
077545	Safrole	N	E83079	SW8270	5/1/2008 2:39:00AM	0.81	0.81	ug/L	U
073553	Thionazin	N	E83079	SW8270	5/1/2008 2:39:00AM	0.58	0.58	ug/L	U

Total Parameters Monitored: 102

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: ANNLC

Description: Annual Leachate: 62-701.510(8)(C)&(D) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15844
 WACS Testsite Name: L-1
 Water Classification: LC
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 1:15:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
039360	4,4'-DDD	N	E83079	SW8081	4/30/2008 3:46:00AM	0.0076	0.0076	ug/L	U
039365	4,4'-DDE	N	E83079	SW8081	4/30/2008 3:46:00AM	0.0086	0.0086	ug/L	U
039370	4,4'-DDT	N	E83079	SW8081	4/30/2008 3:46:00AM	0.0076	0.0076	ug/L	U
039330	Aldrin	N	E83079	SW8081	4/30/2008 3:46:00AM	0.0057	0.0057	ug/L	U
039337	alpha-BHC	N	E83079	SW8081	4/30/2008 3:46:00AM	0.0048	0.0048	ug/L	U
034671	Aroclor 1016	N	E83079	SW8082	4/30/2008 3:46:00AM	0.095	0.095	ug/L	U
039488	Aroclor 1221	N	E83079	SW8082	4/30/2008 3:46:00AM	0.15	0.15	ug/L	U
039492	Aroclor 1232	N	E83079	SW8082	4/30/2008 3:46:00AM	0.1	0.1	ug/L	U
039496	Aroclor 1242	N	E83079	SW8082	4/30/2008 3:46:00AM	0.16	0.16	ug/L	U
039500	Aroclor 1248	N	E83079	SW8082	4/30/2008 3:46:00AM	0.12	0.12	ug/L	U
039504	Aroclor 1254	N	E83079	SW8082	4/30/2008 3:46:00AM	0.095	0.095	ug/L	U
039508	Aroclor 1260	N	E83079	SW8082	4/30/2008 3:46:00AM	0.1	0.1	ug/L	U
039338	beta-BHC	N	E83079	SW8081	4/30/2008 3:46:00AM	0.0057	0.0057	ug/L	U
039350	Chlordane	N	E83079	SW8081	4/30/2008 3:46:00AM	0.076	0.076	ug/L	U
039460	Chlorobenzilate	N	E83079	SW8081	4/30/2008 3:46:00AM	0.02	0.02	ug/L	U
046323	delta-BHC	N	E83079	SW8081	4/30/2008 3:46:00AM	0.0076	0.0076	ug/L	U
039380	Dieldrin	N	E83079	SW8081	4/30/2008 3:46:00AM	0.0048	0.0048	ug/L	U
034361	Endosulfan I	N	E83079	SW8081	4/30/2008 3:46:00AM	0.0076	0.0076	ug/L	U
034356	Endosulfan II	N	E83079	SW8081	4/30/2008 3:46:00AM	0.0086	0.0086	ug/L	U
034351	Endosulfan sulfate	N	E83079	SW8081	4/30/2008 3:46:00AM	0.0095	0.0095	ug/L	U
039390	Endrin	N	E83079	SW8081	4/30/2008 3:46:00AM	0.0086	0.0086	ug/L	U
034366	Endrin aldehyde	N	E83079	SW8081	4/30/2008 3:46:00AM	0.0067	0.0067	ug/L	U
039340	gamma-BHC	N	E83079	SW8081	4/30/2008 3:46:00AM	0.0076	0.0076	ug/L	U
039410	Heptachlor	N	E83079	SW8081	4/30/2008 3:46:00AM	0.0057	0.0057	ug/L	U
039420	Heptachlor epoxide	N	E83079	SW8081	4/30/2008 3:46:00AM	0.0086	0.0086	ug/L	U
039480	Methoxychlor	N	E83079	SW8081	4/30/2008 3:46:00AM	0.0076	0.0076	ug/L	U
081316	Pentachloronitrobenzene	N	E83079	SW8081	4/30/2008 3:46:00AM	0.014	0.014	ug/L	U
039400	Toxaphene	N	E83079	SW8081	4/30/2008 3:46:00AM	0.35	0.35	ug/L	U

Total Parameters Monitored: 28

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: ANNLC

Description: Annual Leachate: 62-701.510(8)(C)&(D) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15844
WACS Testsite Name: L-1
Water Classification: LC
(i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 4/25/2008 1:15:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
046314	Dimethoate	N	E83079	SW8141	5/2/2008 8:55:00PM	0.12	0.12	ug/L	U
081888	Disulfoton	N	E83079	SW8141	5/2/2008 8:55:00PM	0.16	0.16	ug/L	U
038462	Famphur	N	E83079	SW8141	5/2/2008 8:55:00PM	0.053	0.053	ug/L	U
039540	Parathion, Ethyl	N	E83079	SW8141	5/2/2008 8:55:00PM	0.21	0.21	ug/L	U
039600	Parathion, Methyl	N	E83079	SW8141	5/2/2008 8:55:00PM	0.13	0.13	ug/L	U
046313	Phorate	N	E83079	SW8141	5/2/2008 8:55:00PM	0.096	0.096	ug/L	U

Total Parameters Monitored: 6

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: ANNLC

Description: Annual Leachate: 62-701.510(8)(C)&(D) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15844
WACS Testsite Name: L-1
Water Classification: LC
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/25/2008 1:15:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
039740	2,4,5-T	N	E83079	SW8151	5/6/2008 6:08:00PM	0.019	0.019	ug/L	U
039760	2,4,5-TP (Silvex)	N	E83079	SW8151	5/6/2008 6:08:00PM	0.029	0.029	ug/L	U
039730	2,4-D	N	E83079	SW8151	5/6/2008 6:08:00PM	0.14	0.14	ug/L	U
081287	Dinoseb	N	E83079	SW8151	5/6/2008 6:08:00PM	0.086	0.086	ug/L	U
039032	Pentachlorophenol	N	E83079	SW8151	5/6/2008 6:08:00PM	0.027	0.027	ug/L	U

Total Parameters Monitored: 5

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: ANNLC

Description: Annual Leachate: 62-701.510(8)(C)&(D) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15844
WACS Testsite Name: L-1
Water Classification: LC
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 1:15:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/29/2008 9:17:00AM	0.006	0.006	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/29/2008 9:17:00AM	0.0063	0.0063	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: ANNLC

Description: Annual Leachate: 62-701.510(8)(C)&(D) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15844
 WACS Testsite Name: L-1
 Water Classification: LC
(i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 4/25/2008 1:15:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	5/1/2008 9:42:00PM	12	2.5	ug/L	
001002	Arsenic	N	E83079	SW6010	4/30/2008 3:06:00AM	83	5	ug/L	
001007	Barium	N	E83079	SW6010	4/30/2008 3:06:00AM	110	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/30/2008 3:06:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/30/2008 3:06:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/30/2008 3:06:00AM	140	2.5	ug/L	
001037	Cobalt	N	E83079	SW6010	4/30/2008 3:06:00AM	55	5	ug/L	
001042	Copper	N	E83079	SW6010	4/30/2008 3:06:00AM	13	2.5	ug/L	
001045	Iron	N	E83079	SW6010	4/30/2008 3:06:00AM	8700	20	ug/L	
001051	Lead	N	E83079	SW6010	4/30/2008 3:06:00AM	8	5	ug/L	I
071900	Mercury	N	E83079	SW7470	5/2/2008 2:25:00PM	0.061	0.02	ug/L	I
001067	Nickel	N	E83079	SW6010	4/30/2008 3:06:00AM	140	2.5	ug/L	
001147	Selenium	N	E83079	SW6010	4/30/2008 3:06:00AM	14	7.5	ug/L	I
001077	Silver	N	E83079	SW6010	4/30/2008 3:06:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/30/2008 11:48:00PM	970	5	mg/L	
001059	Thallium	N	E83079	SW6020	5/1/2008 9:42:00PM	2.5	2.5	ug/L	U
001102	Tin	N	E83079	SW6010	4/30/2008 3:06:00AM	25	25	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/30/2008 3:06:00AM	65	5	ug/L	
001092	Zinc	N	E83079	SW6010	4/30/2008 3:06:00AM	72	10	ug/L	

Total Parameters Monitored: 19

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: ANNLC

Description: Annual Leachate: 62-701.510(8)(C)&(D) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15844
WACS Testsite Name: L-1
Water Classification: LC
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/25/2008 1:15:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000440	Bicarbonate Ion	N	E83079	SM2320 B	5/2/2008 5:28:00PM	130	2	mg/L	
000940	Chloride	N	E83079	E300.0	4/26/2008 1:47:00AM	1200	1.2	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/26/2008 1:47:00AM	9.6	0.2	mg/L	
070300	TDS	N	E83079	SM2540 C	5/2/2008 10:02:00AM	4500	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: ANNLC

Description: Annual Leachate: 62-701.510(8)(C)&(D) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15844
WACS Testsite Name: L-1
Water Classification: LC
(i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 4/25/2008 1:15:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000720	Cyanide	N	E83079	E335.4	5/6/2008 3:11:00PM	0.025	0.0074	mg/L	I

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: ANNLC

Description: Annual Leachate: 62-701.510(8)(C)&(D) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15844
WACS Testsite Name: L-1
Water Classification: LC
(i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 4/25/2008 1:15:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000745	Sulfide	N	E83079	SM4500S-E	4/29/2008 6:50:00PM	50	50	mg/L	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: ANNLC

Description: Annual Leachate: 62-701.510(8)(C)&(D) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15844
WACS Testsite Name: L-1
Water Classification: LC
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/25/2008 1:15:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 3:52:00PM	0.94	0.4	mg/L	I

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: SW-IIIF
 (i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 4/25/2008 9:30:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/29/2008 9:11:00PM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/29/2008 9:11:00PM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/29/2008 9:11:00PM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/29/2008 9:11:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/29/2008 9:11:00PM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/29/2008 9:11:00PM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/29/2008 9:11:00PM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/29/2008 9:11:00PM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/29/2008 9:11:00PM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/29/2008 9:11:00PM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/29/2008 9:11:00PM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/29/2008 9:11:00PM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/29/2008 9:11:00PM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/29/2008 9:11:00PM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/29/2008 9:11:00PM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/29/2008 9:11:00PM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/29/2008 9:11:00PM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/29/2008 9:11:00PM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/29/2008 9:11:00PM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/29/2008 9:11:00PM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/29/2008 9:11:00PM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/29/2008 9:11:00PM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/29/2008 9:11:00PM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/29/2008 9:11:00PM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/29/2008 9:11:00PM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/29/2008 9:11:00PM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/29/2008 9:11:00PM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/29/2008 9:11:00PM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/29/2008 9:11:00PM	0.19	0.19	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	4/29/2008 9:11:00PM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/29/2008 9:11:00PM	0.94	0.94	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	4/29/2008 9:11:00PM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	4/29/2008 9:11:00PM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/29/2008 9:11:00PM	1	0.33	ug/L	I
077128	Styrene	N	E83079	SW8260	4/29/2008 9:11:00PM	0.59	0.59	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	4/29/2008 9:11:00PM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/29/2008 9:11:00PM	0.27	0.15	ug/L	I
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/29/2008 9:11:00PM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/29/2008 9:11:00PM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/29/2008 9:11:00PM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/29/2008 9:11:00PM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/29/2008 9:11:00PM	0.2	0.2	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	4/29/2008 9:11:00PM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/29/2008 9:11:00PM	0.37	0.37	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: SW-IIIF
 (i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 4/25/2008 9:30:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	4/29/2008 9:11:00PM	0.32	0.32	ug/L	U

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540

Sample Date/Time: 4/25/2008 9:30:00AM

WACS Testsite ID #: _____

Sampling Method: Grab

WACS Testsite Name: EQ Blank

Permitted Well Type: CO - Compliance

Water Classification: SW-IIIF
(i.e.: LC - Leachate, G-II, SW-IIIF)

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	E504.1	5/1/2008 4:18:00AM	0.004	0.004	ug/L	U
046369	1,2-Dibromoethane	N	E83079	E504.1	5/1/2008 4:18:00AM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: SW-IIIF
(i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 4/25/2008 9:30:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	E200.7	4/29/2008 11:08:00PM	7.5	7.5	ug/L	U
001002	Arsenic	N	E83079	E200.7	4/29/2008 11:08:00PM	5	5	ug/L	U
001007	Barium	N	E83079	E200.7	4/29/2008 11:08:00PM	5	5	ug/L	U
001012	Beryllium	N	E83079	E200.8	4/29/2008 9:08:00PM	0.05	0.05	ug/L	U
001027	Cadmium	N	E83079	E200.8	4/29/2008 9:08:00PM	0.072	0.072	ug/L	U
001034	Chromium	N	E83079	E200.7	4/29/2008 11:08:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	E200.7	4/29/2008 11:08:00PM	5	5	ug/L	U
001042	Copper	N	E83079	E200.8	4/29/2008 9:08:00PM	3.7	0.72	ug/L	U
001045	Iron	N	E83079	E200.7	4/29/2008 11:08:00PM	20	20	ug/L	U
001051	Lead	N	E83079	E200.8	4/29/2008 9:08:00PM	0.5	0.5	ug/L	U
071900	Mercury	N	E83079	E245.1	5/2/2008 12:13:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	E200.7	4/29/2008 11:08:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	E200.7	4/30/2008 10:18:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	E200.8	4/29/2008 9:08:00PM	0.05	0.05	ug/L	U
000929	Sodium	N	E83079	E200.7	4/29/2008 11:08:00PM	0.5	0.5	mg/L	U
001059	Thallium	N	E83079	E200.7	4/29/2008 11:08:00PM	7.5	7.5	ug/L	U
000900	Total Hardness as CaCO3	N	E83079	E200.7	4/29/2008 11:08:00PM	1.6	1.6	mg/L	U
001087	Vanadium	N	E83079	E200.7	4/29/2008 11:08:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	E200.7	4/29/2008 11:08:00PM	10	10	ug/L	U

Total Parameters Monitored: 19

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540

Sample Date/Time: 4/25/2008 9:30:00AM

WACS Testsite ID #: _____

Sampling Method: Grab

WACS Testsite Name: EQ Blank

Permitted Well Type: CO - Compliance

Water Classification: SW-IIIF
(i.e.: LC - Leachate, G-II, SW-IIIF)

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000310	Biochemical Oxygen Demand	N	E83079	SM5210 B	4/30/2008 5:00:00PM	2	2	mg/L	U
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/25/2008 4:23:00PM	0.01	0.01	mg/L	U
000530	Solids, Suspended (Residue, Non-Filterable)	N	E83079	SM2540 D	4/29/2008 5:20:00PM	5	5	mg/L	U
070300	TDS	N	E83079	SM2540 C	5/2/2008 10:05:00AM	5	5	mg/L	U

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540

Sample Date/Time: 4/25/2008 9:30:00AM

WACS Testsite ID #: _____

Sampling Method: Grab

WACS Testsite Name: EQ Blank

Permitted Well Type: CO - Compliance

Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
032211	Chlorophyll a	N	E83079	SM10200H	5/14/2008 11:29:00AM	1	1	ug/L	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540

Sample Date/Time: 4/25/2008 9:30:00AM

WACS Testsite ID #: _____

Sampling Method: Grab

WACS Testsite Name: EQ Blank

Permitted Well Type: CO - Compliance

Water Classification: SW-IIIF
(i.e.: LC - Leachate, G-II, SW-IIIF)

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	5/5/2008 12:36:00PM	0.02	0.02	mg/L	U
000340	Chemical Oxygen Demand	N	E83079	E410.4	5/6/2008 10:12:00AM	12	12	mg/L	U
000612	Nitrogen, Ammonia (Unionized)	N	E83079	DEPSOP	5/5/2008 12:36:00PM	0.02	0.02	mg/L	U
000600	Total Nitrogen	N	E83079	EPA351.2+353.2	5/2/2008 12:00:00PM	0.25	0.25	mg/L	U
000650	Total Phosphates as PO4	N	E83079	E365.4	5/1/2008 5:17:00PM	0.05	0.05	mg/L	U

Total Parameters Monitored: 5

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540

Sample Date/Time: 4/25/2008 9:30:00AM

WACS Testsite ID #: _____

Sampling Method: Grab

WACS Testsite Name: EQ Blank

Permitted Well Type: CO - Compliance

Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000680	Organic Carbon, Total	N	E83079	E415.1	4/30/2008 11:54:00PM	1.2	0.21	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: _____
WACS Testsite Name: EQ Blank
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 9:30:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
031616	Fecal Coliform	N	E83079	SM9222D	4/25/2008 3:28:00PM	1	1	cfu/100mL	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15830
 WACS Testsite Name: SW-1
 Water Classification: SW-IIIF
 (i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 4/25/2008 9:50:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/29/2008 8:15:00PM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/29/2008 8:15:00PM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/29/2008 8:15:00PM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/29/2008 8:15:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/29/2008 8:15:00PM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/29/2008 8:15:00PM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/29/2008 8:15:00PM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/29/2008 8:15:00PM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/29/2008 8:15:00PM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/29/2008 8:15:00PM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/29/2008 8:15:00PM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/29/2008 8:15:00PM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/29/2008 8:15:00PM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/29/2008 8:15:00PM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/29/2008 8:15:00PM	4.3	2.5	ug/L	I
034215	Acrylonitrile	N	E83079	SW8260	4/29/2008 8:15:00PM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/29/2008 8:15:00PM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/29/2008 8:15:00PM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/29/2008 8:15:00PM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/29/2008 8:15:00PM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/29/2008 8:15:00PM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/29/2008 8:15:00PM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/29/2008 8:15:00PM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/29/2008 8:15:00PM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/29/2008 8:15:00PM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/29/2008 8:15:00PM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/29/2008 8:15:00PM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/29/2008 8:15:00PM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/29/2008 8:15:00PM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/25/2008 9:50:00AM	98		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/29/2008 8:15:00PM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/29/2008 8:15:00PM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/25/2008 9:50:00AM	5.84		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/29/2008 8:15:00PM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	4/29/2008 8:15:00PM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/29/2008 8:15:00PM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/25/2008 9:50:00AM	7.11		S.U.	
077128	Styrene	N	E83079	SW8260	4/29/2008 8:15:00PM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/25/2008 9:50:00AM	24.4		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/29/2008 8:15:00PM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/29/2008 8:15:00PM	0.19	0.15	ug/L	I
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/29/2008 8:15:00PM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/29/2008 8:15:00PM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/29/2008 8:15:00PM	2.1	2.1	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15830
 WACS Testsite Name: SW-1
 Water Classification: SW-IIIF
 (i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 4/25/2008 9:50:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
039180	Trichloroethene	N	E83079	SW8260	4/29/2008 8:15:00PM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/29/2008 8:15:00PM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/25/2008 9:50:00AM	1.54		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/29/2008 8:15:00PM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/29/2008 8:15:00PM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/29/2008 8:15:00PM	0.32	0.32	ug/L	U

Total Parameters Monitored: 50

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15830
WACS Testsite Name: SW-1
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 9:50:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	E504.1	5/1/2008 4:45:00AM	0.0041	0.0041	ug/L	U
046369	1,2-Dibromoethane	N	E83079	E504.1	5/1/2008 4:45:00AM	0.0065	0.0065	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15830
 WACS Testsite Name: SW-1
 Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 9:50:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	E200.7	4/29/2008 11:12:00PM	7.5	7.5	ug/L	U
001002	Arsenic	N	E83079	E200.7	4/29/2008 11:12:00PM	5	5	ug/L	U
001007	Barium	N	E83079	E200.7	4/29/2008 11:12:00PM	5	5	ug/L	U
001012	Beryllium	N	E83079	E200.8	4/29/2008 9:25:00PM	0.05	0.05	ug/L	U
001027	Cadmium	N	E83079	E200.8	4/29/2008 9:25:00PM	0.072	0.072	ug/L	U
001034	Chromium	N	E83079	E200.7	4/29/2008 11:12:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	E200.7	4/29/2008 11:12:00PM	5	5	ug/L	U
001042	Copper	N	E83079	E200.8	4/29/2008 9:25:00PM	0.72	0.72	ug/L	U
001045	Iron	N	E83079	E200.7	4/29/2008 11:12:00PM	64	20	ug/L	U
001051	Lead	N	E83079	E200.8	4/29/2008 9:25:00PM	0.5	0.5	ug/L	U
071900	Mercury	N	E83079	E245.1	4/28/2008 7:34:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	E200.7	4/29/2008 11:12:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	E200.7	4/30/2008 10:22:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	E200.8	4/29/2008 9:25:00PM	0.05	0.05	ug/L	U
000929	Sodium	N	E83079	E200.7	4/29/2008 11:12:00PM	13	0.5	mg/L	U
001059	Thallium	N	E83079	E200.7	4/29/2008 11:12:00PM	7.5	7.5	ug/L	U
000900	Total Hardness as CaCO3	N	E83079	E200.7	4/29/2008 11:12:00PM	11	1.6	mg/L	U
001087	Vanadium	N	E83079	E200.7	4/29/2008 11:12:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	E200.7	4/29/2008 11:12:00PM	10	10	ug/L	U

Total Parameters Monitored: 19

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15830
WACS Testsite Name: SW-1
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 9:50:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000310	Biochemical Oxygen Demand	N	E83079	SM5210 B	4/30/2008 5:00:00PM	2.2	2	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/25/2008 10:39:00PM	0.01	0.01	mg/L	U
000530	Solids, Suspended (Residue, Non-Filterable)	N	E83079	SM2540 D	4/29/2008 5:21:00PM	5	5	mg/L	U
070300	TDS	N	E83079	SM2540 C	5/2/2008 10:07:00AM	43	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15830
WACS Testsite Name: SW-1
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 9:50:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
032211	Chlorophyll a	N	E83079	SM10200H	5/14/2008 11:29:00AM	1.4	1	ug/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15830
WACS Testsite Name: SW-1
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 9:50:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	5/5/2008 12:37:00PM	0.02	0.02	mg/L	U
000340	Chemical Oxygen Demand	N	E83079	E410.4	5/6/2008 10:12:00AM	25	12	mg/L	I
000612	Nitrogen, Ammonia (Unionized)	N	E83079	DEPSOP	5/5/2008 12:37:00PM	0.02	0.02	mg/L	U
000600	Total Nitrogen	N	E83079	EPA351.2+353.2	5/2/2008 12:00:00PM	0.41	0.25	mg/L	I
000650	Total Phosphates as PO4	N	E83079	E365.4	5/1/2008 5:18:00PM	0.05	0.05	mg/L	U

Total Parameters Monitored: 5

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15830
WACS Testsite Name: SW-1
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 9:50:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000680	Organic Carbon, Total	N	E83079	E415.1	5/1/2008 12:23:00AM	6.1	0.21	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15830
WACS Testsite Name: SW-1
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 9:50:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
031616	Fecal Coliform	N	E83079	SM9222D	4/25/2008 3:28:00PM	2	1	cfu/100mL	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15830
 WACS Testsite Name: SW-1
 Water Classification: SW-IIIF
 (i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 4/25/2008 9:50:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/29/2008 6:38:00PM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/29/2008 6:38:00PM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/29/2008 6:38:00PM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/29/2008 6:38:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/29/2008 6:38:00PM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/29/2008 6:38:00PM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/29/2008 6:38:00PM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/29/2008 6:38:00PM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/29/2008 6:38:00PM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/29/2008 6:38:00PM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/29/2008 6:38:00PM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/29/2008 6:38:00PM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/29/2008 6:38:00PM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/29/2008 6:38:00PM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/29/2008 6:38:00PM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/29/2008 6:38:00PM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/29/2008 6:38:00PM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/29/2008 6:38:00PM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/29/2008 6:38:00PM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/29/2008 6:38:00PM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/29/2008 6:38:00PM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/29/2008 6:38:00PM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/29/2008 6:38:00PM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/29/2008 6:38:00PM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/29/2008 6:38:00PM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/29/2008 6:38:00PM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/29/2008 6:38:00PM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/29/2008 6:38:00PM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/29/2008 6:38:00PM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/25/2008 9:50:00AM	98		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/29/2008 6:38:00PM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/29/2008 6:38:00PM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/25/2008 9:50:00AM	5.84		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/29/2008 6:38:00PM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	4/29/2008 6:38:00PM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/29/2008 6:38:00PM	0.44	0.33	ug/L	I
000406	pH	N	E83079	E150.1	4/25/2008 9:50:00AM	7.11		S.U.	
077128	Styrene	N	E83079	SW8260	4/29/2008 6:38:00PM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/25/2008 9:50:00AM	24.4		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/29/2008 6:38:00PM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/29/2008 6:38:00PM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/29/2008 6:38:00PM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/29/2008 6:38:00PM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/29/2008 6:38:00PM	2.1	2.1	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15830
 WACS Testsite Name: SW-1
 Water Classification: SW-IIIF
 (i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 4/25/2008 9:50:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
039180	Trichloroethene	N	E83079	SW8260	4/29/2008 6:38:00PM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/29/2008 6:38:00PM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/25/2008 9:50:00AM	1.54		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/29/2008 6:38:00PM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/29/2008 6:38:00PM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/29/2008 6:38:00PM	0.32	0.32	ug/L	U

Total Parameters Monitored: 50

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15830
WACS Testsite Name: SW-1
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 9:50:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	E504.1	5/1/2008 5:12:00AM	0.004	0.004	ug/L	U
046369	1,2-Dibromoethane	N	E83079	E504.1	5/1/2008 5:12:00AM	0.0063	0.0063	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15830
 WACS Testsite Name: SW-1
 Water Classification: SW-IIIF
 (i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 4/25/2008 9:50:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	E200.7	4/29/2008 11:16:00PM	7.5	7.5	ug/L	U
001002	Arsenic	N	E83079	E200.7	4/29/2008 11:16:00PM	5	5	ug/L	U
001007	Barium	N	E83079	E200.7	4/29/2008 11:16:00PM	5	5	ug/L	U
001012	Beryllium	N	E83079	E200.8	4/29/2008 9:31:00PM	0.05	0.05	ug/L	U
001027	Cadmium	N	E83079	E200.8	4/29/2008 9:31:00PM	0.072	0.072	ug/L	U
001034	Chromium	N	E83079	E200.7	4/29/2008 11:16:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	E200.7	4/29/2008 11:16:00PM	5	5	ug/L	U
001042	Copper	N	E83079	E200.8	4/29/2008 9:31:00PM	0.72	0.72	ug/L	U
001045	Iron	N	E83079	E200.7	4/29/2008 11:16:00PM	71	20	ug/L	U
001051	Lead	N	E83079	E200.8	4/29/2008 9:31:00PM	0.5	0.5	ug/L	U
071900	Mercury	N	E83079	E245.1	4/28/2008 7:37:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	E200.7	4/29/2008 11:16:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	E200.7	4/30/2008 10:34:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	E200.8	4/29/2008 9:31:00PM	0.05	0.05	ug/L	U
000929	Sodium	N	E83079	E200.7	4/29/2008 11:16:00PM	13	0.5	mg/L	U
001059	Thallium	N	E83079	E200.7	4/29/2008 11:16:00PM	7.5	7.5	ug/L	U
000900	Total Hardness as CaCO3	N	E83079	E200.7	4/29/2008 11:16:00PM	11	1.6	mg/L	U
001087	Vanadium	N	E83079	E200.7	4/29/2008 11:16:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	E200.7	4/29/2008 11:16:00PM	10	10	ug/L	U

Total Parameters Monitored: 19

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15830
WACS Testsite Name: SW-1
Water Classification: SW-IIIF
(i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 4/25/2008 9:50:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000310	Biochemical Oxygen Demand	N	E83079	SM5210 B	4/30/2008 5:00:00PM	2.2	2	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/25/2008 11:58:00PM	0.01	0.01	mg/L	U
000530	Solids, Suspended (Residue, Non-Filterable)	N	E83079	SM2540 D	4/29/2008 5:23:00PM	5	5	mg/L	U
070300	TDS	N	E83079	SM2540 C	5/2/2008 10:08:00AM	36	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15830
WACS Testsite Name: SW-1
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 9:50:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
032211	Chlorophyll a	N	E83079	SM10200H	5/14/2008 11:29:00AM	1.7	1	ug/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15830
WACS Testsite Name: SW-1
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 9:50:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	5/5/2008 12:39:00PM	0.02	0.02	mg/L	U
000340	Chemical Oxygen Demand	N	E83079	E410.4	5/6/2008 10:12:00AM	24	12	mg/L	I
000612	Nitrogen, Ammonia (Unionized)	N	E83079	DEPSOP	5/5/2008 12:39:00PM	0.02	0.02	mg/L	U
000600	Total Nitrogen	N	E83079	EPA351.2+353.2	5/2/2008 12:00:00PM	0.4	0.25	mg/L	I
000650	Total Phosphates as PO4	N	E83079	E365.4	5/1/2008 5:20:00PM	0.05	0.05	mg/L	U

Total Parameters Monitored: 5

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15830
WACS Testsite Name: SW-1
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 9:50:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000680	Organic Carbon, Total	N	E83079	E415.1	5/1/2008 12:36:00AM	6.2	0.21	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15830
WACS Testsite Name: SW-1
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 9:50:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
031616	Fecal Coliform	N	E83079	SM9222D	4/25/2008 3:28:00PM	2	1	cfu/100mL	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19799
 WACS Testsite Name: SW-12
 Water Classification: SW-IIIIF
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 10:25:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/29/2008 10:39:00PM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/29/2008 10:39:00PM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/29/2008 10:39:00PM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/29/2008 10:39:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/29/2008 10:39:00PM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/29/2008 10:39:00PM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/29/2008 10:39:00PM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/29/2008 10:39:00PM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/29/2008 10:39:00PM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/29/2008 10:39:00PM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/29/2008 10:39:00PM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/29/2008 10:39:00PM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/29/2008 10:39:00PM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/29/2008 10:39:00PM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/29/2008 10:39:00PM	2.6	2.5	ug/L	I
034215	Acrylonitrile	N	E83079	SW8260	4/29/2008 10:39:00PM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/29/2008 10:39:00PM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/29/2008 10:39:00PM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/29/2008 10:39:00PM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/29/2008 10:39:00PM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/29/2008 10:39:00PM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/29/2008 10:39:00PM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/29/2008 10:39:00PM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/29/2008 10:39:00PM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/29/2008 10:39:00PM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/29/2008 10:39:00PM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/29/2008 10:39:00PM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/29/2008 10:39:00PM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/29/2008 10:39:00PM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/25/2008 10:25:00AM	631		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/29/2008 10:39:00PM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/29/2008 10:39:00PM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/25/2008 10:25:00AM	7.58		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/29/2008 10:39:00PM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	4/29/2008 10:39:00PM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/29/2008 10:39:00PM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/25/2008 10:25:00AM	7.57		S.U.	
077128	Styrene	N	E83079	SW8260	4/29/2008 10:39:00PM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/25/2008 10:25:00AM	24.15		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/29/2008 10:39:00PM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/29/2008 10:39:00PM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/29/2008 10:39:00PM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/29/2008 10:39:00PM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/29/2008 10:39:00PM	2.1	2.1	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 19799
 WACS Testsite Name: SW-12
 Water Classification: SW-IIIF
 (i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 4/25/2008 10:25:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
039180	Trichloroethene	N	E83079	SW8260	4/29/2008 10:39:00PM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/29/2008 10:39:00PM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/25/2008 10:25:00AM	3.69		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/29/2008 10:39:00PM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/29/2008 10:39:00PM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/29/2008 10:39:00PM	0.32	0.32	ug/L	U

Total Parameters Monitored: 50

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19799
WACS Testsite Name: SW-12
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 10:25:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	E504.1	5/1/2008 5:39:00AM	0.004	0.004	ug/L	U
046369	1,2-Dibromoethane	N	E83079	E504.1	5/1/2008 5:39:00AM	0.0063	0.0063	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19799
 WACS Testsite Name: SW-12
 Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 10:25:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	E200.7	4/29/2008 11:20:00PM	7.5	7.5	ug/L	U
001002	Arsenic	N	E83079	E200.7	4/29/2008 11:20:00PM	5	5	ug/L	U
001007	Barium	N	E83079	E200.7	4/29/2008 11:20:00PM	38	5	ug/L	
001012	Beryllium	N	E83079	E200.8	4/29/2008 9:48:00PM	0.05	0.05	ug/L	U
001027	Cadmium	N	E83079	E200.8	4/29/2008 9:48:00PM	0.072	0.072	ug/L	U
001034	Chromium	N	E83079	E200.7	4/29/2008 11:20:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	E200.7	4/29/2008 11:20:00PM	5.2	5	ug/L	I
001042	Copper	N	E83079	E200.8	4/29/2008 9:48:00PM	1.8	0.72	ug/L	
001045	Iron	N	E83079	E200.7	4/29/2008 11:20:00PM	54	20	ug/L	
001051	Lead	N	E83079	E200.8	4/29/2008 9:48:00PM	0.5	0.5	ug/L	U
071900	Mercury	N	E83079	E245.1	4/28/2008 7:40:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	E200.7	4/29/2008 11:20:00PM	5.1	2.5	ug/L	
001147	Selenium	N	E83079	E200.7	4/30/2008 10:38:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	E200.8	4/29/2008 9:48:00PM	0.05	0.05	ug/L	U
000929	Sodium	N	E83079	E200.7	4/29/2008 11:20:00PM	53	0.5	mg/L	
001059	Thallium	N	E83079	E200.7	4/29/2008 11:20:00PM	7.5	7.5	ug/L	U
000900	Total Hardness as CaCO3	N	E83079	E200.7	4/29/2008 11:20:00PM	180	1.6	mg/L	
001087	Vanadium	N	E83079	E200.7	4/29/2008 11:20:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	E200.7	4/29/2008 11:20:00PM	10	10	ug/L	U

Total Parameters Monitored: 19

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19799
WACS Testsite Name: SW-12
Water Classification: SW-IIIF
(i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 4/25/2008 10:25:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000310	Biochemical Oxygen Demand	N	E83079	SM5210 B	4/30/2008 5:00:00PM	3.5	2	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/26/2008 12:13:00AM	0.39	0.01	mg/L	
000530	Solids, Suspended (Residue, Non-Filterable)	N	E83079	SM2540 D	4/29/2008 5:24:00PM	5	5	mg/L	U
070300	TDS	N	E83079	SM2540 C	5/2/2008 10:10:00AM	360	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19799
WACS Testsite Name: SW-12
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 10:25:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
032211	Chlorophyll a	N	E83079	SM10200H	5/14/2008 11:29:00AM	6.1	1	ug/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19799
WACS Testsite Name: SW-12
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 10:25:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	5/5/2008 12:40:00PM	0.035	0.02	mg/L	I
000340	Chemical Oxygen Demand	N	E83079	E410.4	5/6/2008 10:12:00AM	71	12	mg/L	
000612	Nitrogen, Ammonia (Unionized)	N	E83079	DEPSOP	5/5/2008 12:40:00PM	0.02	0.02	mg/L	U
000600	Total Nitrogen	N	E83079	EPA351.2+353.2	5/2/2008 12:00:00PM	2.1	0.25	mg/L	
000650	Total Phosphates as PO4	N	E83079	E365.4	5/1/2008 5:49:00PM	0.05	0.05	mg/L	U

Total Parameters Monitored: 5

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19799
WACS Testsite Name: SW-12
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 10:25:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000680	Organic Carbon, Total	N	E83079	E415.1	5/1/2008 12:49:00AM	22	0.21	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19799
WACS Testsite Name: SW-12
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 10:25:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
031616	Fecal Coliform	N	E83079	SM9222D	4/25/2008 3:28:00PM	110	10	cfu/100mL	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19798
 WACS Testsite Name: SW-11
 Water Classification: SW-IIIIF
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 10:50:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/29/2008 11:14:00PM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/29/2008 11:14:00PM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/29/2008 11:14:00PM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/29/2008 11:14:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/29/2008 11:14:00PM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/29/2008 11:14:00PM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/29/2008 11:14:00PM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/29/2008 11:14:00PM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/29/2008 11:14:00PM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/29/2008 11:14:00PM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/29/2008 11:14:00PM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/29/2008 11:14:00PM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/29/2008 11:14:00PM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/29/2008 11:14:00PM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/29/2008 11:14:00PM	3.8	2.5	ug/L	I
034215	Acrylonitrile	N	E83079	SW8260	4/29/2008 11:14:00PM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/29/2008 11:14:00PM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/29/2008 11:14:00PM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/29/2008 11:14:00PM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/29/2008 11:14:00PM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/29/2008 11:14:00PM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/29/2008 11:14:00PM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/29/2008 11:14:00PM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/29/2008 11:14:00PM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/29/2008 11:14:00PM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/29/2008 11:14:00PM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/29/2008 11:14:00PM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/29/2008 11:14:00PM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/29/2008 11:14:00PM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/25/2008 10:50:00AM	587		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/29/2008 11:14:00PM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/29/2008 11:14:00PM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/25/2008 10:50:00AM	6.68		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/29/2008 11:14:00PM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	4/29/2008 11:14:00PM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/29/2008 11:14:00PM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/25/2008 10:50:00AM	7.39		S.U.	
077128	Styrene	N	E83079	SW8260	4/29/2008 11:14:00PM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/25/2008 10:50:00AM	24.15		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/29/2008 11:14:00PM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/29/2008 11:14:00PM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/29/2008 11:14:00PM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/29/2008 11:14:00PM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/29/2008 11:14:00PM	2.1	2.1	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 19798
 WACS Testsite Name: SW-11
 Water Classification: SW-IIIF
 (i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 4/25/2008 10:50:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
039180	Trichloroethene	N	E83079	SW8260	4/29/2008 11:14:00PM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/29/2008 11:14:00PM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/25/2008 10:50:00AM	9.78		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/29/2008 11:14:00PM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/29/2008 11:14:00PM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/29/2008 11:14:00PM	0.32	0.32	ug/L	U

Total Parameters Monitored: 50

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19798
WACS Testsite Name: SW-11
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 10:50:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	E504.1	5/1/2008 6:06:00AM	0.004	0.004	ug/L	U
046369	1,2-Dibromoethane	N	E83079	E504.1	5/1/2008 6:06:00AM	0.0063	0.0063	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19798
 WACS Testsite Name: SW-11
 Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 10:50:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	E200.7	5/2/2008 5:04:00PM	7.5	7.5	ug/L	U
001002	Arsenic	N	E83079	E200.7	5/2/2008 5:04:00PM	5	5	ug/L	U
001007	Barium	N	E83079	E200.7	5/2/2008 5:04:00PM	38	5	ug/L	
001012	Beryllium	N	E83079	E200.8	5/5/2008 1:03:00PM	0.05	0.05	ug/L	U
001027	Cadmium	N	E83079	E200.8	5/5/2008 1:03:00PM	0.05	0.05	ug/L	U
001034	Chromium	N	E83079	E200.7	5/2/2008 5:04:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	E200.7	5/2/2008 5:04:00PM	5	5	ug/L	U
001042	Copper	N	E83079	E200.8	5/5/2008 1:03:00PM	1.2	0.56	ug/L	
001045	Iron	N	E83079	E200.7	5/2/2008 5:04:00PM	550	20	ug/L	
001051	Lead	N	E83079	E200.8	5/5/2008 1:03:00PM	0.5	0.5	ug/L	U
071900	Mercury	N	E83079	E245.1	4/28/2008 7:43:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	E200.7	5/2/2008 5:04:00PM	2.8	2.5	ug/L	I
001147	Selenium	N	E83079	E200.7	5/2/2008 5:04:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	E200.8	5/5/2008 1:03:00PM	0.05	0.05	ug/L	U
000929	Sodium	N	E83079	E200.7	5/2/2008 5:04:00PM	50	0.5	mg/L	
001059	Thallium	N	E83079	E200.7	5/2/2008 5:04:00PM	7.5	7.5	ug/L	U
000900	Total Hardness as CaCO3	N	E83079	E200.7	5/2/2008 5:04:00PM	170	1.6	mg/L	
001087	Vanadium	N	E83079	E200.7	5/2/2008 5:04:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	E200.7	5/2/2008 5:04:00PM	10	10	ug/L	U

Total Parameters Monitored: 19

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19798
WACS Testsite Name: SW-11
Water Classification: SW-IIIF
(i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 4/25/2008 10:50:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000310	Biochemical Oxygen Demand	N	E83079	SM5210 B	4/30/2008 5:00:00PM	4	2	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/26/2008 12:29:00AM	0.028	0.01	mg/L	I
000530	Solids, Suspended (Residue, Non-Filterable)	N	E83079	SM2540 D	4/29/2008 5:25:00PM	10	5	mg/L	
070300	TDS	N	E83079	SM2540 C	5/2/2008 10:11:00AM	340	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19798
WACS Testsite Name: SW-11
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 10:50:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
032211	Chlorophyll a	N	E83079	SM10200H	5/14/2008 11:29:00AM	4.6	1	ug/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19798
WACS Testsite Name: SW-11
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 10:50:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	5/5/2008 12:41:00PM	0.062	0.02	mg/L	
000340	Chemical Oxygen Demand	N	E83079	E410.4	5/6/2008 10:12:00AM	65	12	mg/L	
000612	Nitrogen, Ammonia (Unionized)	N	E83079	DEPSOP	5/5/2008 12:41:00PM	0.02	0.02	mg/L	U
000600	Total Nitrogen	N	E83079	EPA351.2+353.2	5/2/2008 12:00:00PM	1.3	0.25	mg/L	
000650	Total Phosphates as PO4	N	E83079	E365.4	5/1/2008 5:50:00PM	0.05	0.05	mg/L	U

Total Parameters Monitored: 5

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19798
WACS Testsite Name: SW-11
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 10:50:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000680	Organic Carbon, Total	N	E83079	E415.1	5/1/2008 1:05:00AM	20	0.21	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19798
WACS Testsite Name: SW-11
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 10:50:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
031616	Fecal Coliform	N	E83079	SM9222D	4/25/2008 3:28:00PM	20	10	cfu/100mL	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15638
 WACS Testsite Name: SW-5
 Water Classification: SW-IIIIF
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 11:30:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/29/2008 11:50:00PM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/29/2008 11:50:00PM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/29/2008 11:50:00PM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/29/2008 11:50:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/29/2008 11:50:00PM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/29/2008 11:50:00PM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/29/2008 11:50:00PM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/29/2008 11:50:00PM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/29/2008 11:50:00PM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/29/2008 11:50:00PM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/29/2008 11:50:00PM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/29/2008 11:50:00PM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/29/2008 11:50:00PM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/29/2008 11:50:00PM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/29/2008 11:50:00PM	3.8	2.5	ug/L	I
034215	Acrylonitrile	N	E83079	SW8260	4/29/2008 11:50:00PM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/29/2008 11:50:00PM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/29/2008 11:50:00PM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/29/2008 11:50:00PM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/29/2008 11:50:00PM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/29/2008 11:50:00PM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/29/2008 11:50:00PM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/29/2008 11:50:00PM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/29/2008 11:50:00PM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/29/2008 11:50:00PM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/29/2008 11:50:00PM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/29/2008 11:50:00PM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/29/2008 11:50:00PM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/29/2008 11:50:00PM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/25/2008 11:30:00AM	358		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/29/2008 11:50:00PM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/29/2008 11:50:00PM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/25/2008 11:30:00AM	5.35		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/29/2008 11:50:00PM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	4/29/2008 11:50:00PM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/29/2008 11:50:00PM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/25/2008 11:30:00AM	8.72		S.U.	
077128	Styrene	N	E83079	SW8260	4/29/2008 11:50:00PM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/25/2008 11:30:00AM	26.08		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/29/2008 11:50:00PM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/29/2008 11:50:00PM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/29/2008 11:50:00PM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/29/2008 11:50:00PM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/29/2008 11:50:00PM	2.1	2.1	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15638
 WACS Testsite Name: SW-5
 Water Classification: SW-IIIF
 (i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 4/25/2008 11:30:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
039180	Trichloroethene	N	E83079	SW8260	4/29/2008 11:50:00PM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/29/2008 11:50:00PM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/25/2008 11:30:00AM	3.16		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/29/2008 11:50:00PM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/29/2008 11:50:00PM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/29/2008 11:50:00PM	0.32	0.32	ug/L	U

Total Parameters Monitored: 50

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15638
WACS Testsite Name: SW-5
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 11:30:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	E504.1	5/1/2008 6:32:00AM	0.004	0.004	ug/L	U
046369	1,2-Dibromoethane	N	E83079	E504.1	5/1/2008 6:32:00AM	0.0063	0.0063	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15638
 WACS Testsite Name: SW-5
 Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 11:30:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	E200.7	5/2/2008 5:08:00PM	7.5	7.5	ug/L	U
001002	Arsenic	N	E83079	E200.7	5/2/2008 5:08:00PM	5	5	ug/L	U
001007	Barium	N	E83079	E200.7	5/2/2008 5:08:00PM	22	5	ug/L	U
001012	Beryllium	N	E83079	E200.8	5/5/2008 1:07:00PM	0.05	0.05	ug/L	U
001027	Cadmium	N	E83079	E200.8	5/5/2008 1:07:00PM	0.05	0.05	ug/L	U
001034	Chromium	N	E83079	E200.7	5/2/2008 5:08:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	E200.7	5/2/2008 5:08:00PM	5	5	ug/L	U
001042	Copper	N	E83079	E200.8	5/5/2008 1:07:00PM	0.56	0.56	ug/L	U
001045	Iron	N	E83079	E200.7	5/2/2008 5:08:00PM	440	20	ug/L	U
001051	Lead	N	E83079	E200.8	5/5/2008 1:07:00PM	0.5	0.5	ug/L	U
071900	Mercury	N	E83079	E245.1	4/28/2008 7:46:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	E200.7	5/2/2008 5:08:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	E200.7	5/2/2008 5:08:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	E200.8	5/5/2008 1:07:00PM	0.05	0.05	ug/L	U
000929	Sodium	N	E83079	E200.7	5/2/2008 5:08:00PM	35	0.5	mg/L	U
001059	Thallium	N	E83079	E200.7	5/2/2008 5:08:00PM	7.5	7.5	ug/L	U
000900	Total Hardness as CaCO3	N	E83079	E200.7	5/2/2008 5:08:00PM	120	1.6	mg/L	U
001087	Vanadium	N	E83079	E200.7	5/2/2008 5:08:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	E200.7	5/2/2008 5:08:00PM	10	10	ug/L	U

Total Parameters Monitored: 19

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15638
WACS Testsite Name: SW-5
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 11:30:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000310	Biochemical Oxygen Demand	N	E83079	SM5210 B	4/30/2008 5:00:00PM	3.4	2	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/26/2008 12:44:00AM	0.01	0.01	mg/L	U
000530	Solids, Suspended (Residue, Non-Filterable)	N	E83079	SM2540 D	4/29/2008 5:27:00PM	25	5	mg/L	
070300	TDS	N	E83079	SM2540 C	5/2/2008 10:12:00AM	210	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15638
WACS Testsite Name: SW-5
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 11:30:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
032211	Chlorophyll a	N	E83079	SM10200H	5/14/2008 11:29:00AM	3.8	1	ug/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15638
WACS Testsite Name: SW-5
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 11:30:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	5/5/2008 12:43:00PM	0.028	0.02	mg/L	I
000340	Chemical Oxygen Demand	N	E83079	E410.4	5/6/2008 10:12:00AM	56	12	mg/L	
000612	Nitrogen, Ammonia (Unionized)	N	E83079	DEPSOP	5/5/2008 12:43:00PM	0.02	0.02	mg/L	U
000600	Total Nitrogen	N	E83079	EPA351.2+353.2	5/2/2008 12:00:00PM	1	0.25	mg/L	
000650	Total Phosphates as PO4	N	E83079	E365.4	5/1/2008 5:51:00PM	0.05	0.05	mg/L	U

Total Parameters Monitored: 5

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15638
WACS Testsite Name: SW-5
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 11:30:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000680	Organic Carbon, Total	N	E83079	E415.1	5/1/2008 1:20:00AM	18	0.21	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15638
WACS Testsite Name: SW-5
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 11:30:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
031616	Fecal Coliform	N	E83079	SM9222D	4/25/2008 3:27:00PM	240	20	cfu/100mL	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15831
 WACS Testsite Name: SW-2
 Water Classification: SW-IIIIF
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 12:10:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/30/2008 12:26:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/30/2008 12:26:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/30/2008 12:26:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/30/2008 12:26:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/30/2008 12:26:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/30/2008 12:26:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/30/2008 12:26:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/30/2008 12:26:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/30/2008 12:26:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/30/2008 12:26:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/30/2008 12:26:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/30/2008 12:26:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/30/2008 12:26:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/30/2008 12:26:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/30/2008 12:26:00AM	2.6	2.5	ug/L	I
034215	Acrylonitrile	N	E83079	SW8260	4/30/2008 12:26:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/30/2008 12:26:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/30/2008 12:26:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/30/2008 12:26:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/30/2008 12:26:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/30/2008 12:26:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/30/2008 12:26:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/30/2008 12:26:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/30/2008 12:26:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/30/2008 12:26:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/30/2008 12:26:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/30/2008 12:26:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/30/2008 12:26:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/30/2008 12:26:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/25/2008 12:10:00PM	477		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/30/2008 12:26:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/30/2008 12:26:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/25/2008 12:10:00PM	6.63		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/30/2008 12:26:00AM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	4/30/2008 12:26:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/30/2008 12:26:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/25/2008 12:10:00PM	7.19		S.U.	
077128	Styrene	N	E83079	SW8260	4/30/2008 12:26:00AM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/25/2008 12:10:00PM	24.53		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/30/2008 12:26:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/30/2008 12:26:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/30/2008 12:26:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/30/2008 12:26:00AM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/30/2008 12:26:00AM	2.1	2.1	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15831
 WACS Testsite Name: SW-2
 Water Classification: SW-IIIIF
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 12:10:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to
 Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
039180	Trichloroethene	N	E83079	SW8260	4/30/2008 12:26:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/30/2008 12:26:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/25/2008 12:10:00PM	2.84		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/30/2008 12:26:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/30/2008 12:26:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/30/2008 12:26:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 50

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15831
WACS Testsite Name: SW-2
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 12:10:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	E504.1	5/1/2008 6:59:00AM	0.0041	0.0041	ug/L	U
046369	1,2-Dibromoethane	N	E83079	E504.1	5/1/2008 6:59:00AM	0.0064	0.0064	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15831
 WACS Testsite Name: SW-2
 Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 12:10:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	E200.7	5/2/2008 5:12:00PM	7.5	7.5	ug/L	U
001002	Arsenic	N	E83079	E200.7	5/2/2008 5:12:00PM	5	5	ug/L	U
001007	Barium	N	E83079	E200.7	5/2/2008 5:12:00PM	37	5	ug/L	U
001012	Beryllium	N	E83079	E200.8	5/5/2008 1:12:00PM	0.05	0.05	ug/L	U
001027	Cadmium	N	E83079	E200.8	5/5/2008 1:12:00PM	0.05	0.05	ug/L	U
001034	Chromium	N	E83079	E200.7	5/2/2008 5:12:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	E200.7	5/2/2008 5:12:00PM	5	5	ug/L	U
001042	Copper	N	E83079	E200.8	5/5/2008 1:12:00PM	0.71	0.56	ug/L	I
001045	Iron	N	E83079	E200.7	5/2/2008 5:12:00PM	300	20	ug/L	U
001051	Lead	N	E83079	E200.8	5/5/2008 1:12:00PM	0.5	0.5	ug/L	U
071900	Mercury	N	E83079	E245.1	4/28/2008 7:55:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	E200.7	5/2/2008 5:12:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	E200.7	5/2/2008 5:12:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	E200.8	5/5/2008 1:12:00PM	0.05	0.05	ug/L	U
000929	Sodium	N	E83079	E200.7	5/2/2008 5:12:00PM	25	0.5	mg/L	U
001059	Thallium	N	E83079	E200.7	5/2/2008 5:12:00PM	7.5	7.5	ug/L	U
000900	Total Hardness as CaCO3	N	E83079	E200.7	5/2/2008 5:12:00PM	190	1.6	mg/L	U
001087	Vanadium	N	E83079	E200.7	5/2/2008 5:12:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	E200.7	5/2/2008 5:12:00PM	10	10	ug/L	U

Total Parameters Monitored: 19

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15831
WACS Testsite Name: SW-2
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 12:10:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000310	Biochemical Oxygen Demand	N	E83079	SM5210 B	4/30/2008 5:00:00PM	2.4	2	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/26/2008 1:00:00AM	0.01	0.01	mg/L	U
000530	Solids, Suspended (Residue, Non-Filterable)	N	E83079	SM2540 D	5/2/2008 10:32:00AM	5	5	mg/L	U
070300	TDS	N	E83079	SM2540 C	5/2/2008 10:14:00AM	260	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15831
WACS Testsite Name: SW-2
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 12:10:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
032211	Chlorophyll a	N	E83079	SM10200H	5/14/2008 11:29:00AM	4	1	ug/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15831
WACS Testsite Name: SW-2
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 12:10:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	5/5/2008 12:44:00PM	0.025	0.02	mg/L	I
000340	Chemical Oxygen Demand	N	E83079	E410.4	5/6/2008 10:12:00AM	46	12	mg/L	
000612	Nitrogen, Ammonia (Unionized)	N	E83079	DEPSOP	5/5/2008 12:44:00PM	0.02	0.02	mg/L	U
000600	Total Nitrogen	N	E83079	EPA351.2+353.2	5/9/2008 12:00:00PM	0.74	0.25	mg/L	
000650	Total Phosphates as PO4	N	E83079	E365.4	5/8/2008 11:45:00AM	0.05	0.05	mg/L	U

Total Parameters Monitored: 5

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15831
WACS Testsite Name: SW-2
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 12:10:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000680	Organic Carbon, Total	N	E83079	E415.1	5/1/2008 1:36:00AM	15	0.21	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15831
WACS Testsite Name: SW-2
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 12:10:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
031616	Fecal Coliform	N	E83079	SM9222D	4/25/2008 3:27:00PM	70	10	cfu/100mL	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15833
 WACS Testsite Name: SW-4
 Water Classification: SW-IIIIF
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 12:35:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/30/2008 1:01:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/30/2008 1:01:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/30/2008 1:01:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/30/2008 1:01:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/30/2008 1:01:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/30/2008 1:01:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/30/2008 1:01:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/30/2008 1:01:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/30/2008 1:01:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/30/2008 1:01:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/30/2008 1:01:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/30/2008 1:01:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/30/2008 1:01:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/30/2008 1:01:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/30/2008 1:01:00AM	2.9	2.5	ug/L	I
034215	Acrylonitrile	N	E83079	SW8260	4/30/2008 1:01:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/30/2008 1:01:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/30/2008 1:01:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/30/2008 1:01:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/30/2008 1:01:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/30/2008 1:01:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/30/2008 1:01:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/30/2008 1:01:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/30/2008 1:01:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/30/2008 1:01:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/30/2008 1:01:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/30/2008 1:01:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/30/2008 1:01:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/30/2008 1:01:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/25/2008 12:35:00PM	481		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/30/2008 1:01:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/30/2008 1:01:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/25/2008 12:35:00PM	5.59		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/30/2008 1:01:00AM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	4/30/2008 1:01:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/30/2008 1:01:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/25/2008 12:35:00PM	7.26		S.U.	
077128	Styrene	N	E83079	SW8260	4/30/2008 1:01:00AM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/25/2008 12:35:00PM	24.19		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/30/2008 1:01:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/30/2008 1:01:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/30/2008 1:01:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/30/2008 1:01:00AM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/30/2008 1:01:00AM	2.1	2.1	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15833
 WACS Testsite Name: SW-4
 Water Classification: SW-IIIF
 (i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 4/25/2008 12:35:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
039180	Trichloroethene	N	E83079	SW8260	4/30/2008 1:01:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/30/2008 1:01:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/25/2008 12:35:00PM	6.62		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/30/2008 1:01:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/30/2008 1:01:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/30/2008 1:01:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 50

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15833
WACS Testsite Name: SW-4
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 12:35:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	E504.1	5/1/2008 7:26:00AM	0.0041	0.0041	ug/L	U
046369	1,2-Dibromoethane	N	E83079	E504.1	5/1/2008 7:26:00AM	0.0064	0.0064	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15833
 WACS Testsite Name: SW-4
 Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 12:35:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	E200.7	5/2/2008 5:16:00PM	7.5	7.5	ug/L	U
001002	Arsenic	N	E83079	E200.7	5/2/2008 5:16:00PM	5	5	ug/L	U
001007	Barium	N	E83079	E200.7	5/2/2008 5:16:00PM	51	5	ug/L	U
001012	Beryllium	N	E83079	E200.8	5/5/2008 1:16:00PM	0.05	0.05	ug/L	U
001027	Cadmium	N	E83079	E200.8	5/5/2008 1:16:00PM	0.05	0.05	ug/L	U
001034	Chromium	N	E83079	E200.7	5/2/2008 5:16:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	E200.7	5/2/2008 5:16:00PM	5	5	ug/L	U
001042	Copper	N	E83079	E200.8	5/5/2008 1:16:00PM	3.2	0.56	ug/L	U
001045	Iron	N	E83079	E200.7	5/2/2008 5:16:00PM	1800	20	ug/L	U
001051	Lead	N	E83079	E200.8	5/5/2008 1:16:00PM	1.2	0.5	ug/L	U
071900	Mercury	N	E83079	E245.1	4/28/2008 7:58:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	E200.7	5/2/2008 5:16:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	E200.7	5/2/2008 5:16:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	E200.8	5/5/2008 1:16:00PM	0.05	0.05	ug/L	U
000929	Sodium	N	E83079	E200.7	5/2/2008 5:16:00PM	27	0.5	mg/L	U
001059	Thallium	N	E83079	E200.7	5/2/2008 5:16:00PM	7.5	7.5	ug/L	U
000900	Total Hardness as CaCO3	N	E83079	E200.7	5/2/2008 5:16:00PM	220	1.6	mg/L	U
001087	Vanadium	N	E83079	E200.7	5/2/2008 5:16:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	E200.7	5/2/2008 5:16:00PM	120	10	ug/L	U

Total Parameters Monitored: 19

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15833
WACS Testsite Name: SW-4
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 12:35:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000310	Biochemical Oxygen Demand	N	E83079	SM5210 B	4/30/2008 5:00:00PM	4	2	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/26/2008 1:16:00AM	0.01	0.01	mg/L	U
000530	Solids, Suspended (Residue, Non-Filterable)	N	E83079	SM2540 D	5/2/2008 10:35:00AM	16	5	mg/L	
070300	TDS	N	E83079	SM2540 C	5/2/2008 10:15:00AM	280	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15833
WACS Testsite Name: SW-4
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 12:35:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
032211	Chlorophyll a	N	E83079	SM10200H	5/14/2008 11:29:00AM	35	1	ug/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15833
WACS Testsite Name: SW-4
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 12:35:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	5/5/2008 12:45:00PM	0.027	0.02	mg/L	I
000340	Chemical Oxygen Demand	N	E83079	E410.4	5/6/2008 10:12:00AM	60	12	mg/L	
000612	Nitrogen, Ammonia (Unionized)	N	E83079	DEPSOP	5/5/2008 12:45:00PM	0.02	0.02	mg/L	U
000600	Total Nitrogen	N	E83079	EPA351.2+353.2	5/9/2008 12:00:00PM	1.1	0.25	mg/L	
000650	Total Phosphates as PO4	N	E83079	E365.4	5/8/2008 11:48:00AM	0.07	0.05	mg/L	I

Total Parameters Monitored: 5

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15833
WACS Testsite Name: SW-4
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 12:35:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000680	Organic Carbon, Total	N	E83079	E415.1	5/1/2008 1:52:00AM	15	0.21	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15833
WACS Testsite Name: SW-4
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 12:35:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
031616	Fecal Coliform	N	E83079	SM9222D	4/25/2008 3:27:00PM	540	20	cfu/100mL	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15832
 WACS Testsite Name: SW-3
 Water Classification: SW-IIIIF
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 1:55:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/30/2008 1:37:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/30/2008 1:37:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/30/2008 1:37:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/30/2008 1:37:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/30/2008 1:37:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/30/2008 1:37:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/30/2008 1:37:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/30/2008 1:37:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/30/2008 1:37:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/30/2008 1:37:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/30/2008 1:37:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/30/2008 1:37:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/30/2008 1:37:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/30/2008 1:37:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/30/2008 1:37:00AM	6.2	2.5	ug/L	I
034215	Acrylonitrile	N	E83079	SW8260	4/30/2008 1:37:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/30/2008 1:37:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/30/2008 1:37:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/30/2008 1:37:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/30/2008 1:37:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/30/2008 1:37:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/30/2008 1:37:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/30/2008 1:37:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/30/2008 1:37:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/30/2008 1:37:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/30/2008 1:37:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/30/2008 1:37:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/30/2008 1:37:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/30/2008 1:37:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/25/2008 1:55:00PM	280		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/30/2008 1:37:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/30/2008 1:37:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/25/2008 1:55:00PM	7.1		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/30/2008 1:37:00AM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	4/30/2008 1:37:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/30/2008 1:37:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/25/2008 1:55:00PM	6.44		S.U.	
077128	Styrene	N	E83079	SW8260	4/30/2008 1:37:00AM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/25/2008 1:55:00PM	26.77		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/30/2008 1:37:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/30/2008 1:37:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/30/2008 1:37:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/30/2008 1:37:00AM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/30/2008 1:37:00AM	2.1	2.1	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15832
 WACS Testsite Name: SW-3
 Water Classification: SW-IIIF
 (i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 4/25/2008 1:55:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
039180	Trichloroethene	N	E83079	SW8260	4/30/2008 1:37:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/30/2008 1:37:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/25/2008 1:55:00PM	4.21		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/30/2008 1:37:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/30/2008 1:37:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/30/2008 1:37:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 50

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15832
WACS Testsite Name: SW-3
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 1:55:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	E504.1	5/1/2008 7:53:00AM	0.0041	0.0041	ug/L	U
046369	1,2-Dibromoethane	N	E83079	E504.1	5/1/2008 7:53:00AM	0.0065	0.0065	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15832
 WACS Testsite Name: SW-3
 Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 1:55:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	E200.7	5/2/2008 5:20:00PM	7.5	7.5	ug/L	U
001002	Arsenic	N	E83079	E200.7	5/2/2008 5:20:00PM	5	5	ug/L	U
001007	Barium	N	E83079	E200.7	5/2/2008 5:20:00PM	22	5	ug/L	
001012	Beryllium	N	E83079	E200.8	5/5/2008 1:30:00PM	0.087	0.05	ug/L	I
001027	Cadmium	N	E83079	E200.8	5/5/2008 1:30:00PM	0.081	0.05	ug/L	I
001034	Chromium	N	E83079	E200.7	5/2/2008 5:20:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	E200.7	5/2/2008 5:20:00PM	5	5	ug/L	U
001042	Copper	N	E83079	E200.8	5/5/2008 1:30:00PM	1.3	0.56	ug/L	
001045	Iron	N	E83079	E200.7	5/2/2008 5:20:00PM	530	20	ug/L	
001051	Lead	N	E83079	E200.8	5/5/2008 1:30:00PM	0.79	0.5	ug/L	I
071900	Mercury	N	E83079	E245.1	4/28/2008 8:01:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	E200.7	5/2/2008 5:20:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	E200.7	5/2/2008 5:20:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	E200.8	5/5/2008 1:30:00PM	0.064	0.05	ug/L	I
000929	Sodium	N	E83079	E200.7	5/2/2008 5:20:00PM	17	0.5	mg/L	
001059	Thallium	N	E83079	E200.7	5/2/2008 5:20:00PM	7.5	7.5	ug/L	U
000900	Total Hardness as CaCO3	N	E83079	E200.7	5/2/2008 5:20:00PM	110	1.6	mg/L	
001087	Vanadium	N	E83079	E200.7	5/2/2008 5:20:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	E200.7	5/2/2008 5:20:00PM	10	10	ug/L	U

Total Parameters Monitored: 19

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15832
WACS Testsite Name: SW-3
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 1:55:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000310	Biochemical Oxygen Demand	N	E83079	SM5210 B	4/30/2008 5:00:00PM	8.8	2	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/26/2008 1:31:00AM	0.01	0.01	mg/L	U
000530	Solids, Suspended (Residue, Non-Filterable)	N	E83079	SM2540 D	5/2/2008 10:37:00AM	5.5	5	mg/L	
070300	TDS	N	E83079	SM2540 C	5/2/2008 10:17:00AM	190	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15832
WACS Testsite Name: SW-3
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 1:55:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
032211	Chlorophyll a	N	E83079	SM10200H	5/14/2008 11:29:00AM	86	1	ug/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15832
WACS Testsite Name: SW-3
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 1:55:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	5/5/2008 12:46:00PM	0.059	0.02	mg/L	U
000340	Chemical Oxygen Demand	N	E83079	E410.4	5/6/2008 10:12:00AM	120	12	mg/L	
000612	Nitrogen, Ammonia (Unionized)	N	E83079	DEPSOP	5/5/2008 12:46:00PM	0.02	0.02	mg/L	
000600	Total Nitrogen	N	E83079	EPA351.2+353.2	5/9/2008 12:00:00PM	2.1	0.25	mg/L	
000650	Total Phosphates as PO4	N	E83079	E365.4	5/8/2008 11:49:00AM	0.14	0.05	mg/L	

Total Parameters Monitored: 5

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15832
WACS Testsite Name: SW-3
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 1:55:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000680	Organic Carbon, Total	N	E83079	E415.1	5/1/2008 2:07:00AM	27	0.21	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15832
WACS Testsite Name: SW-3
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 1:55:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
031616	Fecal Coliform	N	E83079	SM9222D	4/25/2008 3:27:00PM	70	10	cfu/100mL	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: Trip Blank
 Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 12:00:00AM
 Sampling Method: Grab
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/30/2008 2:11:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/30/2008 2:11:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/30/2008 2:11:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/30/2008 2:11:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/30/2008 2:11:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/30/2008 2:11:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/30/2008 2:11:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/30/2008 2:11:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/30/2008 2:11:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/30/2008 2:11:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/30/2008 2:11:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/30/2008 2:11:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/30/2008 2:11:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/30/2008 2:11:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/30/2008 2:11:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/30/2008 2:11:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/30/2008 2:11:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/30/2008 2:11:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/30/2008 2:11:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/30/2008 2:11:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/30/2008 2:11:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/30/2008 2:11:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/30/2008 2:11:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/30/2008 2:11:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/30/2008 2:11:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/30/2008 2:11:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/30/2008 2:11:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/30/2008 2:11:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/30/2008 2:11:00AM	0.19	0.19	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	4/30/2008 2:11:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/30/2008 2:11:00AM	0.94	0.94	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	4/30/2008 2:11:00AM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	4/30/2008 2:11:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/30/2008 2:11:00AM	0.33	0.33	ug/L	U
077128	Styrene	N	E83079	SW8260	4/30/2008 2:11:00AM	0.59	0.59	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	4/30/2008 2:11:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/30/2008 2:11:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/30/2008 2:11:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/30/2008 2:11:00AM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/30/2008 2:11:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/30/2008 2:11:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/30/2008 2:11:00AM	0.2	0.2	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	4/30/2008 2:11:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/30/2008 2:11:00AM	0.37	0.37	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 2/17/2009

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: Trip Blank
 Water Classification: SW-IIIIF
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 12:00:00AM
 Sampling Method: Grab
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	4/30/2008 2:11:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 22777
 WACS Testsite Name: FM-B
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 1:38:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	5/1/2008 5:36:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	5/1/2008 5:36:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	5/1/2008 5:36:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	5/1/2008 5:36:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	5/1/2008 5:36:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	5/1/2008 5:36:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	5/1/2008 5:36:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	5/1/2008 5:36:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	5/1/2008 5:36:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	5/1/2008 5:36:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	5/1/2008 5:36:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	5/1/2008 5:36:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	5/1/2008 5:36:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	5/1/2008 5:36:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	5/1/2008 5:36:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	5/1/2008 5:36:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	5/1/2008 5:36:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	5/1/2008 5:36:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	5/1/2008 5:36:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	5/1/2008 5:36:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	5/1/2008 5:36:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	5/1/2008 5:36:00AM	0.98	0.81	ug/L	I
032102	Carbon tetrachloride	N	E83079	SW8260	5/1/2008 5:36:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	5/1/2008 5:36:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	5/1/2008 5:36:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	5/1/2008 5:36:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	5/1/2008 5:36:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	5/1/2008 5:36:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	5/1/2008 5:36:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/25/2008 1:38:00PM	589		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	5/1/2008 5:36:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	5/1/2008 5:36:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/25/2008 1:38:00PM	0.16		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	5/1/2008 5:36:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/25/2008 1:38:00PM	16.54		feet	
077424	Iodomethane	N	E83079	SW8260	5/1/2008 5:36:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	5/1/2008 5:36:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/25/2008 1:38:00PM	6.58		S.U.	
077128	Styrene	N	E83079	SW8260	5/1/2008 5:36:00AM	0.59	0.59	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	4/25/2008 1:38:00PM	23.84		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	5/1/2008 5:36:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	5/1/2008 5:36:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	5/1/2008 5:36:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	5/1/2008 5:36:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 22777
 WACS Testsite Name: FM-B
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 1:38:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to
 Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	5/1/2008 5:36:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	5/1/2008 5:36:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	5/1/2008 5:36:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/25/2008 1:38:00PM	9.92		NTU	
077057	Vinyl acetate	N	E83079	SW8260	5/1/2008 5:36:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	5/1/2008 5:36:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	5/1/2008 5:36:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 22777
WACS Testsite Name: FM-B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/25/2008 1:38:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/29/2008 9:45:00AM	0.0063	0.0063	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/29/2008 9:45:00AM	0.0067	0.0067	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 22777
WACS Testsite Name: FM-B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 1:38:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	5/1/2008 9:46:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/30/2008 3:19:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/30/2008 3:19:00AM	43	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/30/2008 3:19:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/30/2008 3:19:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/30/2008 3:19:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/30/2008 3:19:00AM	6.3	5	ug/L	I
001042	Copper	N	E83079	SW6010	4/30/2008 3:19:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/30/2008 3:19:00AM	540	20	ug/L	
001051	Lead	N	E83079	SW6010	4/30/2008 3:19:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	5/2/2008 2:28:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	4/30/2008 3:19:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/30/2008 3:19:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/30/2008 3:19:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/30/2008 3:19:00AM	21	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	5/1/2008 9:46:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/30/2008 3:19:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/30/2008 3:19:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 22777
WACS Testsite Name: FM-B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/25/2008 1:38:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/26/2008 2:03:00AM	23	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/26/2008 2:03:00AM	0.01	0.01	mg/L	U
000945	Sulfate	N	E83079	E300.0	4/26/2008 2:03:00AM	2.9	0.085	mg/L	
070300	TDS	N	E83079	SM2540 C	5/2/2008 10:18:00AM	330	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 22777
WACS Testsite Name: FM-B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 1:38:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	4/28/2008 3:53:00PM	0.24	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: Trip Blank
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 12:00:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	5/1/2008 6:11:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	5/1/2008 6:11:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	5/1/2008 6:11:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	5/1/2008 6:11:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	5/1/2008 6:11:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	5/1/2008 6:11:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	5/1/2008 6:11:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	5/1/2008 6:11:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	5/1/2008 6:11:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	5/1/2008 6:11:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	5/1/2008 6:11:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	5/1/2008 6:11:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	5/1/2008 6:11:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	5/1/2008 6:11:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	5/1/2008 6:11:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	5/1/2008 6:11:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	5/1/2008 6:11:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	5/1/2008 6:11:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	5/1/2008 6:11:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	5/1/2008 6:11:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	5/1/2008 6:11:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	5/1/2008 6:11:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	5/1/2008 6:11:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	5/1/2008 6:11:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	5/1/2008 6:11:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	5/1/2008 6:11:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	5/1/2008 6:11:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	5/1/2008 6:11:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	5/1/2008 6:11:00AM	0.19	0.19	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	5/1/2008 6:11:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	5/1/2008 6:11:00AM	0.94	0.94	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	5/1/2008 6:11:00AM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	5/1/2008 6:11:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	5/1/2008 6:11:00AM	0.33	0.33	ug/L	U
077128	Styrene	N	E83079	SW8260	5/1/2008 6:11:00AM	0.59	0.59	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	5/1/2008 6:11:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	5/1/2008 6:11:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	5/1/2008 6:11:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	5/1/2008 6:11:00AM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	5/1/2008 6:11:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	5/1/2008 6:11:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	5/1/2008 6:11:00AM	0.2	0.2	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	5/1/2008 6:11:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	5/1/2008 6:11:00AM	0.37	0.37	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: Trip Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2008 12:00:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	5/1/2008 6:11:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.