

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 11/3/2008 9:30:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/15/2008 3:52:00AM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/15/2008 3:52:00AM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/15/2008 3:52:00AM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/15/2008 3:52:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/15/2008 3:52:00AM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/15/2008 3:52:00AM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/15/2008 3:52:00AM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/15/2008 3:52:00AM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/15/2008 3:52:00AM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/15/2008 3:52:00AM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/15/2008 3:52:00AM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/15/2008 3:52:00AM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/15/2008 3:52:00AM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/15/2008 3:52:00AM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/15/2008 3:52:00AM	13	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/15/2008 3:52:00AM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/15/2008 3:52:00AM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/15/2008 3:52:00AM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/15/2008 3:52:00AM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/15/2008 3:52:00AM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/15/2008 3:52:00AM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/15/2008 3:52:00AM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/15/2008 3:52:00AM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/15/2008 3:52:00AM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/15/2008 3:52:00AM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/15/2008 3:52:00AM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/15/2008 3:52:00AM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/15/2008 3:52:00AM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/15/2008 3:52:00AM	0.25	0.25	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	11/15/2008 3:52:00AM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/15/2008 3:52:00AM	0.5	0.5	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	11/15/2008 3:52:00AM	0.5	0.5	ug/L	U
077424	Iodomethane	N	E83079	SW8260	11/15/2008 3:52:00AM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/15/2008 3:52:00AM	2.5	2.5	ug/L	U
077128	Styrene	N	E83079	SW8260	11/15/2008 3:52:00AM	0.5	0.5	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	11/15/2008 3:52:00AM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/15/2008 3:52:00AM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/15/2008 3:52:00AM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/15/2008 3:52:00AM	0.25	0.25	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/15/2008 3:52:00AM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/15/2008 3:52:00AM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/15/2008 3:52:00AM	0.66	0.66	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	11/15/2008 3:52:00AM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/15/2008 3:52:00AM	0.53	0.53	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/3/2008 9:30:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	11/15/2008 3:52:00AM	1	1	ug/L	U

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: _____
WACS Testsite Name: EQ Blank
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/3/2008 9:30:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: Not Provided

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/11/2008 1:26:00AM	0.0048	0.0048	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/11/2008 1:26:00AM	0.0061	0.0061	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/3/2008 9:30:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/5/2008 7:27:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/4/2008 9:56:00PM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/4/2008 9:56:00PM	5	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/4/2008 9:56:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/4/2008 9:56:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/4/2008 9:56:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/4/2008 9:56:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/4/2008 9:56:00PM	7.7	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/4/2008 9:56:00PM	20	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/4/2008 9:56:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/6/2008 2:24:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/4/2008 9:56:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/4/2008 9:56:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/4/2008 9:56:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/4/2008 9:56:00PM	0.5	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/5/2008 7:27:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/4/2008 9:56:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/4/2008 9:56:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: _____
WACS Testsite Name: EQ Blank
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/3/2008 9:30:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: Not Provided

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/3/2008 8:41:00PM	0.021	0.021	mg/L	U
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/3/2008 8:41:00PM	0.012	0.012	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/3/2008 8:41:00PM	0.055	0.055	mg/L	U
070300	TDS	N	E83079	SM2540 C	11/6/2008 2:20:00PM	5	5	mg/L	U

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: _____
WACS Testsite Name: EQ Blank
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/3/2008 9:30:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: Not Provided

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/10/2008 12:23:00PM	0.02	0.02	mg/L	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15635
WACS Testsite Name: MO5-B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/3/2008 9:57:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000094	Conductivity	N	E83079	E120.1	11/3/2008 9:57:00AM	1395		umhos/cm	
000299	Dissolved Oxygen	N	E83079	E360.1	11/3/2008 9:57:00AM	0.4		mg/L	
082545	Groundwater Elevation	N	E83079	DEPSOP	11/3/2008 9:57:00AM	21.55		feet	
000406	pH	N	E83079	E150.1	11/3/2008 9:57:00AM	5.66		S.U.	
000010	Temperature, Water	N	E83079	E170.1	11/3/2008 9:57:00AM	22.78		deg C	
082078	Turbidity	N	E83079	E180.1	11/3/2008 9:57:00AM	0.59		NTU	

Total Parameters Monitored: 6

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15635
WACS Testsite Name: MO5-B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/3/2008 9:57:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/11/2008 1:45:00AM	0.005	0.005	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/11/2008 1:45:00AM	0.0063	0.0063	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15635
 WACS Testsite Name: MO5-B
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/3/2008 9:57:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/5/2008 7:58:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/4/2008 10:00:00PM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/4/2008 10:00:00PM	210	5	ug/L	
001012	Beryllium	N	E83079	SW6010	11/4/2008 10:00:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/4/2008 10:00:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/4/2008 10:00:00PM	3.4	2.5	ug/L	I
001037	Cobalt	N	E83079	SW6010	11/4/2008 10:00:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/4/2008 10:00:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/4/2008 10:00:00PM	14000	20	ug/L	
001051	Lead	N	E83079	SW6010	11/4/2008 10:00:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/6/2008 2:27:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/4/2008 10:00:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/4/2008 10:00:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/4/2008 10:00:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/4/2008 10:00:00PM	99	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/5/2008 7:58:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/4/2008 10:00:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/4/2008 10:00:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15635
WACS Testsite Name: MO5-B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/3/2008 9:57:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/3/2008 8:56:00PM	210	0.11	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/3/2008 8:56:00PM	0.058	0.058	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/3/2008 8:56:00PM	85	0.28	mg/L	
070300	TDS	N	E83079	SM2540 C	11/6/2008 2:21:00PM	950	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15635
WACS Testsite Name: MO5-B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/3/2008 9:57:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/10/2008 12:25:00PM	0.98	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15635
WACS Testsite Name: MO5-B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 11/3/2008 9:57:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000094	Conductivity	N	E83079	E120.1	11/3/2008 9:57:00AM	1395		umhos/cm	
000299	Dissolved Oxygen	N	E83079	E360.1	11/3/2008 9:57:00AM	0.4		mg/L	
082545	Groundwater Elevation	N	E83079	DEPSOP	11/3/2008 9:57:00AM	21.55		feet	
000406	pH	N	E83079	E150.1	11/3/2008 9:57:00AM	5.66		S.U.	
000010	Temperature, Water	N	E83079	E170.1	11/3/2008 9:57:00AM	22.78		deg C	
082078	Turbidity	N	E83079	E180.1	11/3/2008 9:57:00AM	0.59		NTU	

Total Parameters Monitored: 6

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15635
WACS Testsite Name: MO5-B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/3/2008 9:57:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/11/2008 2:04:00AM	0.0048	0.0048	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/11/2008 2:04:00AM	0.006	0.006	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15635
 WACS Testsite Name: MO5-B
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/3/2008 9:57:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/5/2008 8:13:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/4/2008 10:04:00PM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/4/2008 10:04:00PM	220	5	ug/L	
001012	Beryllium	N	E83079	SW6010	11/4/2008 10:04:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/4/2008 10:04:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/4/2008 10:04:00PM	3.2	2.5	ug/L	I
001037	Cobalt	N	E83079	SW6010	11/4/2008 10:04:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/4/2008 10:04:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/4/2008 10:04:00PM	14000	20	ug/L	
001051	Lead	N	E83079	SW6010	11/4/2008 10:04:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/6/2008 2:30:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/4/2008 10:04:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/4/2008 10:04:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/4/2008 10:04:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/4/2008 10:04:00PM	100	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/5/2008 8:13:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/4/2008 10:04:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/4/2008 10:04:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15635
WACS Testsite Name: MO5-B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/3/2008 9:57:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/3/2008 9:12:00PM	210	0.11	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/3/2008 9:12:00PM	0.058	0.058	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/3/2008 9:12:00PM	83	0.28	mg/L	
070300	TDS	N	E83079	SM2540 C	11/7/2008 3:16:00PM	990	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15635
WACS Testsite Name: MO5-B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/3/2008 9:57:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/10/2008 12:26:00PM	1	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15808
WACS Testsite Name: B42-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/3/2008 10:53:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000094	Conductivity	N	E83079	E120.1	11/3/2008 10:53:00AM	1357		umhos/cm	
000299	Dissolved Oxygen	N	E83079	E360.1	11/3/2008 10:53:00AM	0.25		mg/L	
082545	Groundwater Elevation	N	E83079	DEPSOP	11/3/2008 10:53:00AM	21.3		feet	
000406	pH	N	E83079	E150.1	11/3/2008 10:53:00AM	5.39		S.U.	
000010	Temperature, Water	N	E83079	E170.1	11/3/2008 10:53:00AM	22.17		deg C	
082078	Turbidity	N	E83079	E180.1	11/3/2008 10:53:00AM	0.66		NTU	

Total Parameters Monitored: 6

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15808
WACS Testsite Name: B42-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/3/2008 10:53:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/11/2008 2:23:00AM	0.0049	0.0049	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/11/2008 2:23:00AM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15808
 WACS Testsite Name: B42-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/3/2008 10:53:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/5/2008 8:18:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/5/2008 10:52:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/5/2008 10:52:00AM	180	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/5/2008 10:52:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/5/2008 10:52:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/5/2008 10:52:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/5/2008 10:52:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/5/2008 10:52:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/5/2008 10:52:00AM	24000	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/5/2008 10:52:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/6/2008 2:33:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/5/2008 10:52:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/5/2008 10:52:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/5/2008 10:52:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/5/2008 10:52:00AM	120	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/5/2008 8:18:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/5/2008 10:52:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/5/2008 10:52:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15808
WACS Testsite Name: B42-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/3/2008 10:53:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/3/2008 9:28:00PM	160	0.11	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/3/2008 9:28:00PM	0.058	0.058	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/3/2008 9:28:00PM	380	0.28	mg/L	
070300	TDS	N	E83079	SM2540 C	11/7/2008 3:19:00PM	990	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15808
WACS Testsite Name: B42-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/3/2008 10:53:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/10/2008 12:31:00PM	0.36	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15809
 WACS Testsite Name: B42-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/3/2008 11:20:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/15/2008 5:53:00AM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/15/2008 5:53:00AM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/15/2008 5:53:00AM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/15/2008 5:53:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/15/2008 5:53:00AM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/15/2008 5:53:00AM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/15/2008 5:53:00AM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/15/2008 5:53:00AM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/15/2008 5:53:00AM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/15/2008 5:53:00AM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/15/2008 5:53:00AM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/15/2008 5:53:00AM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/15/2008 5:53:00AM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/15/2008 5:53:00AM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/15/2008 5:53:00AM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/15/2008 5:53:00AM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/15/2008 5:53:00AM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/15/2008 5:53:00AM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/15/2008 5:53:00AM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/15/2008 5:53:00AM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/15/2008 5:53:00AM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/15/2008 5:53:00AM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/15/2008 5:53:00AM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/15/2008 5:53:00AM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/15/2008 5:53:00AM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/15/2008 5:53:00AM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/15/2008 5:53:00AM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/15/2008 5:53:00AM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/15/2008 5:53:00AM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/3/2008 11:20:00AM	431		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/15/2008 5:53:00AM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/15/2008 5:53:00AM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/3/2008 11:20:00AM	0.19		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/15/2008 5:53:00AM	0.5	0.5	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/3/2008 11:20:00AM	23.77		feet	
077424	Iodomethane	N	E83079	SW8260	11/15/2008 5:53:00AM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/15/2008 5:53:00AM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/3/2008 11:20:00AM	5.73		S.U.	
077128	Styrene	N	E83079	SW8260	11/15/2008 5:53:00AM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/3/2008 11:20:00AM	22.61		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/15/2008 5:53:00AM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/15/2008 5:53:00AM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/15/2008 5:53:00AM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/15/2008 5:53:00AM	0.25	0.25	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15809
 WACS Testsite Name: B42-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/3/2008 11:20:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/15/2008 5:53:00AM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/15/2008 5:53:00AM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/15/2008 5:53:00AM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/3/2008 11:20:00AM	3.11		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/15/2008 5:53:00AM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/15/2008 5:53:00AM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/15/2008 5:53:00AM	1	1	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15809
WACS Testsite Name: B42-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/3/2008 11:20:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/11/2008 2:42:00AM	0.0048	0.0048	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/11/2008 2:42:00AM	0.0061	0.0061	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15809
 WACS Testsite Name: B42-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/3/2008 11:20:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/5/2008 8:23:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/5/2008 10:56:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/5/2008 10:56:00AM	34	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/5/2008 10:56:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/5/2008 10:56:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/5/2008 10:56:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/5/2008 10:56:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/5/2008 10:56:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/5/2008 10:56:00AM	1000	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/5/2008 10:56:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/6/2008 2:35:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/5/2008 10:56:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/5/2008 10:56:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/5/2008 10:56:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/5/2008 10:56:00AM	28	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/5/2008 8:23:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/5/2008 10:56:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/5/2008 10:56:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15809
WACS Testsite Name: B42-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/3/2008 11:20:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/4/2008 2:06:00PM	14	0.021	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/4/2008 2:06:00PM	0.94	0.012	mg/L	
000945	Sulfate	N	E83079	E300.0	11/4/2008 2:06:00PM	45	0.055	mg/L	
070300	TDS	N	E83079	SM2540 C	11/7/2008 3:21:00PM	300	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15809
WACS Testsite Name: B42-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/3/2008 11:20:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/10/2008 12:32:00PM	0.31	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15636
WACS Testsite Name: B1-B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/3/2008 12:10:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000094	Conductivity	N	E83079	E120.1	11/3/2008 12:10:00PM	1253		umhos/cm	
000299	Dissolved Oxygen	N	E83079	E360.1	11/3/2008 12:10:00PM	0.2		mg/L	
082545	Groundwater Elevation	N	E83079	DEPSOP	11/3/2008 12:10:00PM	21.58		feet	
000406	pH	N	E83079	E150.1	11/3/2008 12:10:00PM	5.95		S.U.	
000010	Temperature, Water	N	E83079	E170.1	11/3/2008 12:10:00PM	22.73		deg C	
082078	Turbidity	N	E83079	E180.1	11/3/2008 12:10:00PM	0.73		NTU	

Total Parameters Monitored: 6

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15636
WACS Testsite Name: B1-B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/3/2008 12:10:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/11/2008 3:01:00AM	0.0048	0.0048	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/11/2008 3:01:00AM	0.0061	0.0061	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15636
WACS Testsite Name: B1-B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/3/2008 12:10:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/5/2008 8:28:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/5/2008 11:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/5/2008 11:00:00AM	240	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/5/2008 11:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/5/2008 11:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/5/2008 11:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/5/2008 11:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/5/2008 11:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/5/2008 11:00:00AM	20000	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/5/2008 11:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/6/2008 2:38:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/5/2008 11:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/5/2008 11:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/5/2008 11:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/5/2008 11:00:00AM	56	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/5/2008 8:28:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/5/2008 11:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/5/2008 11:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15636
WACS Testsite Name: B1-B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/3/2008 12:10:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/4/2008 2:52:00PM	50	0.043	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/4/2008 2:52:00PM	0.53	0.023	mg/L	
000945	Sulfate	N	E83079	E300.0	11/4/2008 2:52:00PM	63	0.11	mg/L	
070300	TDS	N	E83079	SM2540 C	11/7/2008 3:22:00PM	740	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15636
WACS Testsite Name: B1-B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/3/2008 12:10:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/10/2008 12:33:00PM	6.9	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15806
WACS Testsite Name: B41-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/3/2008 1:00:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000094	Conductivity	N	E83079	E120.1	11/3/2008 1:00:00PM	2191		umhos/cm	
000299	Dissolved Oxygen	N	E83079	E360.1	11/3/2008 1:00:00PM	0.18		mg/L	
082545	Groundwater Elevation	N	E83079	DEPSOP	11/3/2008 1:00:00PM	21.26		feet	
000406	pH	N	E83079	E150.1	11/3/2008 1:00:00PM	6.04		S.U.	
000010	Temperature, Water	N	E83079	E170.1	11/3/2008 1:00:00PM	22.53		deg C	
082078	Turbidity	N	E83079	E180.1	11/3/2008 1:00:00PM	1.82		NTU	

Total Parameters Monitored: 6

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15806
WACS Testsite Name: B41-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/3/2008 1:00:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/11/2008 3:39:00AM	0.0079	0.0049	ug/L	I
077651	Ethylene Dibromide	N	E83079	SW8011	11/11/2008 3:39:00AM	0.0061	0.0061	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15806
 WACS Testsite Name: B41-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/3/2008 1:00:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/5/2008 8:33:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/5/2008 11:04:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/5/2008 11:04:00AM	200	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/5/2008 11:04:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/5/2008 11:04:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/5/2008 11:04:00AM	5	2.5	ug/L	I
001037	Cobalt	N	E83079	SW6010	11/5/2008 11:04:00AM	5.8	5	ug/L	I
001042	Copper	N	E83079	SW6010	11/5/2008 11:04:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/5/2008 11:04:00AM	24000	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/5/2008 11:04:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/6/2008 2:41:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/5/2008 11:04:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/5/2008 11:04:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/5/2008 11:04:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/5/2008 11:04:00AM	160	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/5/2008 8:33:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/5/2008 11:04:00AM	10	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/5/2008 11:04:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15806
WACS Testsite Name: B41-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/3/2008 1:00:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/4/2008 3:08:00PM	160	0.11	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/4/2008 3:08:00PM	0.058	0.058	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/4/2008 3:08:00PM	30	0.28	mg/L	
070300	TDS	N	E83079	SM2540 C	11/7/2008 3:24:00PM	1100	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15806
WACS Testsite Name: B41-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/3/2008 1:00:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/10/2008 5:24:00PM	59	0.2	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15807
WACS Testsite Name: B41-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/3/2008 1:41:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000094	Conductivity	N	E83079	E120.1	11/3/2008 1:41:00PM	859		umhos/cm	
000299	Dissolved Oxygen	N	E83079	E360.1	11/3/2008 1:41:00PM	0.12		mg/L	
082545	Groundwater Elevation	N	E83079	DEPSOP	11/3/2008 1:41:00PM	24.27		feet	
000406	pH	N	E83079	E150.1	11/3/2008 1:41:00PM	6.2		S.U.	
000010	Temperature, Water	N	E83079	E170.1	11/3/2008 1:41:00PM	22.82		deg C	
082078	Turbidity	N	E83079	E180.1	11/3/2008 1:41:00PM	0.73		NTU	

Total Parameters Monitored: 6

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15807
WACS Testsite Name: B41-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/3/2008 1:41:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/11/2008 3:58:00AM	0.005	0.005	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/11/2008 3:58:00AM	0.0063	0.0063	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15807
WACS Testsite Name: B41-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/3/2008 1:41:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/5/2008 8:48:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/5/2008 11:08:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/5/2008 11:08:00AM	60	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/5/2008 11:08:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/5/2008 11:08:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/5/2008 11:08:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/5/2008 11:08:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/5/2008 11:08:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/5/2008 11:08:00AM	1000	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/5/2008 11:08:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/6/2008 3:01:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/5/2008 11:08:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/5/2008 11:08:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/5/2008 11:08:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/5/2008 11:08:00AM	29	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/5/2008 8:48:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/5/2008 11:08:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/5/2008 11:08:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15807
WACS Testsite Name: B41-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/3/2008 1:41:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/4/2008 3:24:00PM	32	0.043	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/4/2008 3:24:00PM	0.023	0.023	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/4/2008 3:24:00PM	15	0.11	mg/L	
070300	TDS	N	E83079	SM2540 C	11/7/2008 3:25:00PM	570	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15807
WACS Testsite Name: B41-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/3/2008 1:41:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/10/2008 12:36:00PM	0.7	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15826
 WACS Testsite Name: B65
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/3/2008 2:38:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/15/2008 7:53:00AM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/15/2008 7:53:00AM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/15/2008 7:53:00AM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/15/2008 7:53:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/15/2008 7:53:00AM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/15/2008 7:53:00AM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/15/2008 7:53:00AM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/15/2008 7:53:00AM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/15/2008 7:53:00AM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/15/2008 7:53:00AM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/15/2008 7:53:00AM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/15/2008 7:53:00AM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/15/2008 7:53:00AM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/15/2008 7:53:00AM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/15/2008 7:53:00AM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/15/2008 7:53:00AM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/15/2008 7:53:00AM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/15/2008 7:53:00AM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/15/2008 7:53:00AM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/15/2008 7:53:00AM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/15/2008 7:53:00AM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/15/2008 7:53:00AM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/15/2008 7:53:00AM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/15/2008 7:53:00AM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/15/2008 7:53:00AM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/15/2008 7:53:00AM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/15/2008 7:53:00AM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/15/2008 7:53:00AM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/15/2008 7:53:00AM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/3/2008 2:38:00PM	662		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/15/2008 7:53:00AM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/15/2008 7:53:00AM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/3/2008 2:38:00PM	0.13		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/15/2008 7:53:00AM	0.5	0.5	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/3/2008 2:38:00PM	24.22		feet	
077424	Iodomethane	N	E83079	SW8260	11/15/2008 7:53:00AM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/15/2008 7:53:00AM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/3/2008 2:38:00PM	5.71		S.U.	
077128	Styrene	N	E83079	SW8260	11/15/2008 7:53:00AM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/3/2008 2:38:00PM	22.28		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/15/2008 7:53:00AM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/15/2008 7:53:00AM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/15/2008 7:53:00AM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/15/2008 7:53:00AM	0.25	0.25	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15826
 WACS Testsite Name: B65
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/3/2008 2:38:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/15/2008 7:53:00AM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/15/2008 7:53:00AM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/15/2008 7:53:00AM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/3/2008 2:38:00PM	1.05		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/15/2008 7:53:00AM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/15/2008 7:53:00AM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/15/2008 7:53:00AM	1	1	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15826
WACS Testsite Name: B65
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/3/2008 2:38:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/11/2008 4:17:00AM	0.0052	0.0052	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/11/2008 4:17:00AM	0.0065	0.0065	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15826
 WACS Testsite Name: B65
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/3/2008 2:38:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/5/2008 8:53:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/5/2008 11:12:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/5/2008 11:12:00AM	62	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/5/2008 11:12:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/5/2008 11:12:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/5/2008 11:12:00AM	3.4	2.5	ug/L	I
001037	Cobalt	N	E83079	SW6010	11/5/2008 11:12:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/5/2008 11:12:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/5/2008 11:12:00AM	1900	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/5/2008 11:12:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/6/2008 3:12:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/5/2008 11:12:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/5/2008 11:12:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/5/2008 11:12:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/5/2008 11:12:00AM	34	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/5/2008 8:53:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/5/2008 11:12:00AM	5.7	5	ug/L	I
001092	Zinc	N	E83079	SW6010	11/5/2008 11:12:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15826
WACS Testsite Name: B65
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/3/2008 2:38:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/4/2008 3:40:00PM	33	0.021	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/4/2008 3:40:00PM	0.012	0.012	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/4/2008 3:40:00PM	47	0.055	mg/L	
070300	TDS	N	E83079	SM2540 C	11/7/2008 3:26:00PM	460	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15826
WACS Testsite Name: B65
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/3/2008 2:38:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/10/2008 12:37:00PM	0.53	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: Trip Blank
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 11/3/2008 12:00:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/15/2008 8:24:00AM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/15/2008 8:24:00AM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/15/2008 8:24:00AM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/15/2008 8:24:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/15/2008 8:24:00AM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/15/2008 8:24:00AM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/15/2008 8:24:00AM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/15/2008 8:24:00AM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/15/2008 8:24:00AM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/15/2008 8:24:00AM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/15/2008 8:24:00AM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/15/2008 8:24:00AM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/15/2008 8:24:00AM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/15/2008 8:24:00AM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/15/2008 8:24:00AM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/15/2008 8:24:00AM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/15/2008 8:24:00AM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/15/2008 8:24:00AM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/15/2008 8:24:00AM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/15/2008 8:24:00AM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/15/2008 8:24:00AM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/15/2008 8:24:00AM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/15/2008 8:24:00AM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/15/2008 8:24:00AM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/15/2008 8:24:00AM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/15/2008 8:24:00AM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/15/2008 8:24:00AM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/15/2008 8:24:00AM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/15/2008 8:24:00AM	0.25	0.25	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	11/15/2008 8:24:00AM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/15/2008 8:24:00AM	0.5	0.5	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	11/15/2008 8:24:00AM	0.5	0.5	ug/L	U
077424	Iodomethane	N	E83079	SW8260	11/15/2008 8:24:00AM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/15/2008 8:24:00AM	2.5	2.5	ug/L	U
077128	Styrene	N	E83079	SW8260	11/15/2008 8:24:00AM	0.5	0.5	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	11/15/2008 8:24:00AM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/15/2008 8:24:00AM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/15/2008 8:24:00AM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/15/2008 8:24:00AM	0.25	0.25	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/15/2008 8:24:00AM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/15/2008 8:24:00AM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/15/2008 8:24:00AM	0.66	0.66	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	11/15/2008 8:24:00AM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/15/2008 8:24:00AM	0.53	0.53	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 2/17/2009

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: Trip Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/3/2008 12:00:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	11/15/2008 8:24:00AM	1	1	ug/L	U

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 11/4/2008 9:00:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/16/2008 2:29:00PM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/16/2008 2:29:00PM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/16/2008 2:29:00PM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/16/2008 2:29:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/16/2008 2:29:00PM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/16/2008 2:29:00PM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/16/2008 2:29:00PM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/16/2008 2:29:00PM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/16/2008 2:29:00PM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/16/2008 2:29:00PM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/16/2008 2:29:00PM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/16/2008 2:29:00PM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/16/2008 2:29:00PM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/16/2008 2:29:00PM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/16/2008 2:29:00PM	13	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/16/2008 2:29:00PM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/16/2008 2:29:00PM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/16/2008 2:29:00PM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/16/2008 2:29:00PM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/16/2008 2:29:00PM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/16/2008 2:29:00PM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/16/2008 2:29:00PM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/16/2008 2:29:00PM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/16/2008 2:29:00PM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/16/2008 2:29:00PM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/16/2008 2:29:00PM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/16/2008 2:29:00PM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/16/2008 2:29:00PM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/16/2008 2:29:00PM	0.25	0.25	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	11/16/2008 2:29:00PM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/16/2008 2:29:00PM	0.5	0.5	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	11/16/2008 2:29:00PM	0.5	0.5	ug/L	U
077424	Iodomethane	N	E83079	SW8260	11/16/2008 2:29:00PM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/16/2008 2:29:00PM	2.5	2.5	ug/L	U
077128	Styrene	N	E83079	SW8260	11/16/2008 2:29:00PM	0.5	0.5	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	11/16/2008 2:29:00PM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/16/2008 2:29:00PM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/16/2008 2:29:00PM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/16/2008 2:29:00PM	0.25	0.25	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/16/2008 2:29:00PM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/16/2008 2:29:00PM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/16/2008 2:29:00PM	0.66	0.66	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	11/16/2008 2:29:00PM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/16/2008 2:29:00PM	0.53	0.53	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/4/2008 9:00:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	11/16/2008 2:29:00PM	1	1	ug/L	U

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: _____
WACS Testsite Name: EQ Blank
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/4/2008 9:00:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: Not Provided

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/8/2008 3:19:00AM	0.005	0.005	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/8/2008 3:19:00AM	0.0064	0.0064	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/4/2008 9:00:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/6/2008 7:14:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/6/2008 5:41:00PM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/6/2008 5:41:00PM	5	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/6/2008 5:41:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/6/2008 5:41:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/6/2008 5:41:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/6/2008 5:41:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/6/2008 5:41:00PM	3.2	2.5	ug/L	I
001045	Iron	N	E83079	SW6010	11/6/2008 5:41:00PM	20	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/6/2008 5:41:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/6/2008 3:49:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/6/2008 5:41:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/6/2008 5:41:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/6/2008 5:41:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/6/2008 5:41:00PM	0.5	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/6/2008 7:14:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/6/2008 5:41:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/6/2008 5:41:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: _____
WACS Testsite Name: EQ Blank
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/4/2008 9:00:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: Not Provided

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/5/2008 7:04:00AM	0.021	0.021	mg/L	U
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/5/2008 7:04:00AM	0.012	0.012	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/5/2008 7:04:00AM	0.055	0.055	mg/L	U
070300	TDS	N	E83079	SM2540 C	11/10/2008 11:36:00AM	5	5	mg/L	U

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: _____
WACS Testsite Name: EQ Blank
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/4/2008 9:00:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: Not Provided

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/10/2008 1:47:00PM	0.02	0.02	mg/L	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15813
WACS Testsite Name: B45-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/4/2008 9:38:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000094	Conductivity	N	E83079	E120.1	11/4/2008 9:38:00AM	1541		umhos/cm	
000299	Dissolved Oxygen	N	E83079	E360.1	11/4/2008 9:38:00AM	0.25		mg/L	
082545	Groundwater Elevation	N	E83079	DEPSOP	11/4/2008 9:38:00AM	24.43		feet	
000406	pH	N	E83079	E150.1	11/4/2008 9:38:00AM	5.84		S.U.	
000010	Temperature, Water	N	E83079	E170.1	11/4/2008 9:38:00AM	22.01		deg C	
082078	Turbidity	N	E83079	E180.1	11/4/2008 9:38:00AM	3.37		NTU	

Total Parameters Monitored: 6

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15813
WACS Testsite Name: B45-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/4/2008 9:38:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/8/2008 4:35:00AM	0.0051	0.0051	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/8/2008 4:35:00AM	0.0065	0.0065	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15813
 WACS Testsite Name: B45-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/4/2008 9:38:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/6/2008 7:33:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/6/2008 5:53:00PM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/6/2008 5:53:00PM	150	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/6/2008 5:53:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/6/2008 5:53:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/6/2008 5:53:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/6/2008 5:53:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/6/2008 5:53:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/6/2008 5:53:00PM	42000	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/6/2008 5:53:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/6/2008 3:57:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/6/2008 5:53:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/6/2008 5:53:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/6/2008 5:53:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/6/2008 5:53:00PM	210	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/6/2008 7:33:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/6/2008 5:53:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/6/2008 5:53:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15813
WACS Testsite Name: B45-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/4/2008 9:38:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/5/2008 7:19:00AM	150	0.11	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/5/2008 7:19:00AM	0.058	0.058	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/5/2008 7:19:00AM	0.28	0.28	mg/L	U
070300	TDS	N	E83079	SM2540 C	11/10/2008 11:39:00AM	950	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15813
WACS Testsite Name: B45-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/4/2008 9:38:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/10/2008 1:49:00PM	0.057	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15813
WACS Testsite Name: B45-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/4/2008 9:38:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000094	Conductivity	N	E83079	E120.1	11/4/2008 9:38:00AM	1541		umhos/cm	
000299	Dissolved Oxygen	N	E83079	E360.1	11/4/2008 9:38:00AM	0.25		mg/L	
082545	Groundwater Elevation	N	E83079	DEPSOP	11/4/2008 9:38:00AM	24.43		feet	
000406	pH	N	E83079	E150.1	11/4/2008 9:38:00AM	5.84		S.U.	
000010	Temperature, Water	N	E83079	E170.1	11/4/2008 9:38:00AM	22.01		deg C	
082078	Turbidity	N	E83079	E180.1	11/4/2008 9:38:00AM	3.37		NTU	

Total Parameters Monitored: 6

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15813
WACS Testsite Name: B45-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/4/2008 9:38:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/8/2008 4:54:00AM	0.005	0.005	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/8/2008 4:54:00AM	0.0064	0.0064	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15813
 WACS Testsite Name: B45-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/4/2008 9:38:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/6/2008 7:57:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/6/2008 5:56:00PM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/6/2008 5:56:00PM	150	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/6/2008 5:56:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/6/2008 5:56:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/6/2008 5:56:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/6/2008 5:56:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/6/2008 5:56:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/6/2008 5:56:00PM	42000	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/6/2008 5:56:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/6/2008 4:00:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/6/2008 5:56:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/6/2008 5:56:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/6/2008 5:56:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/6/2008 5:56:00PM	210	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/6/2008 7:57:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/6/2008 5:56:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/6/2008 5:56:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15813
WACS Testsite Name: B45-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/4/2008 9:38:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/5/2008 7:35:00AM	150	0.11	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/5/2008 7:35:00AM	0.058	0.058	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/5/2008 7:35:00AM	0.28	0.28	mg/L	U
070300	TDS	N	E83079	SM2540 C	11/10/2008 11:40:00AM	920	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15813
WACS Testsite Name: B45-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/4/2008 9:38:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/10/2008 1:50:00PM	0.054	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15814
WACS Testsite Name: B45-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/4/2008 10:37:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000094	Conductivity	N	E83079	E120.1	11/4/2008 10:37:00AM	1270		umhos/cm	
000299	Dissolved Oxygen	N	E83079	E360.1	11/4/2008 10:37:00AM	0.21		mg/L	
082545	Groundwater Elevation	N	E83079	DEPSOP	11/4/2008 10:37:00AM	24.3		feet	
000406	pH	N	E83079	E150.1	11/4/2008 10:37:00AM	5.11		S.U.	
000010	Temperature, Water	N	E83079	E170.1	11/4/2008 10:37:00AM	22.31		deg C	
082078	Turbidity	N	E83079	E180.1	11/4/2008 10:37:00AM	1.8		NTU	

Total Parameters Monitored: 6

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15814
WACS Testsite Name: B45-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/4/2008 10:37:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/8/2008 5:13:00AM	0.0051	0.0051	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/8/2008 5:13:00AM	0.0064	0.0064	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15814
WACS Testsite Name: B45-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/4/2008 10:37:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/6/2008 8:01:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/6/2008 6:08:00PM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/6/2008 6:08:00PM	94	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/6/2008 6:08:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/6/2008 6:08:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/6/2008 6:08:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/6/2008 6:08:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/6/2008 6:08:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/6/2008 6:08:00PM	34000	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/6/2008 6:08:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/6/2008 4:03:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/6/2008 6:08:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/6/2008 6:08:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/6/2008 6:08:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/6/2008 6:08:00PM	81	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/6/2008 8:01:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/6/2008 6:08:00PM	6.8	5	ug/L	I
001092	Zinc	N	E83079	SW6010	11/6/2008 6:08:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15814
WACS Testsite Name: B45-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/4/2008 10:37:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/10/2008 10:48:00PM	350	0.21	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/5/2008 7:51:00AM	0.023	0.023	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/5/2008 7:51:00AM	25	0.11	mg/L	
070300	TDS	N	E83079	SM2540 C	11/10/2008 11:42:00AM	900	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15814
WACS Testsite Name: B45-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/4/2008 10:37:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/10/2008 1:51:00PM	0.025	0.02	mg/L	I

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15812
 WACS Testsite Name: B-44
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/4/2008 11:15:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/16/2008 4:00:00PM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/16/2008 4:00:00PM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/16/2008 4:00:00PM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/16/2008 4:00:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/16/2008 4:00:00PM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/16/2008 4:00:00PM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/16/2008 4:00:00PM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/16/2008 4:00:00PM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/16/2008 4:00:00PM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/16/2008 4:00:00PM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/16/2008 4:00:00PM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/16/2008 4:00:00PM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/16/2008 4:00:00PM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/16/2008 4:00:00PM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/16/2008 4:00:00PM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/16/2008 4:00:00PM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/16/2008 4:00:00PM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/16/2008 4:00:00PM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/16/2008 4:00:00PM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/16/2008 4:00:00PM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/16/2008 4:00:00PM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/16/2008 4:00:00PM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/16/2008 4:00:00PM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/16/2008 4:00:00PM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/16/2008 4:00:00PM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/16/2008 4:00:00PM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/16/2008 4:00:00PM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/16/2008 4:00:00PM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/16/2008 4:00:00PM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/4/2008 11:15:00AM	182		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/16/2008 4:00:00PM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/16/2008 4:00:00PM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/4/2008 11:15:00AM	0.23		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/16/2008 4:00:00PM	0.5	0.5	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/4/2008 11:15:00AM	23.68		feet	
077424	Iodomethane	N	E83079	SW8260	11/16/2008 4:00:00PM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/16/2008 4:00:00PM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/4/2008 11:15:00AM	5.15		S.U.	
077128	Styrene	N	E83079	SW8260	11/16/2008 4:00:00PM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/4/2008 11:15:00AM	22.47		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/16/2008 4:00:00PM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/16/2008 4:00:00PM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/16/2008 4:00:00PM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/16/2008 4:00:00PM	0.25	0.25	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15812
 WACS Testsite Name: B-44
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/4/2008 11:15:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/16/2008 4:00:00PM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/16/2008 4:00:00PM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/16/2008 4:00:00PM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/4/2008 11:15:00AM	5.03		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/16/2008 4:00:00PM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/16/2008 4:00:00PM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/16/2008 4:00:00PM	1	1	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15812
WACS Testsite Name: B-44
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/4/2008 11:15:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/8/2008 5:32:00AM	0.0052	0.0052	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/8/2008 5:32:00AM	0.0065	0.0065	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15812
 WACS Testsite Name: B-44
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/4/2008 11:15:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/6/2008 8:06:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/6/2008 6:12:00PM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/6/2008 6:12:00PM	11	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/6/2008 6:12:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/6/2008 6:12:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/6/2008 6:12:00PM	3.6	2.5	ug/L	I
001037	Cobalt	N	E83079	SW6010	11/6/2008 6:12:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/6/2008 6:12:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/6/2008 6:12:00PM	14000	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/6/2008 6:12:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/6/2008 4:06:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/6/2008 6:12:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/6/2008 6:12:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/6/2008 6:12:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/6/2008 6:12:00PM	11	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/6/2008 8:06:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/6/2008 6:12:00PM	13	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/6/2008 6:12:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15812
WACS Testsite Name: B-44
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/4/2008 11:15:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/5/2008 8:06:00AM	21	0.021	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/5/2008 8:06:00AM	0.012	0.012	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/5/2008 8:06:00AM	12	0.055	mg/L	
070300	TDS	N	E83079	SM2540 C	11/10/2008 11:43:00AM	160	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15812
WACS Testsite Name: B-44
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/4/2008 11:15:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/10/2008 1:56:00PM	0.02	0.02	mg/L	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19800
 WACS Testsite Name: B70-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 11/4/2008 12:02:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/16/2008 4:30:00PM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/16/2008 4:30:00PM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/16/2008 4:30:00PM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/16/2008 4:30:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/16/2008 4:30:00PM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/16/2008 4:30:00PM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/16/2008 4:30:00PM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/16/2008 4:30:00PM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/16/2008 4:30:00PM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/16/2008 4:30:00PM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/16/2008 4:30:00PM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/16/2008 4:30:00PM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/16/2008 4:30:00PM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/16/2008 4:30:00PM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/16/2008 4:30:00PM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/16/2008 4:30:00PM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/16/2008 4:30:00PM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/16/2008 4:30:00PM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/16/2008 4:30:00PM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/16/2008 4:30:00PM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/16/2008 4:30:00PM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/16/2008 4:30:00PM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/16/2008 4:30:00PM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/16/2008 4:30:00PM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/16/2008 4:30:00PM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/16/2008 4:30:00PM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/16/2008 4:30:00PM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/16/2008 4:30:00PM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/16/2008 4:30:00PM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/4/2008 12:02:00PM	297		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/16/2008 4:30:00PM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/16/2008 4:30:00PM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/4/2008 12:02:00PM	0.19		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/16/2008 4:30:00PM	0.5	0.5	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/4/2008 12:02:00PM	22.87		feet	
077424	Iodomethane	N	E83079	SW8260	11/16/2008 4:30:00PM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/16/2008 4:30:00PM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/4/2008 12:02:00PM	5.12		S.U.	
077128	Styrene	N	E83079	SW8260	11/16/2008 4:30:00PM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/4/2008 12:02:00PM	23.05		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/16/2008 4:30:00PM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/16/2008 4:30:00PM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/16/2008 4:30:00PM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/16/2008 4:30:00PM	0.25	0.25	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 19800
 WACS Testsite Name: B70-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/4/2008 12:02:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/16/2008 4:30:00PM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/16/2008 4:30:00PM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/16/2008 4:30:00PM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/4/2008 12:02:00PM	0.49		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/16/2008 4:30:00PM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/16/2008 4:30:00PM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/16/2008 4:30:00PM	1	1	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19800
WACS Testsite Name: B70-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/4/2008 12:02:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/8/2008 5:51:00AM	0.0051	0.0051	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/8/2008 5:51:00AM	0.0064	0.0064	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19800
 WACS Testsite Name: B70-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/4/2008 12:02:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/6/2008 8:11:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/6/2008 6:16:00PM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/6/2008 6:16:00PM	36	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/6/2008 6:16:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/6/2008 6:16:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/6/2008 6:16:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/6/2008 6:16:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/6/2008 6:16:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/6/2008 6:16:00PM	6000	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/6/2008 6:16:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/6/2008 4:09:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/6/2008 6:16:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/6/2008 6:16:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/6/2008 6:16:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/6/2008 6:16:00PM	25	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/6/2008 8:11:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/6/2008 6:16:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/6/2008 6:16:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19800
WACS Testsite Name: B70-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/4/2008 12:02:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/5/2008 8:22:00AM	37	0.021	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/5/2008 8:22:00AM	0.012	0.012	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/5/2008 8:22:00AM	49	0.055	mg/L	
070300	TDS	N	E83079	SM2540 C	11/10/2008 11:44:00AM	200	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19800
WACS Testsite Name: B70-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/4/2008 12:02:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/10/2008 1:57:00PM	0.03	0.02	mg/L	I

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19801
 WACS Testsite Name: B70-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/4/2008 12:49:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/16/2008 5:01:00PM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/16/2008 5:01:00PM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/16/2008 5:01:00PM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/16/2008 5:01:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/16/2008 5:01:00PM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/16/2008 5:01:00PM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/16/2008 5:01:00PM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/16/2008 5:01:00PM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/16/2008 5:01:00PM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/16/2008 5:01:00PM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/16/2008 5:01:00PM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/16/2008 5:01:00PM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/16/2008 5:01:00PM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/16/2008 5:01:00PM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/16/2008 5:01:00PM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/16/2008 5:01:00PM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/16/2008 5:01:00PM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/16/2008 5:01:00PM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/16/2008 5:01:00PM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/16/2008 5:01:00PM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/16/2008 5:01:00PM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/16/2008 5:01:00PM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/16/2008 5:01:00PM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/16/2008 5:01:00PM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/16/2008 5:01:00PM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/16/2008 5:01:00PM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/16/2008 5:01:00PM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/16/2008 5:01:00PM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/16/2008 5:01:00PM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/4/2008 12:49:00PM	265		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/16/2008 5:01:00PM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/16/2008 5:01:00PM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/4/2008 12:49:00PM	0.69		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/16/2008 5:01:00PM	0.5	0.5	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/4/2008 12:49:00PM	23.14		feet	
077424	Iodomethane	N	E83079	SW8260	11/16/2008 5:01:00PM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/16/2008 5:01:00PM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/4/2008 12:49:00PM	5.46		S.U.	
077128	Styrene	N	E83079	SW8260	11/16/2008 5:01:00PM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/4/2008 12:49:00PM	23.88		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/16/2008 5:01:00PM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/16/2008 5:01:00PM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/16/2008 5:01:00PM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/16/2008 5:01:00PM	0.25	0.25	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 19801
 WACS Testsite Name: B70-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/4/2008 12:49:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/16/2008 5:01:00PM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/16/2008 5:01:00PM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/16/2008 5:01:00PM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/4/2008 12:49:00PM	6		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/16/2008 5:01:00PM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/16/2008 5:01:00PM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/16/2008 5:01:00PM	1	1	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19801
WACS Testsite Name: B70-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/4/2008 12:49:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/8/2008 6:10:00AM	0.0051	0.0051	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/8/2008 6:10:00AM	0.0065	0.0065	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19801
 WACS Testsite Name: B70-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/4/2008 12:49:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/6/2008 8:16:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/6/2008 6:20:00PM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/6/2008 6:20:00PM	24	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/6/2008 6:20:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/6/2008 6:20:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/6/2008 6:20:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/6/2008 6:20:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/6/2008 6:20:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/6/2008 6:20:00PM	3300	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/6/2008 6:20:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/6/2008 4:12:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/6/2008 6:20:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/6/2008 6:20:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/6/2008 6:20:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/6/2008 6:20:00PM	8	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/6/2008 8:16:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/6/2008 6:20:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/6/2008 6:20:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19801
WACS Testsite Name: B70-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/4/2008 12:49:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/5/2008 8:38:00AM	12	0.021	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/5/2008 8:38:00AM	0.29	0.012	mg/L	
000945	Sulfate	N	E83079	E300.0	11/5/2008 8:38:00AM	23	0.055	mg/L	
070300	TDS	N	E83079	SM2540 C	11/10/2008 11:46:00AM	150	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19801
WACS Testsite Name: B70-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/4/2008 12:49:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/10/2008 1:59:00PM	0.02	0.02	mg/L	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15810
 WACS Testsite Name: B43-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/4/2008 1:23:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/18/2008 7:24:00AM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/18/2008 7:24:00AM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/18/2008 7:24:00AM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/18/2008 7:24:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/18/2008 7:24:00AM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/18/2008 7:24:00AM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/18/2008 7:24:00AM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/18/2008 7:24:00AM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/18/2008 7:24:00AM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/18/2008 7:24:00AM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/18/2008 7:24:00AM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/18/2008 7:24:00AM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/18/2008 7:24:00AM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/18/2008 7:24:00AM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/18/2008 7:24:00AM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/18/2008 7:24:00AM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/18/2008 7:24:00AM	1.8	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/18/2008 7:24:00AM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/18/2008 7:24:00AM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/18/2008 7:24:00AM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/18/2008 7:24:00AM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/18/2008 7:24:00AM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/18/2008 7:24:00AM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/18/2008 7:24:00AM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/18/2008 7:24:00AM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/18/2008 7:24:00AM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/18/2008 7:24:00AM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/18/2008 7:24:00AM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/18/2008 7:24:00AM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/4/2008 1:23:00PM	826		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/18/2008 7:24:00AM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/18/2008 7:24:00AM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/4/2008 1:23:00PM	0.14		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/18/2008 7:24:00AM	0.5	0.5	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/4/2008 1:23:00PM	23.29		feet	
077424	Iodomethane	N	E83079	SW8260	11/18/2008 7:24:00AM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/18/2008 7:24:00AM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/4/2008 1:23:00PM	5.65		S.U.	
077128	Styrene	N	E83079	SW8260	11/18/2008 7:24:00AM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/4/2008 1:23:00PM	22.65		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/18/2008 7:24:00AM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/18/2008 7:24:00AM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/18/2008 7:24:00AM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/18/2008 7:24:00AM	0.25	0.25	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15810
 WACS Testsite Name: B43-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/4/2008 1:23:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to
 Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/18/2008 7:24:00AM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/18/2008 7:24:00AM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/18/2008 7:24:00AM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/4/2008 1:23:00PM	1.07		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/18/2008 7:24:00AM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/18/2008 7:24:00AM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/18/2008 7:24:00AM	1	1	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15810
WACS Testsite Name: B43-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/4/2008 1:23:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/8/2008 6:29:00AM	0.0051	0.0051	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/8/2008 6:29:00AM	0.0064	0.0064	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15810
 WACS Testsite Name: B43-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/4/2008 1:23:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/6/2008 8:20:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/6/2008 6:24:00PM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/6/2008 6:24:00PM	170	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/6/2008 6:24:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/6/2008 6:24:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/6/2008 6:24:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/6/2008 6:24:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/6/2008 6:24:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/6/2008 6:24:00PM	25000	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/6/2008 6:24:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/6/2008 4:14:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/6/2008 6:24:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/6/2008 6:24:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/6/2008 6:24:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/6/2008 6:24:00PM	87	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/6/2008 8:20:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/6/2008 6:24:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/6/2008 6:24:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15810
WACS Testsite Name: B43-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/4/2008 1:23:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/5/2008 6:48:00AM	66	0.043	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/5/2008 6:48:00AM	0.023	0.023	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/5/2008 6:48:00AM	7.7	0.11	mg/L	
070300	TDS	N	E83079	SM2540 C	11/10/2008 11:47:00AM	460	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15810
WACS Testsite Name: B43-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/4/2008 1:23:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/10/2008 2:00:00PM	2.9	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15811
 WACS Testsite Name: B43-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/4/2008 1:53:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/16/2008 6:01:00PM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/16/2008 6:01:00PM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/16/2008 6:01:00PM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/16/2008 6:01:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/16/2008 6:01:00PM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/16/2008 6:01:00PM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/16/2008 6:01:00PM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/16/2008 6:01:00PM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/16/2008 6:01:00PM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/16/2008 6:01:00PM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/16/2008 6:01:00PM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/16/2008 6:01:00PM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/16/2008 6:01:00PM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/16/2008 6:01:00PM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/16/2008 6:01:00PM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/16/2008 6:01:00PM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/16/2008 6:01:00PM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/16/2008 6:01:00PM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/16/2008 6:01:00PM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/16/2008 6:01:00PM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/16/2008 6:01:00PM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/16/2008 6:01:00PM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/16/2008 6:01:00PM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/16/2008 6:01:00PM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/16/2008 6:01:00PM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/16/2008 6:01:00PM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/16/2008 6:01:00PM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/16/2008 6:01:00PM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/16/2008 6:01:00PM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/4/2008 1:53:00PM	432		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/16/2008 6:01:00PM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/16/2008 6:01:00PM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/4/2008 1:53:00PM	0.19		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/16/2008 6:01:00PM	0.5	0.5	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/4/2008 1:53:00PM	23.41		feet	
077424	Iodomethane	N	E83079	SW8260	11/16/2008 6:01:00PM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/16/2008 6:01:00PM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/4/2008 1:53:00PM	5.77		S.U.	
077128	Styrene	N	E83079	SW8260	11/16/2008 6:01:00PM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/4/2008 1:53:00PM	22.77		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/16/2008 6:01:00PM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/16/2008 6:01:00PM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/16/2008 6:01:00PM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/16/2008 6:01:00PM	0.25	0.25	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 2/17/2009

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 15811
 WACS Testsite Name: B43-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/4/2008 1:53:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/16/2008 6:01:00PM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/16/2008 6:01:00PM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/16/2008 6:01:00PM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/4/2008 1:53:00PM	1.28		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/16/2008 6:01:00PM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/16/2008 6:01:00PM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/16/2008 6:01:00PM	1	1	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15811
WACS Testsite Name: B43-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/4/2008 1:53:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/8/2008 6:48:00AM	0.0071	0.0071	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/8/2008 6:48:00AM	0.009	0.009	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15811
 WACS Testsite Name: B43-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/4/2008 1:53:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/6/2008 8:25:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/6/2008 6:28:00PM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/6/2008 6:28:00PM	8	5	ug/L	I
001012	Beryllium	N	E83079	SW6010	11/6/2008 6:28:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/6/2008 6:28:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/6/2008 6:28:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/6/2008 6:28:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/6/2008 6:28:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/6/2008 6:28:00PM	2300	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/6/2008 6:28:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/6/2008 4:17:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/6/2008 6:28:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/6/2008 6:28:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/6/2008 6:28:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/6/2008 6:28:00PM	7.1	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/6/2008 8:25:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/6/2008 6:28:00PM	5.4	5	ug/L	I
001092	Zinc	N	E83079	SW6010	11/6/2008 6:28:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15811
WACS Testsite Name: B43-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/4/2008 1:53:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/5/2008 10:03:00AM	9.1	0.021	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/5/2008 10:03:00AM	0.012	0.012	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/5/2008 10:03:00AM	0.44	0.055	mg/L	I
070300	TDS	N	E83079	SM2540 C	11/10/2008 11:49:00AM	270	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15811
WACS Testsite Name: B43-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/4/2008 1:53:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/10/2008 2:01:00PM	0.02	0.02	mg/L	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19802
 WACS Testsite Name: B71
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/4/2008 2:29:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/16/2008 6:32:00PM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/16/2008 6:32:00PM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/16/2008 6:32:00PM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/16/2008 6:32:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/16/2008 6:32:00PM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/16/2008 6:32:00PM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/16/2008 6:32:00PM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/16/2008 6:32:00PM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/16/2008 6:32:00PM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/16/2008 6:32:00PM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/16/2008 6:32:00PM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/16/2008 6:32:00PM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/16/2008 6:32:00PM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/16/2008 6:32:00PM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/16/2008 6:32:00PM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/16/2008 6:32:00PM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/16/2008 6:32:00PM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/16/2008 6:32:00PM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/16/2008 6:32:00PM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/16/2008 6:32:00PM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/16/2008 6:32:00PM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/16/2008 6:32:00PM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/16/2008 6:32:00PM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/16/2008 6:32:00PM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/16/2008 6:32:00PM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/16/2008 6:32:00PM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/16/2008 6:32:00PM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/16/2008 6:32:00PM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/16/2008 6:32:00PM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/4/2008 2:29:00PM	588		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/16/2008 6:32:00PM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/16/2008 6:32:00PM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/4/2008 2:29:00PM	0.15		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/16/2008 6:32:00PM	0.5	0.5	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/4/2008 2:29:00PM	23.45		feet	
077424	Iodomethane	N	E83079	SW8260	11/16/2008 6:32:00PM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/16/2008 6:32:00PM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/4/2008 2:29:00PM	5.76		S.U.	
077128	Styrene	N	E83079	SW8260	11/16/2008 6:32:00PM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/4/2008 2:29:00PM	23.92		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/16/2008 6:32:00PM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/16/2008 6:32:00PM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/16/2008 6:32:00PM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/16/2008 6:32:00PM	0.25	0.25	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 19802
 WACS Testsite Name: B71
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/4/2008 2:29:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/16/2008 6:32:00PM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/16/2008 6:32:00PM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/16/2008 6:32:00PM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/4/2008 2:29:00PM	0.99		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/16/2008 6:32:00PM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/16/2008 6:32:00PM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/16/2008 6:32:00PM	1	1	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19802
WACS Testsite Name: B71
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/4/2008 2:29:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/8/2008 7:07:00AM	0.005	0.005	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/8/2008 7:07:00AM	0.0064	0.0064	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19802
 WACS Testsite Name: B71
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/4/2008 2:29:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/6/2008 8:30:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/6/2008 6:39:00PM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/6/2008 6:39:00PM	44	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/6/2008 6:39:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/6/2008 6:39:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/6/2008 6:39:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/6/2008 6:39:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/6/2008 6:39:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/6/2008 6:39:00PM	2600	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/6/2008 6:39:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/6/2008 4:37:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/6/2008 6:39:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/6/2008 6:39:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/6/2008 6:39:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/6/2008 6:39:00PM	8.8	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/6/2008 8:30:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/6/2008 6:39:00PM	9.8	5	ug/L	I
001092	Zinc	N	E83079	SW6010	11/6/2008 6:39:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19802
WACS Testsite Name: B71
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/4/2008 2:29:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/5/2008 10:50:00AM	12	0.021	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/5/2008 10:50:00AM	0.012	0.012	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/5/2008 10:50:00AM	73	0.055	mg/L	
070300	TDS	N	E83079	SM2540 C	11/10/2008 11:50:00AM	430	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19802
WACS Testsite Name: B71
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/4/2008 2:29:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/10/2008 2:03:00PM	0.13	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: Trip Blank
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/4/2008 12:00:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/16/2008 7:02:00PM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/16/2008 7:02:00PM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/16/2008 7:02:00PM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/16/2008 7:02:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/16/2008 7:02:00PM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/16/2008 7:02:00PM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/16/2008 7:02:00PM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/16/2008 7:02:00PM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/16/2008 7:02:00PM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/16/2008 7:02:00PM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/16/2008 7:02:00PM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/16/2008 7:02:00PM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/16/2008 7:02:00PM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/16/2008 7:02:00PM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/16/2008 7:02:00PM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/16/2008 7:02:00PM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/16/2008 7:02:00PM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/16/2008 7:02:00PM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/16/2008 7:02:00PM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/16/2008 7:02:00PM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/16/2008 7:02:00PM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/16/2008 7:02:00PM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/16/2008 7:02:00PM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/16/2008 7:02:00PM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/16/2008 7:02:00PM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/16/2008 7:02:00PM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/16/2008 7:02:00PM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/16/2008 7:02:00PM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/16/2008 7:02:00PM	0.25	0.25	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	11/16/2008 7:02:00PM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/16/2008 7:02:00PM	0.5	0.5	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	11/16/2008 7:02:00PM	0.5	0.5	ug/L	U
077424	Iodomethane	N	E83079	SW8260	11/16/2008 7:02:00PM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/16/2008 7:02:00PM	2.5	2.5	ug/L	U
077128	Styrene	N	E83079	SW8260	11/16/2008 7:02:00PM	0.5	0.5	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	11/16/2008 7:02:00PM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/16/2008 7:02:00PM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/16/2008 7:02:00PM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/16/2008 7:02:00PM	0.25	0.25	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/16/2008 7:02:00PM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/16/2008 7:02:00PM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/16/2008 7:02:00PM	0.66	0.66	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	11/16/2008 7:02:00PM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/16/2008 7:02:00PM	0.53	0.53	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: Trip Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/4/2008 12:00:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	11/16/2008 7:02:00PM	1	1	ug/L	U

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 11/5/2008 8:43:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/18/2008 3:42:00PM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/18/2008 3:42:00PM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/18/2008 3:42:00PM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/18/2008 3:42:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/18/2008 3:42:00PM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/18/2008 3:42:00PM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/18/2008 3:42:00PM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/18/2008 3:42:00PM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/18/2008 3:42:00PM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/18/2008 3:42:00PM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/18/2008 3:42:00PM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/18/2008 3:42:00PM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/18/2008 3:42:00PM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/18/2008 3:42:00PM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/18/2008 3:42:00PM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/18/2008 3:42:00PM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/18/2008 3:42:00PM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/18/2008 3:42:00PM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/18/2008 3:42:00PM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/18/2008 3:42:00PM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/18/2008 3:42:00PM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/18/2008 3:42:00PM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/18/2008 3:42:00PM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/18/2008 3:42:00PM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/18/2008 3:42:00PM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/18/2008 3:42:00PM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/18/2008 3:42:00PM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/18/2008 3:42:00PM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/18/2008 3:42:00PM	0.25	0.25	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	11/18/2008 3:42:00PM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/18/2008 3:42:00PM	0.5	0.5	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	11/18/2008 3:42:00PM	0.5	0.5	ug/L	U
077424	Iodomethane	N	E83079	SW8260	11/18/2008 3:42:00PM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/18/2008 3:42:00PM	2.5	2.5	ug/L	U
077128	Styrene	N	E83079	SW8260	11/18/2008 3:42:00PM	0.5	0.5	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	11/18/2008 3:42:00PM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/18/2008 3:42:00PM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/18/2008 3:42:00PM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/18/2008 3:42:00PM	0.25	0.25	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/18/2008 3:42:00PM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/18/2008 3:42:00PM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/18/2008 3:42:00PM	0.66	0.66	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	11/18/2008 3:42:00PM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/18/2008 3:42:00PM	0.53	0.53	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 2/17/2009

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/5/2008 8:43:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	11/18/2008 3:42:00PM	1	1	ug/L	U

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: _____
WACS Testsite Name: EQ Blank
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/5/2008 8:43:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: Not Provided

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/11/2008 9:40:00AM	0.0049	0.0049	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/11/2008 9:40:00AM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/5/2008 8:43:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/7/2008 9:58:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/7/2008 7:38:00PM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/7/2008 7:38:00PM	5	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/7/2008 7:38:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/7/2008 7:38:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/7/2008 7:38:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/7/2008 7:38:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/7/2008 7:38:00PM	5	2.5	ug/L	I
001045	Iron	N	E83079	SW6010	11/7/2008 7:38:00PM	20	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/7/2008 7:38:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/11/2008 2:18:00PM	0.11	0.02	ug/L	
001067	Nickel	N	E83079	SW6010	11/7/2008 7:38:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/7/2008 7:38:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/7/2008 7:38:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/7/2008 7:38:00PM	0.5	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/7/2008 9:58:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/7/2008 7:38:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/7/2008 7:38:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: _____
WACS Testsite Name: EQ Blank
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/5/2008 8:43:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/6/2008 6:10:00PM	0.021	0.021	mg/L	U
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/6/2008 6:10:00PM	0.012	0.012	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/6/2008 6:10:00PM	0.055	0.055	mg/L	U
070300	TDS	N	E83079	SM2540 C	11/11/2008 11:03:00AM	5	5	mg/L	U

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: _____
WACS Testsite Name: EQ Blank
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/5/2008 8:43:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/10/2008 4:13:00PM	0.56	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19803
 WACS Testsite Name: B72
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/5/2008 9:08:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/18/2008 4:12:00PM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/18/2008 4:12:00PM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/18/2008 4:12:00PM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/18/2008 4:12:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/18/2008 4:12:00PM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/18/2008 4:12:00PM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/18/2008 4:12:00PM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/18/2008 4:12:00PM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/18/2008 4:12:00PM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/18/2008 4:12:00PM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/18/2008 4:12:00PM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/18/2008 4:12:00PM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/18/2008 4:12:00PM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/18/2008 4:12:00PM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/18/2008 4:12:00PM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/18/2008 4:12:00PM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/18/2008 4:12:00PM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/18/2008 4:12:00PM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/18/2008 4:12:00PM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/18/2008 4:12:00PM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/18/2008 4:12:00PM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/18/2008 4:12:00PM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/18/2008 4:12:00PM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/18/2008 4:12:00PM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/18/2008 4:12:00PM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/18/2008 4:12:00PM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/18/2008 4:12:00PM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/18/2008 4:12:00PM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/18/2008 4:12:00PM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/5/2008 9:08:00AM	414		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/18/2008 4:12:00PM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/18/2008 4:12:00PM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/5/2008 9:08:00AM	0.43		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/18/2008 4:12:00PM	0.5	0.5	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/5/2008 9:08:00AM	22.96		feet	
077424	Iodomethane	N	E83079	SW8260	11/18/2008 4:12:00PM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/18/2008 4:12:00PM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/5/2008 9:08:00AM	6		S.U.	
077128	Styrene	N	E83079	SW8260	11/18/2008 4:12:00PM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/5/2008 9:08:00AM	24.58		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/18/2008 4:12:00PM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/18/2008 4:12:00PM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/18/2008 4:12:00PM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/18/2008 4:12:00PM	0.25	0.25	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 19803
 WACS Testsite Name: B72
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/5/2008 9:08:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/18/2008 4:12:00PM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/18/2008 4:12:00PM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/18/2008 4:12:00PM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/5/2008 9:08:00AM	4.28		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/18/2008 4:12:00PM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/18/2008 4:12:00PM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/18/2008 4:12:00PM	1	1	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19803
WACS Testsite Name: B72
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/5/2008 9:08:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/11/2008 9:59:00AM	0.0048	0.0048	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/11/2008 9:59:00AM	0.006	0.006	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19803
 WACS Testsite Name: B72
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/5/2008 9:08:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/7/2008 10:13:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/7/2008 7:42:00PM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/7/2008 7:42:00PM	34	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/7/2008 7:42:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/7/2008 7:42:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/7/2008 7:42:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/7/2008 7:42:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/7/2008 7:42:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/7/2008 7:42:00PM	2400	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/7/2008 7:42:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/11/2008 2:21:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/7/2008 7:42:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/7/2008 7:42:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/7/2008 7:42:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/7/2008 7:42:00PM	13	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/7/2008 10:13:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/7/2008 7:42:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/7/2008 7:42:00PM	28	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19803
WACS Testsite Name: B72
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/5/2008 9:08:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/6/2008 6:56:00PM	8.4	0.021	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/6/2008 6:56:00PM	0.012	0.012	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/6/2008 6:56:00PM	36	0.055	mg/L	
070300	TDS	N	E83079	SM2540 C	11/11/2008 11:06:00AM	280	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19803
WACS Testsite Name: B72
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/5/2008 9:08:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/17/2008 12:17:00PM	0.19	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19803
 WACS Testsite Name: B72
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/5/2008 9:08:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/18/2008 4:42:00PM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/18/2008 4:42:00PM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/18/2008 4:42:00PM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/18/2008 4:42:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/18/2008 4:42:00PM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/18/2008 4:42:00PM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/18/2008 4:42:00PM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/18/2008 4:42:00PM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/18/2008 4:42:00PM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/18/2008 4:42:00PM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/18/2008 4:42:00PM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/18/2008 4:42:00PM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/18/2008 4:42:00PM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/18/2008 4:42:00PM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/18/2008 4:42:00PM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/18/2008 4:42:00PM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/18/2008 4:42:00PM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/18/2008 4:42:00PM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/18/2008 4:42:00PM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/18/2008 4:42:00PM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/18/2008 4:42:00PM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/18/2008 4:42:00PM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/18/2008 4:42:00PM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/18/2008 4:42:00PM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/18/2008 4:42:00PM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/18/2008 4:42:00PM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/18/2008 4:42:00PM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/18/2008 4:42:00PM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/18/2008 4:42:00PM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/5/2008 9:08:00AM	414		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/18/2008 4:42:00PM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/18/2008 4:42:00PM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/5/2008 9:08:00AM	0.43		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/18/2008 4:42:00PM	0.5	0.5	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/5/2008 9:08:00AM	22.96		feet	
077424	Iodomethane	N	E83079	SW8260	11/18/2008 4:42:00PM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/18/2008 4:42:00PM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/5/2008 9:08:00AM	6		S.U.	
077128	Styrene	N	E83079	SW8260	11/18/2008 4:42:00PM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/5/2008 9:08:00AM	24.58		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/18/2008 4:42:00PM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/18/2008 4:42:00PM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/18/2008 4:42:00PM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/18/2008 4:42:00PM	0.25	0.25	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 19803
 WACS Testsite Name: B72
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/5/2008 9:08:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/18/2008 4:42:00PM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/18/2008 4:42:00PM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/18/2008 4:42:00PM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/5/2008 9:08:00AM	4.28		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/18/2008 4:42:00PM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/18/2008 4:42:00PM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/18/2008 4:42:00PM	1	1	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19803
WACS Testsite Name: B72
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/5/2008 9:08:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/11/2008 10:37:00AM	0.0049	0.0049	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/11/2008 10:37:00AM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19803
 WACS Testsite Name: B72
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/5/2008 9:08:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/7/2008 10:29:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/7/2008 7:46:00PM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/7/2008 7:46:00PM	34	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/7/2008 7:46:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/7/2008 7:46:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/7/2008 7:46:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/7/2008 7:46:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/7/2008 7:46:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/7/2008 7:46:00PM	2100	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/7/2008 7:46:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/11/2008 2:24:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/7/2008 7:46:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/7/2008 7:46:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/7/2008 7:46:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/7/2008 7:46:00PM	12	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/7/2008 10:29:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/7/2008 7:46:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/7/2008 7:46:00PM	27	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19803
WACS Testsite Name: B72
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/5/2008 9:08:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/6/2008 7:13:00PM	8.6	0.021	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/6/2008 7:13:00PM	0.012	0.012	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/6/2008 7:13:00PM	39	0.055	mg/L	
070300	TDS	N	E83079	SM2540 C	11/11/2008 11:08:00AM	280	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19803
WACS Testsite Name: B72
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/5/2008 9:08:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/10/2008 4:18:00PM	0.02	0.02	mg/L	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19804
 WACS Testsite Name: B73-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 11/5/2008 10:02:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/18/2008 5:12:00PM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/18/2008 5:12:00PM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/18/2008 5:12:00PM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/18/2008 5:12:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/18/2008 5:12:00PM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/18/2008 5:12:00PM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/18/2008 5:12:00PM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/18/2008 5:12:00PM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/18/2008 5:12:00PM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/18/2008 5:12:00PM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/18/2008 5:12:00PM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/18/2008 5:12:00PM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/18/2008 5:12:00PM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/18/2008 5:12:00PM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/18/2008 5:12:00PM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/18/2008 5:12:00PM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/18/2008 5:12:00PM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/18/2008 5:12:00PM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/18/2008 5:12:00PM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/18/2008 5:12:00PM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/18/2008 5:12:00PM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/18/2008 5:12:00PM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/18/2008 5:12:00PM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/18/2008 5:12:00PM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/18/2008 5:12:00PM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/18/2008 5:12:00PM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/18/2008 5:12:00PM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/18/2008 5:12:00PM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/18/2008 5:12:00PM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/5/2008 10:02:00AM	726		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/18/2008 5:12:00PM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/18/2008 5:12:00PM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/5/2008 10:02:00AM	0.27		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/18/2008 5:12:00PM	0.5	0.5	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/5/2008 10:02:00AM	22.6		feet	
077424	Iodomethane	N	E83079	SW8260	11/18/2008 5:12:00PM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/18/2008 5:12:00PM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/5/2008 10:02:00AM	6.2		S.U.	
077128	Styrene	N	E83079	SW8260	11/18/2008 5:12:00PM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/5/2008 10:02:00AM	23.44		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/18/2008 5:12:00PM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/18/2008 5:12:00PM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/18/2008 5:12:00PM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/18/2008 5:12:00PM	0.25	0.25	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 19804
 WACS Testsite Name: B73-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/5/2008 10:02:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/18/2008 5:12:00PM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/18/2008 5:12:00PM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/18/2008 5:12:00PM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/5/2008 10:02:00AM	0.59		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/18/2008 5:12:00PM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/18/2008 5:12:00PM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/18/2008 5:12:00PM	1	1	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19804
WACS Testsite Name: B73-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/5/2008 10:02:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/11/2008 10:56:00AM	0.0049	0.0049	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/11/2008 10:56:00AM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19804
 WACS Testsite Name: B73-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/5/2008 10:02:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/7/2008 10:34:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/7/2008 7:57:00PM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/7/2008 7:57:00PM	53	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/7/2008 7:57:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/7/2008 7:57:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/7/2008 7:57:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/7/2008 7:57:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/7/2008 7:57:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/7/2008 7:57:00PM	14000	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/7/2008 7:57:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/11/2008 2:28:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/7/2008 7:57:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/7/2008 7:57:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/7/2008 7:57:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/7/2008 7:57:00PM	46	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/7/2008 10:34:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/7/2008 7:57:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/7/2008 7:57:00PM	10	10	ug/L	I

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19804
WACS Testsite Name: B73-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/5/2008 10:02:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/6/2008 7:29:00PM	50	0.021	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/6/2008 7:29:00PM	0.012	0.012	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/6/2008 7:29:00PM	1.9	0.055	mg/L	
070300	TDS	N	E83079	SM2540 C	11/11/2008 11:09:00AM	420	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19804
WACS Testsite Name: B73-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/5/2008 10:02:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/10/2008 4:22:00PM	0.092	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19805
 WACS Testsite Name: B73-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/5/2008 10:38:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/19/2008 1:49:00AM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/19/2008 1:49:00AM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/19/2008 1:49:00AM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/19/2008 1:49:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/19/2008 1:49:00AM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/19/2008 1:49:00AM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/19/2008 1:49:00AM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/19/2008 1:49:00AM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/19/2008 1:49:00AM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/19/2008 1:49:00AM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/19/2008 1:49:00AM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/19/2008 1:49:00AM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/19/2008 1:49:00AM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/19/2008 1:49:00AM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/19/2008 1:49:00AM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/19/2008 1:49:00AM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/19/2008 1:49:00AM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/19/2008 1:49:00AM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/19/2008 1:49:00AM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/19/2008 1:49:00AM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/19/2008 1:49:00AM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/19/2008 1:49:00AM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/19/2008 1:49:00AM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/19/2008 1:49:00AM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/19/2008 1:49:00AM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/19/2008 1:49:00AM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/19/2008 1:49:00AM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/19/2008 1:49:00AM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/19/2008 1:49:00AM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/5/2008 10:38:00AM	380		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/19/2008 1:49:00AM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/19/2008 1:49:00AM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/5/2008 10:38:00AM	0.36		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/19/2008 1:49:00AM	0.5	0.5	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/5/2008 10:38:00AM	22.93		feet	
077424	Iodomethane	N	E83079	SW8260	11/19/2008 1:49:00AM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/19/2008 1:49:00AM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/5/2008 10:38:00AM	6.09		S.U.	
077128	Styrene	N	E83079	SW8260	11/19/2008 1:49:00AM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/5/2008 10:38:00AM	24.3		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/19/2008 1:49:00AM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/19/2008 1:49:00AM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/19/2008 1:49:00AM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/19/2008 1:49:00AM	0.25	0.25	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 19805
 WACS Testsite Name: B73-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/5/2008 10:38:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/19/2008 1:49:00AM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/19/2008 1:49:00AM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/19/2008 1:49:00AM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/5/2008 10:38:00AM	8.96		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/19/2008 1:49:00AM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/19/2008 1:49:00AM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/19/2008 1:49:00AM	1	1	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19805
WACS Testsite Name: B73-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/5/2008 10:38:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/11/2008 11:15:00AM	0.0047	0.0047	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/11/2008 11:15:00AM	0.006	0.006	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19805
 WACS Testsite Name: B73-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/5/2008 10:38:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/7/2008 10:39:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/7/2008 8:01:00PM	22	5	ug/L	
001007	Barium	N	E83079	SW6010	11/7/2008 8:01:00PM	41	5	ug/L	
001012	Beryllium	N	E83079	SW6010	11/7/2008 8:01:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/7/2008 8:01:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/7/2008 8:01:00PM	2.6	2.5	ug/L	I
001037	Cobalt	N	E83079	SW6010	11/7/2008 8:01:00PM	10	5	ug/L	
001042	Copper	N	E83079	SW6010	11/7/2008 8:01:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/7/2008 8:01:00PM	14000	20	ug/L	
001051	Lead	N	E83079	SW6010	11/7/2008 8:01:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/11/2008 2:31:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/7/2008 8:01:00PM	3.9	2.5	ug/L	I
001147	Selenium	N	E83079	SW6010	11/7/2008 8:01:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/7/2008 8:01:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/7/2008 8:01:00PM	8.1	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/7/2008 10:39:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/7/2008 8:01:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/7/2008 8:01:00PM	81	10	ug/L	

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19805
WACS Testsite Name: B73-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/5/2008 10:38:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/6/2008 7:44:00PM	7	0.021	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/6/2008 7:44:00PM	0.012	0.012	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/6/2008 7:44:00PM	8	0.055	mg/L	
070300	TDS	N	E83079	SM2540 C	11/11/2008 11:10:00AM	300	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19805
WACS Testsite Name: B73-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/5/2008 10:38:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/10/2008 4:27:00PM	0.063	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15836
 WACS Testsite Name: FA-2C
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/5/2008 11:15:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/19/2008 2:19:00AM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/19/2008 2:19:00AM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/19/2008 2:19:00AM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/19/2008 2:19:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/19/2008 2:19:00AM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/19/2008 2:19:00AM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/19/2008 2:19:00AM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/19/2008 2:19:00AM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/19/2008 2:19:00AM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/19/2008 2:19:00AM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/19/2008 2:19:00AM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/19/2008 2:19:00AM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/19/2008 2:19:00AM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/19/2008 2:19:00AM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/19/2008 2:19:00AM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/19/2008 2:19:00AM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/19/2008 2:19:00AM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/19/2008 2:19:00AM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/19/2008 2:19:00AM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/19/2008 2:19:00AM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/19/2008 2:19:00AM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/19/2008 2:19:00AM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/19/2008 2:19:00AM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/19/2008 2:19:00AM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/19/2008 2:19:00AM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/19/2008 2:19:00AM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/19/2008 2:19:00AM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/19/2008 2:19:00AM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/19/2008 2:19:00AM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/5/2008 11:15:00AM	403		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/19/2008 2:19:00AM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/19/2008 2:19:00AM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/5/2008 11:15:00AM	0.19		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/19/2008 2:19:00AM	0.5	0.5	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/5/2008 11:15:00AM	17.62		feet	
077424	Iodomethane	N	E83079	SW8260	11/19/2008 2:19:00AM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/19/2008 2:19:00AM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/5/2008 11:15:00AM	7.21		S.U.	
077128	Styrene	N	E83079	SW8260	11/19/2008 2:19:00AM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/5/2008 11:15:00AM	21.78		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/19/2008 2:19:00AM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/19/2008 2:19:00AM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/19/2008 2:19:00AM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/19/2008 2:19:00AM	0.25	0.25	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15836
 WACS Testsite Name: FA-2C
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/5/2008 11:15:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/19/2008 2:19:00AM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/19/2008 2:19:00AM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/19/2008 2:19:00AM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/5/2008 11:15:00AM	0.21		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/19/2008 2:19:00AM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/19/2008 2:19:00AM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/19/2008 2:19:00AM	1	1	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15836
WACS Testsite Name: FA-2C
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/5/2008 11:15:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/11/2008 11:33:00AM	0.0048	0.0048	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/11/2008 11:33:00AM	0.0061	0.0061	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15836
 WACS Testsite Name: FA-2C
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/5/2008 11:15:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/7/2008 10:44:00PM	0.52	0.5	ug/L	I
001002	Arsenic	N	E83079	SW6010	11/7/2008 8:05:00PM	11	5	ug/L	
001007	Barium	N	E83079	SW6010	11/7/2008 8:05:00PM	9.1	5	ug/L	I
001012	Beryllium	N	E83079	SW6010	11/7/2008 8:05:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/7/2008 8:05:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/7/2008 8:05:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/7/2008 8:05:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/7/2008 8:05:00PM	4.8	2.5	ug/L	I
001045	Iron	N	E83079	SW6010	11/7/2008 8:05:00PM	93	20	ug/L	
001051	Lead	N	E83079	SW6010	11/7/2008 8:05:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/11/2008 2:34:00PM	0.02	0.02	ug/L	I
001067	Nickel	N	E83079	SW6010	11/7/2008 8:05:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/7/2008 8:05:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/7/2008 8:05:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/7/2008 8:05:00PM	6.2	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/7/2008 10:44:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/7/2008 8:05:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/7/2008 8:05:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15836
WACS Testsite Name: FA-2C
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/5/2008 11:15:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/6/2008 8:00:00PM	3.5	0.021	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/6/2008 8:00:00PM	2.1	0.012	mg/L	
000945	Sulfate	N	E83079	E300.0	11/6/2008 8:00:00PM	11	0.055	mg/L	
070300	TDS	N	E83079	SM2540 C	11/11/2008 11:12:00AM	280	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15836
WACS Testsite Name: FA-2C
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/5/2008 11:15:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/10/2008 4:28:00PM	1.2	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19806
 WACS Testsite Name: B74
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/5/2008 11:49:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/19/2008 2:49:00AM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/19/2008 2:49:00AM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/19/2008 2:49:00AM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/19/2008 2:49:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/19/2008 2:49:00AM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/19/2008 2:49:00AM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/19/2008 2:49:00AM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/19/2008 2:49:00AM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/19/2008 2:49:00AM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/19/2008 2:49:00AM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/19/2008 2:49:00AM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/19/2008 2:49:00AM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/19/2008 2:49:00AM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/19/2008 2:49:00AM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/19/2008 2:49:00AM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/19/2008 2:49:00AM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/19/2008 2:49:00AM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/19/2008 2:49:00AM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/19/2008 2:49:00AM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/19/2008 2:49:00AM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/19/2008 2:49:00AM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/19/2008 2:49:00AM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/19/2008 2:49:00AM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/19/2008 2:49:00AM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/19/2008 2:49:00AM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/19/2008 2:49:00AM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/19/2008 2:49:00AM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/19/2008 2:49:00AM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/19/2008 2:49:00AM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/5/2008 11:49:00AM	227		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/19/2008 2:49:00AM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/19/2008 2:49:00AM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/5/2008 11:49:00AM	0.22		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/19/2008 2:49:00AM	0.5	0.5	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/5/2008 11:49:00AM	22.52		feet	
077424	Iodomethane	N	E83079	SW8260	11/19/2008 2:49:00AM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/19/2008 2:49:00AM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/5/2008 11:49:00AM	5.31		S.U.	
077128	Styrene	N	E83079	SW8260	11/19/2008 2:49:00AM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/5/2008 11:49:00AM	24.2		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/19/2008 2:49:00AM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/19/2008 2:49:00AM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/19/2008 2:49:00AM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/19/2008 2:49:00AM	0.25	0.25	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 19806
 WACS Testsite Name: B74
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/5/2008 11:49:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/19/2008 2:49:00AM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/19/2008 2:49:00AM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/19/2008 2:49:00AM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/5/2008 11:49:00AM	2.63		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/19/2008 2:49:00AM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/19/2008 2:49:00AM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/19/2008 2:49:00AM	1	1	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19806
WACS Testsite Name: B74
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/5/2008 11:49:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/11/2008 11:52:00AM	0.0049	0.0049	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/11/2008 11:52:00AM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19806
 WACS Testsite Name: B74
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/5/2008 11:49:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/7/2008 10:49:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/7/2008 8:09:00PM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/7/2008 8:09:00PM	7.3	5	ug/L	I
001012	Beryllium	N	E83079	SW6010	11/7/2008 8:09:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/7/2008 8:09:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/7/2008 8:09:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/7/2008 8:09:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/7/2008 8:09:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/7/2008 8:09:00PM	250	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/7/2008 8:09:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/11/2008 2:43:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/7/2008 8:09:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/7/2008 8:09:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/7/2008 8:09:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/7/2008 8:09:00PM	6.5	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/7/2008 10:49:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/7/2008 8:09:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/7/2008 8:09:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19806
WACS Testsite Name: B74
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/5/2008 11:49:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/6/2008 8:16:00PM	7.4	0.021	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/6/2008 8:16:00PM	0.012	0.012	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/6/2008 8:16:00PM	9.7	0.055	mg/L	
070300	TDS	N	E83079	SM2540 C	11/11/2008 11:13:00AM	200	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19806
WACS Testsite Name: B74
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/5/2008 11:49:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/10/2008 4:30:00PM	0.052	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19807
 WACS Testsite Name: B75
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/5/2008 12:38:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/19/2008 3:08:00AM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/19/2008 3:08:00AM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/19/2008 3:08:00AM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/19/2008 3:08:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/19/2008 3:08:00AM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/19/2008 3:08:00AM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/19/2008 3:08:00AM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/19/2008 3:08:00AM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/19/2008 3:08:00AM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/19/2008 3:08:00AM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/19/2008 3:08:00AM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/19/2008 3:08:00AM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/19/2008 3:08:00AM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/19/2008 3:08:00AM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/19/2008 3:08:00AM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/19/2008 3:08:00AM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/19/2008 3:08:00AM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/19/2008 3:08:00AM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/19/2008 3:08:00AM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/19/2008 3:08:00AM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/19/2008 3:08:00AM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/19/2008 3:08:00AM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/19/2008 3:08:00AM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/19/2008 3:08:00AM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/19/2008 3:08:00AM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/19/2008 3:08:00AM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/19/2008 3:08:00AM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/19/2008 3:08:00AM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/19/2008 3:08:00AM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/5/2008 12:38:00PM	1488		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/19/2008 3:08:00AM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/19/2008 3:08:00AM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/5/2008 12:38:00PM	0.14		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/19/2008 3:08:00AM	0.5	0.5	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/5/2008 12:38:00PM	23.1		feet	
077424	Iodomethane	N	E83079	SW8260	11/19/2008 3:08:00AM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/19/2008 3:08:00AM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/5/2008 12:38:00PM	6.02		S.U.	
077128	Styrene	N	E83079	SW8260	11/19/2008 3:08:00AM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/5/2008 12:38:00PM	23.85		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/19/2008 3:08:00AM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/19/2008 3:08:00AM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/19/2008 3:08:00AM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/19/2008 3:08:00AM	0.25	0.25	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 19807
 WACS Testsite Name: B75
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/5/2008 12:38:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/19/2008 3:08:00AM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/19/2008 3:08:00AM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/19/2008 3:08:00AM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/5/2008 12:38:00PM	10.63		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/19/2008 3:08:00AM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/19/2008 3:08:00AM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/19/2008 3:08:00AM	1	1	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19807
WACS Testsite Name: B75
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/5/2008 12:38:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/11/2008 12:11:00PM	0.0048	0.0048	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/11/2008 12:11:00PM	0.006	0.006	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19807
 WACS Testsite Name: B75
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/5/2008 12:38:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/7/2008 10:54:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/7/2008 8:13:00PM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/7/2008 8:13:00PM	120	5	ug/L	
001012	Beryllium	N	E83079	SW6010	11/7/2008 8:13:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/7/2008 8:13:00PM	0.7	0.5	ug/L	I
001034	Chromium	N	E83079	SW6010	11/7/2008 8:13:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/7/2008 8:13:00PM	6	5	ug/L	I
001042	Copper	N	E83079	SW6010	11/7/2008 8:13:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/7/2008 8:13:00PM	40000	20	ug/L	
001051	Lead	N	E83079	SW6010	11/7/2008 8:13:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/11/2008 2:46:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/7/2008 8:13:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/7/2008 8:13:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/7/2008 8:13:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/7/2008 8:13:00PM	50	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/7/2008 10:54:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/7/2008 8:13:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/7/2008 8:13:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19807
WACS Testsite Name: B75
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/5/2008 12:38:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/6/2008 8:31:00PM	56	0.11	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/6/2008 8:31:00PM	0.058	0.058	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/6/2008 8:31:00PM	68	0.28	mg/L	
070300	TDS	N	E83079	SM2540 C	11/11/2008 11:15:00AM	930	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19807
WACS Testsite Name: B75
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/5/2008 12:38:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/10/2008 4:31:00PM	1.5	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15819
 WACS Testsite Name: B60
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/5/2008 1:16:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/19/2008 6:20:00AM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/19/2008 6:20:00AM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/19/2008 6:20:00AM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/19/2008 6:20:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/19/2008 6:20:00AM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/19/2008 6:20:00AM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/19/2008 6:20:00AM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/19/2008 6:20:00AM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/19/2008 6:20:00AM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/19/2008 6:20:00AM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/19/2008 6:20:00AM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/19/2008 6:20:00AM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/19/2008 6:20:00AM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/19/2008 6:20:00AM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/19/2008 6:20:00AM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/19/2008 6:20:00AM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/19/2008 6:20:00AM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/19/2008 6:20:00AM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/19/2008 6:20:00AM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/19/2008 6:20:00AM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/19/2008 6:20:00AM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/19/2008 6:20:00AM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/19/2008 6:20:00AM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/19/2008 6:20:00AM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/19/2008 6:20:00AM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/19/2008 6:20:00AM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/19/2008 6:20:00AM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/19/2008 6:20:00AM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/19/2008 6:20:00AM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/5/2008 1:16:00PM	505		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/19/2008 6:20:00AM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/19/2008 6:20:00AM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/5/2008 1:16:00PM	0.12		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/19/2008 6:20:00AM	0.5	0.5	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/5/2008 1:16:00PM	24.13		feet	
077424	Iodomethane	N	E83079	SW8260	11/19/2008 6:20:00AM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/19/2008 6:20:00AM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/5/2008 1:16:00PM	5.84		S.U.	
077128	Styrene	N	E83079	SW8260	11/19/2008 6:20:00AM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/5/2008 1:16:00PM	23.8		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/19/2008 6:20:00AM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/19/2008 6:20:00AM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/19/2008 6:20:00AM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/19/2008 6:20:00AM	0.25	0.25	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15819
 WACS Testsite Name: B60
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/5/2008 1:16:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/19/2008 6:20:00AM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/19/2008 6:20:00AM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/19/2008 6:20:00AM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/5/2008 1:16:00PM	1.76		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/19/2008 6:20:00AM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/19/2008 6:20:00AM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/19/2008 6:20:00AM	1	1	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15819
WACS Testsite Name: B60
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/5/2008 1:16:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/11/2008 12:30:00PM	0.0048	0.0048	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/11/2008 12:30:00PM	0.0061	0.0061	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15819
WACS Testsite Name: B60
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/5/2008 1:16:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/7/2008 10:59:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/7/2008 8:24:00PM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/7/2008 8:24:00PM	56	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/7/2008 8:24:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/7/2008 8:24:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/7/2008 8:24:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/7/2008 8:24:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/7/2008 8:24:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/7/2008 8:24:00PM	5000	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/7/2008 8:24:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/11/2008 2:49:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/7/2008 8:24:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/7/2008 8:24:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/7/2008 8:24:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/7/2008 8:24:00PM	39	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/7/2008 10:59:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/7/2008 8:24:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/7/2008 8:24:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15819
WACS Testsite Name: B60
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/5/2008 1:16:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/6/2008 9:50:00PM	55	0.021	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/6/2008 9:50:00PM	0.012	0.012	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/6/2008 9:50:00PM	20	0.055	mg/L	
070300	TDS	N	E83079	SM2540 C	11/11/2008 11:16:00AM	330	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15819
WACS Testsite Name: B60
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/5/2008 1:16:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/10/2008 4:32:00PM	0.11	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15817
 WACS Testsite Name: B59-1R
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/5/2008 1:53:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/19/2008 9:32:00AM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/19/2008 9:32:00AM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/19/2008 9:32:00AM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/19/2008 9:32:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/19/2008 9:32:00AM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/19/2008 9:32:00AM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/19/2008 9:32:00AM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/19/2008 9:32:00AM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/19/2008 9:32:00AM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/19/2008 9:32:00AM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/19/2008 9:32:00AM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/19/2008 9:32:00AM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/19/2008 9:32:00AM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/19/2008 9:32:00AM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/19/2008 9:32:00AM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/19/2008 9:32:00AM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/19/2008 9:32:00AM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/19/2008 9:32:00AM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/19/2008 9:32:00AM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/19/2008 9:32:00AM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/19/2008 9:32:00AM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/19/2008 9:32:00AM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/19/2008 9:32:00AM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/19/2008 9:32:00AM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/19/2008 9:32:00AM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/19/2008 9:32:00AM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/19/2008 9:32:00AM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/19/2008 9:32:00AM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/19/2008 9:32:00AM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/5/2008 1:53:00PM	707		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/19/2008 9:32:00AM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/19/2008 9:32:00AM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/5/2008 1:53:00PM	0.29		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/19/2008 9:32:00AM	0.5	0.5	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/5/2008 1:53:00PM	24.04		feet	
077424	Iodomethane	N	E83079	SW8260	11/19/2008 9:32:00AM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/19/2008 9:32:00AM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/5/2008 1:53:00PM	6.16		S.U.	
077128	Styrene	N	E83079	SW8260	11/19/2008 9:32:00AM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/5/2008 1:53:00PM	23.71		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/19/2008 9:32:00AM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/19/2008 9:32:00AM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/19/2008 9:32:00AM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/19/2008 9:32:00AM	0.25	0.25	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15817
 WACS Testsite Name: B59-1R
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/5/2008 1:53:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/19/2008 9:32:00AM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/19/2008 9:32:00AM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/19/2008 9:32:00AM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/5/2008 1:53:00PM	1.39		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/19/2008 9:32:00AM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/19/2008 9:32:00AM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/19/2008 9:32:00AM	1	1	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15817
WACS Testsite Name: B59-1R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/5/2008 1:53:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/11/2008 12:48:00PM	0.0049	0.0049	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/11/2008 12:48:00PM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15817
 WACS Testsite Name: B59-1R
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/5/2008 1:53:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/7/2008 11:14:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/7/2008 8:28:00PM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/7/2008 8:28:00PM	62	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/7/2008 8:28:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/7/2008 8:28:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/7/2008 8:28:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/7/2008 8:28:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/7/2008 8:28:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/7/2008 8:28:00PM	6200	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/7/2008 8:28:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/11/2008 3:03:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/7/2008 8:28:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/7/2008 8:28:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/7/2008 8:28:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/7/2008 8:28:00PM	60	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/7/2008 11:14:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/7/2008 8:28:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/7/2008 8:28:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15817
WACS Testsite Name: B59-1R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/5/2008 1:53:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/6/2008 10:37:00PM	67	0.021	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/6/2008 10:37:00PM	0.012	0.012	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/6/2008 10:37:00PM	19	0.055	mg/L	
070300	TDS	N	E83079	SM2540 C	11/11/2008 11:18:00AM	450	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15817
WACS Testsite Name: B59-1R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/5/2008 1:53:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/17/2008 12:18:00PM	0.15	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15818
WACS Testsite Name: B59-2R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/5/2008 2:27:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000094	Conductivity	N	E83079	E120.1	11/5/2008 2:27:00PM	1155		umhos/cm	
000299	Dissolved Oxygen	N	E83079	E360.1	11/5/2008 2:27:00PM	0.14		mg/L	
082545	Groundwater Elevation	N	E83079	DEPSOP	11/5/2008 2:27:00PM	24.8		feet	
000406	pH	N	E83079	E150.1	11/5/2008 2:27:00PM	5.98		S.U.	
000010	Temperature, Water	N	E83079	E170.1	11/5/2008 2:27:00PM	24.21		deg C	
082078	Turbidity	N	E83079	E180.1	11/5/2008 2:27:00PM	14.3		NTU	

Total Parameters Monitored: 6

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15818
WACS Testsite Name: B59-2R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/5/2008 2:27:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/11/2008 1:07:00PM	0.0051	0.0051	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/11/2008 1:07:00PM	0.0064	0.0064	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15818
 WACS Testsite Name: B59-2R
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/5/2008 2:27:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/7/2008 11:19:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/7/2008 8:32:00PM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/7/2008 8:32:00PM	150	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/7/2008 8:32:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/7/2008 8:32:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/7/2008 8:32:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/7/2008 8:32:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/7/2008 8:32:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/7/2008 8:32:00PM	8500	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/7/2008 8:32:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/11/2008 3:20:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/7/2008 8:32:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/7/2008 8:32:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/7/2008 8:32:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/7/2008 8:32:00PM	65	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/7/2008 11:19:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/7/2008 8:32:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/7/2008 8:32:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15818
WACS Testsite Name: B59-2R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/5/2008 2:27:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/6/2008 10:52:00PM	34	0.043	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/6/2008 10:52:00PM	0.023	0.023	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/6/2008 10:52:00PM	120	0.11	mg/L	
070300	TDS	N	E83079	SM2540 C	11/11/2008 11:19:00AM	790	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15818
WACS Testsite Name: B59-2R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/5/2008 2:27:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/10/2008 4:35:00PM	0.5	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15829
WACS Testsite Name: B68
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/5/2008 3:11:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000094	Conductivity	N	E83079	E120.1	11/5/2008 3:11:00PM	580		umhos/cm	
000299	Dissolved Oxygen	N	E83079	E360.1	11/5/2008 3:11:00PM	0.2		mg/L	
082545	Groundwater Elevation	N	E83079	DEPSOP	11/5/2008 3:11:00PM	26.28		feet	
000406	pH	N	E83079	E150.1	11/5/2008 3:11:00PM	5.5		S.U.	
000010	Temperature, Water	N	E83079	E170.1	11/5/2008 3:11:00PM	24.04		deg C	
082078	Turbidity	N	E83079	E180.1	11/5/2008 3:11:00PM	0.96		NTU	

Total Parameters Monitored: 6

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15829
WACS Testsite Name: B68
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/5/2008 3:11:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/11/2008 12:34:00PM	0.0048	0.0048	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/11/2008 12:34:00PM	0.0061	0.0061	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15829
 WACS Testsite Name: B68
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/5/2008 3:11:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/7/2008 11:24:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/7/2008 8:36:00PM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/7/2008 8:36:00PM	79	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/7/2008 8:36:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/7/2008 8:36:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/7/2008 8:36:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/7/2008 8:36:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/7/2008 8:36:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/7/2008 8:36:00PM	18000	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/7/2008 8:36:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/11/2008 3:23:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/7/2008 8:36:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/7/2008 8:36:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/7/2008 8:36:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/7/2008 8:36:00PM	21	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/7/2008 11:24:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/7/2008 8:36:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/7/2008 8:36:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15829
WACS Testsite Name: B68
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/5/2008 3:11:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/6/2008 11:08:00PM	28	0.021	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/6/2008 11:08:00PM	0.012	0.012	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/6/2008 11:08:00PM	0.45	0.055	mg/L	I
070300	TDS	N	E83079	SM2540 C	11/11/2008 11:21:00AM	400	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15829
WACS Testsite Name: B68
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/5/2008 3:11:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/10/2008 4:36:00PM	1.1	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15679
WACS Testsite Name: B11
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/5/2008 3:53:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000094	Conductivity	N	E83079	E120.1	11/5/2008 3:53:00PM	253		umhos/cm	
000299	Dissolved Oxygen	N	E83079	E360.1	11/5/2008 3:53:00PM	0.22		mg/L	
082545	Groundwater Elevation	N	E83079	DEPSOP	11/5/2008 3:53:00PM	28.5		feet	
000406	pH	N	E83079	E150.1	11/5/2008 3:53:00PM	4.8		S.U.	
000010	Temperature, Water	N	E83079	E170.1	11/5/2008 3:53:00PM	23.71		deg C	
082078	Turbidity	N	E83079	E180.1	11/5/2008 3:53:00PM	1.05		NTU	

Total Parameters Monitored: 6

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15679
WACS Testsite Name: B11
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/5/2008 3:53:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/11/2008 1:11:00PM	0.0049	0.0049	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/11/2008 1:11:00PM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15679
 WACS Testsite Name: B11
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/5/2008 3:53:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/7/2008 11:30:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/7/2008 8:40:00PM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/7/2008 8:40:00PM	97	5	ug/L	
001012	Beryllium	N	E83079	SW6010	11/7/2008 8:40:00PM	0.63	0.5	ug/L	I
001027	Cadmium	N	E83079	SW6010	11/7/2008 8:40:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/7/2008 8:40:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/7/2008 8:40:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/7/2008 8:40:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/7/2008 8:40:00PM	7200	20	ug/L	
001051	Lead	N	E83079	SW6010	11/7/2008 8:40:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/11/2008 3:26:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/7/2008 8:40:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/7/2008 8:40:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/7/2008 8:40:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/7/2008 8:40:00PM	8.3	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/7/2008 11:30:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/7/2008 8:40:00PM	14	5	ug/L	
001092	Zinc	N	E83079	SW6010	11/7/2008 8:40:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15679
WACS Testsite Name: B11
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/5/2008 3:53:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/6/2008 11:24:00PM	9	0.021	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/6/2008 11:24:00PM	0.028	0.012	mg/L	I
000945	Sulfate	N	E83079	E300.0	11/6/2008 11:24:00PM	62	0.055	mg/L	
070300	TDS	N	E83079	SM2540 C	11/11/2008 11:22:00AM	200	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15679
WACS Testsite Name: B11
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/5/2008 3:53:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/10/2008 4:38:00PM	0.47	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: Trip Blank
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 11/5/2008 12:00:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/18/2008 3:12:00PM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/18/2008 3:12:00PM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/18/2008 3:12:00PM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/18/2008 3:12:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/18/2008 3:12:00PM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/18/2008 3:12:00PM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/18/2008 3:12:00PM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/18/2008 3:12:00PM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/18/2008 3:12:00PM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/18/2008 3:12:00PM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/18/2008 3:12:00PM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/18/2008 3:12:00PM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/18/2008 3:12:00PM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/18/2008 3:12:00PM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/18/2008 3:12:00PM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/18/2008 3:12:00PM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/18/2008 3:12:00PM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/18/2008 3:12:00PM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/18/2008 3:12:00PM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/18/2008 3:12:00PM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/18/2008 3:12:00PM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/18/2008 3:12:00PM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/18/2008 3:12:00PM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/18/2008 3:12:00PM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/18/2008 3:12:00PM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/18/2008 3:12:00PM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/18/2008 3:12:00PM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/18/2008 3:12:00PM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/18/2008 3:12:00PM	0.25	0.25	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	11/18/2008 3:12:00PM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/18/2008 3:12:00PM	0.5	0.5	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	11/18/2008 3:12:00PM	0.5	0.5	ug/L	U
077424	Iodomethane	N	E83079	SW8260	11/18/2008 3:12:00PM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/18/2008 3:12:00PM	2.5	2.5	ug/L	U
077128	Styrene	N	E83079	SW8260	11/18/2008 3:12:00PM	0.5	0.5	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	11/18/2008 3:12:00PM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/18/2008 3:12:00PM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/18/2008 3:12:00PM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/18/2008 3:12:00PM	0.25	0.25	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/18/2008 3:12:00PM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/18/2008 3:12:00PM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/18/2008 3:12:00PM	0.66	0.66	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	11/18/2008 3:12:00PM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/18/2008 3:12:00PM	0.53	0.53	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 2/17/2009

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: Trip Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/5/2008 12:00:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	11/18/2008 3:12:00PM	1	1	ug/L	U

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 11/6/2008 8:50:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/19/2008 5:02:00PM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/19/2008 5:02:00PM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/19/2008 5:02:00PM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/19/2008 5:02:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/19/2008 5:02:00PM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/19/2008 5:02:00PM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/19/2008 5:02:00PM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/19/2008 5:02:00PM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/19/2008 5:02:00PM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/19/2008 5:02:00PM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/19/2008 5:02:00PM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/19/2008 5:02:00PM	8.1	5	ug/L	I
077103	2-Hexanone	N	E83079	SW8260	11/19/2008 5:02:00PM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/19/2008 5:02:00PM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/20/2008 12:15:00PM	13	5	ug/L	
034215	Acrylonitrile	N	E83079	SW8260	11/19/2008 5:02:00PM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/19/2008 5:02:00PM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/19/2008 5:02:00PM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/19/2008 5:02:00PM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/19/2008 5:02:00PM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/19/2008 5:02:00PM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/19/2008 5:02:00PM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/19/2008 5:02:00PM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/19/2008 5:02:00PM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/19/2008 5:02:00PM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/19/2008 5:02:00PM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/19/2008 5:02:00PM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/19/2008 5:02:00PM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/19/2008 5:02:00PM	0.25	0.25	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	11/19/2008 5:02:00PM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/19/2008 5:02:00PM	0.5	0.5	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	11/19/2008 5:02:00PM	0.5	0.5	ug/L	U
077424	Iodomethane	N	E83079	SW8260	11/19/2008 5:02:00PM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/19/2008 5:02:00PM	2.5	2.5	ug/L	U
077128	Styrene	N	E83079	SW8260	11/19/2008 5:02:00PM	0.5	0.5	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	11/19/2008 5:02:00PM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/19/2008 5:02:00PM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/19/2008 5:02:00PM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/19/2008 5:02:00PM	0.25	0.25	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/19/2008 5:02:00PM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/19/2008 5:02:00PM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/19/2008 5:02:00PM	0.66	0.66	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	11/19/2008 5:02:00PM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/19/2008 5:02:00PM	0.53	0.53	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 8:50:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	11/19/2008 5:02:00PM	1	1	ug/L	U

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: _____
WACS Testsite Name: EQ Blank
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 8:50:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: Not Provided

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/11/2008 6:32:00PM	0.0048	0.0048	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/11/2008 6:32:00PM	0.0061	0.0061	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 11/6/2008 8:50:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/10/2008 3:35:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/7/2008 11:43:00PM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/7/2008 11:43:00PM	5	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/7/2008 11:43:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/7/2008 11:43:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/7/2008 11:43:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/7/2008 11:43:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/7/2008 11:43:00PM	13	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/7/2008 11:43:00PM	20	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/7/2008 11:43:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/11/2008 5:05:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/7/2008 11:43:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/7/2008 11:43:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/7/2008 11:43:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/7/2008 11:43:00PM	0.5	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/10/2008 3:35:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/7/2008 11:43:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/7/2008 11:43:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: _____
WACS Testsite Name: EQ Blank
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 8:50:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: Not Provided

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/7/2008 9:34:00PM	0.11	0.021	mg/L	I
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/7/2008 9:34:00PM	0.012	0.012	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/7/2008 9:34:00PM	0.055	0.055	mg/L	U
070300	TDS	N	E83079	SM2540 C	11/12/2008 12:21:00PM	5	5	mg/L	U

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540

Sample Date/Time: 11/6/2008 8:50:00AM

WACS Testsite ID #: _____

Sampling Method: Peristaltic Pump

WACS Testsite Name: EQ Blank

Permitted Well Type: Not Provided

Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/11/2008 1:04:00PM	0.02	0.02	mg/L	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15804
 WACS Testsite Name: B40-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 8:53:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/19/2008 5:35:00PM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/19/2008 5:35:00PM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/19/2008 5:35:00PM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/19/2008 5:35:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/19/2008 5:35:00PM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/19/2008 5:35:00PM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/19/2008 5:35:00PM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/19/2008 5:35:00PM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/19/2008 5:35:00PM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/19/2008 5:35:00PM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/19/2008 5:35:00PM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/19/2008 5:35:00PM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/19/2008 5:35:00PM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/19/2008 5:35:00PM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/19/2008 5:35:00PM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/19/2008 5:35:00PM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/19/2008 5:35:00PM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/19/2008 5:35:00PM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/19/2008 5:35:00PM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/19/2008 5:35:00PM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/19/2008 5:35:00PM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/19/2008 5:35:00PM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/19/2008 5:35:00PM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/19/2008 5:35:00PM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/19/2008 5:35:00PM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/19/2008 5:35:00PM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/19/2008 5:35:00PM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/19/2008 5:35:00PM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/19/2008 5:35:00PM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/6/2008 8:53:00AM	566		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/19/2008 5:35:00PM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/19/2008 5:35:00PM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/6/2008 8:53:00AM	0.37		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/19/2008 5:35:00PM	0.5	0.5	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/6/2008 8:53:00AM	22.67		feet	
077424	Iodomethane	N	E83079	SW8260	11/19/2008 5:35:00PM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/19/2008 5:35:00PM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/6/2008 8:53:00AM	5.07		S.U.	
077128	Styrene	N	E83079	SW8260	11/19/2008 5:35:00PM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/6/2008 8:53:00AM	21.93		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/19/2008 5:35:00PM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/19/2008 5:35:00PM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/19/2008 5:35:00PM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/19/2008 5:35:00PM	0.25	0.25	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15804
 WACS Testsite Name: B40-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 8:53:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/19/2008 5:35:00PM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/19/2008 5:35:00PM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/19/2008 5:35:00PM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/6/2008 8:53:00AM	3.03		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/19/2008 5:35:00PM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/19/2008 5:35:00PM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/19/2008 5:35:00PM	1	1	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15804
WACS Testsite Name: B40-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 8:53:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/11/2008 7:10:00PM	0.0049	0.0049	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/11/2008 7:10:00PM	0.0063	0.0063	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15804
WACS Testsite Name: B40-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 8:53:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/10/2008 3:40:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/7/2008 11:47:00PM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/7/2008 11:47:00PM	140	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/7/2008 11:47:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/7/2008 11:47:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/7/2008 11:47:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/7/2008 11:47:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/7/2008 11:47:00PM	2.8	2.5	ug/L	I
001045	Iron	N	E83079	SW6010	11/7/2008 11:47:00PM	16000	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/7/2008 11:47:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/11/2008 5:08:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/7/2008 11:47:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/7/2008 11:47:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/7/2008 11:47:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/7/2008 11:47:00PM	51	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/10/2008 3:40:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/7/2008 11:47:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/7/2008 11:47:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15804
WACS Testsite Name: B40-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/6/2008 8:53:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/7/2008 2:31:00PM	65	0.021	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/7/2008 2:31:00PM	0.058	0.012	mg/L	
000945	Sulfate	N	E83079	E300.0	11/7/2008 2:31:00PM	120	0.055	mg/L	
070300	TDS	N	E83079	SM2540 C	11/12/2008 12:22:00PM	390	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15804
WACS Testsite Name: B40-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 8:53:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/11/2008 1:05:00PM	0.18	0.02	mg/L	V

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15804
 WACS Testsite Name: B40-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 11/6/2008 8:53:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/19/2008 6:07:00PM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/19/2008 6:07:00PM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/19/2008 6:07:00PM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/19/2008 6:07:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/19/2008 6:07:00PM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/19/2008 6:07:00PM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/19/2008 6:07:00PM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/19/2008 6:07:00PM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/19/2008 6:07:00PM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/19/2008 6:07:00PM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/19/2008 6:07:00PM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/19/2008 6:07:00PM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/19/2008 6:07:00PM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/19/2008 6:07:00PM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/19/2008 6:07:00PM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/19/2008 6:07:00PM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/19/2008 6:07:00PM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/19/2008 6:07:00PM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/19/2008 6:07:00PM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/19/2008 6:07:00PM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/19/2008 6:07:00PM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/19/2008 6:07:00PM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/19/2008 6:07:00PM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/19/2008 6:07:00PM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/19/2008 6:07:00PM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/19/2008 6:07:00PM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/19/2008 6:07:00PM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/19/2008 6:07:00PM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/19/2008 6:07:00PM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/6/2008 8:53:00AM	566		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/19/2008 6:07:00PM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/19/2008 6:07:00PM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/6/2008 8:53:00AM	0.37		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/19/2008 6:07:00PM	0.5	0.5	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/6/2008 8:53:00AM	22.67		feet	
077424	Iodomethane	N	E83079	SW8260	11/19/2008 6:07:00PM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/19/2008 6:07:00PM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/6/2008 8:53:00AM	5.07		S.U.	
077128	Styrene	N	E83079	SW8260	11/19/2008 6:07:00PM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/6/2008 8:53:00AM	21.93		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/19/2008 6:07:00PM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/19/2008 6:07:00PM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/19/2008 6:07:00PM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/19/2008 6:07:00PM	0.25	0.25	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15804
 WACS Testsite Name: B40-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 8:53:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/19/2008 6:07:00PM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/19/2008 6:07:00PM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/19/2008 6:07:00PM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/6/2008 8:53:00AM	3.03		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/19/2008 6:07:00PM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/19/2008 6:07:00PM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/19/2008 6:07:00PM	1	1	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15804
WACS Testsite Name: B40-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 8:53:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/11/2008 7:29:00PM	0.0049	0.0049	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/11/2008 7:29:00PM	0.0063	0.0063	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15804
 WACS Testsite Name: B40-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 8:53:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/10/2008 3:55:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/7/2008 11:51:00PM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/7/2008 11:51:00PM	140	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/7/2008 11:51:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/7/2008 11:51:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/7/2008 11:51:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/7/2008 11:51:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/7/2008 11:51:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/7/2008 11:51:00PM	16000	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/7/2008 11:51:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/11/2008 5:11:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/7/2008 11:51:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/7/2008 11:51:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/7/2008 11:51:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/7/2008 11:51:00PM	51	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/10/2008 3:55:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/7/2008 11:51:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/7/2008 11:51:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15804
WACS Testsite Name: B40-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/6/2008 8:53:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/7/2008 3:34:00PM	64	0.021	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/7/2008 3:34:00PM	0.043	0.012	mg/L	I
000945	Sulfate	N	E83079	E300.0	11/7/2008 3:34:00PM	120	0.055	mg/L	
070300	TDS	N	E83079	SM2540 C	11/12/2008 12:24:00PM	390	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15804
WACS Testsite Name: B40-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 8:53:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/11/2008 1:06:00PM	0.24	0.02	mg/L	V

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15791
 WACS Testsite Name: B-32
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 11/6/2008 9:23:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/19/2008 7:12:00PM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/19/2008 7:12:00PM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/19/2008 7:12:00PM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/19/2008 7:12:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/19/2008 7:12:00PM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/19/2008 7:12:00PM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/19/2008 7:12:00PM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/19/2008 7:12:00PM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/19/2008 7:12:00PM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/19/2008 7:12:00PM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/19/2008 7:12:00PM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/19/2008 7:12:00PM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/19/2008 7:12:00PM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/19/2008 7:12:00PM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/19/2008 7:12:00PM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/19/2008 7:12:00PM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/19/2008 7:12:00PM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/19/2008 7:12:00PM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/19/2008 7:12:00PM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/19/2008 7:12:00PM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/19/2008 7:12:00PM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/19/2008 7:12:00PM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/19/2008 7:12:00PM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/19/2008 7:12:00PM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/19/2008 7:12:00PM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/19/2008 7:12:00PM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/19/2008 7:12:00PM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/19/2008 7:12:00PM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/19/2008 7:12:00PM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/6/2008 9:23:00AM	517		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/19/2008 7:12:00PM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/19/2008 7:12:00PM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/6/2008 9:23:00AM	0.39		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/19/2008 7:12:00PM	0.5	0.5	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/6/2008 9:23:00AM	28.37		feet	
077424	Iodomethane	N	E83079	SW8260	11/19/2008 7:12:00PM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/19/2008 7:12:00PM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/6/2008 9:23:00AM	6.89		S.U.	
077128	Styrene	N	E83079	SW8260	11/19/2008 7:12:00PM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/6/2008 9:23:00AM	22.8		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/19/2008 7:12:00PM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/19/2008 7:12:00PM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/19/2008 7:12:00PM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/19/2008 7:12:00PM	0.25	0.25	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15791
 WACS Testsite Name: B-32
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 9:23:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/19/2008 7:12:00PM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/19/2008 7:12:00PM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/19/2008 7:12:00PM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/6/2008 9:23:00AM	12.6		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/19/2008 7:12:00PM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/19/2008 7:12:00PM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/19/2008 7:12:00PM	1	1	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15791
WACS Testsite Name: B-32
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/6/2008 9:23:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/11/2008 7:49:00PM	0.0049	0.0049	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/11/2008 7:49:00PM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15791
 WACS Testsite Name: B-32
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 9:23:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/10/2008 4:00:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/8/2008 12:02:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/8/2008 12:02:00AM	31	5	ug/L	
001012	Beryllium	N	E83079	SW6010	11/8/2008 12:02:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/8/2008 12:02:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/8/2008 12:02:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/8/2008 12:02:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/8/2008 12:02:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/8/2008 12:02:00AM	4900	20	ug/L	
001051	Lead	N	E83079	SW6010	11/8/2008 12:02:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/11/2008 5:13:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/8/2008 12:02:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/8/2008 12:02:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/8/2008 12:02:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/8/2008 12:02:00AM	26	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/10/2008 4:00:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/8/2008 12:02:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/8/2008 12:02:00AM	13	10	ug/L	I

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15791
WACS Testsite Name: B-32
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/6/2008 9:23:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/7/2008 4:20:00PM	26	0.021	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/7/2008 4:20:00PM	0.012	0.012	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/7/2008 4:20:00PM	25	0.055	mg/L	
070300	TDS	N	E83079	SM2540 C	11/12/2008 12:25:00PM	320	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15791
WACS Testsite Name: B-32
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 9:23:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/11/2008 1:08:00PM	0.051	0.02	mg/L	V

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15805
 WACS Testsite Name: B40-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 9:46:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/19/2008 8:49:00PM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/19/2008 8:49:00PM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/19/2008 8:49:00PM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/19/2008 8:49:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/19/2008 8:49:00PM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/19/2008 8:49:00PM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/19/2008 8:49:00PM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/19/2008 8:49:00PM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/19/2008 8:49:00PM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/19/2008 8:49:00PM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/19/2008 8:49:00PM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/19/2008 8:49:00PM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/19/2008 8:49:00PM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/19/2008 8:49:00PM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/19/2008 8:49:00PM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/19/2008 8:49:00PM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/19/2008 8:49:00PM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/19/2008 8:49:00PM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/19/2008 8:49:00PM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/19/2008 8:49:00PM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/19/2008 8:49:00PM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/19/2008 8:49:00PM	0.66	0.5	ug/L	I
032102	Carbon tetrachloride	N	E83079	SW8260	11/19/2008 8:49:00PM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/19/2008 8:49:00PM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/19/2008 8:49:00PM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/19/2008 8:49:00PM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/19/2008 8:49:00PM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/19/2008 8:49:00PM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/19/2008 8:49:00PM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/6/2008 9:46:00AM	632		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/19/2008 8:49:00PM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/19/2008 8:49:00PM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/6/2008 9:46:00AM	0.16		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/19/2008 8:49:00PM	0.5	0.5	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/6/2008 9:46:00AM	24.22		feet	
077424	Iodomethane	N	E83079	SW8260	11/19/2008 8:49:00PM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/19/2008 8:49:00PM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/6/2008 9:46:00AM	5.57		S.U.	
077128	Styrene	N	E83079	SW8260	11/19/2008 8:49:00PM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/6/2008 9:46:00AM	21.93		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/19/2008 8:49:00PM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/19/2008 8:49:00PM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/19/2008 8:49:00PM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/19/2008 8:49:00PM	0.25	0.25	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15805
 WACS Testsite Name: B40-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 9:46:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/19/2008 8:49:00PM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/19/2008 8:49:00PM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/19/2008 8:49:00PM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/6/2008 9:46:00AM	3.5		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/19/2008 8:49:00PM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/19/2008 8:49:00PM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/19/2008 8:49:00PM	1	1	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15805
WACS Testsite Name: B40-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/6/2008 9:46:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/11/2008 8:27:00PM	0.0048	0.0048	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/11/2008 8:27:00PM	0.006	0.006	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15805
 WACS Testsite Name: B40-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 9:46:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/10/2008 4:05:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/8/2008 12:06:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/8/2008 12:06:00AM	41	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/8/2008 12:06:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/8/2008 12:06:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/8/2008 12:06:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/8/2008 12:06:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/8/2008 12:06:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/8/2008 12:06:00AM	2500	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/8/2008 12:06:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/11/2008 5:22:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/8/2008 12:06:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/8/2008 12:06:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/8/2008 12:06:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/8/2008 12:06:00AM	24	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/10/2008 4:05:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/8/2008 12:06:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/8/2008 12:06:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15805
WACS Testsite Name: B40-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/6/2008 9:46:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/7/2008 4:36:00PM	27	0.021	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/7/2008 4:36:00PM	0.055	0.012	mg/L	
000945	Sulfate	N	E83079	E300.0	11/7/2008 4:36:00PM	63	0.055	mg/L	
070300	TDS	N	E83079	SM2540 C	11/12/2008 12:26:00PM	450	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15805
WACS Testsite Name: B40-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 9:46:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/11/2008 1:09:00PM	1	0.02	mg/L	V

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15793
 WACS Testsite Name: B33-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 10:01:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/19/2008 9:21:00PM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/19/2008 9:21:00PM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/19/2008 9:21:00PM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/19/2008 9:21:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/19/2008 9:21:00PM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/19/2008 9:21:00PM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/19/2008 9:21:00PM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/19/2008 9:21:00PM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/19/2008 9:21:00PM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/19/2008 9:21:00PM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/19/2008 9:21:00PM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/19/2008 9:21:00PM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/19/2008 9:21:00PM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/19/2008 9:21:00PM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/19/2008 9:21:00PM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/19/2008 9:21:00PM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/19/2008 9:21:00PM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/19/2008 9:21:00PM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/19/2008 9:21:00PM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/19/2008 9:21:00PM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/19/2008 9:21:00PM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/19/2008 9:21:00PM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/19/2008 9:21:00PM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/19/2008 9:21:00PM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/19/2008 9:21:00PM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/19/2008 9:21:00PM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/19/2008 9:21:00PM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/19/2008 9:21:00PM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/19/2008 9:21:00PM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/6/2008 10:01:00AM	3189		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/19/2008 9:21:00PM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/19/2008 9:21:00PM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/6/2008 10:01:00AM	0.33		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/19/2008 9:21:00PM	0.5	0.5	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/6/2008 10:01:00AM	28.47		feet	
077424	Iodomethane	N	E83079	SW8260	11/19/2008 9:21:00PM	2	0.5	ug/L	
034423	Methylene chloride	N	E83079	SW8260	11/19/2008 9:21:00PM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/6/2008 10:01:00AM	6.74		S.U.	
077128	Styrene	N	E83079	SW8260	11/19/2008 9:21:00PM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/6/2008 10:01:00AM	23.76		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/19/2008 9:21:00PM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/19/2008 9:21:00PM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/19/2008 9:21:00PM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/19/2008 9:21:00PM	0.25	0.25	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15793
 WACS Testsite Name: B33-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 10:01:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/19/2008 9:21:00PM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/19/2008 9:21:00PM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/19/2008 9:21:00PM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/6/2008 10:01:00AM	31.2		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/19/2008 9:21:00PM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/19/2008 9:21:00PM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/19/2008 9:21:00PM	1	1	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15793
WACS Testsite Name: B33-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/6/2008 10:01:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/11/2008 8:47:00PM	0.0049	0.0049	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/11/2008 8:47:00PM	0.0061	0.0061	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15793
WACS Testsite Name: B33-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 10:01:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/10/2008 4:20:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/8/2008 12:10:00AM	15	5	ug/L	
001007	Barium	N	E83079	SW6010	11/8/2008 12:10:00AM	150	5	ug/L	
001012	Beryllium	N	E83079	SW6010	11/8/2008 12:10:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/8/2008 12:10:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/8/2008 12:10:00AM	21	2.5	ug/L	
001037	Cobalt	N	E83079	SW6010	11/8/2008 12:10:00AM	9.9	5	ug/L	I
001042	Copper	N	E83079	SW6010	11/8/2008 12:10:00AM	3	2.5	ug/L	I
001045	Iron	N	E83079	SW6010	11/8/2008 12:10:00AM	16000	20	ug/L	
001051	Lead	N	E83079	SW6010	11/8/2008 12:10:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/11/2008 5:25:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/8/2008 12:10:00AM	33	2.5	ug/L	
001147	Selenium	N	E83079	SW6010	11/8/2008 12:10:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/8/2008 12:10:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/8/2008 12:10:00AM	510	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/10/2008 4:20:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/8/2008 12:10:00AM	43	5	ug/L	
001092	Zinc	N	E83079	SW6010	11/8/2008 12:10:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15793
WACS Testsite Name: B33-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/6/2008 10:01:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/7/2008 4:52:00PM	540	0.21	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/7/2008 4:52:00PM	0.12	0.12	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/7/2008 4:52:00PM	35	0.55	mg/L	
070300	TDS	N	E83079	SM2540 C	11/12/2008 12:28:00PM	2300	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15793
WACS Testsite Name: B33-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 10:01:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/17/2008 2:02:00PM	0.75	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15799
 WACS Testsite Name: B37-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 10:28:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/19/2008 11:29:00PM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/19/2008 11:29:00PM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/19/2008 11:29:00PM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/19/2008 11:29:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/19/2008 11:29:00PM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/19/2008 11:29:00PM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/19/2008 11:29:00PM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/19/2008 11:29:00PM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/19/2008 11:29:00PM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/19/2008 11:29:00PM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/19/2008 11:29:00PM	0.66	0.5	ug/L	I
081595	2-Butanone	N	E83079	SW8260	11/19/2008 11:29:00PM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/19/2008 11:29:00PM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/19/2008 11:29:00PM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/19/2008 11:29:00PM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/19/2008 11:29:00PM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/20/2008 11:50:00AM	12	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/19/2008 11:29:00PM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/19/2008 11:29:00PM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/19/2008 11:29:00PM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/19/2008 11:29:00PM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/19/2008 11:29:00PM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/19/2008 11:29:00PM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/19/2008 11:29:00PM	12	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/19/2008 11:29:00PM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/19/2008 11:29:00PM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/19/2008 11:29:00PM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/19/2008 11:29:00PM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/19/2008 11:29:00PM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/6/2008 10:28:00AM	2180		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/19/2008 11:29:00PM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/19/2008 11:29:00PM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/6/2008 10:28:00AM	0.2		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/19/2008 11:29:00PM	0.5	0.5	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/6/2008 10:28:00AM	27.23		feet	
077424	Iodomethane	N	E83079	SW8260	11/19/2008 11:29:00PM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/19/2008 11:29:00PM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/6/2008 10:28:00AM	6.15		S.U.	
077128	Styrene	N	E83079	SW8260	11/19/2008 11:29:00PM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/6/2008 10:28:00AM	22.52		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/19/2008 11:29:00PM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/19/2008 11:29:00PM	0.5	0.5	ug/L	I
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/19/2008 11:29:00PM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/19/2008 11:29:00PM	0.25	0.25	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15799
 WACS Testsite Name: B37-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 10:28:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/19/2008 11:29:00PM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/19/2008 11:29:00PM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/19/2008 11:29:00PM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/6/2008 10:28:00AM	3.64		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/19/2008 11:29:00PM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/19/2008 11:29:00PM	0.81	0.53	ug/L	I
034020	Xylenes, Total	N	E83079	SW8260	11/20/2008 11:50:00AM	2.4	1	ug/L	I

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15799
WACS Testsite Name: B37-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 10:28:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/11/2008 9:06:00PM	0.0048	0.0048	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/11/2008 9:06:00PM	0.006	0.006	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15799
 WACS Testsite Name: B37-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 10:28:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/10/2008 4:25:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/8/2008 12:24:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/8/2008 12:24:00AM	240	5	ug/L	
001012	Beryllium	N	E83079	SW6010	11/8/2008 12:24:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/8/2008 12:24:00AM	0.7	0.5	ug/L	I
001034	Chromium	N	E83079	SW6010	11/8/2008 12:24:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/8/2008 12:24:00AM	12	5	ug/L	
001042	Copper	N	E83079	SW6010	11/8/2008 12:24:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/8/2008 12:24:00AM	35000	20	ug/L	
001051	Lead	N	E83079	SW6010	11/8/2008 12:24:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/11/2008 5:28:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/8/2008 12:24:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/8/2008 12:24:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/8/2008 12:24:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/8/2008 12:24:00AM	210	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/10/2008 4:25:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/8/2008 12:24:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/8/2008 12:24:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15799
WACS Testsite Name: B37-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/6/2008 10:28:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/7/2008 5:07:00PM	150	0.11	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/7/2008 5:07:00PM	0.058	0.058	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/7/2008 5:07:00PM	0.28	0.28	mg/L	U
070300	TDS	N	E83079	SM2540 C	11/12/2008 12:29:00PM	1500	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15799
WACS Testsite Name: B37-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 10:28:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/17/2008 2:03:00PM	0.98	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15792
 WACS Testsite Name: B33-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 10:38:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/20/2008 12:01:00AM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/20/2008 12:01:00AM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/20/2008 12:01:00AM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/20/2008 12:01:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/20/2008 12:01:00AM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/20/2008 12:01:00AM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/20/2008 12:01:00AM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/20/2008 12:01:00AM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/20/2008 12:01:00AM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/20/2008 12:01:00AM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/20/2008 12:01:00AM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/20/2008 12:01:00AM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/20/2008 12:01:00AM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/20/2008 12:01:00AM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/20/2008 12:01:00AM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/20/2008 12:01:00AM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/20/2008 12:01:00AM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/20/2008 12:01:00AM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/20/2008 12:01:00AM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/20/2008 12:01:00AM	1.1	0.5	ug/L	
034413	Bromomethane	N	E83079	SW8260	11/20/2008 12:01:00AM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/20/2008 12:01:00AM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/20/2008 12:01:00AM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/20/2008 12:01:00AM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/20/2008 12:01:00AM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/20/2008 12:01:00AM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/20/2008 12:01:00AM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/20/2008 12:01:00AM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/20/2008 12:01:00AM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/6/2008 10:38:00AM	434		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/20/2008 12:01:00AM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/20/2008 12:01:00AM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/6/2008 10:38:00AM	0.3		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/20/2008 12:01:00AM	0.5	0.5	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/6/2008 10:38:00AM	27.89		feet	
077424	Iodomethane	N	E83079	SW8260	11/20/2008 12:01:00AM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/20/2008 12:01:00AM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/6/2008 10:38:00AM	6.37		S.U.	
077128	Styrene	N	E83079	SW8260	11/20/2008 12:01:00AM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/6/2008 10:38:00AM	22.94		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/20/2008 12:01:00AM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/20/2008 12:01:00AM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/20/2008 12:01:00AM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/20/2008 12:01:00AM	0.25	0.25	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 2/17/2009

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 15792
 WACS Testsite Name: B33-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 10:38:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/20/2008 12:01:00AM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/20/2008 12:01:00AM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/20/2008 12:01:00AM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/6/2008 10:38:00AM	4.13		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/20/2008 12:01:00AM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/20/2008 12:01:00AM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/20/2008 12:01:00AM	1	1	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15792
WACS Testsite Name: B33-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 10:38:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/11/2008 9:25:00PM	0.0047	0.0047	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/11/2008 9:25:00PM	0.006	0.006	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15792
 WACS Testsite Name: B33-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 10:38:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/11/2008 5:21:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/10/2008 5:29:00PM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/10/2008 5:29:00PM	33	5	ug/L	
001012	Beryllium	N	E83079	SW6010	11/10/2008 5:29:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/10/2008 5:29:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/10/2008 5:29:00PM	5.2	2.5	ug/L	
001037	Cobalt	N	E83079	SW6010	11/10/2008 5:29:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/10/2008 5:29:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/10/2008 5:29:00PM	8000	20	ug/L	
001051	Lead	N	E83079	SW6010	11/10/2008 5:29:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/11/2008 5:31:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/10/2008 5:29:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/10/2008 5:29:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/10/2008 5:29:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/10/2008 5:29:00PM	50	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/11/2008 5:21:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/10/2008 5:29:00PM	7.5	5	ug/L	I
001092	Zinc	N	E83079	SW6010	11/10/2008 5:29:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15792
WACS Testsite Name: B33-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/6/2008 10:38:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/7/2008 5:23:00PM	35	0.021	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/7/2008 5:23:00PM	0.012	0.012	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/7/2008 5:23:00PM	0.055	0.055	mg/L	U
070300	TDS	N	E83079	SM2540 C	11/12/2008 12:31:00PM	400	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15792
WACS Testsite Name: B33-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 10:38:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/11/2008 1:13:00PM	0.19	0.02	mg/L	V

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15800
 WACS Testsite Name: B37-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 11:05:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/19/2008 6:08:00PM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/19/2008 6:08:00PM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/19/2008 6:08:00PM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/19/2008 6:08:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/19/2008 6:08:00PM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/19/2008 6:08:00PM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/19/2008 6:08:00PM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/19/2008 6:08:00PM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/19/2008 6:08:00PM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/19/2008 6:08:00PM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/19/2008 6:08:00PM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/19/2008 6:08:00PM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/19/2008 6:08:00PM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/19/2008 6:08:00PM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/19/2008 6:08:00PM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/19/2008 6:08:00PM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/19/2008 6:08:00PM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/19/2008 6:08:00PM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/19/2008 6:08:00PM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/19/2008 6:08:00PM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/19/2008 6:08:00PM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/19/2008 6:08:00PM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/19/2008 6:08:00PM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/19/2008 6:08:00PM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/19/2008 6:08:00PM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/19/2008 6:08:00PM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/19/2008 6:08:00PM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/19/2008 6:08:00PM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/19/2008 6:08:00PM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/6/2008 11:05:00AM	492		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/19/2008 6:08:00PM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/19/2008 6:08:00PM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/6/2008 11:05:00AM	0.11		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/19/2008 6:08:00PM	0.5	0.5	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/6/2008 11:05:00AM	27.66		feet	
077424	Iodomethane	N	E83079	SW8260	11/19/2008 6:08:00PM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/19/2008 6:08:00PM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/6/2008 11:05:00AM	6.13		S.U.	
077128	Styrene	N	E83079	SW8260	11/19/2008 6:08:00PM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/6/2008 11:05:00AM	22.99		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/19/2008 6:08:00PM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/19/2008 6:08:00PM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/19/2008 6:08:00PM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/19/2008 6:08:00PM	0.25	0.25	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 2/17/2009

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 15800
 WACS Testsite Name: B37-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 11:05:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/19/2008 6:08:00PM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/19/2008 6:08:00PM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/19/2008 6:08:00PM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/6/2008 11:05:00AM	2.62		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/19/2008 6:08:00PM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/19/2008 6:08:00PM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/19/2008 6:08:00PM	1	1	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15800
WACS Testsite Name: B37-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 11:05:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/11/2008 9:45:00PM	0.0048	0.0048	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/11/2008 9:45:00PM	0.006	0.006	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15800
 WACS Testsite Name: B37-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 11:05:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/11/2008 5:40:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/10/2008 5:33:00PM	6	5	ug/L	I
001007	Barium	N	E83079	SW6010	11/10/2008 5:33:00PM	24	5	ug/L	
001012	Beryllium	N	E83079	SW6010	11/10/2008 5:33:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/10/2008 5:33:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/10/2008 5:33:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/10/2008 5:33:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/10/2008 5:33:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/10/2008 5:33:00PM	6400	20	ug/L	
001051	Lead	N	E83079	SW6010	11/10/2008 5:33:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/11/2008 5:39:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/10/2008 5:33:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/10/2008 5:33:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/10/2008 5:33:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/10/2008 5:33:00PM	14	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/11/2008 5:40:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/10/2008 5:33:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/10/2008 5:33:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15800
WACS Testsite Name: B37-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/6/2008 11:05:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/7/2008 5:39:00PM	21	0.021	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/7/2008 5:39:00PM	0.012	0.012	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/7/2008 5:39:00PM	0.055	0.055	mg/L	U
070300	TDS	N	E83079	SM2540 C	11/12/2008 12:32:00PM	320	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15800
WACS Testsite Name: B37-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 11:05:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/11/2008 1:18:00PM	0.11	0.02	mg/L	V

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15820
 WACS Testsite Name: B61R
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 11:17:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/19/2008 6:39:00PM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/19/2008 6:39:00PM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/19/2008 6:39:00PM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/19/2008 6:39:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/19/2008 6:39:00PM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/19/2008 6:39:00PM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/19/2008 6:39:00PM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/19/2008 6:39:00PM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/19/2008 6:39:00PM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/19/2008 6:39:00PM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/19/2008 6:39:00PM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/19/2008 6:39:00PM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/19/2008 6:39:00PM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/19/2008 6:39:00PM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/19/2008 6:39:00PM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/19/2008 6:39:00PM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/19/2008 6:39:00PM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/19/2008 6:39:00PM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/19/2008 6:39:00PM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/19/2008 6:39:00PM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/19/2008 6:39:00PM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/19/2008 6:39:00PM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/19/2008 6:39:00PM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/19/2008 6:39:00PM	0.65	0.5	ug/L	I
034311	Chloroethane	N	E83079	SW8260	11/19/2008 6:39:00PM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/19/2008 6:39:00PM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/19/2008 6:39:00PM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/19/2008 6:39:00PM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/19/2008 6:39:00PM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/6/2008 11:17:00AM	1160		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/19/2008 6:39:00PM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/19/2008 6:39:00PM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/6/2008 11:17:00AM	0.48		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/19/2008 6:39:00PM	0.5	0.5	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/6/2008 11:17:00AM	25.02		feet	
077424	Iodomethane	N	E83079	SW8260	11/19/2008 6:39:00PM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/19/2008 6:39:00PM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/6/2008 11:17:00AM	6.51		S.U.	
077128	Styrene	N	E83079	SW8260	11/19/2008 6:39:00PM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/6/2008 11:17:00AM	25.73		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/19/2008 6:39:00PM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/19/2008 6:39:00PM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/19/2008 6:39:00PM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/19/2008 6:39:00PM	0.25	0.25	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15820
 WACS Testsite Name: B61R
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 11:17:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/19/2008 6:39:00PM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/19/2008 6:39:00PM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/19/2008 6:39:00PM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/6/2008 11:17:00AM	12.7		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/19/2008 6:39:00PM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/19/2008 6:39:00PM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/19/2008 6:39:00PM	1	1	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15820
WACS Testsite Name: B61R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/6/2008 11:17:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/11/2008 10:04:00PM	0.0048	0.0048	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/11/2008 10:04:00PM	0.0061	0.0061	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15820
 WACS Testsite Name: B61R
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 11:17:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/11/2008 5:44:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/10/2008 5:37:00PM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/10/2008 5:37:00PM	160	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/10/2008 5:37:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/10/2008 5:37:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/10/2008 5:37:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/10/2008 5:37:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/10/2008 5:37:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/10/2008 5:37:00PM	10000	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/10/2008 5:37:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/11/2008 5:42:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/10/2008 5:37:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/10/2008 5:37:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/10/2008 5:37:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/10/2008 5:37:00PM	29	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/11/2008 5:44:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/10/2008 5:37:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/10/2008 5:37:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15820
WACS Testsite Name: B61R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/6/2008 11:17:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/7/2008 5:54:00PM	26	0.043	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/7/2008 5:54:00PM	0.023	0.023	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/7/2008 5:54:00PM	4.1	0.11	mg/L	
070300	TDS	N	E83079	SM2540 C	11/13/2008 1:02:00PM	620	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15820
WACS Testsite Name: B61R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 11:17:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/11/2008 1:19:00PM	12	0.02	mg/L	V

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15794
 WACS Testsite Name: B34-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 11:43:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/19/2008 7:09:00PM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/19/2008 7:09:00PM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/19/2008 7:09:00PM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/19/2008 7:09:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/19/2008 7:09:00PM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/19/2008 7:09:00PM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/19/2008 7:09:00PM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/19/2008 7:09:00PM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/19/2008 7:09:00PM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/19/2008 7:09:00PM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/19/2008 7:09:00PM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/19/2008 7:09:00PM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/19/2008 7:09:00PM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/19/2008 7:09:00PM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/19/2008 7:09:00PM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/19/2008 7:09:00PM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/19/2008 7:09:00PM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/19/2008 7:09:00PM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/19/2008 7:09:00PM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/19/2008 7:09:00PM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/19/2008 7:09:00PM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/19/2008 7:09:00PM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/19/2008 7:09:00PM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/19/2008 7:09:00PM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/19/2008 7:09:00PM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/19/2008 7:09:00PM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/19/2008 7:09:00PM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/19/2008 7:09:00PM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/19/2008 7:09:00PM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/6/2008 11:43:00AM	900		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/19/2008 7:09:00PM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/19/2008 7:09:00PM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/6/2008 11:43:00AM	0.12		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/19/2008 7:09:00PM	0.5	0.5	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/6/2008 11:43:00AM	27.64		feet	
077424	Iodomethane	N	E83079	SW8260	11/19/2008 7:09:00PM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/19/2008 7:09:00PM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/6/2008 11:43:00AM	6.28		S.U.	
077128	Styrene	N	E83079	SW8260	11/19/2008 7:09:00PM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/6/2008 11:43:00AM	22.64		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/19/2008 7:09:00PM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/19/2008 7:09:00PM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/19/2008 7:09:00PM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/19/2008 7:09:00PM	0.25	0.25	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15794
 WACS Testsite Name: B34-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 11:43:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/19/2008 7:09:00PM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/19/2008 7:09:00PM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/19/2008 7:09:00PM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/6/2008 11:43:00AM	3.11		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/19/2008 7:09:00PM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/19/2008 7:09:00PM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/19/2008 7:09:00PM	1	1	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15794
WACS Testsite Name: B34-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/6/2008 11:43:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/11/2008 10:23:00PM	0.0049	0.0049	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/11/2008 10:23:00PM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15794
 WACS Testsite Name: B34-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 11:43:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/11/2008 5:58:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/10/2008 5:41:00PM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/10/2008 5:41:00PM	120	5	ug/L	
001012	Beryllium	N	E83079	SW6010	11/10/2008 5:41:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/10/2008 5:41:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/10/2008 5:41:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/10/2008 5:41:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/10/2008 5:41:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/10/2008 5:41:00PM	20000	20	ug/L	
001051	Lead	N	E83079	SW6010	11/10/2008 5:41:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/11/2008 5:45:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/10/2008 5:41:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/10/2008 5:41:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/10/2008 5:41:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/10/2008 5:41:00PM	36	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/11/2008 5:58:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/10/2008 5:41:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/10/2008 5:41:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15794
WACS Testsite Name: B34-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/6/2008 11:43:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/7/2008 6:10:00PM	54	0.043	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/7/2008 6:10:00PM	0.023	0.023	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/7/2008 6:10:00PM	97	0.11	mg/L	
070300	TDS	N	E83079	SM2540 C	11/13/2008 1:05:00PM	540	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15794
WACS Testsite Name: B34-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 11:43:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/11/2008 1:20:00PM	0.14	0.02	mg/L	V

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15822
 WACS Testsite Name: B62-2R
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 11/6/2008 11:45:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/19/2008 7:40:00PM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/19/2008 7:40:00PM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/19/2008 7:40:00PM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/19/2008 7:40:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/19/2008 7:40:00PM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/19/2008 7:40:00PM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/19/2008 7:40:00PM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/19/2008 7:40:00PM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/19/2008 7:40:00PM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/19/2008 7:40:00PM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/19/2008 7:40:00PM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/19/2008 7:40:00PM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/19/2008 7:40:00PM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/19/2008 7:40:00PM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/19/2008 7:40:00PM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/19/2008 7:40:00PM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/19/2008 7:40:00PM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/19/2008 7:40:00PM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/19/2008 7:40:00PM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/19/2008 7:40:00PM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/19/2008 7:40:00PM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/19/2008 7:40:00PM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/19/2008 7:40:00PM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/19/2008 7:40:00PM	2.8	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/19/2008 7:40:00PM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/19/2008 7:40:00PM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/19/2008 7:40:00PM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/19/2008 7:40:00PM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/19/2008 7:40:00PM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/6/2008 11:45:00AM	1496		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/19/2008 7:40:00PM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/19/2008 7:40:00PM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/6/2008 11:45:00AM	0.36		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/19/2008 7:40:00PM	0.5	0.5	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/6/2008 11:45:00AM	25.36		feet	
077424	Iodomethane	N	E83079	SW8260	11/19/2008 7:40:00PM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/19/2008 7:40:00PM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/6/2008 11:45:00AM	6.64		S.U.	
077128	Styrene	N	E83079	SW8260	11/19/2008 7:40:00PM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/6/2008 11:45:00AM	25.04		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/19/2008 7:40:00PM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/19/2008 7:40:00PM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/19/2008 7:40:00PM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/19/2008 7:40:00PM	0.25	0.25	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15822
 WACS Testsite Name: B62-2R
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 11:45:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/19/2008 7:40:00PM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/19/2008 7:40:00PM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/19/2008 7:40:00PM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/6/2008 11:45:00AM	3.71		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/19/2008 7:40:00PM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/19/2008 7:40:00PM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/19/2008 7:40:00PM	1	1	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15822
WACS Testsite Name: B62-2R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/6/2008 11:45:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/11/2008 10:42:00PM	0.0048	0.0048	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/11/2008 10:42:00PM	0.0061	0.0061	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15822
 WACS Testsite Name: B62-2R
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 11:45:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/11/2008 6:03:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/10/2008 5:45:00PM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/10/2008 5:45:00PM	130	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/10/2008 5:45:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/10/2008 5:45:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/10/2008 5:45:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/10/2008 5:45:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/10/2008 5:45:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/10/2008 5:45:00PM	15000	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/10/2008 5:45:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/11/2008 5:48:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/10/2008 5:45:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/10/2008 5:45:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/10/2008 5:45:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/10/2008 5:45:00PM	50	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/11/2008 6:03:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/10/2008 5:45:00PM	5.3	5	ug/L	I
001092	Zinc	N	E83079	SW6010	11/10/2008 5:45:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15822
WACS Testsite Name: B62-2R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/6/2008 11:45:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/7/2008 6:26:00PM	33	0.11	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/7/2008 6:26:00PM	0.058	0.058	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/7/2008 6:26:00PM	0.28	0.28	mg/L	U
070300	TDS	N	E83079	SM2540 C	11/13/2008 1:07:00PM	710	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15822
WACS Testsite Name: B62-2R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 11:45:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/17/2008 2:07:00PM	39	0.2	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15821
 WACS Testsite Name: B62-1R
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 12:18:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/19/2008 8:10:00PM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/19/2008 8:10:00PM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/19/2008 8:10:00PM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/19/2008 8:10:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/19/2008 8:10:00PM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/19/2008 8:10:00PM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/19/2008 8:10:00PM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/19/2008 8:10:00PM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/19/2008 8:10:00PM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/19/2008 8:10:00PM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/19/2008 8:10:00PM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/19/2008 8:10:00PM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/19/2008 8:10:00PM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/19/2008 8:10:00PM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/19/2008 8:10:00PM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/19/2008 8:10:00PM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/19/2008 8:10:00PM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/19/2008 8:10:00PM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/19/2008 8:10:00PM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/19/2008 8:10:00PM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/19/2008 8:10:00PM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/19/2008 8:10:00PM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/19/2008 8:10:00PM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/19/2008 8:10:00PM	2.6	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/19/2008 8:10:00PM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/19/2008 8:10:00PM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/19/2008 8:10:00PM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/19/2008 8:10:00PM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/19/2008 8:10:00PM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/6/2008 12:18:00PM	2510		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/19/2008 8:10:00PM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/19/2008 8:10:00PM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/6/2008 12:18:00PM	0.29		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/19/2008 8:10:00PM	0.5	0.5	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/6/2008 12:18:00PM	25.12		feet	
077424	Iodomethane	N	E83079	SW8260	11/19/2008 8:10:00PM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/19/2008 8:10:00PM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/6/2008 12:18:00PM	6.8		S.U.	
077128	Styrene	N	E83079	SW8260	11/19/2008 8:10:00PM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/6/2008 12:18:00PM	24.04		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/19/2008 8:10:00PM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/19/2008 8:10:00PM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/19/2008 8:10:00PM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/19/2008 8:10:00PM	0.25	0.25	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15821
 WACS Testsite Name: B62-1R
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 12:18:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/19/2008 8:10:00PM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/19/2008 8:10:00PM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/19/2008 8:10:00PM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/6/2008 12:18:00PM	9.83		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/19/2008 8:10:00PM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/19/2008 8:10:00PM	0.87	0.53	ug/L	I
034020	Xylenes, Total	N	E83079	SW8260	11/19/2008 8:10:00PM	1	1	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15821
WACS Testsite Name: B62-1R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 12:18:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/11/2008 11:02:00PM	0.0071	0.0049	ug/L	I
077651	Ethylene Dibromide	N	E83079	SW8011	11/11/2008 11:02:00PM	0.0063	0.0063	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15821
 WACS Testsite Name: B62-1R
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 12:18:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/11/2008 6:08:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/10/2008 5:49:00PM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/10/2008 5:49:00PM	590	5	ug/L	
001012	Beryllium	N	E83079	SW6010	11/10/2008 5:49:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/10/2008 5:49:00PM	0.54	0.5	ug/L	I
001034	Chromium	N	E83079	SW6010	11/10/2008 5:49:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/10/2008 5:49:00PM	11	5	ug/L	
001042	Copper	N	E83079	SW6010	11/10/2008 5:49:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/10/2008 5:49:00PM	27000	20	ug/L	
001051	Lead	N	E83079	SW6010	11/10/2008 5:49:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/11/2008 5:51:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/10/2008 5:49:00PM	7.7	2.5	ug/L	
001147	Selenium	N	E83079	SW6010	11/10/2008 5:49:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/10/2008 5:49:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/10/2008 5:49:00PM	230	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/11/2008 6:08:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/10/2008 5:49:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/10/2008 5:49:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15821
WACS Testsite Name: B62-1R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/6/2008 12:18:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/7/2008 7:44:00PM	180	0.21	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/7/2008 7:44:00PM	0.12	0.12	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/7/2008 7:44:00PM	6.1	0.55	mg/L	
070300	TDS	N	E83079	SM2540 C	11/13/2008 1:08:00PM	1200	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15821
WACS Testsite Name: B62-1R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 12:18:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/17/2008 2:10:00PM	99	0.2	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15795
 WACS Testsite Name: B34-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 12:27:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/19/2008 8:40:00PM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/19/2008 8:40:00PM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/19/2008 8:40:00PM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/19/2008 8:40:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/19/2008 8:40:00PM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/19/2008 8:40:00PM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/19/2008 8:40:00PM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/19/2008 8:40:00PM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/19/2008 8:40:00PM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/19/2008 8:40:00PM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/19/2008 8:40:00PM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/19/2008 8:40:00PM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/19/2008 8:40:00PM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/19/2008 8:40:00PM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/19/2008 8:40:00PM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/19/2008 8:40:00PM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/19/2008 8:40:00PM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/19/2008 8:40:00PM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/19/2008 8:40:00PM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/19/2008 8:40:00PM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/19/2008 8:40:00PM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/19/2008 8:40:00PM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/19/2008 8:40:00PM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/19/2008 8:40:00PM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/19/2008 8:40:00PM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/19/2008 8:40:00PM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/19/2008 8:40:00PM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/19/2008 8:40:00PM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/19/2008 8:40:00PM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/6/2008 12:27:00PM	1030		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/19/2008 8:40:00PM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/19/2008 8:40:00PM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/6/2008 12:27:00PM	0.09		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/19/2008 8:40:00PM	0.5	0.5	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/6/2008 12:27:00PM	28.52		feet	
077424	Iodomethane	N	E83079	SW8260	11/19/2008 8:40:00PM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/19/2008 8:40:00PM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/6/2008 12:27:00PM	6.58		S.U.	
077128	Styrene	N	E83079	SW8260	11/19/2008 8:40:00PM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/6/2008 12:27:00PM	23.4		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/19/2008 8:40:00PM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/19/2008 8:40:00PM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/19/2008 8:40:00PM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/19/2008 8:40:00PM	0.25	0.25	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 2/17/2009

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 15795
 WACS Testsite Name: B34-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 12:27:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/19/2008 8:40:00PM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/19/2008 8:40:00PM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/19/2008 8:40:00PM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/6/2008 12:27:00PM	4.93		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/19/2008 8:40:00PM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/19/2008 8:40:00PM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/19/2008 8:40:00PM	1	1	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15795
WACS Testsite Name: B34-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/6/2008 12:27:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/11/2008 11:21:00PM	0.0049	0.0049	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/11/2008 11:21:00PM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15795
WACS Testsite Name: B34-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 12:27:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/11/2008 6:13:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/10/2008 5:53:00PM	5.2	5	ug/L	I
001007	Barium	N	E83079	SW6010	11/10/2008 5:53:00PM	68	5	ug/L	
001012	Beryllium	N	E83079	SW6010	11/10/2008 5:53:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/10/2008 5:53:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/10/2008 5:53:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/10/2008 5:53:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/10/2008 5:53:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/10/2008 5:53:00PM	6100	20	ug/L	
001051	Lead	N	E83079	SW6010	11/10/2008 5:53:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/11/2008 6:06:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/10/2008 5:53:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/10/2008 5:53:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/10/2008 5:53:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/10/2008 5:53:00PM	16	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/11/2008 6:13:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/10/2008 5:53:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/10/2008 5:53:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15795
WACS Testsite Name: B34-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/6/2008 12:27:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/7/2008 8:31:00PM	18	0.043	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/7/2008 8:31:00PM	0.023	0.023	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/7/2008 8:31:00PM	62	0.11	mg/L	
070300	TDS	N	E83079	SM2540 C	11/13/2008 1:10:00PM	680	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15795
WACS Testsite Name: B34-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 12:27:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/11/2008 1:24:00PM	0.69	0.02	mg/L	V

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15827
 WACS Testsite Name: B66
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 12:53:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/20/2008 4:47:00AM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/20/2008 4:47:00AM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/20/2008 4:47:00AM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/20/2008 4:47:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/20/2008 4:47:00AM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/20/2008 4:47:00AM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/20/2008 4:47:00AM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/20/2008 4:47:00AM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/20/2008 4:47:00AM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/20/2008 4:47:00AM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/20/2008 4:47:00AM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/20/2008 4:47:00AM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/20/2008 4:47:00AM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/20/2008 4:47:00AM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/20/2008 4:47:00AM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/20/2008 4:47:00AM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/20/2008 4:47:00AM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/20/2008 4:47:00AM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/20/2008 4:47:00AM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/20/2008 4:47:00AM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/20/2008 4:47:00AM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/20/2008 4:47:00AM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/20/2008 4:47:00AM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/20/2008 4:47:00AM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/20/2008 4:47:00AM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/20/2008 4:47:00AM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/20/2008 4:47:00AM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/20/2008 4:47:00AM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/20/2008 4:47:00AM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/6/2008 12:53:00PM	419		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/20/2008 4:47:00AM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/20/2008 4:47:00AM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/6/2008 12:53:00PM	2.58		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/20/2008 4:47:00AM	0.5	0.5	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/6/2008 12:53:00PM	25.41		feet	
077424	Iodomethane	N	E83079	SW8260	11/20/2008 4:47:00AM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/20/2008 4:47:00AM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/6/2008 12:53:00PM	6.78		S.U.	
077128	Styrene	N	E83079	SW8260	11/20/2008 4:47:00AM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/6/2008 12:53:00PM	23.95		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/20/2008 4:47:00AM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/20/2008 4:47:00AM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/20/2008 4:47:00AM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/20/2008 4:47:00AM	0.25	0.25	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15827
 WACS Testsite Name: B66
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 12:53:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/20/2008 4:47:00AM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/20/2008 4:47:00AM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/20/2008 4:47:00AM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/6/2008 12:53:00PM	1.38		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/20/2008 4:47:00AM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/20/2008 4:47:00AM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/20/2008 4:47:00AM	1	1	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15827
WACS Testsite Name: B66
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/6/2008 12:53:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/11/2008 11:59:00PM	0.0048	0.0048	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/11/2008 11:59:00PM	0.006	0.006	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15827
 WACS Testsite Name: B66
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 12:53:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/11/2008 6:17:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/10/2008 6:04:00PM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/10/2008 6:04:00PM	29	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/10/2008 6:04:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/10/2008 6:04:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/10/2008 6:04:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/10/2008 6:04:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/10/2008 6:04:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/10/2008 6:04:00PM	86	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/10/2008 6:04:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/11/2008 6:23:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/10/2008 6:04:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/10/2008 6:04:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/10/2008 6:04:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/10/2008 6:04:00PM	7	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/11/2008 6:17:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/10/2008 6:04:00PM	9.2	5	ug/L	I
001092	Zinc	N	E83079	SW6010	11/10/2008 6:04:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15827
WACS Testsite Name: B66
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/6/2008 12:53:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/7/2008 8:47:00PM	6.6	0.021	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/7/2008 8:47:00PM	0.7	0.012	mg/L	
000945	Sulfate	N	E83079	E300.0	11/7/2008 8:47:00PM	11	0.055	mg/L	
070300	TDS	N	E83079	SM2540 C	11/13/2008 1:11:00PM	230	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15827
WACS Testsite Name: B66
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 12:53:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/11/2008 1:25:00PM	0.02	0.02	mg/L	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15790
 WACS Testsite Name: B8-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 1:38:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: IM - Intermediate

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/20/2008 9:01:00AM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/20/2008 9:01:00AM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/20/2008 9:01:00AM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/20/2008 9:01:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/20/2008 9:01:00AM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/20/2008 9:01:00AM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/20/2008 9:01:00AM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/20/2008 9:01:00AM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/20/2008 9:01:00AM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/20/2008 9:01:00AM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/20/2008 9:01:00AM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/20/2008 9:01:00AM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/20/2008 9:01:00AM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/20/2008 9:01:00AM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/20/2008 9:01:00AM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/20/2008 9:01:00AM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/20/2008 9:01:00AM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/20/2008 9:01:00AM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/20/2008 9:01:00AM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/20/2008 9:01:00AM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/20/2008 9:01:00AM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/20/2008 9:01:00AM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/20/2008 9:01:00AM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/20/2008 9:01:00AM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/20/2008 9:01:00AM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/20/2008 9:01:00AM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/20/2008 9:01:00AM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/20/2008 9:01:00AM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/20/2008 9:01:00AM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/6/2008 1:38:00PM	708		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/20/2008 9:01:00AM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/20/2008 9:01:00AM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/6/2008 1:38:00PM	0.26		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/20/2008 9:01:00AM	0.5	0.5	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/6/2008 1:38:00PM	27.42		feet	
077424	Iodomethane	N	E83079	SW8260	11/20/2008 9:01:00AM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/20/2008 9:01:00AM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/6/2008 1:38:00PM	5.74		S.U.	
077128	Styrene	N	E83079	SW8260	11/20/2008 9:01:00AM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/6/2008 1:38:00PM	24.83		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/20/2008 9:01:00AM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/20/2008 9:01:00AM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/20/2008 9:01:00AM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/20/2008 9:01:00AM	0.25	0.25	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15790
 WACS Testsite Name: B8-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 1:38:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: IM - Intermediate

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/20/2008 9:01:00AM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/20/2008 9:01:00AM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/20/2008 9:01:00AM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/6/2008 1:38:00PM	0.31		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/20/2008 9:01:00AM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/20/2008 9:01:00AM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/20/2008 9:01:00AM	1	1	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15790
WACS Testsite Name: B8-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/6/2008 1:38:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: IM - Intermediate

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/12/2008 12:18:00AM	0.0048	0.0048	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/12/2008 12:18:00AM	0.0061	0.0061	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15790
 WACS Testsite Name: B8-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 1:38:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: IM - Intermediate

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/11/2008 6:22:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/10/2008 6:08:00PM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/10/2008 6:08:00PM	74	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/10/2008 6:08:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/10/2008 6:08:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/10/2008 6:08:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/10/2008 6:08:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/10/2008 6:08:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/10/2008 6:08:00PM	19000	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/10/2008 6:08:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/11/2008 6:26:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/10/2008 6:08:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/10/2008 6:08:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/10/2008 6:08:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/10/2008 6:08:00PM	22	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/11/2008 6:22:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/10/2008 6:08:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/10/2008 6:08:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15790
WACS Testsite Name: B8-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/6/2008 1:38:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: IM - Intermediate

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/7/2008 9:02:00PM	78	0.021	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/7/2008 9:02:00PM	0.012	0.012	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/7/2008 9:02:00PM	130	0.055	mg/L	
070300	TDS	N	E83079	SM2540 C	11/13/2008 1:12:00PM	440	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15790
WACS Testsite Name: B8-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 1:38:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: IM - Intermediate

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/11/2008 1:27:00PM	0.073	0.02	mg/L	V

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15642
 WACS Testsite Name: B8
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 2:22:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: IM - Intermediate

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/20/2008 10:37:00AM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/20/2008 10:37:00AM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/20/2008 10:37:00AM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/20/2008 10:37:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/20/2008 10:37:00AM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/20/2008 10:37:00AM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/20/2008 10:37:00AM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/20/2008 10:37:00AM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/20/2008 10:37:00AM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/20/2008 10:37:00AM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/20/2008 10:37:00AM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/20/2008 10:37:00AM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/20/2008 10:37:00AM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/20/2008 10:37:00AM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/20/2008 10:37:00AM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/20/2008 10:37:00AM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/20/2008 10:37:00AM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/20/2008 10:37:00AM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/20/2008 10:37:00AM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/20/2008 10:37:00AM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/20/2008 10:37:00AM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/20/2008 10:37:00AM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/20/2008 10:37:00AM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/20/2008 10:37:00AM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/20/2008 10:37:00AM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/20/2008 10:37:00AM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/20/2008 10:37:00AM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/20/2008 10:37:00AM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/20/2008 10:37:00AM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/6/2008 2:22:00PM	620		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/20/2008 10:37:00AM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/20/2008 10:37:00AM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/6/2008 2:22:00PM	0.19		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/20/2008 10:37:00AM	0.5	0.5	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/6/2008 2:22:00PM	21.19		feet	
077424	Iodomethane	N	E83079	SW8260	11/20/2008 10:37:00AM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/20/2008 10:37:00AM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/6/2008 2:22:00PM	6.58		S.U.	
077128	Styrene	N	E83079	SW8260	11/20/2008 10:37:00AM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/6/2008 2:22:00PM	23.99		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/20/2008 10:37:00AM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/20/2008 10:37:00AM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/20/2008 10:37:00AM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/20/2008 10:37:00AM	0.25	0.25	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15642
 WACS Testsite Name: B8
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 2:22:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: IM - Intermediate

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/20/2008 10:37:00AM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/20/2008 10:37:00AM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/20/2008 10:37:00AM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/6/2008 2:22:00PM	2.26		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/20/2008 10:37:00AM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/20/2008 10:37:00AM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/20/2008 10:37:00AM	1	1	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15642
WACS Testsite Name: B8
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 2:22:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: IM - Intermediate

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/14/2008 7:58:00PM	0.0055	0.0055	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/14/2008 7:58:00PM	0.0069	0.0069	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15642
WACS Testsite Name: B8
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 2:22:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: IM - Intermediate

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/11/2008 6:37:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/10/2008 6:12:00PM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/10/2008 6:12:00PM	32	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/10/2008 6:12:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/10/2008 6:12:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/10/2008 6:12:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/10/2008 6:12:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/10/2008 6:12:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/10/2008 6:12:00PM	1200	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/10/2008 6:12:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/11/2008 6:29:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/10/2008 6:12:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/10/2008 6:12:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/10/2008 6:12:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/10/2008 6:12:00PM	37	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/11/2008 6:37:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/10/2008 6:12:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/10/2008 6:12:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15642
WACS Testsite Name: B8
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/6/2008 2:22:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: IM - Intermediate

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/7/2008 9:18:00PM	50	0.021	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/7/2008 9:18:00PM	0.012	0.012	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/7/2008 9:18:00PM	15	0.055	mg/L	
070300	TDS	N	E83079	SM2540 C	11/13/2008 1:14:00PM	370	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15642
WACS Testsite Name: B8
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 2:22:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: IM - Intermediate

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/11/2008 1:28:00PM	0.19	0.02	mg/L	V

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: Trip Blank
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 11/6/2008 12:00:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/19/2008 3:24:00PM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/19/2008 3:24:00PM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/19/2008 3:24:00PM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/19/2008 3:24:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/19/2008 3:24:00PM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/19/2008 3:24:00PM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/19/2008 3:24:00PM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/19/2008 3:24:00PM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/19/2008 3:24:00PM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/19/2008 3:24:00PM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/19/2008 3:24:00PM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/19/2008 3:24:00PM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/19/2008 3:24:00PM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/19/2008 3:24:00PM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/19/2008 3:24:00PM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/19/2008 3:24:00PM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/19/2008 3:24:00PM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/19/2008 3:24:00PM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/19/2008 3:24:00PM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/19/2008 3:24:00PM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/19/2008 3:24:00PM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/19/2008 3:24:00PM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/19/2008 3:24:00PM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/19/2008 3:24:00PM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/19/2008 3:24:00PM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/19/2008 3:24:00PM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/19/2008 3:24:00PM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/19/2008 3:24:00PM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/19/2008 3:24:00PM	0.25	0.25	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	11/19/2008 3:24:00PM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/19/2008 3:24:00PM	0.5	0.5	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	11/19/2008 3:24:00PM	0.5	0.5	ug/L	U
077424	Iodomethane	N	E83079	SW8260	11/19/2008 3:24:00PM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/19/2008 3:24:00PM	2.5	2.5	ug/L	U
077128	Styrene	N	E83079	SW8260	11/19/2008 3:24:00PM	0.5	0.5	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	11/19/2008 3:24:00PM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/19/2008 3:24:00PM	1.1	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/19/2008 3:24:00PM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/19/2008 3:24:00PM	0.25	0.25	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/19/2008 3:24:00PM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/19/2008 3:24:00PM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/19/2008 3:24:00PM	0.66	0.66	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	11/19/2008 3:24:00PM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/19/2008 3:24:00PM	0.53	0.53	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: Trip Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2008 12:00:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	11/19/2008 3:24:00PM	1	1	ug/L	U

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 11/7/2008 8:50:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/20/2008 7:17:00AM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/20/2008 7:17:00AM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/20/2008 7:17:00AM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/20/2008 7:17:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/20/2008 7:17:00AM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/20/2008 7:17:00AM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/20/2008 7:17:00AM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/20/2008 7:17:00AM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/20/2008 7:17:00AM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/20/2008 7:17:00AM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/20/2008 7:17:00AM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/20/2008 7:17:00AM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/20/2008 7:17:00AM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/20/2008 7:17:00AM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/20/2008 7:17:00AM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/20/2008 7:17:00AM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/20/2008 7:17:00AM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/20/2008 7:17:00AM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/20/2008 7:17:00AM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/20/2008 7:17:00AM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/20/2008 7:17:00AM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/20/2008 7:17:00AM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/20/2008 7:17:00AM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/20/2008 7:17:00AM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/20/2008 7:17:00AM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/20/2008 7:17:00AM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/20/2008 7:17:00AM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/20/2008 7:17:00AM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/20/2008 7:17:00AM	0.25	0.25	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	11/20/2008 7:17:00AM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/20/2008 7:17:00AM	0.5	0.5	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	11/20/2008 7:17:00AM	0.5	0.5	ug/L	U
077424	Iodomethane	N	E83079	SW8260	11/20/2008 7:17:00AM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/20/2008 7:17:00AM	2.5	2.5	ug/L	U
077128	Styrene	N	E83079	SW8260	11/20/2008 7:17:00AM	0.5	0.5	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	11/20/2008 7:17:00AM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/20/2008 7:17:00AM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/20/2008 7:17:00AM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/20/2008 7:17:00AM	0.25	0.25	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/20/2008 7:17:00AM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/20/2008 7:17:00AM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/20/2008 7:17:00AM	0.66	0.66	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	11/20/2008 7:17:00AM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/20/2008 7:17:00AM	0.53	0.53	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 8:50:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	11/20/2008 7:17:00AM	1	1	ug/L	U

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: _____
WACS Testsite Name: EQ Blank
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/7/2008 8:50:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: Not Provided

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/15/2008 1:24:00AM	0.0054	0.0054	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/15/2008 1:24:00AM	0.0069	0.0069	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 8:50:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/12/2008 11:10:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/11/2008 5:48:00PM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/11/2008 5:48:00PM	5	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/11/2008 5:48:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/11/2008 5:48:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/11/2008 5:48:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/11/2008 5:48:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/11/2008 5:48:00PM	6.6	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/11/2008 5:48:00PM	20	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/11/2008 5:48:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/11/2008 8:44:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/11/2008 5:48:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/11/2008 5:48:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/11/2008 5:48:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/11/2008 5:48:00PM	0.5	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/12/2008 11:10:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/11/2008 5:48:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/11/2008 5:48:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: _____
WACS Testsite Name: EQ Blank
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 8:50:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: Not Provided

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/8/2008 4:08:00PM	0.021	0.021	mg/L	U
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/8/2008 4:08:00PM	0.012	0.012	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/8/2008 4:08:00PM	0.055	0.055	mg/L	U
070300	TDS	N	E83079	SM2540 C	11/13/2008 1:54:00PM	5	5	mg/L	U

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540

Sample Date/Time: 11/7/2008 8:50:00AM

WACS Testsite ID #: _____

Sampling Method: Peristaltic Pump

WACS Testsite Name: EQ Blank

Permitted Well Type: Not Provided

Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/11/2008 5:08:00PM	0.02	0.02	mg/L	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15823
 WACS Testsite Name: B63-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 9:12:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/20/2008 7:47:00AM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/20/2008 7:47:00AM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/20/2008 7:47:00AM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/20/2008 7:47:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/20/2008 7:47:00AM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/20/2008 7:47:00AM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/20/2008 7:47:00AM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/20/2008 7:47:00AM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/20/2008 7:47:00AM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/20/2008 7:47:00AM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/20/2008 7:47:00AM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/20/2008 7:47:00AM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/20/2008 7:47:00AM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/20/2008 7:47:00AM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/20/2008 7:47:00AM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/20/2008 7:47:00AM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/20/2008 7:47:00AM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/20/2008 7:47:00AM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/20/2008 7:47:00AM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/20/2008 7:47:00AM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/20/2008 7:47:00AM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/20/2008 7:47:00AM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/20/2008 7:47:00AM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/20/2008 7:47:00AM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/20/2008 7:47:00AM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/20/2008 7:47:00AM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/20/2008 7:47:00AM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/20/2008 7:47:00AM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/20/2008 7:47:00AM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/7/2008 9:12:00AM	646		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/20/2008 7:47:00AM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/20/2008 7:47:00AM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/7/2008 9:12:00AM	0.46		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/20/2008 7:47:00AM	0.5	0.5	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/7/2008 9:12:00AM	27.73		feet	
077424	Iodomethane	N	E83079	SW8260	11/20/2008 7:47:00AM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/20/2008 7:47:00AM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/7/2008 9:12:00AM	6.22		S.U.	
077128	Styrene	N	E83079	SW8260	11/20/2008 7:47:00AM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/7/2008 9:12:00AM	23.33		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/20/2008 7:47:00AM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/20/2008 7:47:00AM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/20/2008 7:47:00AM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/20/2008 7:47:00AM	0.25	0.25	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15823
 WACS Testsite Name: B63-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 9:12:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/20/2008 7:47:00AM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/20/2008 7:47:00AM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/20/2008 7:47:00AM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/7/2008 9:12:00AM	0.94		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/20/2008 7:47:00AM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/20/2008 7:47:00AM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/20/2008 7:47:00AM	1	1	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15823
WACS Testsite Name: B63-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/7/2008 9:12:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/15/2008 1:43:00AM	0.0048	0.0048	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/15/2008 1:43:00AM	0.006	0.006	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15823
 WACS Testsite Name: B63-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 9:12:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/12/2008 11:15:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/11/2008 5:53:00PM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/11/2008 5:53:00PM	61	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/11/2008 5:53:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/11/2008 5:53:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/11/2008 5:53:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/11/2008 5:53:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/11/2008 5:53:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/11/2008 5:53:00PM	3100	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/11/2008 5:53:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/11/2008 8:47:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/11/2008 5:53:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/11/2008 5:53:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/11/2008 5:53:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/11/2008 5:53:00PM	56	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/12/2008 11:15:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/11/2008 5:53:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/11/2008 5:53:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15823
WACS Testsite Name: B63-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/7/2008 9:12:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/8/2008 4:24:00PM	65	0.021	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/8/2008 4:24:00PM	0.012	0.012	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/8/2008 4:24:00PM	0.055	0.055	mg/L	U
070300	TDS	N	E83079	SM2540 C	11/13/2008 1:57:00PM	360	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15823
WACS Testsite Name: B63-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 9:12:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/18/2008 11:54:00AM	0.11	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 9:30:00AM
 Sampling Method: Submersible Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/20/2008 8:18:00AM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/20/2008 8:18:00AM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/20/2008 8:18:00AM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/20/2008 8:18:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/20/2008 8:18:00AM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/20/2008 8:18:00AM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/20/2008 8:18:00AM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/20/2008 8:18:00AM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/20/2008 8:18:00AM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/20/2008 8:18:00AM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/20/2008 8:18:00AM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/20/2008 8:18:00AM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/20/2008 8:18:00AM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/20/2008 8:18:00AM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/20/2008 8:18:00AM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/20/2008 8:18:00AM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/20/2008 8:18:00AM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/20/2008 8:18:00AM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/20/2008 8:18:00AM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/20/2008 8:18:00AM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/20/2008 8:18:00AM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/20/2008 8:18:00AM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/20/2008 8:18:00AM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/20/2008 8:18:00AM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/20/2008 8:18:00AM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/20/2008 8:18:00AM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/20/2008 8:18:00AM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/20/2008 8:18:00AM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/20/2008 8:18:00AM	0.25	0.25	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	11/20/2008 8:18:00AM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/20/2008 8:18:00AM	0.5	0.5	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	11/20/2008 8:18:00AM	0.5	0.5	ug/L	U
077424	Iodomethane	N	E83079	SW8260	11/20/2008 8:18:00AM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/20/2008 8:18:00AM	2.5	2.5	ug/L	U
077128	Styrene	N	E83079	SW8260	11/20/2008 8:18:00AM	0.5	0.5	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	11/20/2008 8:18:00AM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/20/2008 8:18:00AM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/20/2008 8:18:00AM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/20/2008 8:18:00AM	0.25	0.25	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/20/2008 8:18:00AM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/20/2008 8:18:00AM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/20/2008 8:18:00AM	0.66	0.66	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	11/20/2008 8:18:00AM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/20/2008 8:18:00AM	0.53	0.53	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 2/17/2009

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 9:30:00AM
 Sampling Method: Submersible Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	11/20/2008 8:18:00AM	1	1	ug/L	U

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540

Sample Date/Time: 11/7/2008 9:30:00AM

WACS Testsite ID #: _____

Sampling Method: Submersible Pump

WACS Testsite Name: EQ Blank

Permitted Well Type: Not Provided

Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/15/2008 2:21:00AM	0.0048	0.0048	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/15/2008 2:21:00AM	0.0061	0.0061	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 9:30:00AM
 Sampling Method: Submersible Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/12/2008 11:30:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/11/2008 5:57:00PM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/11/2008 5:57:00PM	5	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/11/2008 5:57:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/11/2008 5:57:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/11/2008 5:57:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/11/2008 5:57:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/11/2008 5:57:00PM	7.2	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/11/2008 5:57:00PM	20	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/11/2008 5:57:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/11/2008 8:50:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/11/2008 5:57:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/11/2008 5:57:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/11/2008 5:57:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/11/2008 5:57:00PM	0.5	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/12/2008 11:30:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/11/2008 5:57:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/11/2008 5:57:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: _____
WACS Testsite Name: EQ Blank
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 9:30:00AM
Sampling Method: Submersible Pump
Permitted Well Type: Not Provided

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/8/2008 4:40:00PM	0.22	0.021	mg/L	I
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/8/2008 4:40:00PM	0.012	0.012	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/8/2008 4:40:00PM	0.055	0.055	mg/L	U
070300	TDS	N	E83079	SM2540 C	11/13/2008 1:59:00PM	5	5	mg/L	U

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: _____
WACS Testsite Name: EQ Blank
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 9:30:00AM
Sampling Method: Submersible Pump
Permitted Well Type: Not Provided

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/18/2008 11:56:00AM	0.02	0.02	mg/L	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15824
 WACS Testsite Name: B63-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 9:53:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/20/2008 8:48:00AM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/20/2008 8:48:00AM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/20/2008 8:48:00AM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/20/2008 8:48:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/20/2008 8:48:00AM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/20/2008 8:48:00AM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/20/2008 8:48:00AM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/20/2008 8:48:00AM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/20/2008 8:48:00AM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/20/2008 8:48:00AM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/20/2008 8:48:00AM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/20/2008 8:48:00AM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/20/2008 8:48:00AM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/20/2008 8:48:00AM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/20/2008 8:48:00AM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/20/2008 8:48:00AM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/20/2008 8:48:00AM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/20/2008 8:48:00AM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/20/2008 8:48:00AM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/20/2008 8:48:00AM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/20/2008 8:48:00AM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/20/2008 8:48:00AM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/20/2008 8:48:00AM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/20/2008 8:48:00AM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/20/2008 8:48:00AM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/20/2008 8:48:00AM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/20/2008 8:48:00AM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/20/2008 8:48:00AM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/20/2008 8:48:00AM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/7/2008 9:53:00AM	699		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/20/2008 8:48:00AM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/20/2008 8:48:00AM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/7/2008 9:53:00AM	0.18		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/20/2008 8:48:00AM	0.5	0.5	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/7/2008 9:53:00AM	27.48		feet	
077424	Iodomethane	N	E83079	SW8260	11/20/2008 8:48:00AM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/20/2008 8:48:00AM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/7/2008 9:53:00AM	6.35		S.U.	
077128	Styrene	N	E83079	SW8260	11/20/2008 8:48:00AM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/7/2008 9:53:00AM	24.25		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/20/2008 8:48:00AM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/20/2008 8:48:00AM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/20/2008 8:48:00AM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/20/2008 8:48:00AM	0.25	0.25	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15824
 WACS Testsite Name: B63-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 9:53:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/20/2008 8:48:00AM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/20/2008 8:48:00AM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/20/2008 8:48:00AM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/7/2008 9:53:00AM	7.26		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/20/2008 8:48:00AM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/20/2008 8:48:00AM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/20/2008 8:48:00AM	1	1	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15824
WACS Testsite Name: B63-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 11/7/2008 9:53:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/15/2008 2:40:00AM	0.0049	0.0049	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/15/2008 2:40:00AM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15824
 WACS Testsite Name: B63-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 9:53:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/12/2008 11:45:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/11/2008 6:12:00PM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/11/2008 6:12:00PM	68	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/11/2008 6:12:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/11/2008 6:12:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/11/2008 6:12:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/11/2008 6:12:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/11/2008 6:12:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/11/2008 6:12:00PM	11000	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/11/2008 6:12:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/11/2008 8:53:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/11/2008 6:12:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/11/2008 6:12:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/11/2008 6:12:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/11/2008 6:12:00PM	23	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/12/2008 11:45:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/11/2008 6:12:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/11/2008 6:12:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15824
WACS Testsite Name: B63-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/7/2008 9:53:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/8/2008 4:55:00PM	28	0.021	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/8/2008 4:55:00PM	0.012	0.012	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/8/2008 4:55:00PM	0.37	0.055	mg/L	I
070300	TDS	N	E83079	SM2540 C	11/13/2008 2:00:00PM	390	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15824
WACS Testsite Name: B63-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 9:53:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/18/2008 11:57:00AM	0.021	0.02	mg/L	I

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 22777
 WACS Testsite Name: FM-B
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 10:18:00AM
 Sampling Method: Submersible Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/19/2008 6:19:00PM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/19/2008 6:19:00PM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/19/2008 6:19:00PM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/19/2008 6:19:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/19/2008 6:19:00PM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/19/2008 6:19:00PM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/19/2008 6:19:00PM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/19/2008 6:19:00PM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/19/2008 6:19:00PM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/19/2008 6:19:00PM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/19/2008 6:19:00PM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/19/2008 6:19:00PM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/19/2008 6:19:00PM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/19/2008 6:19:00PM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/19/2008 6:19:00PM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/19/2008 6:19:00PM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/19/2008 6:19:00PM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/19/2008 6:19:00PM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/19/2008 6:19:00PM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/19/2008 6:19:00PM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/19/2008 6:19:00PM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/19/2008 6:19:00PM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/19/2008 6:19:00PM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/19/2008 6:19:00PM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/19/2008 6:19:00PM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/19/2008 6:19:00PM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/19/2008 6:19:00PM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/19/2008 6:19:00PM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/19/2008 6:19:00PM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/7/2008 10:18:00AM	600		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/19/2008 6:19:00PM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/19/2008 6:19:00PM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/7/2008 10:18:00AM	0.23		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/19/2008 6:19:00PM	0.5	0.5	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/7/2008 10:18:00AM	19.83		feet	
077424	Iodomethane	N	E83079	SW8260	11/19/2008 6:19:00PM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/19/2008 6:19:00PM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/7/2008 10:18:00AM	7.08		S.U.	
077128	Styrene	N	E83079	SW8260	11/19/2008 6:19:00PM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/7/2008 10:18:00AM	23.83		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/19/2008 6:19:00PM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/19/2008 6:19:00PM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/19/2008 6:19:00PM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/19/2008 6:19:00PM	0.25	0.25	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 22777
 WACS Testsite Name: FM-B
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 10:18:00AM
 Sampling Method: Submersible Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/19/2008 6:19:00PM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/19/2008 6:19:00PM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/19/2008 6:19:00PM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/7/2008 10:18:00AM	19		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/19/2008 6:19:00PM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/19/2008 6:19:00PM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/19/2008 6:19:00PM	1	1	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 22777
WACS Testsite Name: FM-B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 10:18:00AM
Sampling Method: Submersible Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/15/2008 2:59:00AM	0.0051	0.0051	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/15/2008 2:59:00AM	0.0064	0.0064	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 22777
 WACS Testsite Name: FM-B
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 10:18:00AM
 Sampling Method: Submersible Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/12/2008 11:51:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/11/2008 6:15:00PM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/11/2008 6:15:00PM	35	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/11/2008 6:15:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/11/2008 6:15:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/11/2008 6:15:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/11/2008 6:15:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/11/2008 6:15:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/11/2008 6:15:00PM	790	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/11/2008 6:15:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/11/2008 8:55:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/11/2008 6:15:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/11/2008 6:15:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/11/2008 6:15:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/11/2008 6:15:00PM	17	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/12/2008 11:51:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/11/2008 6:15:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/11/2008 6:15:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 22777
WACS Testsite Name: FM-B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/7/2008 10:18:00AM
Sampling Method: Submersible Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/8/2008 5:11:00PM	23	0.021	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/8/2008 5:11:00PM	0.012	0.012	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/8/2008 5:11:00PM	0.33	0.055	mg/L	I
070300	TDS	N	E83079	SM2540 C	11/13/2008 2:01:00PM	320	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 22777
WACS Testsite Name: FM-B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 10:18:00AM
Sampling Method: Submersible Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/18/2008 12:02:00PM	0.3	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15639
 WACS Testsite Name: FA-1B
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 10:33:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/19/2008 6:45:00PM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/19/2008 6:45:00PM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/19/2008 6:45:00PM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/19/2008 6:45:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/19/2008 6:45:00PM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/19/2008 6:45:00PM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/19/2008 6:45:00PM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/19/2008 6:45:00PM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/19/2008 6:45:00PM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/19/2008 6:45:00PM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/19/2008 6:45:00PM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/19/2008 6:45:00PM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/19/2008 6:45:00PM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/19/2008 6:45:00PM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/19/2008 6:45:00PM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/19/2008 6:45:00PM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/19/2008 6:45:00PM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/19/2008 6:45:00PM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/19/2008 6:45:00PM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/19/2008 6:45:00PM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/19/2008 6:45:00PM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/19/2008 6:45:00PM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/19/2008 6:45:00PM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/19/2008 6:45:00PM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/19/2008 6:45:00PM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/19/2008 6:45:00PM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/19/2008 6:45:00PM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/19/2008 6:45:00PM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/19/2008 6:45:00PM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/7/2008 10:33:00AM	547		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/19/2008 6:45:00PM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/19/2008 6:45:00PM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/7/2008 10:33:00AM	0.21		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/19/2008 6:45:00PM	0.5	0.5	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/7/2008 10:33:00AM	20.67		feet	
077424	Iodomethane	N	E83079	SW8260	11/19/2008 6:45:00PM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/19/2008 6:45:00PM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/7/2008 10:33:00AM	6.84		S.U.	
077128	Styrene	N	E83079	SW8260	11/19/2008 6:45:00PM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/7/2008 10:33:00AM	22.98		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/19/2008 6:45:00PM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/19/2008 6:45:00PM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/19/2008 6:45:00PM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/19/2008 6:45:00PM	0.25	0.25	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15639
 WACS Testsite Name: FA-1B
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 10:33:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/19/2008 6:45:00PM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/19/2008 6:45:00PM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/19/2008 6:45:00PM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/7/2008 10:33:00AM	0.61		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/19/2008 6:45:00PM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/19/2008 6:45:00PM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/19/2008 6:45:00PM	1	1	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15639
WACS Testsite Name: FA-1B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/7/2008 10:33:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/15/2008 3:18:00AM	0.0048	0.0048	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/15/2008 3:18:00AM	0.0061	0.0061	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15639
 WACS Testsite Name: FA-1B
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 10:33:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/12/2008 11:56:00PM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/11/2008 6:19:00PM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/11/2008 6:19:00PM	36	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/11/2008 6:19:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/11/2008 6:19:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/11/2008 6:19:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/11/2008 6:19:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/11/2008 6:19:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/11/2008 6:19:00PM	1000	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/11/2008 6:19:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/11/2008 8:58:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/11/2008 6:19:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/11/2008 6:19:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/11/2008 6:19:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/11/2008 6:19:00PM	11	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/12/2008 11:56:00PM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/11/2008 6:19:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/11/2008 6:19:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15639
WACS Testsite Name: FA-1B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/7/2008 10:33:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/8/2008 5:27:00PM	15	0.021	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/8/2008 5:27:00PM	0.012	0.012	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/8/2008 5:27:00PM	0.055	0.055	mg/L	U
070300	TDS	N	E83079	SM2540 C	11/13/2008 2:03:00PM	340	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15639
WACS Testsite Name: FA-1B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 10:33:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/18/2008 12:03:00PM	1.2	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15403
 WACS Testsite Name: B-5
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 10:52:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/19/2008 7:11:00PM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/19/2008 7:11:00PM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/19/2008 7:11:00PM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/19/2008 7:11:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/19/2008 7:11:00PM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/19/2008 7:11:00PM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/19/2008 7:11:00PM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/19/2008 7:11:00PM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/19/2008 7:11:00PM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/19/2008 7:11:00PM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/19/2008 7:11:00PM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/19/2008 7:11:00PM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/19/2008 7:11:00PM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/19/2008 7:11:00PM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/19/2008 7:11:00PM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/19/2008 7:11:00PM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/19/2008 7:11:00PM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/19/2008 7:11:00PM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/19/2008 7:11:00PM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/19/2008 7:11:00PM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/19/2008 7:11:00PM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/19/2008 7:11:00PM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/19/2008 7:11:00PM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/19/2008 7:11:00PM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/19/2008 7:11:00PM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/19/2008 7:11:00PM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/19/2008 7:11:00PM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/19/2008 7:11:00PM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/19/2008 7:11:00PM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/7/2008 10:52:00AM	1026		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/19/2008 7:11:00PM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/19/2008 7:11:00PM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/7/2008 10:52:00AM	0.32		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/19/2008 7:11:00PM	0.5	0.5	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/7/2008 10:52:00AM	27.62		feet	
077424	Iodomethane	N	E83079	SW8260	11/19/2008 7:11:00PM	0.98	0.5	ug/L	I
034423	Methylene chloride	N	E83079	SW8260	11/19/2008 7:11:00PM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/7/2008 10:52:00AM	6.58		S.U.	
077128	Styrene	N	E83079	SW8260	11/19/2008 7:11:00PM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/7/2008 10:52:00AM	23.89		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/19/2008 7:11:00PM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/19/2008 7:11:00PM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/19/2008 7:11:00PM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/19/2008 7:11:00PM	0.25	0.25	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15403
 WACS Testsite Name: B-5
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 10:52:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/19/2008 7:11:00PM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/19/2008 7:11:00PM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/19/2008 7:11:00PM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/7/2008 10:52:00AM	1.86		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/19/2008 7:11:00PM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/19/2008 7:11:00PM	1.9	0.53	ug/L	
034020	Xylenes, Total	N	E83079	SW8260	11/19/2008 7:11:00PM	1	1	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15403
WACS Testsite Name: B-5
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/7/2008 10:52:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/15/2008 4:16:00AM	0.0049	0.0049	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/15/2008 4:16:00AM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15403
 WACS Testsite Name: B-5
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 10:52:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/13/2008 12:01:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/11/2008 6:31:00PM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/11/2008 6:31:00PM	120	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/11/2008 6:31:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/11/2008 6:31:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/11/2008 6:31:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/11/2008 6:31:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/11/2008 6:31:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/11/2008 6:31:00PM	20000	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/11/2008 6:31:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/11/2008 9:01:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/11/2008 6:31:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/11/2008 6:31:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/11/2008 6:31:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/11/2008 6:31:00PM	39	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/13/2008 12:01:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/11/2008 6:31:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/11/2008 6:31:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15403
WACS Testsite Name: B-5
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/7/2008 10:52:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/8/2008 5:42:00PM	12	0.021	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/8/2008 5:42:00PM	0.012	0.012	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/8/2008 5:42:00PM	0.76	0.055	mg/L	
070300	TDS	N	E83079	SM2540 C	11/13/2008 2:04:00PM	580	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15403
WACS Testsite Name: B-5
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 10:52:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/18/2008 12:04:00PM	0.14	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15403
 WACS Testsite Name: B-5
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 10:52:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/19/2008 7:38:00PM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/19/2008 7:38:00PM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/19/2008 7:38:00PM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/19/2008 7:38:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/19/2008 7:38:00PM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/19/2008 7:38:00PM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/19/2008 7:38:00PM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/19/2008 7:38:00PM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/19/2008 7:38:00PM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/19/2008 7:38:00PM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/19/2008 7:38:00PM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/19/2008 7:38:00PM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/19/2008 7:38:00PM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/19/2008 7:38:00PM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/19/2008 7:38:00PM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/19/2008 7:38:00PM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/19/2008 7:38:00PM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/19/2008 7:38:00PM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/19/2008 7:38:00PM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/19/2008 7:38:00PM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/19/2008 7:38:00PM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/19/2008 7:38:00PM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/19/2008 7:38:00PM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/19/2008 7:38:00PM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/19/2008 7:38:00PM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/19/2008 7:38:00PM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/19/2008 7:38:00PM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/19/2008 7:38:00PM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/19/2008 7:38:00PM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/7/2008 10:52:00AM	1026		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/19/2008 7:38:00PM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/19/2008 7:38:00PM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/7/2008 10:52:00AM	0.32		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/19/2008 7:38:00PM	0.5	0.5	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/7/2008 10:52:00AM	27.62		feet	
077424	Iodomethane	N	E83079	SW8260	11/19/2008 7:38:00PM	0.98	0.5	ug/L	I
034423	Methylene chloride	N	E83079	SW8260	11/19/2008 7:38:00PM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/7/2008 10:52:00AM	6.58		S.U.	
077128	Styrene	N	E83079	SW8260	11/19/2008 7:38:00PM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/7/2008 10:52:00AM	23.89		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/19/2008 7:38:00PM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/19/2008 7:38:00PM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/19/2008 7:38:00PM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/19/2008 7:38:00PM	0.25	0.25	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15403
 WACS Testsite Name: B-5
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 10:52:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/19/2008 7:38:00PM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/19/2008 7:38:00PM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/19/2008 7:38:00PM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/7/2008 10:52:00AM	1.86		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/19/2008 7:38:00PM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/19/2008 7:38:00PM	1.4	0.53	ug/L	
034020	Xylenes, Total	N	E83079	SW8260	11/19/2008 7:38:00PM	1	1	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15403
WACS Testsite Name: B-5
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/7/2008 10:52:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/15/2008 4:35:00AM	0.0049	0.0049	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/15/2008 4:35:00AM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15403
 WACS Testsite Name: B-5
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 10:52:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/13/2008 12:06:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/11/2008 6:35:00PM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/11/2008 6:35:00PM	120	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/11/2008 6:35:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/11/2008 6:35:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/11/2008 6:35:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/11/2008 6:35:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/11/2008 6:35:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/11/2008 6:35:00PM	20000	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/11/2008 6:35:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/11/2008 9:10:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	SW6010	11/11/2008 6:35:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/11/2008 6:35:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/11/2008 6:35:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/11/2008 6:35:00PM	41	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/13/2008 12:06:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/11/2008 6:35:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/11/2008 6:35:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15403
WACS Testsite Name: B-5
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/7/2008 10:52:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/8/2008 6:29:00PM	26	0.043	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/8/2008 6:29:00PM	0.023	0.023	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/8/2008 6:29:00PM	1.4	0.11	mg/L	
070300	TDS	N	E83079	SM2540 C	11/14/2008 12:13:00PM	620	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15403
WACS Testsite Name: B-5
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 10:52:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/18/2008 12:06:00PM	0.14	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15402
 WACS Testsite Name: B-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 11:24:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/20/2008 5:29:00PM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/20/2008 5:29:00PM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/20/2008 5:29:00PM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/20/2008 5:29:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/20/2008 5:29:00PM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/20/2008 5:29:00PM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/20/2008 5:29:00PM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/20/2008 5:29:00PM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/20/2008 5:29:00PM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/20/2008 5:29:00PM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/20/2008 5:29:00PM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/20/2008 5:29:00PM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/20/2008 5:29:00PM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/20/2008 5:29:00PM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/20/2008 5:29:00PM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/20/2008 5:29:00PM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/20/2008 5:29:00PM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/20/2008 5:29:00PM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/20/2008 5:29:00PM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/20/2008 5:29:00PM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/20/2008 5:29:00PM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/20/2008 5:29:00PM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/20/2008 5:29:00PM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/20/2008 5:29:00PM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/20/2008 5:29:00PM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/20/2008 5:29:00PM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/20/2008 5:29:00PM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/20/2008 5:29:00PM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/20/2008 5:29:00PM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/7/2008 11:24:00AM	986		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/20/2008 5:29:00PM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/20/2008 5:29:00PM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/7/2008 11:24:00AM	0.13		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/20/2008 5:29:00PM	0.5	0.5	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/7/2008 11:24:00AM	27.35		feet	
077424	Iodomethane	N	E83079	SW8260	11/20/2008 5:29:00PM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/20/2008 5:29:00PM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/7/2008 11:24:00AM	5.18		S.U.	
077128	Styrene	N	E83079	SW8260	11/20/2008 5:29:00PM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/7/2008 11:24:00AM	25.2		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/20/2008 5:29:00PM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/20/2008 5:29:00PM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/20/2008 5:29:00PM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/20/2008 5:29:00PM	0.25	0.25	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15402
 WACS Testsite Name: B-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 11:24:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/20/2008 5:29:00PM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/20/2008 5:29:00PM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/20/2008 5:29:00PM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/7/2008 11:24:00AM	8.42		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/20/2008 5:29:00PM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/20/2008 5:29:00PM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/20/2008 5:29:00PM	1	1	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15402
WACS Testsite Name: B-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 11:24:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/15/2008 4:54:00AM	0.0052	0.0052	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/15/2008 4:54:00AM	0.0066	0.0066	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15402
 WACS Testsite Name: B-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 11:24:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/13/2008 12:11:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/11/2008 6:39:00PM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/11/2008 6:39:00PM	160	5	ug/L	
001012	Beryllium	N	E83079	SW6010	11/11/2008 6:39:00PM	1.7	0.5	ug/L	
001027	Cadmium	N	E83079	SW6010	11/11/2008 6:39:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/11/2008 6:39:00PM	5.6	2.5	ug/L	
001037	Cobalt	N	E83079	SW6010	11/11/2008 6:39:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/11/2008 6:39:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/11/2008 6:39:00PM	35000	20	ug/L	
001051	Lead	N	E83079	SW6010	11/11/2008 6:39:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/13/2008 11:42:00AM	0.035	0.02	ug/L	IV
001067	Nickel	N	E83079	SW6010	11/11/2008 6:39:00PM	2.6	2.5	ug/L	I
001147	Selenium	N	E83079	SW6010	11/11/2008 6:39:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/11/2008 6:39:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/11/2008 6:39:00PM	32	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/13/2008 12:11:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/11/2008 6:39:00PM	12	5	ug/L	
001092	Zinc	N	E83079	SW6010	11/11/2008 6:39:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15402
WACS Testsite Name: B-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/7/2008 11:24:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/8/2008 7:16:00PM	34	0.043	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/8/2008 7:16:00PM	0.023	0.023	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/12/2008 5:24:00AM	400	0.28	mg/L	
070300	TDS	N	E83079	SM2540 C	11/14/2008 12:14:00PM	770	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15402
WACS Testsite Name: B-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 11:24:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/11/2008 5:32:00PM	2.9	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15803
WACS Testsite Name: B-39
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 11:28:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000094	Conductivity	N	E83079	E120.1	11/7/2008 11:28:00AM	130		umhos/cm	
000299	Dissolved Oxygen	N	E83079	E360.1	11/7/2008 11:28:00AM	0.34		mg/L	
082545	Groundwater Elevation	N	E83079	DEPSOP	11/7/2008 11:28:00AM	24.44		feet	
000406	pH	N	E83079	E150.1	11/7/2008 11:28:00AM	4.75		S.U.	
000010	Temperature, Water	N	E83079	E170.1	11/7/2008 11:28:00AM	23.26		deg C	
082078	Turbidity	N	E83079	E180.1	11/7/2008 11:28:00AM	8.56		NTU	

Total Parameters Monitored: 6

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15803
WACS Testsite Name: B-39
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 11:28:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/15/2008 5:13:00AM	0.0056	0.0056	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/15/2008 5:13:00AM	0.007	0.007	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15803
 WACS Testsite Name: B-39
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 11:28:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/13/2008 12:16:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/11/2008 6:43:00PM	8	5	ug/L	I
001007	Barium	N	E83079	SW6010	11/11/2008 6:43:00PM	28	5	ug/L	
001012	Beryllium	N	E83079	SW6010	11/11/2008 6:43:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/11/2008 6:43:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/11/2008 6:43:00PM	6.7	2.5	ug/L	
001037	Cobalt	N	E83079	SW6010	11/11/2008 6:43:00PM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/11/2008 6:43:00PM	2.8	2.5	ug/L	I
001045	Iron	N	E83079	SW6010	11/11/2008 6:43:00PM	12000	20	ug/L	
001051	Lead	N	E83079	SW6010	11/11/2008 6:43:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/13/2008 11:53:00AM	0.032	0.02	ug/L	IV
001067	Nickel	N	E83079	SW6010	11/11/2008 6:43:00PM	2.8	2.5	ug/L	I
001147	Selenium	N	E83079	SW6010	11/11/2008 6:43:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/11/2008 6:43:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/11/2008 6:43:00PM	9	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/13/2008 12:16:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/11/2008 6:43:00PM	48	5	ug/L	
001092	Zinc	N	E83079	SW6010	11/11/2008 6:43:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15803
WACS Testsite Name: B-39
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/7/2008 11:28:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/8/2008 7:32:00PM	16	0.021	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/8/2008 7:32:00PM	0.012	0.012	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/8/2008 7:32:00PM	3	0.055	mg/L	
070300	TDS	N	E83079	SM2540 C	11/14/2008 12:16:00PM	170	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15803
WACS Testsite Name: B-39
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 11:28:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/11/2008 5:36:00PM	0.24	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15825
WACS Testsite Name: B64
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 12:08:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000094	Conductivity	N	E83079	E120.1	11/7/2008 12:08:00PM	1802		umhos/cm	
000299	Dissolved Oxygen	N	E83079	E360.1	11/7/2008 12:08:00PM	0.28		mg/L	
082545	Groundwater Elevation	N	E83079	DEPSOP	11/7/2008 12:08:00PM	26.52		feet	
000406	pH	N	E83079	E150.1	11/7/2008 12:08:00PM	6.43		S.U.	
000010	Temperature, Water	N	E83079	E170.1	11/7/2008 12:08:00PM	22.79		deg C	
082078	Turbidity	N	E83079	E180.1	11/7/2008 12:08:00PM	9.58		NTU	

Total Parameters Monitored: 6

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15825
WACS Testsite Name: B64
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 12:08:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/15/2008 5:52:00AM	0.0049	0.0049	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/15/2008 5:52:00AM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15825
 WACS Testsite Name: B64
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 12:08:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/13/2008 12:21:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/11/2008 6:47:00PM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/11/2008 6:47:00PM	340	5	ug/L	
001012	Beryllium	N	E83079	SW6010	11/11/2008 6:47:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/11/2008 6:47:00PM	0.72	0.5	ug/L	I
001034	Chromium	N	E83079	SW6010	11/11/2008 6:47:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/11/2008 6:47:00PM	5.2	5	ug/L	I
001042	Copper	N	E83079	SW6010	11/11/2008 6:47:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/11/2008 6:47:00PM	46000	20	ug/L	
001051	Lead	N	E83079	SW6010	11/11/2008 6:47:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/13/2008 11:56:00AM	0.028	0.02	ug/L	IV
001067	Nickel	N	E83079	SW6010	11/11/2008 6:47:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/11/2008 6:47:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/11/2008 6:47:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/11/2008 6:47:00PM	91	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/13/2008 12:21:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/11/2008 6:47:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/11/2008 6:47:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15825
WACS Testsite Name: B64
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/7/2008 12:08:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/8/2008 7:48:00PM	130	0.11	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/8/2008 7:48:00PM	0.058	0.058	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/8/2008 7:48:00PM	4.2	0.28	mg/L	
070300	TDS	N	E83079	SM2540 C	11/14/2008 12:17:00PM	960	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15825
WACS Testsite Name: B64
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 12:08:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/11/2008 5:37:00PM	11	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15798
 WACS Testsite Name: B36
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 12:51:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/19/2008 8:57:00PM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/19/2008 8:57:00PM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/19/2008 8:57:00PM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/19/2008 8:57:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/19/2008 8:57:00PM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/19/2008 8:57:00PM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/19/2008 8:57:00PM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/19/2008 8:57:00PM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/19/2008 8:57:00PM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/19/2008 8:57:00PM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/19/2008 8:57:00PM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/19/2008 8:57:00PM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/19/2008 8:57:00PM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/19/2008 8:57:00PM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/19/2008 8:57:00PM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/19/2008 8:57:00PM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/19/2008 8:57:00PM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/19/2008 8:57:00PM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/19/2008 8:57:00PM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/19/2008 8:57:00PM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/19/2008 8:57:00PM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/19/2008 8:57:00PM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/19/2008 8:57:00PM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/19/2008 8:57:00PM	3.4	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/19/2008 8:57:00PM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/19/2008 8:57:00PM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/19/2008 8:57:00PM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/19/2008 8:57:00PM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/19/2008 8:57:00PM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/7/2008 12:51:00PM	1535		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/19/2008 8:57:00PM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/19/2008 8:57:00PM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/7/2008 12:51:00PM	0.39		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/19/2008 8:57:00PM	0.5	0.5	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/7/2008 12:51:00PM	27.73		feet	
077424	Iodomethane	N	E83079	SW8260	11/19/2008 8:57:00PM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/19/2008 8:57:00PM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/7/2008 12:51:00PM	6.5		S.U.	
077128	Styrene	N	E83079	SW8260	11/19/2008 8:57:00PM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/7/2008 12:51:00PM	22.63		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/19/2008 8:57:00PM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/19/2008 8:57:00PM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/19/2008 8:57:00PM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/19/2008 8:57:00PM	0.25	0.25	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15798
 WACS Testsite Name: B36
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 12:51:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/19/2008 8:57:00PM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/19/2008 8:57:00PM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/19/2008 8:57:00PM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/7/2008 12:51:00PM	1.25		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/19/2008 8:57:00PM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/19/2008 8:57:00PM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/19/2008 8:57:00PM	1	1	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15798
WACS Testsite Name: B36
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/7/2008 12:51:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/15/2008 6:11:00AM	0.005	0.005	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/15/2008 6:11:00AM	0.0063	0.0063	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15798
 WACS Testsite Name: B36
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 12:51:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/13/2008 12:26:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/11/2008 6:50:00PM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/11/2008 6:50:00PM	100	5	ug/L	
001012	Beryllium	N	E83079	SW6010	11/11/2008 6:50:00PM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/11/2008 6:50:00PM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/11/2008 6:50:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/11/2008 6:50:00PM	6.2	5	ug/L	I
001042	Copper	N	E83079	SW6010	11/11/2008 6:50:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/11/2008 6:50:00PM	4400	20	ug/L	
001051	Lead	N	E83079	SW6010	11/11/2008 6:50:00PM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/13/2008 11:59:00AM	0.031	0.02	ug/L	IV
001067	Nickel	N	E83079	SW6010	11/11/2008 6:50:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/11/2008 6:50:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/11/2008 6:50:00PM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/11/2008 6:50:00PM	99	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/13/2008 12:26:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/11/2008 6:50:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/11/2008 6:50:00PM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15798
WACS Testsite Name: B36
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 11/7/2008 12:51:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/8/2008 8:03:00PM	190	0.11	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/8/2008 8:03:00PM	0.058	0.058	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/8/2008 8:03:00PM	0.28	0.28	mg/L	U
070300	TDS	N	E83079	SM2540 C	11/14/2008 12:18:00PM	990	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15798
WACS Testsite Name: B36
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 12:51:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/11/2008 5:38:00PM	0.21	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: Trip Blank
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 12:00:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/20/2008 6:47:00AM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/20/2008 6:47:00AM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/20/2008 6:47:00AM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/20/2008 6:47:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/20/2008 6:47:00AM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/20/2008 6:47:00AM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/20/2008 6:47:00AM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/20/2008 6:47:00AM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/20/2008 6:47:00AM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/20/2008 6:47:00AM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/20/2008 6:47:00AM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/20/2008 6:47:00AM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/20/2008 6:47:00AM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/20/2008 6:47:00AM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/20/2008 6:47:00AM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/20/2008 6:47:00AM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/20/2008 6:47:00AM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/20/2008 6:47:00AM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/20/2008 6:47:00AM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/20/2008 6:47:00AM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/20/2008 6:47:00AM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/20/2008 6:47:00AM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/20/2008 6:47:00AM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/20/2008 6:47:00AM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/20/2008 6:47:00AM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/20/2008 6:47:00AM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/20/2008 6:47:00AM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/20/2008 6:47:00AM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/20/2008 6:47:00AM	0.25	0.25	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	11/20/2008 6:47:00AM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/20/2008 6:47:00AM	0.5	0.5	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	11/20/2008 6:47:00AM	0.51	0.5	ug/L	I
077424	Iodomethane	N	E83079	SW8260	11/20/2008 6:47:00AM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/20/2008 6:47:00AM	2.5	2.5	ug/L	U
077128	Styrene	N	E83079	SW8260	11/20/2008 6:47:00AM	0.5	0.5	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	11/20/2008 6:47:00AM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/20/2008 6:47:00AM	0.96	0.5	ug/L	I
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/20/2008 6:47:00AM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/20/2008 6:47:00AM	0.25	0.25	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/20/2008 6:47:00AM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/20/2008 6:47:00AM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/20/2008 6:47:00AM	0.66	0.66	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	11/20/2008 6:47:00AM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/20/2008 6:47:00AM	0.53	0.53	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: Trip Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 12:00:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	11/20/2008 6:47:00AM	1	1	ug/L	U

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: SW-IIIF
 (i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 11/7/2008 12:15:00PM
 Sampling Method: Grab
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/20/2008 12:26:00AM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/20/2008 12:26:00AM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/20/2008 12:26:00AM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/20/2008 12:26:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/20/2008 12:26:00AM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/20/2008 12:26:00AM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/20/2008 12:26:00AM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/20/2008 12:26:00AM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/20/2008 12:26:00AM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/20/2008 12:26:00AM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/20/2008 12:26:00AM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/20/2008 12:26:00AM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/20/2008 12:26:00AM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/20/2008 12:26:00AM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/20/2008 12:26:00AM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/20/2008 12:26:00AM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/20/2008 12:26:00AM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/20/2008 12:26:00AM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/20/2008 12:26:00AM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/20/2008 12:26:00AM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/20/2008 12:26:00AM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/20/2008 12:26:00AM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/20/2008 12:26:00AM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/20/2008 12:26:00AM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/20/2008 12:26:00AM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/20/2008 12:26:00AM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/20/2008 12:26:00AM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/20/2008 12:26:00AM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/20/2008 12:26:00AM	0.25	0.25	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	11/20/2008 12:26:00AM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/20/2008 12:26:00AM	0.5	0.5	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	11/20/2008 12:26:00AM	0.5	0.5	ug/L	U
077424	Iodomethane	N	E83079	SW8260	11/20/2008 12:26:00AM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/20/2008 12:26:00AM	2.5	2.5	ug/L	U
077128	Styrene	N	E83079	SW8260	11/20/2008 12:26:00AM	0.5	0.5	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	11/20/2008 12:26:00AM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/20/2008 12:26:00AM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/20/2008 12:26:00AM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/20/2008 12:26:00AM	0.25	0.25	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/20/2008 12:26:00AM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/20/2008 12:26:00AM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/20/2008 12:26:00AM	0.66	0.66	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	11/20/2008 12:26:00AM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/20/2008 12:26:00AM	0.53	0.53	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: SW-IIIIF
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 12:15:00PM
 Sampling Method: Grab
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	11/20/2008 12:26:00AM	1	1	ug/L	U

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: _____
WACS Testsite Name: EQ Blank
Water Classification: SW-IIIF
(i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 11/7/2008 12:15:00PM
Sampling Method: Grab
Permitted Well Type: Not Provided

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	E504.1	11/18/2008 5:07:00AM	0.0039	0.0039	ug/L	U
046369	1,2-Dibromoethane	N	E83079	E504.1	11/18/2008 5:07:00AM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: SW-IIIF
(i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 11/7/2008 12:15:00PM
 Sampling Method: Grab
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	E200.7	11/12/2008 3:38:00PM	7.5	7.5	ug/L	U
001002	Arsenic	N	E83079	E200.7	11/12/2008 3:38:00PM	5	5	ug/L	U
001007	Barium	N	E83079	E200.7	11/12/2008 3:38:00PM	5	5	ug/L	U
001012	Beryllium	N	E83079	E200.8	11/12/2008 8:52:00PM	0.05	0.05	ug/L	U
001027	Cadmium	N	E83079	E200.8	11/12/2008 8:52:00PM	0.05	0.05	ug/L	U
001034	Chromium	N	E83079	E200.7	11/12/2008 3:38:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	E200.7	11/12/2008 3:38:00PM	5	5	ug/L	U
001042	Copper	N	E83079	E200.8	11/13/2008 11:17:00PM	8	0.5	ug/L	U
001045	Iron	N	E83079	E200.7	11/12/2008 3:38:00PM	20	20	ug/L	U
001051	Lead	N	E83079	E200.8	11/12/2008 8:52:00PM	0.5	0.5	ug/L	U
071900	Mercury	N	E83079	E245.1	11/11/2008 12:34:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	E200.7	11/12/2008 3:38:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	E200.7	11/12/2008 3:38:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	E200.8	11/12/2008 8:52:00PM	0.05	0.05	ug/L	U
000929	Sodium	N	E83079	E200.7	11/12/2008 3:38:00PM	0.5	0.5	mg/L	U
001059	Thallium	N	E83079	E200.7	11/12/2008 3:38:00PM	7.5	7.5	ug/L	U
000900	Total Hardness as CaCO3	N	E83079	E200.7	11/12/2008 3:38:00PM	1.6	1.6	mg/L	U
001087	Vanadium	N	E83079	E200.7	11/12/2008 3:38:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	E200.7	11/12/2008 3:38:00PM	10	10	ug/L	U

Total Parameters Monitored: 19

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: _____
WACS Testsite Name: EQ Blank
Water Classification: SW-IIIF
(i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 11/7/2008 12:15:00PM
Sampling Method: Grab
Permitted Well Type: Not Provided

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000310	Biochemical Oxygen Demand	N	E83079	SM5210 B	11/12/2008 2:22:00PM	2	2	mg/L	U
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/8/2008 8:00:00AM	0.012	0.012	mg/L	U
000530	Solids, Suspended (Residue, Non-Filterable)	N	E83079	SM2540 D	11/13/2008 12:42:00PM	5	5	mg/L	U
070300	TDS	N	E83079	SM2540 C	11/14/2008 12:20:00PM	5	5	mg/L	U

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540

Sample Date/Time: 11/7/2008 12:15:00PM

WACS Testsite ID #: _____

Sampling Method: Grab

WACS Testsite Name: EQ Blank

Permitted Well Type: Not Provided

Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
032211	Chlorophyll a	N	E83079	SM10200H	11/24/2008 12:57:00PM	1	1	ug/L	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540

Sample Date/Time: 11/7/2008 12:15:00PM

WACS Testsite ID #: _____

Sampling Method: Grab

WACS Testsite Name: EQ Blank

Permitted Well Type: Not Provided

Water Classification: SW-IIIF
(i.e.: LC - Leachate, G-II, SW-IIIF)

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/24/2008 12:39:00PM	0.02	0.02	mg/L	U
000340	Chemical Oxygen Demand	N	E83079	E410.4	11/26/2008 9:53:00AM	12	12	mg/L	U
000612	Nitrogen, Ammonia (Unionized)	N	E83079	DEPSOP	11/24/2008 12:39:00PM	0.02	0.02	mg/L	U
000600	Total Nitrogen	N	E83079	E351.2+353.2	11/18/2008 12:09:00PM	0.25	0.25	mg/L	U
000650	Total Phosphorus as PO4	N	E83079	E365.4	11/17/2008 4:24:00PM	0.05	0.05	mg/L	U

Total Parameters Monitored: 5

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540

Sample Date/Time: 11/7/2008 12:15:00PM

WACS Testsite ID #: _____

Sampling Method: Grab

WACS Testsite Name: EQ Blank

Permitted Well Type: Not Provided

Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000680	Organic Carbon, Total	N	E83079	SM5310 B	11/21/2008 2:26:00PM	0.15	0.15	mg/L	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540

Sample Date/Time: 11/7/2008 12:15:00PM

WACS Testsite ID #: _____

Sampling Method: Grab

WACS Testsite Name: EQ Blank

Permitted Well Type: Not Provided

Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
031616	Fecal Coliform	N	E83079	SM9222D	11/7/2008 4:15:00PM	1	1	cfu/100mL	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15830
 WACS Testsite Name: SW-1
 Water Classification: SW-IIIIF
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 12:35:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/20/2008 12:52:00AM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/20/2008 12:52:00AM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/20/2008 12:52:00AM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/20/2008 12:52:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/20/2008 12:52:00AM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/20/2008 12:52:00AM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/20/2008 12:52:00AM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/20/2008 12:52:00AM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/20/2008 12:52:00AM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/20/2008 12:52:00AM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/20/2008 12:52:00AM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/20/2008 12:52:00AM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/20/2008 12:52:00AM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/20/2008 12:52:00AM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/20/2008 12:52:00AM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/20/2008 12:52:00AM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/20/2008 12:52:00AM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/20/2008 12:52:00AM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/20/2008 12:52:00AM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/20/2008 12:52:00AM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/20/2008 12:52:00AM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/20/2008 12:52:00AM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/20/2008 12:52:00AM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/20/2008 12:52:00AM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/20/2008 12:52:00AM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/20/2008 12:52:00AM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/20/2008 12:52:00AM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/20/2008 12:52:00AM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/20/2008 12:52:00AM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/7/2008 12:35:00PM	87		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/20/2008 12:52:00AM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/20/2008 12:52:00AM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/7/2008 12:35:00PM	7.36		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/20/2008 12:52:00AM	0.5	0.5	ug/L	U
077424	Iodomethane	N	E83079	SW8260	11/20/2008 12:52:00AM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/20/2008 12:52:00AM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/7/2008 12:35:00PM	5.31		S.U.	
077128	Styrene	N	E83079	SW8260	11/20/2008 12:52:00AM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/7/2008 12:35:00PM	22.53		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/20/2008 12:52:00AM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/20/2008 12:52:00AM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/20/2008 12:52:00AM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/20/2008 12:52:00AM	0.25	0.25	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/20/2008 12:52:00AM	5	5	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15830
 WACS Testsite Name: SW-1
 Water Classification: SW-IIIF
 (i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 11/7/2008 12:35:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
039180	Trichloroethene	N	E83079	SW8260	11/20/2008 12:52:00AM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/20/2008 12:52:00AM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/7/2008 12:35:00PM	2.65		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/20/2008 12:52:00AM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/20/2008 12:52:00AM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/20/2008 12:52:00AM	1	1	ug/L	U

Total Parameters Monitored: 50

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15830
WACS Testsite Name: SW-1
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 12:35:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	E504.1	11/18/2008 5:26:00AM	0.0045	0.0045	ug/L	U
046369	1,2-Dibromoethane	N	E83079	E504.1	11/18/2008 5:26:00AM	0.0071	0.0071	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15830
 WACS Testsite Name: SW-1
 Water Classification: SW-IIIIF
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 12:35:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	E200.7	11/12/2008 3:42:00PM	7.5	7.5	ug/L	U
001002	Arsenic	N	E83079	E200.7	11/12/2008 3:42:00PM	5	5	ug/L	U
001007	Barium	N	E83079	E200.7	11/12/2008 3:42:00PM	5	5	ug/L	U
001012	Beryllium	N	E83079	E200.8	11/12/2008 8:57:00PM	0.05	0.05	ug/L	U
001027	Cadmium	N	E83079	E200.8	11/12/2008 8:57:00PM	0.05	0.05	ug/L	U
001034	Chromium	N	E83079	E200.7	11/12/2008 3:42:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	E200.7	11/12/2008 3:42:00PM	5	5	ug/L	U
001042	Copper	N	E83079	E200.8	11/12/2008 8:57:00PM	0.5	0.5	ug/L	U
001045	Iron	N	E83079	E200.7	11/12/2008 3:42:00PM	32	20	ug/L	I
001051	Lead	N	E83079	E200.8	11/12/2008 8:57:00PM	0.5	0.5	ug/L	U
071900	Mercury	N	E83079	E245.1	11/11/2008 12:37:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	E200.7	11/12/2008 3:42:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	E200.7	11/12/2008 3:42:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	E200.8	11/12/2008 8:57:00PM	0.05	0.05	ug/L	U
000929	Sodium	N	E83079	E200.7	11/12/2008 3:42:00PM	11	0.5	mg/L	
001059	Thallium	N	E83079	E200.7	11/12/2008 3:42:00PM	7.5	7.5	ug/L	U
000900	Total Hardness as CaCO3	N	E83079	E200.7	11/12/2008 3:42:00PM	11	1.6	mg/L	
001087	Vanadium	N	E83079	E200.7	11/12/2008 3:42:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	E200.7	11/12/2008 3:42:00PM	10	10	ug/L	U

Total Parameters Monitored: 19

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15830
WACS Testsite Name: SW-1
Water Classification: SW-IIIF
(i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 11/7/2008 12:35:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000310	Biochemical Oxygen Demand	N	E83079	SM5210 B	11/12/2008 2:22:00PM	2	2	mg/L	U
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/8/2008 8:16:00AM	0.012	0.012	mg/L	U
000530	Solids, Suspended (Residue, Non-Filterable)	N	E83079	SM2540 D	11/13/2008 12:44:00PM	5	5	mg/L	U
070300	TDS	N	E83079	SM2540 C	11/14/2008 12:21:00PM	66	5	mg/L	U

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15830
WACS Testsite Name: SW-1
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 12:35:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
032211	Chlorophyll a	N	E83079	SM10200H	11/24/2008 12:57:00PM	3.7	1	ug/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15830
WACS Testsite Name: SW-1
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 12:35:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/24/2008 12:40:00PM	0.02	0.02	mg/L	U
000340	Chemical Oxygen Demand	N	E83079	E410.4	11/26/2008 9:53:00AM	30	12	mg/L	
000612	Nitrogen, Ammonia (Unionized)	N	E83079	DEPSOP	11/24/2008 12:40:00PM	0.02	0.02	mg/L	U
000600	Total Nitrogen	N	E83079	E351.2+353.2	11/18/2008 12:11:00PM	0.42	0.25	mg/L	I
000650	Total Phosphorus as PO4	N	E83079	E365.4	11/17/2008 4:25:00PM	0.05	0.05	mg/L	U

Total Parameters Monitored: 5

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15830
WACS Testsite Name: SW-1
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 12:35:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000680	Organic Carbon, Total	N	E83079	SM5310 B	11/21/2008 2:41:00PM	4.5	0.15	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15830
WACS Testsite Name: SW-1
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 12:35:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
031616	Fecal Coliform	N	E83079	SM9222D	11/7/2008 4:15:00PM	2	2	cfu/100mL	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15830
 WACS Testsite Name: SW-1
 Water Classification: SW-IIIIF
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 12:35:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/20/2008 1:18:00AM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/20/2008 1:18:00AM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/20/2008 1:18:00AM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/20/2008 1:18:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/20/2008 1:18:00AM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/20/2008 1:18:00AM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/20/2008 1:18:00AM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/20/2008 1:18:00AM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/20/2008 1:18:00AM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/20/2008 1:18:00AM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/20/2008 1:18:00AM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/20/2008 1:18:00AM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/20/2008 1:18:00AM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/20/2008 1:18:00AM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/20/2008 1:18:00AM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/20/2008 1:18:00AM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/20/2008 1:18:00AM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/20/2008 1:18:00AM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/20/2008 1:18:00AM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/20/2008 1:18:00AM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/20/2008 1:18:00AM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/20/2008 1:18:00AM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/20/2008 1:18:00AM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/20/2008 1:18:00AM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/20/2008 1:18:00AM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/20/2008 1:18:00AM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/20/2008 1:18:00AM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/20/2008 1:18:00AM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/20/2008 1:18:00AM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/7/2008 12:35:00PM	87		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/20/2008 1:18:00AM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/20/2008 1:18:00AM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/7/2008 12:35:00PM	7.36		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/20/2008 1:18:00AM	0.5	0.5	ug/L	U
077424	Iodomethane	N	E83079	SW8260	11/20/2008 1:18:00AM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/20/2008 1:18:00AM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/7/2008 12:35:00PM	5.31		S.U.	
077128	Styrene	N	E83079	SW8260	11/20/2008 1:18:00AM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/7/2008 12:35:00PM	22.53		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/20/2008 1:18:00AM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/20/2008 1:18:00AM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/20/2008 1:18:00AM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/20/2008 1:18:00AM	0.25	0.25	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/20/2008 1:18:00AM	5	5	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15830
 WACS Testsite Name: SW-1
 Water Classification: SW-IIIF
 (i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 11/7/2008 12:35:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
039180	Trichloroethene	N	E83079	SW8260	11/20/2008 1:18:00AM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/20/2008 1:18:00AM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/7/2008 12:35:00PM	2.65		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/20/2008 1:18:00AM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/20/2008 1:18:00AM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/20/2008 1:18:00AM	1	1	ug/L	U

Total Parameters Monitored: 50

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15830
WACS Testsite Name: SW-1
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 12:35:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	E504.1	11/18/2008 5:45:00AM	0.0046	0.0046	ug/L	U
046369	1,2-Dibromoethane	N	E83079	E504.1	11/18/2008 5:45:00AM	0.0072	0.0072	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15830
 WACS Testsite Name: SW-1
 Water Classification: SW-IIIIF
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 12:35:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	E200.7	11/12/2008 3:46:00PM	7.5	7.5	ug/L	U
001002	Arsenic	N	E83079	E200.7	11/12/2008 3:46:00PM	5	5	ug/L	U
001007	Barium	N	E83079	E200.7	11/12/2008 3:46:00PM	5	5	ug/L	U
001012	Beryllium	N	E83079	E200.8	11/12/2008 9:13:00PM	0.05	0.05	ug/L	U
001027	Cadmium	N	E83079	E200.8	11/12/2008 9:13:00PM	0.05	0.05	ug/L	U
001034	Chromium	N	E83079	E200.7	11/12/2008 3:46:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	E200.7	11/12/2008 3:46:00PM	5	5	ug/L	U
001042	Copper	N	E83079	E200.8	11/12/2008 9:13:00PM	0.5	0.5	ug/L	U
001045	Iron	N	E83079	E200.7	11/12/2008 3:46:00PM	29	20	ug/L	I
001051	Lead	N	E83079	E200.8	11/12/2008 9:13:00PM	0.5	0.5	ug/L	U
071900	Mercury	N	E83079	E245.1	11/11/2008 12:40:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	E200.7	11/12/2008 3:46:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	E200.7	11/12/2008 3:46:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	E200.8	11/12/2008 9:13:00PM	0.05	0.05	ug/L	U
000929	Sodium	N	E83079	E200.7	11/12/2008 3:46:00PM	11	0.5	mg/L	
001059	Thallium	N	E83079	E200.7	11/12/2008 3:46:00PM	7.5	7.5	ug/L	U
000900	Total Hardness as CaCO3	N	E83079	E200.7	11/12/2008 3:46:00PM	11	1.6	mg/L	
001087	Vanadium	N	E83079	E200.7	11/12/2008 3:46:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	E200.7	11/12/2008 3:46:00PM	10	10	ug/L	U

Total Parameters Monitored: 19

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15830
WACS Testsite Name: SW-1
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 12:35:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000310	Biochemical Oxygen Demand	N	E83079	SM5210 B	11/12/2008 2:22:00PM	2	2	mg/L	U
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/8/2008 8:32:00AM	0.012	0.012	mg/L	U
000530	Solids, Suspended (Residue, Non-Filterable)	N	E83079	SM2540 D	11/13/2008 12:45:00PM	5	5	mg/L	U
070300	TDS	N	E83079	SM2540 C	11/14/2008 12:23:00PM	54	5	mg/L	U

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15830
WACS Testsite Name: SW-1
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 12:35:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
032211	Chlorophyll a	N	E83079	SM10200H	11/24/2008 12:57:00PM	3	1	ug/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15830
WACS Testsite Name: SW-1
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 12:35:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/24/2008 12:42:00PM	0.02	0.02	mg/L	U
000340	Chemical Oxygen Demand	N	E83079	E410.4	11/26/2008 9:53:00AM	24	12	mg/L	I
000612	Nitrogen, Ammonia (Unionized)	N	E83079	DEPSOP	11/24/2008 12:42:00PM	0.02	0.02	mg/L	U
000600	Total Nitrogen	N	E83079	E351.2+353.2	11/18/2008 12:12:00PM	0.42	0.25	mg/L	I
000650	Total Phosphorus as PO4	N	E83079	E365.4	11/17/2008 4:26:00PM	0.05	0.05	mg/L	U

Total Parameters Monitored: 5

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15830
WACS Testsite Name: SW-1
Water Classification: SW-IIIF
(i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 11/7/2008 12:35:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000680	Organic Carbon, Total	N	E83079	SM5310 B	11/21/2008 2:56:00PM	4.5	0.15	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15830
WACS Testsite Name: SW-1
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 12:35:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
031616	Fecal Coliform	N	E83079	SM9222D	11/7/2008 4:15:00PM	2	2	cfu/100mL	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19799
 WACS Testsite Name: SW-12
 Water Classification: SW-IIIIF
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 12:47:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/20/2008 1:44:00AM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/20/2008 1:44:00AM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/20/2008 1:44:00AM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/20/2008 1:44:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/20/2008 1:44:00AM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/20/2008 1:44:00AM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/20/2008 1:44:00AM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/20/2008 1:44:00AM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/20/2008 1:44:00AM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/20/2008 1:44:00AM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/20/2008 1:44:00AM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/20/2008 1:44:00AM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/20/2008 1:44:00AM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/20/2008 1:44:00AM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/20/2008 1:44:00AM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/20/2008 1:44:00AM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/20/2008 1:44:00AM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/20/2008 1:44:00AM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/20/2008 1:44:00AM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/20/2008 1:44:00AM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/20/2008 1:44:00AM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/20/2008 1:44:00AM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/20/2008 1:44:00AM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/20/2008 1:44:00AM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/20/2008 1:44:00AM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/20/2008 1:44:00AM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/20/2008 1:44:00AM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/20/2008 1:44:00AM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/20/2008 1:44:00AM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/7/2008 12:47:00PM	614		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/20/2008 1:44:00AM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/20/2008 1:44:00AM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/7/2008 12:47:00PM	5.48		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/20/2008 1:44:00AM	0.5	0.5	ug/L	U
077424	Iodomethane	N	E83079	SW8260	11/20/2008 1:44:00AM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/20/2008 1:44:00AM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/7/2008 12:47:00PM	6.55		S.U.	
077128	Styrene	N	E83079	SW8260	11/20/2008 1:44:00AM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/7/2008 12:47:00PM	22.78		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/20/2008 1:44:00AM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/20/2008 1:44:00AM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/20/2008 1:44:00AM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/20/2008 1:44:00AM	0.25	0.25	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/20/2008 1:44:00AM	5	5	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 19799
 WACS Testsite Name: SW-12
 Water Classification: SW-IIIF
 (i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 11/7/2008 12:47:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
039180	Trichloroethene	N	E83079	SW8260	11/20/2008 1:44:00AM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/20/2008 1:44:00AM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/7/2008 12:47:00PM	9.29		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/20/2008 1:44:00AM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/20/2008 1:44:00AM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/20/2008 1:44:00AM	1	1	ug/L	U

Total Parameters Monitored: 50

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19799
WACS Testsite Name: SW-12
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 12:47:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	E504.1	11/18/2008 6:04:00AM	0.0045	0.0045	ug/L	U
046369	1,2-Dibromoethane	N	E83079	E504.1	11/18/2008 6:04:00AM	0.0071	0.0071	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19799
 WACS Testsite Name: SW-12
 Water Classification: SW-IIIF
(i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 11/7/2008 12:47:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	E200.7	11/12/2008 4:04:00PM	7.5	7.5	ug/L	U
001002	Arsenic	N	E83079	E200.7	11/12/2008 4:04:00PM	8.1	5	ug/L	I
001007	Barium	N	E83079	E200.7	11/12/2008 4:04:00PM	33	5	ug/L	
001012	Beryllium	N	E83079	E200.8	11/12/2008 9:18:00PM	0.05	0.05	ug/L	U
001027	Cadmium	N	E83079	E200.8	11/12/2008 9:18:00PM	0.05	0.05	ug/L	U
001034	Chromium	N	E83079	E200.7	11/12/2008 4:04:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	E200.7	11/12/2008 4:04:00PM	5	5	ug/L	U
001042	Copper	N	E83079	E200.8	11/12/2008 9:18:00PM	1	0.5	ug/L	IV
001045	Iron	N	E83079	E200.7	11/12/2008 4:04:00PM	150	20	ug/L	
001051	Lead	N	E83079	E200.8	11/12/2008 9:18:00PM	0.5	0.5	ug/L	U
071900	Mercury	N	E83079	E245.1	11/11/2008 12:48:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	E200.7	11/12/2008 4:04:00PM	6.8	2.5	ug/L	
001147	Selenium	N	E83079	E200.7	11/12/2008 4:04:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	E200.8	11/12/2008 9:18:00PM	0.05	0.05	ug/L	U
000929	Sodium	N	E83079	E200.7	11/12/2008 4:04:00PM	42	0.5	mg/L	
001059	Thallium	N	E83079	E200.7	11/12/2008 4:04:00PM	7.5	7.5	ug/L	U
000900	Total Hardness as CaCO3	N	E83079	E200.7	11/12/2008 4:04:00PM	200	1.6	mg/L	
001087	Vanadium	N	E83079	E200.7	11/12/2008 4:04:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	E200.7	11/12/2008 4:04:00PM	10	10	ug/L	U

Total Parameters Monitored: 19

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19799
WACS Testsite Name: SW-12
Water Classification: SW-IIIF
(i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 11/7/2008 12:47:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000310	Biochemical Oxygen Demand	N	E83079	SM5210 B	11/12/2008 2:22:00PM	2.7	2	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/8/2008 8:47:00AM	0.11	0.012	mg/L	
000530	Solids, Suspended (Residue, Non-Filterable)	N	E83079	SM2540 D	11/13/2008 12:47:00PM	7.5	5	mg/L	
070300	TDS	N	E83079	SM2540 C	11/14/2008 12:26:00PM	400	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19799
WACS Testsite Name: SW-12
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 12:47:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
032211	Chlorophyll a	N	E83079	SM10200H	11/24/2008 12:57:00PM	12	1	ug/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19799
WACS Testsite Name: SW-12
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 12:47:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/24/2008 12:43:00PM	3.1	0.02	mg/L	
000340	Chemical Oxygen Demand	N	E83079	E410.4	11/26/2008 9:53:00AM	86	12	mg/L	
000612	Nitrogen, Ammonia (Unionized)	N	E83079	DEPSOP	11/24/2008 12:43:00PM	0.02	0.02	mg/L	U
000600	Total Nitrogen	N	E83079	E351.2+353.2	11/18/2008 12:14:00PM	6.3	0.25	mg/L	
000650	Total Phosphorus as PO4	N	E83079	E365.4	11/17/2008 4:27:00PM	0.05	0.05	mg/L	I

Total Parameters Monitored: 5

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19799
WACS Testsite Name: SW-12
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 12:47:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000680	Organic Carbon, Total	N	E83079	SM5310 B	11/21/2008 3:09:00PM	25	0.15	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19799
WACS Testsite Name: SW-12
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 12:47:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
031616	Fecal Coliform	N	E83079	SM9222D	11/7/2008 4:15:00PM	80	10	cfu/100mL	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19798
 WACS Testsite Name: SW-11
 Water Classification: SW-IIIIF
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 1:10:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/20/2008 2:10:00AM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/20/2008 2:10:00AM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/20/2008 2:10:00AM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/20/2008 2:10:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/20/2008 2:10:00AM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/20/2008 2:10:00AM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/20/2008 2:10:00AM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/20/2008 2:10:00AM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/20/2008 2:10:00AM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/20/2008 2:10:00AM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/20/2008 2:10:00AM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/20/2008 2:10:00AM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/20/2008 2:10:00AM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/20/2008 2:10:00AM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/20/2008 2:10:00AM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/20/2008 2:10:00AM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/20/2008 2:10:00AM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/20/2008 2:10:00AM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/20/2008 2:10:00AM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/20/2008 2:10:00AM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/20/2008 2:10:00AM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/20/2008 2:10:00AM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/20/2008 2:10:00AM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/20/2008 2:10:00AM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/20/2008 2:10:00AM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/20/2008 2:10:00AM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/20/2008 2:10:00AM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/20/2008 2:10:00AM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/20/2008 2:10:00AM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/7/2008 1:10:00PM	540		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/20/2008 2:10:00AM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/20/2008 2:10:00AM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/7/2008 1:10:00PM	7.02		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/20/2008 2:10:00AM	0.5	0.5	ug/L	U
077424	Iodomethane	N	E83079	SW8260	11/20/2008 2:10:00AM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/20/2008 2:10:00AM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/7/2008 1:10:00PM	6.67		S.U.	
077128	Styrene	N	E83079	SW8260	11/20/2008 2:10:00AM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/7/2008 1:10:00PM	23.69		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/20/2008 2:10:00AM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/20/2008 2:10:00AM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/20/2008 2:10:00AM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/20/2008 2:10:00AM	0.25	0.25	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/20/2008 2:10:00AM	5	5	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 2/17/2009

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 19798
 WACS Testsite Name: SW-11
 Water Classification: SW-IIIF
 (i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 11/7/2008 1:10:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
039180	Trichloroethene	N	E83079	SW8260	11/20/2008 2:10:00AM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/20/2008 2:10:00AM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/7/2008 1:10:00PM	3.71		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/20/2008 2:10:00AM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/20/2008 2:10:00AM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/20/2008 2:10:00AM	1	1	ug/L	U

Total Parameters Monitored: 50

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19798
WACS Testsite Name: SW-11
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 1:10:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	E504.1	11/18/2008 6:23:00AM	0.0045	0.0045	ug/L	U
046369	1,2-Dibromoethane	N	E83079	E504.1	11/18/2008 6:23:00AM	0.0072	0.0072	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19798
 WACS Testsite Name: SW-11
 Water Classification: SW-IIIF
(i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 11/7/2008 1:10:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	E200.7	11/12/2008 4:08:00PM	7.5	7.5	ug/L	U
001002	Arsenic	N	E83079	E200.7	11/12/2008 4:08:00PM	5	5	ug/L	U
001007	Barium	N	E83079	E200.7	11/12/2008 4:08:00PM	26	5	ug/L	
001012	Beryllium	N	E83079	E200.8	11/12/2008 9:23:00PM	0.05	0.05	ug/L	U
001027	Cadmium	N	E83079	E200.8	11/12/2008 9:23:00PM	0.05	0.05	ug/L	U
001034	Chromium	N	E83079	E200.7	11/12/2008 4:08:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	E200.7	11/12/2008 4:08:00PM	5	5	ug/L	U
001042	Copper	N	E83079	E200.8	11/12/2008 9:23:00PM	0.68	0.5	ug/L	IV
001045	Iron	N	E83079	E200.7	11/12/2008 4:08:00PM	180	20	ug/L	
001051	Lead	N	E83079	E200.8	11/12/2008 9:23:00PM	0.5	0.5	ug/L	U
071900	Mercury	N	E83079	E245.1	11/11/2008 12:57:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	E200.7	11/12/2008 4:08:00PM	4.8	2.5	ug/L	I
001147	Selenium	N	E83079	E200.7	11/12/2008 4:08:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	E200.8	11/12/2008 9:23:00PM	0.05	0.05	ug/L	U
000929	Sodium	N	E83079	E200.7	11/12/2008 4:08:00PM	37	0.5	mg/L	
001059	Thallium	N	E83079	E200.7	11/12/2008 4:08:00PM	7.5	7.5	ug/L	U
000900	Total Hardness as CaCO3	N	E83079	E200.7	11/12/2008 4:08:00PM	180	1.6	mg/L	
001087	Vanadium	N	E83079	E200.7	11/12/2008 4:08:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	E200.7	11/12/2008 4:08:00PM	10	10	ug/L	U

Total Parameters Monitored: 19

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19798
WACS Testsite Name: SW-11
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 1:10:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000310	Biochemical Oxygen Demand	N	E83079	SM5210 B	11/12/2008 2:22:00PM	3.8	2	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/8/2008 9:03:00AM	0.47	0.012	mg/L	
000530	Solids, Suspended (Residue, Non-Filterable)	N	E83079	SM2540 D	11/13/2008 12:48:00PM	6.5	5	mg/L	
070300	TDS	N	E83079	SM2540 C	11/14/2008 12:27:00PM	350	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19798
WACS Testsite Name: SW-11
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 1:10:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
032211	Chlorophyll a	N	E83079	SM10200H	11/24/2008 12:57:00PM	19	1	ug/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19798
WACS Testsite Name: SW-11
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 1:10:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/24/2008 12:44:00PM	0.36	0.02	mg/L	
000340	Chemical Oxygen Demand	N	E83079	E410.4	11/26/2008 9:53:00AM	76	12	mg/L	
000612	Nitrogen, Ammonia (Unionized)	N	E83079	DEPSOP	11/24/2008 12:44:00PM	0.02	0.02	mg/L	U
000600	Total Nitrogen	N	E83079	E351.2+353.2	11/18/2008 12:15:00PM	3.1	0.25	mg/L	
000650	Total Phosphorus as PO4	N	E83079	E365.4	11/17/2008 4:29:00PM	0.05	0.05	mg/L	I

Total Parameters Monitored: 5

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19798
WACS Testsite Name: SW-11
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 1:10:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000680	Organic Carbon, Total	N	E83079	SM5310 B	11/21/2008 3:26:00PM	21	0.15	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19798
WACS Testsite Name: SW-11
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 1:10:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
031616	Fecal Coliform	N	E83079	SM9222D	11/7/2008 4:15:00PM	140	10	cfu/100mL	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15638
 WACS Testsite Name: SW-5
 Water Classification: SW-IIIF
 (i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 11/7/2008 1:25:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/20/2008 5:59:00PM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/20/2008 5:59:00PM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/20/2008 5:59:00PM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/20/2008 5:59:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/20/2008 5:59:00PM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/20/2008 5:59:00PM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/20/2008 5:59:00PM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/20/2008 5:59:00PM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/20/2008 5:59:00PM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/20/2008 5:59:00PM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/20/2008 5:59:00PM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/20/2008 5:59:00PM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/20/2008 5:59:00PM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/20/2008 5:59:00PM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/20/2008 5:59:00PM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/20/2008 5:59:00PM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/20/2008 5:59:00PM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/20/2008 5:59:00PM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/20/2008 5:59:00PM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/20/2008 5:59:00PM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/20/2008 5:59:00PM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/20/2008 5:59:00PM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/20/2008 5:59:00PM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/20/2008 5:59:00PM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/20/2008 5:59:00PM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/20/2008 5:59:00PM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/20/2008 5:59:00PM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/20/2008 5:59:00PM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/20/2008 5:59:00PM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/7/2008 1:25:00PM	757		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/20/2008 5:59:00PM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/20/2008 5:59:00PM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/7/2008 1:25:00PM	5.37		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/20/2008 5:59:00PM	0.5	0.5	ug/L	U
077424	Iodomethane	N	E83079	SW8260	11/20/2008 5:59:00PM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/20/2008 5:59:00PM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/7/2008 1:25:00PM	6.68		S.U.	
077128	Styrene	N	E83079	SW8260	11/20/2008 5:59:00PM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/7/2008 1:25:00PM	23.06		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/20/2008 5:59:00PM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/20/2008 5:59:00PM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/20/2008 5:59:00PM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/20/2008 5:59:00PM	0.25	0.25	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/20/2008 5:59:00PM	5	5	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15638
 WACS Testsite Name: SW-5
 Water Classification: SW-IIIF
 (i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 11/7/2008 1:25:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
039180	Trichloroethene	N	E83079	SW8260	11/20/2008 5:59:00PM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/20/2008 5:59:00PM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/7/2008 1:25:00PM	3.76		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/20/2008 5:59:00PM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/20/2008 5:59:00PM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/20/2008 5:59:00PM	1	1	ug/L	U

Total Parameters Monitored: 50

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15638
WACS Testsite Name: SW-5
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 1:25:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	E504.1	11/18/2008 6:42:00AM	0.0044	0.0044	ug/L	U
046369	1,2-Dibromoethane	N	E83079	E504.1	11/18/2008 6:42:00AM	0.0069	0.0069	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15638
 WACS Testsite Name: SW-5
 Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 1:25:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	E200.7	11/12/2008 4:12:00PM	7.5	7.5	ug/L	U
001002	Arsenic	N	E83079	E200.7	11/12/2008 4:12:00PM	5	5	ug/L	U
001007	Barium	N	E83079	E200.7	11/12/2008 4:12:00PM	58	5	ug/L	
001012	Beryllium	N	E83079	E200.8	11/12/2008 9:28:00PM	0.05	0.05	ug/L	U
001027	Cadmium	N	E83079	E200.8	11/12/2008 9:28:00PM	0.05	0.05	ug/L	U
001034	Chromium	N	E83079	E200.7	11/12/2008 4:12:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	E200.7	11/12/2008 4:12:00PM	5	5	ug/L	U
001042	Copper	N	E83079	E200.8	11/12/2008 9:28:00PM	0.78	0.5	ug/L	IV
001045	Iron	N	E83079	E200.7	11/12/2008 4:12:00PM	680	20	ug/L	
001051	Lead	N	E83079	E200.8	11/12/2008 9:28:00PM	0.5	0.5	ug/L	U
071900	Mercury	N	E83079	E245.1	11/11/2008 1:00:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	E200.7	11/12/2008 4:12:00PM	3.6	2.5	ug/L	I
001147	Selenium	N	E83079	E200.7	11/12/2008 4:12:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	E200.8	11/12/2008 9:28:00PM	0.05	0.05	ug/L	U
000929	Sodium	N	E83079	E200.7	11/12/2008 4:12:00PM	51	0.5	mg/L	
001059	Thallium	N	E83079	E200.7	11/12/2008 4:12:00PM	7.5	7.5	ug/L	U
000900	Total Hardness as CaCO3	N	E83079	E200.7	11/12/2008 4:12:00PM	280	1.6	mg/L	
001087	Vanadium	N	E83079	E200.7	11/12/2008 4:12:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	E200.7	11/12/2008 4:12:00PM	10	10	ug/L	U

Total Parameters Monitored: 19

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15638
WACS Testsite Name: SW-5
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 1:25:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000310	Biochemical Oxygen Demand	N	E83079	SM5210 B	11/12/2008 2:22:00PM	2.4	2	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/8/2008 9:19:00AM	1.6	0.023	mg/L	
000530	Solids, Suspended (Residue, Non-Filterable)	N	E83079	SM2540 D	11/13/2008 12:50:00PM	5	5	mg/L	U
070300	TDS	N	E83079	SM2540 C	11/14/2008 12:29:00PM	490	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15638
WACS Testsite Name: SW-5
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 1:25:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
032211	Chlorophyll a	N	E83079	SM10200H	11/24/2008 12:57:00PM	5.6	1	ug/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15638
WACS Testsite Name: SW-5
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 1:25:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/24/2008 12:45:00PM	0.88	0.02	mg/L	
000340	Chemical Oxygen Demand	N	E83079	E410.4	11/26/2008 9:53:00AM	84	12	mg/L	
000612	Nitrogen, Ammonia (Unionized)	N	E83079	DEPSOP	11/24/2008 12:45:00PM	0.02	0.02	mg/L	U
000600	Total Nitrogen	N	E83079	E351.2+353.2	11/18/2008 12:16:00PM	4.4	0.25	mg/L	
000650	Total Phosphorus as PO4	N	E83079	E365.4	11/17/2008 4:30:00PM	0.05	0.05	mg/L	U

Total Parameters Monitored: 5

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15638
WACS Testsite Name: SW-5
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 1:25:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000680	Organic Carbon, Total	N	E83079	SM5310 B	11/21/2008 3:42:00PM	24	0.15	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15638
WACS Testsite Name: SW-5
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 1:25:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
031616	Fecal Coliform	N	E83079	SM9222D	11/7/2008 4:15:00PM	20	10	cfu/100mL	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15831
 WACS Testsite Name: SW-2
 Water Classification: SW-IIIF
 (i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 11/7/2008 1:42:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/20/2008 5:04:00PM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/20/2008 5:04:00PM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/20/2008 5:04:00PM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/20/2008 5:04:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/20/2008 5:04:00PM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/20/2008 5:04:00PM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/20/2008 5:04:00PM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/20/2008 5:04:00PM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/20/2008 5:04:00PM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/20/2008 5:04:00PM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/20/2008 5:04:00PM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/20/2008 5:04:00PM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/20/2008 5:04:00PM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/20/2008 5:04:00PM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/20/2008 5:04:00PM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/20/2008 5:04:00PM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/20/2008 5:04:00PM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/20/2008 5:04:00PM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/20/2008 5:04:00PM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/20/2008 5:04:00PM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/20/2008 5:04:00PM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/20/2008 5:04:00PM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/20/2008 5:04:00PM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/20/2008 5:04:00PM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/20/2008 5:04:00PM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/20/2008 5:04:00PM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/20/2008 5:04:00PM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/20/2008 5:04:00PM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/20/2008 5:04:00PM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/7/2008 1:42:00PM	424		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/20/2008 5:04:00PM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/20/2008 5:04:00PM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/7/2008 1:42:00PM	6.76		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/20/2008 5:04:00PM	0.5	0.5	ug/L	U
077424	Iodomethane	N	E83079	SW8260	11/20/2008 5:04:00PM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/20/2008 5:04:00PM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/7/2008 1:42:00PM	6.78		S.U.	
077128	Styrene	N	E83079	SW8260	11/20/2008 5:04:00PM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/7/2008 1:42:00PM	21.43		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/20/2008 5:04:00PM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/20/2008 5:04:00PM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/20/2008 5:04:00PM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/20/2008 5:04:00PM	0.25	0.25	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/20/2008 5:04:00PM	5	5	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15831
 WACS Testsite Name: SW-2
 Water Classification: SW-IIIF
 (i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 11/7/2008 1:42:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
039180	Trichloroethene	N	E83079	SW8260	11/20/2008 5:04:00PM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/20/2008 5:04:00PM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/7/2008 1:42:00PM	2		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/20/2008 5:04:00PM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/20/2008 5:04:00PM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/20/2008 5:04:00PM	1	1	ug/L	U

Total Parameters Monitored: 50

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15831
WACS Testsite Name: SW-2
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 1:42:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	E504.1	11/18/2008 7:01:00AM	0.0044	0.0044	ug/L	U
046369	1,2-Dibromoethane	N	E83079	E504.1	11/18/2008 7:01:00AM	0.0069	0.0069	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15831
 WACS Testsite Name: SW-2
 Water Classification: SW-IIIF
(i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 11/7/2008 1:42:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	E200.7	11/12/2008 4:23:00PM	7.5	7.5	ug/L	U
001002	Arsenic	N	E83079	E200.7	11/12/2008 4:23:00PM	5	5	ug/L	U
001007	Barium	N	E83079	E200.7	11/12/2008 4:23:00PM	34	5	ug/L	U
001012	Beryllium	N	E83079	E200.8	11/12/2008 9:43:00PM	0.05	0.05	ug/L	U
001027	Cadmium	N	E83079	E200.8	11/12/2008 9:43:00PM	0.05	0.05	ug/L	U
001034	Chromium	N	E83079	E200.7	11/12/2008 4:23:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	E200.7	11/12/2008 4:23:00PM	5	5	ug/L	U
001042	Copper	N	E83079	E200.8	11/12/2008 9:43:00PM	0.5	0.5	ug/L	U
001045	Iron	N	E83079	E200.7	11/12/2008 4:23:00PM	570	20	ug/L	U
001051	Lead	N	E83079	E200.8	11/12/2008 9:43:00PM	0.5	0.5	ug/L	U
071900	Mercury	N	E83079	E245.1	11/11/2008 1:03:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	E200.7	11/12/2008 4:23:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	E200.7	11/12/2008 4:23:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	E200.8	11/12/2008 9:43:00PM	0.05	0.05	ug/L	U
000929	Sodium	N	E83079	E200.7	11/12/2008 4:23:00PM	26	0.5	mg/L	U
001059	Thallium	N	E83079	E200.7	11/12/2008 4:23:00PM	7.5	7.5	ug/L	U
000900	Total Hardness as CaCO3	N	E83079	E200.7	11/12/2008 4:23:00PM	170	1.6	mg/L	U
001087	Vanadium	N	E83079	E200.7	11/12/2008 4:23:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	E200.7	11/12/2008 4:23:00PM	10	10	ug/L	U

Total Parameters Monitored: 19

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15831
WACS Testsite Name: SW-2
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 1:42:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000310	Biochemical Oxygen Demand	N	E83079	SM5210 B	11/12/2008 2:22:00PM	3	3	mg/L	U
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/8/2008 2:50:00PM	0.068	0.012	mg/L	
000530	Solids, Suspended (Residue, Non-Filterable)	N	E83079	SM2540 D	11/13/2008 12:53:00PM	5	5	mg/L	U
070300	TDS	N	E83079	SM2540 C	11/14/2008 12:30:00PM	270	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15831
WACS Testsite Name: SW-2
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 1:42:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
032211	Chlorophyll a	N	E83079	SM10200H	11/24/2008 12:57:00PM	9.4	1	ug/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15831
WACS Testsite Name: SW-2
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 1:42:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/24/2008 12:47:00PM	0.022	0.02	mg/L	I
000340	Chemical Oxygen Demand	N	E83079	E410.4	11/26/2008 9:53:00AM	54	12	mg/L	
000612	Nitrogen, Ammonia (Unionized)	N	E83079	DEPSOP	11/24/2008 12:47:00PM	0.02	0.02	mg/L	U
000600	Total Nitrogen	N	E83079	E351.2+353.2	11/18/2008 12:18:00PM	1.1	0.25	mg/L	
000650	Total Phosphorus as PO4	N	E83079	E365.4	11/17/2008 4:31:00PM	0.05	0.05	mg/L	U

Total Parameters Monitored: 5

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15831
WACS Testsite Name: SW-2
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 1:42:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000680	Organic Carbon, Total	N	E83079	SM5310 B	11/21/2008 4:25:00PM	14	0.15	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15831
WACS Testsite Name: SW-2
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 1:42:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
031616	Fecal Coliform	N	E83079	SM9222D	11/7/2008 4:15:00PM	10	5	cfu/100mL	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15833
 WACS Testsite Name: SW-4
 Water Classification: SW-IIIIF
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 1:50:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/20/2008 5:30:00PM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/20/2008 5:30:00PM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/20/2008 5:30:00PM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/20/2008 5:30:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/20/2008 5:30:00PM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/20/2008 5:30:00PM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/20/2008 5:30:00PM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/20/2008 5:30:00PM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/20/2008 5:30:00PM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/20/2008 5:30:00PM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/20/2008 5:30:00PM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/20/2008 5:30:00PM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/20/2008 5:30:00PM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/20/2008 5:30:00PM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/20/2008 5:30:00PM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/20/2008 5:30:00PM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/20/2008 5:30:00PM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/20/2008 5:30:00PM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/20/2008 5:30:00PM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/20/2008 5:30:00PM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/20/2008 5:30:00PM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/20/2008 5:30:00PM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/20/2008 5:30:00PM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/20/2008 5:30:00PM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/20/2008 5:30:00PM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/20/2008 5:30:00PM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/20/2008 5:30:00PM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/20/2008 5:30:00PM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/20/2008 5:30:00PM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/7/2008 1:50:00PM	407		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/20/2008 5:30:00PM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/20/2008 5:30:00PM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/7/2008 1:50:00PM	2.71		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/20/2008 5:30:00PM	0.5	0.5	ug/L	U
077424	Iodomethane	N	E83079	SW8260	11/20/2008 5:30:00PM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/20/2008 5:30:00PM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/7/2008 1:50:00PM	6.55		S.U.	
077128	Styrene	N	E83079	SW8260	11/20/2008 5:30:00PM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/7/2008 1:50:00PM	27.45		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/20/2008 5:30:00PM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/20/2008 5:30:00PM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/20/2008 5:30:00PM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/20/2008 5:30:00PM	0.25	0.25	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/20/2008 5:30:00PM	5	5	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15833
 WACS Testsite Name: SW-4
 Water Classification: SW-IIIIF
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 1:50:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
039180	Trichloroethene	N	E83079	SW8260	11/20/2008 5:30:00PM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/20/2008 5:30:00PM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/7/2008 1:50:00PM	40.7		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/20/2008 5:30:00PM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/20/2008 5:30:00PM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/20/2008 5:30:00PM	1	1	ug/L	U

Total Parameters Monitored: 50

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15833
WACS Testsite Name: SW-4
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 1:50:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	E504.1	11/18/2008 7:39:00AM	0.0039	0.0039	ug/L	U
046369	1,2-Dibromoethane	N	E83079	E504.1	11/18/2008 7:39:00AM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15833
 WACS Testsite Name: SW-4
 Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 1:50:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	E200.7	11/12/2008 4:27:00PM	7.5	7.5	ug/L	U
001002	Arsenic	N	E83079	E200.7	11/12/2008 4:27:00PM	12	5	ug/L	
001007	Barium	N	E83079	E200.7	11/12/2008 4:27:00PM	68	5	ug/L	
001012	Beryllium	N	E83079	E200.8	11/12/2008 9:48:00PM	0.097	0.05	ug/L	I
001027	Cadmium	N	E83079	E200.8	11/12/2008 9:48:00PM	0.14	0.05	ug/L	
001034	Chromium	N	E83079	E200.7	11/12/2008 4:27:00PM	4.1	2.5	ug/L	I
001037	Cobalt	N	E83079	E200.7	11/12/2008 4:27:00PM	5	5	ug/L	U
001042	Copper	N	E83079	E200.8	11/13/2008 11:22:00PM	19	0.5	ug/L	
001045	Iron	N	E83079	E200.7	11/12/2008 4:27:00PM	18000	20	ug/L	
001051	Lead	N	E83079	E200.8	11/12/2008 9:48:00PM	5.9	0.5	ug/L	
071900	Mercury	N	E83079	E245.1	11/11/2008 1:06:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	E200.7	11/12/2008 4:27:00PM	3.4	2.5	ug/L	I
001147	Selenium	N	E83079	E200.7	11/12/2008 4:27:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	E200.8	11/12/2008 9:48:00PM	0.094	0.05	ug/L	I
000929	Sodium	N	E83079	E200.7	11/12/2008 4:27:00PM	24	0.5	mg/L	
001059	Thallium	N	E83079	E200.7	11/12/2008 4:27:00PM	7.5	7.5	ug/L	U
000900	Total Hardness as CaCO3	N	E83079	E200.7	11/12/2008 4:27:00PM	190	1.6	mg/L	
001087	Vanadium	N	E83079	E200.7	11/12/2008 4:27:00PM	19	5	ug/L	
001092	Zinc	N	E83079	E200.7	11/12/2008 4:27:00PM	58	10	ug/L	

Total Parameters Monitored: 19

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15833
WACS Testsite Name: SW-4
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 1:50:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000310	Biochemical Oxygen Demand	N	E83079	SM5210 B	11/12/2008 2:22:00PM	20.3	2	mg/L	L
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/8/2008 3:37:00PM	0.033	0.012	mg/L	I
000530	Solids, Suspended (Residue, Non-Filterable)	N	E83079	SM2540 D	11/13/2008 12:54:00PM	420	12	mg/L	
070300	TDS	N	E83079	SM2540 C	11/14/2008 12:31:00PM	260	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15833
WACS Testsite Name: SW-4
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 1:50:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
032211	Chlorophyll a	N	E83079	SM10200H	11/24/2008 12:57:00PM	1.5	1	ug/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15833
WACS Testsite Name: SW-4
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 1:50:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/24/2008 12:48:00PM	0.29	0.02	mg/L	U
000340	Chemical Oxygen Demand	N	E83079	E410.4	11/26/2008 9:53:00AM	760	120	mg/L	
000612	Nitrogen, Ammonia (Unionized)	N	E83079	DEPSOP	11/24/2008 12:48:00PM	0.02	0.02	mg/L	
000600	Total Nitrogen	N	E83079	E351.2+353.2	11/18/2008 12:19:00PM	20	0.25	mg/L	
000650	Total Phosphorus as PO4	N	E83079	E365.4	11/17/2008 4:32:00PM	3.8	1	mg/L	

Total Parameters Monitored: 5

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15833
WACS Testsite Name: SW-4
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 1:50:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000680	Organic Carbon, Total	N	E83079	SM5310 B	11/21/2008 4:40:00PM	45	1.5	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15833
WACS Testsite Name: SW-4
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 1:50:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
031616	Fecal Coliform	N	E83079	SM9222D	11/7/2008 4:15:00PM	740	20	cfu/100mL	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15832
 WACS Testsite Name: SW-3
 Water Classification: SW-IIIIF
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 2:10:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/20/2008 5:57:00PM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/20/2008 5:57:00PM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/20/2008 5:57:00PM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/20/2008 5:57:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/20/2008 5:57:00PM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/20/2008 5:57:00PM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/20/2008 5:57:00PM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/20/2008 5:57:00PM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/20/2008 5:57:00PM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/20/2008 5:57:00PM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/20/2008 5:57:00PM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/20/2008 5:57:00PM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/20/2008 5:57:00PM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/20/2008 5:57:00PM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/20/2008 5:57:00PM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/20/2008 5:57:00PM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/20/2008 5:57:00PM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/20/2008 5:57:00PM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/20/2008 5:57:00PM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/20/2008 5:57:00PM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/20/2008 5:57:00PM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/20/2008 5:57:00PM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/20/2008 5:57:00PM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/20/2008 5:57:00PM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/20/2008 5:57:00PM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/20/2008 5:57:00PM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/20/2008 5:57:00PM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/20/2008 5:57:00PM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/20/2008 5:57:00PM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/7/2008 2:10:00PM	165		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/20/2008 5:57:00PM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/20/2008 5:57:00PM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/7/2008 2:10:00PM	3.46		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/20/2008 5:57:00PM	0.5	0.5	ug/L	U
077424	Iodomethane	N	E83079	SW8260	11/20/2008 5:57:00PM	0.5	0.5	ug/L	I
034423	Methylene chloride	N	E83079	SW8260	11/20/2008 5:57:00PM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/7/2008 2:10:00PM	6.19		S.U.	
077128	Styrene	N	E83079	SW8260	11/20/2008 5:57:00PM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/7/2008 2:10:00PM	21.73		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/20/2008 5:57:00PM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/20/2008 5:57:00PM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/20/2008 5:57:00PM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/20/2008 5:57:00PM	0.25	0.25	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/20/2008 5:57:00PM	5	5	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15832
 WACS Testsite Name: SW-3
 Water Classification: SW-IIIF
 (i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 11/7/2008 2:10:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
039180	Trichloroethene	N	E83079	SW8260	11/20/2008 5:57:00PM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/20/2008 5:57:00PM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/7/2008 2:10:00PM	0.36		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/20/2008 5:57:00PM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/20/2008 5:57:00PM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/20/2008 5:57:00PM	1	1	ug/L	U

Total Parameters Monitored: 50

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15832
WACS Testsite Name: SW-3
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 2:10:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	E504.1	11/18/2008 7:58:00AM	0.0044	0.0044	ug/L	U
046369	1,2-Dibromoethane	N	E83079	E504.1	11/18/2008 7:58:00AM	0.0069	0.0069	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15832
 WACS Testsite Name: SW-3
 Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 2:10:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	E200.7	11/12/2008 4:31:00PM	7.5	7.5	ug/L	U
001002	Arsenic	N	E83079	E200.7	11/12/2008 4:31:00PM	5	5	ug/L	U
001007	Barium	N	E83079	E200.7	11/12/2008 4:31:00PM	14	5	ug/L	U
001012	Beryllium	N	E83079	E200.8	11/12/2008 9:53:00PM	0.05	0.05	ug/L	U
001027	Cadmium	N	E83079	E200.8	11/12/2008 9:53:00PM	0.05	0.05	ug/L	U
001034	Chromium	N	E83079	E200.7	11/12/2008 4:31:00PM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	E200.7	11/12/2008 4:31:00PM	5	5	ug/L	U
001042	Copper	N	E83079	E200.8	11/12/2008 9:53:00PM	0.5	0.5	ug/L	U
001045	Iron	N	E83079	E200.7	11/12/2008 4:31:00PM	370	20	ug/L	U
001051	Lead	N	E83079	E200.8	11/12/2008 9:53:00PM	0.5	0.5	ug/L	U
071900	Mercury	N	E83079	E245.1	11/11/2008 1:09:00PM	0.02	0.02	ug/L	U
001067	Nickel	N	E83079	E200.7	11/12/2008 4:31:00PM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	E200.7	11/12/2008 4:31:00PM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	E200.8	11/12/2008 9:53:00PM	0.05	0.05	ug/L	U
000929	Sodium	N	E83079	E200.7	11/12/2008 4:31:00PM	11	0.5	mg/L	U
001059	Thallium	N	E83079	E200.7	11/12/2008 4:31:00PM	7.5	7.5	ug/L	U
000900	Total Hardness as CaCO3	N	E83079	E200.7	11/12/2008 4:31:00PM	57	1.6	mg/L	U
001087	Vanadium	N	E83079	E200.7	11/12/2008 4:31:00PM	5	5	ug/L	U
001092	Zinc	N	E83079	E200.7	11/12/2008 4:31:00PM	10	10	ug/L	U

Total Parameters Monitored: 19

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15832
WACS Testsite Name: SW-3
Water Classification: SW-IIIF
(i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 11/7/2008 2:10:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000310	Biochemical Oxygen Demand	N	E83079	SM5210 B	11/12/2008 2:22:00PM	2	2	mg/L	U
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/8/2008 3:53:00PM	0.012	0.012	mg/L	U
000530	Solids, Suspended (Residue, Non-Filterable)	N	E83079	SM2540 D	11/13/2008 12:55:00PM	8	5	mg/L	
070300	TDS	N	E83079	SM2540 C	11/14/2008 12:42:00PM	130	5	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15832
WACS Testsite Name: SW-3
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 2:10:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
032211	Chlorophyll a	N	E83079	SM10200H	11/24/2008 12:57:00PM	93	1	ug/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15832
WACS Testsite Name: SW-3
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 2:10:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia, Total	N	E83079	E350.1	11/24/2008 12:49:00PM	0.02	0.02	mg/L	I
000340	Chemical Oxygen Demand	N	E83079	E410.4	11/26/2008 9:53:00AM	170	12	mg/L	
000612	Nitrogen, Ammonia (Unionized)	N	E83079	DEPSOP	11/24/2008 12:49:00PM	0.02	0.02	mg/L	U
000600	Total Nitrogen	N	E83079	E351.2+353.2	11/18/2008 12:21:00PM	0.86	0.25	mg/L	
000650	Total Phosphorus as PO4	N	E83079	E365.4	11/17/2008 4:33:00PM	0.05	0.05	mg/L	U

Total Parameters Monitored: 5

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15832
WACS Testsite Name: SW-3
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 2:10:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000680	Organic Carbon, Total	N	E83079	SM5310 B	11/21/2008 4:56:00PM	22	0.15	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15832
WACS Testsite Name: SW-3
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 2:10:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
031616	Fecal Coliform	N	E83079	SM9222D	11/7/2008 4:15:00PM	10	10	cfu/100mL	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: Trip Blank
 Water Classification: SW-IIIF
(i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 11/7/2008 12:00:00AM
 Sampling Method: Grab
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/20/2008 6:23:00PM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/20/2008 6:23:00PM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/20/2008 6:23:00PM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/20/2008 6:23:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/20/2008 6:23:00PM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/20/2008 6:23:00PM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/20/2008 6:23:00PM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/20/2008 6:23:00PM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/20/2008 6:23:00PM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/20/2008 6:23:00PM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/20/2008 6:23:00PM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/20/2008 6:23:00PM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/20/2008 6:23:00PM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/20/2008 6:23:00PM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	11/20/2008 6:23:00PM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/20/2008 6:23:00PM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	11/20/2008 6:23:00PM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/20/2008 6:23:00PM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/20/2008 6:23:00PM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/20/2008 6:23:00PM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/20/2008 6:23:00PM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/20/2008 6:23:00PM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/20/2008 6:23:00PM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/20/2008 6:23:00PM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/20/2008 6:23:00PM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/20/2008 6:23:00PM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/20/2008 6:23:00PM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/20/2008 6:23:00PM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/20/2008 6:23:00PM	0.25	0.25	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	11/20/2008 6:23:00PM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/20/2008 6:23:00PM	0.5	0.5	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	11/20/2008 6:23:00PM	0.5	0.5	ug/L	U
077424	Iodomethane	N	E83079	SW8260	11/20/2008 6:23:00PM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/20/2008 6:23:00PM	2.5	2.5	ug/L	U
077128	Styrene	N	E83079	SW8260	11/20/2008 6:23:00PM	0.5	0.5	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	11/20/2008 6:23:00PM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	11/20/2008 6:23:00PM	0.91	0.5	ug/L	I
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/20/2008 6:23:00PM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/20/2008 6:23:00PM	0.25	0.25	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/20/2008 6:23:00PM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/20/2008 6:23:00PM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/20/2008 6:23:00PM	0.66	0.66	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	11/20/2008 6:23:00PM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/20/2008 6:23:00PM	0.53	0.53	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 2/17/2009

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: Trip Blank
 Water Classification: SW-IIIIF
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2008 12:00:00AM
 Sampling Method: Grab
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	11/20/2008 6:23:00PM	1	1	ug/L	U

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 11/26/2008 8:45:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	12/5/2008 3:32:00PM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	12/5/2008 3:32:00PM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	12/5/2008 3:32:00PM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	12/5/2008 3:32:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	12/5/2008 3:32:00PM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	12/5/2008 3:32:00PM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	12/5/2008 3:32:00PM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	12/5/2008 3:32:00PM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	12/5/2008 3:32:00PM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	12/5/2008 3:32:00PM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	12/5/2008 3:32:00PM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	12/5/2008 3:32:00PM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	12/5/2008 3:32:00PM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	12/5/2008 3:32:00PM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	12/5/2008 3:32:00PM	7.7	5	ug/L	I
034215	Acrylonitrile	N	E83079	SW8260	12/5/2008 3:32:00PM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	12/5/2008 3:32:00PM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	12/5/2008 3:32:00PM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	12/5/2008 3:32:00PM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	12/5/2008 3:32:00PM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	12/5/2008 3:32:00PM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	12/5/2008 3:32:00PM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	12/5/2008 3:32:00PM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	12/5/2008 3:32:00PM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	12/5/2008 3:32:00PM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	12/5/2008 3:32:00PM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	12/5/2008 3:32:00PM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	12/5/2008 3:32:00PM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	12/5/2008 3:32:00PM	0.25	0.25	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	12/5/2008 3:32:00PM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	12/5/2008 3:32:00PM	0.5	0.5	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	12/5/2008 3:32:00PM	0.5	0.5	ug/L	U
077424	Iodomethane	N	E83079	SW8260	12/5/2008 3:32:00PM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	12/5/2008 3:32:00PM	2.5	2.5	ug/L	U
077128	Styrene	N	E83079	SW8260	12/5/2008 3:32:00PM	0.5	0.5	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	12/5/2008 3:32:00PM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	12/5/2008 3:32:00PM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	12/5/2008 3:32:00PM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	12/5/2008 3:32:00PM	0.25	0.25	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	12/10/2008 5:33:00AM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	12/5/2008 3:32:00PM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	12/5/2008 3:32:00PM	0.66	0.66	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	12/5/2008 3:32:00PM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	12/5/2008 3:32:00PM	0.53	0.53	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/26/2008 8:45:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	12/5/2008 3:32:00PM	1	1	ug/L	U

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15806
 WACS Testsite Name: B41-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/26/2008 9:15:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	12/5/2008 7:02:00PM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	12/5/2008 7:02:00PM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	12/5/2008 7:02:00PM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	12/5/2008 7:02:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	12/5/2008 7:02:00PM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	12/5/2008 7:02:00PM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	12/5/2008 7:02:00PM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	12/5/2008 7:02:00PM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	12/5/2008 7:02:00PM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	12/5/2008 7:02:00PM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	12/5/2008 7:02:00PM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	12/5/2008 7:02:00PM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	12/5/2008 7:02:00PM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	12/5/2008 7:02:00PM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	12/5/2008 7:02:00PM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	12/5/2008 7:02:00PM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	12/5/2008 7:02:00PM	1.3	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	12/5/2008 7:02:00PM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	12/5/2008 7:02:00PM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	12/5/2008 7:02:00PM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	12/5/2008 7:02:00PM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	12/5/2008 7:02:00PM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	12/5/2008 7:02:00PM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	12/5/2008 7:02:00PM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	12/5/2008 7:02:00PM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	12/5/2008 7:02:00PM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	12/5/2008 7:02:00PM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	12/5/2008 7:02:00PM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	12/5/2008 7:02:00PM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/26/2008 9:15:00AM	2171		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	12/5/2008 7:02:00PM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	12/5/2008 7:02:00PM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/26/2008 9:15:00AM	0.52		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	12/5/2008 7:02:00PM	0.5	0.5	ug/L	U
077424	Iodomethane	N	E83079	SW8260	12/5/2008 7:02:00PM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	12/5/2008 7:02:00PM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/26/2008 9:15:00AM	6.37		S.U.	
077128	Styrene	N	E83079	SW8260	12/5/2008 7:02:00PM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/26/2008 9:15:00AM	22.42		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	12/5/2008 7:02:00PM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	12/5/2008 7:02:00PM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	12/5/2008 7:02:00PM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	12/5/2008 7:02:00PM	0.25	0.25	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	12/10/2008 5:59:00AM	5	5	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15806
 WACS Testsite Name: B41-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/26/2008 9:15:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
039180	Trichloroethene	N	E83079	SW8260	12/5/2008 7:02:00PM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	12/5/2008 7:02:00PM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/26/2008 9:15:00AM	5.87		NTU	
077057	Vinyl acetate	N	E83079	SW8260	12/5/2008 7:02:00PM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	12/5/2008 7:02:00PM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	12/5/2008 7:02:00PM	1	1	ug/L	U

Total Parameters Monitored: 50

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15806
 WACS Testsite Name: B41-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 11/26/2008 9:15:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	12/5/2008 7:28:00PM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	12/5/2008 7:28:00PM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	12/5/2008 7:28:00PM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	12/5/2008 7:28:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	12/5/2008 7:28:00PM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	12/5/2008 7:28:00PM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	12/5/2008 7:28:00PM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	12/5/2008 7:28:00PM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	12/5/2008 7:28:00PM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	12/5/2008 7:28:00PM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	12/5/2008 7:28:00PM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	12/5/2008 7:28:00PM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	12/5/2008 7:28:00PM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	12/5/2008 7:28:00PM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	12/5/2008 7:28:00PM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	12/5/2008 7:28:00PM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	12/5/2008 7:28:00PM	1.2	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	12/5/2008 7:28:00PM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	12/5/2008 7:28:00PM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	12/5/2008 7:28:00PM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	12/5/2008 7:28:00PM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	12/5/2008 7:28:00PM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	12/5/2008 7:28:00PM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	12/5/2008 7:28:00PM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	12/5/2008 7:28:00PM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	12/5/2008 7:28:00PM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	12/5/2008 7:28:00PM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	12/5/2008 7:28:00PM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	12/5/2008 7:28:00PM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/26/2008 9:15:00AM	2171		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	12/5/2008 7:28:00PM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	12/5/2008 7:28:00PM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/26/2008 9:15:00AM	0.52		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	12/5/2008 7:28:00PM	0.5	0.5	ug/L	U
077424	Iodomethane	N	E83079	SW8260	12/5/2008 7:28:00PM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	12/5/2008 7:28:00PM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/26/2008 9:15:00AM	6.37		S.U.	
077128	Styrene	N	E83079	SW8260	12/5/2008 7:28:00PM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/26/2008 9:15:00AM	22.42		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	12/5/2008 7:28:00PM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	12/5/2008 7:28:00PM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	12/5/2008 7:28:00PM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	12/5/2008 7:28:00PM	0.25	0.25	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	12/10/2008 6:26:00AM	5	5	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 2/17/2009

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 15806
 WACS Testsite Name: B41-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/26/2008 9:15:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to
 Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
039180	Trichloroethene	N	E83079	SW8260	12/5/2008 7:28:00PM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	12/5/2008 7:28:00PM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/26/2008 9:15:00AM	5.87		NTU	
077057	Vinyl acetate	N	E83079	SW8260	12/5/2008 7:28:00PM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	12/5/2008 7:28:00PM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	12/5/2008 7:28:00PM	1	1	ug/L	U

Total Parameters Monitored: 50

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15807
 WACS Testsite Name: B41-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/26/2008 9:38:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	12/5/2008 7:54:00PM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	12/5/2008 7:54:00PM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	12/5/2008 7:54:00PM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	12/5/2008 7:54:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	12/5/2008 7:54:00PM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	12/5/2008 7:54:00PM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	12/5/2008 7:54:00PM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	12/5/2008 7:54:00PM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	12/5/2008 7:54:00PM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	12/5/2008 7:54:00PM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	12/5/2008 7:54:00PM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	12/5/2008 7:54:00PM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	12/5/2008 7:54:00PM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	12/5/2008 7:54:00PM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	12/5/2008 7:54:00PM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	12/5/2008 7:54:00PM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	12/5/2008 7:54:00PM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	12/5/2008 7:54:00PM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	12/5/2008 7:54:00PM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	12/5/2008 7:54:00PM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	12/5/2008 7:54:00PM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	12/5/2008 7:54:00PM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	12/5/2008 7:54:00PM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	12/5/2008 7:54:00PM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	12/5/2008 7:54:00PM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	12/5/2008 7:54:00PM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	12/5/2008 7:54:00PM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	12/5/2008 7:54:00PM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	12/5/2008 7:54:00PM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/26/2008 9:38:00AM	770		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	12/5/2008 7:54:00PM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	12/5/2008 7:54:00PM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/26/2008 9:38:00AM	0.46		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	12/5/2008 7:54:00PM	0.5	0.5	ug/L	U
077424	Iodomethane	N	E83079	SW8260	12/5/2008 7:54:00PM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	12/5/2008 7:54:00PM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/26/2008 9:38:00AM	6.59		S.U.	
077128	Styrene	N	E83079	SW8260	12/5/2008 7:54:00PM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/26/2008 9:38:00AM	18.62		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	12/5/2008 7:54:00PM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	12/5/2008 7:54:00PM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	12/5/2008 7:54:00PM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	12/5/2008 7:54:00PM	0.25	0.25	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	12/10/2008 6:52:00AM	5	5	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15807
 WACS Testsite Name: B41-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/26/2008 9:38:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
039180	Trichloroethene	N	E83079	SW8260	12/5/2008 7:54:00PM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	12/5/2008 7:54:00PM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/26/2008 9:38:00AM	1.07		NTU	
077057	Vinyl acetate	N	E83079	SW8260	12/5/2008 7:54:00PM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	12/5/2008 7:54:00PM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	12/5/2008 7:54:00PM	1	1	ug/L	U

Total Parameters Monitored: 50

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15636
 WACS Testsite Name: B1-B
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/26/2008 10:12:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	12/5/2008 8:20:00PM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	12/5/2008 8:20:00PM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	12/5/2008 8:20:00PM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	12/5/2008 8:20:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	12/5/2008 8:20:00PM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	12/5/2008 8:20:00PM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	12/5/2008 8:20:00PM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	12/5/2008 8:20:00PM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	12/5/2008 8:20:00PM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	12/5/2008 8:20:00PM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	12/5/2008 8:20:00PM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	12/5/2008 8:20:00PM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	12/5/2008 8:20:00PM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	12/5/2008 8:20:00PM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	12/5/2008 8:20:00PM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	12/5/2008 8:20:00PM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	12/5/2008 8:20:00PM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	12/5/2008 8:20:00PM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	12/5/2008 8:20:00PM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	12/5/2008 8:20:00PM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	12/5/2008 8:20:00PM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	12/5/2008 8:20:00PM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	12/5/2008 8:20:00PM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	12/5/2008 8:20:00PM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	12/5/2008 8:20:00PM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	12/5/2008 8:20:00PM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	12/5/2008 8:20:00PM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	12/5/2008 8:20:00PM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	12/5/2008 8:20:00PM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/26/2008 10:12:00AM	1242		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	12/5/2008 8:20:00PM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	12/5/2008 8:20:00PM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/26/2008 10:12:00AM	0.32		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	12/5/2008 8:20:00PM	0.5	0.5	ug/L	U
077424	Iodomethane	N	E83079	SW8260	12/5/2008 8:20:00PM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	12/5/2008 8:20:00PM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/26/2008 10:12:00AM	6.36		S.U.	
077128	Styrene	N	E83079	SW8260	12/5/2008 8:20:00PM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/26/2008 10:12:00AM	22.65		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	12/5/2008 8:20:00PM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	12/5/2008 8:20:00PM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	12/5/2008 8:20:00PM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	12/5/2008 8:20:00PM	0.25	0.25	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	12/10/2008 7:18:00AM	5	5	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
WACS Testsite ID #: 15636
WACS Testsite Name: B1-B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/26/2008 10:12:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
039180	Trichloroethene	N	E83079	SW8260	12/5/2008 8:20:00PM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	12/5/2008 8:20:00PM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/26/2008 10:12:00AM	2.9		NTU	
077057	Vinyl acetate	N	E83079	SW8260	12/5/2008 8:20:00PM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	12/5/2008 8:20:00PM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	12/5/2008 8:20:00PM	1	1	ug/L	U

Total Parameters Monitored: 50

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15808
 WACS Testsite Name: B42-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/26/2008 10:39:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	12/5/2008 8:46:00PM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	12/5/2008 8:46:00PM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	12/5/2008 8:46:00PM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	12/5/2008 8:46:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	12/5/2008 8:46:00PM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	12/5/2008 8:46:00PM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	12/5/2008 8:46:00PM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	12/5/2008 8:46:00PM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	12/5/2008 8:46:00PM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	12/5/2008 8:46:00PM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	12/5/2008 8:46:00PM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	12/5/2008 8:46:00PM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	12/5/2008 8:46:00PM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	12/5/2008 8:46:00PM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	12/5/2008 8:46:00PM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	12/5/2008 8:46:00PM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	12/5/2008 8:46:00PM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	12/5/2008 8:46:00PM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	12/5/2008 8:46:00PM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	12/5/2008 8:46:00PM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	12/5/2008 8:46:00PM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	12/5/2008 8:46:00PM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	12/5/2008 8:46:00PM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	12/5/2008 8:46:00PM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	12/5/2008 8:46:00PM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	12/5/2008 8:46:00PM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	12/5/2008 8:46:00PM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	12/5/2008 8:46:00PM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	12/5/2008 8:46:00PM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/26/2008 10:39:00AM	1386		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	12/5/2008 8:46:00PM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	12/5/2008 8:46:00PM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/26/2008 10:39:00AM	0.49		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	12/5/2008 8:46:00PM	0.5	0.5	ug/L	U
077424	Iodomethane	N	E83079	SW8260	12/5/2008 8:46:00PM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	12/5/2008 8:46:00PM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/26/2008 10:39:00AM	5.74		S.U.	
077128	Styrene	N	E83079	SW8260	12/5/2008 8:46:00PM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/26/2008 10:39:00AM	22.11		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	12/5/2008 8:46:00PM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	12/5/2008 8:46:00PM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	12/5/2008 8:46:00PM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	12/5/2008 8:46:00PM	0.25	0.25	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	12/10/2008 7:44:00AM	5	5	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15808
 WACS Testsite Name: B42-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/26/2008 10:39:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
039180	Trichloroethene	N	E83079	SW8260	12/5/2008 8:46:00PM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	12/5/2008 8:46:00PM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/26/2008 10:39:00AM	2.3		NTU	
077057	Vinyl acetate	N	E83079	SW8260	12/5/2008 8:46:00PM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	12/5/2008 8:46:00PM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	12/5/2008 8:46:00PM	1	1	ug/L	U

Total Parameters Monitored: 50

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15635
 WACS Testsite Name: MO5-B
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/26/2008 11:07:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	12/5/2008 9:13:00PM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	12/5/2008 9:13:00PM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	12/5/2008 9:13:00PM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	12/5/2008 9:13:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	12/5/2008 9:13:00PM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	12/5/2008 9:13:00PM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	12/5/2008 9:13:00PM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	12/5/2008 9:13:00PM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	12/5/2008 9:13:00PM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	12/5/2008 9:13:00PM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	12/5/2008 9:13:00PM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	12/5/2008 9:13:00PM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	12/5/2008 9:13:00PM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	12/5/2008 9:13:00PM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	12/5/2008 9:13:00PM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	12/5/2008 9:13:00PM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	12/5/2008 9:13:00PM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	12/5/2008 9:13:00PM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	12/5/2008 9:13:00PM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	12/5/2008 9:13:00PM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	12/5/2008 9:13:00PM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	12/5/2008 9:13:00PM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	12/5/2008 9:13:00PM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	12/5/2008 9:13:00PM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	12/5/2008 9:13:00PM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	12/5/2008 9:13:00PM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	12/5/2008 9:13:00PM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	12/5/2008 9:13:00PM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	12/5/2008 9:13:00PM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/26/2008 11:07:00AM	1413		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	12/5/2008 9:13:00PM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	12/5/2008 9:13:00PM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/26/2008 11:07:00AM	0.34		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	12/5/2008 9:13:00PM	0.5	0.5	ug/L	U
077424	Iodomethane	N	E83079	SW8260	12/5/2008 9:13:00PM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	12/5/2008 9:13:00PM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/26/2008 11:07:00AM	5.98		S.U.	
077128	Styrene	N	E83079	SW8260	12/5/2008 9:13:00PM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/26/2008 11:07:00AM	22.76		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	12/5/2008 9:13:00PM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	12/5/2008 9:13:00PM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	12/5/2008 9:13:00PM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	12/5/2008 9:13:00PM	0.25	0.25	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	12/10/2008 8:17:00AM	5	5	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
WACS Testsite ID #: 15635
WACS Testsite Name: MO5-B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/26/2008 11:07:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
039180	Trichloroethene	N	E83079	SW8260	12/5/2008 9:13:00PM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	12/5/2008 9:13:00PM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/26/2008 11:07:00AM	0.8		NTU	
077057	Vinyl acetate	N	E83079	SW8260	12/5/2008 9:13:00PM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	12/5/2008 9:13:00PM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	12/5/2008 9:13:00PM	1	1	ug/L	U

Total Parameters Monitored: 50

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15679
 WACS Testsite Name: B-11
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/26/2008 11:35:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	12/5/2008 9:39:00PM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	12/5/2008 9:39:00PM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	12/5/2008 9:39:00PM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	12/5/2008 9:39:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	12/5/2008 9:39:00PM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	12/5/2008 9:39:00PM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	12/5/2008 9:39:00PM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	12/5/2008 9:39:00PM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	12/5/2008 9:39:00PM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	12/5/2008 9:39:00PM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	12/5/2008 9:39:00PM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	12/5/2008 9:39:00PM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	12/5/2008 9:39:00PM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	12/5/2008 9:39:00PM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	12/5/2008 9:39:00PM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	12/5/2008 9:39:00PM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	12/5/2008 9:39:00PM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	12/5/2008 9:39:00PM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	12/5/2008 9:39:00PM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	12/5/2008 9:39:00PM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	12/5/2008 9:39:00PM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	12/5/2008 9:39:00PM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	12/5/2008 9:39:00PM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	12/5/2008 9:39:00PM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	12/5/2008 9:39:00PM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	12/5/2008 9:39:00PM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	12/5/2008 9:39:00PM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	12/5/2008 9:39:00PM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	12/5/2008 9:39:00PM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/26/2008 11:35:00AM	255		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	12/5/2008 9:39:00PM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	12/5/2008 9:39:00PM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/26/2008 11:35:00AM	0.27		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	12/5/2008 9:39:00PM	0.5	0.5	ug/L	U
077424	Iodomethane	N	E83079	SW8260	12/5/2008 9:39:00PM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	12/5/2008 9:39:00PM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	11/26/2008 11:35:00AM	5.17		S.U.	
077128	Styrene	N	E83079	SW8260	12/5/2008 9:39:00PM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	11/26/2008 11:35:00AM	23.52		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	12/5/2008 9:39:00PM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	12/5/2008 9:39:00PM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	12/5/2008 9:39:00PM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	12/5/2008 9:39:00PM	0.25	0.25	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	12/10/2008 8:44:00AM	5	5	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
WACS Testsite ID #: 15679
WACS Testsite Name: B-11
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/26/2008 11:35:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
039180	Trichloroethene	N	E83079	SW8260	12/5/2008 9:39:00PM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	12/5/2008 9:39:00PM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/26/2008 11:35:00AM	0.86		NTU	
077057	Vinyl acetate	N	E83079	SW8260	12/5/2008 9:39:00PM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	12/5/2008 9:39:00PM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	12/5/2008 9:39:00PM	1	1	ug/L	U

Total Parameters Monitored: 50

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 12/1/2008 11:50:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	12/5/2008 3:58:00PM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	12/5/2008 3:58:00PM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	12/5/2008 3:58:00PM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	12/5/2008 3:58:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	12/5/2008 3:58:00PM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	12/5/2008 3:58:00PM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	12/5/2008 3:58:00PM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	12/5/2008 3:58:00PM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	12/5/2008 3:58:00PM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	12/5/2008 3:58:00PM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	12/5/2008 3:58:00PM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	12/5/2008 3:58:00PM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	12/5/2008 3:58:00PM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	12/5/2008 3:58:00PM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	12/5/2008 3:58:00PM	6.9	5	ug/L	I
034215	Acrylonitrile	N	E83079	SW8260	12/5/2008 3:58:00PM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	12/5/2008 3:58:00PM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	12/5/2008 3:58:00PM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	12/5/2008 3:58:00PM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	12/5/2008 3:58:00PM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	12/5/2008 3:58:00PM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	12/5/2008 3:58:00PM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	12/5/2008 3:58:00PM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	12/5/2008 3:58:00PM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	12/5/2008 3:58:00PM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	12/5/2008 3:58:00PM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	12/5/2008 3:58:00PM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	12/5/2008 3:58:00PM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	12/5/2008 3:58:00PM	0.25	0.25	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	12/5/2008 3:58:00PM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	12/5/2008 3:58:00PM	0.5	0.5	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	12/5/2008 3:58:00PM	0.5	0.5	ug/L	U
077424	Iodomethane	N	E83079	SW8260	12/5/2008 3:58:00PM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	12/5/2008 3:58:00PM	2.5	2.5	ug/L	U
077128	Styrene	N	E83079	SW8260	12/5/2008 3:58:00PM	0.5	0.5	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	12/5/2008 3:58:00PM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	12/5/2008 3:58:00PM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	12/5/2008 3:58:00PM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	12/5/2008 3:58:00PM	0.25	0.25	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	12/10/2008 2:03:00AM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	12/5/2008 3:58:00PM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	12/5/2008 3:58:00PM	0.66	0.66	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	12/5/2008 3:58:00PM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	12/5/2008 3:58:00PM	0.53	0.53	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 12/1/2008 11:50:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	12/5/2008 3:58:00PM	1	1	ug/L	U

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15813
 WACS Testsite Name: B45-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 12/1/2008 12:11:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	12/5/2008 5:17:00PM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	12/5/2008 5:17:00PM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	12/5/2008 5:17:00PM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	12/5/2008 5:17:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	12/5/2008 5:17:00PM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	12/5/2008 5:17:00PM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	12/5/2008 5:17:00PM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	12/5/2008 5:17:00PM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	12/5/2008 5:17:00PM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	12/5/2008 5:17:00PM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	12/5/2008 5:17:00PM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	12/5/2008 5:17:00PM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	12/5/2008 5:17:00PM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	12/5/2008 5:17:00PM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	12/5/2008 5:17:00PM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	12/5/2008 5:17:00PM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	12/5/2008 5:17:00PM	9.2	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	12/5/2008 5:17:00PM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	12/5/2008 5:17:00PM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	12/5/2008 5:17:00PM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	12/5/2008 5:17:00PM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	12/5/2008 5:17:00PM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	12/5/2008 5:17:00PM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	12/5/2008 5:17:00PM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	12/5/2008 5:17:00PM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	12/5/2008 5:17:00PM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	12/5/2008 5:17:00PM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	12/5/2008 5:17:00PM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	12/5/2008 5:17:00PM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	12/1/2008 12:11:00PM	1495		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	12/5/2008 5:17:00PM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	12/5/2008 5:17:00PM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	12/1/2008 12:11:00PM	0.44		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	12/5/2008 5:17:00PM	0.5	0.5	ug/L	U
077424	Iodomethane	N	E83079	SW8260	12/5/2008 5:17:00PM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	12/5/2008 5:17:00PM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	12/1/2008 12:11:00PM	6.19		S.U.	
077128	Styrene	N	E83079	SW8260	12/5/2008 5:17:00PM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	12/1/2008 12:11:00PM	22.27		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	12/5/2008 5:17:00PM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	12/5/2008 5:17:00PM	0.89	0.5	ug/L	I
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	12/5/2008 5:17:00PM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	12/5/2008 5:17:00PM	0.25	0.25	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	12/10/2008 2:30:00AM	5	5	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15813
 WACS Testsite Name: B45-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 12/1/2008 12:11:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
039180	Trichloroethene	N	E83079	SW8260	12/5/2008 5:17:00PM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	12/5/2008 5:17:00PM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	12/1/2008 12:11:00PM	2.51		NTU	
077057	Vinyl acetate	N	E83079	SW8260	12/5/2008 5:17:00PM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	12/5/2008 5:17:00PM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	12/5/2008 5:17:00PM	6	1	ug/L	

Total Parameters Monitored: 50

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15813
 WACS Testsite Name: B45-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 12/1/2008 12:11:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	12/5/2008 5:43:00PM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	12/5/2008 5:43:00PM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	12/5/2008 5:43:00PM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	12/5/2008 5:43:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	12/5/2008 5:43:00PM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	12/5/2008 5:43:00PM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	12/5/2008 5:43:00PM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	12/5/2008 5:43:00PM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	12/5/2008 5:43:00PM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	12/5/2008 5:43:00PM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	12/5/2008 5:43:00PM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	12/5/2008 5:43:00PM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	12/5/2008 5:43:00PM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	12/5/2008 5:43:00PM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	12/5/2008 5:43:00PM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	12/5/2008 5:43:00PM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	12/5/2008 5:43:00PM	9.1	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	12/5/2008 5:43:00PM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	12/5/2008 5:43:00PM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	12/5/2008 5:43:00PM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	12/5/2008 5:43:00PM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	12/5/2008 5:43:00PM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	12/5/2008 5:43:00PM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	12/5/2008 5:43:00PM	4.4	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	12/5/2008 5:43:00PM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	12/5/2008 5:43:00PM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	12/5/2008 5:43:00PM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	12/5/2008 5:43:00PM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	12/5/2008 5:43:00PM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	12/1/2008 12:11:00PM	1495		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	12/5/2008 5:43:00PM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	12/5/2008 5:43:00PM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	12/1/2008 12:11:00PM	0.44		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	12/5/2008 5:43:00PM	0.5	0.5	ug/L	U
077424	Iodomethane	N	E83079	SW8260	12/5/2008 5:43:00PM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	12/5/2008 5:43:00PM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	12/1/2008 12:11:00PM	6.19		S.U.	
077128	Styrene	N	E83079	SW8260	12/5/2008 5:43:00PM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	12/1/2008 12:11:00PM	22.27		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	12/5/2008 5:43:00PM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	12/5/2008 5:43:00PM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	12/5/2008 5:43:00PM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	12/5/2008 5:43:00PM	0.25	0.25	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	12/10/2008 2:56:00AM	5	5	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 2/17/2009

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 15813
 WACS Testsite Name: B45-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 12/1/2008 12:11:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
039180	Trichloroethene	N	E83079	SW8260	12/5/2008 5:43:00PM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	12/5/2008 5:43:00PM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	12/1/2008 12:11:00PM	2.51		NTU	
077057	Vinyl acetate	N	E83079	SW8260	12/5/2008 5:43:00PM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	12/5/2008 5:43:00PM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	12/5/2008 5:43:00PM	4.4	1	ug/L	

Total Parameters Monitored: 50

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15814
 WACS Testsite Name: B45-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 12/1/2008 12:34:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	12/5/2008 2:39:00PM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	12/5/2008 2:39:00PM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	12/5/2008 2:39:00PM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	12/5/2008 2:39:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	12/5/2008 2:39:00PM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	12/5/2008 2:39:00PM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	12/5/2008 2:39:00PM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	12/5/2008 2:39:00PM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	12/5/2008 2:39:00PM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	12/5/2008 2:39:00PM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	12/5/2008 2:39:00PM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	12/5/2008 2:39:00PM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	12/5/2008 2:39:00PM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	12/5/2008 2:39:00PM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	12/5/2008 2:39:00PM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	12/5/2008 2:39:00PM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	12/5/2008 2:39:00PM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	12/5/2008 2:39:00PM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	12/5/2008 2:39:00PM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	12/5/2008 2:39:00PM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	12/5/2008 2:39:00PM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	12/5/2008 2:39:00PM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	12/5/2008 2:39:00PM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	12/5/2008 2:39:00PM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	12/5/2008 2:39:00PM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	12/5/2008 2:39:00PM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	12/5/2008 2:39:00PM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	12/5/2008 2:39:00PM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	12/5/2008 2:39:00PM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	12/1/2008 12:34:00PM	1138		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	12/5/2008 2:39:00PM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	12/5/2008 2:39:00PM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	12/1/2008 12:34:00PM	0.51		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	12/5/2008 2:39:00PM	0.5	0.5	ug/L	U
077424	Iodomethane	N	E83079	SW8260	12/5/2008 2:39:00PM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	12/5/2008 2:39:00PM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	12/1/2008 12:34:00PM	5.29		S.U.	
077128	Styrene	N	E83079	SW8260	12/5/2008 2:39:00PM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	12/1/2008 12:34:00PM	21.33		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	12/5/2008 2:39:00PM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	12/5/2008 2:39:00PM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	12/5/2008 2:39:00PM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	12/5/2008 2:39:00PM	0.25	0.25	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	12/10/2008 3:22:00AM	5	5	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15814
 WACS Testsite Name: B45-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 12/1/2008 12:34:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to
 Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
039180	Trichloroethene	N	E83079	SW8260	12/5/2008 2:39:00PM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	12/5/2008 2:39:00PM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	12/1/2008 12:34:00PM	2.56		NTU	
077057	Vinyl acetate	N	E83079	SW8260	12/5/2008 2:39:00PM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	12/5/2008 2:39:00PM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	12/5/2008 2:39:00PM	1	1	ug/L	U

Total Parameters Monitored: 50

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15818
 WACS Testsite Name: B59-2R
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 12/1/2008 1:05:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	12/5/2008 6:09:00PM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	12/5/2008 6:09:00PM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	12/5/2008 6:09:00PM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	12/5/2008 6:09:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	12/5/2008 6:09:00PM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	12/5/2008 6:09:00PM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	12/5/2008 6:09:00PM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	12/5/2008 6:09:00PM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	12/5/2008 6:09:00PM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	12/5/2008 6:09:00PM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	12/5/2008 6:09:00PM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	12/5/2008 6:09:00PM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	12/5/2008 6:09:00PM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	12/5/2008 6:09:00PM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	12/5/2008 6:09:00PM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	12/5/2008 6:09:00PM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	12/5/2008 6:09:00PM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	12/5/2008 6:09:00PM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	12/5/2008 6:09:00PM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	12/5/2008 6:09:00PM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	12/5/2008 6:09:00PM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	12/5/2008 6:09:00PM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	12/5/2008 6:09:00PM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	12/5/2008 6:09:00PM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	12/5/2008 6:09:00PM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	12/5/2008 6:09:00PM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	12/5/2008 6:09:00PM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	12/5/2008 6:09:00PM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	12/5/2008 6:09:00PM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	12/1/2008 1:05:00PM	1179		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	12/5/2008 6:09:00PM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	12/5/2008 6:09:00PM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	12/1/2008 1:05:00PM	0.37		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	12/5/2008 6:09:00PM	0.5	0.5	ug/L	U
077424	Iodomethane	N	E83079	SW8260	12/5/2008 6:09:00PM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	12/5/2008 6:09:00PM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	12/1/2008 1:05:00PM	6.4		S.U.	
077128	Styrene	N	E83079	SW8260	12/5/2008 6:09:00PM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	12/1/2008 1:05:00PM	23.63		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	12/5/2008 6:09:00PM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	12/5/2008 6:09:00PM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	12/5/2008 6:09:00PM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	12/5/2008 6:09:00PM	0.25	0.25	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	12/10/2008 3:48:00AM	5	5	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15818
 WACS Testsite Name: B59-2R
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 12/1/2008 1:05:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to
 Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
039180	Trichloroethene	N	E83079	SW8260	12/5/2008 6:09:00PM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	12/5/2008 6:09:00PM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	12/1/2008 1:05:00PM	15.1		NTU	
077057	Vinyl acetate	N	E83079	SW8260	12/5/2008 6:09:00PM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	12/5/2008 6:09:00PM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	12/5/2008 6:09:00PM	1	1	ug/L	U

Total Parameters Monitored: 50

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15829
 WACS Testsite Name: B68
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 12/1/2008 1:32:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	12/5/2008 6:36:00PM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	12/5/2008 6:36:00PM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	12/5/2008 6:36:00PM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	12/5/2008 6:36:00PM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	12/5/2008 6:36:00PM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	12/5/2008 6:36:00PM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	12/5/2008 6:36:00PM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	12/5/2008 6:36:00PM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	12/5/2008 6:36:00PM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	12/5/2008 6:36:00PM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	12/5/2008 6:36:00PM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	12/5/2008 6:36:00PM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	12/5/2008 6:36:00PM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	12/5/2008 6:36:00PM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	12/5/2008 6:36:00PM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	12/5/2008 6:36:00PM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	12/5/2008 6:36:00PM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	12/5/2008 6:36:00PM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	12/5/2008 6:36:00PM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	12/5/2008 6:36:00PM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	12/5/2008 6:36:00PM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	12/5/2008 6:36:00PM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	12/5/2008 6:36:00PM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	12/5/2008 6:36:00PM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	12/5/2008 6:36:00PM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	12/5/2008 6:36:00PM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	12/5/2008 6:36:00PM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	12/5/2008 6:36:00PM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	12/5/2008 6:36:00PM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	12/1/2008 1:32:00PM	595		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	12/5/2008 6:36:00PM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	12/5/2008 6:36:00PM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	12/1/2008 1:32:00PM	0.31		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	12/5/2008 6:36:00PM	0.5	0.5	ug/L	U
077424	Iodomethane	N	E83079	SW8260	12/5/2008 6:36:00PM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	12/5/2008 6:36:00PM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	12/1/2008 1:32:00PM	5.92		S.U.	
077128	Styrene	N	E83079	SW8260	12/5/2008 6:36:00PM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	12/1/2008 1:32:00PM	24.02		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	12/5/2008 6:36:00PM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	12/5/2008 6:36:00PM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	12/5/2008 6:36:00PM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	12/5/2008 6:36:00PM	0.25	0.25	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	12/10/2008 4:14:00AM	5	5	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
WACS Testsite ID #: 15829
WACS Testsite Name: B68
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 12/1/2008 1:32:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
039180	Trichloroethene	N	E83079	SW8260	12/5/2008 6:36:00PM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	12/5/2008 6:36:00PM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	12/1/2008 1:32:00PM	4.23		NTU	
077057	Vinyl acetate	N	E83079	SW8260	12/5/2008 6:36:00PM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	12/5/2008 6:36:00PM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	12/5/2008 6:36:00PM	1	1	ug/L	U

Total Parameters Monitored: 50

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15825
 WACS Testsite Name: B64
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 12/1/2008 2:02:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	12/6/2008 3:17:00AM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	12/6/2008 3:17:00AM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	12/6/2008 3:17:00AM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	12/6/2008 3:17:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	12/6/2008 3:17:00AM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	12/6/2008 3:17:00AM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	12/6/2008 3:17:00AM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	12/6/2008 3:17:00AM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	12/6/2008 3:17:00AM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	12/6/2008 3:17:00AM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	12/6/2008 3:17:00AM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	12/6/2008 3:17:00AM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	12/6/2008 3:17:00AM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	12/6/2008 3:17:00AM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	12/6/2008 3:17:00AM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	12/6/2008 3:17:00AM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	12/6/2008 3:17:00AM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	12/6/2008 3:17:00AM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	12/6/2008 3:17:00AM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	12/6/2008 3:17:00AM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	12/6/2008 3:17:00AM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	12/6/2008 3:17:00AM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	12/6/2008 3:17:00AM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	12/6/2008 3:17:00AM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	12/6/2008 3:17:00AM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	12/6/2008 3:17:00AM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	12/6/2008 3:17:00AM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	12/6/2008 3:17:00AM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	12/6/2008 3:17:00AM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	12/1/2008 2:02:00PM	1769		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	12/6/2008 3:17:00AM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	12/6/2008 3:17:00AM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	12/1/2008 2:02:00PM	0.42		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	12/6/2008 3:17:00AM	0.5	0.5	ug/L	U
077424	Iodomethane	N	E83079	SW8260	12/6/2008 3:17:00AM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	12/6/2008 3:17:00AM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	12/1/2008 2:02:00PM	6.46		S.U.	
077128	Styrene	N	E83079	SW8260	12/6/2008 3:17:00AM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	12/1/2008 2:02:00PM	20.43		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	12/6/2008 3:17:00AM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	12/6/2008 3:17:00AM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	12/6/2008 3:17:00AM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	12/6/2008 3:17:00AM	0.25	0.25	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	12/10/2008 4:41:00AM	5	5	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 2/17/2009

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 15825
 WACS Testsite Name: B64
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 12/1/2008 2:02:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
039180	Trichloroethene	N	E83079	SW8260	12/6/2008 3:17:00AM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	12/6/2008 3:17:00AM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	12/1/2008 2:02:00PM	8.22		NTU	
077057	Vinyl acetate	N	E83079	SW8260	12/10/2008 4:41:00AM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	12/6/2008 3:17:00AM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	12/6/2008 3:17:00AM	1	1	ug/L	U

Total Parameters Monitored: 50

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15803
 WACS Testsite Name: B-39
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 12/1/2008 2:26:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	12/6/2008 3:44:00AM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	12/6/2008 3:44:00AM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	12/6/2008 3:44:00AM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	12/6/2008 3:44:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	12/6/2008 3:44:00AM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	12/6/2008 3:44:00AM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	12/6/2008 3:44:00AM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	12/6/2008 3:44:00AM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	12/6/2008 3:44:00AM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	12/6/2008 3:44:00AM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	12/6/2008 3:44:00AM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	12/6/2008 3:44:00AM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	12/6/2008 3:44:00AM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	12/6/2008 3:44:00AM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	12/6/2008 3:44:00AM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	12/6/2008 3:44:00AM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	12/6/2008 3:44:00AM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	12/6/2008 3:44:00AM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	12/6/2008 3:44:00AM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	12/6/2008 3:44:00AM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	12/6/2008 3:44:00AM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	12/6/2008 3:44:00AM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	12/6/2008 3:44:00AM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	12/6/2008 3:44:00AM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	12/6/2008 3:44:00AM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	12/6/2008 3:44:00AM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	12/6/2008 3:44:00AM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	12/6/2008 3:44:00AM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	12/6/2008 3:44:00AM	0.25	0.25	ug/L	U
000094	Conductivity	N	E83079	E120.1	12/1/2008 2:26:00PM	136		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	12/6/2008 3:44:00AM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	12/6/2008 3:44:00AM	0.5	0.5	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	12/1/2008 2:26:00PM	0.41		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	12/6/2008 3:44:00AM	0.5	0.5	ug/L	U
077424	Iodomethane	N	E83079	SW8260	12/6/2008 3:44:00AM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	12/6/2008 3:44:00AM	2.5	2.5	ug/L	U
000406	pH	N	E83079	E150.1	12/1/2008 2:26:00PM	4.84		S.U.	
077128	Styrene	N	E83079	SW8260	12/6/2008 3:44:00AM	0.5	0.5	ug/L	U
000010	Temperature, Water	N	E83079	E170.1	12/1/2008 2:26:00PM	21.33		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	12/6/2008 3:44:00AM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	12/6/2008 3:44:00AM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	12/6/2008 3:44:00AM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	12/6/2008 3:44:00AM	0.25	0.25	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	12/10/2008 5:07:00AM	5	5	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15803
 WACS Testsite Name: B-39
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 12/1/2008 2:26:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to
 Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
039180	Trichloroethene	N	E83079	SW8260	12/6/2008 3:44:00AM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	12/6/2008 3:44:00AM	0.66	0.66	ug/L	U
082078	Turbidity	N	E83079	E180.1	12/1/2008 2:26:00PM	3.86		NTU	
077057	Vinyl acetate	N	E83079	SW8260	12/10/2008 5:07:00AM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	12/6/2008 3:44:00AM	0.53	0.53	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	12/6/2008 3:44:00AM	1	1	ug/L	U

Total Parameters Monitored: 50

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: Trip Blank
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 12/1/2008 12:00:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	12/6/2008 2:25:00AM	0.5	0.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	12/6/2008 2:25:00AM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	12/6/2008 2:25:00AM	0.17	0.17	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	12/6/2008 2:25:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	12/6/2008 2:25:00AM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	12/6/2008 2:25:00AM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	12/6/2008 2:25:00AM	0.3	0.3	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	12/6/2008 2:25:00AM	0.51	0.51	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	12/6/2008 2:25:00AM	0.5	0.5	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	12/6/2008 2:25:00AM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	12/6/2008 2:25:00AM	0.5	0.5	ug/L	U
081595	2-Butanone	N	E83079	SW8260	12/6/2008 2:25:00AM	5	5	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	12/6/2008 2:25:00AM	5	5	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	12/6/2008 2:25:00AM	5	5	ug/L	U
081552	Acetone	N	E83079	SW8260	12/6/2008 2:25:00AM	5	5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	12/6/2008 2:25:00AM	5	5	ug/L	U
034030	Benzene	N	E83079	SW8260	12/6/2008 2:25:00AM	0.5	0.5	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	12/6/2008 2:25:00AM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	12/6/2008 2:25:00AM	0.3	0.3	ug/L	U
032104	Bromoform	N	E83079	SW8260	12/6/2008 2:25:00AM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E83079	SW8260	12/6/2008 2:25:00AM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	12/6/2008 2:25:00AM	0.5	0.5	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	12/6/2008 2:25:00AM	0.5	0.5	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	12/6/2008 2:25:00AM	0.5	0.5	ug/L	U
034311	Chloroethane	N	E83079	SW8260	12/6/2008 2:25:00AM	0.61	0.61	ug/L	U
032106	Chloroform	N	E83079	SW8260	12/6/2008 2:25:00AM	0.5	0.5	ug/L	U
034418	Chloromethane	N	E83079	SW8260	12/6/2008 2:25:00AM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	12/6/2008 2:25:00AM	0.5	0.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	12/6/2008 2:25:00AM	0.25	0.25	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	12/6/2008 2:25:00AM	0.25	0.25	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	12/6/2008 2:25:00AM	0.5	0.5	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	12/6/2008 2:25:00AM	0.5	0.5	ug/L	U
077424	Iodomethane	N	E83079	SW8260	12/6/2008 2:25:00AM	0.5	0.5	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	12/6/2008 2:25:00AM	2.5	2.5	ug/L	U
077128	Styrene	N	E83079	SW8260	12/6/2008 2:25:00AM	0.5	0.5	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	12/6/2008 2:25:00AM	0.5	0.5	ug/L	U
034010	Toluene	N	E83079	SW8260	12/6/2008 2:25:00AM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	12/6/2008 2:25:00AM	0.52	0.52	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	12/6/2008 2:25:00AM	0.25	0.25	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	12/6/2008 2:25:00AM	5	5	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	12/6/2008 2:25:00AM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	12/6/2008 2:25:00AM	0.66	0.66	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	12/6/2008 2:25:00AM	1	1	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	12/6/2008 2:25:00AM	0.53	0.53	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 2/17/2009

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: Trip Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 12/1/2008 12:00:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	12/6/2008 2:25:00AM	1	1	ug/L	U

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.