



FDEP Automated Data Evaluation

Southeast Landfill

Human Review Statement:

This is an automated data review produced by the FDEP Validator software. This report does not supercede FDEP rules or standards and may not contain all violations of FDEP rules and standards. This report should be reviewed by a qualified staff member.

Sample ID: **660-25635-1**

Matrix: W

Well Type: OT - Other

Monitoring Site: SELF Tank Influ

Sample Date: October 8, 2008

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
Cyanide, Total	0.006	1	mg/L
Sulfide	1	U	mg/L

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions
Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Thursday, February 19, 2009

Page 1 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-25635-2**

Matrix: W

Well Type: OT - Other

Monitoring Site: SELF Tank Efflu

Sample Date: October 8, 2008

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
Sulfide	1	U	mg/L

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24
rev. (07/01/1999)

Versions

Report:	3.0.0
---------	-------

Database:	3.7.51 6/24/2005 12:00
-----------	------------------------

Thursday, February 19, 2009

Page 2 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-25639-1**

Matrix: W

Well Type: OT - Other

Monitoring Site: Leachate Effluent

Sample Date: October 8, 2008

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
Biochemical Oxygen Demand	3.7		mg/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chemical Oxygen Demand	550		mg/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Field pH	8		SU	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Field Temperature	32.4		Degree s C	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nitrate as N	5.7		mg/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Oxygen, Dissolved	0.75		mg/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Specific Conductance	8411		umhos/ cm	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Dissolved Solids	6100		mg/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Suspended Solids	43		mg/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Thursday, February 19, 2009

Page 3 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-25639-2**

Matrix: W

Well Type:

Monitoring Site: Equipment Blank

Sample Date: October 8, 2008

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
Biochemical Oxygen Demand	2	U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chemical Oxygen Demand	10	U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nitrate as N	0.1	U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Dissolved Solids	5	U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Suspended Solids	1	U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Thursday, February 19, 2009

Page 4 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-26151-1**

Matrix: W

Well Type: OT - Other

Monitoring Site: S.E. Landfill T

Sample Date: November 3, 2008

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
----------------	------	------	-------

Cyanide, Total	0.011		mg/L
----------------	-------	--	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24
rev. (07/01/1999)

Sulfide	3		mg/L
---------	---	--	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24
rev. (07/01/1999)

Versions

Report:	3.0.0
---------	-------

Database:	3.7.51 6/24/2005 12:00
-----------	------------------------

Thursday, February 19, 2009

Page 5 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-26151-2**

Matrix: W

Well Type: OT - Other

Monitoring Site: S.E. Landfill T

Sample Date: November 4, 2008

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
----------------	------	------	-------

Cyanide, Total	0.016		mg/L
----------------	-------	--	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24
rev. (07/01/1999)

Sulfide	2.4		mg/L
---------	-----	--	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24
rev. (07/01/1999)

Versions

Report:	3.0.0
---------	-------

Database:	3.7.51 6/24/2005 12:00
-----------	------------------------

Thursday, February 19, 2009

Page 6 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-26151-3**

Matrix: W

Well Type: OT - Other

Monitoring Site: S.E. Landfill T

Sample Date: November 5, 2008

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
----------------	------	------	-------

Cyanide, Total	0.006	I	mg/L
----------------	-------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24
rev. (07/01/1999)

Sulfide	1.8		mg/L
---------	-----	--	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24
rev. (07/01/1999)

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Thursday, February 19, 2009

Page 7 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-26164-1**

Matrix: W

Well Type: OT - Other

Monitoring Site: Not Blank-DUP

Sample Date: November 5, 2008

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,4-Dichlorobenzene	2.3	I	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999) Criterion: 7500 ug/L Detection Limit: 0.74 ug/L
Comment:				
Arsenic	8.6	I	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999) Criterion: 5000 ug/L Detection Limit: 4 ug/L
Comment:				
Benzene	0.77	I	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999) Criterion: 500 ug/L Detection Limit: 0.5 ug/L
Comment:				
Chromium	10		ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999) Criterion: 5000 ug/L Detection Limit: 2 ug/L
Comment:				
Lead	2.1	I	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999) Criterion: 5000 ug/L Detection Limit: 2 ug/L
Comment:				

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,1,1-Trichloroethane	0.46	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,2,2-Tetrachloroethane	0.15	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,2-Trichloroethane	0.47	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1-Dichloroethane	0.52	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2,4-Trichlorobenzene	0.58	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Dichlorobenzene	0.79	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Dichloropropane	0.52	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Diphenylhydrazine	3.8	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,3-Dichlorobenzene	0.63	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,3,7,8-TCDD	0.00001	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,4-Dichlorophenol	0.94	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,4-Dimethylphenol	4.9	I	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Thursday, February 19, 2009

Page 8 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

2,4-Dinitrophenol	1.6 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,6-Dinitrotoluene	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chloroethyl vinyl ether	0.95 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chloronaphthalene	0.86 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chlorophenol	1.1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Nitrophenol	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
3,3'-Dichlorobenzidine	1.7 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,4'-DDD	0.017 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,4'-DDE	0.022 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,4'-DDT	0.013 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,6-Dinitro-o-cresol	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Bromophenyl phenyl ether	1.1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Chloro-3-methylphenol	1.6 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Chlorophenyl phenyl ether	0.81 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Nitrophenol	1.6 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acenaphthene	1.1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acenaphthylene	0.61 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acrolein	3.8 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acrylonitrile	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Aldrin	0.0074 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
alpha-BHC	0.011 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Anthracene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzidine	17 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo(b)fluoranthene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[a]anthracene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[a]pyrene	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[g,h,i]perylene	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[k]fluoranthene	1.8 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
beta-BHC	0.011 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-chloroethoxy)methane	0.96 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Thursday, February 19, 2009

Page 9 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Bis(2-chloroethyl)ether	0.9 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-chloroisopropyl) ether	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-ethylhexyl) phthalate	3.8 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bromoform	2.1	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Butyl benzyl phthalate	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chlorodibromomethane	0.34 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chloroethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chrysene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
cis-1,3-Dichloropropene	0.14 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Copper	37	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Cyanide, Total	0.014	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
delta-BHC	0.011 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dibenz(a,h)anthracene	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dichlorobromomethane	0.49 I	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dichlorodifluoromethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dieldrin	0.0056 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Diethyl phthalate	1.1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dimethyl phthalate	1 JU	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Comment: Accuracy limits exceeded or Precision limits exceeded			
Di-n-butyl phthalate	1.6 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Di-n-octyl phthalate	1.8 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endosulfan sulfate	0.012 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endosulfan, alpha	0.014 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endosulfan, beta	0.013 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endrin aldehyde	0.013 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Ethylbenzene	0.44 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Fluoranthene	8.5 I	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Fluorene	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
HEM (Oil and Grease)	6.4 I	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Hexachlorocyclopentadiene	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Thursday, February 19, 2009

Page 10 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Indeno[1,2,3-cd]pyrene	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Isophorone	0.84 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methyl bromide	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methyl chloride	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methylene Chloride	4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Molybdenum	7 l	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Naphthalene	5.1 l	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Naphthalene	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nickel	56	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nitrogen, Kjeldahl	340	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
N-Nitrosodimethylamine	1.6 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
N-Nitrosodi-n-propylamine	0.96 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
N-Nitrosodiphenylamine	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1016	1.1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1221	0.61 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1232	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1242	0.31 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1248	0.28 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1254	0.48 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1260	0.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phenanthrene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phenol	0.89 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phenols, Total	0.05 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phosphorus, Total	4.6	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Pyrene	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Sulfate	12	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Sulfide	5.6	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Toluene	0.96 l	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Suspended Solids	69	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,2-Dichloroethene	0.44 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Thursday, February 19, 2009

Page 11 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

trans-1,3-Dichloropropene	0.14 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Trichlorofluoromethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Xylenes, Total	0.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Zinc	18 l	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions
Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Thursday, February 19, 2009
Page 12 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-26164-2**

Matrix: W

Well Type:

Monitoring Site: Equipment Blank

Sample Date: November 5, 2008

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,1,1-Trichloroethane	0.46	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,2,2-Tetrachloroethane	0.15	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,2-Trichloroethane	0.47	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1-Dichloroethane	0.52	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2,4-Trichlorobenzene	0.58	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Dichlorobenzene	0.75	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Dichloropropane	0.52	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Diphenylhydrazine	3.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,3-Dichlorobenzene	0.59	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,3,7,8-TCDD	0.00001	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,4-Dichlorophenol	0.88	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,4-Dimethylphenol	1.2	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,4-Dinitrophenol	1.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,6-Dinitrotoluene	0.98	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chloroethyl vinyl ether	0.95	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chloronaphthalene	0.81	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chlorophenol	1.1	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Nitrophenol	1.4	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
3,3'-Dichlorobenzidine	1.6	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,4'-DDD	0.0041	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,4'-DDE	0.0055	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,4'-DDT	0.0032	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,6-Dinitro-o-cresol	1.2	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Bromophenyl phenyl ether	1.1	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Chloro-3-methylphenol	1.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
 Database: 3.7.51 6/24/2005 12:00

Thursday, February 19, 2009

Page 13 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

4-Chlorophenyl phenyl ether	0.76 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Nitrophenol	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acenaphthene	1.1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acenaphthylene	0.58 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acrolein	3.8 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acrylonitrile	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Aldrin	0.0018 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
alpha-BHC	0.0028 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Anthracene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzidine	16 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo(b)fluoranthene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[a]anthracene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[a]pyrene	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[g,h,i]perylene	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[k]fluoranthene	1.7 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
beta-BHC	0.0027 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-chloroethoxy)methane	0.9 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-chloroethyl)ether	0.84 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-chloroisopropyl) ether	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-ethylhexyl) phthalate	3.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bromoform	0.58 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Butyl benzyl phthalate	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chlorodibromomethane	0.34 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chloroethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chrysene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
cis-1,3-Dichloropropene	0.14 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Copper	2.9 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Cyanide, Total	0.005 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
delta-BHC	0.0028 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dibenz(a,h)anthracene	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Thursday, February 19, 2009

Page 14 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Dichlorobromomethane	0.35 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dichlorodifluoromethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dieldrin	0.0014 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Diethyl phthalate	1.1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dimethyl phthalate	0.98 JU	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Comment: Accuracy limits exceeded or Precision limits exceeded			
Di-n-butyl phthalate	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Di-n-octyl phthalate	1.7 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endosulfan sulfate	0.003 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endosulfan, alpha	0.0034 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endosulfan, beta	0.0033 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endrin aldehyde	0.0032 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Ethylbenzene	0.44 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Fluoranthene	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Fluorene	0.97 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
HEM (Oil and Grease)	6.4 I	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Hexachlorocyclopentadiene	0.98 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Indeno[1,2,3-cd]pyrene	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Isophorone	0.79 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methyl bromide	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methyl chloride	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methylene Chloride	4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Molybdenum	4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Naphthalene	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Naphthalene	0.71 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nickel	2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nitrogen, Kjeldahl	1.1	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
N-Nitrosodimethylamine	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
N-Nitrosodi-n-propylamine	0.9 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
N-Nitrosodiphenylamine	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Thursday, February 19, 2009

Page 15 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

PCB-1016	0.26 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1221	0.15 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1232	0.38 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1242	0.077 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1248	0.07 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1254	0.12 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1260	0.1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phenanthrene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phenol	0.83 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phenols, Total	0.05 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phosphorus, Total	0.075 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Pyrene	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Sulfate	0.2 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Sulfide	1 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Toluene	0.51 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Suspended Solids	1 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,2-Dichloroethene	0.44 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,3-Dichloropropene	0.14 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Trichlorofluoromethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Xylenes, Total	0.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Zinc	5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Thursday, February 19, 2009

Page 16 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-26164-3**

Matrix: W

Well Type:

Monitoring Site: Trip Blank

Sample Date: November 5, 2008

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,1,1-Trichloroethane	0.46	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,1,2,2-Tetrachloroethane	0.15	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,2-Trichloroethane	0.47	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1-Dichloroethane	0.52	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2,4-Trichlorobenzene	0.58	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Dichloropropane	0.52	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chloroethyl vinyl ether	0.95	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acrolein	3.8	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acrylonitrile	1.2	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bromoform	0.58	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chlorodibromomethane	0.34	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chloroethane	2.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
cis-1,3-Dichloropropene	0.14	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dichlorobromomethane	0.35	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dichlorodifluoromethane	2.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Ethylbenzene	0.44	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methyl bromide	2.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methyl chloride	1	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methylene Chloride	4	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Naphthalene	2.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Toluene	0.51	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,2-Dichloroethene	0.44	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,3-Dichloropropene	0.14	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Trichlorofluoromethane	2.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Xylenes, Total	0.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
 Database: 3.7.51 6/24/2005 12:00

Thursday, February 19, 2009

Page 17 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-26167-1**

Matrix: W

Well Type: OT - Other

Monitoring Site: SELF Tank Truck

Sample Date: November 5, 2008

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,1,1-Trichloroethane	0.46	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,2,2-Tetrachloroethane	0.15	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,2-Trichloroethane	0.47	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1-Dichloroethane	0.52	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2,4-Trichlorobenzene	0.58	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Dichlorobenzene	0.75	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Dichloropropane	0.52	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Diphenylhydrazine	3.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,3-Dichlorobenzene	0.59	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,3,7,8-TCDD	0.00001	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,4-Dichlorophenol	0.88	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,4-Dimethylphenol	4.3	I	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,4-Dinitrophenol	1.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,6-Dinitrotoluene	0.98	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chloroethyl vinyl ether	0.95	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chloronaphthalene	0.81	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chlorophenol	1.1	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Nitrophenol	1.4	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
3,3'-Dichlorobenzidine	1.6	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,4'-DDD	0.017	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,4'-DDE	0.023	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,4'-DDT	0.013	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,6-Dinitro-o-cresol	1.2	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Bromophenyl phenyl ether	1.1	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Chloro-3-methylphenol	1.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
 Database: 3.7.51 6/24/2005 12:00

Thursday, February 19, 2009

Page 18 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

4-Chlorophenyl phenyl ether	0.76 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Nitrophenol	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acenaphthene	1.1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acenaphthylene	0.58 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acrolein	3.8 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acrylonitrile	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Aldrin	0.0077 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
alpha-BHC	0.012 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Anthracene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzidine	16 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo(b)fluoranthene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[a]anthracene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[a]pyrene	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[g,h,i]perylene	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[k]fluoranthene	1.7 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
beta-BHC	0.011 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-chloroethoxy)methane	0.9 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-chloroethyl)ether	0.84 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-chloroisopropyl) ether	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-ethylhexyl) phthalate	3.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bromoform	1.7	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Butyl benzyl phthalate	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chlorodibromomethane	0.34 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chloroethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chrysene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
cis-1,3-Dichloropropene	0.14 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Copper	16	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Cyanide, Total	0.0084 I	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
delta-BHC	0.012 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dibenz(a,h)anthracene	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Thursday, February 19, 2009

Page 19 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Dichlorobromomethane	0.35 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dichlorodifluoromethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dieldrin	0.0059 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Diethyl phthalate	1.1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dimethyl phthalate	0.98 JU	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Comment: Accuracy limits exceeded or Precision limits exceeded			
Di-n-butyl phthalate	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Di-n-octyl phthalate	1.7 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endosulfan sulfate	0.012 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endosulfan, alpha	0.014 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endosulfan, beta	0.014 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endrin aldehyde	0.013 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Ethylbenzene	0.44 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Field pH	7.47	SU	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Field Temperature	24.59	Degree s C	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Fluoranthene	7.9 l	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Fluorene	0.97 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
HEM (Oil and Grease)	4.8 l	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Hexachlorocyclopentadiene	0.98 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Indeno[1,2,3-cd]pyrene	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Isophorone	0.79 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methyl bromide	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methyl chloride	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methylene Chloride	4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Molybdenum	4.8 l	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Naphthalene	3.1 l	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nickel	54	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nitrogen, Kjeldahl	320	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
N-Nitrosodimethylamine	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
N-Nitrosodi-n-propylamine	0.9 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Thursday, February 19, 2009

Page 20 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

N-Nitrosodiphenylamine	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Oxygen, Dissolved	4.23	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1016	1.1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1221	0.63 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1232	1.6 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1242	0.32 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1248	0.29 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1254	0.51 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1260	0.42 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phenanthrene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phenol	0.83 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phenols, Total	0.05 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phosphorus, Total	4	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Pyrene	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Specific Conductance	14293	umhos/cm	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Sulfate	11	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Sulfide	7.4	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Toluene	0.98 I	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Suspended Solids	70	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,2-Dichloroethene	0.44 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,3-Dichloropropene	0.14 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Trichlorofluoromethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Xylenes, Total	0.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Zinc	22	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Thursday, February 19, 2009

Page 21 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-26167-2**

Matrix: W

Well Type: OT - Other

Monitoring Site: SLTRF Pond

Sample Date: November 5, 2008

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,1,1-Trichloroethane	0.46	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,2,2-Tetrachloroethane	0.15	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,2-Trichloroethane	0.47	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1-Dichloroethane	0.52	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2,4-Trichlorobenzene	0.58	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Dichlorobenzene	0.78	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Dichloropropane	0.52	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Diphenylhydrazine	3.7	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,3-Dichlorobenzene	0.61	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,3,7,8-TCDD	0.00001	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,4-Dichlorophenol	0.92	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,4-Dimethylphenol	1.2	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,4-Dinitrophenol	1.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,6-Dinitrotoluene	1	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chloroethyl vinyl ether	0.95	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chloronaphthalene	0.85	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chlorophenol	1.1	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Nitrophenol	1.4	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
3,3'-Dichlorobenzidine	1.6	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,4'-DDD	0.041	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,4'-DDE	0.055	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,4'-DDT	0.032	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,6-Dinitro-o-cresol	1.2	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Bromophenyl phenyl ether	1.1	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Chloro-3-methylphenol	1.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
 Database: 3.7.51 6/24/2005 12:00

Thursday, February 19, 2009

Page 22 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

4-Chlorophenyl phenyl ether	0.8 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Nitrophenol	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acenaphthene	1.1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acenaphthylene	0.6 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acrolein	3.8 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acrylonitrile	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Aldrin	0.019 JU	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Comment: Accuracy limits exceeded or Precision limits exceeded			
alpha-BHC	0.028 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Anthracene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzidine	16 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo(b)fluoranthene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[a]anthracene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[a]pyrene	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[g,h,i]perylene	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[k]fluoranthene	1.7 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
beta-BHC	0.027 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-chloroethoxy)methane	0.94 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-chloroethyl)ether	0.88 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-chloroisopropyl) ether	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-ethylhexyl) phthalate	3.7 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bromoform	31	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Butyl benzyl phthalate	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chlorodibromomethane	14	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chloroethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chrysene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
cis-1,3-Dichloropropene	0.14 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Copper	22	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Cyanide, Total	0.014 J	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Comment: Accuracy limits exceeded or Precision limits exceeded			

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Thursday, February 19, 2009

Page 23 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

delta-BHC	0.028 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dibenz(a,h)anthracene	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dichlorobromomethane	5.2	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dichlorodifluoromethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dieldrin	0.014 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Diethyl phthalate	1.1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dimethyl phthalate	1 JU	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Comment: Accuracy limits exceeded or Precision limits exceeded			
Di-n-butyl phthalate	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Di-n-octyl phthalate	1.7 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endosulfan sulfate	0.03 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endosulfan, alpha	0.035 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endosulfan, beta	0.033 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endrin aldehyde	0.032 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Ethylbenzene	0.44 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Field pH	7.9	SU	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Field Temperature	20.03	Degree s C	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Fluoranthene	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Fluorene	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
HEM (Oil and Grease)	16 l	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Hexachlorocyclopentadiene	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Indeno[1,2,3-cd]pyrene	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Isophorone	0.83 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methyl bromide	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methyl chloride	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methylene Chloride	4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Molybdenum	4.4 l	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Naphthalene	0.73 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nickel	53	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nitrogen, Kjeldahl	12	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Thursday, February 19, 2009

Page 24 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

N-Nitrosodimethylamine	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
N-Nitrosodi-n-propylamine	0.94 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
N-Nitrosodiphenylamine	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Oxygen, Dissolved	5.6	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1016	2.6 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1221	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1232	3.8 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1242	0.78 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1248	0.71 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1254	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1260	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phenanthrene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phenol	0.87 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phenols, Total	0.05 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phosphorus, Total	18	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Pyrene	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Specific Conductance	12277	umhos/cm	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Sulfate	32	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Sulfide	5.1	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Toluene	0.51 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Suspended Solids	24	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,2-Dichloroethene	0.44 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,3-Dichloropropene	0.14 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Trichlorofluoromethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Xylenes, Total	0.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Zinc	42	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Thursday, February 19, 2009

Page 25 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-26208-1**

Matrix: W

Well Type: OT - Other

Monitoring Site: Leachate Effluent

Sample Date: November 7, 2008

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
Biochemical Oxygen Demand	7.2		mg/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chemical Oxygen Demand	570 J		mg/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Comment: Accuracy limits exceeded or Precision limits exceeded				
Field pH	7.86		SU	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Field Temperature	25.78		Degree s C	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nitrate as N	0.1 U		mg/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Oxygen, Dissolved	5.94		mg/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Specific Conductance	11328		umhos/cm	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Dissolved Solids	6500		mg/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Suspended Solids	40		mg/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
 Database: 3.7.51 6/24/2005 12:00

Thursday, February 19, 2009

Page 26 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-26208-2**

Matrix: W

Well Type:

Monitoring Site: Equipment Blank

Sample Date: November 7, 2008

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
Biochemical Oxygen Demand	2	U	mg/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nitrate as N	0.1	U	mg/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Dissolved Solids	5	U	mg/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Suspended Solids	1	U	mg/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report:	3.0.0
---------	-------

Database:	3.7.51 6/24/2005 12:00
-----------	------------------------

Thursday, February 19, 2009

Page 27 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-26306-1**

Matrix: W

Well Type: OT - Other

Monitoring Site: SE Landfill Tan

Sample Date: November 12, 2008

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
----------------	------	------	-------

Cyanide, Total	0.012		mg/L
----------------	-------	--	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24
rev. (07/01/1999)

Sulfide	2.2		mg/L
---------	-----	--	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24
rev. (07/01/1999)

Versions

Report:	3.0.0
---------	-------

Database:	3.7.51 6/24/2005 12:00
-----------	------------------------

Thursday, February 19, 2009

Page 28 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-26306-2**

Matrix: W

Well Type: OT - Other

Monitoring Site: SE Landfill Tan

Sample Date: November 14, 2008

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
Cyanide, Total	0.0098	1	mg/L
Sulfide	1.4		mg/L

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report:	3.0.0
---------	-------

Database:	3.7.51 6/24/2005 12:00
-----------	------------------------

Thursday, February 19, 2009

Page 29 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-26352-1**

Matrix: W

Well Type: OT - Other

Monitoring Site: Surface Site 3C

Sample Date: November 17, 2008

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
Barium	5.7	I	ug/L

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Comment:

Criterion: 100000 ug/L

Detection Limit: 1.2 ug/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
----------------	------	------	-------

1,1,1,2-Tetrachloroethane	0.63	U	ug/L
---------------------------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

1,1,1-Trichloroethane	0.46	U	ug/L
-----------------------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

1,1,2,2-Tetrachloroethane	0.15	U	ug/L
---------------------------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

1,1,2-Trichloroethane	0.47	U	ug/L
-----------------------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

1,1-Dichloroethane	0.52	U	ug/L
--------------------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

1,2,3-Trichloropropane	0.18	U	ug/L
------------------------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

1,2-Dibromo-3-Chloropropane	0.01	U	ug/L
-----------------------------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

1,2-Dichlorobenzene	0.44	U	ug/L
---------------------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

1,2-Dichloropropane	0.52	U	ug/L
---------------------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

2-Hexanone	4.4	U	ug/L
------------	-----	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

4-Methyl-2-pentanone	3.8	U	ug/L
----------------------	-----	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Acetone	9.9	U	ug/L
---------	-----	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Acrylonitrile	1.2	U	ug/L
---------------	-----	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Antimony	2.9	U	ug/L
----------	-----	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Beryllium	0.74	U	ug/L
-----------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Biochemical Oxygen Demand	2	U	mg/L
---------------------------	---	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Bromochloromethane	0.58	U	ug/L
--------------------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Bromodichloromethane	0.35	U	ug/L
----------------------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Bromoform	0.58	U	ug/L
-----------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Bromomethane	2.5	U	ug/L
--------------	-----	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Thursday, February 19, 2009

Page 30 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Carbon disulfide	0.85 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chemical Oxygen Demand	35	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chloroethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chloromethane	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chlorophyll a	2 U	mg/m3	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
cis-1,2-Dichloroethene	0.65 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
cis-1,3-Dichloropropene	0.14 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Cobalt	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Coliform, Fecal	520	#/100 mL	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Copper	2.9 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dibromochloromethane	0.34 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dibromomethane	0.41 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Ethylbenzene	0.44 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Ethylene Dibromide	0.0088 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Field pH	7.18	SU	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Field Temperature	15.25	Degree s C	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Hardness as calcium carbonate	110	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Iodomethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Iron	270	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methylene Chloride	4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nickel	4.7 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nitrate as N	0.1 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nitrate Nitrite as N	0.1 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nitrite Nitrogen	0.1 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nitrogen, Kjeldahl	1.6	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nitrogen, Total	1.6	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Oxygen, Dissolved	4.88	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phosphorus, Total	2.3	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Specific Conductance	51	umhos/cm	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Styrene	0.98 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Thursday, February 19, 2009

Page 31 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Thallium	0.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Toluene	0.51 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Dissolved Solids	160	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Organic Carbon	12	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Suspended Solids	1 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,2-Dichloroethene	0.44 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,3-Dichloropropene	0.14 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,4-Dichloro-2-butene	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Trichlorofluoromethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Turbidity	2.9	NTU	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Unionized Ammonia	0.00037	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Vanadium	4.7 l	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Vinyl acetate	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Xylenes, Total	0.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Zinc	7.5 l	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Thursday, February 19, 2009

Page 32 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-26352-2**

Matrix: W

Well Type: OT - Other

Monitoring Site: Mine Cut #1

Sample Date: November 17, 2008

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
Barium	51		ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999) Criterion: 100000 ug/L Detection Limit: 1.2 ug/L
Comment:				
Chromium	8.1	I	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999) Criterion: 5000 ug/L Detection Limit: 1.7 ug/L
Comment:				
Lead	3.6	I	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999) Criterion: 5000 ug/L Detection Limit: 1.6 ug/L
Comment:				

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,1,1,2-Tetrachloroethane	0.63	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,1-Trichloroethane	0.46	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,2,2-Tetrachloroethane	0.15	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,2-Trichloroethane	0.47	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1-Dichloroethane	0.52	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2,3-Trichloropropane	0.18	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Dibromo-3-Chloropropane	0.0099	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Dichlorobenzene	0.44	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Dichloropropane	0.52	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Hexanone	4.4	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Methyl-2-pentanone	3.8	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acetone	11	I	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acrylonitrile	1.2	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Antimony	2.9	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Beryllium	0.74	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Biochemical Oxygen Demand	30		mg/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Thursday, February 19, 2009

Page 33 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Bromochloromethane	0.58 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bromodichloromethane	0.35 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bromoform	0.58 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bromomethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Carbon disulfide	0.85 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chemical Oxygen Demand	290 J	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Comment: Accuracy limits exceeded or Precision limits exceeded			
Chloroethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chloromethane	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chlorophyll a	39	mg/m3	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
cis-1,2-Dichloroethene	0.65 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
cis-1,3-Dichloropropene	0.14 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Cobalt	1.5 l	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Coliform, Fecal	6000 Z	#/100 mL	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Copper	2.9 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dibromochloromethane	0.34 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dibromomethane	0.41 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Ethylbenzene	0.44 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Ethylene Dibromide	0.0086 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Field pH	6.3	SU	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Field Temperature	15.04	Degree s C	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Hardness as calcium carbonate	230	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Iodomethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Iron	970	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methylene Chloride	4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nickel	4.7 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nitrate as N	0.1 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nitrate Nitrite as N	0.1 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nitrite Nitrogen	0.1 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nitrogen, Kjeldahl	6	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Thursday, February 19, 2009

Page 34 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Nitrogen, Total	6	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Oxygen, Dissolved	1.78	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phosphorus, Total	7.9	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Specific Conductance	51	umhos/cm	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Styrene	0.98 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Thallium	0.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Toluene	2.8	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Dissolved Solids	510	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Organic Carbon	17	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Suspended Solids	130	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,2-Dichloroethene	0.44 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,3-Dichloropropene	0.14 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,4-Dichloro-2-butene	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Trichlorofluoromethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Turbidity	33.8	NTU	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Unionized Ammonia	0.00014 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Vanadium	13	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Vinyl acetate	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Xylenes, Total	0.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Zinc	20	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Thursday, February 19, 2009

Page 35 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-26352-3**

Matrix: W

Well Type: OT - Other

Monitoring Site: Surface Site 3B

Sample Date: November 17, 2008

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
Barium	8.1	U	ug/L

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Comment:

Criterion: 100000 ug/L

Detection Limit: 1.2 ug/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
----------------	------	------	-------

1,1,1,2-Tetrachloroethane	0.63	U	ug/L
---------------------------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

1,1,1-Trichloroethane	0.46	U	ug/L
-----------------------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

1,1,2,2-Tetrachloroethane	0.15	U	ug/L
---------------------------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

1,1,2-Trichloroethane	0.47	U	ug/L
-----------------------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

1,1-Dichloroethane	0.52	U	ug/L
--------------------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

1,2,3-Trichloropropane	0.18	U	ug/L
------------------------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

1,2-Dibromo-3-Chloropropane	0.0099	U	ug/L
-----------------------------	--------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

1,2-Dichlorobenzene	0.44	U	ug/L
---------------------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

1,2-Dichloropropane	0.52	U	ug/L
---------------------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

2-Hexanone	4.4	U	ug/L
------------	-----	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

4-Methyl-2-pentanone	3.8	U	ug/L
----------------------	-----	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Acetone	9.9	U	ug/L
---------	-----	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Acrylonitrile	1.2	U	ug/L
---------------	-----	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Antimony	2.9	U	ug/L
----------	-----	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Beryllium	0.74	U	ug/L
-----------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Biochemical Oxygen Demand	2	U	mg/L
---------------------------	---	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Bromochloromethane	0.58	U	ug/L
--------------------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Bromodichloromethane	0.35	U	ug/L
----------------------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Bromoform	0.58	U	ug/L
-----------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Bromomethane	2.5	U	ug/L
--------------	-----	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Thursday, February 19, 2009

Page 36 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Carbon disulfide	0.85 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chemical Oxygen Demand	28	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chloroethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chloromethane	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chlorophyll a	3.5	mg/m3	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
cis-1,2-Dichloroethene	0.65 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
cis-1,3-Dichloropropene	0.14 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Cobalt	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Coliform, Fecal	3600	#/100 mL	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Copper	2.9 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dibromochloromethane	0.34 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dibromomethane	0.41 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Ethylbenzene	0.44 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Ethylene Dibromide	0.0086 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Field pH	7.28	SU	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Field Temperature	14.29	Degree s C	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Hardness as calcium carbonate	69	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Iodomethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Iron	270	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methylene Chloride	4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nickel	4.7 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nitrate as N	0.14 l	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nitrate Nitrite as N	0.14 l	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nitrite Nitrogen	0.1 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nitrogen, Kjeldahl	0.81	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nitrogen, Total	0.95	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Oxygen, Dissolved	4.2	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phosphorus, Total	1.4	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Specific Conductance	40	umhos/cm	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Styrene	0.98 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Thursday, February 19, 2009

Page 37 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Thallium	0.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Toluene	0.51 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Dissolved Solids	120	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Organic Carbon	10	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Suspended Solids	3.6	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,2-Dichloroethene	0.44 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,3-Dichloropropene	0.14 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,4-Dichloro-2-butene	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Trichlorofluoromethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Turbidity	9.9	NTU	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Unionized Ammonia	0.00072	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Vanadium	3.1 l	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Vinyl acetate	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Xylenes, Total	0.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Zinc	6.6 l	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Thursday, February 19, 2009

Page 38 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-26352-4**

Matrix: W

Well Type:

Monitoring Site: Equipment Blank

Sample Date: November 17, 2008

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,1,1,2-Tetrachloroethane	0.63	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,1-Trichloroethane	0.46	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,2,2-Tetrachloroethane	0.15	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,2-Trichloroethane	0.47	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1-Dichloroethane	0.52	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2,3-Trichloropropane	0.18	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Dibromo-3-Chloropropane	0.0099	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Dichlorobenzene	0.44	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Dichloropropane	0.52	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Hexanone	4.4	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Methyl-2-pentanone	3.8	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acetone	9.9	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acrylonitrile	1.2	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Antimony	2.9	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Beryllium	0.74	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Biochemical Oxygen Demand	2	U	mg/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bromochloromethane	0.58	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bromodichloromethane	0.35	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bromoform	0.58	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bromomethane	2.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Carbon disulfide	0.85	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chemical Oxygen Demand	10	U	mg/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chloroethane	2.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chloromethane	1	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chlorophyll a	2	U	mg/m3	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
 Database: 3.7.51 6/24/2005 12:00

Thursday, February 19, 2009

Page 39 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

cis-1,2-Dichloroethene	0.65 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
cis-1,3-Dichloropropene	0.14 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Cobalt	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Copper	2.9 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dibromochloromethane	0.34 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dibromomethane	0.41 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Ethylbenzene	0.44 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Ethylene Dibromide	0.0086 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Hardness as calcium carbonate	10 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Iodomethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Iron	39 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methylene Chloride	4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nickel	4.7 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nitrate as N	0.1 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nitrate Nitrite as N	0.1 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nitrite Nitrogen	0.1 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nitrogen, Kjeldahl	0.05 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nitrogen, Total	0.01 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phosphorus, Total	0.17 I	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Styrene	0.98 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Thallium	0.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Toluene	0.51 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Dissolved Solids	5 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Organic Carbon	0.53 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Suspended Solids	1 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,2-Dichloroethene	0.44 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,3-Dichloropropene	0.14 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,4-Dichloro-2-butene	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Trichlorofluoromethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Vanadium	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Thursday, February 19, 2009

Page 40 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Vinyl acetate	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Xylenes, Total	0.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Zinc	5.9 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions
Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Thursday, February 19, 2009
Page 41 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-26353-1**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: Holland

Sample Date: November 17, 2008

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
Barium	4.5	I	ug/L

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Comment:

Criterion: 100000 ug/L

Detection Limit: 1.2 ug/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
----------------	------	------	-------

1,1,1,2-Tetrachloroethane	0.63	U	ug/L
---------------------------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

1,1,1-Trichloroethane	0.46	U	ug/L
-----------------------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

1,1,2,2-Tetrachloroethane	0.15	U	ug/L
---------------------------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

1,1,2-Trichloroethane	0.47	U	ug/L
-----------------------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

1,1-Dichloroethane	0.52	U	ug/L
--------------------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

1,2,3-Trichloropropane	0.18	U	ug/L
------------------------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

1,2-Dibromo-3-Chloropropane	0.0098	U	ug/L
-----------------------------	--------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

1,2-Dichlorobenzene	0.44	U	ug/L
---------------------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

1,2-Dichloropropane	0.52	U	ug/L
---------------------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

2-Hexanone	4.4	U	ug/L
------------	-----	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

4-Methyl-2-pentanone	3.8	U	ug/L
----------------------	-----	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Acetone	9.9	U	ug/L
---------	-----	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Acrylonitrile	1.2	U	ug/L
---------------	-----	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Ammonia (as N)	0.25	J	mg/L
----------------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Comment: Accuracy limits exceeded or Precision limits exceeded

Antimony	2.9	U	ug/L
----------	-----	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Beryllium	0.74	U	ug/L
-----------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Bromochloromethane	0.58	U	ug/L
--------------------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Bromodichloromethane	0.35	U	ug/L
----------------------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Bromoform	0.58	U	ug/L
-----------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Thursday, February 19, 2009

Page 42 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Bromomethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Carbon disulfide	0.85 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chloride	20	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chloroethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chloromethane	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
cis-1,2-Dichloroethene	0.65 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
cis-1,3-Dichloropropene	0.14 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Cobalt	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Copper	2.9 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dibromochloromethane	0.34 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dibromomethane	0.41 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Ethylbenzene	0.44 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Ethylene Dibromide	0.0085 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Field pH	7.15	SU	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Field Temperature	23.89	Degree s C	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Gross Alpha	9.7	pci/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Gross Alpha Counting Error	1.9	pci/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Iodomethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Iron	1700	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methylene Chloride	4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nickel	5.7 l	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nitrate as N	0.1 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Oxygen, Dissolved	0.42	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Radium-226	2.1	pci/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Radium-226 Counting Error	0.7	pci/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Radium-228	0.5	pci/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Radium-228 Counting Error	1	pci/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Sodium	5	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Specific Conductance	63	umhos/ cm	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Styrene	0.98 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Thursday, February 19, 2009

Page 43 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Thallium	0.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Toluene	0.51 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Dissolved Solids	200	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Organic Carbon	1.6	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Suspended Solids	2	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,2-Dichloroethene	0.44 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,3-Dichloropropene	0.14 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,4-Dichloro-2-butene	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Trichlorofluoromethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Turbidity	1.3	NTU	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Vanadium	2.6 l	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Vinyl acetate	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Xylenes, Total	0.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Zinc	55	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions
Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Thursday, February 19, 2009

Page 44 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-26353-2**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: Barnes

Sample Date: November 17, 2008

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
Barium	14		ug/L

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Comment:

Criterion: 100000 ug/L

Detection Limit: 1.2 ug/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
----------------	------	------	-------

1,1,1,2-Tetrachloroethane	0.63	U	ug/L
---------------------------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

1,1,1-Trichloroethane	0.46	U	ug/L
-----------------------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

1,1,2,2-Tetrachloroethane	0.15	U	ug/L
---------------------------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

1,1,2-Trichloroethane	0.47	U	ug/L
-----------------------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

1,1-Dichloroethane	0.52	U	ug/L
--------------------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

1,2,3-Trichloropropane	0.18	U	ug/L
------------------------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

1,2-Dibromo-3-Chloropropane	0.0097	U	ug/L
-----------------------------	--------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

1,2-Dichlorobenzene	0.44	U	ug/L
---------------------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

1,2-Dichloropropane	0.52	U	ug/L
---------------------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

2-Hexanone	4.4	U	ug/L
------------	-----	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

4-Methyl-2-pentanone	3.8	U	ug/L
----------------------	-----	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Acetone	9.9	U	ug/L
---------	-----	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Acrylonitrile	1.2	U	ug/L
---------------	-----	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Ammonia (as N)	0.25		mg/L
----------------	------	--	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Antimony	2.9	U	ug/L
----------	-----	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Beryllium	0.74	U	ug/L
-----------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Bromochloromethane	0.58	U	ug/L
--------------------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Bromodichloromethane	0.35	U	ug/L
----------------------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Bromoform	0.58	U	ug/L
-----------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Bromomethane	2.5	U	ug/L
--------------	-----	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Thursday, February 19, 2009

Page 45 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Carbon disulfide	0.85 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chloride	10	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chloroethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chloromethane	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
cis-1,2-Dichloroethene	0.65 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
cis-1,3-Dichloropropene	0.14 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Cobalt	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Copper	14 I	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dibromochloromethane	0.34 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dibromomethane	0.41 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Ethylbenzene	0.44 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Ethylene Dibromide	0.0085 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Field pH	7.41	SU	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Field Temperature	23.31	Degree s C	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Gross Alpha	3.6	pci/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Gross Alpha Counting Error	0.7	pci/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Iodomethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Iron	39 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methylene Chloride	4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nickel	4.7 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nitrate as N	0.1 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Oxygen, Dissolved	0.96	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Radium-226	2.3	pci/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Radium-226 Counting Error	0.7	pci/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Radium-228	1.3	pci/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Radium-228 Counting Error	1	pci/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Sodium	7.8	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Specific Conductance	56	umhos/ cm	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Styrene	0.98 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Thallium	0.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Thursday, February 19, 2009

Page 46 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Toluene	0.51 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Dissolved Solids	170	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Organic Carbon	1.1	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Suspended Solids	1 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,2-Dichloroethene	0.44 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,3-Dichloropropene	0.14 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,4-Dichloro-2-butene	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Trichlorofluoromethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Turbidity	2	NTU	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Vanadium	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Vinyl acetate	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Xylenes, Total	0.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Zinc	45	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Thursday, February 19, 2009

Page 47 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-26353-3**

Matrix: W

Well Type:

Monitoring Site: Equipment Blank

Sample Date: November 17, 2008

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,1,1,2-Tetrachloroethane	0.63	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,1-Trichloroethane	0.46	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,2,2-Tetrachloroethane	0.15	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,2-Trichloroethane	0.47	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1-Dichloroethane	0.52	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2,3-Trichloropropane	0.18	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Dibromo-3-Chloropropane	0.0097	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Dichlorobenzene	0.44	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Dichloropropane	0.52	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Hexanone	4.4	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Methyl-2-pentanone	3.8	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acetone	9.9	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acrylonitrile	1.2	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Ammonia (as N)	0.23		mg/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Antimony	2.9	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Beryllium	0.74	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bromochloromethane	0.58	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bromodichloromethane	0.35	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bromoform	0.58	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bromomethane	2.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Carbon disulfide	0.85	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chloride	0.2	U	mg/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chloroethane	2.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chloromethane	1	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
cis-1,2-Dichloroethene	0.65	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
 Database: 3.7.51 6/24/2005 12:00

Thursday, February 19, 2009

Page 48 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

cis-1,3-Dichloropropene	0.14 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Cobalt	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Copper	2.9 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dibromochloromethane	0.34 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dibromomethane	0.41 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Ethylbenzene	0.44 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Ethylene Dibromide	0.0084 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Gross Alpha	0.5	pci/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Gross Alpha Counting Error	0.3	pci/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Iodomethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Iron	39 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methylene Chloride	4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nickel	4.7 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nitrate as N	0.1 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Radium-226	0.2	pci/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Radium-226 Counting Error	0.7	pci/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Radium-228	0.9	pci/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Radium-228 Counting Error	1	pci/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Sodium	0.59	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Styrene	0.98 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Thallium	0.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Toluene	0.51 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Dissolved Solids	5 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Organic Carbon	0.53 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Suspended Solids	1 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,2-Dichloroethene	0.44 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,3-Dichloropropene	0.14 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,4-Dichloro-2-butene	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Trichlorofluoromethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Vanadium	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Thursday, February 19, 2009

Page 49 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Vinyl acetate	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Xylenes, Total	0.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Zinc	9.3 I	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Thursday, February 19, 2009

Page 50 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-26353-4**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: Weeks

Sample Date: November 17, 2008

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
Barium	4.8	I	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Comment:				Criterion: 100000 ug/L
Lead	2.4	I	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Comment:				Criterion: 5000 ug/L
				Detection Limit: 1.6 ug/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,1,1,2-Tetrachloroethane	0.63	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,1-Trichloroethane	0.46	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,2,2-Tetrachloroethane	0.15	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,2-Trichloroethane	0.47	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1-Dichloroethane	0.52	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2,3-Trichloropropane	0.18	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Dibromo-3-Chloropropane	0.01	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Dichlorobenzene	0.44	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Dichloropropane	0.52	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Hexanone	4.4	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Methyl-2-pentanone	3.8	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acetone	9.9	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acrylonitrile	1.2	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Ammonia (as N)	0.24		mg/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Antimony	2.9	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Beryllium	0.74	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bromochloromethane	0.58	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bromodichloromethane	0.35	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
 Database: 3.7.51 6/24/2005 12:00

Thursday, February 19, 2009

Page 51 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Bromoform	0.58 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bromomethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Carbon disulfide	0.85 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chloride	36	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chloroethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chloromethane	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
cis-1,2-Dichloroethene	0.65 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
cis-1,3-Dichloropropene	0.14 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Cobalt	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Copper	34	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dibromochloromethane	0.34 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dibromomethane	0.41 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Ethylbenzene	0.44 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Ethylene Dibromide	0.0088 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Field pH	7.08	SU	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Field Temperature	23.74	Degree s C	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Gross Alpha	16.8	pci/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Gross Alpha Counting Error	0.7	pci/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Iodomethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Iron	550	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methylene Chloride	4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nickel	4.7 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nitrate as N	0.1 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Oxygen, Dissolved	1.13	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Radium-226	12	pci/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Radium-226 Counting Error	0.6	pci/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Radium-228	1	pci/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Radium-228 Counting Error	1	pci/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Sodium	7.8	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Specific Conductance	91	umhos/ cm	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Thursday, February 19, 2009

Page 52 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Styrene	0.98 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Thallium	0.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Toluene	0.51 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Dissolved Solids	280	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Organic Carbon	2.8	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Suspended Solids	1 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,2-Dichloroethene	0.44 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,3-Dichloropropene	0.14 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,4-Dichloro-2-butene	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Trichlorofluoromethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Turbidity	1.9	NTU	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Vanadium	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Vinyl acetate	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Xylenes, Total	0.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Zinc	88	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Thursday, February 19, 2009

Page 53 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-26353-5**

Matrix: W

Well Type:

Monitoring Site: Trip Blank

Sample Date: November 17, 2008

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,1,1,2-Tetrachloroethane	0.63	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,1-Trichloroethane	0.46	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,2,2-Tetrachloroethane	0.15	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,2-Trichloroethane	0.47	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1-Dichloroethane	0.52	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2,3-Trichloropropane	0.18	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Dichlorobenzene	0.44	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Dichloropropane	0.52	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Hexanone	4.4	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Methyl-2-pentanone	3.8	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acetone	9.9	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acrylonitrile	1.2	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bromochloromethane	0.58	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bromodichloromethane	0.35	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bromoform	0.58	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bromomethane	2.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Carbon disulfide	0.85	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chloroethane	2.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chloromethane	1	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
cis-1,2-Dichloroethene	0.65	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
cis-1,3-Dichloropropene	0.14	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dibromochloromethane	0.34	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dibromomethane	0.41	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Ethylbenzene	0.44	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Iodomethane	2.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
 Database: 3.7.51 6/24/2005 12:00

Thursday, February 19, 2009

Page 54 of 55

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Methylene Chloride	4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Styrene	0.98 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Toluene	0.51 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,2-Dichloroethene	0.44 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,3-Dichloropropene	0.14 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,4-Dichloro-2-butene	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Trichlorofluoromethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Vinyl acetate	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Xylenes, Total	0.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Thursday, February 19, 2009

Page 55 of 55