



FDEP Automated Data Evaluation

WEST PASCO CLASS I LANDFILL

Human Review Statement:

This is an automated data review produced by the FDEP Validator software. This report does not supercede FDEP rules or standards and may not contain all violations of FDEP rules and standards. This report should be reviewed by a qualified staff member.

Sample ID: **19214 09/09/2008**

Matrix: W

Well Type: BG - Background

Monitoring Site: 4MW-13D

Sample Date: September 9, 2008

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,2,3-TRICHLOROPROPANE	0.18	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment: MANUALLY ENTERED				Criterion: 0.02 ug/L
				Detection Limit: 0.18 UG/L
1,2-DIBROMO-3-CHLOROPROPANE	0.24	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.2 ug/L
				Detection Limit: 0.24 UG/L
1,2-DIBROMOETHANE	0.13	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.02 ug/L
				Detection Limit: 0.13 UG/L
ACRYLONITRILE	1.6	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.06 ug/L
				Detection Limit: 1.6 UG/L

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

WEST PASCO CLASS I LANDFILL

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 19758 09/03/2008

Matrix: W

Well Type: BG - Background

Monitoring Site: 2MW-17S

Sample Date: September 3, 2008

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units
ANTIMONY	7.4		UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment: MANUALLY ENTERED

Criterion: 6 ug/L

Exceeds by factor of: 1.23

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
1,2,3-TRICHLOROPROPANE	0.18 U		UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment: MANUALLY ENTERED

Criterion: 0.02 ug/L

Detection Limit: 0.18 UG/L

1,2-DIBROMO-3-CHLOROPROPANE	0.24 U		UG/L
-----------------------------	--------	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 0.2 ug/L

Detection Limit: 0.24 UG/L

1,2-DIBROMOETHANE	0.13 U		UG/L
-------------------	--------	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 0.02 ug/L

Detection Limit: 0.13 UG/L

ACRYLONITRILE	1.6 U		UG/L
---------------	-------	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 0.06 ug/L

Detection Limit: 1.6 UG/L

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, March 04, 2009

Page 2 of 15

FDEP Automated Data Evaluation

WEST PASCO CLASS I LANDFILL

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 19759 09/03/2008

Matrix: W

Well Type: BG - Background

Monitoring Site: 2MW-18D

Sample Date: September 3, 2008

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,2,3-TRICHLOROPROPANE	0.18	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment: MANUALLY ENTERED				Criterion: 0.02 ug/L
				Detection Limit: 0.18 UG/L
1,2-DIBROMO-3-CHLOROPROPANE	0.24	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.2 ug/L
				Detection Limit: 0.24 UG/L
1,2-DIBROMOETHANE	0.13	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.02 ug/L
				Detection Limit: 0.13 UG/L
ACRYLONITRILE	1.6	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.06 ug/L
				Detection Limit: 1.6 UG/L

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, March 04, 2009

Page 3 of 15

FDEP Automated Data Evaluation

WEST PASCO CLASS I LANDFILL

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 19764 09/03/2008

Matrix: W

Well Type: BG - Background

Monitoring Site: 2MW-19D

Sample Date: September 3, 2008

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,2,3-TRICHLOROPROPANE	0.18	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment: MANUALLY ENTERED				Criterion: 0.02 ug/L
				Detection Limit: 0.18 UG/L
1,2-DIBROMO-3-CHLOROPROPANE	0.24	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.2 ug/L
				Detection Limit: 0.24 UG/L
1,2-DIBROMOETHANE	0.13	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.02 ug/L
				Detection Limit: 0.13 UG/L
ACRYLONITRILE	1.6	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.06 ug/L
				Detection Limit: 1.6 UG/L

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, March 04, 2009

Page 4 of 15

FDEP Automated Data Evaluation

WEST PASCO CLASS I LANDFILL

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **19765 09/10/2008**

Matrix: W

Well Type: BG - Background

Monitoring Site: 2MW-20D

Sample Date: September 10, 2008

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,2,3-TRICHLOROPROPANE	0.18	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment: MANUALLY ENTERED				Criterion: 0.02 ug/L
				Detection Limit: 0.18 UG/L
1,2-DIBROMO-3-CHLOROPROPANE	0.24	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.2 ug/L
				Detection Limit: 0.24 UG/L
1,2-DIBROMOETHANE	0.13	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.02 ug/L
				Detection Limit: 0.13 UG/L
ACRYLONITRILE	1.6	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.06 ug/L
				Detection Limit: 1.6 UG/L

Versions

Report: 3.0.0
 Database: 3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

WEST PASCO CLASS I LANDFILL

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 19766 09/10/2008

Matrix: W

Well Type: BG - Background

Monitoring Site: 2MW-15D

Sample Date: September 10, 2008

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,2,3-TRICHLOROPROPANE	0.18	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment: MANUALLY ENTERED				Criterion: 0.02 ug/L
				Detection Limit: 0.18 UG/L
1,2-DIBROMO-3-CHLOROPROPANE	0.24	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.2 ug/L
				Detection Limit: 0.24 UG/L
1,2-DIBROMOETHANE	0.13	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.02 ug/L
				Detection Limit: 0.13 UG/L
ACRYLONITRILE	1.6	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.06 ug/L
				Detection Limit: 1.6 UG/L

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, March 04, 2009

Page 6 of 15

FDEP Automated Data Evaluation

WEST PASCO CLASS I LANDFILL

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 2382 09/02/2008

Matrix: W

Well Type: CO - Compliance

Monitoring Site: 2MW-2

Sample Date: September 2, 2008

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
----------------	------	------	-------

1,2,3-TRICHLOROPROPANE	0.18	U	UG/L
------------------------	------	---	------

Comment: MANUALLY ENTERED

1,2-DIBROMO-3-CHLOROPROPANE	0.24	U	UG/L
-----------------------------	------	---	------

Comment:

1,2-DIBROMOETHANE	0.13	U	UG/L
-------------------	------	---	------

Comment:

ACRYLONITRILE	1.6	U	UG/L
---------------	-----	---	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 0.02 ug/L

Detection Limit: 0.18 UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 0.2 ug/L

Detection Limit: 0.24 UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 0.02 ug/L

Detection Limit: 0.13 UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 0.06 ug/L

Detection Limit: 1.6 UG/L

Versions

Report: 3.0.0

Database: 3.7.51 6/24/2005 12:00

Wednesday, March 04, 2009

Page 7 of 15

FDEP Automated Data Evaluation

WEST PASCO CLASS I LANDFILL

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **2386 09/10/2008**

Matrix: W

Well Type: BG - Background

Monitoring Site: 4MW-1

Sample Date: September 10, 2008

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units
TDS	610		MG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment: MANUALLY ENTERED

Criterion: 500000 ug/L

Exceeds by factor of: 1.22

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
1,2,3-TRICHLOROPROPANE	0.18 U		UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment: MANUALLY ENTERED

Criterion: 0.02 ug/L

Detection Limit: 0.18 UG/L

1,2-DIBROMOETHANE	0.13 U		UG/L
-------------------	--------	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 0.02 ug/L

Detection Limit: 0.13 UG/L

ACRYLONITRILE	1.6 U		UG/L
---------------	-------	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Comment:

Criterion: 0.06 ug/L

Detection Limit: 1.6 UG/L

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, March 04, 2009

Page 8 of 15

FDEP Automated Data Evaluation

WEST PASCO CLASS I LANDFILL

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 2387 09/02/2008

Matrix: W

Well Type: CO - Compliance

Monitoring Site: 4MW-2

Sample Date: September 2, 2008

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,2,3-TRICHLOROPROPANE	0.18	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment: MANUALLY ENTERED				Criterion: 0.02 ug/L
				Detection Limit: 0.18 UG/L
1,2-DIBROMO-3-CHLOROPROPANE	0.24	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.2 ug/L
				Detection Limit: 0.24 UG/L
1,2-DIBROMOETHANE	0.13	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.02 ug/L
				Detection Limit: 0.13 UG/L
ACRYLONITRILE	1.6	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.06 ug/L
				Detection Limit: 1.6 UG/L

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, March 04, 2009

Page 9 of 15

FDEP Automated Data Evaluation

WEST PASCO CLASS I LANDFILL

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 2388 09/03/2008

Matrix: W

Well Type: CO - Compliance

Monitoring Site: 4MW-4

Sample Date: September 3, 2008

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
----------------	------	------	-------

1,2,3-TRICHLOROPROPANE	0.18	U	UG/L
------------------------	------	---	------

Comment: MANUALLY ENTERED

1,2-DIBROMO-3-CHLOROPROPANE	0.24	U	UG/L
-----------------------------	------	---	------

Comment:

1,2-DIBROMOETHANE	0.13	U	UG/L
-------------------	------	---	------

Comment:

ACRYLONITRILE	1.6	U	UG/L
---------------	-----	---	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 0.02 ug/L

Detection Limit: 0.18 UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 0.2 ug/L

Detection Limit: 0.24 UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 0.02 ug/L

Detection Limit: 0.13 UG/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 0.06 ug/L

Detection Limit: 1.6 UG/L

Versions

Report: 3.0.0

Database: 3.7.51 6/24/2005 12:00

Wednesday, March 04, 2009

Page 10 of 15

FDEP Automated Data Evaluation

WEST PASCO CLASS I LANDFILL

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **2389 09/03/2008**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: 4MW-5

Sample Date: September 3, 2008

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,2,3-TRICHLOROPROPANE	0.18	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment: MANUALLY ENTERED				Criterion: 0.02 ug/L
				Detection Limit: 0.18 UG/L
1,2-DIBROMO-3-CHLOROPROPANE	0.24	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.2 ug/L
				Detection Limit: 0.24 UG/L
1,2-DIBROMOETHANE	0.13	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.02 ug/L
				Detection Limit: 0.13 UG/L
ACRYLONITRILE	1.6	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.06 ug/L
				Detection Limit: 1.6 UG/L

Versions

Report: 3.0.0
 Database: 3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

WEST PASCO CLASS I LANDFILL

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 2390 09/02/2008

Matrix: W

Well Type: CO - Compliance

Monitoring Site: 4MW-6

Sample Date: September 2, 2008

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,2,3-TRICHLOROPROPANE	0.18	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment: MANUALLY ENTERED				Criterion: 0.02 ug/L
				Detection Limit: 0.18 UG/L
1,2-DIBROMO-3-CHLOROPROPANE	0.24	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.2 ug/L
				Detection Limit: 0.24 UG/L
1,2-DIBROMOETHANE	0.13	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.02 ug/L
				Detection Limit: 0.13 UG/L
ACRYLONITRILE	1.6	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.06 ug/L
				Detection Limit: 1.6 UG/L

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, March 04, 2009

Page 12 of 15

FDEP Automated Data Evaluation

WEST PASCO CLASS I LANDFILL

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **2510 09/09/2008**

Matrix: W

Well Type: BG - Background

Monitoring Site: 4MW-11D

Sample Date: September 9, 2008

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,2,3-TRICHLOROPROPANE	0.18	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment: MANUALLY ENTERED				Criterion: 0.02 ug/L
				Detection Limit: 0.18 UG/L
1,2-DIBROMO-3-CHLOROPROPANE	0.24	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.2 ug/L
				Detection Limit: 0.24 UG/L
1,2-DIBROMOETHANE	0.13	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.02 ug/L
				Detection Limit: 0.13 UG/L
ACRYLONITRILE	1.6	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.06 ug/L
				Detection Limit: 1.6 UG/L

Versions

Report: 3.0.0
 Database: 3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

WEST PASCO CLASS I LANDFILL

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 2511 09/09/2008

Matrix: W

Well Type: BG - Background

Monitoring Site: 4MW-12D

Sample Date: September 9, 2008

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	
1,2,3-TRICHLOROPROPANE	0.18	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment: MANUALLY ENTERED				Criterion: 0.02 ug/L
				Detection Limit: 0.18 UG/L
1,2-DIBROMO-3-CHLOROPROPANE	0.24	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.2 ug/L
				Detection Limit: 0.24 UG/L
1,2-DIBROMOETHANE	0.13	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.02 ug/L
				Detection Limit: 0.13 UG/L
ACRYLONITRILE	1.6	U	UG/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.06 ug/L
				Detection Limit: 1.6 UG/L

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, March 04, 2009

Page 14 of 15

FDEP Automated Data Evaluation

WEST PASCO CLASS I LANDFILL

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 2512 09/10/2008

Matrix: W

Well Type: BG - Background

Monitoring Site: 4MW-14D

Sample Date: September 10, 2008

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,2,3-TRICHLOROPROPANE	0.18	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment: MANUALLY ENTERED				Criterion: 0.02 ug/L
				Detection Limit: 0.18 UG/L
1,2-DIBROMO-3-CHLOROPROPANE	0.24	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.2 ug/L
				Detection Limit: 0.24 UG/L
1,2-DIBROMOETHANE	0.13	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.02 ug/L
				Detection Limit: 0.13 UG/L
ACRYLONITRILE	1.6	U	UG/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.06 ug/L
				Detection Limit: 1.6 UG/L

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, March 04, 2009

Page 15 of 15