



# FDEP Automated Data Evaluation

WEST PASCO CLASS I LANDFILL

### Human Review Statement:

This is an automated data review produced by the FDEP Validator software. This report does not supercede FDEP rules or standards and may not contain all violations of FDEP rules and standards. This report should be reviewed by a qualified staff member.

Sample ID: 19214 09/09/2008

Matrix: W

Well Type: BG - Background

Monitoring Site: 4MW-13D

Sample Date: September 9, 2008

Evaluation Type: **The sample was analyzed after the holding time had expired.**

Measured concentrations may not be representative of conditions at sample collection.

Parameter Name	Rslt	Qual	Units	
AMMONIA, TOTAL	0.08	U	MG/L	Analysis performed outside holding time by: 19.4 hours.
Comment: MANUALLY ENTERED				
CHLORIDE	43.7		MG/L	Analysis performed outside holding time by: 5.8 days.
Comment:				

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Wednesday, March 04, 2009

Page 1 of 18

# FDEP Automated Data Evaluation

WEST PASCO CLASS I LANDFILL

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **19758 09/03/2008**

Matrix: W

Well Type: BG - Background

Monitoring Site: 2MW-17S

Sample Date: September 3, 2008

---

Evaluation Type: **The sample was analyzed after the holding time had expired.**

Measured concentrations may not be representative of conditions at sample collection.

Parameter Name	Rslt	Qual	Units	
AMMONIA, TOTAL	0.08	U	MG/L	Analysis performed outside holding time by: 5.7 days.
Comment: MANUALLY ENTERED				
CHLORIDE	3.51		MG/L	Analysis performed outside holding time by: 4.9 days.
Comment:				

Versions
Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, March 04, 2009

Page 2 of 18

# FDEP Automated Data Evaluation

WEST PASCO CLASS I LANDFILL

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **19759 09/03/2008**

Matrix: W

Well Type: BG - Background

Monitoring Site: 2MW-18D

Sample Date: September 3, 2008

---

Evaluation Type: **The sample was analyzed after the holding time had expired.**

Measured concentrations may not be representative of conditions at sample collection.

Parameter Name	Rslt	Qual	Units	
AMMONIA, TOTAL	0.08	U	MG/L	Analysis performed outside holding time by: 5.8 days.
Comment: MANUALLY ENTERED				
CHLORIDE	24.5		MG/L	Analysis performed outside holding time by: 5.0 days.
Comment:				

Versions
Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, March 04, 2009

Page 3 of 18

# FDEP Automated Data Evaluation

WEST PASCO CLASS I LANDFILL

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **19764 09/03/2008**

Matrix: W

Well Type: BG - Background

Monitoring Site: 2MW-19D

Sample Date: September 3, 2008

---

Evaluation Type: **The sample was analyzed after the holding time had expired.**

Measured concentrations may not be representative of conditions at sample collection.

Parameter Name	Rslt	Qual	Units	
AMMONIA, TOTAL	0.08	U	MG/L	Analysis performed outside holding time by: 5.8 days.
Comment: MANUALLY ENTERED				
CHLORIDE	23.4		MG/L	Analysis performed outside holding time by: 5.1 days.
Comment:				

Versions
Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, March 04, 2009

Page 4 of 18

# FDEP Automated Data Evaluation

WEST PASCO CLASS I LANDFILL

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **19765 09/10/2008**

Matrix: W

Well Type: BG - Background

Monitoring Site: 2MW-20D

Sample Date: September 10, 2008

---

Evaluation Type: **The sample was analyzed after the holding time had expired.**

Measured concentrations may not be representative of conditions at sample collection.

Parameter Name	Rslt	Qual	Units	
CHLORIDE	54.8		MG/L	Analysis performed outside 4.9 days. holding time by:

Comment: MANUALLY ENTERED

Versions
Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, March 04, 2009

Page 5 of 18

# FDEP Automated Data Evaluation

WEST PASCO CLASS I LANDFILL

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **19766 09/10/2008**

Matrix: W

Well Type: BG - Background

Monitoring Site: 2MW-15D

Sample Date: September 10, 2008

---

Evaluation Type: **The sample was analyzed after the holding time had expired.**

Measured concentrations may not be representative of conditions at sample collection.

Parameter Name	Rslt	Qual	Units	
CHLORIDE	5.29		MG/L	Analysis performed outside 4.8 days. holding time by:

Comment: MANUALLY ENTERED

Versions
Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, March 04, 2009

Page 6 of 18

# FDEP Automated Data Evaluation

WEST PASCO CLASS I LANDFILL

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **2382 09/02/2008**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: 2MW-2

Sample Date: September 2, 2008

---

Evaluation Type: **The sample was analyzed after the holding time had expired.**

Measured concentrations may not be representative of conditions at sample collection.

Parameter Name	Rslt	Qual	Units	
AMMONIA, TOTAL	0.08	U	MG/L	Analysis performed outside holding time by: 6.8 days.
Comment: MANUALLY ENTERED				
CHLORIDE	4.5		MG/L	Analysis performed outside holding time by: 6.0 days.
Comment:				

Versions
----------

Report:	3.0.0
---------	-------

Database:	3.7.51 6/24/2005 12:00
-----------	------------------------

Wednesday, March 04, 2009

Page 7 of 18

# FDEP Automated Data Evaluation

WEST PASCO CLASS I LANDFILL

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **2386 09/10/2008**

Matrix: W

Well Type: BG - Background

Monitoring Site: 4MW-1

Sample Date: September 10, 2008

---

Evaluation Type: **The sample was analyzed after the holding time had expired.**

Measured concentrations may not be representative of conditions at sample collection.

Parameter Name	Rslt	Qual	Units	
CHLORIDE	165		MG/L	Analysis performed outside holding time by: 4.8 days.
Comment: MANUALLY ENTERED				
NITRATE (AS N)	0.71		MG/l	Analysis performed outside holding time by: 6.7 days.
Comment:				

Versions
Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, March 04, 2009

Page 8 of 18



# FDEP Automated Data Evaluation

WEST PASCO CLASS I LANDFILL

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **2387 09/02/2008**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: 4MW-2

Sample Date: September 2, 2008

---

Evaluation Type: **The sample was analyzed after the holding time had expired.**

Measured concentrations may not be representative of conditions at sample collection.

Parameter Name	Rslt	Qual	Units	
AMMONIA, TOTAL	0.08	U	MG/L	Analysis performed outside holding time by: 6.9 days.
Comment: MANUALLY ENTERED				
CHLORIDE	5.24		MG/L	Analysis performed outside holding time by: 6.0 days.
Comment:				

Versions
Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, March 04, 2009

Page 9 of 18

# FDEP Automated Data Evaluation

WEST PASCO CLASS I LANDFILL

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **2388 09/03/2008**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: 4MW-4

Sample Date: September 3, 2008

---

Evaluation Type: **The sample was analyzed after the holding time had expired.**

Measured concentrations may not be representative of conditions at sample collection.

Parameter Name	Rslt	Qual	Units	
AMMONIA, TOTAL	0.08	U	MG/L	Analysis performed outside holding time by: 5.9 days.
Comment: MANUALLY ENTERED				
CHLORIDE	13.2		MG/L	Analysis performed outside holding time by: 5.0 days.
Comment:				

Versions
Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, March 04, 2009

Page 10 of 18

# FDEP Automated Data Evaluation

WEST PASCO CLASS I LANDFILL

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **2389 09/03/2008**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: 4MW-5

Sample Date: September 3, 2008

---

Evaluation Type: **The sample was analyzed after the holding time had expired.**

Measured concentrations may not be representative of conditions at sample collection.

Parameter Name	Rslt	Qual	Units	
AMMONIA, TOTAL	0.08	U	MG/L	Analysis performed outside holding time by: 5.7 days.

Comment: MANUALLY ENTERED

Versions
Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, March 04, 2009

Page 11 of 18

# FDEP Automated Data Evaluation

WEST PASCO CLASS I LANDFILL

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **2390 09/02/2008**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: 4MW-6

Sample Date: September 2, 2008

---

Evaluation Type: **The sample was analyzed after the holding time had expired.**

Measured concentrations may not be representative of conditions at sample collection.

Parameter Name	Rslt	Qual	Units	
AMMONIA, TOTAL	0.08	U	MG/L	Analysis performed outside holding time by: 6.7 days.
Comment: MANUALLY ENTERED				
CHLORIDE	5.32		MG/L	Analysis performed outside holding time by: 5.9 days.
Comment:				

Versions
Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, March 04, 2009

Page 12 of 18

# FDEP Automated Data Evaluation

WEST PASCO CLASS I LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **2456 08/05/2008**

Matrix: W

Well Type: SO - Source

Monitoring Site: A-2 SECONDARY T

Sample Date: August 5, 2008

---

Evaluation Type: **The sample was analyzed after the holding time had expired.**

Measured concentrations may not be representative of conditions at sample collection.

Parameter Name	Rslt	Qual	Units	
CHLORIDE	441		MG/L	Analysis performed outside holding time by: 6.1 days.
Comment: MANUALLY ENTERED				
NITRATE (AS N)	0.11 U		MG/l	Analysis performed outside holding time by: 21.5 hours.
Comment:				

Versions
Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, March 04, 2009

Page 13 of 18

# FDEP Automated Data Evaluation

WEST PASCO CLASS III LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **2507 08/05/2008**

Matrix: W

Well Type: SO - Source

Monitoring Site: A-1 PRIMARY TAN

Sample Date: August 5, 2008

---

Evaluation Type: **The sample was analyzed after the holding time had expired.**

Measured concentrations may not be representative of conditions at sample collection.

Parameter Name	Rslt	Qual	Units	
CHLORIDE	1.68	U	MG/L	Analysis performed outside holding time by: 18.5 hours.

Comment: MANUALLY ENTERED

Versions
Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, March 04, 2009

Page 14 of 18

# FDEP Automated Data Evaluation

WEST PASCO CLASS III LF

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **2508 08/05/2008**

Matrix: W

Well Type: SO - Source

Monitoring Site: A-2 SECONDARY T

Sample Date: August 5, 2008

---

Evaluation Type: **The sample was analyzed after the holding time had expired.**

Measured concentrations may not be representative of conditions at sample collection.

Parameter Name	Rslt	Qual	Units	
NITRATE (AS N)	0.42		MG/l	Analysis performed outside holding time by: 18.0 hours.

Comment: MANUALLY ENTERED

Versions
Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, March 04, 2009

Page 15 of 18

# FDEP Automated Data Evaluation

WEST PASCO CLASS I LANDFILL

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **2510 09/09/2008**

Matrix: W

Well Type: BG - Background

Monitoring Site: 4MW-11D

Sample Date: September 9, 2008

---

Evaluation Type: **The sample was analyzed after the holding time had expired.**

Measured concentrations may not be representative of conditions at sample collection.

Parameter Name	Rslt	Qual	Units	
AMMONIA, TOTAL	0.08	U	MG/L	Analysis performed outside holding time by: 21.6 hours.
Comment: MANUALLY ENTERED				
CHLORIDE	9.86		MG/L	Analysis performed outside holding time by: 5.9 days.
Comment:				

Versions
Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, March 04, 2009

Page 16 of 18



# FDEP Automated Data Evaluation

WEST PASCO CLASS I LANDFILL

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **2511 09/09/2008**

Matrix: W

Well Type: BG - Background

Monitoring Site: 4MW-12D

Sample Date: September 9, 2008

---

Evaluation Type: **The sample was analyzed after the holding time had expired.**

Measured concentrations may not be representative of conditions at sample collection.

Parameter Name	Rslt	Qual	Units	
AMMONIA, TOTAL	0.08	U	MG/L	Analysis performed outside holding time by: 20.0 hours.
Comment: MANUALLY ENTERED				
CHLORIDE	45.8		MG/L	Analysis performed outside holding time by: 5.8 days.
Comment:				

Versions
----------

Report:	3.0.0
---------	-------

Database:	3.7.51 6/24/2005 12:00
-----------	------------------------

Wednesday, March 04, 2009

Page 17 of 18

# FDEP Automated Data Evaluation

WEST PASCO CLASS I LANDFILL

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **2512 09/10/2008**

Matrix: W

Well Type: BG - Background

Monitoring Site: 4MW-14D

Sample Date: September 10, 2008

---

Evaluation Type: **The sample was analyzed after the holding time had expired.**

Measured concentrations may not be representative of conditions at sample collection.

Parameter Name	Rslt	Qual	Units	
CHLORIDE	44.5		MG/L	Analysis performed outside holding time by: 4.9 days.

Comment: MANUALLY ENTERED

Versions
Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Wednesday, March 04, 2009

Page 18 of 18